

Pancreatic cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Pancreatic cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Liver cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Liver cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Rectal cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Rectal cancer:

Emergency presentation – proportion and 12-month mortality among emergency and non-emergency presenters




Emergency Presentation –
overall proportion (%)



Emergency
Presentation
mortality (%)



Non-Emergency
Presentation
mortality (%)



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Oesophageal cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Oesophageal cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Oesophageal cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:


b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Stomach cancer:
Risk of 1-month, 3-month and 12-month mortality
among emergency and non-emergency presenters




Definitions:

b = broad definition
Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition
Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Stomach cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:


b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Stomach cancer:
Risk of 1-month, 3-month and 12-month mortality
among emergency and non-emergency presenters




Definitions:

b = broad definition
Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition
Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Colon cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Colon cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Colon cancer:

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Lung cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Lung cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition


Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Lung cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition



Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Ovarian cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition



Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Ovarian cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition



Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission

Ovarian cancer

Risk of 1-month, 3-month and 12-month mortality among emergency and non-emergency presenters



Definitions:

b = broad definition

Emergency hospital admission in the 30 days before the date of cancer diagnosis

n = narrow definition

Additionally requiring that emergency hospitalisations (in the 30-days pre-diagnosis of cancer) occurred without an intervening elective admission