

Colorectal early diagnosis: technology, clinicians & pathways: CREDIBLE

Dr Tom Marshall

Professor of Public Health & Primary Care

University of Birmingham

CREDIBLE

- **ColoRectal cancer Early Diagnosis an Information Based Local Evaluation**
- Feasibility study
 - Can software flag up patients with suspected colorectal cancer?
 - Could this lead to earlier diagnosis?

From This



© Mathew Growcott / newsteam

To This

Intelligent Cross Selling

Use our AlsoBought inbuilt error-free algorithm which allows you to recommend products based on the times they were bought together.



[Your Amazon.co.uk](#) > **Recommended for you**
(If you're not Tom Marshall, [click here.](#))

Just For Today

[Browse Recommended](#)

Recommendations

[Amazon Instant Video](#)

[Appstore for Android](#)

[Baby](#)

[Books](#)

[Books on Kindle](#)

[Car](#)

[Clothing](#)

[Computers & Accessories](#)

[DIY & Tools](#)

[DVD & Blu-ray](#)

These recommendations are based on [items you own](#) and more.

view: **All** | [New Releases](#) | [Coming Soon](#)

1.



[Adults More Mile cushioned pair LONDON](#)

More Mile (2 Mar. 2011)

Average Customer Review: ★★★★★ ☒ (7)

Price: £5.00

Sale: £3.50



I own it



Not interested




★★★★★

Rate this item

Recommended because you said you owned **More Mile Cheviot Trail Shoe Black**




Generate list of patients
aged 60-79 meeting
NICE referral criteria




Review list:



- Already under investigation
- Unsuitable
- Other diagnosis



GP invites patients
for consultation



GP check up
- In own practice



GP refers for investigation
- Flexible sigmoidoscopy / colonoscopy


Software Hitches




- Infrequent uploads of patient records
- Changes in software
- Delays

Results


- In 20 practices, searched 19,580 patient records (aged 60-79)
 - 809 (4.1%) met NICE referral criteria
 - First search – prevalent cases (backlog)
 - Subsequent search – incident cases





Flagged up patients: further review

- Further review of records by GP: 34%
- No further review: 66%
 - Most had been previously referred (53%)



New Diagnoses

- New diagnoses 4.7%:
 - 10 (1.2%) colon cancers
 - 28 (3.5%) polyps
- Among incident cases 7.1%:
 - 5 (1.6%) colon cancers
 - 17 (5.5%) polyps

Colorectal cancers and polyps flagged up by CREDIBLE

Row Labels	Polyp		Bowel cancer	
Prevalent cases	11		5	
Already referred	9	82%	1	20%
Not eligible for further investigation	1	9%		
Eligible for further investigation	1	9%	4	80%

Successes

- Software worked
- Of incident cases flagged:
 - 1.6% had colon cancer
 - 7.1% had colon cancer or polyp
- PPV of colon / polyp with incident symptoms:

FOBT +	7.5%
Anaemia (Fe deficient)	7.8%
Rectal Bleeding	10.3%

Old Problems Persist

- Anaemia / persistent diarrhoea less likely to have been previously referred than rectal bleeding / CIBH

Issues

- Flagged up patients not investigated / referred
 - Variation by GP
 - Hb / FOBt for 0% to 80% of consulting patients
- Varied referral pathways
 - Haematology / upper GI
- Delays
 - Incident cases (median days)

– Symptoms → flagged up	53 (IQR: 37 to 90)
– Flagged up → GP consultation	45 (IQR 21 to 179)
– Flagged up → secondary care	71 (IQR: 40 to 120)

Thanks

- 20 practices in Sandwell, Dudley & Birmingham

The CREDIBLEs

- Elaine Kidney
- Alexis Macherianakis
- George Dowswell
- Lindy Berkman
- Dion Morton
- Willie Hamilton
- Helen Awberry
- Marie Crook

Questions