

## Interior

### Foyer on Barton Springs Rd.

#### Banister Banner Dimensions

**Wall to Wall:** 87 ft. 6 in.

**Wall to 1st bolt:** 39 in.

**1st bolt to 2nd bolt:** 4 ft. (4 ft. bolt to bolt)

**Banister bolt to floor:** 17 ft. 6 in.

**Banister bolt to South Beam:** 19 ft.

#### Banister Banner Guidelines

**Maximum Length:** 80 ft. x 7 ft.

**Minimum Length:** 4 ft. x 7 ft.

**Maximum Height of Banner:** 7 ft.

**Weight of Banner:** Varies from bolt to bolt

**Weight of Banner from Banister to South Beam:** 50 lbs. (Needs to bow when it crosses wall to beam)

### Second Level on Riverside Dr.

#### Staircase Banister facing Butler Park

**Wall to Wall:** 13 ft. 9 1/2 in.

**Wall to 1st bolt:** 2 ft. 10 in.

**1st bolt to 2nd bolt:** 3 ft. 11 in.

**2nd bolt to 3rd bolt:** 3 ft. 11 in.

**3rd bolt to wall:** 2 ft. 10 in.

#### Staircase Banner Guidelines

**Maximum Length:** 9 ft. x 7 ft.

**Minimum Length:** 3 ft. x 7 ft.

**Maximum Height of Banner:** 7 ft.

## Exterior

### Terrance by Meeting Rooms on Riverside Dr.

#### Terrance Banner Dimensions

**1st bolt to last bolt:** 94 ft.

**Bolt to bolt:** 4 ft.

**Maximum Height of the Banner:** Needs to be at least 10 ft. off the ground level

#### Terrance Banner Guidelines

Need to be wind passable

Tied down by water barrels

Client is responsible for monitoring banners, especially during Bad Weather days

### Exterior Column Banners

#### Column Banner Guidelines

**Maximum Height of Exterior Banner:** 9 ft. and at least 10 ft. off the ground level

**Maximum Weight of Exterior Banner:** 25 lbs.

Need to be wind passable

Clients are responsible for monitoring exterior banners at all times; clients must have a Bad Weather Day plan.

Banners on columns must be secured with ropes or ties.

Client and/or their Contractor must ensure columns are protected from scratches or damage.

The Client and/or their Contractor is responsible for hanging and removing banners.

Fees may apply for Department to remove banners or any hanging banner apparatus.



**Exterior Oversized Banner Locations**

<b>E1</b>	Riverside Dr Canopy	22 ft. wide
<b>E2</b>	Riverside Dr Canopy	27 ft. wide
<b>E3</b>	Riverside Dr Canopy	24 ft. wide
<b>E4</b>	Riverside Dr Canopy	24 ft. wide
<b>E5</b>	Riverside Dr Canopy	36 ft. wide
<b>E6</b>	Riverside Dr Canopy	25 ft. wide
<b>E7</b>	Butler Park Canopy	24 ft. wide
<b>E8</b>	Butler Park Canopy	36 ft. wide
<b>E9</b>	Butler Park Canopy	24 ft. wide
<b>E10</b>	Butler Park Canopy	24 ft. wide
<b>E11</b>	Butler Park Canopy	27 ft. wide
<b>E12</b>	Butler Park Canopy	27 ft. wide
<b>E13</b>	Butler Park Canopy	27 ft. wide
<b>E14</b>	Butler Park Canopy	27 ft. wide
<b>E15</b>	Butler Park Canopy	27 ft. wide
<b>E16</b>	Butler Park Canopy	27 ft. wide
<b>E17</b>	Butler Park Canopy	27 ft. wide
<b>E18</b>	Butler Park Canopy	27 ft. wide
<b>E19</b>	Butler Park Canopy	27 ft. wide
<b>E20</b>	Butler Park Canopy	27 ft. wide
<b>E21</b>	Butler Park Canopy	27 ft. wide
<b>E22</b>	Butler Park Canopy	24 ft. wide
<b>E23</b>	Butler Park Canopy	24 ft. wide
<b>E24</b>	Butler Park Canopy	36 ft. wide
<b>E25</b>	Butler Park Canopy	22 ft. wide
<b>E26</b>	Barton Springs Canopy	24 ft. wide
<b>E27</b>	Barton Springs Canopy	36 ft. wide
<b>E28</b>	Barton Springs Canopy	24 ft. wide
<b>E29</b>	Barton Springs Canopy	24 ft. wide
<b>E30</b>	Barton Springs Canopy	27 ft. wide
<b>E31</b>	Barton Springs Canopy	27 ft. wide
<b>E32</b>	Barton Springs Canopy	25 ft. wide
<b>E33</b>	Barton Springs Canopy	22 ft. wide
<b>E34</b>	Barton Springs Canopy	16 ft. wide
<b>E35</b>	Barton Springs Canopy	16 ft. wide
<b>E36</b>	Riverside Dr Terrance	94 ft. wide

**Interior Oversized Banner Locations**

<b>A</b>	Barton Springs Foyer Banister	87 ft. 6 in. wide
<b>A-1</b>	Barton Springs Foyer Banister	<b>Maximum Length:</b> 80 ft. x 7 ft.
<b>A-2</b>	Barton Springs Foyer Banister	<b>Minimum Length:</b> 4 ft. x 7 ft.
<b>B</b>	Barton Springs Foyer Banister to South Beam	19 ft. x 7 ft.
<b>C</b>	Butler Park Staircase Banister	13 ft. 9.5 in.
<b>C-1</b>	Butler Park Staircase Banister	<b>Maximum Length:</b> 9 ft. x 7 ft.
<b>C-2</b>	Butler Park Staircase Banister	<b>Minimum Length:</b> 3 ft. x 7 ft.

**Oversized Banner Guidelines****Maximum Height of Interior Banners:**

7 ft.

**Maximum Height of Exterior Banners:**

At least 10 ft. off the Ground level

**Maximum Weight of Exterior Banners:**

25 lbs.

Exterior Banners must be Wind Passable

Clients are responsible for monitoring exterior banners at all times; clients must have a Bad Weather day plan.

Banners on columns must be secured with ropes or ties.

Client and/or their Contractor must ensure columns are protected from scratches or damage.


February 2014



Riverside Drive


Butler Park

South 1st.




Barton Springs Rd.

# Butler Park



## Exterior

### Exterior Pole Banners



### Exterior Pole Banners

#### Pole Banner Information Riverside Circle Drive

14 banners

#### Pole Banner Information Barton Springs Circle Drive

20 banners

### Pole Banners Dimensions

#### Total Length of Banner (Top-to-Bottom)

90 inches

#### Total Length of Graphic Space

82 inches (within stitching seams)

#### Total Width of Banner

28 inches

#### Pole Pocket Depth (Top and Bottom)

4 inches/ each area

