



LOLER Inspection Checklist

Constructr Solutions / Seraphim Santos / 16 May 2023

Complete

Flagged items	29	Actions	8
Site	Constructr Solutions		
Address	Manchester, NH, USA (42.9956397, -71.4547891)		
Inspected by	Seraphim Santos		
Conducted on	16 May 2023 23:12 PST		

Table of Contents

Flagged items & Actions	3
LOLER Inspection Checklist	7
Lifting Equipment	7
Equipment	7
Equipment 1	7
Equipment 2	7
Equipment 3	8
Regulation 3: Application	8
Suitability	8
Materials	8
Access	8
Slips, Trips & Falls	9
Operator Protection	9
High Winds	9
Regulation 4: Strengths & Stability	9
Strength	9
Stability	10
Overload	10
Regulation 6: Positioning & Installation	10
Regulation 7: Marking of Lifting Equipment	12
Regulation 8: Organization of Lifting Operations (lifting or lowering)	13
Visibility	14
Attaching/Detaching/Securing Loads	15
Environment	15
Location	15
Overturning	15
Proximity Hazards	16
Derating	16
Overload	16
Pre-use Check	16
Continuing Integrity	17
Regulation 9: Thorough Examination & Inspection	17
Regulation 10: Reports & Defects	18
Regulation 11: Keeping of Information	18
Signature	19
Media summary	20

Flagged items & Actions

29 flagged, 8 actions

Flagged items

29 flagged, 7 actions

LOLER Inspection Checklist / Regulation 3: Application / High Winds

If equipment/load can be affected by high winds, is it fitted with devices to detect dangerous situations that will enable measures to be taken to cease its use?

No

LOLER Inspection Checklist / Regulation 4: Strengths & Stability / Stability

Is the equipment of adequate stability for the job to be done?

No



Photo 5

LOLER Inspection Checklist / Regulation 4: Strengths & Stability / Overload

If overturning/overloading is a significant risk, are rate capacity indicators or rated capacity limiters fitted to the equipment?

No

To do | Priority: Low | Due: 2 Jun 2023 22:00 PST | Created by: SafetyCulture Staff

Fit rate capacity indicators or rated capacity limiters to crane truck

LOLER Inspection Checklist / Regulation 6: Positioning & Installation

Is any load moving along a fixed path (e.g. hoist) protected by a suitable and substantial enclosure?

No



Photo 8

To do | Priority: High | Due: 2 Jun 2023 22:30 PST | Created by: SafetyCulture Staff

Plan and supervise lifting operations in this area

LOLER Inspection Checklist / Regulation 6: Positioning & Installation

Does the equipment have a travel or slewing motion to prevent trapping points or where not possible, controls to prevent access to these points?

No

To do | Priority: Medium | Due: 2 Jun 2023 18:00 PST | Created by: SafetyCulture Staff

Do lifting equipment refresher with single girder overhead crane

LOLER Inspection Checklist / Regulation 6: Positioning & Installation

In the event of a power failure, are there measures in place to prevent people from any resulting risks?

No

To do | Priority: Medium | Due: 31 May 2023 23:21 PST | Created by: SafetyCulture Staff

Create power failure control measures

LOLER Inspection Checklist / Regulation 6: Positioning & Installation

Are hooks of the type that reduces the risk of load-displacement fitted?

No




Photo 10

LOLER Inspection Checklist / Regulation 7: Marking of Lifting Equipment

Are accessories which can be separated from the equipment marked to indicate the equipment of which it is a part of?

No




Photo 12

To do | Assignee: SafetyCulture Staff | Priority: High | Due: 29 May 2023 23:22 PST | Created by: SafetyCulture Staff

Add SWL marking on these lifting accessories

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

Are all lifting operations properly planned i.e. address the risks identified by the Risk Assessment?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

Are operations appropriately supervised?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

Are operations carried out in a safe manner?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

If persons need to work below a load, are safe systems of work established which minimizes the risks?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

If loads are left suspended, is access to the danger zone prevented?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

Is the suspended load secured?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

If persons have to work under a suspended load, are they aware of the risks and that the equipment has been thoroughly examined?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

If the risk cannot be controlled by layout organization, are other measures in place to minimize the consequences if the load falls?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering)

If these measures are not enough, have you provided a safe system of work to exclude people from the danger?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) / Visibility

Are measures in place to prevent the load striking anything or a person?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) /
Attaching/Detaching/Securing Loads

Are lifting accessories used for securing the load compatible with the load?

No



Photo 13



Photo 14

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) /
Attaching/Detaching/Securing Loads

Are measures in place to prevent disintegration of the load?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) / Overturning

Are measures and checks in place to prevent lifting equipment from tilting, overturning, moving inadvertently or slipping?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) / Proximity Hazards

Is there an all round 6m exclusion zone where there is a likelihood of anyone being struck whilst working near the wheel tracks of an overhead crane?

No

LOLER Inspection Checklist / Regulation 8: Organization of Lifting Operations (lifting or lowering) / Proximity Hazards

Is there a safe system in place to keep people out of the danger zone?

No

To do | Assignee: SafetyCulture Staff | Priority: Medium | Due: 23 May 2023 23:25 PST |
Created by: SafetyCulture Staff

Develop a safe work system for danger zones

LOLER Inspection Checklist / Regulation 9: Thorough Examination & Inspection

Is your lifting equipment exposed to conditions causing deterioration likely to cause a dangerous situation?

Yes

LOLER Inspection Checklist / Regulation 9: Thorough Examination & Inspection

Is it inspected, where appropriate at suitable intervals

No

between thorough examination?

We will now start using SafetyCulture for LOLER inspections

LOLER Inspection Checklist / Regulation 9: Thorough Examination & Inspection

Do you ensure that thorough examination takes place after long periods out of use?

No

LOLER Inspection Checklist / Regulation 9: Thorough Examination & Inspection

Is a thorough examination undertaken after substantial or significant modification, repair or when reconfigured?

No

LOLER Inspection Checklist / Regulation 11: Keeping of Information

Do you keep available for inspection all thorough examination reports of lifting equipment where if it is exposed to conditions causing deterioration it could result in dangerous situations?

No

LOLER Inspection Checklist / Regulation 11: Keeping of Information

Do you periodically review the inspection and thorough examination reports as part of the management arrangements for controlling the lifting equipment?

No

To do | Assignee: SafetyCulture Staff | Priority: Low | Due: 2 Jun 2023 23:27 PST | Created by: SafetyCulture Staff

Schedule the review of LOLER inspection reports

Other actions

1 action

LOLER Inspection Checklist / Regulation 9: Thorough Examination & Inspection

Is it thoroughly examined every 6 months (if lifting equipment/accessories are for lifting people)?

Yes

To do | Assignee: SafetyCulture Staff | Priority: Low | Due: 26 May 2023 23:25 PST | Created by: SafetyCulture Staff

Schedule thorough examination every 6 months using SafetyCulture

LOLER Inspection Checklist

29 flagged, 8 actions

Lifting Equipment

Equipment

Equipment 1

Make & Model

Crane Truck X5

Serial Number

LE-4235

Equipment Description (with details of location, department, etc.)

Used for lifting metal walkways outdoors

Is equipment specifically designed for lifting people?

No

Has the machine been fitted with a suitably designed and secured carrier/working platform?

Yes

Is it clearly marked that it is not for lifting persons?

Yes

Is the control position manned at all times?

Yes



Photo 1

Equipment 2

Make & Model

Warehouse Gantry Crane Pro

Serial Number

LE-2197

Equipment Description (with details of location, department, etc.)

Used for lifting big loads inside the factory

Is equipment specifically designed for lifting people?

No



Photo 2

Has the machine been fitted with a suitably designed and secured carrier/working platform?

Yes

Is it clearly marked that it is not for lifting persons?

Yes

Is the control position manned at all times?	Yes
Equipment 3	
Make & Model	Single Girder Overhead Crane XP
Serial Number	LE-3691
Equipment Description (with details of location, department, etc.)	
Used for lifting small loads inside the factory	
Is equipment specifically designed for lifting people?	No
Has the machine been fitted with a suitably designed and secured carrier/working platform?	Yes
	
Photo 3	
Is it clearly marked that it is not for lifting persons?	Yes
Is the control position manned at all times?	Yes
Regulation 3: Application	1 flagged
Suitability	
Is the design compatible with human dimensions?	Yes
Has a PUWER risk assessment been completed?	N/A
Is the equipment suitable for the task?	Yes
Materials	
Is the equipment material suitable for the conditions it is to be used in?	Yes
How often is the equipment used?	
Every day	
What is the nature and characteristics of the load to be lifted?	
Walkways, pipes, bars	
Access	

Is it safe and suitable?	Yes
Can safe access be achieved to maintain, repair, inspect, dismantle?	Yes
Is access permanent (preferably, it should be)?	Yes
Slips, Trips & Falls	
Are slips, trips, falls minimized if a person is required to be present on the equipment?	Yes
Is the working place of adequate size and strength for people and any items required?	Yes
Are openings on the floor adequately covered or fenced?	Yes
Is edge protection provided at fall areas exceeding 2m?	N/A
At fall areas below 2m, where factors would increase the likelihood of a fall/serious injury, is edge protection provided?	N/A
Is edge protection suitable and securely fixed?	N/A
Do gates/barriers on edge protection open inwards or is there another safe method?	N/A
Is edge protection provided where there is a risk of an object falling from a workplace on the equipment onto a person below?	N/A
Operator Protection	
Is the operator adequately protected against the environment?	Yes
	
Photo 4	
High Winds	
1 flagged	
If equipment/load can be affected by high winds, is it fitted with devices to detect dangerous situations that will enable measures to be taken to cease its use?	No
Regulation 4: Strengths & Stability	
2 flagged, 1 action	
Strength	


Does the equipment have adequate strength for the job to be done?	Yes
Does the equipment have an appropriate factor of safety against failure under foreseeable modes (e.g. fracture, wear, fatigue)?	Yes
Stability	1 flagged
Is the equipment of adequate stability for the job to be done?	No
 Photo 5	
Do you need to take measures to resist overturning?	Yes
If stabilizing arrangements are a part of the equipment, are they in place and operating effectively before the equipment is used?	N/A
Is the equipment that is mobile, dismantled/reassembled, stable before use?	Yes
Overload	1 flagged, 1 action
If overturning/overloading is a significant risk, are rate capacity indicators or rated capacity limiters fitted to the equipment?	No
To do Priority: Low Due: 2 Jun 2023 22:00 PST Created by: SafetyCulture Staff	
Fit rate capacity indicators or rated capacity limiters to crane truck	
Are lifting points on loads of suitable strength?	Yes
  Photo 6 Photo 7	
Regulation 6: Positioning & Installation	4 flagged, 3 actions
Is the equipment positioned or installed to minimize the need to lift loads over people and minimize the risk of injury to persons?	Yes
Is any load moving along a fixed path (e.g. hoist) protected by a suitable and substantial enclosure?	No



Photo 8

To do | Priority: High | Due: 2 Jun 2023 22:30 PST | Created by: SafetyCulture Staff

Plan and supervise lifting operations in this area

Is the maximum height of travel for a load moving along a fixed path below 2m?

Yes

Is a means of protecting people from the underside of that equipment or its attachments in place (e.g. barrier, gate)?

N/A

Does the equipment have a travel or slewing motion to prevent trapping points or where not possible, controls to prevent access to these points?

No

To do | Priority: Medium | Due: 2 Jun 2023 18:00 PST | Created by: SafetyCulture Staff

Do lifting equipment refresher with single girder overhead crane

Is access to and from the equipment sufficient and does it protect people from dropping loads?

Yes



Photo 9

Are uncontrolled movements of a freely suspended load prevented?

Yes

Are runway beams level and of sufficient stiffness to prevent drifting/running away?

Yes

Is the equipment fitted with suitable devices to minimize uncontrolled freefall of loads?

Yes

In the event of a power failure, are there measures in place to prevent people from any resulting risks?

No

To do | Priority: Medium | Due: 31 May 2023 23:21 PST | Created by: SafetyCulture Staff

Create power failure control measures

Are hooks of the type that reduces the risk of load-displacement fitted?

No




Photo 10

If 2 or more items of equipment are being used, will collisions of loads and equipment be avoided?

N/A

Is there an adequate interlocked gate or similar device fitted and of suitable height to prevent falls down a shaft or hoistway, or, are other arrangements in place?

N/A

Is the gate or enclosure at least 2m high?

N/A

Regulation 7: Marking of Lifting Equipment

1 flagged, 1 action

Is the machine and accessories for lifting clearly marked with the safe working load (SWL)?

Yes



Photo 11

If the machine is dependant on configuration or operating radius, is...

it clearly marked with SWL for each configuration.

Are accessories which can be separated from the equipment marked to indicate the equipment of which it is a part of?

No



Photo 12

To do | Assignee: SafetyCulture Staff | Priority: High | Due: 29 May 2023 23:22 PST | Created by: SafetyCulture Staff

Add SWL marking on these lifting accessories

If a number of lifting accessories are assembled to form one lifting accessory and is not dismantled after use, is it marked to indicate its safety characteristics?

Yes

If the weight of any accessory is significant in relation to its SWL, is the accessory clearly marked with its weight?

Yes

If other characteristics or weight might make the use of the accessory unsuitable for any other piece of equipment, is this clearly marked on the accessory or is the information given to the user?

Yes

Are lifting accessories with only one SWL marked with that

Yes

value or is there a color-coding system in place?	
If an accessory configuration can affect the SWL is it clearly marked or is the user-provided with information?	Yes
Regulation 8: Organization of Lifting Operations (lifting or lowering)	15 flagged, 1 action
Are all lifting operations properly planned i.e. address the risks identified by the Risk Assessment?	No
Are operations appropriately supervised?	No
Are operations carried out in a safe manner?	No
Is the load being lifted by 2 or more lifting equipment simultaneously?	N/A
Is suitable work equipment provided for the task?	Yes
If persons need to work below a load, are safe systems of work established which minimizes the risks?	No
If loads are left suspended, is access to the danger zone prevented?	No
Is the suspended load secured?	No
If persons have to work under a suspended load, are they aware of the risks and that the equipment has been thoroughly examined?	No
If the risk cannot be controlled by layout organization, are other measures in place to minimize the consequences if the load falls?	No
If these measures are not enough, have you provided a safe system of work to exclude people from the danger?	No
Do you need guidance for planning lifting operations?	Yes

LOLER Paragraphs 221-225

Planning individual lifting operations

221 For routine lifting operations the planning of each individual lifting operation will usually be a matter for the people using the lifting equipment, such as a slinger, the forklift truck operator etc. The person carrying out this part of the planning exercise should have appropriate knowledge and experience and the organisation should have a simple plan, generic risk assessment and procedures in place to support them.

222 An example of a simple plan for routine use of an overhead travelling crane would be:

- (a) assess the weight and size of the load;
- (b) choose the right accessory for lifting, eg depending upon the nature and weight of the load and the environment in which it is to be used;
- (c) check the anticipated path of the load to make sure that it is not obstructed;
- (d) prepare a suitable place to set down the load;
- (e) fit the sling to the load (using an appropriate method of slinging);
- (f) make the lift (a trial lift may be necessary to confirm the centre of gravity of the load; tag lines may be necessary to stop the load swinging);
- (g) release the slings (boards or similar may be necessary to prevent trapping of the sling); and
- (h) clear up.

223 The same principles could be applied to other routine lifting operations involving other types of lifting equipment, eg forklift truck, use of an electric hoist etc.

224 For routine similar lifting operations you may have a standard plan, but you should review it periodically to make sure that nothing has changed and the 'plan' remains valid. Examples of lifting equipment generally provided for routine lifting operations include:

- (a) forklift trucks in a warehouse;
- (b) a construction site hoist;
- (c) a MEWP used for general maintenance;
- (d) a suspended cradle used for window-cleaning;
- (e) a vehicle tail lift; and
- (f) a patient hoist.

225 For complex or non-routine lifting operations you should plan the task each time it is carried out.

Visibility

1 flagged

If the driver cannot observe the full path of the load, is there a banksman to guide the operator?

Yes

Are the signals or verbal communication used consistent with the code of signals in Schedule 1 of the Health and Safety (Safety Signs and Signals) Regulations 1996?	Yes
Are measures in place to prevent the load striking anything or a person?	No
Attaching/Detaching/Securing Loads	2 flagged
Are lifting accessories used for securing the load compatible with the load?	No
  Photo 13 Photo 14	
Are measures in place to prevent disintegration of the load?	No
If ropes, chains, slings are shortened, is it done in a safe manner?	Yes
After attaching or detaching a load, does the operator wait for authorization before commencing to lift?	Yes
Is the load handler competent to select suitable lifting accessories?	Yes
  Photo 15 Photo 16	
Environment	
When the integrity of the lifting equipment could be affected by meteorological condition, do you halt its use?	Yes
Do you have a system of work that sets out measures required for particular weather conditions?	Yes
If weather conditions have affected the lifting equipment and are likely to jeopardize its safety, has a thorough examination been undertaken?	Yes
Location	
Is there sufficient headroom to access/egress the site and to safely position and install the equipment?	Yes
Overturning	1 flagged

Are measures and checks in place to prevent lifting equipment from tilting, overturning, moving inadvertently or slipping?	No
Is dragging of loads banned when it is liable to cause damage or overturning?	Yes
Can the operator of the lifting equipment judge the weight of the load they will be lifting?	Yes
Proximity Hazards	2 flagged, 1 action
Are measures in place to minimize the risk from lifting equipment due to its proximity to other objects (e.g. excavations, overhead hazards, underground services, structures)?	Yes
Is there an all round 6m exclusion zone where there is a likelihood of anyone being struck whilst working near the wheel tracks of an overhead crane?	No
Is there a safe system in place to keep people out of the danger zone?	No
To do Assignee: SafetyCulture Staff Priority: Medium Due: 23 May 2023 23:25 PST Created by: SafetyCulture Staff	
Develop a safe work system for danger zones	
Derating	
Is the lifting equipment derated when necessary to take into account the environment and mode of use?	Yes
Overload	
Is the load more than the safe working load?	No
If the weight of the load is unknown and may be approaching the maximum weight the equipment can handle, do you ensure that it is not lifted until the weight is determined?	N/A
Do you ensure the area around the lifting equipment is clear when performing an overload test?	Yes
Are essential workers only retained to lift the load during an overload test?	Yes
Is the test completed as efficiently as possible?	Yes

Pre-use Check	
Have the people using lift equipment received appropriate training, information and instruction on how to carry out pre-use checks?	Yes
Are pre-use checks undertaken before lifting equipment is used each working day/shift?	Yes
Is appropriate action taken to rectify any defects?	Yes
Continuing Integrity	
Are all lifting accessories stored in conditions that do not lead to damage or deterioration?	Yes
Are suitable storage facilities provided for lifting accessories?	Yes
Regulation 9: Thorough Examination & Inspection	
4 flagged, 1 action	
Has lifting equipment been thoroughly examined before putting into service for the first time?	Yes
Have you received an EC Declaration of Conformity which is not over 12 months old?	Yes
Did you obtain the lifting equipment from another company?	N/A
Does the lifting equipment depend on installation conditions?	N/A
Is your lifting equipment exposed to conditions causing deterioration likely to cause a dangerous situation?	Yes
Is it thoroughly examined every 6 months (if lifting equipment/accessories are for lifting people)?	Yes
To do Assignee: SafetyCulture Staff Priority: Low Due: 26 May 2023 23:25 PST Created by: SafetyCulture Staff	
Schedule thorough examination every 6 months using SafetyCulture	
Is it thoroughly examined every 12 months (for other equipment)?	Yes
Is it thoroughly examined every time exceptional circumstances occur that would jeopardize any lifting equipment?	Yes

Is it inspected, where appropriate at suitable intervals between thorough examination?	No
We will now start using SafetyCulture for LOLER inspections	
Do you ensure that thorough examination takes place after the lifting equipment is involved in an accident or dangerous occurrence?	Yes
Do you ensure that thorough examination takes place after a significant change in condition?	Yes
Do you ensure that thorough examination takes place after long periods out of use?	No
Is a thorough examination undertaken after substantial or significant modification, repair or when reconfigured?	No
Do you ensure that all lifting equipment that is used outside its normal place of work or equipment received from another organization or is given to another organization is accompanied by physical evidence of the last thorough examination report?	Yes
Does the risk assessment identify significant risk to the operator or other workers?	N/A
Regulation 10: Reports & Defects	
Where there is an equipment or accessory defect involving existing or imminent risk or serious injury because of the failure of the equipment, do you send a copy of the report, as soon as possible, to the Health and Safety Executive?	Yes
Will automatically send a copy of this after digitally signing it	
Do you notify the person controlling the equipment's use of any defect which could become dangerous to a person?	Yes
Do you make a written record of the inspection?	Yes
Do you ensure that if you have been notified of any defect, you do not use the equipment before it is rectified?	Yes
Do you ensure that where a defect has not yet but could become a danger to persons, the equipment is not used before the defect is rectified?	Yes
Regulation 11: Keeping of Information	
2 flagged, 1 action	
Have you kept the EC Declaration of Conformity for equipment obtained after 5 December 1998?	Yes

Do you keep available for inspection thorough examination reports done for lifting equipment until you cease to use the equipment?	Yes
Do you keep available for inspection all thorough examination reports done for lifting accessories for 2 years after the report is made?	Yes
Do you keep available for inspection all thorough examination reports of lifting equipment where its safety is dependant on installation conditions?	N/A
Do you keep available for inspection all thorough examination reports of lifting equipment where if it is exposed to conditions causing deterioration it could result in dangerous situations?	No
Do you periodically review the inspection and thorough examination reports as part of the management arrangements for controlling the lifting equipment?	No

To do | Assignee: SafetyCulture Staff | Priority: Low | Due: 2 Jun 2023 23:27 PST | Created by: SafetyCulture Staff

Schedule the review of LOLER inspection reports

Signature

Overall Recommendations

We need to supervise our lifting operations more and using digital checklists on our mobile devices can help us achieve that. Keep track of corrective actions in the SafetyCulture analytics dashboard to monitor defects to be rectified, safe system of work plans, etc.

Evaluator's Name & Signature



Seraphim Santos
16 May 2023 23:28 PST

Media summary



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6



Photo 7



Photo 8



Photo 9



Photo 10



Photo 11



Photo 12



Photo 13



Photo 14



Photo 15



Photo 16