



HAVS Assessment Template

Strongforth Construction Co. / 30 May 2023 / Ellen Sanderson

Complete

Score	4 / 4 (100%)	Flagged items	2	Actions	2
Site	Strongforth Construction Co.				
Location	301 Riverview Ave Suite 3, Norfolk, VA 23510, USA (36.8594855, -76.30653079999999)				
Full Name of Safety Officer	Ellen Sanderson				
Date of Assessment	30 May 2023 08:11 PST				

Flagged items & Actions

2 flagged, 2 actions

Flagged items

2 flagged, 1 action

Inspection / HAVS Assessment / TOOL / TOOL 1

Exposure Level

Medium Priority

Inspection / HAVS Assessment / TOOL / TOOL 2

Exposure Level

High Priority



Photo 2

To do | Priority: High | Due: 6 Jun 2023 08:27 PST | Created by: SafetyCulture Staff

Implement job rotations

Workers using old disc cutters must only use it for a maximum of 30 minutes to prevent HAVS. Talk with them and systematically plan job rotations to take effect next week.

Other actions

1 action

Inspection / HAVS Assessment / TOOL / TOOL 1

Select vibrating tool or equipment

Grinder



Photo 1

To do | Priority: Medium | Due: 6 Jun 2023 08:13 PST | Created by: SafetyCulture Staff

Set time limit

Workers using this angle grinder can only use it for a maximum of 1 hour to prevent HAVS.

Inspection

2 flagged, 2 actions, 4 / 4 (100%)

HAVS Assessment

2 flagged, 2 actions, 4 / 4 (100%)

Briefly describe the work activities that require workers to use vibrating tools and equipment.

Grounding down of installed materials end portions and breaking down of reusable metals

Workers exposed to HAVS risks

WORKER

WORKER 1

Full Name

Woodrow Graham

WORKER 2

Full Name

Tucson Rosen

WORKER 3

Full Name

Harris Tullytown

WORKER 4

Full Name

Dawn Hillard

WORKER 5

Full Name

John Deloras

Source of Vibration

TOOL

2 flagged, 2 actions, 4 / 4 (100%)

TOOL 1

1 flagged, 1 action, 2 / 2 (100%)

Select vibrating tool or equipment

Grinder



Photo 1

To do | Priority: Medium | Due: 6 Jun 2023 08:13 PST | Created by: SafetyCulture Staff

Set time limit

Workers using this angle grinder can only use it for a maximum of 1 hour to prevent HAVS.

Vibration Magnitude 6 m/s²

Trigger Time 1 hour and 30 minutes

Exposure Points 110

Exposure Level Medium Priority

Select control of exposure Reduced vibration exposure

TOOL 2 1 flagged, 1 action, 2 / 2 (100%)

Select vibrating tool or equipment Disc Cutter

Vibration Magnitude 8 m/s²

Trigger Time 4 hours

Exposure Points 510

Exposure Level High Priority



Photo 2

To do | Priority: High | Due: 6 Jun 2023 08:27 PST | Created by: SafetyCulture Staff

Implement job rotations

Workers using old disc cutters must only use it for a maximum of 30 minutes to prevent HAVS. Talk with them and systematically plan job rotations to take effect next week.

Select control of exposure Eliminated vibration exposure

Stopped worker from doing his job and talked to him about HAVS risks.

Completion

Additional Recommendations

We should perform regular HAVS assessments using SafetyCulture so that we can easily record and monitor HAVS risks.

Full Name and Signature of Safety Officer

A stylized, handwritten signature in black ink, consisting of a large 'E' and 'S' intertwined.

Ellen Sanderson
30 May 2023 08:27 PST

Media summary



Photo 1



Photo 2