



California Dealer Dismantler, USA - Dec 22, 2023

Lot #	Details	Lot #	Details
1A	2008 Joyner Dune Buggy (Inoperable) S/N: L5BG2MV6X81018463 C/W: Open Operator Station, 4 Passenger, 1100 cc Winch, Hitch Receiver Usage: Not Available	8	Schwarze M6000 on 2007 Sterling Sweeper Truck S/N: 2FZXCL0067AY84826 C/W: Cummins CG-250 6 Cylinder 8.3 L Compressed Natural Gas (CNG) 250 hp Engine, Automatic Transmission, 10000 lb Front Axle, 23000 lb Rears, Air Ride Cab, 11R22.5, Rubber Suspension, 134 in Wheelbase, Mechanical Broom Sweeper, Dual Controls, 68 in Rear Broom, Gutter Brooms, Hydraulic Dump Usage: 61,699 Mi
2	2012 Peterbilt 384 6x4 Transfer Set (Inoperable) S/N: 1NPVL79X2CD164359 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 385 hp Engine, 2011 US EPA Label, 24713 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 285 /75R24.5, Air Trac Air Ride Suspension, 193 in Wheelbase, 14 ft Long x 4 ft High Steel Body, SOLD WITH - Transfer Trailer Usage: 604,399 Mi	9	2011 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDU9X8BJ291748 C/W: Cat C13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2010 US EPA Label, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 11020 lb Front Axle, 36000 lb Rears, 3.58:1 Axle Ratio, 47020 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Central Tire Inflation System, Air Ride Suspension, 171 in Wheelbase, PTO, Hydraulic System, Auto Lube, Dual Fuel Tanks Usage: 486,430 Mi
3	2015 Mack CXU613 8x4 Tri/A Dump Truck (Inoperable) S/N: 1M1AW07Y0FM052860 C/W: 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 315 /80R22.5 Front Tires, 455/55R22.5 Super Singles Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 232 in Wheelbase, PTO, 18 ft Long x 4 ft High Steel Body, Round Bottom, Electric Roll Tarp, High-Lift Tailgate Usage: Not Available	10	2013 Peterbilt 384 6x4 T/A Day Cab Truck Tractor S/N: 1XPVDP9X1DD207349 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 485 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 196 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 967,202 Mi
4	2018 International 7400 6x4 T/A Dump Truck S/N: Not Available C/W: Cummins L9 6 Cylinder 8.9 L Diesel 300 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, 5800 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 201 in Wheelbase, PTO, Scelzi 15 ft Long x 4 ft High Steel Body, Tailgate Chute, Pintle Hitch Usage: Not Available	12	2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 3AKJGEDV6ESFJ5853 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT 13-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5	2008 Ford F-550 XL 4x2 Dump Truck S/N: 1FDAF56RX8EB86517 C/W: V8 Diesel Engine Usage: 71,612 Mi		
7A	6x6 Water Truck (Inoperable) S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine, Manual Transmission, 11R20 Front Tires, 445 /65R22.5 Rear Tires, Spring Suspension, 188 in Wheelbase, Steel Tank, PTO Driven Pump, 0 ft 88 in, Spray Bar, Front Spray, Rear Spray, Side Spray, Street Flusher Usage: 3,113 Mi		

Lot #	Details	Lot #	Details
13	2013 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 3AKJGEDV5DSBV5859 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145A Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	19	2011 International Prostar 6x4 T/A Day Cab Truck Tractor S/N: 1HSCUSJR7BJ361093 C/W: International 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 187,538 Mi
14	2011 Freightliner Cascadia 125 T/A Day Cab Truck Tractor (Inoperable) S/N: 1FUJGEDV5BSAW7893 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Engine Brake, Eaton Fuller FR016210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 205 in Wheelbase, Dual Fuel Tanks Usage: Not Available	20	2023 Peterbilt 579 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XPBDP9X9PD864262 C/W: 6 Cylinder 12.9 L Diesel Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Rear Wheels, 295 /75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
15	2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGBDV8ESFL6153 C/W: 6 Cylinder 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 748,068 Mi	21	2022 Freightliner Cascadia 126 T/A Sleeper Truck Tractor S/N: 3AKJHHDR9NSMZ6875 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 533000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
16	2012 Freightliner M2 112 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 1FUJJC5DV4CDBD0365 C/W: 450 hp Engine, 10-Speed Manual Transmission Usage: Not Available	22	2021 Freightliner Cascadia 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJHHDR1MSMH3469 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1750-DH1 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.16:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
17	2013 Volvo VNL300 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 4V4NC9EG0DN136584 C/W: Volvo 12.8 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350.0 lb GVWR, 295 /75R22.5, Air Ride Suspension, 168 in Wheelbase, Dual Fuel Tanks Usage: Not Available	23	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR3JSJS1056 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650-DH1 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 802,826 Mi
19A	2013 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor S/N: 1HSDJSJR2DJ360417 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 475 hp Engine, 2012 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 213 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 96,627 Mi		

Lot #	Details	Lot #	Details
24	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR4HSJA8862 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, Detroit 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 820,590 Mi	27	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJGLD56FSGJ0337 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, ComfortPro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
25	2017 Freightliner Cascadia 125 T/A Sleeper Truck Tractor S/N: 1FUJGLDR8HLHL4465 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, 275/80R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	28	2014 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJGHDV7ESFU4179 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor RT-40-145A Drive Axles, 3.21:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 212 in Wheelbase Usage: Not Available
26	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR1HSHR5872 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1750 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 856,899 Mi	29	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ5GN973539 C/W: 6 Cylinder 12.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 555,292 Mi
27A	2014 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDV5ESFU4178 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 212 in Wheelbase, Headache Rack Usage: 664,675 Mi	30	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH9GN938824 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Retarder, Volvo ATO2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
		31B	2010 International ProStar Premium 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3HSCUAPR7AN275330 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 38000 lb Rears, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
31	2013 Volvo VNL 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9TG1DN562285 C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, 295 /75R22.5, Air Ride Suspension, 215 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 453,923 Mi	39	2005 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJA6CV85DN86533 C/W: Mercedes-Benz OM460LA 6 Cylinder 12.8 L Diesel Engine, 2005 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
33	2008 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor S/N: 1FUJA6CK88LZ04991 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 821,948 Mi	40	2009 Freightliner CST120 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJBBC39DAA9652 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Engine Brake, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
34	2008 Freightliner Columbia 120 T/A Day Cab Truck Tractor (Inoperable) S/N: 1FUJA6CK98LZ41855 C/W: 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 60 in Sleeper Cab, Bunk Beds, MIX MATCH, Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	41	2008 Freightliner CST120 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJBBC48LAA3525 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, Requires Diesel Exhaust Fluid, Manual Transmission, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
35	2008 Freightliner Columbia T/A Sleeper Truck Tractor S/N: 1FUJA6DE88LZ26675 C/W: Cat 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 45400 lb Rears, 57400 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 285 /75R24.5, Air Ride Suspension, 222 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	42	2008 Freightliner CST120 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJBBC08LZ82123 C/W: 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
36	2006 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJA6CK96LV85596 C/W: 60 in High Rise Sleeper Cab, Bunk Beds, MIX MATCH, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	43	2007 Freightliner CST120 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJBBC17LV75197 C/W: 6 Cylinder Diesel Engine, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
37	2006 Freightliner Columbia 120 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJA6CK96PV60688 C/W: 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5 Front Tires, MIX MATCH Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	44	2006 Freightliner CST120 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJBBCX6PV87260 C/W: 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
45	2003 Freightliner CST120 T/A Sleeper Truck Tractor S/N: 1FUJBBCG63LK61650 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	50	2013 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X7DJ355390 C/W: 6 Cylinder 15.0 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 513,391 Mi
46	2015 Kenworth T680 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1XKYA48X5FJ403441 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14861 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 497,084 Mi	51	2015 Peterbilt 579 4x2 S/A Day Cab Truck Tractor S/N: 1XPBA48X7FD299338 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
47	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X0EJ402700 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller FM-15E310B-LAS Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 528,682 Mi	52	2015 Peterbilt 579 4x2 S/A Day Cab Truck Tractor S/N: 1XPBA48X4FD286255 C/W: 6 Cylinder 15.0 L Diesel Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22701 lb Rears, 34700 lb GVWR, 295/75R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
48	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X3EJ402562 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 685,938 Mi	53	2015 Peterbilt 579 4x2 S/A Day Cab Truck Tractor S/N: 1XPBA48X6FD286256 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2014 US EPA Label, Engine Brake, Eaton Fuller FM15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 160 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 894,401 Mi
49	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X5EJ402563 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 16989 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 716,445 Mi	54	2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV4GDHS0190 C/W: 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 303,267 Mi

Lot #	Details	Lot #	Details
55	2012 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGEBG6CLBJ7866 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 3.21:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 170 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: Not Available	60	2014 Freightliner Cascadia 113 S/A Day Cab Truck Tractor S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, Dual Fuel Tanks Usage: Not Available
56	2017 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV8HLJH1373 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, DT12-OB-1450 12-Speed Automated Transmission, 13300 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 34300 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	61	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV7DLBZ1986 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 217,433 Mi
57	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV0GLHE5031 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: Not Available	62	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV2DLBZ1992 C/W: 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 298,880 Mi
58	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV6ELFL4059 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 420 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: Not Available	63	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV8DLBZ1981 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 550,407 Mi
59	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV6ELFL4000 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 16811 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 315,962 Mi	64	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADVXDSBR9143 C/W: 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 682,739 Mi

Lot #	Details	Lot #	Details
65	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV3DSBN2844 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 35000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 862,413 Mi	70	2015 Volvo VNM S/A Day Cab Truck Tractor S/N: 4V4M19EH4FN184599 C/W: Volvo D13J425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, AT02612D 12-Speed Automated Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS23-160/161 Drive Axles, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: Not Available
66	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV2CSBN1989 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.67:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 1,013,128 Hr	71	2014 Volvo VNM42T200 4x2 S/A Day Cab Truck Tractor S/N: 4V4M19EH9EN154092 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2013 US EPA Label, Volvo Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 773,198 Mi
67	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV9CLBJ7788 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 3.42:1 Axle Ratio, 34700.0 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 161 in Wheelbase Usage: Not Available	72	2014 Volvo VNM 4x2 S/A Day Cab Truck Tractor S/N: 4V4M19EJ1EN153988 C/W: Volvo D13H475 6 Cylinder 12.8 L Diesel 475 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D Automatic Transmission, 12350 lb Front Axle, 20000 lb Rears, Dana RS23-160 Drive Axles, 32350 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 914,875 Mi
68	2015 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EH3FN190396 C/W: 6 Cylinder 12.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 20000 lb Rears, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 511,239 Mi	73	2011 Volvo VNL42T 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TH5BN532069 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
69	2015 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N39EG4FN927798 C/W: Volvo 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, 12350 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 33500 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 161 in Wheelbase Usage: Not Available	75	2012 International 4400 4x2 S/A Day Cab Truck Tractor S/N: 1HSMKAAN4CH076636 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase Usage: 95,389 Mi

Lot #	Details	Lot #	Details
77	2012 International 4400 4x2 S/A Day Cab Truck Tractor S/N: 1HSMKAAN0CH076634 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase Usage: 146,786 Mi	85	2011 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1HSCRAPN1BJ363146 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 385 hp Engine, 2009 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 161 in Wheelbase, Dual Fuel Tanks Usage: Not Available
78	2012 International 4400 4x2 S/A Day Cab Truck Tractor S/N: 1HSMKAAN2CH076635 C/W: International MaxxForce DT 6 Cylinder Ultra Low Sulfur Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase Usage: 123,750 Mi	86	2009 Sterling A9500 4x2 S/A Day Cab Truck Tractor S/N: 2FWBA2CK99AAJ3445 C/W: 6 Cylinder 14.0 L Diesel 515 hp Engine, 2008 US EPA Label, Manual Transmission, 295 /75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: Not Available
79	2012 International 4400SBA 4x2 S/A Day Cab Truck Tractor S/N: 1HSMKAAN7CH062911 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 270 hp Engine, 2011 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase Usage: 110,594 Mi	87	2009 International ProStar LF627 4x2 S/A Day Cab Truck Tractor S/N: 2HSCRAPN79C110924 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 385 hp Engine, 2008 US EPA Label, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 295/75R22.5, Air Ride Suspension, 161 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 90,702 Mi
80	2012 International 4400 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1HSMKAAN7CH062908 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, 2011 US EPA Label, Engine Brake, Allison Automatic Transmission, 1200 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295 /75R22.5, Air Ride Suspension, 157 in Wheelbase Usage: Not Available	88	2009 International Prostar LF627 4x2 S/A Day Cab Truck Tractor S/N: 2HSCRAPN09C110909 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel 385 hp Engine, 2008 US EPA Label, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 11R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 504,966 Mi
82	2012 International 4400 SBA 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1HSMKAAN9CH061095 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, 2011 US EPA Label, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase Usage: Not Available	89	2009 Capacity TJ5000 4x2 Spotter Truck S/N: 4LMBF51129L020661 C/W: Cummins 6 Cylinder Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 21200 lb Rears, 33200 lb GVWR, 295 /75R22.5, Dura-Ride Air Ride Suspension, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
83	2011 International 4400 SBA 4x2 S/A Day Cab Truck Tractor S/N: 3HCMKAAN4BL433454 C/W: International 6 Cylinder Diesel Engine, Engine Brake, Allison Automatic Transmission, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase Usage: Not Available	90	2004 Capacity 4x2 Spotter Truck S/N: 4LMBB21104L014960 C/W: Allison Automatic Transmission, 30000 lb Rears, 295/75R22.5, 116 in Wheelbase, Double Frame, Hydraulic Lift 5th Wheel Usage: 35,752 Hr
		91	2009 Kenworth T300 4x2 Van Truck S/N: 2NKHMM6X29M246330 C/W: Paccar PX-6 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 340 hp Engine, 2006 US EPA Label, 9990 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, Dana D21060S Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, 295 /75R22.5, Air Ride Suspension, 261 in Wheelbase, 24 ft Long x 102 in Wide x 96 in High Body, Liftgate Usage: 324,071 Mi

Lot #	Details	Lot #	Details
93	2016 GMC Savana 3500 4x2 Van Truck S/N: 1GD37TCG6G1286794 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225 /75R16, Spring Suspension, 179 in Wheelbase, Supreme Corp. 16 ft 10 in Long x 96 in Wide x 80 in High Body, Liftgate Usage: Not Available	102	1997 Freightliner FLD 112SD 6x4 Roll-Off Truck (Inoperable) S/N: 1FVX6MDB1VP742958 C/W: Cummins 6 Cylinder Diesel Engine, Manual Transmission, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, 315/80R22.5, Spring Suspension, 247 in Wheelbase, Double Frame, 23 ft 4 in Hoist Usage: Not Available
94	2017 Chevrolet G3500 4x2 Van Truck S/N: 1HA3GSCGXHN002538 C/W: V8 6.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 225/70R19.5, Spring Suspension, 157 in Wheelbase, 14 ft Long x 89 in Wide x 92 in High Body, Curbside Door Usage: 194,136 Mi	103	2018 Ram 5500 4x2 Rollback Truck (Inoperable) S/N: 3C7WRMDLXJG253340 C/W: 6 Cylinder 6.7 L Diesel Engine, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225 /70R19.5, Spring Suspension, 204 in Wheelbase, 18 ft x 102 in Bed, Winch Usage: Not Available
95	2003 Ford F-450 XL 4x2 Crew Cab Van Truck S/N: 1FDXW46S73ED86545 C/W: V10 6.8 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, 5600 lb Front Axle, 11000 lb Rears, 15000 lb GVWR, 225 /70R19.5, Spring Suspension, 200 in Wheelbase Usage: 145,827 Mi	104	2011 Altec AA755MH 55 ft on 2012 International MA025 4x2 Cable Placer Bucket Truck S/N: 3HAMMAAN6CL597440 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 230 hp Engine, 2011 US EPA Label, Allison Automated Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 185 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, Rear Outriggers, Remote Control w/Cord, 16 ft x 94 in Bed, Pintle Hitch Usage: Not Available
96	2005 Workhorse P42 4x2 Step Van S/N: 5B4HP42V453412061 C/W: V8 Gasoline Engine, Automatic Transmission, 4400 lb Front Axle, 7900 lb Rears, 10000.0 lb GVWR, 225/70R19.5 Usage: 149,604 Mi	105	Hi-Ranger TL41M 41 ft on 2006 Ford F-650 XLT 4x2 Bucket Truck (Inoperable) S/N: 3FRNF65F76V251069 C/W: Cummins Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 158 in Wheelbase, 600 lb Capacity, One-Person Articulating-Telescopic Boom, Utility Body, A-Outriggers, 11 ft x 94 in Bed Usage: 165,677 Mi
97	2005 Workhorse P42 4x2 Step Van S/N: 5B4HP42V353402038 C/W: V8 4.8 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 7900 lb Rears, 10000 lb GVWR, 225 /70R19.5, Spring Suspension, 18 ft Long x 96 in Wide x 86 in High Body Usage: 211,338 Mi	106	Altec AT37G 37 ft on 2014 Ford F-550 XL 4x2 Bucket Truck S/N: 1FDUF5GT2EEB37413 C/W: V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, 400 lb Capacity, Center Mounted, One-Person Articulating-Telescopic Boom, Utility Body Usage: 110,731 Mi
98	2017 Nissan NV1500 4x2 Cargo Van S/N: 1N6BF0KM1HN810496 C/W: Nissan V6 4.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 3825 lb Front Axle, 5875 lb Rears, 8550.0 lb GVWR, 265/70R17, Spring Suspension, 148 in Wheelbase, x 54 in High Body Usage: 95,397 Mi	107	2009 Altec AT37G 37 ft on 2008 Ford F-550 XL 4x2 Bucket Truck (Inoperable) S/N: 1FDAF56R28EE31276 C/W: V8 6.4 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 225/70R19.5, Spring Suspension, Center Mounted, One-Person Articulated Boom, Utility Body, 11 ft Bed Usage: Not Available
99	2006 Dodge Sprinter 4x2 Cargo Van S/N: Not Available C/W: 5 Cylinder 2.6 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 3860 lb Front Axle, 5360 lb Rears, Spring Suspension, 158 in Wheelbase, Long Wide High Usage: Not Available		
100	1998 Chevrolet Express 3500 Cargo Van (Inoperable) S/N: 1GCHG39R4W1101823 C/W: V8 5.7 L Gasoline Engine, 1998 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 6084 lb Rears, 9500 lb GVWR, 245/75R16, Spring Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
109	2016 Ford F-550 XL 4x4 Extended Cab Service Truck S/N: 1FD0X5HT1GEC89115 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, 11 ft Body, Hydraulic Stabilizers, Stellar 7621 7500 lb 3 Section Hydraulic Crane, RC40 Hydraulic Air Compressor Usage: 136,175 Mi	115	2016 Ford F-350 4x4 Extended Cab Pickup S/N: 1FT7X3B60GEC72459 C/W: V8 6.2 L Gasoline Engine, 2016 US EPA Label, 5200 lb Front Axle, 6290 lb Rears, 10000.0 lb GVWR, 245/75R17, Spring Suspension, 158 in Wheelbase, 8 ft Body Usage: Not Available
110A	1988 Ford F-700 4x2 Service Truck (Inoperable) S/N: 1FDNK74A3JVA41170 C/W: 6 Cylinder Diesel Engine, Manual Transmission, Aluminum Wheels, 11R22.5, Spring Suspension, 152 in Wheelbase, 11 ft Body, Manual Stabilizers, IMT 14000 lb 2 Section Hydraulic Crane Usage: 329,738 Mi	116	2011 Ford F-350 4x4 Extended Cab Pickup S/N: 1FT7X3BT5BEB92590 C/W: V8 6.7 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5600 lb Front Axle, 6290 lb Rears, 10000.0 lb GVWR, 265/70R17, Spring Suspension, 158 in Wheelbase, 9 ft Body Usage: Not Available
110	2015 Ford F-550 4x4 Service Truck S/N: Not Available C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft Body, Auto Crane 5005H 3 Section Crane, Gasoline Air Compressor Usage: Not Available	117	2004 Ford F-350 XL 4x2 Utility Truck S/N: 1FDWF32S24ED47603 C/W: V10 6.8 L Engine Usage: 98,153 Mi
111	2012 International 4300 SBA 4x2 Crew Cab Utility Truck S/N: 1HTMMAAN0CH563905 C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 228 in Wheelbase, 15 ft Body Usage: 80,465 Mi	118	2004 Ford F-350 XL 4x2 Utility Truck S/N: 1FDWF32S04ED47602 C/W: V10 6.8 L Engine Usage: 110,704 Mi
112	2008 Ford F-650 4x2 Utility Truck S/N: 3FRWF65H88V069048 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 260 hp Engine, Exhaust Brake, Allison Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 10R22.5, Spring Suspension, 182 in Wheelbase, 14 ft Body Usage: 50,023 Mi	119	1999 Ford F-350 XLT 4x2 Extended Cab Utility Truck S/N: 1FDWX36FXXEE12065 C/W: V8 7.3 L Diesel Engine, 1999 US EPA Label, Automatic Transmission, 4850 lb Front Axle, 9750 lb Rears, 12500.0 lb GVWR, 235/85R16, Spring Suspension, 162 in Wheelbase, 10 ft 6 in Body Usage: 198,319 Mi
113	2008 Ford F-550 XLT 4x2 Utility Truck S/N: 1FDAF56YX8EE56496 C/W: V10 6.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, Stahl 9 ft Body Usage: 108,848 Mi	120	2015 Ram 2500 4x2 Crew Cab Pickup (Inoperable) S/N: 3C7WR4HT5FG689109 C/W: 5.7 L V8 Gasoline Engine Usage: 179,606 Mi
114	2014 Chevrolet Silverado 3500HD Utility Truck S/N: Not Available C/W: Automatic Transmission, 5600 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17 Front Tires, 265/70R17 Rear Tires, Spring Suspension, 163 in Wheelbase, 12 ft 3 in Body Usage: Not Available	121	2013 Ford F-250 4x2 Extended Cab Utility Truck S/N: 1FD7X2A63DEA52512 C/W: V8 6.2 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 10000 lb GVWR, 245/75R17, Spring Suspension, 8 ft 3 in Body Usage: 263,690 Mi
		122	1999 Ford F-250 4x2 Utility Truck S/N: 1FDNF20S2XEE59265 C/W: FORD 6-Speed Automatic Transmission, 3800 lb Front Axle, 6084 lb Rears, 8800 lb GVWR, 235/85R16, Spring Suspension, 137 in Wheelbase Usage: 19,834 Mi
		123	2001 Chevrolet Silverado 1500 4x4 Utility Truck S/N: Not Available C/W: V8 6.0 L Gasoline Engine, 2001 US EPA Label, Automatic Transmission, 2041 lb Front Axle, 2760 lb Rears, 4173.0 lb GVWR, 247/75R16, Spring Suspension, 7 ft 8 in Body, champion Gasoline Generator Set Usage: Not Available

Lot #	Details	Lot #	Details
124	Presvac on 2012 International 7400 SBA 6x4 Vacuum Tanker Truck S/N: 1HTWGAAT9CJ627639 C/W: 6 Cylinder 7.6 L Diesel Engine, Eaton Fuller Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 235 in Wheelbase, Double Frame, Steel 3000 gal Debris Tank, Hydraulic Driven Pump Usage: Not Available	132	2011 Ford F-550 XL 4x2 Flatbed Truck S/N: 1FDUF5GT0BEB32528 C/W: Ford V8 6.7 L Diesel 300 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed Usage: Not Available
126	2003 Ford F-650 XL 4x2 Flatbed Truck S/N: 3FDNF65853MB08763 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, 18 ft 4 in x 102 in Bed, Pintle Hitch Usage: 169,217 Hr	133	2005 Ford F-550 XL 4x4 Flatbed Truck S/N: 1FDAF57Y05ED15883 C/W: V10 6.8 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 5600 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 94 in Bed Usage: 403,756 Mi
127	2019 Ford F-550 4x4 Flatbed Truck S/N: 1FDUF5HT1KDA18459 C/W: 6.7 L Diesel Engine, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 12 ft x 90 in Bed Usage: Not Available	134	2002 Ford F-450 XL 4x4 Flatbed Truck (Inoperable) S/N: 1FDXF47F12ED53475 C/W: V8 7.3 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed Usage: Not Available
128	2016 Ford F-550 XL 4x4 Flatbed Truck S/N: 1FDUF5HT5GED14716 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 21706 lb GVWR, 225 /70R19.5, Spring Suspension, 12 ft x 96 in Bed, Vanair Air Compressor Usage: 45,357 Mi	136	2008 Ford F 350 XL 4x4 Flatbed Truck S/N: 1FDSF35Y28EE09148 C/W: V10 6.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 7050 lb Rears, 10000.0 lb GVWR, 275 /70R18, Spring Suspension, 141 in Wheelbase, 9 ft x 80 in Bed Usage: 112,947 Mi
129	2013 Ford F-550 XL 4x4 Flatbed Truck (Inoperable) S/N: 1FDUF5HT7DEB48226 C/W: V8 6.7 L Diesel 300 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft 2 in x 96 in Bed Usage: 211,202 Mi	137A	2005 Chevrolet 4x2 COE Flatbed Truck (Inoperable) S/N: 4KBC4B1U55J800233 C/W: V8 6.0 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 225 /70R19.5, Spring Suspension, 12 ft 3 in x 96 in Bed Usage: Not Available
130	2013 Ford F-550 4x4 Flatbed Truck S/N: 1FDUF5HT2DEB42933 C/W: V8 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed, Pintle Hitch Usage: Not Available	137	2005 Ford F-350 XL 4x2 Flatbed Truck S/N: 1FDWF36545EB58165 C/W: V8 5.4 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, Dual Rear Wheel, 245/75/17, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed, Liftgate Usage: 251,827 Mi
131	2012 Ford F-550 XL 4x2 Utility Truck S/N: 1FDUF5GT0CEA26548 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed, Pintle Hitch Usage: 186,625 Mi	138	1992 Chevrolet S10 4x2 Flatbed Truck S/N: 1GCCS14A3N8168823 C/W: 4 Cylinder 2.5 L Gasoline Engine, 1992 US EPA Label, 5-Speed Manual Transmission, 2500 lb Front Axle, 2300 lb Rears, 4200 lb GVWR, 235/75R15, Spring Suspension, 6 ft 6 in x 68 in Bed Usage: 149,735 Mi

Lot #	Details	Lot #	Details
139	2016 Kenworth T680 6x4 Cab and Chassis (Inoperable) S/N: 1NKYL79X9GJ109739 C/W: 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 370 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar 8-Bag Air Ride Suspension, 237 in Wheelbase, 155 in Cab to Axle, 255 in Cab to End of Frame Usage: 778,482 Mi	144D	2009 Dodge Ram 5500 4x2 Cab and Chassis (Inoperable) S/N: 3D6WC76L19G524384 C/W: 6 Cylinder 6.7 L Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 165 in Wheelbase, 86 in Cab to Axle, 149 in Cab to End of Frame Usage: Not Available
140	2014 Kenworth T680 6x4 Cab and Chassis (Inoperable) S/N: 1NKYLP9X2EJ417865 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 380 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension, 237 in Wheelbase Usage: 718,868 Mi	144C	2009 Dodge Ram 5500 4x2 Cab and Chassis (Inoperable) S/N: 3D6WC76LX9G524383 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 165 in Wheelbase, 86 in Cab to Axle, 149 in Cab to End of Frame Usage: Not Available
141	2009 Peterbilt 386 6x4 Cab and Chassis (Inoperable) S/N: 1XPHD49X09N781549 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 240 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, MIX MATCH Rear Tires, Low Air Leaf Air Ride Suspension, 181 in Wheelbase, 101 in Cab to Axle, 158 in Cab to End of Frame Usage: 664,564 Mi	144B	2006 Ford F-550 XL 4x2 Cab and Chassis (Inoperable) S/N: 1FDAF56PX6ED92030 C/W: Diesel Engine, Manual Transmission, 6000 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 74 in Cab to Axle, 144 in Cab to End of Frame Usage: Not Available
142	2008 Peterbilt 365 Cab and Chassis S/N: 1XPSD09X58D745679 C/W: 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 445 /50R22.5 Super Singles, Air Ride Suspension, 174 in Cab to Axle, 244 in Cab to End of Frame Usage: Not Available	144A	1989 Ford F-700 4x2 Cab and Chassis (Inoperable) S/N: 1FDPK74PXXKVA08648 C/W: Manual Transmission, Aluminum Wheels, 11R22.5, Spring Suspension, 153 in Wheelbase, 85 in Cab to Axle, 136 in Cab to End of Frame Usage: 406,081 Mi
143	2009 Ford F-750 4x2 Cab and Chassis S/N: 3FRWF75C69V100051 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, 84 in Cab to Axle, 133 in Cab to End of Frame Usage: 194,257 Mi	144	2009 Ford F-750 XL 4x2 Cab and Chassis (Inoperable) S/N: 3FRXF75C29V094172 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2008 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 14000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 196 in Wheelbase, 122 in Cab to Axle, 223 in Cab to End of Frame Usage: 30,592 Mi
		145D	2012 Dodge Ram 4500 4x2 Cab and Chassis (Inoperable) S/N: 3C7WDKBL5CG172268 C/W: 6 Cylinder 6.7 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 86 in Cab to Axle, 137 in Cab to End of Frame Usage: Not Available

Lot #	Details	Lot #	Details
145C	2012 Dodge Ram 4500 4x2 Cab and Chassis (Inoperable) S/N: 3C7WDBKBL3CG172267 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 86 in Cab to Axle, 137 in Cab to End of Frame Usage: Not Available	149	2014 Ford E-450 4x2 26-Seat Transit Bus S/N: 1FDFE4FS8EDA34050 C/W: V10 6.8 L Gasoline Engine, 2014 US EPA Label, Air Conditioner, Automatic Transmission, Spring Suspension, 158 in Wheelbase Usage: 208,263 Mi
145B	2004 Ford F-450 XL 4x2 Cab and Chassis (Inoperable) S/N: 1FDXF46P14EA96444 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 85 in Cab to Axle, 145 in Cab to End of Frame Usage: Not Available	150	1999 Pierce Saber 4x2 Fire Truck S/N: 4P1CT02U7XA001193 C/W: Automated Transmission, 14000 lb Front Axle, 23500 lb Rears, 37500 lb GVWR, 12R22.5, Air Ride Suspension, 173 in Wheelbase, 16 ft 10 in Body, Engine Driven Pump Usage: 95,372 Mi
145A	2012 Dodge Ram 5500 4x2 Cab and Chassis (Inoperable) S/N: 3C7WDBMLXCG172276 C/W: 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 85 in Cab to Axle, 136 in Cab to End of Frame Usage: Not Available	151	2017 Ram 3500 4x2 Crew Cab Pickup S/N: 3C63RPGL2HG622982 C/W: 6.7 L 6 Cylinder Diesel Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, 1400 lb GVWR, Tires, 8 ft 3 in Bed Usage: 234,015 Mi
145	2012 Ford F-550 XL 4x4 Crew Cab Cab and Chassis S/N: 1FD0W5HT9CEB86361 C/W: FORD POWERSTROKE V8 6.7 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225 /70R19.5, Spring Suspension, 200 in Wheelbase, 83 in Cab to Axle, 132 in Cab to End of Frame Usage: Not Available	152	2019 Ford F-250 4x4 Crew Cab Pickup S/N: 1FT7W2B69KED56088 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 275/65R18 Tires, 6 ft 10 in Bed Usage: 106,184 Mi
147	2017 Ford F-350 XL 4x2 Extended Cab Cab and Chassis S/N: 1FT7X3A6XHEE34102 C/W: FORD V8 6.2 L Gasoline Engine, Ford 6-Speed Automatic Transmission, 4400 lb Front Axle, 6340 lb Rears, 10000 lb GVWR, 245 /75R17, Spring Suspension, 164 in Wheelbase, 58 in Cab to Axle, 107 in Cab to End of Frame Usage: 101,304 Mi	153	2012 Ram 2500 4x4 Crew Cab Pickup S/N: Not Available C/W: 6.7 L 6 Cylinder Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Adjustable Pedals, Power Windows, Spray-On Bed Liner, 285/70R17 Tires, 8 ft Bed Usage: Not Available
148	2010 NFA C40LF 4x2 26-Seat Transit CNG Bus S/N: 5FYC4FB14AC037076 C/W: Cummins ISL G280 6 Cylinder 8.9 L Compressed Natural Gas (CNG) 280 hp Engine, 2010 US EPA Label, Air Conditioner, Allison Automatic Transmission, Wheelchair Ramp, Aluminum Wheels, 305/70R22.5, Air Assist Front Suspension, Air Ride Suspension, 292 in Wheelbase Usage: 455,406 Mi	154	2010 Ford F-250 XL 4x4 Crew Cab Pickup S/N: 1FTSW2B54AEB01381 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission Usage: 129,710 Mi
		155	2019 Ford F-250 XL 4x4 Extended Cab Pickup S/N: 1FT7X2B65KEF17825 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 156,829 Mi
		156	2015 Ford F-250 4x4 Pickup S/N: 1FTBF2B65FEC98657 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 112,608 Mi
		157A	2011 Ford F-250 XLT 4x4 Crew Cab Pickup S/N: 1FT7W2BT3BEC20626 C/W: 6.7 L V8 Diesel Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000 lb GVWR, 265/70R17 Tires, 6 ft 9 in Bed Usage: Not Available

Lot #	Details	Lot #	Details
157	2015 Ford F-250 Super Duty XL 4x4 Pickup S/N: 1FTBF2B64FEC71854 C/W: 6.2 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 123,087 Mi	164	2012 Ford F-250 4x2 Extended Cab Pickup (Inoperable) S/N: 1FT7X2AT7CED18588 C/W: 6.7 L Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 6 ft 8 in Bed Usage: Not Available
158	2004 Ford F-250 XL 4x4 Pickup S/N: 1FTNF21P54ED72812 C/W: 6.0 L V8 Diesel Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Fuel Tank /w Pump, Tool Box, Spray-On Bed Liner, 8800 lb GVWR, 265/75R16 Tires, 8 ft Bed Usage: 451,521 Mi	165	2012 Chevrolet Silverado 2500 4x2 Extended Cab Pickup S/N: 1GC2CVCG7CZ229152 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Weather Guard Fuel Tank /w Pump, Weather Guard Tool Box, 9500 lb GVWR, 265/70R17 Tires, 8 ft 1 in Bed Usage: 262,382 Mi
159	2021 Ford F-250 XL 4x2 Crew Cab Pickup (Inoperable) S/N: 1FT7W2A60MEC09453 C/W: 6.2 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, 255/75R15 Tires, 8 ft Bed Usage: Not Available	166	1999 Ford F-250 4x2 Extended Cab Pickup S/N: 1FTRX27L2XKB72317 C/W: 5.4 L V8 Gasoline Engine, 1999 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6800 lb GVWR, 255/70R16 Tires, 6 ft 6 in Bed Usage: Not Available
160	2021 Ford F-250 XL 4x2 Crew Cab Pickup (Inoperable) S/N: 1FT7W2A65MEC09450 C/W: 6.2 L V8 Gasoline Engine, 2021 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: Not Available	167	2019 Ford F-250 4x2 Pickup S/N: 1FTBF2A66KED85205 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 9900 lb GVWR, 245/75R17 Tires, 8 ft 8 in Bed Usage: 131,502 Mi
161	2018 Ford F-250 XL 4x2 Extended Cab Pickup S/N: 1FT7X2A68JEC46081 C/W: 6.2 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, 10000 lb GVWR, 265/70R17 Tires, 6 ft 9 in Bed Usage: 146,415 Mi	168	2006 Dodge Ram 2500 4x2 Pickup (Inoperable) S/N: 3D7KR26CX6G168346 C/W: 5.9 L Diesel Engine Usage: Not Available
162	2015 Ford F-250 XL 4x2 Extended Cab Pickup S/N: 1FT7X2A66FEC90149 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Weatherguard Tool Box, Drop-In Bed Liner, 10000 lb GVWR, 265/70R17 Tires, 6 ft 8 in Bed Usage: 196,243 Mi	169B	2011 Ford F-150 4x4 Extended Cab Pickup (Inoperable) S/N: 1FTFX1EF4BKD97762 C/W: 5.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 7200.0 lb GVWR, 235/75R17 Tires, 6 ft 6 in Bed Usage: Not Available
163	2013 Ford F-250 4x2 Extended Cab Pickup S/N: 1FT7X2AT9DEA92135 C/W: 6.7 L V8 Diesel Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Headache Rack, Fuel Tank /w Pump, Weather Guard Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 267,317 Mi	169A	2001 Ford F-150 XL 4x4 Extended Cab Pickup (Inoperable) S/N: 1FTRX18W21KB05940 C/W: 4.6 L V8 Gasoline Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 6250 lb GVWR, 265/70R16 Tires, 6 ft 4 in Bed Usage: Not Available
164A	2011 Ford F-250 4x2 Pickup (Inoperable) S/N: 1FTBF2A62BEA67968 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 9800 lb GVWR, 235/80/17 Tires, 8 ft Bed Usage: Not Available	169	2020 Ford F-150 XL 4x4 Extended Cab Pickup (Inoperable) S/N: 1FTEX1EP7LKE47317 C/W: 2.7 L V6 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500 lb GVWR, 265/70R17 Tires, 6 ft 5 in Bed Usage: 50,918 Mi

Lot #	Details	Lot #	Details
170	2020 Ford F-150 XL 4x2 Crew Cab Pickup S/N: 1FTEW1C51LKF05877 C/W: 5.0 L V8 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Protech Tool Box, Spray-On Bed Liner, 6800 lb GVWR, 245 /70R17 Tires Usage: 113,220 Mi	177	2006 Dodge Ram 1500 4x2 Crew Cab Pickup S/N: 1D7HA18226J144010 C/W: 5.7 L V8 Engine Usage: 231,107 Mi
171	2016 Ford F-150 4x2 Crew Cab Pickup S/N: 1FTEW1CF9GKE75316 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, ProTech Tool Box, Drop-In Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 5 ft 6 in Bed Usage: 179,544 Mi	179	2011 Ford F-150 4x2 Pickup S/N: 1FTPF1CT5BKD95602 C/W: 3.5 L V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Bed Liner, 8200 lb GVWR, 245 /75R17 Tires, 8 ft Bed Usage: 224,168 Mi
172	2016 Ford F-150 XLT 4x2 Crew Cab Pickup S/N: 1FTEW1CP9GKD78643 C/W: 2.7 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Power Windows, 6250 lb GVWR, 265/60R18 Tires, 6 ft Bed Usage: Not Available	180B	2004 Ford F-150 XL 4x2 Pickup S/N: 2FTRF17294CA40496 C/W: 4.2 L V6 Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, 6050 lb GVWR, 265/75R16 Tires, 8 ft Bed Usage: Not Available
173	2018 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1C57JKE31990 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 6900 lb GVWR, 265/70R17 Tires, 6 ft 7 in Bed Usage: 207,761 Mi	180A	2013 Ford F-150 XL 4x2 Pickup (Inoperable) S/N: 1FTNF1CT6DKD10910 C/W: 3.5 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 7050.0 lb GVWR, 235/75R17 Tires, 8 ft Bed Usage: Not Available
174	2016 Ford F-150 XL 4x2 Pickup S/N: 1FTMF1C88GKD47548 C/W: 3.5 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Better built Tool Box, 6100 lb GVWR, 245/70R17 Tires, 8 ft 6 in Bed Usage: 125,557 Mi	180	2010 Chevrolet Silverado 1500 4x2 Pickup S/N: Not Available C/W: 4.3 L V6 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 6400 lb GVWR, 245 /70R17 Tires, 8 ft Bed Usage: Not Available
175	2014 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CT8EKD93968 C/W: 3.5 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Fuel Tank /w Pump, Weather Guard Tool Box, 7300 lb GVWR, 245/75R17 Tires, 8 ft 8 in Bed Usage: 159,473 Mi	182	2008 Ford Ranger XL 4x4 Extended Cab Pickup (Inoperable) S/N: 1FTYR45E48PA13308 C/W: 4 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, 5000 lb GVWR, 255/70R16 Tires, 6 ft Bed Usage: Not Available
176A	2016 Ram 1500 4x2 Pickup (Inoperable) S/N: 3C6JR6DM4GG168635 C/W: 3.0 L V6 Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, 6600 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: Not Available	183	2021 Ford Ranger XL 4x2 Extended Cab Pickup (Inoperable) S/N: 1FTER1EH4MLD69657 C/W: 4 Cylinder Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 6050 lb GVWR, 255 /75R15 Tires, 6 ft Bed Usage: Not Available
176	2012 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM9CKD97528 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Weatherguard Tool Box, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 172,534 Mi	184	2018 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT8JN707593 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 4700 lb GVWR, 235 /75R15 Tires, 6 ft Bed Usage: 68,726 Mi
		185	2018 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT1JN708858 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Flat Top Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 7 ft Bed Usage: 90,868 Mi

Lot #	Details	Lot #	Details
186	2018 Nissan Frontier 4x2 Extended Cab Pickup (Inoperable) S/N: 1N6BD0CT7JN700960 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Flat Top Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: Not Available	194	2015 Ford Escape SE 4WD SUV S/N: 1FMCU9GX8FUC28074 C/W: 4 cyl 1.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 90,760 Mi
187	2017 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT7HN720376 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Gem Top Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 100,408 Hr	195	2015 Ford Explorer 4WD SUV S/N: 1FM5K8AR5FGA57642 C/W: 6 cyl Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 92,127 Mi
188	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT4FN767152 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Gemtop Commercial Flat Top Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 110,833 Mi	196	2012 Honda Pilot 4WD SUV (Inoperable) S/N: 5FNYP4H53CB067786 C/W: 4 cyl 3.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
189	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9FN761556 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Gemtop Commercial Flat Top Truck Cap, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 140,834 Mi	197	2019 Ford Escape 2WD SUV S/N: 1FMCU0G96KUB81473 C/W: Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 71,799 Mi
190	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT3FN761620 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Steel Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 7 ft Bed Usage: 152,742 Mi	198	2018 Ford Escape 2WD SUV (Inoperable) S/N: 1FMCU0GD3JUD22874 C/W: 4 cyl 1.5 L Engine Usage: 89,845 Mi
191	2006 Mazda B3000 Pickup S/N: 4F4YR46U16PM01140 C/W: 3.0 L V6 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Weather Guard Tool Box, Drop-In Bed Liner, 4740 lb GVWR, 225/70R16 Tires, 6 ft Bed Usage: 245,464 Mi	199	2018 Ford Escape 2WD SUV (Inoperable) S/N: 1FMCU0GD6JUB44281 C/W: 4 cyl 1.5 L Engine Usage: 98,370 Mi
192	2000 Ford Ranger XLT 4x2 Extended Cab Pickup (Inoperable) S/N: 1FTYR14X8YPB43741 C/W: 4.0 L V6 Gasoline Engine, 2000 US EPA Label, Automatic Transmission, Air Conditioner, 225/70R15 Tires, 6 ft Bed Usage: 265,943 Mi	200	2017 Ford Escape 2WD SUV S/N: 1FMCU0G96HUC26534 C/W: 4 cyl 2.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Rear View Camera, Navigation Usage: 188,101 Mi
193	2019 Ford Escape SE 4WD SUV S/N: 1FMCU9GD4KUB31373 C/W: 4 cyl 1.5 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 99,750 Mi	201	2016 Ford Explorer 2WD SUV S/N: 1FM5K7D88GGB34308 C/W: 4 cyl 3.5 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 112,522 Mi
		202	2013 Ford Escape 2WD SUV (Inoperable) S/N: 1FMCU0F7XDUD79346 C/W: 4 cyl 2.5 L Engine Usage: Not Available
		203	2012 Ford Escape XLT 2WD SUV S/N: 1FMCU0D7XCKB18389 C/W: 4 cyl 2.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 145,632 Mi
		204	2012 Ford Escape XLT 2WD SUV S/N: 1FMCU0D7XCKB04847 C/W: 4 cyl 2.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 254,710 Mi

Lot #	Details	Lot #	Details
205	2005 AM General M1123 HMMWV 2 Door Soft Top w/Truck Body S/N: 219544 C/W: 6.5 L Diesel Engine, Automatic Transmission, 4x4, 2 Door, 37x12.50R16.5 Tires Usage: 14,641 Mi	215	2006 Hyundai 53 ft T/A Van Trailer S/N: 3H3V532C66T218006 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
206	2004 AM General M1123 HMMWV 2 Door Soft Top w/Truck Body S/N: 217724 C/W: 6.5 L Diesel Engine, Automatic Transmission, 4x4, 2 Door, 37x12.50R16.5 Tires Usage: 1,448 Mi	216	2001 Stoughton AVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer S/N: 1DW1A53281S406264 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
207	AM General HMMWV 2 Door Soft Top w/Truck Body S/N: 203681 C/W: 6.5 L Diesel Engine, Automatic Transmission, 4x4, 2 Door, 37x12.50R16.5 Tires Usage: 7,188 Mi	217	1999 Great Dane 53 ft T/A Van Trailer S/N: 1PNV532B7XK213993 C/W: Air Ride Suspension, Sliding Suspension, 275/80R/22.5,295/75R/22.5 Tires Usage: Not Available
208A	2015 Ford Fusion Automobile S/N: 3FA6P0G77FR153188 C/W: 4 cyl 2.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 123,494 Mi	218	1999 Great Dane 53 ft T/A Van Trailer S/N: 1PNV532B1XK213939 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R/22.5,275/80R/22.5 Tires Usage: Not Available
208	2014 Chevrolet Cruze Automobile S/N: 1G1PA5SG8E7220450 C/W: 4 cyl 1.8 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 92,659 Mi	219	1999 Sterling 53 ft T/A 53 Ft T/A Van Trailer S/N: 1S12E9538XE434174 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
209	2016 Ford Focus SE Automobile S/N: 1FADP3K24GL399815 C/W: 4 cyl 2.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 128,830 Mi	220	1998 Hyundai T/A 53 Ft T/A Van Trailer S/N: 3H3V532C3WT074009 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
210	2014 Ford Focus SE Automobile S/N: 1FADP3K21EL442861 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 79,230 Mi	221	1998 Wabash 53 ft Van Trailer S/N: 1JJV532W3WL440822 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
211	2010 Chevrolet Cobalt Automobile S/N: 1G1AB1F5XA7153400 C/W: 4 cyl 2.2 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner Usage: Not Available	222	1994 Monon 53 ft T/A Van Trailer S/N: 1NNVX5327RN212851 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
212	Wabash 53 ft T/A Refrigerated Trailer S/N: 1JJV532B9LL175011 C/W: 68000 lb GVWR, Air Ride Suspension, Disc Brakes, Sliding Suspension, Side Skirts, Ducted Floor, 2019 Thermo King S-600 Refrigeration Unit, Serial Number 6001296722 Usage: Not Available	223	1990 Wabash T/A Van Trailer S/N: 1JJV532W7WL435154 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R/22.5,275/80R/22.5 Tires Usage: Not Available
213	2014 Hyundai 53 ft x 102 in T/A Refrigerated Trailer S/N: 3H3V532C9ET127035 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King S600 Refrigeration Unit Usage: Not Available	225	1954 Page T/A Dolly S/N: 74324 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available