



Phoenix, AZ, USA - Sep 13, 2023

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 10A | 2016 JCB 205T Two-Speed Skid Steer Loader S/N: GE0205WVCG2202512 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Control Pattern Changer, Rear View Camera, 2016 US EPA Label, Aperture Tires, Manual Coupler Usage: 1,387 Hr | | S/N: 1T0310ELKHG323415 C/W: Open Operator Station, Air Ride Seat, Powershift Transmission, 2018 US EPA Label, 86 in Loader Bucket, Extendable Stick, Quick Coupler, 22 in Backhoe Digging Bucket Usage: 4,309 Hr |
| 19 | 2017 Bobcat S70 Skid Steer Loader S/N: B38V14303 C/W: Open Operator Station, Tier 4, 2016 US EPA Label, Manual Coupler, 36 in Bucket Usage: 1,674 Hr | 80 | 2006 Cat 420D 4x4 Backhoe Loader S/N: CAT0420DAFDP26998 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, 89 in Multi-Purpose Loader Bucket, 36 in Backhoe Digging Bucket Usage: Not Available |
| 22 | 2007 Bobcat S100 Skid Steer Loader S/N: A2G711161 C/W: Open Operator Station, Manual Coupler, 48 in Bucket Usage: 807 Hr | 87 | 2003 Case 580 Super M 4x2 Backhoe Loader S/N: JJG0375981 C/W: Open Operator Station, 84 in Loader Bucket, Extendable Stick, Quick Coupler, 12 in Backhoe Digging Bucket Usage: 5,872 Hr |
| 35 | 1998 Case 586E 6000 lb 4x4 Rough Terrain Forklift S/N: JJG0252090 C/W: 3 Stage Mast, 117 in Lowered Mast Height, 48 in Forks, 4 Cylinder Diesel Engine Usage: Not Available | 98 | 2013 JCB 417HT Wheel Loader S/N: JCB41700E02095896 C/W: Enclosed Cab, Air Ride Seat, 2013 US EPA Label, Hydraulic Coupler, 106 in Bucket, 620 /75R26 Tires Usage: 11,359 Hr |
| 42 | 2007 JLG G9-43A Telehandler S/N: 0160028220 C/W: Open Operator Station, Air Ride Seat, 43 ft Max Lift Height, 9000 lb Max Lift Capacity, 2006 US EPA Label, 60 in Forks, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing, 13.00-24 Tires Usage: 4,920 Hr | 103 | 2000 Cat 972G Wheel Loader S/N: 1EW00539 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Command Control Steering, 126 in Bucket, 26.5-25 Tires Usage: 15,118 Hr |
| 49 | 2015 John Deere 210L EP 4x4 Landscape Loader S/N: 1T8210ELCFJ892650 C/W: Open Operator Station, 2015 US EPA Label, 86 in Bucket, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights Usage: 4,078 Hr | 113 | 2019 LS MT235E 4WD Utility Tractor S/N: 2340001477 C/W: Hydrostatic Drive, Loader, Quick Coupler, 68 in Bucket, 17 in Backhoe Attachment, 215 /65-14 Front Tires, 400/70-20 Rear Tires Usage: 195 Hr |
| 57 | 2004 John Deere 210LE 4x4 Landscape Loader S/N: T0210LE882815 C/W: Open Operator Station, 2004 US EPA Label, 84 in Bucket, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights, Rear Weight Box Usage: 3,195 Hr | 115 | 2016 Kubota BX25DLB 4WD Utility Tractor S/N: 34075 C/W: Differential Lock, Hydrostatic Drive, 21.5 hp Engine, 2015 US EPA Label, Kubota Loader, 48 in Bucket, Kubota 12 in Backhoe Attachment, 18x8.50-10 Front Tires, 26x12.00 Rear Tires Usage: Not Available |
| 61 | 1999 Case 570LXT 4x2 Landscape Loader S/N: JJG0260664 C/W: Open Operator Station, 82 in Bucket, Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Frame Weights Usage: 5,041 Hr | 142 | 1984 Cat 615 6500 gal Water Wagon S/N: 46Z01051 C/W: Open Operator Station, Mega Tank, Water Cannon, Rear Spray, Side Spray, 29.5-25 Tires Usage: Not Available |
| 71 | 2018 John Deere 310L EP 4x4 Backhoe Loader | 144 | 1999 Cat 613C 5000 gal Water Wagon S/N: 8LJ01901 C/W: Open Operator Station, Air Ride Seat, Mega Tank, Water Cannon, Rear Spray, Side |

| | |
|------------|--|
| | Spray, 23.5-25 Tires Usage: 14,209 Hr |
| 145 | 1992 Cat 613C 5000 gal Water Wagon S/N: 92X02352 C/W: Open Operator Station, Mega Tank, Water Cannon, Front Spray, Rear Spray, Side Spray, 23.5-25 Tires Usage: 26,831 Hr |
| 149 | 2019 Cat 745 Articulated Dump Truck S/N: CAT00745K3T601183 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, Requires Diesel Exhaust Fluid, 29.5R25 Tires Usage: 6,451 Hr |
| 166 | 1997 Cat D400E Articulated Dump Truck S/N: 2YR00387 C/W: Air Conditioner, Air Ride Seat, Fast Fuel Fill, 29.5R25 Tires Usage: 6,942 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 181A | 2018 Volvo DD35B Double Drum Roller S/N: VCE0D35BE0S273259 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, Kubota 3 Cylinder 36.5 kW 1.8 L Diesel Engine, 54 in Drums, Water System Usage: 1,360 Hr | | Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Maintainer V478 13 ft 6 in Body, Hydraulic Stabilizers, Maintainer 10000 lb 3 Section Hydraulic Crane, Ingersoll-Rand VHP40RMH PTO Air Compressor, Air Hose Reel Usage: 204,779 Mi |
| 182 | 2017 Bomag BW120SL5 Double Drum Roller S/N: 861880441139 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, Kubota 3 Cylinder 1.7 L Diesel Engine, 48 in Drums, Water System Usage: 278 Hr | 287 | 2012 Ford F-550 XL 4x2 Extended Cab Utility Truck S/N: 1FD0X5GT3CEB31063 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, Knapheide 12 ft Body Usage: 191,431 Mi |
| 187A | 2005 Ingersoll Rand DD-24 Double Drum Roller S/N: 185440 C/W: Open Operator Station, Kubota 4 Cylinder 31 kW Diesel Engine, 47 in Drums, Water System Usage: 3,572 Hr | 308 | 2007 Chevrolet Silverado 2500HD 4x2 Utility Truck S/N: 1GBHC24U77E129034 C/W: V8 6.0 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 134 in Wheelbase, Harbor 9 ft Body Usage: 173,421 Mi |
| 193 | 2019 Cat 320 Tracked Excavator S/N: CAT00320LHEX11704 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, Tier 4, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 23.5 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 2,117 Hr | 311 | 2005 Ford F-250 XL 4x2 Utility Truck S/N: 1FDNF20565EA52931 C/W: V8 5.4 L Gasoline Engine, Automatic Transmission, 3800 lb Front Axle, 6100 lb Rears, 8800.0 lb GVWR, 265/70R17, Spring Suspension, 137 in Wheelbase, 2004 Knapheide 696FJ40 8 ft Body Usage: 240,022 Mi |
| 203 | 2011 John Deere 350G LC Tracked Excavator S/N: 1FF350GXPBE808027 C/W: Air Conditioner, 13 ft 2 in Stick, Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 7,200 Hr | 315 | 2008 Ford F-650 XL 4x2 Fuel and Lube Truck S/N: 3FRWF65C88V570963 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, Differential Lock, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, 16 ft Body, (8) Hose Reels, Grease Barrel, Ingersoll-Rand Gasoline Air Compressor, Fuel Tank, Product Tanks Usage: 268,398 Mi |
| 207A | 2018 Cat 325FLCR Tracked Excavator S/N: CAT0325FENDJ20360 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 4,338 Hr | 324A | 2011 Peterbilt 348 4000 gal 6x4 Water Truck S/N: 2NP3LN9X9BM120735 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel Engine, Requires Diesel Exhaust Fluid, 11193 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Spicer DSP41 Drive Axles, 4.63:1 Axle Ratio, 52000 lb GVWR, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 198 in Wheelbase, PTO, (Unused) 4000 gal Steel Tank, PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: 223,512 Mi |
| 214A | 2014 Cat 305.5E Mini Excavator S/N: CAT3055EAMX500421 C/W: Tier 4, 2014 US EPA Label, 4 ft 11 in Stick, Backfill Blade, 16 in Triple Grouser Track Shoes, 26 in Digging Bucket, Hydraulic Thumb Usage: 553 Hr | 336 | 1981 Kenworth W900 4000 gal 6x4 Water Truck S/N: 1XKWDB9XXBS188273 C/W: Cat 3406E 6 Cylinder 14.6 L Diesel Engine, Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 4.63:1 Axle Ratio, 50000 lb GVWR, Aluminum Front Wheels, 11R24.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE |
| 215A | 2014 Cat 306E Mini Excavator S/N: CAT0306ELFHL01007 C/W: Enclosed Cab, 5 ft 3 in Stick, Backfill Blade, 16 in Triple Grouser Track Shoes, 30 in Digging Bucket, Hydraulic Thumb Usage: 669 Hr | | |
| 221 | Wacker Neuson EZ53 Mini Excavator S/N: WNCE0510VPAL022777 C/W: Swing Boom, 5 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, 24 in Digging Bucket, Hydraulic Thumb Usage: 130 Hr | | |
| 272 | 2006 Ford F-750 XLT 4x2 Service Truck S/N: 3FRWF75R76V309332 C/W: Cat C7 6 Cylinder 7.2 L Diesel 230 hp Engine, 2005 US EPA Label, 12846 Engine hrs, | | |

| | | |
|-------------|---|---|
| | Series Spring over Walking Beam Suspension, 205 in Wheelbase, PTO, 4000 gal Steel Tank, Pump w/ Duetz 2 Cylinder Engine, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 344,313 Mi | 217 in Wheelbase, 16 ft Long x 4 ft High Body, Electric Roll Tarp Usage: 254,076 Mi |
| 347B | 2005 Chevrolet C7500 2000 gal 4x2 Water Truck S/N: 1GBJ7C1335F533057 C/W: 6 Cylinder Diesel Engine, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, (Unused) 2000 gal Steel Tank, Arms PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: 256,508 Mi | 379 1992 Peterbilt 378 6x4 T/A Dump Truck S/N: 1XPFDB9XXND313811 C/W: Cat 3406B 6 Cylinder 14.6 L Diesel Engine, 1991 US EPA Label, Engine Brake, Eaton Fuller RTX-14609B 9-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Outer Wheels, 11R24.5, Air Leaf Air Ride Suspension, 216 in Wheelbase, Williamson 16 ft Long x 3 ft High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 768,362 Mi |
| 348 | 2004 Ford F-650 2000 gal 4x2 Water Truck S/N: 3FRPF65114V610541 C/W: Cat 3126 6 Cylinder 7.2 L Diesel Engine, 2003 US EPA Label, 6-Speed Manual Transmission, 7000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 157 in Wheelbase, PTO, 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 18,563 Mi | 380 1991 International 9300 6x4 T/A Dump Truck S/N: 2HSFEG2R8MC045838 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, 48000 lb GVWR, Aluminum Outer Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 206 in Wheelbase, 15 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 83,703 Mi |
| 350 | 2000 Ford F-650 XL 2000 gal 4x2 Water Truck S/N: 3FDNF6525YMA07659 C/W: Cat 6 Cylinder 7.2 L Diesel Engine, Automatic Transmission, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 160 in Wheelbase, PTO, 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 286,300 Mi | |
| 363 | 2006 Peterbilt 379 6x4 Transfer Set S/N: 1NP5LB9X16D880662 C/W: Cat C15 Acert 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 224 in Wheelbase, PTO, 15 ft Long x 4 ft High Steel Body, Round Bottom, Electric Roll Tarp, Pintle Hitch, SOLD WITH - 2006 Reliance 2/Axle Transfer Trailer, Trailer S/N-5REFA52875S054582, Lunette Ring Hitch, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires Usage: 220,200 Mi | |
| 370 | 2011 Mack CXU613 6x4 T/A Dump Truck S/N: 1M1AW02Y2BM012443 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 405 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller RTO-16910B-DM3 Automated Transmission, Air Ride Cab, Aluminum Wheels, 285/75R24.5, Air Ride Suspension, 187 in Wheelbase, 15 ft 6 in Long x 4 ft High Steel Body, Round Bottom, Electric Roll Tarp, High-Lift Tailgate, Pintle Hitch Usage: 432,086 Mi | |
| 376 | 1998 Mack RD690S 6x4 T/A Dump Truck S/N: 1M2P264C0WM026966 C/W: Mack 6 Cylinder Diesel Engine, 23353 Engine hrs, Eaton Fuller Manual Transmission, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 387 | 1991 Ford F-800 4x2 S/A Dump Truck S/N: 1FDXK84A0MVA33210 C/W: 6 Cylinder 7.8 L Diesel 210 hp Engine, Automatic Transmission, 33000 lb GVWR, 11R22.5, Spring Suspension, 180 in Wheelbase, PTO, 12 ft Long x 2 ft 4 in High Steel Body, Round Bottom, Electric Roll Tarp, Tailgate Chute Usage: 146,672 Mi | | C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2016 US EPA Label, 10550 Engine hrs, 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 434,096 Mi |
| 397 | 2010 Versalift SST37EIH on 2010 Dodge Ram 5500 4x4 Bucket Truck S/N: 3D6WD7ELXAG103864 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 18750 lb GVWR, 225/70R19.5, Spring Suspension, 144 in Wheelbase, 350 lb Capacity, Front Mounted, One-Person Articulating-Telescopic Boom, Utility Body, Straight Down Outriggers, 11 ft x 96 in Bed, Pintle Hitch Usage: 200,561 Mi | 471 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV8GSHG3911 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8129 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 141,057 Mi |
| 399 | Altec AT200A 30 ft on 2014 Ford F-450 XL 4x2 Bucket Truck S/N: 1FDUF4GT8EEB88408 C/W: V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 245/70R19.5, Spring Suspension, 141 in Wheelbase, PTO, 300 lb Capacity, Front Mounted, One-Person Telescopic Boom, Utility Body, 12 ft x 96 in Bed Usage: 92,394 Mi | 482 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED59GDGV8738 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 378,777 Mi |
| 408 | 1998 Peterbilt 357 6x4 Winch Truck S/N: 1XPADB9X1WD459770 C/W: Cat 3406 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, Air Ride Cab, 11R22.5, Air Trac Air Ride Suspension, 200 in Wheelbase, PTO, Wet Kit, Double Frame, Tail Roll, Tulsa Winch, Lowboy Ramps Usage: 319,992 Hr | 484 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDV0GLGW5679 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12031 Engine hrs, Engine Brake, Detroit DT12-OB 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 395,429 Mi |
| 410A | 1982 Ford F-800 4x2 Tanker Truck S/N: 1FDXF82K1CVA51259 C/W: V8 7.0 L Gasoline Engine, 5-Speed Manual Transmission, 30100 lb GVWR, 9.00-20 Front Tires, 10.00R20 Rear Tires, Spring Suspension, 180 in Wheelbase, PTO, Aluminum Tank, Rear Spray, Side Spray Usage: 15,166 Mi | 489 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED5XGDHK1958 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16520 Engine hrs, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 675,651 Mi |
| 449 | 2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV0JSJS4044 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10809 Engine hrs, Engine Brake, Detroit D12-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 429,445 Mi | 497B | 2011 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV6BSAZ2574 |
| 458 | 2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV6HSHZ8193 | | |

| | | | |
|-------------|---|--|-------------------|
| | C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2742 Engine hrs, Eaton Fuller FRO-162-10B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 186 in Wheelbase, Air Sliding 5th Wheel Usage: 901,745 Mi | | Usage: 648,127 Mi |
| 510 | 2016 Volvo VNL64300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH6GN928297 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, AT2612D Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Volvo Air Ride Suspension, 203 in Wheelbase, Air Sliding 5th Wheel Usage: 337,078 Mi | | |
| 517 | 2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJSNR8GN733634 C/W: Navistar N13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 301,697 Mi | | |
| 518A | 2015 International 8600 SBA 6x4 T/A Day Cab Truck Tractor S/N: 1HSHXSNR4FH712529 C/W: Navistar N13 6 Cylinder 12.4 L Diesel Engine, 16724 Engine hrs, 10-Speed Manual Transmission, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Dual Fuel Tanks Usage: 288,601 Mi | | |
| 542 | 2016 Kenworth T880 6x4 T/A Sleeper Truck Tractor S/N: 1XKZD49X7GJ494093 C/W: Cummins ISX15 500V 6 Cylinder 15.0 L Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, DSP41 Drive Axles, 3.70:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 50 in Mid Roof Sleeper Cab, 11R22.5, Airglide Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel Usage: 560,333 Mi | | |
| 544 | 2014 Peterbilt 384 6x4 T/A Sleeper Truck Tractor S/N: 1XPVDP9X9ED215720 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 380 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 24919 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 72 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 285/75R24.5 Rear Tires, Air Ride Suspension, 237 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks | | |
| 545 | 2014 Peterbilt 384 6x4 T/A Sleeper Truck Tractor S/N: 1XPVDP9X2ED215719 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 380 hp Engine, Requires Diesel Exhaust Fluid, 19231 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 3.42:1 Axle Ratio, 50000 lb GVWR, Air Ride Cab, 72 in Flat Top Sleeper Cab, Aluminum Wheels, 285/75R24.5, Air Ride Suspension, Dual Fuel Tanks Usage: 606,718 Mi | | |
| 548 | 2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9XXJJ204837 C/W: Paccar MX-13 6 Cylinder Diesel 455 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12527 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X3 Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Paccar Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 471,060 Mi | | |
| 553 | 2015 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9XXFJ435311 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 485 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 636,032 Mi | | |
| 571 | 2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR3KSLD3601 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9819 Engine hrs, Engine Brake, Detroit DT12-1650 Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 458,300 Mi | | |
| 574 | 2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR4KSKT6556 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 18264 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53220 lb | | |

GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks
Usage: 821,255 Mi

612 2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor

S/N: 1FUJGLDR5CSBD6392
C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 4221 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Spicer DS404 Drive Axles, 3.70:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks
Usage: 1,182,188 Mi

629 2017 Volvo VNL730 6x4 T/A Sleeper Truck Tractor

S/N: 4V4NC9EJ5HN963546
C/W: Volvo D13 6 Cylinder Diesel 500 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Dual Steering Boxes, Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks
Usage: 693,602 Mi

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 630A | 2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EG6FN176297 C/W: Volvo D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10779 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 976,247 Mi | | Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9500 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 10 ft Long x 72 in Wide x 72 in High Body, Curbside Door Usage: 149,127 Mi |
| | | 766 | 2008 International 4300 4x2 Flatbed Truck S/N: 1HTMMAAM08H679586 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 210 hp Engine, Allison 2200 5-Speed Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 5.57:1 Axle Ratio, 25500.0 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, 26 ft x 96 in Bed Usage: 291,636 Mi |
| 656A | 2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV0HSHV4706 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8539 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 265,035 Mi | 786 | 2005 Chevrolet C4500 4x2 Flatbed Truck S/N: 1GBE4C1E35F500734 C/W: V8 8.1 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 17500 lb GVWR, 225 /70R19.5, Spring Suspension, 189 in Wheelbase, 18 ft x 96 in Bed Usage: 177,285 Mi |
| | | 796 | 2015 Ford F-350 XL 4x4 Crew Cab Flatbed Truck S/N: 1FD7W3FT2FED29077 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5940 lb Front Axle, 6290 lb Rears, 9800 lb GVWR, 285/70R17, Spring Suspension, 176 in Wheelbase, 9 ft x 86 in Bed Usage: 102,872 Mi |
| 658 | 2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV4DLBZ1945 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 17727 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 321,263 Mi | 800 | 2011 Dodge Ram 3500 4x2 Crew Cab Flatbed Truck S/N: 3D73M4CL3BG579651 C/W: 6 Cylinder 6.7 L Diesel Engine, 10115 Engine hrs, Automatic Transmission, 5000 lb Front Axle, 9350 lb Rears, 11500 lb GVWR, LT235/80R17, Spring Suspension, 170 in Wheelbase, 9 ft x 96 in Bed Usage: 366,790 Mi |
| | | 803 | 2005 Chevrolet Silverado 3500 4x2 Flatbed Truck S/N: 1GBJC34245E298253 C/W: V8 6.6 L Diesel Engine, 2005 US EPA Label, Automatic Transmission, 215/85R16, Spring Suspension, 158 in Wheelbase, 13 ft x 96 in Bed Usage: 221,886 Mi |
| 718 | 2012 Isuzu NRR 4x2 COE Refrigerated Truck S/N: JALE5W169C7300675 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Diesel 210 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Thermo King T600R Reefer Unit, Morgan 15 ft Long x 96 in Wide x 90 in High Body Usage: 243,235 Mi | 811 | 1996 Ford F-350 XL 4x2 Flatbed Truck S/N: 2FDKF37F7TCA48574 C/W: V8 Diesel Engine, 1994 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 8250 lb Rears, 11000 lb GVWR, 215/85R16, Spring Suspension, 161 in Wheelbase, 12 ft x 96 in Bed Usage: 213,710 Mi |
| 729A | 2018 International 4300 SBA 4x2 Van Truck S/N: 3HAMMMML9JL446813 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4023 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 238 in Wheelbase, Morgan 20 ft Long x 102 in Wide x 97 in High Body, Ball Hitch Usage: 183,519 Mi | 821 | 2013 International 4400 SBA 4x2 Cab and Chassis S/N: 1HSMTAZN8DH405342 C/W: International MaxxForce 9 6 Cylinder 9.3 L Diesel 315 hp Engine, 2012 US EPA Label, 7979 Engine hrs, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, 11R22.5 Front Tires, |
| 755 | 2015 Ford Transit 350 4x2 Cargo Van S/N: 1FTSW2CG1FKA29662 C/W: V6 3.5 L Gasoline Engine, 2015 US EPA | | |

| | | | |
|------|--|------|---|
| | 295/75R22.5 Rear Tires, Air Ride Suspension, 196 in Wheelbase, 132 in Cab to Axle, 211 in Cab to End of Frame Usage: 204,801 Mi | 5079 | 2023 Wolverine MPF-11-2500G 30 in Mini Skid Steer Forks (Unused) S/N: ZW00108 C/W: Quick Coupler Bracket Usage: Not Available |
| 825 | 2008 Ford F-550 XL 4x2 Crew Cab Cab and Chassis S/N: 1FDAW56R38EA36636 C/W: V8 6.4 L Diesel Engine, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 84 in Cab to Axle, 132 in Cab to End of Frame Usage: 127,439 Mi | | |
| 826A | 1999 Ford F-550 4x4 Cab and Chassis S/N: 1FDAF57F1XEE43227 C/W: V8 7.3 L Diesel Engine, 222 Engine hrs, 6-Speed Manual Transmission, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 166 in Wheelbase, 84 in Cab to Axle, 140 in Cab to End of Frame Usage: 183,569 Mi | | |
| 5001 | 2023 Landhonor GM-12-96W 96 in Skid Steer Grader (Unused) S/N: HL00338 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5014 | 2023 Landhonor CMR-11-65V Skid Steer Concrete Mixer Roller (Unused) S/N: HL00035 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5016 | 2023 Paladin HL-SMS-2040E Skid-Mounted Screen (Unused) S/N: Not Available C/W: 4 ft 3 in x 4 ft 10 in Double Deck Screen Usage: Not Available | | |
| 5017 | 2023 Landhonor RB-14-66W 66 in Rock Skid Steer Bucket (Unused) S/N: HL-00012 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5024 | 2023 Landhonor TP-13-08D Hydraulic Skid Steer Post Puller (Unused) S/N: HL00324 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5054 | 2023 Sweepster PBS-11-72W 72 in Skid Steer Sweeper (Unused) S/N: ZW00023 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5065 | 2023 Wolverine FGP-11-3500G Grapple Skid Steer Forks (Unused) S/N: ZW00059 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5067 | 2023 Wolverine MSG-11-44W 44 in Mini Skid Steer Grapple Bucket (Unused) S/N: ZW00113 C/W: Quick Coupler Bracket Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5081 | 2023 Handy HSGB96 96 in Skid Steer Grader (Unused) S/N: GB202306466 C/W: Quick Coupler Bracket Usage: Not Available | | C/W: Quick Coupler Bracket Usage: Not Available |
| 5088 | 2023 Handy HBDM72 72 in Drum Skid Steer Mulcher (Unused) S/N: BDM202306256 C/W: Quick Coupler Bracket Usage: Not Available | 5225 | 2023 80 ft x 50 ft x 26 ft Hills Industrial Shelter Storage Building (Unused) S/N: Not Available C/W: 111" 43" 48" measured by each box a total of 4 boxes Usage: Not Available |
| 5131 | Quantity of (2) 2023 Kit Containers 2YFT-SDH Skid Steer Dump Hopper (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5237 | 2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 000001186 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available |
| 5133 | Quantity of (3) 2023 Kit Containers Steel 6 ft x 10 ft (1/2 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available | 5238 | 2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 000001185 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available |
| 5142 | 2023 Wolverine BC-13-72W 72 in Skid Steer Brush Cutter (Unused) S/N: ZW-01699 C/W: Quick Coupler Bracket Usage: Not Available | 5240 | 2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 000001190 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available |
| 5158 | 2023 Wolverine VR-11-66W 76 in Skid Steer Vibratory Roller (Unused) S/N: ZW00377 C/W: Quick Coupler Bracket Usage: Not Available | 5241 | 2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 000001189 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available |
| 5159 | 2023 Wolverine GB-11-72W 72 in Skid Steer Grapple Bucket (Unused) S/N: ZW-01112 C/W: Quick Coupler Bracket Usage: Not Available | 5244 | 2023 4-Fuel.com 4F116Gal 116 gal Portable Poly Fuel Tank (Unused) S/N: 000001181 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available |
| 5165 | 2023 Wolverine Skid Steer Breaker (Unused) S/N: ZW00363 C/W: Quick Coupler Bracket Usage: Not Available | 5247 | Quantity of (6) 2023 Fuel Solution Srl 4B-100 /75-A Interlocking Traffic or Construction Barriers (Unused) S/N: Not Available C/W: 3 white, 3 red Usage: Not Available |
| 5171 | 2023 Wolverine CM-11-250V 48 in Skid Steer Concrete Mixer (Unused) S/N: ZW01126 C/W: Quick Coupler Bracket Usage: Not Available | 5248 | Quantity of (6) 2023 Fuel Solution Srl 4B-100 /75-A Interlocking Traffic or Construction Barriers (Unused) S/N: Not Available C/W: 3 white, 3 red Usage: Not Available |
| 5179 | 2023 Kit Containers BB7Y 7 cyd Bedding Box (Unused) S/N: Not Available Usage: Not Available | 5250 | 2023 Fuel Solution Srl 4FHose Reel 65 ft (Unused) S/N: Not Available Usage: Not Available |
| 5187 | 2023 Jisan JSS80TH Demolition Shear (Unused) S/N: 23050303110 Usage: Not Available | 5253 | Quantity of (31) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5205 | 2023 Jisan BKT336D60HD 60 65 in Digging Excavator Bucket (Unused) S/N: 2304260137 Usage: Not Available | 5264 | 2023 Jisan JSG2100 Excavator Grapple |
| 5217 | 2023 Jisan JSB400SL Skid Steer Breaker (Unused) S/N: JSB402305243 | | |

(Unused)
S/N: 23050303016
Usage: Not Available

|

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5293 | Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available C/W: Powder Coated Usage: Not Available | | Usage: Not Available |
| 5319 | 2023 KAIJIAN K1119 11 ft x 19 ft All-Steel Carport Shed (Unused) S/N: Not Available Usage: Not Available | 5414 | 2023 Kit Containers QT-TS-40 40 in Spade Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5320 | 2023 KAIJIAN K1220 12 ft x20 ft Single Garage Metal Shed (Unused) S/N: Not Available Usage: Not Available | 5426 | 2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5331 | Quantity of (20) 2023 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5429 | 2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5346 | 2023 MH-LS1220 12 ft x 20 ft Livestock Shed (Unused) S/N: Not Available Usage: Not Available | 5430 | 40 in Skid Steer Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5357 | 2023 16 ft Wrought Iron Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5434 | 2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5364 | Quantity of (50) 2023 2 in x 27 ft Ratchet Strap (Unused) S/N: Not Available Usage: Not Available | 5455 | Quantity of (20) 2023 10 ft x 6 ft Chain Link Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5367 | 2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available | 5459 | Quantity of (24) 2023 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5387 | Kit Containers CFX-90 Livestock Feeder (Unused) S/N: Not Available Usage: Not Available | 5469 | Suihe Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5388 | Kit Containers CFX-90 Livestock Feeder (Unused) S/N: Not Available Usage: Not Available | 5471 | 2023 Suihe 10FT-30D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5389 | Kit Containers CFX-90 Livestock Feeder (Unused) S/N: Not Available Usage: Not Available | 5473 | 2023 Suihe 10FT-30D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5394 | 2023 Kit Containers QT-SG-S76-V3 76 in Skeleton Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5396 | Kit Containers CFX-90 Livestock Feeder (Unused) S/N: Not Available Usage: Not Available | | |
| 5403 | Kit Containers CFX-90 Livestock Feeder (Unused) S/N: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5493 | 2023 Suihe SSD-YS86 86 in Skid Steer Snow Blade (Unused) S/N: 0031786980 C/W: Quick Coupler Bracket Usage: Not Available | | Ripper, Quick Coupler, Rake, Auger, 12 in Auger Bit, Graber Usage: Not Available |
| 5497 | 2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001802378 C/W: Quick Coupler Bracket Usage: Not Available | 5642 | 2023 VICSEC VCT600 24 in Tilting Excavator Bucket (Unused) S/N: 013-10 Usage: Not Available |
| 5505 | Quantity of 2023 Suihe BC 9200 lb (5) Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available | 5644 | 2023 VICSEC 12 in Excavator Auger (Unused) S/N: 013-7 Usage: Not Available |
| 5508 | 2023 Suihe NT-D 7 ft x 5 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5649 | 2023 VICSEC Excavator Rake (Unused) S/N: 013-12 Usage: Not Available |
| 5511 | Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5654 | 2023 Suihe MH13 13 ft Prefabricated Tiny Home (Unused) S/N: Not Available Usage: Not Available |
| 5515 | 2023 Suihe NT-D 7 ft x 5 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5656 | 2023 Suihe ST-S 4 ft x 3 ft 7 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5537 | Quantity of (250) Pallets of 2023 AGT AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5658 | 2023 Suihe ST-SH(b) 4 ft x 7 ft Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5543 | Quantity of (250) 2023 AGT AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5664 | 2023 Suihe C404015S 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available |
| 5571 | Mower King SA Skid Steer Forks (Unused) S/N: Not Available Usage: Not Available | 5668 | 2023 Suihe SSB-4 72 in Multi-Purpose Skid Steer Bucket (Unused) S/N: 009000007 C/W: Quick Coupler Bracket Usage: Not Available |
| 5587 | Mower King SA 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5670 | 2023 Suihe SSRGB-72 72 in Skeleton Skid Steer Grapple Bucket (Unused) S/N: 001802374 C/W: Quick Coupler Bracket Usage: Not Available |
| 5589 | Mower King SA 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5673 | 2023 Suihe SSPR 72 in Skid Steer Power Rake (Unused) S/N: 003046409 C/W: Quick Coupler Bracket Usage: Not Available |
| 5620 | 2023 LANM LAM750 Remote Control Lawn Mower (Unused) S/N: LAM23076 Usage: Not Available | | |
| 5626 | 2023 GIYI 44 in Digging Excavator Bucket - Fits Cat 320 (Unused) S/N: WD23027 Usage: Not Available | | |
| 5628 | Quantity of (9) Pallets of 2023 VICSEC Excavator Attachments (Unused) S/N: 013-32 C/W: 8 in Bucket, 20 in Bucket, 32 in Bucket, | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5700 | Quantity of 10 ft x 7 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available | | Driver, 18 V Sub Compact Impact Driver, 18 V (2) Brushless Cordless Sliding Compound Saw, 1 1/4 in Router (2) 18 V Batteries, 18 V Charger, Duffle Bag Usage: Not Available |
| 5711 | 2023 Suihe NT-SH(b) 7 ft x 6 ft 2 Person Portable Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5784 | Makita Power Tool Kit S/N: Not Available C/W: 18 V Leaf Blower, 18 V Sub Compact Reciprocating Saw, 18 V Mini Reciprocating Saw, 18 V Hammer Driver Drill, 1/2 in Hammer Driver Drill, 3/4 in Hammer Drill, 18 V Impact Driver, 18 V Sub Compact Impact Driver, 18 V (2) Brushless Cordless Sliding Compound Saw, 1 1/4 in Router (2) 18 V Batteries, 18 V Charger, Duffle Bag Usage: Not Available |
| 5720 | 2023 Suihe 203012R 20 ft x 30 ft x 12 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | | |
| 5734 | Quantity of (24) 2023 Suihe R24 Ratchet Straps (Unused) S/N: Not Available Usage: Not Available | 5785 | Makita Power Tool Kit S/N: Not Available C/W: 18 V Leaf Blower, 18 V Sub Compact Reciprocating Saw, 18 V Mini Reciprocating Saw, 18 V Hammer Driver Drill, 1/2 in Hammer Driver Drill, 3/4 in Hammer Drill, 18 V Impact Driver, 18 V Sub Compact Impact Driver, 18 V (2) Brushless Cordless Sliding Compound Saw, 1 1/4 in Router (2) 18 V Batteries, 18 V Charger, Duffle Bag Usage: Not Available |
| 5738 | 2023 Suihe 72 in Rock Skid Steer Grapple Bucket (Unused) S/N: 001401426 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 5739 | 2023 Suihe 72 in Rock Skid Steer Grapple Bucket (Unused) S/N: 001401430 C/W: Quick Coupler Bracket Usage: Not Available | 5795 | 62 in Heavy Duty Work Bench S/N: Not Available C/W: Peg Board & Power Station Usage: Not Available |
| 5755Q | Topcon Kit GX-55 DUAL GNSS and Topcon FC-5000 Data Collector S/N: Not Available Usage: Not Available | | |
| 5755G | Topcon Hiper V Base With Rover and Topcon FC-5000 Data Collector S/N: Not Available Usage: Not Available | 5818A | 2012 JLG 800S 4WD Dual Fuel Telescopic Boom Lift S/N: 0300155646 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 4 Cylinder 3.0 L Dual Fuel Engine, 15-625NHS Tires Usage: 1,940 Hr |
| 5755 | 2023 SONI SONI520 Electric Hydraulic Hose Fabrication Machine (Unused) S/N: S23071202 Usage: Not Available | 5836A | 2016 Genie GS3246 Electric Scissor Lift S/N: GS4616P-139641 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 326 Hr |
| 5757E | Quantity of (11) Survey Legs & (2) Poles S/N: Not Available Usage: Not Available | | |
| 5758 | Utility Tool Box (Unused) S/N: Not Available C/W: Disc Brake, 2 Door, 7 Drawer, Stainless Steel Top Usage: Not Available | 5849B | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A127239 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available |
| 5762B | 2016 Husqvarna TS250X3 Electric Tile Saw S/N: 1357964012 Usage: Not Available | 5860 | 1998 Yale 6000 lb Pneumatic Tire Forklift S/N: E177B19449V C/W: 3 Stage Mast, 83 in Lowered Mast Height, 40 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 3 Hr |
| 5774 | Craftsman 48 in x 24 in Job Site Box S/N: Not Available Usage: Not Available | | |
| 5782 | Makita Power Tool Kit S/N: Not Available C/W: 18 V Leaf Blower, 18 V Sub Compact Reciprocating Saw, 18 V Mini Reciprocating Saw, 18 V Hammer Driver Drill, 1/2 in Hammer Driver Drill, 3/4 in Hammer Drill, 18 V Impact | 5872B | 2012 Cat PD6000D 5500 lb Pneumatic Tire Forklift S/N: AT14E31009 C/W: 3 Stage Mast, 186 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2012 US EPA Label, Mitsubishi 4 Cylinder 3.3 L |

| | |
|-------------|---|
| | Diesel Engine Usage: Not Available |
| 5899 | Water Chiller S/N: EV21185 Usage: Not Available |
| 5904 | 2023 Vickwest PRS36-60 36 in x 60 ft Portable Conveyor (Unused) S/N: M202307314 C/W: Electric Radial Drive Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5907 | 2020 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor S/N: B20200237 C/W: Electric Radial Drive, Pintle Ring Usage: Not Available | 5967 | 2015 Honda EB6500X1 6.5 kW Portable Generator Set S/N: EBLC-1017618 C/W: 2014 US EPA Label, Honda 1 Cylinder Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer Usage: Not Available |
| 5908 | 2020 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor S/N: B20200238 C/W: Electric Radial Drive, Pintle Ring Usage: Not Available | 5979 | Lincoln SA-200-F-163 200 A Mobile Engine Driven Welder S/N: 866411 C/W: 4 Cylinder Gasoline Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: Not Available |
| 5913 | 30 in x 80 ft Portable Radial Stacking Conveyor S/N: Not Available C/W: Folding Head Section, Hydraulic Raise, Electric Radial Drive Usage: Not Available | 5986 | Hobart Champion Elite 225 A Engine Driven Welder S/N: MC351361R C/W: 2012 US EPA Label, Kohler CH730 2 Cylinder 725 cc Gasoline Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage Usage: 165 Hr |
| 5927 | Quantity of (4) Continental Conveyor Belt S/N: Not Available C/W: 72 in Wide, 4 Ply 600 PIW, 1/2 in x 1/8 in, Covers Grade 1, 100 - 150 ft Lengths Usage: Not Available | 5988 | 2001 Lincoln SAE-400 400 A Engine Driven Welder S/N: 1016046 C/W: 4 Cylinder Diesel Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage Usage: Not Available |
| 5932 | 2013 Multiquip DCA-300SSK2 240 kW Mobile Generator Set S/N: 3772156 C/W: 2005 US EPA Label, Komatsu SAA6D125E-2 6 Cylinder 11.04 L Diesel Engine, 300 kVA /240 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 9,992 Hr | 5994 | 2015 Doosan C185WDZ-T4F 185 cfm Mobile Air Compressor S/N: 4FVCABAA3FU469861 C/W: 200 psi Working Pressure, Deutz D2.9L4 4 Cylinder 49 hp 2.9 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 761 Hr |
| 5934 | 2017 Multiquip DCA220SSJU4F 176 kW Mobile Generator Set S/N: 5SLBG1829HL020784 C/W: 2016 US EPA Label, John Deere 6 Cylinder 6.8 L Diesel Engine, 220 kVA/176 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available | 5998 | 2010 Kaeser M50 Air Compressor S/N: WKAUN0755A3953 C/W: 39 psi Working Pressure, 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,212 Hr |
| 5938 | 2015 Multiquip DCA-220SSJU4F 176 kW Mobile Generator Set S/N: 5SLBG1825FL018060 C/W: John Deere 6068HFG09 6 Cylinder 6.8 L Diesel Engine, 220 kVA/176 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available | 6014 | Quantity of (2) Champion SP0957-HG Mobile Air Compressor S/N: Not Available C/W: 2005 US EPA Label, Kohler Command Pro 23 2 Cylinder 674 cc Gasoline Engine Usage: Not Available |
| 5957 | 2006 Shindaiwa DGK45C 45 kVA Mobile Generator Set S/N: 1T9PE122262906002 C/W: Isuzu BB-4JG1T Diesel Engine, 45 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 6,791 Hr | 6016 | Quantity of (2) Champion Mobile Air Compressor S/N: Not Available C/W: Kohler 2 Cylinder Gasoline Engine Usage: Not Available |
| 5963 | 2007 Pramac GBL30 23 kW Skid-Mounted Generator Set S/N: Not Available C/W: 4 Cylinder Diesel Engine Usage: Not Available | 6033C | 2017 Generac PLT240 2.4 kW Light Tower S/N: 3001659945 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available |
| | | 6033B | 2017 Generac MLT6SK 6 kW Light Tower S/N: Not Available C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,899 Hr |
| | | 6045 | 1994 Amida LT5000 8 kW Light Tower |

S/N: 940122373
 C/W: 3 Cylinder Diesel Engine, 4 Lamps, Power
 Receptacles, S/A Trailer, Ball Hitch
 Usage: 4,569 Hr

| | |
|------|--|
| 6048 | 2023 FF Industrial FF-12 Mini Excavator (Unused) S/N: 422503386 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6051 | 2023 FF Industrial FF-12 Mini Excavator (Unused) S/N: 422503387 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6052 | 2023 FF Industrial FF-12 Mini Excavator (Unused) S/N: 422462034 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6068 | 2023 FF Industrial FF-12 Mini Excavator (Unused) S/N: 422503375 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 6085 | 2023 AGT QH12 Mini Excavator (Unused) S/N: QH1223070806A C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | | Usage: Not Available |
| 6110 | 2023 AGT H12 Mini Excavator (Unused) S/N: H1223070902C C/W: 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6149 | 2023 Vicsec VC15 Mini Excavator (Unused) S/N: VC15611 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6117 | 2023 DOWAY DY12 Mini Excavator (Unused) S/N: DY12317 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6154 | 2023 Chery Equipment Group KV12 Mini Excavator (Unused) S/N: 08231941 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6120 | 2023 MMS MS13C Mini Excavator (Unused) S/N: MSR13C149 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6155 | 2023 Chery Equipment Group KV12 Mini Excavator (Unused) S/N: 08231544 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6122 | 2023 MMS MS13C Mini Excavator (Unused) S/N: MSR13C147 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6160 | 2023 Chery Equipment Group KV12 Mini Excavator (Unused) S/N: 08231938 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Bucket, Manual Thumb Usage: Not Available |
| 6123 | 2023 MMS MS13C Mini Excavator (Unused) S/N: MSR13C144 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6165 | 2023 Chery Equipment Group KV12 Mini Excavator (Unused) S/N: 08231540 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 6131 | 2023 MMS MS13C Mini Excavator (Unused) S/N: MS1323C081 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6191A | 2005 Mega MMP4 Trailer-Mounted Water Pump S/N: 0536064 C/W: 16 in Intake, 12 in Discharge, Water Pump, Cat 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 283 Hr |
| 6135 | 2023 Vicsec VC13 Mini Excavator (Unused) S/N: VC13409 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6192 | Klein 12XD Trailer-Mounted Water Pump S/N: 36357-C C/W: 11 in Intake, 12 in Discharge, Water Pump, Cat 3054 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 4,106 Hr |
| 6139 | 2023 Vicsec VC13 Mini Excavator (Unused) S/N: VC13408 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6196 | Deming 4021 Water Pump S/N: DC1430277 C/W: 6 in Intake, 6 in Discharge, Centrifugal Usage: Not Available |
| 6143 | 2023 Vicsec VC13 2023 VICSEC VC-13 MINI EXCAVATOR Mini Excavator (Unused) S/N: VC13410 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available | 6219 | 2008 Godwin Silenced Dri-Prime Trailer-Mounted Water Pump S/N: 16MPF09198D051471 C/W: 4 in Intake, 4 in Discharge, Centrifugal 2007 US EPA Label, Yanmar 3TNV88-D 3 Cylinder 1.64 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available |
| 6145 | 2023 Vicsec VC13 Mini Excavator (Unused) S/N: VC13417 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb | | |

| | |
|-------------|---|
| 6236 | Quantity of (2) PSI Pressure Washer S/N: Not Available C/W: Water Heater, Honda gx630 2 Cylinder Diesel Engine Usage: Not Available |
| 6249 | 2006 Wanco WTSP Arrow Board S/N: 5F11S101461003580 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available |
| 6269 | 2023 Handy HSRC12 Rotating Pole Clamp (Unused) S/N: RC202306475 Usage: Not Available |
| 6273 | 2020 Mower King SSCT72 60 in Skid Steer Trencher S/N: SSCT7220070803 C/W: Quick Coupler Bracket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 6275 | 72 in Skid Steer Sweeper S/N: SSBM7221030302 Usage: Not Available | | S/N: Not Available Usage: Not Available |
| 6279 | 62 in Skid Steer Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6384 | T/A Sliding Suspension - Fits Van Trailer S/N: 63122410185 C/W: Spring Suspension, Air Brakes, Mixed Tire Sizes Usage: Not Available |
| 6281 | 15 in Q/C Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available | 6388 | Quantity of (2) Ladder Racks S/N: Not Available C/W: To Fit Pickup Usage: Not Available |
| 6289D | BTI TB1280 3500 lb Hydraulic Breaker - Fits 14 - 21 ton Excavators S/N: Not Available Usage: Not Available | 6398 | Quantity of (5) Weather Guard Tool Box S/N: Not Available Usage: Not Available |
| 6295A | 36 in Grapple Excavator Bucket S/N: 17331 Usage: Not Available | 6405 | 2012 Tankcraft 50 gal Skid Mounted Aluminum Fuel Tank S/N: Not Available Usage: Not Available |
| 6295 | 36 in 15.75 cyd Digging Excavator Bucket - Fits John Deere 710 S/N: 468-167895-1 Usage: Not Available | 6407 | Rolloff Truck Tarp System S/N: Not Available C/W: Bed Mounted, Hydraulic Assisted Tarp Usage: Not Available |
| 6303 | 44 in Excavator Compaction Wheel S/N: Not Available Usage: Not Available | 6446 | 10000 lb Material Handling Arm - Fits Ingersoll Rand 1056 S/N: Not Available Usage: Not Available |
| 6306 | Rockland WB18-3 35 in Excavator Compaction Wheel S/N: 8810407 Usage: Not Available | 6452 | Quantity of (4) 2023 Paladin 2TX4M Webbing Sling (Unused) S/N: Not Available Usage: Not Available |
| 6307 | 28 in Excavator Compaction Wheel S/N: Not Available Usage: Not Available | | |
| 6308 | Excavator Compaction Wheel S/N: Not Available Usage: Not Available | | |
| 6311 | 32 in Excavator Thumb - Fits Komatsu PC220 S/N: Not Available Usage: Not Available | | |
| 6327 | Allison CLBT 754 Transmission S/N: Not Available Usage: Not Available | | |
| 6330 | Quantity of (63) Trench Box Spreaders S/N: Not Available Usage: Not Available | | |
| 6337 | 2015 HammerHead 2" Missile S/N: Not Available Usage: Not Available | | |
| 6347 | K&H Truck Dump Body S/N: Not Available C/W: Steel, 17 ft Body Length Usage: Not Available | | |
| 6366A | Quantity of (3) Flatbed S/N: Not Available C/W: Steel, 13 ft 10 in Body Length Usage: Not Available | | |
| 6379 | T/A Running Gear | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 6468 | Delta Electric Band Saw S/N: Not Available Usage: Not Available | 6654 | 2012 KwiKool KPAC1411 Electric Air Conditioner S/N: 4396 Usage: Not Available |
| 6469 | Amanda HFA-400W Band Saw S/N: 40660201 C/W: 230/460VAC, 3 Phase, 16 in Capacity, Carbide Blade Usage: Not Available | 6656 | 2012 KwiKool KPAC1411 Electric Air Conditioner S/N: 4419 Usage: Not Available |
| 6488 | Quantity of (6) Yard Force Lawn Mower S/N: Not Available C/W: Briggs & Stratton Engine Usage: Not Available | 6659 | 2012 KwiKool KPAC1411 Electric Air Conditioner S/N: 4642 Usage: Not Available |
| 6489 | Quantity of (6) Yard Force Lawn Mower S/N: Not Available C/W: Briggs & Stratton Engine Usage: Not Available | 6668 | 2012 KwiKool KBIO1411 Electric Air Conditioner S/N: 1015672 Usage: Not Available |
| 6502 | Quantity of (10) Lone Star 24 ft Livestock Panel S/N: Not Available C/W: With Gate Usage: Not Available | 6672 | 2012 KwiKool KBIO1411 Electric Air Conditioner S/N: 1014226 Usage: Not Available |
| 6503 | Quantity of (10) Lone Star 24 ft Livestock Panel S/N: Not Available C/W: With Gate Usage: Not Available | 6689 | 2008 Custom Air CAPS40-R22-NDMA4 Skid-Mounted Air Conditioner S/N: BSSACC4005 Usage: Not Available |
| 6505 | Quantity of (10) Lone Star 24 ft Livestock Panel S/N: Not Available C/W: With Gate Usage: Not Available | 6704 | 2007 Dodge Ram 3500 SLT 4x4 Extended Cab Pickup S/N: 3D7MX48C47G758759 C/W: 5.9 L 6 Cylinder Diesel Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, Drop-In Bed Liner, 12200 lb GVWR, 35x13.50R24 Tires, 8 ft Bed Usage: 322,954 Mi |
| 6538 | Quantity of Chains And Binders S/N: Not Available Usage: Not Available | 6717 | 2020 Ford F-250 STX 4x4 Crew Cab Pickup S/N: 1FT7W2B65LEC89667 C/W: 6.2 L V8 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000 lb GVWR, 275/70R18 Tires, 9 ft Bed Usage: 71,329 Mi |
| 6544 | 2023 Suihe C2040 20 ft x 40 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available | | |
| 6549 | 18 ft x 21 ft x 10 ft Carport (Unused) S/N: Not Available Usage: Not Available | | |
| 6568 | Quantity of (3) Collapsible Stackable Crates S/N: Not Available Usage: Not Available | | |
| 6575 | 20 ft x 40 ft Water Ramp S/N: Not Available Usage: Not Available | | |
| 6617 | Electric Misting Fan S/N: Not Available Usage: Not Available | | |
| 6629 | Quantity of (4) Pallets of Hardware S/N: Not Available Usage: Not Available | | |
| 6645 | 2019 KwiKool KP012-43 Electric Air Conditioner S/N: 1014581 Usage: Not Available | | |
| 6651 | 2012 KwiKool KPAC1411 Electric Air Conditioner S/N: 3957 Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 6718 | 2019 Ford F-250 XL 4x4 Crew Cab Pickup S/N: 1FT7W2B65KEF21781 C/W: 6.2 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, 10000.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 58,832 Mi | | Usage: 182,690 Mi |
| 6722 | 2019 Ford F-250 XL 4x4 Crew Cab Pickup S/N: 1FT7W2B65KEF21778 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, 10000 lb GVWR, 265/70R17 Tires, 7 ft 6 in Bed Usage: 127,923 Mi | 6840 | 2012 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CF2CKD99479 C/W: 5.0 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7100.0 lb GVWR, 235/75R17 Tires, 7 ft Bed Usage: 207,576 Mi |
| 6741 | 2012 Ford F-250 4x4 Crew Cab Pickup S/N: 1FT7W2BT0CEA54101 C/W: 6.7 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Winch, 10000 lb GVWR, 285/60R20 Tires, 7 ft Bed Usage: 335,226 Mi | 6847A | 2001 Dodge Ram 1500 4x2 Extended Cab Pickup S/N: 3B7HC13Y61G753238 C/W: 5.2 L V8 Gasoline Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6400 lb GVWR, 245/75R16 Tires, 7 ft Bed Usage: 231,295 Mi |
| 6749 | 2018 GMC Sierra 2500HD 4x4 Extended Cab Pickup S/N: 1GT22REGXJZ336832 C/W: 6.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 275 /70R18 Tires, 9 ft Bed Usage: 71,902 Mi | 6849 | 2017 Ram 1500 4x2 Pickup S/N: 3C6JR6DT9HG704438 C/W: 5.7 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Drop-In Bed Liner, 6600 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 91,681 Mi |
| 6760 | 2017 Ram 2500 SLT 4x2 Crew Cab Pickup S/N: 3C6UR4JJ7HG699910 C/W: 6.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 8 ft Bed Usage: 157,884 Mi | 6874 | 1989 Prevost Le Mirage XL Motor Home S/N: 2P9L33405K1001805 C/W: Detroit 8V92TA V8 12.1 L Diesel 435 hp Engine, 1989 US EPA Label, Automatic Transmission, Clothes Washer & Dryer Usage: 9,544 Mi |
| 6769 | 2013 Ford F-250 4x2 Extended Cab Pickup S/N: 1FT7X2A60DEB76824 C/W: 6.2 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft 6 in Bed Usage: 176,880 Mi | 6880 | 2017 Ford Explorer XLT 2WD SUV S/N: 1FM5K7D86HGC62158 C/W: V6 3.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation, 3rd Row Usage: 161,880 Mi |
| 6777 | 2006 Ford F-250 XLT 4x2 Extended Cab Pickup S/N: 1FTSX20586EC50528 C/W: 5.4 L V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 9200 lb GVWR, 275/65R20 Tires, 8 ft Bed Usage: 285,364 Mi | 6881 | 2017 Chevrolet Tahoe Premier 4WD SUV S/N: 1GNSKCKC3HR140795 C/W: V8 5.3 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 154,433 Mi |
| 6801 | 2015 Ford F-150 XLT 4x4 Crew Cab Pickup S/N: 1FTEW1EG1FKE22436 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 7000 lb GVWR, 265/70R17 Tires, 5 ft 6 in Bed Usage: 107,505 Mi | 6912 | Real Tree RTK100 Single Seat Go Cart S/N: Not Available Usage: Not Available |
| 6811A | 2014 Ford F-150 STX 4x4 Extended Cab Pickup S/N: 1FTFX1EF3EKF11092 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 7350 lb GVWR, 275 /65R18 Tires, 6 ft 7 in Bed | 6915D | 2017 John Deere GATOR 855D S4 4x4 Utility Vehicle S/N: 1M0855DFPHM130350 C/W: Canopy, 4 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 10,595 Mi |
| | | 6944 | 1998 Trail-Rite 17 ft S/A Boat Trailer S/N: 1T0BS13S0WS137976 C/W: 2999 lb GVWR, Ball Hitch, Spring Suspension, 205/75R14 Tires Usage: Not Available |
| | | 6949 | 1986 Cozad 60 ton 16-Wheel Removable Gooseneck Lowboy Trailer S/N: 1C9G42205G1167061 C/W: Walking Beam Suspension, Air Brakes, Mechanical Removable Gooseneck, T/A Jeep |

26 ft Main Deck, 102 in Usable Deck Width,
Manual Ramps, 9R22.5 Tires
Usage: Not Available

| | |
|-------------|---|
| 6955 | 1991 38 ft T/A End Dump Trailer S/N: 1B4D38231M2117169 C/W: 60000 lb GVWR, Spring Suspension, Air Brakes, 38 ft Body, 42 in Side Walls, Steel Body, Electric Roll Tarp, 285/75R24.5 Tires Usage: Not Available |
| 6961 | 1987 Imco 44 ft T/A Grain Trailer S/N: 1430 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 44 ft Box, 102 in, Side Walls, Manual Roll Tarp, 11R22.5 Tires Usage: Not Available |
| 6973 | 2013 Ditch Witch FX30 500 gal T/A Vacuum Excavation Unit S/N: 1DSB122R5D1701352 C/W: 9950.0 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, Steel Debris Tank, Rear Hose Reel, Fresh Water Tank, Hydraulic Lift Tailgate, Boom, 3 in Suction Hose, 235 /80R16 Tires, Tier 4, 2013 US EPA Label, Kubota D1105-EF02 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 61 Hr |
| 6983 | 1996 Polar T/A Tanker Trailer S/N: 1PMA24326T1017513 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Tank, TC406 Code, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available |
| 6991 | 1978 Fruehauf S/A Lead Pneumatic Bulk Trailer S/N: FRZ688802 C/W: 35000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Tank, 275 /80R22.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 6995 | 2017 Mega MPT-12 12000 gal S/A Portable Water Tower S/N: 91668 C/W: Hydraulic Raise, Gasoline Engine Driven Hydraulic Power Pack, 10 in Downspout Usage: Not Available | | Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Lift Gate, Curbside Door, Ducted Floor, 2015 Thermo King Refrigeration Unit, Serial Number 6001178081, 11R22.5 Tires Usage: Not Available |
| 7006 | 1994 Mega MPT-10 10000 gal S/A Water Tower S/N: 94360 C/W: Hydraulic Raise, 10 in Downspout Usage: Not Available | 7087 | 2024 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer (Unused) S/N: 527SR5328RL035155 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Front/Rear Vents, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available |
| 7008 | 2004 Transcraft D-EAGLE RS2 52 ft T/A Spread Axle Step Deck Curtain Side Trailer S/N: 1TTE5220541073109 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 255/70R22.5 Tires Usage: Not Available | 7107 | 2012 Utility VS2DX 53 ft x 102 in T/A Van Trailer S/N: 1UYVS2534CP301351 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Lift Gate Usage: Not Available |
| 7012 | 2003 Transcraft 48 ft T/A Flatbed Trailer S/N: 1TTF4820731070625 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 102 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 7109 | 2012 Kentucky 53 ft x 102 in T/A Van Trailer S/N: 1KKVE5320CL232110 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Curbside Door, 255/70R22.5 Tires Usage: Not Available |
| 7020A | 2013 Fontaine HCICD12WSA 48 ft T/A Spread Axle Step Deck Trailer S/N: 13N248203D1557442 C/W: 69185 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 102 in Usable Deck Width, Aluminum w/Wood Strips Flooring, 255/70R22.5 Tires Usage: Not Available | 7112 | 2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA0628BK216878 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available |
| 7021A | 2014 Kaufman Tri/A Open Car Carrier Trailer S/N: 5VGFE4733EL003453 C/W: 25900 lb GVWR, Spring Suspension, Electric Brakes, Chain Tie Downs, 215/75R17.5 Tires Usage: Not Available | 7131 | 2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06277G344345 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available |
| 7053 | 2015 Dethmers T/A 1 Car Open Car Carrier Trailer S/N: 15DP19209FA987185 C/W: Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available | 7139 | 2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06266D421044 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available |
| 7054 | 2005 Load Trail 18 ft T/A Fuel & Lube Trailer S/N: 4ZECF182451007067 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Deck Length, 84 in Deck Width, 235 /80R16 Tires, 1000 gal Diesel Fuel Tank, (2) Product Tanks, Hose Reels, Pump w/Nozzle Usage: Not Available | 7143 | 2006 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C06T034292 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available |
| 7081 | 2015 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2485FU405205 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Lift Gate, Curbside Door, Ducted Floor, Thermo King Refrigeration Unit Usage: Not Available | 7152 | 2004 Utility VS2DC 53 ft x 102 in T/A Van Trailer S/N: 1UYVS25314G227405 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air |
| 7082 | 2015 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2487FU405206 C/W: 65000.0 lb GVWR, Aluminum/Steel | | |

| | |
|-------------|--|
| | Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available |
| 7174 | 2014 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2816ES437453 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available |
| 7185 | 2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer S/N: 1JJV281W36L973874 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available |
| 7190 | 2004 Wabash DVCVHPC 28 ft x 102 in T/A Van Trailer S/N: 1JJV281WX4L870352 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available |
| 7200 | 1992 Road Systems CTSR28102 28 ft x 102 in S/A Van Trailer S/N: 1PNE281F4NKB46019 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 11R24.5 Tires Usage: Not Available |
| 7212 | 2008 Trail King TK40 26 ft T/A Equipment Trailer S/N: 1TKC026228B024567 C/W: 48680 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 21 ft Main Deck, 5 ft Fixed Dovetail, 102 in Usable Deck Width, Manual Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available |
| 7216 | 1995 Trail King TK40LP-2400 24 ft T/A Equipment Trailer S/N: 1TKC02422SM022008 C/W: 48020.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft Main Deck, 5 ft Fixed Dovetail, 102 in Usable Deck Width, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 7238 | 2020 Snake River FB5X10-8.8K 10 ft T/A Equipment Trailer S/N: 5PTBF1020L1034056 C/W: 4400 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 10 ft Main Deck, 64 in Usable Deck Width, Spring Assisted Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available | | Generator Set (Inoperable) S/N: 129945-0409 C/W: Volvo 6 Cylinder Diesel Engine, 719 kVA /575 kW Rated 3 Phase Output, Sound Attenuated Usage: 11,697 Hr |
| 7296 | 2023 40 ft One-Way High Cube Multi-Door Storage Container S/N: RYDU0028730 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available | 7427A | 1994 Ford LS25 Ride-On Lawn Mower (Inoperable) S/N: T4A0274 C/W: 16-6.50-8NHS Front Tires, 23-9.5-12NHS Rear Tires, 38 in Mower Usage: Not Available |
| 7319 | 2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container S/N: LYPU0115626 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available | 7444 | 2014 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKYDP9X7EJ407349 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, DSP40 Drive Axles, 3.36:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Paccar Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available |
| 7351 | 40 ft High Cube Storage Container S/N: TTNU5467336 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available | 7449 | 2001 Sterling LT9500 6x4 T/A Dump Truck (Inoperable) S/N: 2FZH AZAN51AH85416 C/W: Cat C10 6 Cylinder 10.3 L Diesel Engine, 2000 US EPA Label, Engine Brake, Manual Transmission, 14600 lb Front Axle, 34000 lb Rears, 48600 lb GVWR, 12R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 182 in Wheelbase, PTO, 12 ft Long x 2 ft 6 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 113,477 Mi |
| 7389 | 2023 Suihe NMC-12G 12 ft One-Way Mini Storage Container S/N: LYP1210541 C/W: 7 ft 4 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available | 7451 | 2008 Peterbilt 340 6x4 Volumetric Mixer Truck (Inoperable) S/N: 2NPRLN0X38M747706 C/W: Paccar PX-8 6 Cylinder Diesel Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller RT011908LL 8LL Manual Transmission, 18740 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Rubber over Walking Beam Suspension, 228 in Wheelbase, PTO, ProAll (Reimer) R10 Mixer Unit Usage: 255,328 Mi |
| 7402 | 2023 Suihe NMC-9G 9 ft Mini Storage Container S/N: LYP911381 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available | 7454 | 2001 Mack RD690S 6x4 Mixer Truck (Inoperable) S/N: 1M2P264CX1M033500 C/W: Mack EM7 6 Cylinder Diesel 300 hp Engine, 2001 US EPA Label, 28706 Engine hrs, Engine Brake, Eaton Fuller 9LL Manual Transmission, 20000 lb Front Axle, 38000 lb Rears, 58000.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Dual Steering Boxes, Hendrickson Haulmax Suspension, 248 in Wheelbase, PTO, 10.5 cyd Mixer Unit, 3 Removable Chutes Usage: 120,309 Mi |
| 7403 | 2023 CTTN 8FT 8 ft One-Way Storage Container (Unused) S/N: CTTN0800217 C/W: 7 ft 4 in Wide, 7 ft 3 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 7455B | 1987 Ford F-800 1500 gal 4x2 Water Truck |
| 7418 | 2013 Bobcat T650 Compact Track Loader (Inoperable) S/N: A3P016203 C/W: Open Operator Station, Tier 4, 2012 US EPA Label, 13 in Track Belts, Manual Coupler Usage: 2,901 Hr | | |
| 7421A | 2008 Genie GS1930 Electric Scissor Lift S/N: GS3008B093105 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 829 Hr | | |
| 7423 | 1990 Cat V150 15000 lb Pneumatic Tire Forklift (Inoperable) S/N: 8EF00387 C/W: Enclosed Cab, 2 Stage Mast, 144 in Lowered Mast Height, 88 in Forks, Side Shift, Perkins 4 Cylinder Diesel Engine Usage: 19,045 Hr | | |
| 7427C | 2010 Multiquip EGC550V 575 kW Containerized | | |

(Inoperable)

S/N: 1FDXT84A9HVA55029
 C/W: 6 Cylinder 7.8 L Diesel Engine, Manual Transmission, 32700 lb GVWR, 295/75R22.5, Spring Suspension, 238 in Wheelbase, 1500 gal Steel Tank, PTO Driven Pump, Front Spray, Rear Spray, Side Spray
 Usage: 19,682 Mi

7489 2006 Ford F-150 XL 4x2 Pickup (Inoperable)

S/N: 1FTRF12206KD99225
 C/W: 4.2 L V6 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Adrian Steel Tool Box, 6650 lb GVWR, 235/70R17 Tires, 8 ft Bed
 Usage: 107,680 Mi

7456 2006 Isuzu H6500 4x2 Vacuum Tanker Truck (Inoperable)

S/N: 4GTJ6C1386F700740
 C/W: 6 Cylinder 7.8 L Diesel Engine, Automatic Transmission, 8000 lb Front Axle, 18700 lb Rears, 25950.0 lb GVWR, 245/70R19.5, Spring Suspension, 188 in Wheelbase, Aluminum Debris Tank, 2 in Suction Hose, Hydraulic Driven Pump
 Usage: 100,775 Mi

7457C 2014 International 4300 SBA 4x2 Van Truck (Inoperable)

S/N: 1HTMMAAM0EH469095
 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 2013 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 272 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 97 in High Body
 Usage: 380,935 Mi

7457A 2012 International 4300 4x2 Moving Van Truck (Inoperable)

S/N: 1HTMMAAL4CH457536
 C/W: International DT466 6 Cylinder Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 254 in Wheelbase, 26 ft Long x 96 in Wide x 102 in High Body
 Usage: Not Available

7466 2008 Ford F-550 XL 4x4 Crew Cab Utility Truck (Inoperable)

S/N: 1FDAW57Y68EC36397
 C/W: V10 6.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Knapheide 10 ft Body, Predator Generator Set, Northstar Air Compressor
 Usage: 247,754 Mi

7476 2007 Ford F-650 XLT 4x2 Cab and Chassis (Inoperable)

S/N: 3FRNF65A47V451932
 C/W: Cummins 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, 186 in Cab to Axle, 229 in Cab to End of Frame
 Usage: 298,682 Mi

7477 2016 Ford F-550 4x2 Cab and Chassis (Inoperable)

S/N: 1FDUF5GT4GEA99699
 C/W: 225/70R19.5, Spring Suspension, 164 in Wheelbase, 84 in Cab to Axle, 132 in Cab to End of Frame, Pintle Hitch
 Usage: Not Available

| Lot # | Details | Lot # | Details |
|-------|---|-------|---------|
| 7492 | 2008 Ford Explorer 4WD SUV (Inoperable) S/N: 1FMEU73E98UB01211 C/W: V6 4.0 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Power Windows, Power Locks Usage: 158,050 Mi | | |