



Orlando, FL, USA - Aug 31, 2023

Lot #	Details	Lot #	Details
1	<b>2020 John Deere XUV855MS4 4x4 Utility Vehicle</b> S/N: 1M0855MBELM030184 C/W: Open Operator Station, 4 Passenger, Diesel Engine, Hitch Receiver, Manual Dump Bed Usage: 663 Hr	9	<b>2017 Polaris Ranger 570 4x4 Utility Vehicle</b> S/N: 3NSRMA57XHE765306 C/W: Open Operator Station, 2 Passenger, Windshield, Gasoline Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,098 Mi
2	<b>2019 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRNA570KE394922 C/W: Canopy, 4 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 628 Hr	10	<b>2018 Polaris 500 4x2 Utility Vehicle</b> S/N: 3NSRM2503JE226492 C/W: Canopy, Brush Guard Usage: 846 Hr
3B	<b>2018 Polaris 570 4x4 Utility Vehicle</b> S/N: 3NSRNA572JL373133 C/W: Open Operator Station, 4 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: Not Available	11	<b>2018 Polaris Ranger 500 4x2 Utility Vehicle</b> S/N: 3NSRM2507JE224907 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 942 Hr
3A	<b>2019 Polaris R19RNA57A1 4x4 Utility Vehicle</b> S/N: 3NSRNA574KE390484 C/W: Canopy, 4 Passenger, Windshield, 500 cc Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,187 Mi	12	<b>2017 Polaris Ranger 500 4x2 Utility Vehicle</b> S/N: 3NSRM2503HE770811 C/W: Enclosed Cab, 2 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,122 Mi
4	<b>2016 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRNA578GE747981 C/W: Open Operator Station, 4 Passenger, Windshield, Gasoline Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 444 Mi	13C	<b>2017 Club Car Carryall 1700 Utility Vehicle</b> S/N: SD1739827477 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 1,154 Mi
5	<b>2016 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRDA573GE399266 C/W: Canopy, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 1,677 Mi	13B	<b>2018 Club Car Carryall 1700 4x4 Utility Vehicle</b> S/N: SD1815-862440 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: 1,114 Hr
6	<b>2016 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRDA574GE399289 C/W: Canopy, 4 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 8,553 Mi	13	<b>2009 Polaris Ranger 6x6 Utility Vehicle</b> S/N: 4XARF68A594742607 C/W: Open Operator Station, 3 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 427 Hr
7A	<b>2016 Polaris Ranger 570 Crew Utility Vehicle</b> S/N: 3NSRDA579GE400646 C/W: Open Operator Station, 4 Passenger, Gasoline Engine, Manual Dump Bed Usage: 219 Mi	14	<b>2020 Broce BW260 Self-Propelled Broom</b> S/N: 202072 C/W: Enclosed Cab, 8 ft Broom, Water System, Tier 4, 2018 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 25 Hr
		15	<b>2018 Broce BW260 Self-Propelled Broom</b> S/N: 201590 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2018 US EPA Label, CARB Compliant, Kubota V1505-EF01 4 Cylinder 18.2 kW 1.5 L Diesel Engine Usage: 169 Hr

Lot #	Details	Lot #	Details
16	<b>2018 Broce BW260 Self-Propelled Broom</b> S/N: 201591 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2018 US EPA Label, Kubota V1505 4 Cylinder 18.2 kW 1.5 L Diesel Engine Usage: 178 Hr	31	<b>2015 Kubota L4701D Utility Tractor</b> S/N: 51245 C/W: Canopy, Differential Lock, Reverse Drive Mode, 4 Forward 4 Reverse, Manual Transmission, Forward/ Reverse Shuttle, 47 hp Engine, 2 Rear Remotes, 540 PTO, 3-Point Hitch, 215/70-15 Front Tires, 44x18.00 Rear Tires Usage: 1,117 Hr
20	<b>2016 Broce BB250B Self-Propelled Broom</b> S/N: 304498 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2012 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 1,260 Hr	32	<b>2016 Mahindra 4540 2WD Utility Tractor</b> S/N: MBCNY3173 C/W: 8 Forward 2 Reverse, 1 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 6.00-16 Front Tires, 12.4-28 Rear Tires Usage: 2,376 Hr
21	<b>2017 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 37745 C/W: Open Operator Station, 7 ft 9 in Broom, Water System, 2017 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 685 Hr	33	<b>2015 Mahindra 4540 4WD Utility Tractor</b> S/N: MRCNY2040 C/W: 8 Forward 2 Reverse, Mahindra 4550-4L Loader, 1 Rear Remotes, 540 PTO, Drawbar, 12-16.5 Front Tires, 16.9-24 Rear Tires Usage: 1,323 Hr
22	<b>2017 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 37544 C/W: Open Operator Station, 7 ft 10 in Broom, Water System, Tier 4, 2016 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 769 Hr	34	<b>2011 John Deere 4005 2WD Utility Tractor</b> S/N: 1LV4005GVBG510086 C/W: Canopy, Differential Lock, 9 Forward 3 Reverse, CollarShift, 2011 US EPA Label, Front Weights, 2 Rear Remotes, 540 PTO, Drawbar, 245/60R15 Front Tires, 44x18.00-20 Rear Tires Usage: 2,570 Hr
23	<b>2016 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 36890 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine Usage: 496 Hr	35	<b>2011 John Deere 4005 4WD Utility Tractor</b> S/N: 1LV4005GJBG510067 C/W: 9 Forward 3 Reverse, Manual, 41 hp Engine, 2011 US EPA Label, 2 Mid-Mount Remotes, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 8.75-16.5 Front Tires, 17.5-24 Rear Tires Usage: 1,456 Hr
24	<b>2015 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 35554 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine Usage: 789 Hr	36	<b>Rural King RK37H Utility Tractor</b> S/N: 37NHN00365 C/W: Differential Lock, 12 Forward 12 Reverse, Hydrostatic Drive, 37 hp Engine, RK L102 Loader, Quick Coupler, 540 PTO, 3-Point Hitch, 10-16.5 Front Tires, 43x16.00-20 Rear Tires Usage: Not Available
25A	<b>2011 Lay-Mor 8HC Self-Propelled Broom</b> S/N: 33247 C/W: Open Operator Station, 7 ft 8 in Broom, Water System, Tier 4, 2010 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 764 Hr	37	<b>2017 John Deere 3032E Utility Tractor</b> S/N: 1LV3032EJHH113669 C/W: Differential Lock, Reverse Drive Mode, Hydrostatic Drive, Forward/ Reverse Shuttle, John Deere Loader w/Joystick, Quick Coupler, 540 PTO, 3-Point Hitch, 25x8.50 Front Tires, 15x19.5 Rear Tires Usage: 1,206 Hr
25	<b>2013 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 34460 C/W: Open Operator Station, 7 ft 9 in Broom, Water System, Tier 4, 2012 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 879 Hr	38	<b>2009 John Deere 3032E 4WD Utility Tractor</b> S/N: LV3032E140212 C/W: Differential Lock, 2 Forward 2 Reverse, Hydrostatic Drive, US EPA Label, Front Weights, 540 PTO, 3-Point Hitch, 25x8.50-14 Front Tires, 15-19.5 Rear Tires Usage: 1,987 Hr
30	<b>2014 Kubota L4760D 4WD Utility Tractor</b> S/N: 30395 C/W: Canopy, Differential Lock, 12 Forward 8 Reverse, Glide Shift, Forward/ Reverse Shuttle, Tier 4, 36 kW Engine, 2013 US EPA Label, Front Weights, 2 Rear Remotes, 540 PTO, 3-Point Hitch, 29x12.50-15 Front Tires, 44x18.00-20 Rear Tires Usage: 2,969 Hr	39	<b>Kubota 4WD Utility Tractor</b> S/N: Not Available C/W: Forward/ Reverse Shuttle, Front Blade, 8 in Trencher with 7 ft Bar, 7-16 Front Tires, 11.2 x24 Rear Tires Usage: 3,193 Hr

Lot #	Details	Lot #	Details
40	<b>2019 Kubota B26 4WD Utility Tractor</b> S/N: 57923 C/W: Canopy, 3 Forward 3 Reverse, Hydrostatic Drive, 24 hp Engine, Kubota B26 Loader w /Joystick, Quick Coupler, Kubota 60 in Bucket, Kubota 16 in Backhoe Attachment, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 488 Hr	49	<b>2017 Bobcat S650 Skid Steer Loader</b> S/N: ALJ821724 C/W: Open Operator Station, 2017 US EPA Label, Aperture Tires, Manual Coupler, 80 in Bucket Usage: 2,921 Hr
42	<b>2019 Kubota B26 4WD Utility Tractor</b> S/N: 57912 C/W: Differential Lock, Hydrostatic Drive, Kubota TL500 Loader, Quick Coupler, 60 in Bucket, Kubota 18 in Backhoe Attachment, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 632 Hr	50A	<b>2016 Case SR270 Skid Steer Loader</b> S/N: JAFSR270EGM416884 C/W: Open Operator Station, Joystick Steering, 9 Pin Electric Kit, Manual Coupler, 68 in Bucket Usage: 563 Hr
43A	<b>2019 Kubota BX23S 4WD Utility Tractor</b> S/N: KBUC1DHRCKGE32881 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 15.9 kW Engine, 2019 US EPA Label, Kubota LA340 Loader w/Joystick, 46 in Bucket, 540 PTO, Kubota BT603 11 in Backhoe Attachment, 18x8.50-10 NHS Front Tires, 26x12.00-12 NHS Rear Tires Usage: 557 Hr	50	<b>2016 Bobcat S650 Two-Speed Skid Steer Loader</b> S/N: ALJ817014 C/W: Open Operator Station, 2013 US EPA Label, Manual Coupler, 78 in Bucket Usage: 1 Hr
44	<b>1964 Massey Ferguson 35 2WD Antique Tractor</b> S/N: SNM248216 C/W: Manual Transmission, Diesel Engine, Electric Start, 6.50-16 Front Tires, 14.9x24 Rear Tires Usage: 3,728 Hr	51	<b>2020 John Deere 320G Skid Steer Loader</b> S/N: 1T0320GJTLJ370204 C/W: Open Operator Station, Joystick Steering, 2019 US EPA Label, Hydraulic Coupler, 73 in Bucket, Counterweight Kit Usage: 6,267 Hr
45	<b>2020 John Deere 332G Two-Speed Skid Steer Loader</b> S/N: 1T0332GKHLF372003 C/W: Enclosed Cab, Ride Control, Joystick Steering, Rear View Camera, Requires Diesel Exhaust Fluid, Aperture Tires, 8 Pin Electric Kit, Manual Coupler, Forks Usage: 927 Hr	52	<b>2012 John Deere 320D High Flow Skid Steer Loader</b> S/N: 1T0320DEKCG224067 C/W: Enclosed Cab, Air Conditioner, 7 Pin Electric Kit, Manual Coupler, 66 in Bucket Usage: 2,216 Hr
46	<b>2017 John Deere 324E Skid Steer Loader</b> S/N: 1T0324EAHHJ311358 C/W: Open Operator Station, 2017 US EPA Label, Aperture Tires, Manual Coupler, 69 in Bucket Usage: 1,181 Hr	53	<b>2016 Cat 246D Skid Steer Loader</b> S/N: CAT0246DABYF02399 C/W: Enclosed Cab, Joystick Steering, Tier 4, 2015 US EPA Label, Hydraulic Coupler, 79 in Bucket Usage: 3,841 Hr
47	<b>2016 Cat 262D Two-Speed Skid Steer Loader</b> S/N: CAT0262DJDTB05529 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2016 US EPA Label, 9 Pin Electric Kit, Hydraulic Coupler, 70 in Bucket Usage: 1,900 Hr	54	<b>2015 Cat 246D Skid Steer Loader</b> S/N: CAT0246DKBYF02316 C/W: Enclosed Cab, Joystick Steering, Tier 4, 2015 US EPA Label, Hydraulic Coupler, 79 in Bucket Usage: 4,422 Hr
48	<b>2012 Cat 262C2 Two-Speed High Flow XPS Skid Steer Loader</b> S/N: CAT0262CCTMW01034 C/W: Enclosed Cab (Door missing), Air Conditioner, Joystick Steering, 8 Pin Electric Kit, Hydraulic Coupler, 74 in Bucket Usage: 3,008 Hr	55	<b>2007 Cat 246C Two-Speed High Flow XPS Skid Steer Loader</b> S/N: CAT0246CTJAY00390 C/W: Enclosed Cab, 8 Pin Electric Kit, Hydraulic Coupler, 74 in Bucket Usage: 5,220 Hr
49A	<b>2017 Bobcat S650 Skid Steer Loader</b> S/N: ALJ821770 C/W: Open Operator Station, 2017 US EPA Label, Aperture Tires, Manual Coupler, 78 in Bucket Usage: 2,268 Hr	57	<b>2018 Cat 226D Skid Steer Loader</b> S/N: CAT0226DLHRD03135 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 64 in Bucket Usage: 2,290 Hr
		59	<b>2018 Bobcat S550 Two-Speed Skid Steer Loader</b> S/N: AHGM18394 C/W: Open Operator Station, Joystick Steering, Control Pattern Changer, 2018 US EPA Label, Manual Coupler, 67 in Bucket Usage: 1,320 Hr

Lot #	Details	Lot #	Details
60	<b>2017 Bobcat S550 Two-Speed Skid Steer Loader</b> S/N: AHGM12952 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, Aperture Tires, Manual Coupler, 64 in Bucket Usage: 2,226 Mi	71	<b>2013 Cat 299D Two-Speed Compact Track Loader</b> S/N: CAT0299DCHCL00798 C/W: Enclosed Cab, Air Conditioner, Ride Control, Joystick Steering, Self Leveling, Tier 4, 18 in Track Belts, 9 Pin Electric Kit, Electric Coupler, 80 in Bucket Usage: 2,990 Hr
61	<b>2009 Bobcat S185 Skid Steer Loader</b> S/N: A3L935043 C/W: Open Operator Station, Tier 4, 2008 US EPA Label, Manual Coupler, 72 in Bucket Usage: 3,264 Hr	72	<b>2018 Takeuchi TL12V2 High Flow Compact Track Loader</b> S/N: 412001657 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, Hydraulic Coupler, 84 in Bucket, Forks Usage: 1,821 Hr
62	<b>2016 Bobcat S510 Skid Steer Loader</b> S/N: ALNW13183 C/W: Open Operator Station, 2015 US EPA Label, Manual Coupler, 67 in Bucket Usage: 1,580 Hr	73	<b>2019 John Deere 333G Compact Track Loader</b> S/N: 1T0333GMKJF341930 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 18 in Track Belts, 8 Pin Electric Kit, Hydraulic Coupler, 84 in Bucket, Counterweight Kit Usage: 3,342 Hr
63	<b>2017 Bobcat S450 Skid Steer Loader</b> S/N: AUVB13564 C/W: Open Operator Station, 2017 US EPA Label, Manual Coupler, 55 in Bucket Usage: 1,384 Hr	74	<b>2022 Kubota SVL97-2 High Flow Compact Track Loader</b> S/N: KBC2064CAN1K72627 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 171 Hr
64	<b>2017 Bobcat S450 Skid Steer Loader</b> S/N: AUVB13424 C/W: Open Operator Station, 2016 US EPA Label, Manual Coupler, 67 in Bucket Usage: 1,601 Hr	75	<b>2018 Bobcat T870 Two-Speed Compact Track Loader</b> S/N: B47C12491 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler, 84 in Bucket Usage: 1,716 Hr
65	<b>2014 Bobcat S450 Skid Steer Loader</b> S/N: AUVB11198 C/W: Open Operator Station, 2014 US EPA Label, Aperture Tires, Manual Coupler, 60 in Bucket Usage: 2,092 Hr	76	<b>2020 Bobcat T770 Two-Speed High Flow Compact Track Loader</b> S/N: AT6323923 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Control Pattern Changer, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler, 72 in Bucket, Counterweight Kit Usage: 1,151 Hr
68	<b>2020 Cat 299D3 Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0299DTDY901104 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 18 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 3,682 Hr	77	<b>2019 Bobcat T770 Compact Track Loader</b> S/N: AT6321230 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 17 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,165 Hr
69	<b>2018 Cat 299D2 Two-Speed Compact Track Loader</b> S/N: CAT0299DCFD203270 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: Not Available	78	<b>2020 Bobcat T740 Compact Track Loader</b> S/N: B3CA17433 C/W: Open Operator Station, Joystick Steering, Control Pattern Changer, 2019 US EPA Label, 18 in Track Belts, Hydraulic Coupler, 80 in Bucket, Counterweight Kit Usage: 1,175 Hr
70	<b>2014 Cat 299D Two-Speed Compact Track Loader</b> S/N: CAT0299DLGTC01100 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Self Leveling, 18 in Track Belts, 9 Pin Electric Kit, Electric Coupler, 80 in Bucket Usage: 4,271 Hr		

Lot #	Details	Lot #	Details
79	<b>2019 Bobcat T740 Compact Track Loader</b> S/N: B3CA16154 C/W: Enclosed Cab, Air Conditioner, 2019 US EPA Label, 17 in Track Belts, Manual Coupler, 65 in Bucket Usage: 1,736 Hr	91	<b>2020 Cat 289D3 Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0289DLJX903621 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Self Leveling, Tier 4, 2020 US EPA Label, 18 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 3,469 Hr
80	<b>2019 Bobcat T740 Two-Speed High Flow Compact Track Loader</b> S/N: B3CA16167 C/W: Enclosed Cab (Door missing), Air Conditioner, Joystick Steering, Control Pattern Changer, 2019 US EPA Label, 18 in Track Belts, Manual Coupler, 71 in Bucket Usage: 2,077 Hr	92	<b>2019 Cat 289D Two-Speed Compact Track Loader</b> S/N: CAT0289DCTAW13381 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2019 US EPA Label, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 2,977 Hr
81	<b>2019 Bobcat T740 Compact Track Loader</b> S/N: B3CA16103 C/W: Enclosed Cab, Air Conditioner, 18 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,365 Hr	93	<b>2016 Cat 289D Two-Speed Compact Track Loader</b> S/N: CAT0289DCTAW05502 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Tier 4, 2016 US EPA Label, 17.5 in Track Belts, 7 Pin Electric Kit, Manual Coupler Usage: 4,566 Hr
82	<b>2016 Bobcat T740 Compact Track Loader</b> S/N: B3CA11578 C/W: Open Operator Station, Joystick Steering, Tier 4, 2016 US EPA Label, 17.5 in Track Belts, Manual Coupler Usage: 2,117 Hr	94	<b>2015 Cat 289D Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0289DKTAW03236 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2015 US EPA Label, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 4,056 Hr
84	<b>2016 Kubota SVL95-2S Compact Track Loader</b> S/N: 31828 C/W: Open Operator Station, Joystick Steering, Tier 4, 2016 US EPA Label, 18 in Track Belts, Manual Coupler, 68 in Bucket Usage: 3,049 Hr	96	<b>2018 Cat 287D Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0287DEHMT01092 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Rear View Camera, Tier 4, 2017 US EPA Label, 18 in Track Belts, Hydraulic Coupler, 78 in Bucket Usage: 2,646 Hr
85	<b>2016 Kubota SVL 95-2S Compact Track Loader</b> S/N: JKUC0953E01S32293 C/W: Open Operator Station, Joystick Steering, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler Usage: 3,114 Hr	97	<b>2017 Cat 287D Two-Speed Compact Track Loader</b> S/N: CAT0287DAHMT00956 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Self Leveling, Rear View Camera, Tier 4, 2020 US EPA Label, 18 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 82 in Bucket Usage: 3,578 Hr
86	<b>2016 Kubota SLV95-2S Compact Track Loader</b> S/N: JKUC0953P01S31732 C/W: Enclosed Cab (Door missing), Joystick Steering, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts Usage: Not Available	98	<b>2020 Bobcat T650 Two-Speed Compact Track Loader</b> S/N: ALJG32554 C/W: Enclosed Cab, Air Conditioner, 2019 US EPA Label, 18 in Track Belts, Hydraulic Coupler, 80 in Bucket, AM/FM/WB Receiver Usage: 4,461 Hr
87	<b>2018 Takeuchi TL12R2 Compact Track Loader</b> S/N: 412101112 C/W: Open Operator Station, Joystick Steering, Rear View Camera, Requires Diesel Exhaust Fluid, 18 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 77 in Bucket Usage: 2,297 Hr	99	<b>2016 Bobcat T650 Compact Track Loader</b> S/N: ALJG18211 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, 17.5 in Track Belts, Manual Coupler Usage: 1,529 Hr
88	<b>2016 Takeuchi TL12 Compact Track Loader</b> S/N: 201202307 C/W: Open Operator Station, Joystick Steering, 18 in Track Belts, Manual Coupler, 74 in Bucket Usage: 2,651 Hr		
89	<b>2016 Takeuchi TL12 Compact Track Loader</b> S/N: 201202304 C/W: Open Operator Station, Joystick Steering, 18 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 74 in Bucket Usage: 2,991 Hr		

Lot #	Details	Lot #	Details
100	<b>2018 Bobcat T630 Two-Speed High Flow Compact Track Loader</b> S/N: AJDT16240 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Control Pattern Changer, Tier 4, 18 in Track Belts, 7 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 3,183 Hr	110	<b>2015 Cat 277D Two-Speed Compact Track Loader</b> S/N: CAT0277DPFMT00603 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Self Leveling, Tier 4, 2016 US EPA Label, 18 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 79 in Bucket Usage: 4,829 Hr
101	<b>2018 Kubota SVL75-2 Compact Track Loader</b> S/N: JKU00752P01936926 C/W: Open Operator Station, Joystick Steering, 12.5 in Track Belts, Manual Coupler, 71 in Bucket Usage: 1,639 Hr	111	<b>2020 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DLCW905991 C/W: Enclosed Cab, Joystick Steering, Tier 4, 2020 US EPA Label, 15 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 74 in Bucket Usage: 1,976 Hr
102	<b>2017 Kubota SVL75-2 Two-Speed Compact Track Loader</b> S/N: 29771 C/W: Open Operator Station, Tier 4, 16 in Track Belts, Manual Coupler Usage: 2,129 Hr	112	<b>2020 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DCCW902416 C/W: Open Operator Station, Joystick Steering, Tier 4, 2019 US EPA Label, 15.5 in Track Belts, Manual Coupler, 74 in Bucket Usage: 2,036 Hr
103	<b>2017 Kubota SVL75-2 Compact Track Loader</b> S/N: JKUC0752L01S29581 C/W: Open Operator Station, Joystick Steering, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,195 Hr	113	<b>2020 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DCCW902391 C/W: Open Operator Station, Joystick Steering, Tier 4, 2019 US EPA Label, 16 in Track Belts, Manual Coupler, 74 in Bucket Usage: 2,046 Hr
104	<b>2017 Kubota SVL75-2 Two-Speed Compact Track Loader</b> S/N: 30086 C/W: Open Operator Station, Tier 4, 16 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,237 Hr	114	<b>2020 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DCCW903282 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, Tier 4, 2019 US EPA Label, 16 in Track Belts, Hydraulic Coupler, 72 in Usage: 2,803 Hr
105	<b>2017 Kubota SVL75-2 Compact Track Loader</b> S/N: 31467 C/W: Open Operator Station, 16 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,530 Hr	115	<b>2020 Cat 259D3 Two-Speed High Flow Compact Track Loader</b> S/N: CAT0259DLCW902623 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2019 US EPA Label, 16 in Track Belts, Manual Coupler, 74 in Bucket Usage: 3,482 Hr
106	<b>2016 Kubota SVL75-2 Compact Track Loader</b> S/N: JKUC0752001S27700 C/W: Enclosed Cab (Door missing), Joystick Steering, 12.5 in Track Belts, Manual Coupler, 72 in Bucket Usage: 1,109 Hr	116	<b>2019 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DHCW901649 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2020 US EPA Label, 15.5 in Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 74 in Bucket Usage: 4,269 Hr
107	<b>2016 Kubota SVL75-2 Compact Track Loader</b> S/N: 27017 C/W: Open Operator Station, Joystick Steering, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: 3,076 Hr	117	<b>2019 Cat 259D Two-Speed Compact Track Loader</b> S/N: CAT0259DKFTL22058 C/W: Open Operator Station, Joystick Steering, Tier 4, 2020 US EPA Label, 15.5 in Track Belts, Manual Coupler, Brush Cutter, Counterweight Kit Usage: 2,567 Hr
108	<b>2015 Kubota SVL75-2 Compact Track Loader</b> S/N: 22768 C/W: Open Operator Station, Joystick Steering, 13 in Track Belts, Manual Coupler, 66 in Bucket Usage: 4,276 Hr		
109	<b>2016 Cat 279D Two-Speed Compact Track Loader</b> S/N: CAT0279DKGTL03667 C/W: Open Operator Station, Joystick Steering, Rear View Camera, Tier 4, 2016 US EPA Label, 17 in Track Belts, Manual Coupler, 77 in Bucket Usage: 2,778 Hr		

Lot #	Details	Lot #	Details
118	<b>2018 Cat 259D Two-Speed Compact Track Loader</b> S/N: CAT0259DPFTL15254 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 15.5 in Track Belts, Hydraulic Coupler Usage: 1,866 Hr	127	<b>2017 Bobcat T550 Compact Track Loader</b> S/N: AJZV17095 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 67 in Bucket Usage: 2,001 Hr
119	<b>2018 Cat 259D Two-Speed Compact Track Loader</b> S/N: CAT0259DPFTL16422 C/W: Open Operator Station, Joystick Steering, Tier 4, 2017 US EPA Label, 16 in Track Belts, Manual Coupler, 73 in Bucket, Counterweight Kit Usage: 2,191 Hr	128	<b>2016 Bobcat T550 Compact Track Loader</b> S/N: AJZV16090 C/W: Open Operator Station, Joystick Steering, Control Pattern Changer, 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 66 in Bucket Usage: 1,948 Hr
120	<b>2014 Cat 259D Compact Track Loader</b> S/N: CAT0259DVFTL00484 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Tier 4, 2016 US EPA Label, 12.5 in Track Belts, Manual Coupler, 72 in Bucket Usage: 7,573 Hr	129	<b>2021 Takeuchi TL8R-2 Compact Track Loader</b> S/N: 408000861 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2020 US EPA Label, 16 in Track Belts, Hydraulic Coupler, 66 in Bucket Usage: 2,085 Hr
121	<b>2017 Bobcat T595 Two-Speed Compact Track Loader</b> S/N: B3NK12752 C/W: Enclosed Cab, Air Conditioner, 2016 US EPA Label, 13 in Track Belts, Manual Coupler, 72 in Bucket, Counterweight Kit Usage: 2,452 Hr	130	<b>2018 Takeuchi TL8 Compact Track Loader</b> S/N: 200807360 C/W: Open Operator Station, Joystick Steering, Tier 4, 2018 US EPA Label, 16 in Track Belts, Manual Coupler, 67 in Bucket Usage: 1,519 Hr
122	<b>2018 Bobcat T590 Two-Speed High Flow Compact Track Loader</b> S/N: ALJU26247 C/W: Open Operator Station, Tier 4, 2018 US EPA Label, 12 in Track Belts, Manual Coupler, 68 in Bucket Usage: 1,478 Hr	131	<b>2016 Takeuchi TL8 Compact Track Loader</b> S/N: 200802855 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, 12 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,220 Hr
123	<b>2016 Bobcat T590 Compact Track Loader</b> S/N: ALJU22111 C/W: Open Operator Station, 2016 US EPA Label, 13 in Track Belts, Manual Coupler, 64 in Bucket Usage: 1,048 Hr	132	<b>2016 Takeuchi TL8 Compact Track Loader</b> S/N: 200802846 C/W: Open Operator Station, Joystick Steering, Tier 4, 2015 US EPA Label, 13 in Track Belts, 14 Pin Electric Kit, Manual Coupler Usage: 2,200 Hr
124	<b>2017 Bobcat T590 Compact Track Loader</b> S/N: ALJU24687 C/W: Open Operator Station, Joystick Steering, Tier 4, 2017 US EPA Label, 12.5 in Track Belts, 7 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 1,951 Hr	133	<b>2016 Takeuchi TL8 Compact Track Loader</b> S/N: 200802680 C/W: Open Operator Station, Joystick Steering, Tier 4, 2015 US EPA Label, 15 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 2,887 Hr
125	<b>2017 Bobcat T590 Compact Track Loader</b> S/N: ALJU22952 C/W: Open Operator Station, Joystick Steering, Control Pattern Changer, 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 66 in Bucket Usage: 2,184 Hr	134	<b>2016 Takeuchi TL8 Compact Track Loader (Inoperable)</b> S/N: 200803168 C/W: Open Operator Station, Joystick Steering, Tier 4, 2015 US EPA Label, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: Not Available
126	<b>2018 Bobcat T550 Compact Track Loader</b> S/N: AJZV22555 C/W: Open Operator Station, 2018 US EPA Label, 13 in Track Belts, Manual Coupler, 67 in Bucket Usage: 1,802 Hr	135	<b>2016 Takeuchi TL8 Compact Track Loader</b> S/N: 200804285 C/W: Open Operator Station, Joystick Steering, Tier 4, US EPA Label, 13 in Track Belts, Manual Coupler, 66 in Bucket Usage: Not Available
		136	<b>2014 John Deere 319E Compact Track Loader</b> S/N: 1T0319EJJEJ265440 C/W: Open Operator Station, Joystick Steering, 2014 US EPA Label, 13 in Track Belts, Hydraulic Coupler, 71 in Bucket Usage: 2,906 Hr

Lot #	Details	Lot #	Details
137	<b>2019 John Deere 317G Compact Track Loader</b> S/N: 1T0317GJCJJ343074 C/W: Open Operator Station, Joystick Steering, 2018 US EPA Label, 12 in Track Belts, Manual Coupler, 68 in Bucket Usage: 1,369 Hr	152	<b>2007 Cat 247B 2 Compact Track Loader</b> S/N: CAT0247BTMTL05105 C/W: Open Operator Station, Joystick Steering, 14.5 in Track Belts, Manual Coupler Usage: 8,356 Hr
140	<b>Wacker Neuson ST31 Two-Speed Compact Track Loader</b> S/N: Not Available C/W: Enclosed Cab, Joystick Steering, Control Pattern Changer, 2018 US EPA Label, 13 in Track Belts, Manual Coupler, 66 in Bucket Usage: 918 Hr	154B	<b>JCB 940 8000 lb 4x4 Rough Terrain Forklift</b> S/N: 2364517 C/W: 3 Stage Mast, 130 in Lowered Mast Height, 48 in Forks, Side Shift, 2015 US EPA Label, 4 Cylinder 4.4 L Diesel Engine Usage: 2,385 Hr
141	<b>2019 Takeuchi TL6R Two-Speed High Flow Compact Track Loader</b> S/N: 406000998 C/W: Open Operator Station, Joystick Steering, Tier 4, 2018 US EPA Label, 12 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 853 Hr	154A	<b>2016 JCB 940 8000 lb 4x4 Rough Terrain Forklift</b> S/N: 2364884 C/W: 3 Stage Mast, Full Free Lift, 130 in Lowered Mast Height, 48 in Forks, Side Shift, 2016 US EPA Label, 4 Cylinder Diesel Engine Usage: 2,485 Hr
142	<b>2018 Takeuchi TL6R Compact Track Loader</b> S/N: 406000198 C/W: Open Operator Station, Joystick Steering, Tier 4, 2018 US EPA Label, 13 in Track Belts, 9 Pin Electric Kit, Manual Coupler Usage: 2,300 Hr	154	<b>Clark GPH70 Pneumatic Tire Forklift</b> S/N: Y106500418500FC C/W: 2 Stage Mast, 95 in Forks, Fork Positioner, 6 Cylinder LPG Engine Usage: 6,706 Hr
143	<b>2018 Takeuchi TL6R Compact Track Loader</b> S/N: 406000222 C/W: Open Operator Station, Tier 4, 2018 US EPA Label, 12 in Track Belts, Manual Coupler, 60 in Bucket Usage: 2,540 Hr	155A	<b>2014 JLG G12-55A Telehandler</b> S/N: 0160061176 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Tires Usage: 6,790 Hr
144	<b>2013 Takeuchi TL230 Series 2 Compact Track Loader</b> S/N: 223102152 C/W: Enclosed Cab, Joystick Steering, US EPA Label, 13 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 66 in Bucket Usage: 88 Hr	155	<b>2018 Master Craft C081716 8000 lb 4x4 Rough Terrain Forklift</b> S/N: 8048 C/W: 3 Stage Mast, 252 in Max Lift Height, 125 in Lowered Mast Height, 48 in Forks, Side Shift, 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid Usage: 846 Hr
145	<b>2011 Takeuchi TL230 Compact Track Loader</b> S/N: 223100340 C/W: Open Operator Station, Joystick Steering, Tier 4, 2010 US EPA Label, 13 in Track Belts, Manual Coupler, 66 in Grapple Bucket Usage: Not Available	156	<b>2018 Cat TL1055D Telehandler</b> S/N: ML501366 C/W: Open Operator Station, 55 ft Max Lift Height, 8500 lb Max Lift Capacity, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 48 in Forks, Swing Carriage, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 3,027 Hr
146	<b>2021 Bobcat T450 Compact Track Loader</b> S/N: B4RG11334 C/W: Open Operator Station, Joystick Steering, 2021 US EPA Label, 11.5 in Track Belts, 55 in Bucket Usage: Not Available	157	<b>2018 Cat TL1055D Telehandler</b> S/N: ML501187 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 47 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Aperture Tires Usage: 6,453 Hr
147A	<b>2018 Bobcat T450 Compact Track Loader</b> S/N: AUVP15263 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, 13 in Track Belts, Manual Coupler, 73 in Bucket Usage: 1,410 Hr	158	<b>2017 Cat TL1055D Telehandler</b> S/N: ML500880 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Manual Coupler Usage: 3,797 Hr
147	<b>2019 Bobcat T450 Compact Track Loader</b> S/N: AUVP16161 C/W: Open Operator Station, Joystick Steering, Tier 4, 12.5 in Track Belts, Manual Coupler, 60 in Bucket Usage: 1,499 Hr		



Lot #	Details	Lot #	Details
159	<b>2015 Cat TL1055D Telehandler</b> S/N: ML500365 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, Tier 4, Requires Diesel Exhaust Fluid, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 3,377 Hr	168	<b>2015 JLG 8042 Telehandler</b> S/N: 0160072956 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, Frame Leveling, Auxiliary Hydraulic Plumbing, 13.00-24 Aperture Tires Usage: 4,541 Hr
160	<b>2015 Cat TL1055C Telehandler</b> S/N: KDE01814 C/W: Enclosed Cab, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2015 US EPA Label, 59 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 3,992 Hr	169	<b>2015 JLG 8042 Telehandler</b> S/N: 0160065610 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Side Shift, Tilt Carriage, Frame Leveling, 370/75-28 Tires Usage: Not Available
161	<b>2018 Genie GTH-1056 Telehandler</b> S/N: GTH10E-12736 C/W: Open Operator Station, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, Tier 4, Requires Diesel Exhaust Fluid, 48 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 1,303 Hr	170	<b>2014 SkyTrak 8042 Telehandler</b> S/N: 160059298 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Frame Leveling, 13.00-24 Aperture Tires Usage: 4,103 Hr
162	<b>2018 Genie GTH-1056 Telehandler</b> S/N: GTH10E12742 C/W: Open Operator Station, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 48 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 1,499 Hr	171	<b>2015 Gehl RS8-42 Telehandler</b> S/N: RS842CG17851 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 47 in Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 13.00-24 Tires Usage: 2,344 Hr
163	<b>2014 Genie GTH-1056 Telehandler</b> S/N: GTH1014-18740 C/W: Open Operator Station, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, 14.00-24 Foam Filled Tires Usage: 3,746 Hr	172	<b>2015 Gehl RS8-42 Telehandler</b> S/N: RS842JG17623 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Tilt Carriage, Frame Leveling, 13.00-24 Foam Filled Tires Usage: 3,394 Hr
164	<b>2017 JLG 10054 Telehandler</b> S/N: 0160081489 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Outriggers, Frame Leveling, 400/75-28 Tires Usage: 2,364 Hr	173	<b>2014 Genie GTH-844 Telehandler</b> S/N: GTH0814-19881 C/W: Open Operator Station, 44 ft Max Lift Height, 8000 lb Max Lift Capacity, Tier 4, 2014 US EPA Label, 72 in Forks, Frame Leveling, 13.00-24 Tires Usage: 3,795 Hr
165	<b>2009 SkyTrak 10054 Telehandler</b> S/N: 0160037956 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Tilt Carriage, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Tires Usage: 4,869 Hr	174	<b>2017 Cat TL642D Telehandler</b> S/N: ML800636 C/W: Open Operator Station, 42 ft Max Lift Height, 6500 lb Max Lift Capacity, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 48 in Forks, Tilt Carriage, Frame Leveling, 13.00-24 Tires Usage: 4,355 Hr
166	<b>2013 Lull 1044C-54 Telehandler</b> S/N: 0160048059 C/W: Open Operator Station, Air Ride Seat, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 2012 US EPA Label, 48 in Forks, Outriggers, Frame Leveling, 400/75-28 Tires Usage: 4,983 Hr	175	<b>2016 Cat TL642D Telehandler</b> S/N: ML800485 C/W: Open Operator Station, 42 ft Max Lift Height, 6500 lb Max Lift Capacity, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 48 in Forks, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 2,426 Hr
167	<b>2008 JLG G10-55A Telehandler</b> S/N: 0160033662 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2007 US EPA Label, 60 in Forks, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 1,267 Hr		

Lot #	Details	Lot #	Details
176	<b>2013 Cat TL642C Telehandler</b> S/N: THG00567 C/W: Open Operator Station, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 2013 US EPA Label, 48 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, 13.00-24 Tires Usage: 2,807 Hr	185	<b>2016 Genie GTH-636 Telehandler</b> S/N: GTH0616E10305 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 2015 US EPA Label, Frame Leveling, 330/85-28 Tires Usage: 2,932 Hr
177	<b>2018 SkyTrak 6042 Telehandler</b> S/N: 160085218 C/W: Open Operator Station, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Frame Leveling, 360/85-28/10.00 Solid Tires Usage: 4,869 Hr	186	<b>2015 Gehl RS6-34 Telehandler</b> S/N: RS634DG22751 C/W: Open Operator Station, 34 ft Max Lift Height, 6000 lb Max Lift Capacity, 47 in Forks, Frame Leveling, 15-19.5 Tires Usage: 3,354 Hr
178	<b>2016 JLG 6042 Telehandler</b> S/N: 0160077236 C/W: Open Operator Station, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 46 in Forks, Tilt Carriage, Frame Leveling, 370/75-28 Tires Usage: 2,695 Hr	187	<b>2016 Cat TH255C Telehandler</b> S/N: JK201031 C/W: Enclosed Cab, 18 ft Max Lift Height, 5500 lb Max Lift Capacity, 2016 US EPA Label, 48 in Forks, Frame Leveling, 12-16.5 Tires Usage: 1,898 Hr
179	<b>2016 JLG 6042 Telehandler</b> S/N: 0160077369 C/W: Open Operator Station, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Tilt Carriage, Frame Leveling, 13.00-24 Aperture Tires Usage: Not Available	188	<b>2018 JLG G5-18A Telehandler</b> S/N: 0160084109 C/W: Open Operator Station, 18 ft Max Lift Height, 5500 lb Max Lift Capacity, 2020 US EPA Label, 48 in Forks, Manual Coupler, 33x12x20 Aperture Tires Usage: 729 Hr
180	<b>2017 JLG 6036 Telehandler</b> S/N: 0160079524 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 370/75-28 Tires Usage: 2,539 Hr	189	<b>2017 Genie GTH-5519 Telehandler</b> S/N: GTH55M7187 C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2017 US EPA Label, 47 in Forks, Auxiliary Hydraulic Plumbing, 12-16.5 Tires Usage: 1,520 Hr
181	<b>2015 JLG 6036 Telehandler</b> S/N: 0160073134 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 47 in Forks, Frame Leveling, 14.00-24 Aperture Tires Usage: 2,101 Hr	191A	<b>2005 Cat TH560B Telehandler</b> S/N: CATTH560PSLG01342 C/W: Open Operator Station, 44 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Hydraulic Coupler, Frame Leveling, 14.00-24 Tires Usage: Not Available
182	<b>2015 JLG 6036 Telehandler</b> S/N: 0160067545 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 2014 US EPA Label, 47 in Forks, Frame Leveling, 370/75-28 Tires Usage: 3,822 Hr	191	<b>2002 Lull 1044C-54 Telehandler</b> S/N: 16388 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Tilt Carriage, Manual Coupler, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 6,852 Hr
183	<b>2016 JLG G6-42A Telehandler</b> S/N: 0160072561 C/W: Open Operator Station, 42 ft Max Lift Height, 6600 lb Max Lift Capacity, 48 in Forks, Fork Positioner, Frame Leveling, Auxiliary Hydraulic Plumbing, Aperture Tires Usage: 4,289 Hr	192	<b>2005 Cat TH460B Telehandler</b> S/N: CATTH460CSLF01434 C/W: Open Operator Station, 44 ft Max Lift Height, 9000 lb Max Lift Capacity, 2004 US EPA Label, 48 in Forks, Swing Carriage, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 5,266 Hr
184	<b>2017 Genie GTH-636 Telehandler</b> S/N: GTH06E11532 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 2017 US EPA Label, 48 in Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 330/85-28 Tires Usage: Not Available	193	<b>2002 Cat TH83 Telehandler</b> S/N: CAT0TH83H3RN04707 C/W: Open Operator Station, 40 ft Max Lift Height, 48 in Forks, Frame Leveling, 17.5-25 Tires Usage: Not Available

Lot #	Details	Lot #	Details
195	<b>2005 JCB 520-50 Telehandler</b> S/N: 1048806 C/W: Open Operator Station, 2005 US EPA Label, 60 in Forks, 76 in Bucket, 10.5/80-18 Tires Usage: 2,633 Hr	204	<b>2018 JCB 3CX 4x4 Backhoe Loader</b> S/N: JCB3CXTTVJ2666505 C/W: Open Operator Station, Backhoe Pilot Controls, 88 in Loader Bucket, Extendable Stick, 12 in Backhoe Digging Bucket Usage: 1,494 Hr
196	<b>1994 Cat RT60 Telehandler</b> S/N: 5DG00413 C/W: Open Operator Station, 35 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Frame Leveling, 13.00-24 Tires Usage: Not Available	206	<b>2017 JCB 3CX14-4EC 4x4 Backhoe Loader</b> S/N: CE03CXTTTH2560887 C/W: Open Operator Station, 86 in Loader Bucket, Extendable Stick, 15 in Backhoe Cleanup Bucket, Rear Auxiliary Hydraulics Usage: 2,238 Hr
197	<b>2020 Cat 420F2 IT 4x4 Backhoe Loader</b> S/N: CAT0420FEHWD04780 C/W: Open Operator Station, Auxiliary Hydraulics, Hydraulic Coupler, Loader Bucket, 17 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,457 Hr	207	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTPH2560863 C/W: Open Operator Station, 2017 US EPA Label, 86 in Loader Bucket, Quick Coupler, 22 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 1,629 Hr
198	<b>2020 Cat 420F2 IT 4x4 Backhoe Loader</b> S/N: CAT0420FPHWD04766 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, 2019 US EPA Label, CARB Compliant, Auxiliary Hydraulics, Hydraulic Coupler, 92 in Loader Bucket, 18 in Backhoe Digging Bucket, Thumb Bracket Usage: 2,506 Hr	208	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03XTTLH2560855 C/W: Open Operator Station, 86 in Loader Bucket, Extendable Stick, 24 in Backhoe Usage: 1,629 Mi
199	<b>2016 Cat 420F2 IT 4x4 Backhoe Loader</b> S/N: CAT0420FLHWD01309 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 93 in Loader Bucket, Extendable Stick, 24 in Backhoe Cleanup Bucket Usage: 3,692 Hr	209	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTTTH2496936 C/W: Open Operator Station, 2017 US EPA Label, 88 in Loader Bucket, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 1,759 Hr
200	<b>2016 Cat 420F2 4x4 Backhoe Loader</b> S/N: CAT0420FTHWC01202 C/W: Open Operator Station, Backhoe Pilot Controls, Control Pattern Changer, Tier 4, 95 in Multi-Purpose Loader Bucket, 24 in Backhoe Digging Bucket Usage: 4,088 Hr	210	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTEPH2560833 C/W: Open Operator Station, Backhoe Pilot Controls, 2020 US EPA Label, 87 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 12 in Backhoe Cleanup Bucket, Rear Auxiliary Hydraulics Usage: 1,968 Hr
201	<b>2020 Cat 415F2 4x4 Backhoe Loader</b> S/N: CAT0415FAHWA00945 C/W: Open Operator Station, Air Ride Seat, 2019 US EPA Label, 89 in Loader Bucket, 24 in Backhoe Digging Bucket, Hydraulic Thumb Usage: 80 Hr	211	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTEH2496884 C/W: Open Operator Station, 86 in Loader Bucket, Quick Coupler, 22 in Backhoe Digging Bucket Usage: 2,247 Hr
202	<b>2018 John Deere 310E L 4x4 Backhoe Loader</b> S/N: 1T0310ELKJG331486 C/W: Open Operator Station, Control Pattern Changer, Powershift Transmission, 2018 US EPA Label, 86 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket Usage: 2,059 Hr	212	<b>2017 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTTTH2496905 C/W: Open Operator Station, Backhoe Pilot Controls, 2017 US EPA Label, 88 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 2,301 Hr
203	<b>2019 JCB 3CXR14L4CM 4x4 Backhoe Loader</b> S/N: JCB3CXTTVK2823225 C/W: Enclosed Cab, 2019 US EPA Label, 86 in Multi-Purpose Loader Bucket, Extendable Stick, 22 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 631 Hr	213	<b>2016 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTTLG2496752 C/W: Open Operator Station, Backhoe Pilot Controls, 2016 US EPA Label, 87 in Loader Bucket, Quick Coupler, 24 in Backhoe Digging Bucket Usage: 2,509 Hr
		214	<b>2016 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTEG2496804 C/W: Open Operator Station, 2016 US EPA Label, 86 in Loader Bucket, Extendable Stick, 22 in Backhoe Digging Bucket Usage: 2,641 Hr

Lot #	Details	Lot #	Details
215	<b>2014 Case 580N 4x4 Backhoe Loader</b> S/N: JJGN580NPEC701508 C/W: Open Operator Station, 80 in Loader Bucket, 23 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 3,349 Hr	223	<b>2003 Case 570MXT 4x4 Landscape Loader</b> S/N: JJG0301044 C/W: Open Operator Station, 2003 US EPA Label, 82 in Bucket, 84 in Box Blade w/ Hydraulic Scarifier, Rear Frame Weights Usage: 4,280 Hr
216	<b>2012 John Deere 310J 4x4 Backhoe Loader</b> S/N: 1T0310JXECD218497 C/W: Open Operator Station, Air Ride Seat, US EPA Label, 84 in Loader Bucket, Extendable Stick, 12 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 3,242 Hr	224A	<b>1985 Hyster C530A 9 Wheel Pneumatic Roller</b> S/N: A91063651F C/W: Open Operator Station, 4 Cylinder Diesel Engine, 50 in Compaction Width Usage: 186 Hr
217A	<b>2007 John Deere 310SJ 4x4 Backhoe Loader</b> S/N: T0310SJ139489 C/W: Open Operator Station, Powershift Transmission, 2007 US EPA Label, 85 in Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket Usage: 1,880 Hr	225	<b>2010 Dynapac CC224HF Double Drum Roller</b> S/N: 10000308V0A003816 C/W: Open Operator Station, Swivel Operator Controls, 2009 US EPA Label, Cummins QSB3.3 4 Cylinder 3.2 L Diesel Engine, 59 in Drums, Water System Usage: Not Available
217	<b>2009 John Deere 310J 4x4 Backhoe Loader</b> S/N: T0310JX177730 C/W: Enclosed Cab, Backhoe Pilot Controls, 86 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 2,164 Hr	226	<b>2018 Bomag BW138AD-5 Double Drum Roller</b> S/N: 101650341217 C/W: Open Operator Station, 2017 US EPA Label, Kubota V2403 4 Cylinder 2.4 L Diesel Engine, 54 in Drums, Water System Usage: 520 Hr
218	<b>2007 John Deere 310G 4x4 Backhoe Loader</b> S/N: T0310GX962268 C/W: Open Operator Station, 2006 US EPA Label, 90 in Loader Bucket, 22 in Backhoe Digging Bucket Usage: 3,425 Hr	227	<b>2017 Cat CB34B Double Drum Roller</b> S/N: CATCB34BAXB400522 C/W: Open Operator Station, 2017 US EPA Label, Cat 4 Cylinder Diesel Engine, 51 in Drums Usage: 2,418 Hr
219	<b>2006 John Deere 310G 4x4 Backhoe Loader</b> S/N: T0310GX953020 C/W: Open Operator Station, 2005 US EPA Label, 90 in Loader Bucket, 22 in Backhoe Digging Bucket Usage: 25,933 Hr	229	<b>1997 Cat CB224C Double Drum Roller</b> S/N: 3AL00746 C/W: Open Operator Station, Hatz Diesel Engine, 47 in Drums Usage: 510 Hr
220A	<b>2004 Terex 860 4x4 Backhoe Loader</b> S/N: SMFB44EC048EM1939 C/W: Enclosed Cab, Air Conditioner, 92 in Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,717 Hr	230	<b>2021 Weiler C303 Double Drum Roller</b> S/N: 1W90C303CM0001007 C/W: Open Operator Station, Tier 4, 2020 US EPA Label, Cat C1.1 3 Cylinder 1.1 L Diesel Engine, 44 in Split Drums, Water System Usage: 10 Hr
220	<b>2005 Komatsu WB140-2N Backhoe Loader</b> S/N: A21669 C/W: Open Operator Station, 2004 US EPA Label, 90 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 3,094 Hr	231	<b>2004 LeeBoy 400 Double Drum Roller</b> S/N: 41197 C/W: Open Operator Station, 3 Cylinder Diesel Engine, 40 in Drums, Water System Usage: 2,862 Hr
221	<b>1996 Cat 416B 4x4 Backhoe Loader</b> S/N: 8ZK09513 C/W: Open Operator Station, 87 in Loader Bucket, 28 in Backhoe Digging Bucket Usage: 8,397 Hr	232	<b>2014 Bomag BW100AD-4 Double Drum Roller</b> S/N: 861880261012 C/W: Open Operator Station, Tier 4, 2012 US EPA Label, Kubota 3 Cylinder 24.3 kW 1.7 L Diesel Engine, 39 in Drums Usage: 275 Hr
222	<b>1998 John Deere 310SE 4x4 Backhoe Loader</b> S/N: T0310SE851554 C/W: Open Operator Station, 1998 US EPA Label, 83 in Loader Bucket, 23 in Backhoe Cleanup Bucket Usage: 8,548 Hr	234	<b>2021 Wacker RD12A Double Drum Roller</b> S/N: WNCRD12APPUM03933 C/W: Open Operator Station, 2020 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35 in Drums, Water System Usage: 77 Hr
		235	<b>2018 Wacker RD12A Double Drum Roller</b> S/N: 24459757 C/W: Open Operator Station, 2018 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Drums Usage: 656 Hr

Lot #	Details	Lot #	Details
237	<b>2016 Wacker RD12A Double Drum Roller</b> S/N: 24291784 C/W: Open Operator Station, 2015 US EPA Label, Honda Gasoline Engine, 36 in Drums, Water System Usage: 870 Hr	248	<b>2019 Cat CS54B Vibratory Smooth Drum Compactor</b> S/N: CATCS54BTCS500911 C/W: Open Operator Station, Air Ride Seat, Cat 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 84 in Drum Usage: 5,822 Hr
238	<b>2015 Wacker RS12A Double Drum Roller</b> S/N: 24282967 C/W: Open Operator Station, Honda GX630 Gasoline Engine, 35 in Drums Usage: 893 Hr	249	<b>2011 Cat CS54B Smooth Drum Compactor</b> S/N: CATCS54BKL4H00102 C/W: Open Operator Station, Air Ride Seat, 2012 US EPA Label, Cat C4.4 4 Cylinder Diesel Engine, 84 in Drum Usage: 8,335 Hr
240	<b>2005 Bomag BW9AS Double Drum Roller</b> S/N: 901C14603413 C/W: Open Operator Station, 2004 US EPA Label, Cummins B3.3 4 Cylinder 3.26 L Diesel Engine, 50 in Split Drums Usage: 4,462 Hr	250	<b>2018 Bomag BW211D-5 Vibratory Smooth Drum Compactor</b> S/N: 101586081583 C/W: Open Operator Station, Deutz 4 Cylinder Diesel Engine, 84 in Drum Usage: Not Available
241	<b>Hypac C340C Double Drum Roller</b> S/N: 901C14609410 C/W: Open Operator Station, Tier 1, Cummins B3.9-C 4 Cylinder 3.9 L Diesel Engine, 49 in Drums, Water System Usage: 8,016 Hr	251	<b>2007 Bomag BW211D-3 Smooth Drum Compactor</b> S/N: 901580861789 C/W: Open Operator Station, 2006 US EPA Label, Deutz 4 Cylinder 131 hp 4.03 L Diesel Engine, 18 in Drum Usage: 54 Hr
242	<b>2022 Hamm H131 Smooth Drum Compactor (Unused)</b> S/N: WGH0H267LHAA00650 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2022 US EPA Label, Deutz 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 84 in Drum Usage: 2 Hr	252	<b>2005 Bomag BW211D-3 Smooth Drum Compactor</b> S/N: 101580851579 C/W: Open Operator Station, 2005 US EPA Label, Deutz BF4M2012C 131 hp 4.0 L Diesel Engine, 84 in Drum Usage: 2,051 Hr
243	<b>2022 Hamm H131 Smooth Drum Compactor</b> S/N: WGH0H267HHAA00648 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2022 US EPA Label, Deutz TCD4.1L4 4 Cylinder 115 kW 4.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 84 in Drum Usage: 4 Hr	253	<b>2006 Bomag BW211D-3 Smooth Drum Compactor</b> S/N: 901580861776 C/W: Open Operator Station, Deutz 4 Cylinder Diesel Engine, 84 in Drum Usage: 6,224 Hr
244	<b>2022 Hamm H131 Smooth Drum Compactor (Unused)</b> S/N: WGH0H267HHAA00631 C/W: Enclosed Cab, Air Conditioner, 2022 US EPA Label, Deutz TCD4.1L4 115 kW Engine, Requires Diesel Exhaust Fluid, 84 in Drum Usage: 4 Hr	254	<b>2012 Volvo SD100D Vibratory Smooth Drum Compactor</b> S/N: VCE0S100C0S226659 C/W: Open Operator Station, Air Ride Seat, 2015 US EPA Label, Cummins QSB 4 Cylinder 130 hp 4.5 L Diesel Engine, 84 in Drum Usage: 4,433 Hr
246	<b>2015 Cat CS66B Smooth Drum Compactor</b> S/N: CATCS66BCS6600118 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Cat 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 84 in Drum, Vibratory Usage: 5,019 Hr	255	<b>2007 JCB VM115D Smooth Drum Compactor</b> S/N: JCB1800609 C/W: Open Operator Station, 4 Cylinder Diesel Engine, 83 in Drum Usage: 5,871 Hr
247	<b>2013 Cat CS66B Smooth Drum Compactor</b> S/N: CATCS66BHCS600151 C/W: Enclosed Cab, Air Conditioner, 2012 US EPA Label, Cat C4.4 4.4 L Diesel Engine, 84 in Drum Usage: 8,111 Hr	256	<b>2016 Volvo SD75B Smooth Drum Compactor</b> S/N: VCESD75BE0S241086 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, Volvo D3.8H-CR-T-EF02 6 Cylinder 3.8 L Diesel Engine, 66 in Drum Usage: 1,582 Hr

Lot #	Details	Lot #	Details
257	<b>2010 Cat CS-433E Vibratory Smooth Drum Compactor</b> S/N: CATCS433CASR01181 C/W: Open Operator Station, Air Ride Seat, 2008 US EPA Label, Cat 4 Cylinder 4.4 L Diesel Engine, 65.5 in Drum Usage: 3,919 Hr	268	<b>2015 John Deere 644K Wheel Loader</b> S/N: 1DW644KZLED664914 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Hydraulic Coupler, 112 in Bucket, 23.5R25 Tires Usage: 8,382 Hr
258	<b>2001 Cat CS433C Smooth Drum Compactor</b> S/N: CATCS433H3TM01550 C/W: Open Operator Station, Cat 4 Cylinder Diesel Engine, 66 in Drum Usage: 1,026 Hr	269	<b>2014 John Deere 644K Wheel Loader</b> S/N: 1DW644KZKED659916 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Hydraulic Coupler, 110 in Bucket, 23.5R25 Tires Usage: 16,137 Hr
259	<b>2006 Cat CS423E Smooth Drum Compactor</b> S/N: CATCS423EAST00496 C/W: Open Operator Station, Cat 4 Cylinder Diesel Engine, 66 in Drum Usage: 3,136 Hr	270	<b>2014 Case 821F Wheel Loader</b> S/N: NEF232089 C/W: Enclosed Cab, Air Conditioner, Requires Diesel Exhaust Fluid, 117 in Bucket, 23.5-25 Tires Usage: 7,147 Hr
260	<b>2005 Cat CS423E Smooth Drum Compactor</b> S/N: CATCS423LAST00494 C/W: Open Operator Station, Cat 4 Cylinder Diesel Engine, 66 in Drum Usage: 3,381 Hr	272	<b>2019 Cat 938M Wheel Loader</b> S/N: CAT0938MTJ3R06788 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Fusion Coupler, 4 cyd 113 in Bucket, 20.5R25 Tires Usage: 7,871 Hr
261	<b>2022 Dynapac CA1300D Smooth Drum Compactor (Unused)</b> S/N: 10000185PNA034659 C/W: Open Operator Station, Tier 4, 2022 US EPA Label, Kubota V3307 4 Cylinder 55.4 kW 3.3 L Diesel Engine, 54 in Drum Usage: 3 Hr	273	<b>2018 Cat 938M Wheel Loader</b> S/N: CAT0938MKJ3R06020 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, 2018 US EPA Label, Hydraulic Coupler, 107 in Bucket Usage: 6,885 Hr
262	<b>2016 Volvo SD45 Smooth Drum Compactor</b> S/N: VCE00S45C0S229216 C/W: Open Operator Station, 2015 US EPA Label, Kubota V3600 4 Cylinder 63 kW 3.6 L Diesel Engine, 54 in Drum Usage: 975 Hr	274	<b>2012 Cat 938K Wheel Loader</b> S/N: CAT0938KPSWL00360 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 2012 US EPA Label, Hydraulic Coupler, 106 in Bucket, 20.5R25 Tires Usage: 18,290 Hr
263	<b>2017 Cat 950M Wheel Loader</b> S/N: CAT0950MAEMB03725 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, 2016 US EPA Label, Hydraulic Coupler, 114 in Bucket, 23.5R25 Tires Usage: 6,754 Hr	275	<b>2012 Cat 938H Wheel Loader</b> S/N: CAT0938HLMJJC01845 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 107 in Bucket, 20.5R25 Tires Usage: Not Available
264	<b>2010 Cat 950H Wheel Loader</b> S/N: CAT0950HCK5K02984 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 106 in Bucket, 23.5R25 Tires Usage: 18,258 Hr	276	<b>2011 Cat 938H Wheel Loader</b> S/N: CAT0938HVMJJC01177 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2010 US EPA Label, Hydraulic Coupler, 106 in Bucket, 20.5R25 Tires Usage: Not Available
265	<b>2007 Cat 950H Wheel Loader</b> S/N: CAT0950HEK5K01034 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 114 in Bucket, 23.5-25 Tires Usage: 12,739 Hr	277	<b>2011 Cat 938H Wheel Loader</b> S/N: CAT0938HHMJJC01328 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 108 in Bucket, 20.5R25 Tires Usage: 14,088 Hr
266	<b>2016 Komatsu WA380-8 Wheel Loader</b> S/N: KMTWA130TGNA74295 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Tier 4, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 114 in Bucket, 23.5R25 Tires Usage: 8,491 Hr	278	<b>2010 Cat 938H Wheel Loader</b> S/N: CAT0938HVMJJC00854 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydraulic Coupler, 107 in Bucket, 20.5 R25 Tires Usage: 14,494 Hr

Lot #	Details	Lot #	Details
279	<b>2021 John Deere 624L Wheel Loader</b> S/N: 1DW624LZCMF708650 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 3.5 cyd 100 in Bucket, 20.5R25 Tires Usage: 4,702 Hr	288	<b>2013 Cat 924K Wheel Loader</b> S/N: CAT0924KPPWR01744 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, Tier 4, 2013 US EPA Label, Fusion Coupler, 100 in Bucket, 20.5R25 Tires Usage: 15,996 Hr
280	<b>2020 John Deere 624L Wheel Loader</b> S/N: 1DW624LZVLF707974 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Auxiliary Hydraulics, Hydraulic Coupler, 3.5 cyd 100 in Bucket, 20.5R25 Tires Usage: 4,166 Hr	289	<b>2019 Volvo L70H Wheel Loader</b> S/N: VCE0L70HA00013649 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 104 in Bucket, 20.5R25 Tires Usage: 3,238 Hr
281	<b>2020 Komatsu WA320-8 Wheel Loader</b> S/N: KMTWA135KNA39070 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 106 in Bucket, 20.5R25 Tires Usage: 6,452 Hr	290	<b>2018 Volvo L70H Wheel Loader</b> S/N: VCE0L70HV0S623408 C/W: Enclosed Cab, Air Conditioner, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 101 in Bucket, 20.5R25 Tires Usage: 4,192 Hr
282	<b>2018 Case 721G Wheel Loader</b> S/N: JEEN0721PJF243744 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Loadrite On-Board Scale w/Printer, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 3 cyd 103 in Bucket, 20.5-25 Tires Usage: 4,997 Hr	291	<b>2015 Volvo L60H Wheel Loader</b> S/N: VCE0L60HH0S621138 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Autoshift, Tier 4, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 94 in Bucket, Forks, 20.5R25 Tires Usage: 3,488 Hr
283	<b>2013 Cat 930K High Lift Wheel Loader</b> S/N: CAT0930KARHN02049 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Loadrite On-Board Scale, Hydraulic Coupler, 4.5 cyd 110 in Bucket, Solid Tires Usage: 7,019 Hr	292	<b>2015 Volvo L60H Wheel Loader</b> S/N: VCE0L60HL0S621154 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Tier 4, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 96 in Bucket, Forks, 20.5R25 Tires Usage: 3,987 Hr
284	<b>2011 Cat 928HZ Wheel Loader</b> S/N: CAT0928HKCCK01355 C/W: Enclosed Cab, Air Conditioner, Autoshift, Hydraulic Coupler, 100 in Bucket, 20.5R25 Tires Usage: 13,158 Hr	294	<b>2019 John Deere 544L Wheel Loader</b> S/N: 1DW544LZKKF696281 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 104 in Bucket, 20.5R25 Tires Usage: 6,554 Hr
285	<b>2010 Cat 928H Wheel Loader</b> S/N: CAT0928HPCCK00933 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 106 in Bucket, 20.5-25 Tires Usage: 12,024 Hr	296	<b>2015 John Deere 544K Wheel Loader</b> S/N: 1DW544KZVFE669938 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2015 US EPA Label, Hydraulic Coupler, 98 in Bucket, 20.5R25 Tires Usage: 6,025 Hr
286	<b>2019 Cat 926M Wheel Loader</b> S/N: CAT0926MKLTE07009 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Traction Control, Tier 4, 2019 US EPA Label, Hydraulic Coupler, 3 cyd 100 in Bucket, 20.5 R25 Tires Usage: 6,178 Hr	297	<b>2015 John Deere 544K Wheel Loader</b> S/N: 1DW544KZPFE670128 C/W: Enclosed Cab, Air Conditioner, Auxiliary Hydraulics, Hydraulic Coupler, 100 in Bucket, 20.5R25 Tires Usage: 4,908 Hr
287	<b>2016 Cat 926M Wheel Loader</b> S/N: CAT0926MALTE01197 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Loadrite On-Board Scale, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Fusion Coupler, 100 in Bucket, 20.5R25 Tires Usage: 9,025 Hr	298	<b>2010 John Deere 544K Wheel Loader</b> S/N: 1DW544KZCA0629503 C/W: Enclosed Cab, Hydraulic Coupler, 100 in, 20.5R25 Tires Usage: 9,432 Hr
		299B	<b>2006 Kawasaki 95Z Wheel Loader</b> S/N: 95Z2C5021 C/W: Enclosed Cab, 135 in Bucket, 26.5-25 Tires Usage: 6,073 Hr

Lot #	Details	Lot #	Details
299A	<b>2017 Case 621G Wheel Loader</b> S/N: JEEN0621EHF241072 C/W: Enclosed Cab, Air Conditioner, Engine Coolant Heater, Auxiliary Hydraulics, Hydraulic Coupler, 99 in Bucket, 20.5R25 Tires Usage: Not Available	309	<b>2022 Cat 908M Wheel Loader</b> S/N: CAT0908MHK5802978 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2021 US EPA Label, Hydraulic Coupler, 78 in Bucket, Forks, 405/70R20 Tires Usage: 1,115 Hr
299	<b>2016 John Deere 524K Wheel Loader</b> S/N: 1DW524KZKGF677504 C/W: Enclosed Cab, Air Conditioner, 2016 US EPA Label, Hydraulic Coupler, 105 in Bucket, 20.5-25 Tires Usage: 4,774 Hr	310	<b>2018 Cat 908M Wheel Loader</b> S/N: CAT0908MJH8802429 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, Hydraulic Coupler, 82 in Bucket, 17.5x65 Tires Usage: 9,222 Mi
300	<b>2002 John Deere 644H Wheel Loader</b> S/N: DW644HX582758 C/W: Open Operator Station, Hydraulic Coupler, 113 in Bucket, 23.5-25 Tires Usage: Not Available	311	<b>2022 Cat 906M Wheel Loader</b> S/N: CAT0906MAK5602876 C/W: Enclosed Cab, Air Conditioner, Ride Control, Tier 4, 2021 US EPA Label, Hydraulic Coupler, 67 in Bucket, Forks, 405/70R20 Tires, 35 km/h Usage: 99 Hr
301	<b>2006 Volvo L70E Wheel Loader</b> S/N: L70EV61331 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 98 in Bucket, 20.5R25 Tires Usage: 10,119 Hr	312	<b>2019 Cat 906M Wheel Loader</b> S/N: CAT0906MJK5600508 C/W: Enclosed Cab, Tier 4, 2019 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 74 in Bucket, Forks, 405/70R18 Tires Usage: 629 Hr
303	<b>2003 Komatsu WA250PT-5L Wheel Loader</b> S/N: A79037 C/W: Enclosed Cab, Traction Control, Tier 2, 2003 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 105 in Bucket, 20.5R25 Tires Usage: 6,399 Hr	313	<b>2019 Cat 906M Wheel Loader</b> S/N: CAT0906MCK5600504 C/W: Enclosed Cab, Tier 4, 2019 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 74 in Bucket, Forks, 405/70R18 Tires Usage: 731 Hr
304A	<b>1995 John Deere 544G Wheel Loader</b> S/N: DW544GB550804 C/W: Open Operator Station, Manual Coupler, 100 in Bucket, 20.5-25 Tires Usage: 7,779 Hr	314	<b>2019 Cat 906M Wheel Loader</b> S/N: CAT0906MHK5600564 C/W: Enclosed Cab, Tier 4, 2019 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 74 in Bucket, Forks, 405/70R18 Tires Usage: 732 Hr
304	<b>2003 John Deere 544H Wheel Loader</b> S/N: DW544HX589623 C/W: Enclosed Cab, Air Conditioner, US EPA Label, Hydraulic Coupler, 106 in, 20.5R25 Tires Usage: 16,536 Hr	315	<b>2018 John Deere 304L Wheel Loader</b> S/N: 1LU304LXPZB048429 C/W: Enclosed Cab, 2017 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 84 in Bucket, 365/70R18 Tires Usage: Not Available
305	<b>1995 Komatsu WA180-1 Wheel Loader</b> S/N: A75752 C/W: Open Operator Station, 95 in Bucket, 17.5-25 Tires Usage: 3,729 Hr	316	<b>2021 SDMHK 928 Wheel Loader</b> S/N: 2102003 C/W: Enclosed Cab, Bucket, 20.5x16 Tires Usage: Not Available
306	<b>1996 Cat 914G Wheel Loader</b> S/N: 9WM00409 C/W: Open Operator Station, 92 in Bucket, 17.5-25 Tires Usage: 3,921 Hr	317	<b>2020 PCAT TW36 Wheel Loader</b> S/N: TY38064 C/W: Enclosed Cab, Bucket, 20.5x16 Tires Usage: Not Available
307	<b>2022 Cat 908M Wheel Loader</b> S/N: CAT0908MCK5803166 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2021 US EPA Label, Hydraulic Coupler, 75 in Bucket, Forks, 405/70R20 Tires, 35 km/h Usage: 110 Hr	318	<b>2020 PCAT TW36 Wheel Loader</b> S/N: TY37292 C/W: Enclosed Cab, Bucket, 20.5x16 Tires Usage: Not Available
308	<b>2022 Cat 908M Wheel Loader</b> S/N: CAT0908MHK5803189 C/W: Enclosed Cab, Ride Control, Traction Control, Tier 4, 2022 US EPA Label, CARB Compliant, Hydraulic Coupler, 79 in Bucket, Forks, 405/70R20 Tires, 35 km/h Usage: 139 Hr	319	<b>2013 Cat 120M2 Motor Grader</b> S/N: CAT0120MPM9C00357 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Differential Lock, US EPA Label, 14 ft / 4.27 m Moldboard, Mid Mount Scarifier, 17.5R25 Tires Usage: 10,844 Hr



Lot #	Details	Lot #	Details
320	<b>2013 Cat 120M2 Motor Grader</b> S/N: CAT0120MKR9N00101 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Differential Lock, 14 ft / 4.27 m Moldboard, Mid Mount Scarifier, 17.5R25 Tires Usage: 10,537 Hr	331	<b>2019 Cat 745 Articulated Dump Truck</b> S/N: CAT00745T3T601794 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 29.5 R25 Tires Usage: 6,257 Hr
321	<b>2013 John Deere 672GP AWD Motor Grader</b> S/N: 1DW672GPPDE653883 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 14 ft / 4.27 m Moldboard, Push Block, Mid Mount Scarifier, 17.5R25 Tires Usage: 14,675 Hr	332	<b>2018 Cat 745 Articulated Dump Truck</b> S/N: CAT00745P3T600923 C/W: Air Conditioner, Retarder, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 29.5R25 Tires Usage: 6,199 Hr
324	<b>2015 Case IH Magnum 310 4WD Tractor</b> S/N: ZERF08188 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, CVT, Topcon Display, 310 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Front Weights, Suspended Front Axle, 4 Rear Remotes, ISOBUS, 1000 PTO, 3-Point Hitch, Drawbar, Rear Weights, Dual 480 /70R34 Front Tires, Dual 480/80R50 Rear Tires, Rear Wheel Weights Usage: 2,901 Hr	333	<b>2017 Cat 745 Articulated Dump Truck</b> S/N: CAT00745E3T600156 C/W: Air Conditioner, Retarder, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 29.5R25 Tires Usage: 5,842 Hr
325	<b>2009 John Deere 7130 4WD Tractor</b> S/N: L07130A580096 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 12 Forward 4 Reverse, SyncroPlus, 2 Mid-Mount Remotes, 3 Rear Remotes, 540 PTO, Drawbar, 340/85R28 Front Tires, 460/85R38 Rear Tires Usage: 1,547 Hr	334	<b>2020 Cat 730 Articulated Dump Truck</b> S/N: CAT00730P3T301079 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 23.5 R25 Tires Usage: 4,231 Hr
326	<b>2008 E-Ject SC-17XW-4T-Brakes Hydraulic 4 Tire Pull Scraper</b> S/N: 481F-26.5R25 C/W: Lead Scraper, 26.5R25 Tires, Rear Hydraulic Outlets Usage: Not Available	335	<b>2020 Cat 730 Articulated Dump Truck</b> S/N: CAT00730L3T301267 C/W: Air Conditioner, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 23.5R25 Tires Usage: 3,808 Hr
327	<b>2008 E-Ject SC-17XW-4T-Brakes Hydraulic 4 Tire Pull Scraper</b> S/N: 482R-26.5/R25 C/W: 26.5R25 Tires Usage: Not Available	336	<b>2019 Cat 730 Articulated Dump Truck</b> S/N: CAT00730J3T300520 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, Requires Diesel Exhaust Fluid, Tailgate, 23.5R25 Tires Usage: 5,590 Hr
328	<b>2008 E-Ject SC-17-2T-Brakes Hydraulic 2 Tire Pull Scraper</b> S/N: 472F-875/65R29 C/W: 875/65R29 Tires Usage: Not Available	337	<b>2019 Cat 730 Articulated Dump Truck</b> S/N: CAT00730L3T300409 C/W: Air Conditioner, Retarder, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 23.5R25 Tires Usage: 6,402 Hr
329	<b>Terra-Plane SR12 12 ft Box Scraper</b> S/N: Not Available C/W: Topcon GX-55 monitor w/ MC-A1 Antenna, Hydraulic Scarifier Usage: Not Available	338	<b>2020 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CC2T301021 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 23.5 R25 Tires Usage: 4,504 Hr
330	<b>2019 Cat 745 Articulated Dump Truck</b> S/N: CAT00745T3T601374 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, Requires Diesel Exhaust Fluid, 29.5 R25 Tires Usage: 6,115 Hr	339	<b>2020 Cat 725C2 6x6 Articulated Dump Truck</b> S/N: CAT0725CE2T301034 C/W: Air Conditioner, Retarder, Requires Diesel Exhaust Fluid, Tailgate, 23.5R25 Tires Usage: 4,791 Hr
		340	<b>2019 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CV2T300671 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 23.5R25 Tires Usage: 5,419 Hr

Lot #	Details	Lot #	Details
341	<b>2018 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CV2T300668 C/W: Air Conditioner, Rear View Camera, Tier 4, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 23.5R25 Tires Usage: 4,980 Hr	352	<b>2001 Cat 725 Articulated Dump Truck</b> S/N: AFX00117 C/W: Air Conditioner, Air Ride Seat, 23.5R25 Tires Usage: 23,607 Hr
342	<b>2017 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CT2T300372 C/W: Air Conditioner, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 23.5R25 Tires Usage: 5,661 Hr	353	<b>2018 Hydrema 912HM Articulated Dump Truck</b> S/N: 13429 C/W: Air Conditioner, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 800/45-30.5 Tires Usage: 2,722 Hr
343	<b>2017 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CC2T300306 C/W: Air Conditioner, Retarder, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 23.5 R25 Tires Usage: 6,043 Hr	354	<b>2017 Hydrema 912HM Articulated Dump Truck</b> S/N: 12603 C/W: Air Conditioner, 800/45-30.5 Tires Usage: 2,708 Hr
344	<b>2017 Cat 725C2 Articulated Dump Truck</b> S/N: CAT0725CL2T300219 C/W: Air Conditioner, Retarder, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 23.5 R25 Tires Usage: 6,046 Hr	355	<b>2017 Hydrema 912HM Articulated Dump Truck</b> S/N: 12601 C/W: Air Conditioner, 800/45-30.5 Tires Usage: 3,138 Hr
345	<b>2014 Cat 725C Articulated Dump Truck</b> S/N: CAT0725CETFB00253 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, 2014 US EPA Label, 23.5R25 Tires Usage: 10,071 Hr	356	<b>2019 Morooka MST2200VDR Crawler Carrier</b> S/N: AR224216 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 11 ft Long x 2 ft High Swivel Dump Body, 31 in Rubber Tracks Usage: 1,068 Hr
346	<b>2014 Cat 725C Articulated Dump Truck</b> S/N: CAT0725CJTFB00194 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23.5R25 Tires Usage: 10,240 Hr	357	<b>2019 Morooka MST2200VDR Crawler Carrier</b> S/N: AR224214 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft Long x 2 ft High Swivel Dump Body, 31 in Rubber Tracks Usage: 1,496 Hr
347	<b>2012 Cat 725 Articulated Dump Truck</b> S/N: CAT00725LB1L02801 C/W: Air Conditioner, 2012 US EPA Label, Tailgate, 23.5R25 Tires Usage: Not Available	358	<b>2021 Yanmar C50R-5A Crawler Carrier</b> S/N: YMRC50RYEMAJ52492 C/W: Enclosed Cab, 2021 US EPA Label, Yanmar 4QHNACJ 56 kW 3.05 L Diesel Engine, 8 ft 1 in Long x 0 ft 11.5 in High Dump Body Usage: 235 Hr
348	<b>2009 Terex TA40 Articulated Dump Truck</b> S/N: A8651384 C/W: 2009 US EPA Label, 29.5R25 Tires Usage: 8,764 Hr	359	<b>2021 Yanmar C50R-5A Crawler Carrier</b> S/N: YMRC50RYTMAJ52298 C/W: Enclosed Cab, 2020 US EPA Label, Yanmar 4QHNACJ 56 kW 3.05 L Diesel Engine, YANMAR 8 ft 1 in Long x 0 ft 11.5 in High Dump Body Usage: 280 Hr
349	<b>2006 Cat 730 6x6 Articulated Dump Truck</b> S/N: CAT00730KB1M00660 C/W: Air Conditioner, Retarder, Air Ride Seat, 2010 US EPA Label, 23.5R25 Tires Usage: 11,871 Hr	360	<b>2021 Yanmar C50R-5A Crawler Carrier</b> S/N: YMRC50RYTMAJ52520 C/W: Enclosed Cab, 2021 US EPA Label, Yanmar Engine, 8 ft 1 in Long x 0 ft 11.5 in High Dump Body Usage: 266 Hr
350	<b>2004 Cat 730 6x6 Articulated Dump Truck</b> S/N: CAT00730VAGF01216 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, 2000 US EPA Label, 23.5R25 Tires Usage: 16,921 Hr	361	<b>2000 Cat 613C Series II 5000 gal Water Wagon</b> S/N: 8LJ02122 C/W: Open Operator Station, Mega Tank, In-Cab Remote Controlled Water Cannon, Rear Spray, Self Loading Water Pump, 23.5-25 Tires Usage: 4,942 Hr
351	<b>2005 Cat 725 Articulated Dump Truck</b> S/N: CAT00725PB1L00182 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, 23.5R25 Tires Usage: 18,953 Hr	362	<b>1996 Cat 613C 5000 gal 4x4 Water Wagon</b> S/N: 8LJ01252 C/W: Open Operator Station, Mega Tank, In-Cab Remote Controlled Water Cannon, Front Spray, Rear Spray, Side Spray, 23.5-25 Tires Usage: 6,349 Hr

Lot #	Details	Lot #	Details
363	<b>2018 Cat D8T Crawler Dozer</b> S/N: CAT00D8TPFMC01552 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, 153 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, Cat PA140-316V Winch Usage: 5,709 Hr	370	<b>2019 Cat D6K2 LGP Crawler Dozer</b> S/N: CAT00D6KEEL703047 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 144 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 5,675 Hr
364	<b>2019 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NPSGG00961 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, 159 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 5,375 Hr	371	<b>2019 Cat D6K2 LGP Crawler Dozer</b> S/N: CAT00D6KCEL703073 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Hydrostatic Drive, Requires Diesel Exhaust Fluid, 134 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 6,020 Hr
365	<b>2019 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NKS GG01092 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, 160 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar, Rear Auxiliary Hydraulics Usage: 6,482 Hr	372	<b>2019 Cat D6K2 LGP Crawler Dozer</b> S/N: CAT00D6KTEL701012 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 143 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 6,529 Hr
366	<b>2017 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NVSGG00156 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, Tier 4, Requires Diesel Exhaust Fluid, 160 in Wide PAT Blade, Drawbar, 33 in Single Grouser Track Shoes Usage: 6,252 Hr	373	<b>2018 Cat D6K2 LGP Crawler Dozer</b> S/N: CAT00D6KPJTR01108 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Requires Diesel Exhaust Fluid, 142 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 5,184 Hr
367	<b>2017 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NCMG501268 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 2017 US EPA Label, 156 in Wide PAT Blade, 33 in Single Grouser Track Shoes, Drawbar Usage: 8,194 Hr	375	<b>2008 Cat D6K XL Crawler Dozer</b> S/N: CAT00D6KCFBH00869 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 114 in Wide PAT Blade, 22 in Single Grouser Track Shoes, SystemOne Undercarriage, Counterweight, Drawbar Usage: 6,537 Hr
368	<b>2015 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NKPBA02729 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Tier 4, 2014 US EPA Label, 156 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar, Rear Auxiliary Hydraulics Usage: 6,716 Hr	378	<b>2019 Cat D5K2 LGP Crawler Dozer</b> S/N: CAT00D5KKKY207350 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 125 in Wide PAT Blade, 26 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 5,490 Hr
369	<b>2020 Cat D6K2 LGP Crawler Dozer</b> S/N: CAT00D6KCEL703325 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 132 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 4,898 Hr	379	<b>2017 Cat D5K2 LGP Crawler Dozer</b> S/N: CAT00D5KLKY203175 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 126 in Wide PAT Blade, 26 in Single Grouser Track Shoes Usage: 4,099 Hr

Lot #	Details	Lot #	Details
380	<b>2017 Cat D5K2 LGP Crawler Dozer</b> S/N: CAT00D5KEKY203213 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 116 in Wide PAT Blade, 26 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 7,018 Hr	390	<b>2004 Cat D6R XW Series II Crawler Dozer</b> S/N: CAT00D6RPAEP00407 C/W: Open Operator Station, Powershift Transmission w/ Differential Steering, Sweeps, 142 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, Drawbar Usage: 23,186 Hr
381	<b>2016 John Deere 650K LGP Crawler Dozer</b> S/N: 1T0650KXKGF300553 C/W: Enclosed Cab, Pre-Wired for Grade Control, Hydrostatic Drive, 118 in Wide PAT Blade, 27 in Single Grouser Track Shoes Usage: 9,270 Hr	392A	<b>2005 John Deere 700J Crawler Dozer</b> S/N: T0700JX116849 C/W: Open Operator Station, Hydrostatic Drive, 2005 US EPA Label, 121 in Wide PAT Blade, 22 in Single Grouser Track Shoes Usage: 8,443 Hr
382	<b>2015 John Deere 650K LGP Crawler Dozer</b> S/N: 1T0650KXJFF278716 C/W: Enclosed Cab, Hydrostatic Drive, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 128 in Wide PAT Blade, 28 in Single Grouser Track Shoes Usage: 5,958 Hr	392	<b>1996 Cat D6M LGP Crawler Dozer</b> S/N: 4JN00251 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 148 in Wide PAT Blade, 34 in Single Grouser Track Shoes Usage: 15,005 Hr
383	<b>2015 John Deere 650K LGP Crawler Dozer</b> S/N: 1T0650KXTFF280963 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 129 in Wide PAT Blade, 27.5 in Single Grouser Track Shoes Usage: 8,483 Hr	393	<b>2006 Komatsu D39PX-21 Crawler Dozer</b> S/N: 14C01002051 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Hydrostatic Drive, Tier 1, 2006 US EPA Label, 130 in Wide PAT Blade, 25 in Single Grouser Track Shoes Usage: 4,206 Hr
384	<b>2015 John Deere 550K LGP Crawler Dozer</b> S/N: 1T0550KXLFF278720 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 124 in Wide PAT Blade, 24 in Single Grouser Track Shoes Usage: 7,955 Hr	394	<b>2011 John Deere 450J LGP Crawler Dozer</b> S/N: 1T0450JXLB0195217 C/W: Open Operator Station, Hydrostatic Drive, 2010 US EPA Label, 115 in Wide PAT Blade, 24 in Single Grouser Track Shoes Usage: 6,157 Hr
386	<b>2014 Cat D3K2 LGP Crawler Dozer</b> S/N: CAT0D3K2CKLL00462 C/W: Open Operator Station, Air Ride Seat, Hydrostatic Drive, 2013 US EPA Label, Sweeps, 123 in Wide PAT Blade, 25 in Single Grouser Track Shoes Usage: 4,371 Hr	395	<b>2007 John Deere 450J LGP Crawler Dozer</b> S/N: T0450JX135687 C/W: Open Operator Station, Hydrostatic Drive, 2006 US EPA Label, 124 in Wide PAT Blade, 24 in Single Grouser Track Shoes Usage: 7,715 Hr
387	<b>2013 Cat D3K2 LGP Crawler Dozer</b> S/N: KLL00358 C/W: Open Operator Station, Hydrostatic Drive, 2012 US EPA Label, Sweeps, 122 in Wide PAT Blade, 25 in Single Grouser Track Shoes Usage: 4,734 Hr	396	<b>2007 John Deere 450J LT Crawler Dozer</b> S/N: T0450JX134264 C/W: Open Operator Station, Hydrostatic Drive, 97 in Wide PAT Blade, 16 in Single Grouser Track Shoes Usage: 5,957 Hr
388	<b>2013 Cat D3K2 XL Crawler Dozer</b> S/N: CAT0D3K2TKFF00230 C/W: Open Operator Station, Hydrostatic Drive, Tier 4, 2012 US EPA Label, 104 in Wide PAT Blade, 16 in Single Grouser Track Shoes Usage: 5,117 Hr	397	<b>2003 Cat D4G Crawler Dozer</b> S/N: CAT00D4GPCFN00772 C/W: Open Operator Station, 105 in Wide PAT Blade, 18 in Single Grouser Track Shoes Usage: 4,832 Hr
389	<b>2006 Cat D6R LGP Series III Crawler Dozer</b> S/N: CAT00D6RCWRG00329 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 156 in Wide Straight Blade w/ Single Tilt, 36 in Single Grouser Track Shoes, Counterweight, Drawbar Usage: 29,777 Hr	398A	<b>1980 Cat D3B Crawler Dozer</b> S/N: 23Y0651 C/W: Open Operator Station, Powershift Transmission, 88 in Wide PAT Blade, 16 in Single Grouser Track Shoes Usage: 2,137 Hr
		398	<b>2007 Cat D3G XL Crawler Dozer</b> S/N: CAT00D3GLJMH02615 C/W: Open Operator Station, Hydrostatic Drive, 86 in Wide PAT Blade, 16 in Single Grouser Track Shoes Usage: 3,603 Hr

Lot #	Details	Lot #	Details
399	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FPHPD20963 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Trimble Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35.5 in Triple Grouser Track Shoes, 68 in Digging Bucket Usage: 3,348 Hr	407	<b>2018 Cat 349F L Tracked Excavator</b> S/N: CAT0349FHBZ220445 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 35.5 in Triple Grouser Track Shoes, 72 in Digging Bucket, Counterweight Removal System Usage: 6,833 Hr
400	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FEHPD20828 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35.5 in Triple Grouser Track Shoes, 52 in Digging Bucket Usage: 5,487 Hr	408	<b>2019 Volvo EC480EL Tracked Excavator</b> S/N: VCEC480ET00314144 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, 68 in Digging Bucket, Auto Lube Usage: 5,141 Hr
401	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FJHPD20741 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35.5 in Triple Grouser Track Shoes, 68 in Digging Bucket Usage: 5,735 Hr	409	<b>2017 Volvo EC480EL Tracked Excavator</b> S/N: VCEC480EC00310746 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 35.5 in Triple Grouser Track Shoes, 64 in Cleanup Bucket Usage: 7,386 Hr
402	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FPHPD20946 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35.5 in Triple Grouser Track Shoes, 68 in Digging Bucket Usage: 6,147 Hr	410	<b>2016 Komatsu PC490LC-11 Tracked Excavator</b> S/N: KMTPC251AFWA41194 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft 1 in Stick, 35.5 in Triple Grouser Track Shoes, 68 in Digging Bucket, Auto Lube Usage: 12,044 Hr
403	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FEHPD20666 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35.5 in Triple Grouser Track Shoes, 74 in Digging Bucket Usage: 6,391 Hr	411	<b>2016 Komatsu PC490LC-11 Tracked Excavator</b> S/N: KMTPC251JFWA41398 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft 1 in Stick, 35.5 in Triple Grouser Track Shoes, 64 in Digging Bucket Usage: 12,215 Hr
404	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FPHPD20588 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35 in Triple Grouser Track Shoes, 69 in Digging Bucket Usage: 6,658 Hr	412	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336KDKS00565 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Pre-Wired for Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 33 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 56 in Digging Bucket Usage: 5,486 Hr
405	<b>2018 Cat 349F L Tracked Excavator</b> S/N: CAT0349FPBZ220225 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 35.5 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 4,599 Hr	413	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336EDKS01919 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 56 in Digging Bucket Usage: 5,617 Hr
406	<b>2018 Cat 349F L Tracked Excavator</b> S/N: CAT0349FABZ220166 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Tier 4, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 35.5 in Triple Grouser Track Shoes, Counterweight Removal System Usage: 6,551 Hr		

Lot #	Details	Lot #	Details
414	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336TDKS01633 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Pre-Wired for Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 33.5 in Triple Grouser Track Shoes, 58 in Digging Bucket Usage: 5,194 Hr	422	<b>2018 Cat 336FL Tracked Excavator</b> S/N: CAT0336FHRKB20012 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 55 in Digging Bucket Usage: 9,061 Hr
415	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336LDKS02002 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 62 in Digging Bucket Usage: 6,270 Hr	423	<b>2018 Cat 336F L Tracked Excavator</b> S/N: CAT0336FLRKB10823 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33 in Triple Grouser Track Shoes, 55 in Digging Bucket Usage: 10,480 Hr
416	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336PDKS02217 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33 in Triple Grouser Track Shoes, 55 in Digging Bucket Usage: 6,355 Hr	425	<b>2015 Cat 336F L XE Tracked Excavator</b> S/N: CAT0336FLDFY00151 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Tier 4, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 33.5 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 5,495 Hr
417	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336CYBN00406 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 56 in Digging Bucket Usage: 6,398 Hr	426	<b>2013 Cat 336E L H Tracked Excavator</b> S/N: CAT0336EARZA00450 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, Boom Check Valves, 33 in Triple Grouser Track Shoes, 56 in Digging Bucket, Catwalks Usage: 12,814 Hr
418	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336AYBN00263 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Pre-Wired for Grade Control, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 7,256 Hr	427	<b>2013 Cat 336ELH Tracked Excavator</b> S/N: CAT0336ECRZA00230 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, 56 in Digging Bucket, Thumb Bracket Usage: 14,863 Hr
419	<b>2018 Cat 336F L Tracked Excavator</b> S/N: CAT0336FARKB20704 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 33.5 in Triple Grouser Track Shoes, 58 in Digging Bucket Usage: 5,631 Hr	428	<b>2012 John Deere 350G Tracked Excavator</b> S/N: 1FF350GXCC808799 C/W: Air Conditioner, Rear View Camera, 2012 US EPA Label, 12 ft 10 in Stick, 31.5 in Triple Grouser Track Shoes, 59 in Digging Bucket Usage: 10,876 Hr
421	<b>2018 Cat 336F L Tracked Excavator</b> S/N: CAT0336FKRKB20650 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 33.5 in Triple Grouser Track Shoes, 66 in Digging Bucket Usage: 4 Hr	430	<b>2021 Cat 330 Tracked Excavator</b> S/N: CAT00330AWCH10710 C/W: Air Conditioner, Straight Travel Pedal, Rear & Side View Cameras, 10 ft 10 in Stick, 31.5 in Triple Grouser Track Shoes, 50 in Digging Bucket, Auto Lube Usage: 3,489 Hr
		431	<b>2020 Cat 330 Tracked Excavator</b> S/N: CAT00330PWCH10375 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10 ft 8 in Stick, 31.5 in Triple Grouser Track Shoes, 62 in Digging Bucket Usage: 4,484 Hr

Lot #	Details	Lot #	Details
432	<b>2016 Cat 330F L Tracked Excavator</b> S/N: CAT0330FVMBX00483 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Tier 4, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 32 in Triple Grouser Track Shoes, 54 in Digging Bucket Usage: 5,813 Hr	441	<b>2017 Cat 320F L Tracked Excavator</b> S/N: CAT0320FHYBM10538 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 3,643 Hr
433	<b>2016 Cat 330F L Tracked Excavator</b> S/N: CAT0330FEMBX00375 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 10 ft 6 in Stick, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 60 in Digging Bucket Usage: 6,162 Hr	442	<b>2017 Cat 320F L Tracked Excavator</b> S/N: CAT0320FCYBM10199 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 8 in Stick, 31 in Triple Grouser Track Shoes, 44 in Digging Bucket Usage: 3,723 Hr
435	<b>2018 Cat 326F L Tracked Excavator</b> S/N: CAT0326FKFBR20271 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, 50 in Digging Bucket Usage: 6,043 Hr	443	<b>2014 Cat 320E L Tracked Excavator</b> S/N: CAT0320ETWBK03107 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2014 US EPA Label, 9 ft 6 in Stick, 31 in Triple Grouser Track Shoes, 44 in Digging Bucket, Thumb Bracket, Catwalks Usage: 9,827 Hr
436A	<b>2018 Cat 325F L CR Tracked Excavator</b> S/N: CAT0325FJNDJ20110 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 19 in Stick, 31 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 8,732 Hr	444	<b>2019 Hitachi ZX200LC-6 Tracked Excavator</b> S/N: HCMDC4A1A00506350 C/W: Air Conditioner, Rear & Side View Cameras, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 843 Hr
437	<b>2015 Link-Belt 250 X4 EX Tracked Excavator</b> S/N: LBX250Q7NFHEX1128 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 52 in Digging Bucket Usage: 5,691 Hr	445	<b>2019 Hitachi ZX200LC-6 Tracked Excavator</b> S/N: HCMDC4A1H00505962 C/W: Air Conditioner, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 1,272 Hr
438	<b>2021 Cat 320 Tracked Excavator</b> S/N: CAT00320CMYK11174 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Surround View Cameras, 2D Grade Assist Grade Control, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, 44 in Digging Bucket, Hydraulic Thumb, Auto Lube Usage: 1,008 Hr	446A	<b>2016 Case CX210D Tracked Excavator</b> S/N: DAC210K7NGS7H1296 C/W: Control Pattern Changer, Rear View Camera, 2015 US EPA Label, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 45 in Digging Bucket, Thumb Bracket Usage: 6,636 Hr
440	<b>2018 Cat 320 Tracked Excavator</b> S/N: CAT00320VHEX02238 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Pre-Wired for Grade Control, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 8 in Stick, 31 in Triple Grouser Track Shoes, 44 in Digging Bucket Usage: 3,408 Hr	446	<b>2018 Komatsu PC210LCI-11 Tracked Excavator</b> S/N: KMTPC257KJC501296 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Komatsu GPS Grade Control, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 72 in Cleanup Bucket Usage: 4,773 Hr
		447	<b>2011 John Deere 200D LC Tracked Excavator</b> S/N: 1FF200DXTBD512783 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 9 ft 10 in Stick, 31.5 in Triple Grouser Track Shoes, 24 in Digging Bucket Usage: 6,693 Hr

Lot #	Details	Lot #	Details
448	<b>2012 John Deere 160D LC Tracked Excavator</b> S/N: 1FF160DXVBD051019 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Cab Screens, 10 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 27.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46 in Digging Bucket, Auto Lube Usage: 4,792 Hr	459	<b>2006 Doosan SOLAR300LC-V Tracked Excavator</b> S/N: KHKHELVOA50003601 C/W: Air Conditioner, 10 ft 5 in Stick, 31.5 in Triple Grouser Track Shoes, 58 in Digging Bucket, Manual Thumb Usage: Not Available
449	<b>2012 Cat 315 DL Tracked Excavator</b> S/N: JGS00606 C/W: Air Conditioner, Air Ride Seat, 2011 US EPA Label, CARB Compliant, 10 ft 1 in Stick, Auxiliary Hydraulic Plumbing, 28 in Triple Grouser Track Shoes, 41 in Digging Bucket, Hydraulic Thumb Usage: 8,780 Hr	460	<b>2009 Cat 321D LCR Tracked Excavator</b> S/N: CAT0321DENAS00330 C/W: Air Conditioner, Air Ride Seat, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 50 in Digging Bucket Usage: 5,683 Hr
452	<b>2015 Kobelco SK140SRLC Tracked Excavator</b> S/N: YH0709866 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2014 US EPA Label, 9 ft 6 in Stick, 23.5 in Triple Grouser Track Shoes, 34 in Digging Bucket Usage: 796 Hr	462	<b>2007 Cat 320C L Tracked Excavator</b> S/N: CAT0320CCPAB07248 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 2006 US EPA Label, 9 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, Rock Guards, 48 in Digging Bucket, Catwalks Usage: 11,450 Hr
453	<b>2014 Kobelco SK140SRLC-3 Tracked Excavator</b> S/N: YH0709428 C/W: Air Conditioner, 8 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 23.5 in Triple Grouser Track Shoes, 33 in Cleanup Bucket Usage: 8,420 Hr	463	<b>2001 Cat 322B L Tracked Excavator</b> S/N: CAT0322BC2ES01116 C/W: Air Conditioner, Air Ride Seat, 9 ft 8 in Stick, 31.5 in Triple Grouser Track Shoes, 46 in Digging Bucket Usage: 14,831 Hr
454	<b>2006 Cat 365C L Tracked Excavator</b> S/N: CAT0365CKMCS00314 C/W: Air Conditioner, Straight Travel Pedal, Cab Screens, Tier 3, 2013 US EPA Label, 13 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Double Grouser Track Shoes, 64 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 10,737 Hr	464	<b>2005 Hitachi ZX270LC Tracked Excavator</b> S/N: ARV810314 C/W: Air Conditioner, Tier 2, US EPA Label, 12 ft 3 in Stick, 32 in Triple Grouser Track Shoes, Thumb Bracket Usage: 15,340 Hr
455	<b>2006 Hitachi ZX450LC-3 VG Tracked Excavator</b> S/N: FF01J3Q020040 C/W: Air Conditioner, 12 ft 7 in Stick, 35.5 in Triple Grouser Track Shoes, 74 in Digging Bucket, Catwalks Usage: 12,762 Hr	465	<b>1998 Cat 330BL Tracked Excavator</b> S/N: 6DR02774 C/W: Air Conditioner, Air Ride Seat, 33.5 in Triple Grouser Track Shoes Usage: 11,971 Hr
456	<b>2010 Cat 336D L Tracked Excavator</b> S/N: CAT0336DPW3K01129 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, 2010 US EPA Label, 13 ft Stick, 33.5 in Triple Grouser Track Shoes, 63 in Digging Bucket Usage: 12,881 Hr	467	<b>2016 Takeuchi TB290 Tracked Excavator</b> S/N: 185102106 C/W: Air Conditioner, 2014 US EPA Label, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler Usage: 3,455 Hr
457	<b>2007 John Deere 350DLC Tracked Excavator</b> S/N: FF350DX805773 C/W: Air Conditioner, Air Ride Seat, 13 ft 1 in Stick, 31.5 in Triple Grouser Track Shoes, 58 in Digging Bucket Usage: 5,793 Hr	468B	<b>2016 Takeuchi TB290 Tracked Excavator</b> S/N: 185103430 C/W: Air Conditioner, 2016 US EPA Label, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 19 in Rubber Tracks, 23 in Digging Bucket, Thumb Bracket Usage: 4,329 Hr
458	<b>2008 Komatsu PC308USLC-3E0 Tracked Excavator</b> S/N: KMTPC160A02030191 C/W: Air Conditioner, 11 ft 7 in Stick, 33.5 in Triple Grouser Track Shoes Usage: 2,269 Hr	468A	<b>2016 Takeuchi TB290 Tracked Excavator</b> S/N: 185102216 C/W: Air Conditioner, Swing Boom, 6 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17 in Rubber Tracks, Manual Quick Coupler, 35 in Digging Bucket Usage: 4,998 Hr



Lot #	Details	Lot #	Details
468	<b>2016 Takeuchi TB290 Tracked Excavator</b> S/N: 185102770 C/W: Air Conditioner, Tier 4, 2015 US EPA Label, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket Usage: 3,190 Hr	477	<b>2017 Cat 308E2 CR Tracked Excavator</b> S/N: CAT0308EEFJX08219 C/W: Air Conditioner, Swing Boom, 6 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w /Rubber Inserts, 31 in Digging Bucket, Hydraulic Thumb Usage: 689 Hr
469	<b>2017 Bobcat E85 Tracked Excavator</b> S/N: B34S13710 C/W: Air Conditioner, 2016 US EPA Label, Swing Boom, 7 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, 60 in Cleanup Bucket, Thumb Bracket Usage: 3,328 Hr	478	<b>2016 Cat 308E2 CR Tracked Excavator</b> S/N: CAT0308ETFJX05811 C/W: Air Conditioner, Rear View Camera, Tier 4, 2015 US EPA Label, Swing Boom, 7 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket, Thumb Bracket Usage: 4,633 Hr
470	<b>2014 John Deere 85G Tracked Excavator</b> S/N: 1FF085GXJEJ017681 C/W: Air Conditioner, 2011 US EPA Label, Swing Boom, 8 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, 23 in Digging Bucket Usage: 4,887 Hr	479	<b>2017 Kubota KX080-4 Tracked Excavator</b> S/N: JKUK0804K01H40407 C/W: Air Conditioner, Air Ride Seat, E-Stops, 2016 US EPA Label, Swing Boom, 6 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17 in Rubber Tracks, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 3,761 Hr
472	<b>2016 JCB 85Z-1 Tracked Excavator</b> S/N: JCB085Z1LG2249380 C/W: Air Conditioner, Air Ride Seat, Swing Boom, 6 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 22 in Cleanup Bucket, Thumb Bracket Usage: 1,737 Hr	480	<b>2015 Kubota KX080-4 Tracked Excavator</b> S/N: JKUK0803P01H33964 C/W: Air Conditioner, Tier 4, 2015 US EPA Label, Swing Boom, 6 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 18 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 2,926 Hr
473	<b>2016 JCB 85Z-1 Tracked Excavator</b> S/N: JCB085Z1KG2249484 C/W: Air Conditioner, Air Ride Seat, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17 in Rubber Tracks, Manual Quick Coupler, 35 in Digging Bucket, Hydraulic Thumb Usage: 2,536 Hr	481	<b>2016 Takeuchi TB280FR Tracked Excavator</b> S/N: 178500439 C/W: Air Conditioner, 2016 US EPA Label, Swing Boom, 6 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Thumb Bracket Usage: 2,902 Hr
474	<b>2021 Cat 308 CR Tracked Excavator</b> S/N: CAT00308JGG803398 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Swing Boom, 7 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, Triple Grouser Track Shoes w/Rubber Inserts, 22 in Digging Bucket Usage: 1,817 Hr	482	<b>2016 Takeuchi TB280FR Tracked Excavator</b> S/N: 178500428 C/W: Air Conditioner, Air Ride Seat, 2015 US EPA Label, Variable Angle Swing Boom, 6 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, Backfill Blade, 17.5 in Rubber Tracks Usage: 3,141 Hr
475	<b>2021 Cat 308 CR Tracked Excavator</b> S/N: CAT00308TGG803591 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Tier 4, 2020 US EPA Label, Swing Boom, 7 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w/Rubber Inserts, 24 in Digging Bucket, Hydraulic Thumb Usage: 1,828 Hr	483A	<b>2014 Takeuchi TB180FR Tracked Excavator</b> S/N: 178401265 C/W: Air Conditioner, 6 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Thumb Bracket Usage: 4,008 Hr
476	<b>2019 Cat 308 CR Tracked Excavator</b> S/N: CAT00308LGG800670 C/W: Air Ride Seat, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Swing Boom, 7 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Triple Grouser Track Shoes w/Rubber Pads, 34 in Digging Bucket, Thumb Bracket Usage: 4,131 Hr	484	<b>2015 Hyundai Robex 80CR-9 Tracked Excavator</b> S/N: HHKHZ101PE0000850 C/W: Air Conditioner, 2014 US EPA Label, Swing Boom, 7 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 18 in Rubber Tracks, 30 in Cleanup Bucket Usage: 33 Hr

Lot #	Details	Lot #	Details
485	<b>2012 Bobcat E80A Tracked Excavator</b> S/N: ZWBD8U C/W: 2012 US EPA Label, Swing Boom, 7 ft 5 in Stick, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 34 in Digging Bucket, Hydraulic Thumb Usage: 4,221 Hr	493	<b>2015 IHI 55N4 Mini Excavator</b> S/N: WP004035 C/W: 2015 US EPA Label, Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks Usage: 2,122 Hr
486	<b>2018 John Deere 75G Tracked Excavator</b> S/N: 1FF075GXLHJ016415 C/W: Air Conditioner, Tier 2, 2017 US EPA Label, 7 ft Stick, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 36 in Digging Bucket, Hydraulic Thumb Usage: 3,079 Hr	494A	<b>2015 IHI 55N4 Mini Excavator</b> S/N: WP004031 C/W: US EPA Label, Swing Boom, 5 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 22 in Digging Bucket Usage: 2,265 Hr
487A	<b>2016 Takeuchi TB260 Mini Excavator</b> S/N: 126101504 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 5 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler Usage: 2,686 Hr	494	<b>2015 IHI 55N4 Mini Excavator</b> S/N: WP004034 C/W: 2015 US EPA Label, Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 16 in Rubber Tracks, 22.5 in Digging Bucket Usage: 3,277 Hr
487	<b>2014 Takeuchi TB260 Mini Excavator</b> S/N: 126100311 C/W: 2014 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket, Thumb Bracket Usage: 4,562 Hr	495A	<b>2016 Kubota KX057-4 Mini Excavator</b> S/N: 26855 C/W: Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Cleanup Bucket Usage: 3,995 Hr
488	<b>2014 Cat 305.5E CR Mini Excavator</b> S/N: CAT3055EHFKY02438 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2013 US EPA Label, Swing Boom, 6 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14.5 in Rubber Tracks, 24 in Digging Bucket, Thumb Bracket Usage: 6,205 Hr	495	<b>Kobelco SK55SRX-6E Mini Excavator</b> S/N: PS0410140 C/W: 2014 US EPA Label, Swing Boom, 5 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Thumb Bracket Usage: 3,387 Hr
489	<b>2021 Cat 305E2CR Mini Excavator</b> S/N: CAT0305ETH5M14242 C/W: Tier 4, 2020 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, 17 in Digging Bucket Usage: 1,827 Hr	496	<b>2018 Kubota KX161-3SZ Mini Excavator</b> S/N: JKUK1613C00H86332 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 5 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 19.5 in Triple Grouser Track Shoes, 30 in Digging Bucket Usage: 3,134 Hr
490	<b>2017 Cat 305E2 Mini Excavator</b> S/N: CAT0305ECH5M04891 C/W: Control Pattern Changer, Swing Boom, 5 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 22 in Digging Bucket Usage: 3,499 Hr	499	<b>2014 Kubota KX155-3SZ Mini Excavator</b> S/N: JKUK1553P01H81146 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 4 ft 10 in Stick, Backfill Blade, Digging Bucket Usage: Not Available
491	<b>2016 Cat 305E2 Mini Excavator</b> S/N: CAT0305ECH5M03151 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2016 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler, 22 in Digging Bucket, Thumb Bracket Usage: 4,916 Hr	500	<b>2010 Hyundai R55-7 Mini Excavator</b> S/N: 905C71502 C/W: Enclosed Cab, Air Conditioner, 5 ft 3 in Stick, Backfill Blade, Track Shoes, Digging Bucket Usage: Not Available
492	<b>2016 Volvo EC55B Mini Excavator</b> S/N: VCEEC55BV00053607 C/W: Enclosed Cab, Air Conditioner, 5 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 15.75 in Triple Grouser Track Shoes, 27 in Digging Bucket Usage: 7,749 Hr	501	<b>Komatsu PC55MR-2 Mini Excavator</b> S/N: KMTPC162J38DJ1839 C/W: Enclosed Cab, US EPA Label, 4 ft 10 in Stick, Backfill Blade, 16 in Triple Grouser Track Shoes, 24 in Digging Bucket, Hydraulic Thumb Usage: 828 Hr

Lot #	Details	Lot #	Details
502	<b>2021 Bobcat E50 Mini Excavator</b> S/N: B4GP12601 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2020 US EPA Label, Swing Boom, 6 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 15.5 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 347 Hr	510	<b>2017 Kubota KX040-4 Mini Excavator</b> S/N: JKUK0404J01H27666 C/W: Tier 4, 2016 US EPA Label, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, 24 in Digging Bucket, Thumb Bracket Usage: 3,334 Hr
503	<b>2007 John Deere 50D Mini Excavator</b> S/N: FF050DX245491 C/W: 2006 US EPA Label, Swing Boom, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 15 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: Not Available	511	<b>2016 Takeuchi TB240 Mini Excavator</b> S/N: 124001360 C/W: Control Pattern Changer, 2016 US EPA Label, Swing Boom, 5 ft 3 in Stick, Backfill Blade, 13 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket, Hydraulic Thumb Usage: 2,112 Hr
504	<b>2006 John Deere 50D Mini Excavator</b> S/N: FF050DX244775 C/W: 2005 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 20 in Digging Bucket Usage: 1,905 Hr	512	<b>2012 Cat 304D CR Mini Excavator</b> S/N: CAT0304DPTYK01423 C/W: 2011 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Thumb Bracket Usage: Not Available
505	<b>2016 Bobcat E42 Mini Excavator</b> S/N: B2VW12881 C/W: Control Pattern Changer, Swing Boom, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 1,590 Mi	513	<b>2019 Cat 303.5E2 CR Mini Excavator</b> S/N: CAT3035ETJWY04975 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 19 in Digging Bucket, Hydraulic Thumb Usage: Not Available
506	<b>2019 Cat 304E2 CR Mini Excavator</b> S/N: CAT0304ETME405391 C/W: Tier 4, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 10 in Digging Bucket, Thumb Bracket Usage: 446 Hr	514	<b>2017 Bobcat E35I Mini Excavator</b> S/N: AUYM14497 C/W: Swing Boom, 5 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Hydraulic Thumb Usage: 1,429 Hr
507	<b>2018 Cat 304E2 CR Mini Excavator</b> S/N: CAT0304EJME403645 C/W: Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, 36 in Digging Bucket, Hydraulic Thumb Usage: 2,153 Hr	515	<b>2017 Bobcat E35I Mini Excavator</b> S/N: AUYM14448 C/W: Swing Boom, 5 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket, Hydraulic Thumb Usage: 1,552 Hr
508	<b>2016 Cat 304E2 CR Mini Excavator</b> S/N: CAT0304ELME401335 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2015 US EPA Label, Swing Boom, 5 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, Hydraulic Quick Coupler, 22 in Digging Bucket, Hydraulic Thumb Usage: 3,738 Hr	516	<b>2016 John Deere 35G Mini Excavator</b> S/N: 1FF035GXAFK275682 C/W: Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 12 in Rubber Tracks, Manual Quick Coupler, 23 in Cleanup Bucket, Thumb Bracket Usage: 377 Hr
509	<b>2016 Cat 304E2 CR Mini Excavator</b> S/N: CAT0304EVME401915 C/W: Swing Boom, 4 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, 22 in Cleanup Bucket, Thumb Bracket Usage: Not Available	517	<b>2016 John Deere 35G Mini Excavator</b> S/N: 1FF035GXEGK277289 C/W: Control Pattern Changer, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 1,317 Hr
		518	<b>2019 Yanmar VI035-6A Mini Excavator</b> S/N: YMRVI035LKAJAJ490 C/W: 2018 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 1,465 Hr

Lot #	Details	Lot #	Details
519	<b>2015 Yanmar ViO35-6A Mini Excavator</b> S/N: YMRVIO35AFAJ62427 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 12 in Digging Bucket Usage: 4,089 Hr	528	<b>2016 Takeuchi TB230 Mini Excavator</b> S/N: 130000828 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 4 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket, Thumb Bracket Usage: 2,103 Hr
520	<b>2016 Yanmar ViO35-6A Mini Excavator</b> S/N: YMRVIO35LG AJ63127 C/W: Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 12 in Digging Bucket Usage: 4,543 Hr	529A	<b>2004 Case CX31 Mini Excavator</b> S/N: DFE0001656 C/W: 2003 US EPA Label, Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 5,130 Hr
521	<b>2006 Takeuchi TB135 Mini Excavator</b> S/N: 13518092 C/W: 2006 US EPA Label, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, 23 in Bucket Usage: 5,010 Hr	529	<b>2015 Takeuchi TB230 Mini Excavator</b> S/N: 130000565 C/W: 2015 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Thumb Bracket Usage: 2,852 Hr
522	<b>2021 Bobcat E30 Mini Excavator (Unused)</b> S/N: B4S913532 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2021 US EPA Label, Swing Boom, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Double Grouser Track Shoes, 55 in Digging Bucket, Thumb Bracket Usage: 19 Hr	530	<b>2013 Volvo ECR28 Mini Excavator</b> S/N: VCECR280L00011916 C/W: Swing Boom, 3 ft 6 in Stick, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 2,749 Hr
523	<b>2019 Kobelco SK30SR-6 Mini Excavator</b> S/N: PW16081260 C/W: Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 890 Hr	531	<b>2013 Volvo ECR28 Mini Excavator</b> S/N: VCECR280V00011928 C/W: Swing Boom, 3 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 3,197 Hr
524	<b>2018 Komatsu PC30MR-5 Mini Excavator</b> S/N: KMTPC262LJE053818 C/W: Swing Boom, 4 ft Stick, Backfill Blade, 12 in Double Grouser Track Shoes w/Rubber Inserts, 17 in Digging Bucket Usage: 283 Hr	532	<b>2017 Bobcat E26 Mini Excavator</b> S/N: B3JE13145 C/W: Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Thumb Bracket Usage: 2,261 Hr
525	<b>2016 Takeuchi TB230 Mini Excavator</b> S/N: 130001019 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 4 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 16 in Cleanup Bucket Usage: 1,752 Hr	533	<b>2016 Bobcat E26 Mini Excavator</b> S/N: B3JE12239 C/W: Swing Boom, 3 ft 7 in Stick, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Thumb Bracket Usage: 2,411 Hr
526	<b>2016 Takeuchi TB230 Mini Excavator</b> S/N: 130000809 C/W: 2015 US EPA Label, Swing Boom, 4 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket, Thumb Bracket Usage: 1,759 Hr	534	<b>2018 Kubota U25 Mini Excavator</b> S/N: JKUU0253V01H52681 C/W: Control Pattern Changer, Tier 4, 2017 US EPA Label, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket, Thumb Bracket Usage: 1,196 Hr
527	<b>2016 Takeuchi TB230 Mini Excavator</b> S/N: 130001037 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 4 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket Usage: 1,846 Hr	535	<b>2018 Kubota U25 Mini Excavator</b> S/N: JKUU025301H52661 C/W: Control Pattern Changer, Tier 4, 2017 US EPA Label, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,458 Hr

Lot #	Details	Lot #	Details
536	<b>2017 Kubota U25 Mini Excavator</b> S/N: JKUU0253J01H52516 C/W: Tier 4, 2017 US EPA Label, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket, Thumb Bracket Usage: 1,430 Hr	544	<b>2017 John Deere 17G Mini Excavator</b> S/N: 1FF017GXVHK226761 C/W: Control Pattern Changer, Swing Boom, 3 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,550 Hr
537	<b>2006 Bobcat 325G Mini Excavator</b> S/N: 234113330 C/W: 2004 US EPA Label, Swing Boom, 3 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: Not Available	545	<b>2016 Yanmar Vi017-A Mini Excavator</b> S/N: YMRVIO17CGYJA0774 C/W: 2016 US EPA Label, Swing Boom, 3 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, 17 in Digging Bucket Usage: 41 Hr
538	<b>2000 Cat 302.5 Mini Excavator</b> S/N: 4AZ01377 C/W: 2000 US EPA Label, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 22 in Digging Bucket, Cat Usage: 4,614 Hr	546	<b>2016 Kubota U17 Mini Excavator</b> S/N: JKUU0173P01H42072 C/W: 3 ft 1 in Stick, Backfill Blade, 9 in Rubber Tracks, 12 in Digging Bucket Usage: 2,300 Hr
539	<b>2016 Bobcat E20 Mini Excavator</b> S/N: B3BL12924 C/W: Tier 4, 2016 US EPA Label, Swing Boom, 4 ft 2 in Stick, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket, Thumb Bracket Usage: 1,835 Hr	547	<b>2010 Bobcat 324 Mini Excavator</b> S/N: AKY511141 C/W: Tier 4, 2010 US EPA Label, Swing Boom, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 12 in Digging Bucket Usage: 1,860 Hr
540	<b>2023 Volvo EC18E Mini Excavator (Unused)</b> S/N: VCE0C18EH00020983 C/W: Tier 4, 2022 US EPA Label, Swing Boom, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks Usage: 2 Hr	548	<b>2016 Takeuchi TB216 Mini Excavator</b> S/N: 216100577 C/W: Swing Boom, 3 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 1,139 Hr
541	<b>2023 Volvo EC18E Mini Excavator (Unused)</b> S/N: VCE0C18EL00020934 C/W: Tier 4, 2022 US EPA Label, Swing Boom, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks Usage: 1 Hr	549	<b>2016 Takeuchi TB216 Mini Excavator</b> S/N: 216100604 C/W: Swing Boom, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: 1,697 Hr
542	<b>2015 Kubota KX018-4 Mini Excavator</b> S/N: WKFRGF1500Z041916 C/W: Tier 4, 2014 US EPA Label, Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,566 Hr	550	<b>2015 Takeuchi TB216 Mini Excavator</b> S/N: 216100537 C/W: Control Pattern Changer, Swing Boom, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 18 in Bucket Usage: 1,445 Hr
543	<b>2018 John Deere 17G Mini Excavator</b> S/N: 1FF017GXCJK227843 C/W: Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 849 Hr	551	<b>2018 Bobcat E10 Mini Excavator</b> S/N: B4K911416 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, 12 in Digging Bucket Usage: 666 Hr
		552	<b>2017 Bobcat 418 Mini Excavator</b> S/N: B39212255 C/W: Swing Boom, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, 12 in Cleanup Bucket Usage: 820 Hr

Lot #	Details	Lot #	Details
553	<b>2016 Bobcat 418 Mini Excavator</b> S/N: B39211969 C/W: Swing Boom, 2 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, 11 in Digging Bucket Usage: 248 Hr	560	<b>2008 Broderson RT-300-2E 4x4x4 Rough Terrain Crane</b> S/N: 32053 C/W: Greer Company MG586 Load Moment Indicator, 2493 hrs Crane Operation, Cummins 4 Cylinder Diesel Engine, 21 ft Minimum 60 ft Maximum Boom Length, 20 ft Swingaway Jib, 450 lb 15 ton Capacity McKissick 2 Sheave Hook Block, 17.5R25 Tires Usage: 2,493 Hr
554	<b>2016 Bobcat 418 Mini Excavator</b> S/N: B39211805 C/W: Tier 4, 2015 US EPA Label, Swing Boom, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, 12 in Digging Bucket Usage: 1,532 Hr	561	<b>Terex BT4792 23.5 t Straight Boom on 2003 Sterling LT7500 6x4 Boom Truck</b> S/N: 2FZHATAK93AL06241 C/W: Cat 3126 7.2 L Diesel 300 hp Engine, 2002 US EPA Label, 4904 Engine hrs, Eaton Fuller RT-8908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, Meritor MT40-145 Drive Axles, 3.90:1 Axle Ratio, 60000.0 lb GVWR, 425/65R22.5, Dual Steering Boxes, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 265 in Wheelbase, Double Frame, 47000 lb Capacity, Front Mounted, 29 ft - 92 ft 3 Section Boom, Johnson 1 Sheave 17.3 ton Capacity Hook Block, 9 ft 8 in Min - 11 ft Max Swingaway Jib, Anti-Two Block, Dual Controls, A-Outriggers, Rear Outriggers, 21 ft x 96 in Bed Usage: 27,905 Mi
555	<b>2003 Cat M322C 4x4x4 Wheel Excavator</b> S/N: CATM322CPBDK00222 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Tier 2, 2002 US EPA Label, 9 ft 6 in Stick, Front and Rear Stabilizers, 10.00x20 Tires, 78 in Cleanup Bucket Usage: 9,064 Hr	562	<b>National Series 571 19 ton Straight Boom on 2012 Ford F750 XL 4x2 Boom Truck</b> S/N: 3FRPF7FC7CV306442 C/W: Cummins IBS 6 Cylinder 6.7 L Diesel 240 hp Engine, 2012 US EPA Label, 1774 Engine hrs, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 242 in Wheelbase, PTO, Center Mounted, 27 ft - 71 ft 2 Section Boom, Johnson 182 lb 1 Sheave 12.5 ton Capacity Hook Block, Anti-Two Block, Hirschmann PRS 40 EZ Load Moment Indicator, Dual Controls, Out and Down Outriggers, Rear Outriggers, 20 ft x 96 in Bed, Pintle Hitch Usage: 26,930 Mi
556	<b>2008 Manitowoc 14000 Series 1&amp;2 220 ton Lattice-Boom Crawler Crane</b> S/N: 14001055 C/W: 173 ft Boom, Self Erecting, Auxiliary Hoist, 3562 lb 3 Sheave 100 ton Hook Block, Anti Two-Block, Load Moment Indicator, 47 in Track Shoes Usage: 22,839 Hr	563	<b>National 500E2 36000 lb Straight Boom on 2011 Ford F-750 XL 4x2 Boom Truck</b> S/N: 3FRPF7FA6BV687407 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, 36000 lb Capacity, Front Mounted, 27 ft - 71 ft 3 Section Boom, Johnson 182 lb 1 Sheave 12.5 ton Capacity Hook Block, Anti-Two Block, Dual Controls, A-Outriggers, Rear Outriggers, 20 ft x 96 in Bed Usage: 43,902 Hr
557	<b>1968 Manitowoc 3900 100 ton Lattice-Boom Crawler Crane</b> S/N: 39782 C/W: 100 ft Boom, Auxiliary Hoist, Rooster Sheave, BEC 3 Sheave Hook Block, Overhaul Ball, 37 ton Counterweight, Air Conditioner, 48 in Track Shoes Usage: 365 Hr		
558	<b>2001 Tadano TR-300XL 30 ton 4x4x4 Rough Terrain Crane</b> S/N: 530524 C/W: Anti Two-Block, Tadano Load Moment Indicator, 2000 US EPA Label, Mitsubishi 6D16-TLEA 7.5 L Diesel Engine, 31 ft Minimum 101 ft Maximum Boom Length, 684 lb 30 ton Capacity Johnson 4 Sheave Hook Block, Overhaul Ball, 20.5-25 Tires Usage: 2,136 Hr		
559	<b>2008 Broderson RT-300-2E 30000 lb 4x4x4 Rough Terrain Crane</b> S/N: 31942 C/W: Greer Company MG586 Load Moment Indicator, 2257 hrs Crane Operation, 2008 US EPA Label, Cummins 4 Cylinder Diesel Engine, 20 ft Minimum 60 ft Maximum Boom Length, 20 ft Jib, 450 lb 15 ton Capacity McKissick 2 Sheave Hook Block, 17.5-25 Tires Usage: 2,257 Hr		

Lot #	Details	Lot #	Details
564	<b>USTC 1700JBT Straight Boom on 2007 International 4400 SBA 6x4 Boom Truck</b> S/N: 1HTMSAAR57H360426 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 2006 US EPA Label, 3485 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 11R22.5, Spring Suspension, 240 in Wheelbase, Rear Mounted, 104 lb Hook Block, 104 lb Overhaul Ball 7 ton Capacity, Swingaway Jib, Out and Down Outriggers, Rear Outriggers, 16 ft x 96 in Bed Usage: 72,533 Mi	568	<b>2005 PM 27023PT 24470 lb Knuckle Boom on 2006 Sterling L9500 Standard 6x4 Boom Truck</b> S/N: 2FZHAZCV86AV55550 C/W: Mercedes-Benz OM460LA 781 cid Diesel 450 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Spring Suspension, 276 in Wheelbase, Double Frame, 24470 lb Capacity, Front Mounted, 5 ft 11 in - 32 ft 8 in Boom, Dual Controls, Out and Down Outriggers, Rear Outriggers, 23 ft 6 in x 96 in Bed Usage: 76,702 Mi
565A	<b>IMT Knuckle Boom on 2000 Mack RB600 6x4 Boom Truck</b> S/N: 1M2AM20C1YM003567 C/W: Mack EM7 6 Cylinder Diesel Engine, 1999 US EPA Label, 20244 Engine hrs, Engine Brake, Manual Transmission, Aluminum Front Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 271 in Wheelbase, PTO, 5825 lb Capacity, Front Mounted, 42 ft Boom, A-Outriggers, 23 ft x 96 in Bed Usage: 186,862 Mi	569	<b>1999 Broderson IC-200-2C 15 ton 4x4x4 Carry Deck Crane</b> S/N: 89210 C/W: Dual Fuel Engine, 15 ft Minimum 36 ft Maximum Boom Length, 15 ft Swingaway Jib, Overhaul Ball, 585/65R22.5 Tires Usage: 1,176 Hr
566	<b>SkyHoist SR77 4000 lb Straight Boom on 1998 GMC C7500 4x2 Boom Truck</b> S/N: 1GDM7H1C5WJ516633 C/W: CAT 3126 6 Cylinder Diesel Engine, 1998 US EPA Label, 6-Speed Manual Transmission, 10000 lb Front Axle, 22000 lb Rears, 32000.0 lb GVWR, 11R22.5, Spring Suspension, 228 in Wheelbase, PTO, 4000 lb Capacity, Rear Mounted, 77 ft Boom, Overhaul Ball, Out and Down Outriggers, Rear Outriggers, 18 ft x 96 in Bed Usage: 134,912 Mi	570	<b>2007 Broderson IC-35-2D 8000 lb Carry Deck Crane</b> S/N: 54816 C/W: Greer MG586 Load Moment Indicator, Cummins 4 Cylinder Diesel Engine, 4 ft Minimum 19 ft Maximum Boom Length, 8 ft Jib, 7.50-10 Tires Usage: 1,645 Hr
567	<b>2004 Palfinger PK15500 5500 lb Knuckle Boom on 2005 International 7400 6x4 Boom Truck</b> S/N: 1HTWGAAT85J048743 C/W: International DT466 6 Cylinder 7.6 L Diesel 285 hp Engine, 2004 US EPA Label, Exhaust Brake, Allison Automatic Transmission, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 207 in Wheelbase, PTO, Double Frame, 5500 lb Capacity, Rear Mounted, 5 Section Boom, Rear Outriggers, 15 ft x 96 in Bed, Pintle Hitch Usage: 107,568 Mi	573A	<b>2004 Bomag MPH454S Wheel Soil Stabilizer Reclaimer</b> S/N: 901A22301527 C/W: Canopy, 1991 US EPA Label, 100 in Soil Rotor, 7 in Cutting Depth Usage: 2,828 Hr
568A	<b>2004 Mack DM690S 6x4 Flatbed Truck with Conveyor</b> S/N: 1M2B209C74M030204 C/W: Mack EM7 6 Cylinder 12.0 L Diesel Engine, 2004 US EPA Label, Manual Transmission, Aluminum Front Wheels, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 276 in Wheelbase, PTO, 23 ft x 96 in Bed Usage: 287,748 Mi	573	<b>2004 CMI RS-500C Wheel Soil Stabilizer Reclaimer</b> S/N: 531405 C/W: 96 in Soil Rotor Usage: 1,962 Hr
		574	<b>2021 Weiler P385B Track Asphalt Paver</b> S/N: P3585B3421 C/W: Dual Controls, Weiler P385B 8 ft - 16 ft Screed, On Board Generator, 15 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 2,184 Hr
		575	<b>2019 Weiler P385B Track Asphalt Paver</b> S/N: 1W90P385VKB002789 C/W: Dual Controls, Requires Diesel Exhaust Fluid, Electric Heated 8 ft - 15 ft 6 in Screed, On Board Generator, Ultrasonic Sensors Usage: Not Available
		576	<b>2018 Weiler P385B Track Asphalt Paver</b> S/N: 1W90P385AHB002401 C/W: Dual Controls, Requires Diesel Exhaust Fluid, Electric Heated 8 ft - 15 ft 6 in Screed, On Board Generator, 14 in Triple Grouser Track Shoes Usage: 5,190 Hr

Lot #	Details	Lot #	Details
577	<b>2017 LeeBoy 8816B Track Asphalt Paver</b> S/N: 144443 C/W: Dual Controls, Tier 4, US EPA Label, Electric Heated 8 ft - 15 ft 4 in Screed, On Board Generator, 14 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 875 Hr	588	<b>Concrete Batch Plant</b> S/N: Not Available C/W: Stationary 4 Aggregate Bins, 2 ft 8 in x 36 ft Radial Charging Conveyor, 10 ft x 11 ft Stationary Control House, Wiggert Computerized Controls Usage: Not Available
578A	<b>2018 Mauldin 1550D Track Asphalt Paver</b> S/N: 581R50TKZ9Y203581 C/W: Dual Controls, 2017 US EPA Label, Propane Heated 8 ft - 15 ft Screed, Ultrasonic Sensors, 12 in Triple Grouser Track Shoes Usage: Not Available	589	<b>1997 Power Cubers 5700B Curb and Gutter Machine</b> S/N: 57B0797847 C/W: 3 ft Trimmer, 1 Forms, 12 in Triple Grouser Track Shoes Usage: 3,750 Hr
578	<b>2014 LeeBoy 8515C Track Asphalt Paver</b> S/N: 114689 C/W: Tier 4, Lee Boy Electric Heated 8 ft - 13 ft 6 in Screed, 14 in Triple Grouser Track Shoes Usage: 4,577 Hr	590	<b>2020 Stoltz TV3WH16X 15 Ton Hydraulic Concrete Spreader</b> S/N: M201320 C/W: 16 Ft x 7 Ft Hopper, Conveyor, Auger, Blower, Champion M1820R Compressor, 21.5L-16.1SL Usage: Not Available
579	<b>2014 Bomag CR452 Wheel Asphalt Paver</b> S/N: 921913341002 C/W: 2013 US EPA Label, Requires Diesel Exhaust Fluid, Bomag Stretch 20 Electric Heated 10 ft - 20 ft Screed, Truck Hitch, On Board Generator, Front Wheel Assist, Ultrasonic Sensors Usage: Not Available	591	<b>2007 CEC 5X12 Portable Screen Plant</b> S/N: 07488668 C/W: Belt Feeder 12 ft x 5 ft Double Deck Screen, 42 in Wide Feed Conveyor, 45 in Wide Under Screen Conveyor, 30 in Wide Left Discharge Conveyor, 30 in Wide Right Discharge Conveyor, 2002 US EPA Label, Deutz 4 Cylinder 75 hp Diesel Engine, S/A Carrier, Spring Suspension, Hydraulic Leveling Usage: 1,157 Hr
581	<b>2004 Roadtec RP150 Wheel Asphalt Paver</b> S/N: 158 C/W: Dual Controls, Electric Heated 8 ft - 14 ft Screed, Ultrasonic Sensors Usage: Not Available	592	<b>Pit Bull Screen Plant</b> S/N: Not Available C/W: 6 ft 4 in x 5 ft 10 in Double Deck Screen, 28 in Wide Fines Discharge Conveyor, 4 Cylinder Diesel Engine Usage: Not Available
583	<b>Rosco Maximizer 3 1950 gal on 2006 Freightliner M2106V 4x2 Asphalt Distributor Truck</b> S/N: 1FVAC2DC76HV17385 C/W: Cat C7 6 Cylinder 7.2 L Diesel Engine, 11431 Engine hrs, 6-Speed Transmission, 10000 lb Front Axle, 23000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 176 in Wheelbase, 16 ft Spray Bar, Double Flue w/ Diesel Burners, In-Cab Controls, Automated Bar Controls, Hand Spray Wand, Washdown System, PTO Driven Pump Usage: 252,023 Mi	593	<b>1999 Kolberg 52 Pugmill</b> S/N: 401724 C/W: 8 ft Long x 48 in Wide Mixing Chamber, Twin Shaft, Electric Operated, 29 ft x 30 in Discharge Conveyor, Portable Silo Trailer Usage: Not Available
584A	<b>2018 Mauldin MT300 S/A 300 gal Asphalt Distributor Trailer</b> S/N: 4C9MT3019JG229572 C/W: Lunette Ring Hitch, Torsion Axle, Electric Brakes, 7 ft Spray Bar, Pump w/ Kohler Engine Usage: Not Available	594	<b>Deister BHT-3514 Screen</b> S/N: 729742 C/W: 6 ft x 20 ft Screen Usage: Not Available
585	<b>Ride-On Pavement Sealer</b> S/N: Not Available C/W: Kubota 4 Cylinder Diesel Engine Usage: Not Available	596	<b>30 in x 58 ft Stacking Conveyor</b> S/N: 0749903 C/W: Lattice Frame, Manual Raise Usage: Not Available
586	<b>Pavement Sealer</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine Usage: Not Available	597	<b>2019 Vermeer RTX450 4x4 Trencher</b> S/N: 1VR4092U0K1003919 C/W: Hydrostatic Drive, 2018 US EPA Label, CARB Compliant, Deutz 2.9 L Diesel Engine, 6 in Wide x 84 in Long Dirt Trencher Chain, Angle Blade Usage: 694 Hr
587	<b>2012 Bagela BA7000F Asphalt Recycler</b> S/N: W09BA7202CKB13313 C/W: Kubota 3 Cylinder Diesel Engine Usage: 5 Hr	598	<b>2017 Vermeer RTX450 4x4 Trencher</b> S/N: 1VR4092U8H1003711 C/W: Hydrostatic Drive, Deutz 4 Cylinder Diesel Engine, 4 in Wide x 6 ft Long Dirt Trencher Chain, Angle Blade Usage: 691 Hr



Lot #	Details	Lot #	Details
601	<b>2007 Takeuchi TB1140CR Foundation Drill</b> S/N: 51410499 C/W: Enclosed Cab, Air Conditioner, 2007 US EPA Label, Isuzu BB-4BG1T 4 Cylinder Diesel Engine, Bay Shore Systems Inc. 11 ft Boom, 11 ft Mast, 19 in Rubber Tracks Usage: 2,775 Hr	609	<b>2015 McLaughlin VX30-500G 500 gal T/A Vacuum Excavation Unit</b> S/N: 1M9FE1226FS284325 C/W: 10000 lb GVWR, Lunette Ring Hitch, Electric Brakes, Vermeer Debris Tank, 250 gal Fresh Water Tank, Blower, Aluminum Wheels, ST235/80R16 Tires, Vanguard Gasoline Engine Usage: 307 Hr
603	<b>2014 Ditch Witch JT25 Directional Drill</b> S/N: CMWJT25XHE0000203 C/W: Open Operator Station, 2013 US EPA Label, Cummins QSB 163 hp 4.5 L Diesel Engine, Drill Rod Loading System 30 Drill Rods, 12 in Rubber Tracks Usage: 3,085 Hr	610	<b>Wachs TM-7 S/A Vacuum Excavation Unit</b> S/N: 7700016 C/W: 7000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 215/75R17.5 Tires, Kohler Command Pro 27 2 Cylinder 2.7 hp Diesel Engine, Curbside Dump Usage: Not Available
604	<b>2008 Vermeer D24X40 Series II Directional Drill</b> S/N: 1VRZ1903181000579 C/W: Open Operator Station, 4 Cylinder Diesel Engine, Drill Rod Loading System 16 in Triple Grouser Track Shoes w/Rubber Inserts Usage: Not Available	611	<b>2014 Kenworth T400 6x4 Mud Mixing Truck</b> S/N: 1NKBL59X5EJ418647 C/W: Cummins ISL9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 380 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6324 Engine hrs, Engine Brake, Allison 4500 Automatic Transmission, Differential Lock, 14600 lb Front Axle, 40000 lb Rears, 4.88:1 Axle Ratio, 54600.0 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 8-Bag Air Ride Suspension, 252 in Wheelbase, (2) 2013 Vermeer MX240 Mixing System, (2) Tank, 24 ft x 89 in Bed, Pintle Hitch Usage: 118,989 Mi
605A	<b>2014 Vermeer D20X22II Directional Drill</b> S/N: 1VR6180T1E1001546 C/W: Open Operator Station, Tier 4, 2014 US EPA Label, Kubota V3800 4 Cylinder Diesel Engine, 38 Drill Rods, 12 in Rubber Tracks Usage: Not Available	612	<b>2016 Vermeer MX125 Mud Mixing System</b> S/N: 1VRX030U7GF004525 C/W: Centrifugal Pump, 2018 US EPA Label, Honda GX200 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
605	<b>2008 Vermeer D20X22II Directional Drill</b> S/N: 1VR6180T381000287 C/W: Open Operator Station, Tier 3, 2008 US EPA Label, Kubota V3800-T 4 Cylinder Diesel Engine, 12 in Rubber Tracks, T/A Trailer, Lunette Ring Usage: 389 Hr	613	<b>2014 Vermeer MX125 Mud Mixing System</b> S/N: 1VRX030U6E2003290 Usage: Not Available
605	<b>2010 Superline 20 ft T/A Equipment Trailer</b> S/N: 1E9BE1720AA283003 C/W: Lunette Ring Hitch, Torsion Axle, Electric Brakes, 17 ft Main Deck, 3 ft 0 in Fixed Dovetail, 55 in Usable Deck Width, Spring Assisted Ramps, 235/75R17.5 Tires Usage: Not Available	614	<b>2012 Vermeer HG6000TX Tracked Horizontal Grinder</b> S/N: 1VR2390A0C1001001 C/W: Cat Diesel Engine, 60 in Feeder Chain, 60 in Rotor, 48 in Discharge Conveyor Usage: Not Available
606	<b>2004 Ditch Witch JT2020 Directional Drill</b> S/N: 2Y1958 C/W: Open Operator Station, Cummins 85 hp 3.26 L Engine, 12 in Rubber Tracks Usage: 515 Hr	615	<b>2012 Morbark 6600 Wood Hog 80 ton/hr Tri/A Horizontal Grinder</b> S/N: 1861140 C/W: 2012 US EPA Label, Cat C32 12 Cylinder 1200 hp 32.1 L Diesel Engine, 60 in Feeder Chain, 60 in Rotor, 40 in Discharge Conveyor, T/A Carrier, Air Ride, (2) Rod Locking Rings, (4) Locking Washers, (4) Screens, (5) Boxes of Teeth, (1) Anvil, (4) Flow Valve Controls, (2) Hydraulic Tank Filters, Belly Belt Roller, (8) Chain Pins, (10) Chain Links Usage: 6,750 Hr
607	<b>2011 Vac-Tron LP855DT 500 gal T/A Lead Vacuum Pump Vacuum Excavation Unit</b> S/N: 5HZBF19211LD12222 C/W: 14000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, Vermeer LP855 DT Steel Debris Tank, Rear Hose Reel, 500 gal Fresh Water Tank, Full Open Tailgate, Manual Tailgate Locks, Wash Down System, 4 in Suction Hose, Engine Driven Pump, 235/85R16 Tires, Yanmar 3 Cylinder Diesel Engine Usage: 1,613 Hr	616	<b>2005 Morbark 3600 T/A Horizontal Grinder</b> S/N: 1821190 C/W: Cat C13 Diesel Engine, 60 in Feeder Chain, 60 in Rotor, 46 in Discharge Conveyor, T/A Carrier, Spring Suspension, Hydraulic Leveling Usage: 2,859 Hr
608	<b>2015 Vermeer LP533XDT T/A Vacuum Excavation Unit</b> S/N: 5HZBF1620FLCF1176 C/W: 12000.0 lb GVWR, Lunette Ring Hitch, Steel Debris Tank, Rear Hose Reel, Hydraulic Lift Tailgate, Blower, 235/85R16 Tires, 2014 US EPA Label, Kohler 1.02 L Diesel Engine Usage: 954 Hr		

Lot #	Details	Lot #	Details
617	<b>2017 Finn T60 500 gal Hydroseeder</b> S/N: 1F9SS1717HF135639 C/W: 7600.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 235/80R16 Tires Usage: 1,468 Hr	629A	<b>2016 Kubota RTV1140 4x4 Utility Vehicle</b> S/N: A5KD2GDBEGG011832 C/W: Open Operator Station, 4 Passenger, 1100 cc Diesel Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 1,516 Hr
620	<b>1986 Prentice D210C Trailer Mounted Log Loader</b> S/N: 210P23731 C/W: Prentice 210C Log Grapple, Hydraulic Outrigger, Heel Boom Usage: Not Available	629	<b>2017 Kubota RTVX1140 4x4 Utility Vehicle</b> S/N: A5KD2GDBCHG018489 C/W: Canopy, 4 Passenger, Windshield, Rear Screen, 1100 cc Diesel Engine, Brush Guard, Hitch Receiver, Electric Dump Bed Usage: 11,294 Mi
621A	<b>2017 Kawasaki PRO-DXT Utility Vehicle</b> S/N: Not Available C/W: Open Operator Station, 6 Passenger, 993 cc Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 9,376 Mi	630	<b>2015 Kubota X1100C 4x4 Utility Vehicle</b> S/N: A5KC2GDBTFG024240 C/W: Enclosed Cab, Air Conditioner, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hydraulic Dump Bed Usage: 38,954 Mi
621	<b>2018 Kawasaki KRF800 4x4 Utility Vehicle</b> S/N: JKBRFCG13JB506021 C/W: Canopy, 2 Passenger, Gasoline Engine, Winch, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 352 Hr	631A	<b>2017 JLG 615G 4x4 Utility Vehicle</b> S/N: 4UF47MPV7HT300112 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: Not Available
622B	<b>2018 Kawasaki Mule 4010 4x4 Utility Vehicle</b> S/N: JK1HFC11418502006 C/W: Canopy, 2 Passenger, Rear Screen, Gasoline Engine, Manual Dump Bed Usage: 1,612 Hr	631	<b>2018 Kubota RTV500 4x4 Utility Vehicle</b> S/N: A5KA1CGAKJG052007 C/W: Canopy, 2 Passenger, Windshield, 500 cc Gasoline Engine, Hitch Receiver, Manual Dump Bed Usage: 847 Hr
622	<b>2016 Kawasaki MuleProDXT 4x4 Utility Vehicle</b> S/N: JKA AFCB10GB500596 C/W: Canopy, 4 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 2,645 Hr	632A	<b>2018 Yamaha 4x4 Utility Vehicle</b> S/N: 5Y4AMA5W4JA301689 C/W: Open Operator Station, 3 Passenger, Gasoline Engine, Locking Front Differential, Brush Guard, Hitch Receiver Usage: 1,988 Mi
623	<b>Kawasaki 4x2 Utility Vehicle</b> S/N: Not Available C/W: Canopy, 4 Passenger, Brush Guard, Hitch Receiver Usage: Not Available	632	<b>2017 JLG 315G 4x4 Utility Vehicle</b> S/N: 4UF47MPV3HT300219 C/W: Canopy, 3 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 3,249 Mi
624	<b>2010 Kawasaki Mule 4010 4x4 Utility Vehicle</b> S/N: JK1AFCM12AB504752 C/W: Canopy, Rear Screen, Gasoline Engine, Locking Front Differential, Winch, Hitch Receiver, Manual Dump Bed Usage: Not Available	633	<b>2011 Can-Am Commander XT 4x4 Utility Vehicle</b> S/N: 3JBK KCP1XBJ002 C/W: 2 Passenger, Manual Dump Bed Usage: 153 Hr
625	<b>2012 Kubota RTV2250CPX 4x4 Utility Vehicle</b> S/N: A5KD1HDACCG022213 C/W: Canopy, 4 Passenger, Rear Screen, Gasoline Engine, Electric Dump Bed Usage: 4,242 Hr	634	<b>2008 Arctic Cat Prowler XT 650 4x4 Utility Vehicle</b> S/N: 4UF08MPV88T302415 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: Not Available
626	<b>2019 Kubota RTVX1140WH 4x4 Utility Vehicle</b> S/N: A5KD2GDBKKG030881 C/W: Canopy, 4 Passenger, Windshield, Rear Screen, 1100 cc Diesel Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 2,255 Mi	637	<b>2019 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAFP4K1367125 C/W: 4.3 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600.0 lb GVWR, 245 /75R16, Spring Suspension, 136 in Wheelbase, 9 ft Long x 75 in Wide x 55 in High Body Usage: 198,916 Mi
628	<b>2018 Kubota RTVX1140 4x4 Utility Vehicle</b> S/N: A5KD2GDBKJG024285 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Brush Guard, Hydraulic Dump Bed Usage: 2,221 Hr		

Lot #	Details	Lot #	Details
638	<b>2014 GMC G2500 4x2 Cargo Van</b> S/N: 1GTW7FCA8E1176664 C/W: V8 4.8 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 135 in Wheelbase, 9 ft 6 in Long x 75 in Wide x 84 in High Body, Curbside Door Usage: 137,353 Mi	648	<b>2016 Ford Transit 250 4x2 Cargo Van</b> S/N: 1FTYR2ZM6GKA90246 C/W: V6 3.7 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000.0 lb GVWR, 235 /65R16, Spring Suspension, 148 in Wheelbase, 11 ft Long x 68 in Wide x 57 in High Body, Curbside Door Usage: 165,242 Mi
640	<b>2007 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCGG29V771108432 C/W: V8 4.8 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 5360 lb Rears, 8600.0 lb GVWR, 247 /75R17, Spring Suspension, 155 in Wheelbase, 11 ft Long x 75 in Wide x 54 in High Body, Curbside Door Usage: 120,642 Mi	649	<b>2016 Nissan NV2500 4x2 Cargo Van</b> S/N: 1N6BF0LY0GN808898 C/W: Nissan V6 4.0 L Gasoline Engine, 2016 US EPA Label, CARB Compliant, Automatic Transmission, 3825 lb Front Axle, 5875 lb Rears, 9100.0 lb GVWR, 245/70R17, Spring Suspension, 148 in Wheelbase, Curbside Door Usage: 119,270 Mi
642	<b>2006 Ford E-250 4x2 Cargo Van</b> S/N: 1FTNS24L06HB05003 C/W: V8 5.4 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, 3550 lb Front Axle, 5360 lb Rears, 8600.0 lb GVWR, 225 /75R16, Spring Suspension, 138 in Wheelbase, Curbside Door Usage: 217,343 Mi	650	<b>2014 Nissan NV2500 4x2 Cargo Van</b> S/N: 1N6BF0LX5EN103874 C/W: Nissan V6 4.0 L Gasoline Engine, 2014 US EPA Label, CARB Compliant, Automatic Transmission, 3825 lb Front Axle, 5875 lb Rears, 9100.0 lb GVWR, 245/70R17, Spring Suspension, 148 in Wheelbase, Curbside Door Usage: 220,721 Mi
644	<b>2007 Dodge Sprinter 3500 4x2 Cargo Van</b> S/N: WDYPF345175198285 C/W: V6 3.0 L Diesel Engine, 2007 US EPA Label, Automatic Transmission, 4080 lb Front Axle, 7060 lb Rears, 9990.0 lb GVWR, 215 /85R16, Spring Suspension, 150 in Wheelbase, Curbside Door Usage: 319,646 Mi	651	<b>2013 Nissan NV2500 4x2 Cargo Van</b> S/N: 1N6BF0LX2DN108593 C/W: Nissan V6 4.0 L Gasoline Engine, 2013 US EPA Label, CARB Compliant, Automatic Transmission, 3825 lb Front Axle, 5875 lb Rears, 9100.0 lb GVWR, 245/70R17, Spring Suspension, 148 in Wheelbase, Curbside Door Usage: 254,078 Mi
645	<b>2020 Ford Transit 250 4x2 Cargo Van</b> S/N: 1FTBR1Y8XLKB35493 C/W: V6 3.5 L Gasoline Engine, 2020 US EPA Label, CARB Compliant, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9070.0 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 10 ft 2 in Long x 78 in Wide x 53 in High Body, Curbside Door Usage: 92,140 Mi	652	<b>2006 Dodge Sprinter 2500 4x2 Cargo Van</b> S/N: WD0PD144365928345 C/W: Mercedes Benz 0M647LA 5 Cylinder Diesel 154 hp Engine, 2006 US EPA Label, Automatic Transmission, 3860 lb Front Axle, 5360 lb Rears, 8550.0 lb GVWR, 235/75R15, Spring Suspension, 120 in Wheelbase, 8 ft Long x 72 in Wide x 66 in High Body, Curbside Door Usage: 227,989 Mi
646	<b>2018 Ford Transit 250 4x2 Cargo Van</b> S/N: 1FTYR2XM8JKA64001 C/W: V6 3.7 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000.0 lb GVWR, 235 /65R16, Spring Suspension, 148 in Wheelbase, 11 ft Long x 64 in Wide x 82 in High Body, Curbside Door Usage: 120,965 Mi	653	<b>2020 Ram Promaster 1500 4x2 Cargo Van</b> S/N: 3C6TRVNGOLE141675 C/W: 4 Cylinder 3.6 L Gasoline Engine, 2020 US EPA Label, Automatic Transmission, 4629 lb Front Axle, 5004 lb Rears, 8550.0 lb GVWR, 225 /75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 116 in Wheelbase Usage: 83,811 Mi
647	<b>2017 Ford Transit 250 4x2 Cargo Van</b> S/N: 1FTYR1YM2HKB43568 C/W: V6 3.7 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000.0 lb GVWR, 235 /65R16, Spring Suspension, 130 in Wheelbase, 8 ft 5 in Long x 60 in Wide x 56 in High Body Usage: 110,763 Mi	655	<b>2015 Freightliner MT55 4x2 Step Van</b> S/N: 4UZAARDU5FCGH8697 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8362 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, Aluminum Wheels, 255/70R22.5, Air Ride Suspension, 191 in Wheelbase, 18 ft Long x 96 in Wide x 122 in High Body, Liftgate Usage: 89,216 Mi

Lot #	Details	Lot #	Details
667B	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT7GDHL6302 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8973 Engine hrs, Eaton Fuller FO5406B Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit RS-19 Drive Axles, 5.22:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Supreme 18 ft 2 in Long x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 231,420 Mi	676	<b>2013 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWDT8DHFE6378 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2012 US EPA Label, 12309 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14x Drive Axles, 5.57:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 269,922 Mi
667A	<b>2016 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWDT7GDHK8216 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5257 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft Long x 96 in Wide x 98 in High Body Usage: 217,890 Mi	677	<b>2013 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT7DHBU8390 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 9020 Engine hrs, Automatic Transmission, 26000.0 lb GVWR, 11R22.5, Air Ride Suspension, 253 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 306,316 Mi
667	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJR9555 C/W: Cummins 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 4536 lb Front Axle, 10000 lb Rears, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 108 in High Body, Liftgate Usage: 349,490 Mi	679	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5H4S64542 C/W: 6 Cylinder Diesel Engine, 2016 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 252,595 Mi
671	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT8FDGS8971 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft Long x 96 in Wide x 96 in High Body Usage: 345,996 Mi	680	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8G4S62945 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 153 in High Body, Liftgate, Rear View Camera Usage: 247,955 Mi
673	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDT0EHFF0867 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Air Ride Suspension, 250 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 96 in High Body, Liftgate Usage: 238,966 Mi	682	<b>2019 International 4300 4x2 Van Truck</b> S/N: 3HAMMMML7KL519274 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 151 in Wide x 102 in High Body Usage: 170,040 Mi
675	<b>2013 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACXDT7DHF84561 C/W: Cummins 6 Cylinder 6.7 L Diesel 250 hp Engine, 2012 US EPA Label, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 295/75R22.5, Spring Suspension, 224 in Wheelbase, Morgan 18 ft Long x 102 in Wide x 84 in High Body Usage: 172,608 Hr	683	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML1KH515095 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 5036 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17000 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 95 in High Body Usage: 206,175 Mi

Lot #	Details	Lot #	Details
684	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML8KH515076 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 95 in High Body Usage: 206,997 Mi	693	<b>2016 International 4300 4x2 Van Truck</b> S/N: 1HTMMMMM9GH465742 C/W: Cummins B6.7 220 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8696 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, Morgan 24 ft Long x 96 in Wide x 96 in High Body, Liftgate Usage: 249,030 Mi
685	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML7KH514839 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, Supreme 26 ft Long x 102 in Wide x 95 in High Body Usage: 207,266 Mi	696	<b>2016 International 4300 4x2 Van Truck</b> S/N: 1HTMMMML2GH012781 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11720 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 275 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 439,122 Mi
686	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML5KH520395 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 95 in High Body Usage: 208,020 Mi	697	<b>2016 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML8GH021243 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9644 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 278 in Wheelbase, Morgan 30 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 311,495 Mi
687	<b>2019 International 4300 4x2 Van Truck</b> S/N: 3HAMMMML2KL382535 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 95 in High Body Usage: 214,033 Mi	698	<b>2015 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMM0FL181800 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500.0 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 148 in High Body, Liftgate Usage: 188,615 Mi
688	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML5KH776438 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6606 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 258 in Wheelbase, Smyrna 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 160,125 Mi	699	<b>2012 International 4300 4x2 Van Truck</b> S/N: 3HAMMAAL3CL538263 C/W: 6 Cylinder Diesel Engine, 10297 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Spring Suspension, Supreme 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 295,902 Mi
690	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMNNMM0JH058414 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500.0 lb GVWR, 245/70R19.5, Spring Suspension, 187 in Wheelbase, AMH 16 ft Long x 96 in Wide x 126 in High Body Usage: 24,432 Mi	703	<b>2009 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT49HAG9889 C/W: Cummins 6 Cylinder Diesel Engine, 8848 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 kg Rears, 25500.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 273 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: Not Available

Lot #	Details	Lot #	Details
706	<b>2006 International 4300 SBA 4x2 Van Truck (Inoperable)</b> S/N: 1HTMMAAM96H160176 C/W: International D210CFF 6 Cylinder 7.6 L Diesel 210 hp Engine, 2005 US EPA Label, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500.0 lb GVWR, 295/75R22.5, Spring Suspension, 256 in Wheelbase, 24 ft Long x 102 in Wide x 98 in High Body, Curbside Door Usage: Not Available	716	<b>2011 Isuzu NPR 4x2 COE Van Truck</b> S/N: JALC4W16XB7004282 C/W: Isuzu 4HGK1-TC 6 Cylinder 5.2 L Diesel Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 5651 Engine hrs, Exhaust Brake, Automatic Transmission, 9880 lb Front Axle, 20500 lb Rears, 14500.0 lb GVWR, 215/85R16, Spring Suspension, 152 in Wheelbase, Morgan 14 ft Long x 96 in Wide x 88 in High Body, Liftgate Usage: 153,310 Mi
707A	<b>2004 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDC54HN11976 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 380 hp Engine, 1999 US EPA Label, 10000 lb Front Axle, 20000 lb Rears, 26000.0 lb GVWR, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 95 in High Body, Curbside Door, Liftgate Usage: 312,359 Mi	717	<b>2009 Isuzu NPR 4x2 COE Van Truck</b> S/N: JALB4W16497400259 C/W: 4 Cylinder Diesel Engine, 2009 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 8840 lb Rears, 12000 lb GVWR, 215/85R16, Spring Suspension, 175 in Wheelbase, Morgan 20 ft Long x 96 in Wide x 96 in High Body Usage: 310,025 Mi
708	<b>2021 Isuzu NRR 4x2 COE Van Truck</b> S/N: JALE5W164M7300794 C/W: Isuzu 4HK1TC 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2020 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Rockport 20 ft Long x 96 in Wide x 92 in High Body, Curbside Door Usage: 19,304 Mi	718	<b>2015 Isuzu NQR 4x2 COE Van Truck</b> S/N: JALE5W165F7902123 C/W: Isuzu 4HK1TC 4 Cylinder 5.2 L Diesel 210 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950.0 lb GVWR, 225/70R19.5, Spring Suspension, 132 in Wheelbase, Supreme 14 ft Long x 96 in Wide x 86 in High Body Usage: 106,011 Mi
709	<b>2020 Isuzu NRR 4x2 COE Van Truck</b> S/N: JALE5W164L7302964 C/W: Isuzu 4 Cylinder Diesel 210 hp Engine, 2019 US EPA Label, 5915 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 90 in High Body, Liftgate, Rear View Camera Usage: 158,710 Mi	719	<b>2015 Isuzu NQR 4x2 COE Van Truck</b> S/N: JALE5W169F7902108 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950.0 lb GVWR, Steel, 225/70R19.5, Spring Suspension, 152 in Wheelbase, Supreme 18 ft Long x 96 in Wide x 85 in High Body Usage: 208,349 Mi
714	<b>2015 Isuzu NPRHD 4x2 COE Van Truck</b> S/N: 54DC4W1B7FS803644 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500.0 lb GVWR, 225/70R19.5, Spring Suspension, 153 in Wheelbase, Supreme 16 ft Long x 92 in Wide x 91 in High Body, Liftgate Usage: 127,353 Mi	720B	<b>2007 GMC W5500 4x2 COE Van Truck</b> S/N: J8DE5B16277300015 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Diesel Engine, 2006 US EPA Label, 6-Speed Manual Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 180 in Wheelbase, ABC 20 ft Long x 95 in Wide x 105 in High Body Usage: 177,344 Mi
715	<b>2014 Isuzu NPR 4x2 COE Van Truck</b> S/N: 54DB4W1B0ES800546 C/W: V8 6.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 4860 lb Front Axle, 8840 lb Rears, 12000.0 lb GVWR, 215/85R16, Spring Suspension, 175 in Wheelbase, Morgan 20 ft Long x 96 in Wide x 96 in High Body Usage: 404,350 Mi	720A	<b>2007 GMC W5500 4x2 COE Van Truck</b> S/N: J8DE5B16177300054 C/W: Isuzu 4HK1TC 4 Cylinder Diesel Engine, 2006 US EPA Label, 6-Speed Manual Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 180 in Wheelbase, ABC 20 ft Long x 95 in Wide x 102 in High Body Usage: 190,726 Mi

Lot #	Details	Lot #	Details
720	<b>2001 Isuzu FTR 4x2 COE Extended Cab Van Truck</b> S/N: 4GTJ7C1351J701086 C/W: Isuzu 6 Cylinder 7.8 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, Morgan 24 ft Long x 88 in Wide x 90 in High Body, Liftgate Usage: 382,327 Mi	726	<b>2005 GMC C5500 4x2 Van Truck</b> S/N: 1GDG5C1E05F908346 C/W: V8 8.1 L Gasoline Engine, 2005 US EPA Label, CARB Compliant, Automatic Transmission, 8000 lb Front Axle, 12000 lb Rears, 20000.0 lb GVWR, 245/70R19.5, Spring Suspension, 254 in Wheelbase, Morgan 21 ft 6 in Long x 102 in Wide x 97 in High Body Usage: 159,603 Mi
721	<b>2015 Ford F-750 XL 4x2 Van Truck</b> S/N: 3FRNF7FA0FV745685 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 26000.0 lb GVWR, 295/75R22.5, Spring Suspension, 281 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 142 in High Body, Liftgate Usage: 218,433 Mi	727	<b>2019 GMC Savana 3500 4x2 Van Truck</b> S/N: 7GZ37TCG9KN005564 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, Supreme 16 ft 6 in Long x 96 in Wide x 78 in High Body, Ball Hitch Usage: 99,491 Mi
722	<b>2013 Ford F-750 4x2 Van Truck</b> S/N: 3FRNF7FA0DV035991 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 26000.0 lb GVWR, 295/75R22.5, Spring Suspension, 282 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 232,390 Mi	728	<b>2019 GMC Savana 3500 4x2 Moving Van Truck</b> S/N: 7GZ37TCG6KN005618 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, CARB Compliant, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75/16, Spring Suspension, 178 in Wheelbase Usage: 103,137 Mi
723	<b>2007 GMC C7500 4x2 Van Truck (Inoperable)</b> S/N: 1GDJ7C1G07F425086 C/W: GM 8.1 L Diesel Engine, 2007 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 271 in Wheelbase, 24 ft Long x 102 in Wide x 104 in High Body Usage: Not Available	729	<b>2019 Ford E350 4x2 Van Truck</b> S/N: 1FDWE3FS9KDC15406 C/W: V10 6.8 L Gasoline 305 hp Engine, 2019 US EPA Label, Automatic Transmission, 12500.0 lb GVWR, 225/75R16, Spring Suspension, 175 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 78 in High Body Usage: 87,515 Mi
724	<b>2016 Ford F-650 4x2 Van Truck</b> S/N: 1FDNF6DC9GDA06678 C/W: Power Stroke V8 6.7 L Diesel Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6-Speed Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, Knapheide 26 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 75,779 Mi	730	<b>2019 Ford E350 E-Series 4x2 Van Truck</b> S/N: 1FDWE3FS1KDC22821 C/W: V8 6.8 L Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Automatic Transmission, 225/75R16, Spring Suspension, 176 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 115 in High Body, Ball Hitch, Aluminum Ramp Usage: 104,042 Mi
725	<b>2006 Ford F-650 4x2 Van Truck</b> S/N: 3FRNF65FX6V379807 C/W: 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 232 in Wheelbase, Leggett & Platt 23 ft Long x 96 in Wide Body, Liftgate Usage: 156,277 Mi	731	<b>2018 Ford E-350 4x2 Van Truck</b> S/N: 1FDWE3FS4JDC34122 C/W: V8 6.8 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 4050 lb Front Axle, 8500 lb Rears, 12500.0 lb GVWR, 225/75R16, Spring Suspension, 176 in Wheelbase, Morgan 18 ft Long x 96 in Wide x 116 in High Body Usage: 90,184 Mi
		732	<b>2016 GMC G3500 4x2 Van Truck</b> S/N: 1GD37TCG5G1296751 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, 180 in Wheelbase, Morgan 16 ft Long x 93 in Wide x 93 in High Body, Liftgate Usage: 55,746 Mi

Lot #	Details	Lot #	Details
733	<b>2016 GMC Savana G3500 4x2 Van Truck</b> S/N: 1GD37TCG0G1260594 C/W: GM V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, 178 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 121 in High Body Usage: 191,828 Mi	743	<b>2014 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACXDT5EHFR5307 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 5.22:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 222 in Wheelbase, Thermo King Reefer Unit, Supreme 20 ft 6 in Long x 102 in Wide x 91 in High Body Usage: 255,564 Mi
734	<b>2015 Freightliner M2 106 4x2 Curtain Side Truck</b> S/N: 3ALACXDT1FDGN7356 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 295/75R22.5, Spring Suspension, 285 in Wheelbase, Morgan 28 ft Long x 102 in Wide x 156 in High Body, Curbside Door Usage: 356,125 Mi	744	<b>2012 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACWDT8CHBP3314 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 12579 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.88:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Thermo King T-800 Reefer Unit, Morgan 24 ft Long x 102 in Wide x 102 in High Body Usage: 439,320 Mi
735	<b>2014 Kenworth T660 6x4 Refrigerated Truck</b> S/N: 1NKALP9XXEJ410695 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 12185 Engine hrs, Engine Brake, Eaton Fuller F014E310C-LAS 10-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 53200.0 lb GVWR, Aluminum Outer Wheels, 275/80R22.5, Air Ride Suspension, 279 in Wheelbase, Thermo King T-680R Reefer Unit, Morgan 28 ft Long x 102 in Wide x 102 in High Body, Curbside Door, Ducted Floor Usage: 492,135 Mi	745	<b>2016 International 4300 4x2 Refrigerated Truck</b> S/N: 3HAMMMMKXGL225186 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6430 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 18500 lb Rears, 19500.0 lb GVWR, 245/70R19.5, Spring Suspension, 191 in Wheelbase, Carrier Supra 550 Reefer Unit, Morgan 16 ft Long x 96 in Wide x 142 in High Body, Liftgate Usage: 168,959 Mi
736	<b>2011 Kenworth T370 4x2 Refrigerated Truck</b> S/N: 2NKHHN7X6BM286601 C/W: Paccar PX-8 8.3 L Ultra Low Sulfur Diesel 270 hp Engine, 2010 US EPA Label, Engine Brake, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Dana P22060S Drive Axles, 5.29:1 Axle Ratio, 33000.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 216 in Wheelbase, Carrier Reefer Unit, Standby Power, Morgan 24 ft Long x 88 in Wide x 83 in High Body, Pintle Hitch, Aluminum Ramp Usage: 239,643 Mi	746B	<b>2005 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 1FVACXCS95HV24942 C/W: Mercedes Benz, MBE 900 6 Cylinder 6.4 L Ultra Low Sulfur Diesel 230 hp Engine, 2004 US EPA Label, 14351 Engine hrs, Allison Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.88:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 216 in Wheelbase, Thermo King TS-500 Reefer Unit, Johnson 20 ft Long x 96 in Wide x 80 in High Body, Curbside Door, Liftgate Usage: 5,516 Mi
737	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT9GDHN6718 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T1080S Whisper Reefer Unit, Kidron 26 ft Long x 96 in Wide x 97 in High Body Usage: 347,680 Mi	746A	<b>2006 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACXDC36HW30067 C/W: Cat C7 Acert 6 Cylinder 7.2 L Diesel 210 hp Engine, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-145 Drive Axles, 4.11:1 Axle Ratio, 33000.0 lb GVWR, 295/75R22.5, Spring Suspension, 252 in Wheelbase, Thermo King MD-300 Reefer Unit, Morgan 24 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 208,892 Mi



Lot #	Details	Lot #	Details
746	<b>2015 International 4300 4x2 Refrigerated Truck</b> S/N: 1HTMMMML6FH748282 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 272 in Wheelbase, Carrier Reefer Unit, Johnson 26 ft Long x 102 in Wide x 95 in High Body, Liftgate Usage: 131,020 Mi	753B	<b>2014 Isuzu NPR HD 4x2 COE Cab and Chassis</b> S/N: JALC4W162E7002062 C/W: Isuzu 4HK1TC 4 Cylinder Diesel Engine, 2013 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 150 in Wheelbase, 123 in Cab to Axle, 177 in Cab to End of Frame Usage: 70,482 Mi
748A	<b>2016 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 1FVACXDT9GHHG6798 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7241 Engine hrs, Eaton Fuller FS-6406A Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 3.91:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 285 in Wheelbase, 209 in Cab to Axle, 267 in Cab to End of Frame Usage: 244,783 Mi	753A	<b>2015 Isuzu NQR 4x2 COE Cab and Chassis</b> S/N: JALE5W169F7900956 C/W: Isuzu 4HK1TC 4 Cylinder 5.2 L Diesel 210 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950.0 lb GVWR, 225/70R19.5, Spring Suspension, 134 in Wheelbase, 108 in Cab to Axle, 160 in Cab to End of Frame Usage: 142,036 Mi
748	<b>1999 Sterling L7501 6x2 Cab and Chassis</b> S/N: 2FZHRJAA6XAA33319 C/W: Cat 3126 6 Cylinder Diesel 210 hp Engine, 1998 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5 Front Tires, 305/85R22.5 Rear Tires, Air Lift Tag Axle, Spring Suspension, 287 in Wheelbase, 192 in Cab to Axle, 279 in Cab to End of Frame Usage: 190,264 Mi	754A	<b>2013 Ford F-550 XLT 4x4 Extended Cab Cab and Chassis</b> S/N: 1FD0X5HT1DEB09577 C/W: PowerStroke V8 6.7 L Ultra Low Sulfur Diesel Engine, 2013 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, 84 in Cab to Axle Usage: 149,637 Mi
750	<b>2012 International 4300 4x2 Cab and Chassis (Inoperable)</b> S/N: 1HTMMAAN9CJ597155 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, Eaton Fuller 6-Speed Manual Transmission, 11000 lb Front Axle, 21000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 300 in Wheelbase, 192 in Cab to Axle, 316 in Cab to End of Frame Usage: Not Available	754	<b>2007 Chevrolet C6500 4x2 Cab and Chassis</b> S/N: 1GBJ6C1387F400686 C/W: 6 Cylinder Diesel Engine, Automatic Transmission, 8000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 255/70R22.5, Spring Suspension, 154 in Wheelbase, 86 in Cab to Axle, 135 in Cab to End of Frame Usage: 194,540 Mi
751	<b>2009 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 1FVACWDT49HAC1227 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2008 US EPA Label, 12196 Engine hrs, Eaton Fuller FSO-6406A 6-Speed Manual Transmission, 8000 lb Front Axle, 17500 lb Rears, Meritor RS-17-144 Drive Axles, 4.63:1 Axle Ratio, 25500.0 lb GVWR, 295/75R22.5, Spring Suspension, 156 in Wheelbase, 80 in Cab to Axle, 132 in Cab to End of Frame Usage: 305,177 Mi	755	<b>2012 Ram 5500 4x2 Cab and Chassis</b> S/N: 3C7WDMBL9CG176044 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 170 in Wheelbase, 80 in Cab to Axle, 139 in Cab to End of Frame Usage: 270,757 Mi
752	<b>2014 Isuzu NPR 4x2 COE Cab and Chassis (Inoperable)</b> S/N: JALB4W174E7400362 C/W: 4 Cylinder Diesel Engine, 2014 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 8840 lb Rears, 12000.0 lb GVWR, 215 /85R16, Spring Suspension, 133 in Wheelbase, 108 in Cab to Axle, 158 in Cab to End of Frame Usage: 206,195 Mi	756	<b>2003 GMC Sierra 3500 4x4 Cab and Chassis</b> S/N: 1GDJK34U33E228302 C/W: V8 6.0 L Gasoline Engine, 2003 US EPA Label, 4 Automatic Transmission, 4800 lb Front Axle, 8600 lb Rears, 12000.0 lb GVWR, 235 /80R17 Front Tires, 245/75/17 Rear Tires, Spring Suspension, 142 in Wheelbase, 60 in Cab to Axle, 96 in Cab to End of Frame, Pintle Hitch Usage: Not Available
		758	<b>2018 BlueBird 4x2 47-Seat School Bus</b> S/N: 1BAKGCSA5JF341687 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 3667 hrs Carrier Engine, 11R22.5, Spring Suspension, 272 in Wheelbase Usage: 85,220 Mi

Lot #	Details	Lot #	Details
759	<b>2017 BlueBird 4x2 71-Seat School Bus</b> S/N: 1BAKGCPA2HF326549 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Air Conditioner, Allison Automatic Transmission, 11R22.5, Spring Suspension, 272 in Wheelbase Usage: 135,697 Mi	766	<b>1979 Hendrickson 4x2 Fire Truck</b> S/N: 41990 C/W: Detroit 6 Cylinder Diesel 250 hp Engine, 1978 US EPA Label, Automatic Transmission, 11.00-20, Spring Suspension, 180 in Wheelbase, Emergency One 19 ft 8 in Body, Engine Driven Pump Usage: 20,858 Mi
760	<b>2000 BlueBird TC2000 4x2 78-Seat School Bus</b> S/N: 1BABKCPA2YF090922 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 11R22.5, Spring Suspension, 210 in Wheelbase Usage: 157,076 Mi	767	<b>2007 Mack CV713 8x4 Mixer Truck</b> S/N: 1M2AG11C07M059871 C/W: 6 Cylinder Diesel Engine, 22106 Engine hrs, Engine Brake, Allison Automatic Transmission, 18540 lb Front Axle, 44000 lb Rears, 73560.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Tag Axle, Dual Steering Boxes, Camelback Spring Suspension, 218 in Wheelbase, Double Frame, McNeilus 10.5 cyd Mixer Unit Usage: 219,928 Mi
762	<b>2012 Ford E-450 Econoline 4x2 14-Seat Transit Bus</b> S/N: 1FDDE4FLXCDA26778 C/W: V8 5.4 L Gasoline Engine, 2012 US EPA Label, CARB Compliant, Automatic Transmission, 225/75R16, Spring Suspension, 158 in Wheelbase Usage: 191,624 Mi	768	<b>2007 Mack CV713 8x4 Mixer Truck</b> S/N: 1M2AG11C37M055233 C/W: Mack 6 Cylinder Diesel Engine, 2006 US EPA Label, 24859 Engine hrs, Engine Brake, Eaton Fuller 9LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 79200.0 lb GVWR, 425/65R22.5, Trailing Tag Axle, Dual Steering Boxes, Camelback Spring Suspension, 218 in Wheelbase, McNeilus Mixer Unit Usage: 251,702 Mi
763	<b>2012 Ford E-450 4x2 13-Seat Bus</b> S/N: 1FDDE4FL8CDA26777 C/W: V8 5.4 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Wheelchair Lift, 225/75R16, Spring Suspension, 158 in Wheelbase Usage: 208,733 Mi	769	<b>2006 Mack CV713 6x4 Mixer Truck</b> S/N: 1M2AG11C36M046739 C/W: Mack 6 Cylinder Diesel Engine, 2006 US EPA Label, 28525 Engine hrs, Allison Automatic Transmission, 18540 lb Front Axle, 44000 lb Rears, 75540.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Tag Axle, Dual Steering Boxes, Spring Suspension, 218 in Wheelbase, PTO, Double Frame, McNeilus 10.5 cyd Mixer Unit Usage: 251,999 Mi
764	<b>2008 Chevrolet C4500 4x2 12-Seat Bus</b> S/N: 1GBE4V1908F400934 C/W: 6.6 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, Wheelchair Ramp, Wheelchair Lift, 245/70R19.5, Spring Suspension, 168 in Wheelbase Usage: 221,933 Mi	770	<b>2001 Oshkosh F2346 6x6 Mixer Truck</b> S/N: 10TDDAC371S070257 C/W: Cummins ISM 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 23000 lb Front Axle, 46000 lb Rears, 445 /65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 216 in Wheelbase, McNeilus Mixer Unit Usage: 25,646 Mi
765A	<b>2015 Mercedes-Benz Sprinter 3500 4x2 Ambulance</b> S/N: WDAPF3CC9F9626223 C/W: V6 3.0 L Diesel Engine, 2015 US EPA Label, Automatic Transmission, 4410 lb Front Axle, 7720 lb Rears, 11030 lb GVWR, 215 /85R16, Spring Suspension, 144 in Wheelbase, 11 ft Body Usage: 257,912 Mi	771	<b>2001 Oshkosh F2346 6x6 Mixer Truck</b> S/N: 10TDDAC331S070255 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 23000 lb Front Axle, 46000 lb Rears, 69000.0 lb GVWR, 445/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 216 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: Not Available
766B	<b>2008 Volvo VHD 6x4 Mixer Truck</b> S/N: 4V5KC9GF58N491145 C/W: Volvo D12D365 6 Cylinder 12.1 L Diesel Engine, 2006 US EPA Label, Eaton Fuller RTO-14908LL 8LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, 425/65R22.5, Spring Suspension, 225 in Wheelbase, Double Frame Usage: 23,831 Mi		
766A	<b>2009 International 7600 SBA 6x4 Mixer Truck</b> S/N: 1HTWYAHT19J091183 C/W: Cummins ISM 6 Cylinder Diesel Engine, Allison Automatic Transmission, 22000 lb Front Axle, 46000 lb Rears, 68000 lb GVWR, 425 /65R22.5 Front Tires, 12R22.5 Rear Tires, Dual Steering Boxes, Chalmers Suspension, 236 in Wheelbase, Double Frame, 10.5 cyd Mixer Unit, 2 Removable Chutes Usage: 242,058 Mi		

Lot #	Details	Lot #	Details
772	<b>2001 Oshkosh F2346 6x6 Mixer Truck</b> S/N: 10TDDAC381S070414 C/W: Cummins ISM 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Transmission, Double Differential Locks, 23000 lb Front Axle, 46000 lb Rears, 69000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson HN Series Rubber over Walking Beam Suspension, 224 in Wheelbase, McNeilus 10.5 cyd Mixer Unit, 3 Removable Chutes Usage: Not Available	777	<b>2006 Peterbilt 335 4000 gal 6x2 Water Truck</b> S/N: 2NPLHZ7X66M889498 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 260 hp Engine, 13055 Engine hrs, Eaton Fuller FSO8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, Aluminum Outer Wheels, 295/75R22.5, 2 Air Lift Pusher Axles, Low Air Leaf Air Ride Suspension, 192 in Wheelbase, PTO, 2023 Global GLO202006 4000 gal Steel Tank, PTO Driven Pump, 6 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 514,374 Mi
773	<b>1996 Ford LN7000 4x2 Mixer Truck</b> S/N: 1FDNR72C1TVA06923 C/W: Cummins B5.9 6 Cylinder 5.9 L Diesel 190 hp Engine, US EPA Label, Eaton Fuller 6-Speed Manual Transmission, 85000 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5 Front Tires, 10R22.5 Rear Tires, Spring Suspension, 176 in Wheelbase, PTO Usage: 155,235 Mi	778	<b>2006 International 4400 SBA 4000 gal 6x4 Water Truck</b> S/N: 1HTMKAANX6H207357 C/W: MaxxForce DT466 6 Cylinder Ultra Low Sulfur Diesel Engine, 12625 Engine hrs, Exhaust Brake, Allison 6-Speed Automatic Transmission, 5886 kg Front Axle, 9071 kg Rears, 14969.0 lb GVWR, Air Ride Cab, Steel, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Walking Beam Suspension, 192 in Wheelbase, 4000 gal Steel Tank, 1 Compartments, ATP PTO Driven Pump, Hose Reel, In-Cab Remote Controlled Water Cannon, Front Spray, Rear Spray, Side Spray Usage: 376,278 Mi
774	<b>2020 Mack GR64B 8x4 Gunite Truck</b> S/N: 1M2GR2GC2LM013454 C/W: Mack MP7 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 6988 Engine hrs, MDrive Automated Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, 3 Steerable Air Lift Pusher Axle, mRide Spring Suspension, 228 in Wheelbase, VM by Strong Mixer Unit Usage: 100,449 Mi	779	<b>1996 Kenworth T800 4000 gal 6x4 Water Truck</b> S/N: 1NKDXA0XXTS725452 C/W: Cat 3306 6 Cylinder 10.5 L Diesel Engine, 1996 US EPA Label, 7907 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson R Series Spring over Walking Beam Suspension, 212 in Wheelbase, 4000 gal Steel Tank, Berkeley PTO Driven Pump, 7 ft 10 in, Spray Bar, Hose Reel, Water Cannon, Rear Spray, Side Spray Usage: 373,568 Mi
775	<b>1997 Peterbilt 357 6x4 Gunite Truck</b> S/N: 1NPALA0X2VD435058 C/W: Cat 6 Cylinder Diesel Engine, Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Walking Beam Suspension, 226 in Wheelbase, PTO, Double Frame, Zimmerman 10 cyd Mixer Unit Usage: 259,226 Mi	780	<b>2013 International 4400 2000 gal 4x2 Water Truck</b> S/N: 1HSMKAZN5DH414261 C/W: Maxxforce 6 Cylinder Diesel Engine, 2012 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Spring Suspension, 156 in Wheelbase, PTO, (Unused) Lands Powder Coated 2000 gal Steel Tank Usage: 115,011 Mi
776	<b>2019 Western Star 4700SB 5000 gal 6x4 Water Truck</b> S/N: 5KKHAXFE2KPKX5194 C/W: Cummins L9 8.9 L Ultra Low Sulfur Diesel 300 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 1045 Engine hrs, Engine Brake, Eaton Fuller RTO-14908LL 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-40-160 Drive Axles, 5.38:1 Axle Ratio, 66000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Spring Suspension, 205 in Wheelbase, PTO, Double Frame, 2018 United Truck & Equipment 5000 gal Steel Tank, PTO Driven Pump, 6 ft 4 in, Spray Bar, Hose Reel, Water Cannon, Front Spray, Rear Spray, Dribble Bar, Side Spray Usage: 12,067 Hr	781	<b>2011 International 4300 2000 gal 4x2 Water Truck</b> S/N: 1HTMMAAN0BH317872 C/W: Maxxforce GDT245 6 Cylinder 7.6 L Diesel Engine, 2009 US EPA Label, Allison Automatic Transmission, 11000 lb Front Axle, 21900 lb Rears, 32900 lb GVWR, 295/75R22.5, Spring Suspension, 152 in Wheelbase, (Unused) Lands Powder Coated 2000 gal Steel Tank, 0 ft, Spray Bar, Rear Spray, Side Spray Usage: 230,413 Mi

Lot #	Details	Lot #	Details
782	<b>2000 International 4900 2000 gal 4x2 Water Truck</b> S/N: 1HTSDAAP5YH277032 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 6-Speed Manual Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 295/75R22.5 Front Tires, 48X31.00-20 Rear Tires, Spring Suspension, 156 in Wheelbase, 2000 gal Steel Tank, PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: 137,802 Mi	790	<b>2007 Ford F-550 XL 4x4 Service Truck</b> S/N: 1FDAF57P37EA84889 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13600 lb Rears, 19000.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, PTO, Auto Crane 11 ft Body, Manual Stabilizers, Auto Crane 6406H 6400 lb Crane, Gasoline Air Compressor, Air Hose Reel Usage: 199,447 Mi
783	<b>2017 Ford F-750 2000 gal 4x2 Water Truck</b> S/N: 1FDPF7AY6HDB02154 C/W: V10 6.8 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 159 in Wheelbase, PTO, 2000 gal Tank, ATP PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: Not Available	791	<b>2006 Ford F-550 XLT 4x4 Service Truck</b> S/N: 1FDAF57P96EB50067 C/W: V8 6.0 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 19000.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, PTO, 11 ft Body, Hydraulic Stabilizers, IMT 3820 3 Section Crane, IMT Hydraulic Air Compressor, IMT 11FT W /7500LB CRANE FULL HYD OUTRIGGERS WITH HYDRAULIC AIR COMPRESSOR CRANE: 3820 SN 3820031217 Usage: 256,378 Mi
784	<b>2013 Freightliner M2 106 1500 gal 6x4 Water Truck</b> S/N: 1FVHCYDT2DHFB0891 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2012 US EPA Label, 352 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 40000 lb Rears, 50000.0 lb GVWR, 11R22.5, Spring Suspension, 168 in Wheelbase, PTO, 1500 gal Steel Tank, Hale Pump w/ John Deere 4 Cylinder Engine, 8 ft, Spray Bar, Rear Spray Usage: 1,262 Mi	792	<b>2004 Ford F-550 XL 4x2 Service Truck</b> S/N: 1FDAF56P64EC58175 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 17500.0 lb GVWR, 245/70R19.5, Spring Suspension, 168 in Wheelbase, Stahl 11 ft Body, Liftmoore 5000W 5000 lb 2 Section Hydraulic Crane, Air Hose Reel Usage: Not Available
787	<b>2017 Ford F-550 4x4 Extended Cab Service Truck</b> S/N: 1FD0X5HT6HED32784 C/W: V8 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 193 in Wheelbase, PTO, Knapheide 11 ft Body, Stellar 7621 7500 lb 3 Section Hydraulic Crane, Boss Hydraulic Air Compressor Usage: 126,206 Mi	796	<b>2016 Ford F-550 XL 4x4 Service Truck</b> S/N: 1FDUF5HT4GED01665 C/W: V8 6.7 L Diesel Engine, 2017 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Knapheide KC132H2094J 11 ft Body, Mi-T-M 5000 W Gasoline Generator Set, Mi-T-M 15.7 cfm Gasoline Air Compressor, Mi-T-M Gasoline Welder Usage: 67,933 Mi
788	<b>2015 Ford F-550 XL 4x4 Service Truck</b> S/N: 1FDUF5HT6FEB62752 C/W: 6 Cylinder 6.7 L Diesel 300 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 18750.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Knapheide 11 ft Body, Hydraulic Stabilizers, Stellar 7621 7500 lb 3 Section Crane Usage: 227,099 Mi	797	<b>2015 Ram 4500 4x4 Utility Truck</b> S/N: 3C7WRLBL0FG680319 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Automatic Transmission, 7250 lb Front Axle, 12000 lb Rears, 16000.0 lb GVWR, 225/70R19.5, Spring Suspension, 11 ft Body, Mi-T-M Generator Set, Mi-T-M 15.7 cfm Gasoline Air Compressor, Air Hose Reel, Mi-T-M 5000 W 170 A Welder Usage: 187,409 Mi
789	<b>2011 Dodge Ram 5500 4x4 Service Truck</b> S/N: 3D6WU7EL1BG583410 C/W: Cummins 6 Cylinder 6.7 L Diesel 305 hp Engine, 2011 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 168 in Wheelbase, 11 ft Body, Manual Stabilizers, Stellar EC3200 3200 lb 3 Section Electric Crane, Gasoline Air Compressor, Air Hose Reel, (2) Product Tanks Usage: 298,810 Mi	798	<b>2016 Ford F-250 XL 4x4 Service Truck</b> S/N: 1FDBF2B62GEA16701 C/W: V8 6.2 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 4800 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 265/70R17, Spring Suspension, 137 in Wheelbase, 8 ft Body, Air Hose Reel Usage: 251,121 Mi

Lot #	Details	Lot #	Details
799	<b>2019 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN9KH714560 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 260 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3242 Engine hrs, Allison Automatic Transmission, Differential Lock, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 3 in Body Usage: 52,355 Mi	805	<b>2012 International 4300M7 SBA LP 4x2 Utility Truck</b> S/N: 1HTMYSKN1CH593245 C/W: International 6 Cylinder Diesel Engine, 2011 US EPA Label, 6466 Engine hrs, Allison Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 28000.0 lb GVWR, 255/70R22.5, Spring Suspension, 155 in Wheelbase, Adkins 135-94-T81 11 ft 3 in Body Usage: 59,863 Mi
800	<b>2018 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN0JH714493 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 260 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 577 Engine hrs, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 172 in Wheelbase, Adkins URD-147-P 12 ft 9 in Body Usage: 8,102 Mi	806	<b>2016 Ford F-550 XL 4x4 Crew Cab Utility Truck</b> S/N: 1FD0W5HT7GEC18567 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 11 ft Body Usage: 131,533 Mi
801	<b>2018 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN7JH714491 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 260 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft Body Usage: 18,815 Mi	807	<b>2012 Ford F-550 XL 4x4 Utility Truck</b> S/N: 1FDUF5HT8CEC48575 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Knapheide 11 ft Body Usage: 198,520 Mi
802	<b>2018 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN8JH714497 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 260 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 903 Engine hrs, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 172 in Wheelbase, Adkins URD-147-P 12 ft 9 in Body Usage: 27,494 Mi	809	<b>2017 Ford Transit 350 4x2 Utility Truck</b> S/N: 1FDBF6ZM1HKB27741 C/W: V6 3.7 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 6500 lb Rears, 9950.0 lb GVWR, 235 /65R16, Spring Suspension, 138 in Wheelbase, Stellar 1004 10 ft Body, Hydraulic Lift Gate, Champion Gasoline Air Compressor Usage: 160,490 Mi
803	<b>2016 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN3GH462750 C/W: Cummins 6 Cylinder 5.9 L Diesel Engine, 4504 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 172 in Wheelbase, 2016 Adkins URD147-P 12 ft 8 in Body Usage: 38,521 Mi	810	<b>2016 Ford F-350 XL 4x2 Utility Truck</b> S/N: 1FDBF3E61GEA22989 C/W: V8 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 6730 lb Rears, 10000.0 lb GVWR, 275 /65R18, Spring Suspension, 141 in Wheelbase, Stellar 904R4 Body, Hydraulic Lift Gate, Gasoline Air Compressor Usage: 241,578 Mi
804	<b>2016 International 4300 SBA 4x2 Utility Truck</b> S/N: 3HAMMMMMN3GL199038 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 168 in Wheelbase, Adkins URD-147-P 12 ft 3 in Body Usage: 43,988 Mi	811	<b>2016 Ford F-350 XL 4x4 Utility Truck</b> S/N: 1FDRF3H6XGED29958 C/W: V8 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 9750 lb Rears, 14000.0 lb GVWR, 245 /75R17, Spring Suspension, 165 in Wheelbase, 11 ft Body, Tradesman Fuel Tank w/ Pump Usage: 296,912 Mi
		812	<b>2015 Ford F350 4x4 Crew Cab Utility Truck</b> S/N: 1FD8W3H61FEA89693 C/W: 6.2 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 265/70R17, Spring Suspension, 178 in Wheelbase, 9 ft Body Usage: Not Available

Lot #	Details	Lot #	Details
813	<b>2014 Ford F-350 XL 4x4 Utility Truck</b> S/N: 1FTRF3D60EEB52750 C/W: V8 6.2 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 9650 lb Rears, 13800.0 lb GVWR, Dual Rear Wheel, 245/45R17, Spring Suspension, 137 in Wheelbase, Knapheide 8 ft Body, Hydraulic Lift Gate Usage: 114,567 Mi	820	<b>2006 Chevrolet Silverado 3500 4x2 Crew Cab Utility Truck</b> S/N: 1GBJC33U46F242795 C/W: Vortec V8 6.0 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Steel wheels, 215/85R16, Spring Suspension, 168 in Wheelbase, Reading 98GABDW-T 8 ft 2 in Body, Air Hose Reel Usage: 235,616 Mi
814	<b>2013 Chevrolet Silverado 3500HD 4x2 Utility Truck</b> S/N: 1GB4CZCG8DF220158 C/W: GM V8 6.0 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 9750 lb Rears, 13200.0 lb GVWR, 235/80R17, Spring Suspension, 173 in Wheelbase, Reading Classic 2 9 ft Body Usage: 147,665 Mi	821	<b>2015 Ford F-250 XL 4x2 Utility Truck</b> S/N: 1FTBF2A61FEA13034 C/W: V8 6.2 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 3950 lb Front Axle, 6290 lb Rears, 10000.0 lb GVWR, 265 /70R17, Spring Suspension, 137 in Wheelbase, Champion R series Gasoline Air Compressor, Air Hose Reel Usage: 264,915 Mi
815	<b>2009 Ford F-350 XL 4x2 Crew Cab Utility Truck</b> S/N: 1FDWW36R29EB08504 C/W: V8 6.4 L Diesel Engine, 2009 US EPA Label, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 13000.0 lb GVWR, 245 /75R17, Spring Suspension, 175 in Wheelbase, Reading 9 ft Body Usage: 95,792 Mi	822	<b>2011 Ford F-250 XL 4x4 Extended Cab Utility Truck</b> S/N: 1FT7X2B6XBEC12272 C/W: V8 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 245 /75R17, Spring Suspension, 158 in Wheelbase, Knapheide 8 ft 2 in Body Usage: 242,126 Mi
816	<b>2008 Ford F-350 XL 4x2 Utility Truck</b> S/N: 1FDWF30598EC93090 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 3950 lb Front Axle, 6300 lb Rears, 10100.0 lb GVWR, 275 /80R18, Spring Suspension, 137 in Wheelbase, 2008 Reading 8 ft 2 in Body Usage: 112,947 Mi	823	<b>2010 Chevrolet Silverado 2500 4x2 Utility Truck</b> S/N: 1GB3CVBK1AF104497 C/W: GM Vortec V8 6.0 L Gasoline Engine, 2010 US EPA Label, CARB Compliant, Automatic Transmission, 4200 lb Front Axle, 6084 lb Rears, 9200.0 lb GVWR, 245/75R16, Spring Suspension, 133 in Wheelbase, Monroe 8 ft Body Usage: 126,145 Mi
818	<b>2007 Ford F350 XL 4x2 Utility Truck</b> S/N: 1FDWF30P97EB49006 C/W: Ford V8 6.0 L Diesel 325 hp Engine, 2007 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 6830 lb Rears, 10700.0 lb GVWR, 275/65R18, Spring Suspension, 137 in Wheelbase, Knapheide 8 ft Body, Hydraulic Lift Gate Usage: 248,882 Mi	824B	<b>2007 Chevrolet Silverado 2500HD 4x4 Crew Cab Utility Truck</b> S/N: 1GBHK23D77F172951 C/W: V8 6.6 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 6084 lb Rears, 9200.0 lb GVWR, 245 /75R16, Spring Suspension, 171 in Wheelbase, Reading 8 ft Body Usage: 125,188 Mi
819	<b>2006 Ford F-350 XL 4x2 Utility Truck</b> S/N: 1FDWF36P06ED53604 C/W: V8 6.0 L Diesel Engine, US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 275/75R17, Spring Suspension, Reading 9 ft Body Usage: 243,628 Mi	824A	<b>2008 Ford F-250 XL 4x4 Utility Truck</b> S/N: 1FTSF21R98ED84553 C/W: V8 6.4 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 6100 lb Rears, 9600 lb GVWR, 245/70R19.5, Spring Suspension, 137 in Wheelbase, Reading 9 ft Body Usage: 224,452 Mi
820A	<b>2003 Dodge Ram 3500 4x2 Crew Cab Utility Truck</b> S/N: 3D7MA48613G757610 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel 250 hp Engine, 2012 US EPA Label, Automatic Transmission, 4740 lb Front Axle, 9350 lb Rears, 11500.0 lb GVWR, 245/75R17, Spring Suspension, Knapheide 8 ft Body, Hydraulic Lift Gate Usage: 189,089 Mi	824	<b>2008 Chevrolet Silverado 2500 4x4 Extended Cab Utility Truck</b> S/N: 1GCHK29K78E130871 C/W: V8 6.0 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 4200 lb Front Axle, 6084 lb Rears, 9200.0 lb GVWR, 235 /75R16, Spring Suspension, 158 in Wheelbase, 8 ft Body Usage: 138,574 Mi

Lot #	Details	Lot #	Details
825	<b>2006 Chevrolet Silverado 2500 4x2 Utility Truck</b> S/N: 1GBHC24U36E173661 C/W: V8 6.0 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, 9200.0 lb GVWR, 245/75R16, Spring Suspension, Knapheide 8 ft Body Usage: 128,025 Mi	832	<b>1995 International 4900 6x4 Flatbed Truck</b> S/N: 1HTSHAAT5SH690562 C/W: International DT466 6 Cylinder 7.6 L Diesel 210 hp Engine, 1995 US EPA Label, Eaton Fuller Manual Transmission, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 272 in Wheelbase, Double Frame, 24 ft x 96 in Bed, Forklift Mount Kit Usage: 264,050 Mi
826	<b>2005 Chevrolet 2500 4x2 Utility Truck</b> S/N: 1GBHC24U45E305793 C/W: V8 6.0 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 134 in Wheelbase, 98 ft Body Usage: Not Available	833	<b>2001 Freightliner FL70 4x2 Flatbed Truck</b> S/N: 1FVABSAL41HH67752 C/W: 6 Cylinder 7.2 L Diesel 330 hp Engine, US EPA Label, Automatic Transmission, 8000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, 24 ft 5 in x 96 in Bed Usage: 88,714 Mi
827	<b>2005 Chevrolet 2500 4x2 Utility Truck</b> S/N: 1GBHC24U75E307425 C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 245/75R16, Spring Suspension, 132 in Wheelbase, Reading 8 ft Body Usage: 301,503 Mi	834	<b>1991 International 4700 4x2 Flatbed Truck</b> S/N: 1HTSCNDL6MH335534 C/W: International DT466 6 Cylinder 5.9 L Diesel Engine, Automated Transmission, 10R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 151 in Wheelbase, 12 ft x 94 in Bed, Liftgate, Pintle Hitch Usage: 142,887 Mi
828	<b>2008 International 4300 4x2 Flatbed Dump Truck</b> S/N: 3HTMMAAL38N689834 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 255 hp Engine, 2007 US EPA Label, 6386 Engine hrs, Exhaust Brake, Allison 5-Speed Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 235 in Wheelbase, PTO, Hydraulic System, Knapheide 16 ft 8 in Long Steel Body, Flat Bed, Pintle Hitch Usage: 137,156 Mi	835	<b>2006 Chevrolet C7500 4x2 Flatbed Truck</b> S/N: 1GBM7C1G46F407324 C/W: V8 8.1 L Liquid Propane Gas (LPG) Engine, 2006 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 223 in Wheelbase, 20 ft 3 in x 96 in Bed, Liftgate Usage: 128,282 Mi
829	<b>2013 Ford F-750 4x2 Crew Cab Flatbed Dump Truck</b> S/N: 3FRXW7FL7DV763205 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 230 in Wheelbase, PTO, SE, Inc. 14 ft Long x 1 ft High Steel Body, Flat Bed, Ringfeder Usage: 30,132 Mi	836	<b>1996 Chevrolet C7500 4x2 Flatbed Truck</b> S/N: 1GBM7H1J6TJ107088 C/W: Cat 3116 6 Cylinder Diesel 215 hp Engine, 5-Speed Manual Transmission, 11000 lb Front Axle, 22000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 197 in Wheelbase, 13 ft x 96 in Bed Usage: 85,780 Mi
830	<b>2016 Ford F-550 XL 4x4 Crew Cab Dump Truck</b> S/N: 1FD0W5HT1GED48098 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225 /70R19.5, Spring Suspension, 200 in Wheelbase, Monroe 11 ft Long x 2 ft High Steel Body, Manual Roll Tarp Usage: 98,346 Mi	837	<b>2004 Ford F-650 XL 4x2 Flatbed Truck</b> S/N: 3FRWF653X4V610910 C/W: Cat 3126 7.2 L Diesel 330 hp Engine, 2003 US EPA Label, 7-Speed Manual Transmission, 10000 lb Front Axle, 17500 lb Rears, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 194 in Wheelbase, PTO, 14 ft x 96 in Bed, Pintle Hitch Usage: 81,360 Mi
831	<b>2011 International 7500 SBA 6x4 Flatbed Truck</b> S/N: 1HTWNAZT2BJ394048 C/W: International MaxxForce 9 6 Cylinder Diesel Engine, 20881 Engine hrs, Engine Brake, Allison 6-Speed Automatic Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, 58000.0 lb GVWR, Air Ride Cab, Steel, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 236 in Wheelbase, Double Frame, 22 ft x 102 in Bed, Forklift Mount Kit Usage: 271,888 Mi	838	<b>2011 Isuzu NPR 4x2 COE Flatbed Truck</b> S/N: JALC4W16XB7001897 C/W: Isuzu 4HK1TC 4 Cylinder 307 cid Diesel 210 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 8365 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 150 in Wheelbase Usage: 200,150 Mi

Lot #	Details	Lot #	Details
839	<b>2008 Isuzu NPR HD 4x2 COE Flatbed Truck</b> S/N: 4KLC4B1U38J800926 C/W: GM V8 6.0 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 255/70R19.5, Spring Suspension, 110 in Wheelbase, 13 ft x 96 in Bed, 1 chemical tank 2 water tanks, hose reel Usage: 151,654 Mi	845	<b>2004 GMC C5500 4x2 Flatbed Truck</b> S/N: 1GDE5C1104F500268 C/W: Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 207 in Wheelbase, 18 ft x 96 in Bed Usage: 228,214 Mi
840	<b>2019 Ford F-550 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD0W5HY1KEC16575 C/W: Ford V8 6.8 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 206 in Wheelbase, 12 ft Bed, Liftgate, Stake Sides Usage: 98,740 Mi	846	<b>2000 Ford F-550 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FDAW56F2YEE28657 C/W: V8 7.3 L Diesel Engine, 2000 US EPA Label, Automatic Transmission, 225/70R19.5, Spring Suspension, 9 ft x 96 in Bed Usage: 201,858 Mi
841	<b>2015 Ford F-550 XL 4x4 Flatbed Truck</b> S/N: 1FDUF5HYXFED43428 C/W: V8 6.8 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 245/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft x 93 in Bed Usage: 165,784 Mi	848	<b>2018 Ford F450 XL 4x4 Flatbed Truck</b> S/N: 1FDUF4HY0JEC29070 C/W: V10 6.8 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 16500.0 lb GVWR, 225/70R19.5, Spring Suspension, 13 ft x 96 in Bed, Liftgate Usage: 167,928 Mi
842	<b>2014 Ford F-550 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD0W5HT4EEB32341 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 255/70R19.5, Spring Suspension, 200 in Wheelbase, 12 ft 4 in x 8 in Bed Usage: 169,053 Mi	849	<b>2014 Ford F-450 XL 4x2 Flatbed Truck</b> S/N: 1FDUF4GTXEAA46397 C/W: V8 6.7 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 225/70R19.5, Spring Suspension, 12 ft x 96 in Bed, Liftgate Usage: 70,285 Mi
843A	<b>2008 Ford F-550 XL 4x2 Flatbed Truck (Inoperable)</b> S/N: 1FDAF56R48EA20235 C/W: V8 6.4 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19000.0 lb GVWR, 225/70R19.5, Spring Suspension, 201 in Wheelbase, 17 ft x 92 in Bed Usage: Not Available	850	<b>2006 Ford F-450 XL 4x2 Flatbed Truck</b> S/N: 1FDXF46P86EA88201 C/W: Navistar Powerstroke V8 6.0 L Diesel 325 hp Engine, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16000.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 90 in Bed, Pintle Hitch Usage: 295,766 Mi
843	<b>2012 Dodge 5500 4x4 Flatbed Truck</b> S/N: 3C7WDNBL2CG211626 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 172 in Wheelbase, 11 ft x 96 in Bed, Ringfeder Usage: 106,028 Mi	852	<b>2018 Chevrolet Silverado 3500HD 4x4 Crew Cab Flatbed Truck</b> S/N: 1GB4KYCG7JF230365 C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 235/80R17, Spring Suspension, 170 in Wheelbase, 9 ft 4 in x 96 in Bed Usage: 113,975 Mi
844	<b>2007 GMC C5500 4x4 Flatbed Truck</b> S/N: 1GDE5C3257F415291 C/W: Duramax V8 6.6 L Diesel Engine, Allison Automatic Transmission, 8000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, 245/70R19.5, Spring Suspension, 154 in Wheelbase, 12 ft x 96 in Bed, Receiver Hitch Usage: 247,441 Mi	853	<b>2017 Ford F-350 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD8W3HT2HEB18823 C/W: V8 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 5600 lb Front Axle, 10040 lb Rears, 14000.0 lb GVWR, Dual Rear Wheel, 245/75R17, Spring Suspension, 179 in Wheelbase, 9 ft x 93 in Bed Usage: 161,665 Mi
		854	<b>2017 Ford F-350 XL 4x4 Extended Cab Flatbed Truck</b> S/N: 1FD8X3HT2HED06352 C/W: V8 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7159 Engine hrs, Automatic Transmission, 14000.0 lb GVWR, 245/75R17, Spring Suspension, 158 in Wheelbase, 11 ft x 95 in Bed Usage: 182,934 Mi



Lot #	Details	Lot #	Details
855	<b>2016 Ford F-350 XL 4x2 Flatbed Truck</b> S/N: 1FDRF3ET4GED35684 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 4700 lb Front Axle, 6730 lb Rears, 11000.0 lb GVWR, 245/75R17, Spring Suspension, 141 in Wheelbase, 9 ft 3 in x 96 in Bed, Fuel Tank /w Pump Usage: 166,440 Mi	861	<b>2012 Chevrolet 3500HD 4x4 Crew Cab Flatbed Truck</b> S/N: 1GC4KZCG3CF121048 C/W: Vortec V8 6.0 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 7050 lb Rears, 11000.0 lb GVWR, Steel, 285/65R18, Spring Suspension, 167 in Wheelbase, 9 ft x 82 in Bed, Pintle Hitch, Air Compressor, Honda 630 Engine Usage: 27,203 Mi
856	<b>2015 GMC Sierra 3500 4x2 Flatbed Truck</b> S/N: 1GD311CG6FF582325 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200.0 lb GVWR, 235 /80R17, Spring Suspension, 170 in Wheelbase, 12 ft x 96 in Bed Usage: 191,843 Mi	862	<b>2010 Chevrolet Silverado 3500HD 4x2 Flatbed Truck</b> S/N: 1GB6CZB64AF115145 C/W: GM Duramax V8 6.6 L Ultra Low Sulfur Diesel 365 hp Engine, 2009 US EPA Label, Allison Automatic Transmission, 4500 lb Front Axle, 8600 lb Rears, 11400 lb GVWR, 235 /80R17, Spring Suspension, 138 in Wheelbase, 9 ft 6 in Bed Usage: 155,078 Mi
857A	<b>2013 Ford F-350 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD8W3HT0DEB10682 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 10 ft 3 in x 96 in Bed Usage: 228,019 Mi	863	<b>2007 GMC Sierra 3500 4x4 Extended Cab Flatbed Truck</b> S/N: 1GDJK39D27E139545 C/W: V8 6.6 L Diesel Engine, Allison Automatic Transmission, Aluminum Outer Wheels, 235/85 /16, GM Spring Suspension, 158 in Wheelbase, 8 ft x 88 in Bed, receiver Usage: Not Available
858	<b>2012 Ford F-350 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD8W3H60CEC87452 C/W: V8 6.2 L Gasoline Engine, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 13300.0 lb GVWR, Spring Suspension, 9 ft Bed Usage: 39,161 Mi	864	<b>2016 Ford F-250 XL 4x2 Flatbed Truck</b> S/N: 1FDBF2AT4GEC32721 C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 4700 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 245 /75R27, Spring Suspension, 137 in Wheelbase, 8 ft 6 in x 82 in Bed, Liftgate Usage: 172,568 Mi
859	<b>2012 Ford F 350 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD7W3ET7CEB81974 C/W: V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5250 lb Front Axle, 6290 lb Rears, 9800.0 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 80 in Bed Usage: 48,873 Mi	866	<b>2012 Ford F-250 XL 4x4 Extended Cab Flatbed Truck</b> S/N: 1FD7X2B62CEC67540 C/W: V8 6.2 L Gasoline Engine, 2012 US EPA Label, 11686 Engine hrs, Automatic Transmission, 4800 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 265/70R17, Spring Suspension, 8 ft 6 in x 86 in Bed, Fuel Tank /w Pump Usage: 428,356 Mi
860A	<b>2012 Ford F-350 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD8W3B66CEB10672 C/W: V8 6.2 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 6290 lb Rears, 10800 lb GVWR, 245 /75R17, Spring Suspension, 8 ft 6 in Bed Usage: 148,686 Mi	867	<b>2003 Chevrolet Silverado 2500HD 4x4 Flatbed Truck</b> S/N: 1GCHK24U83E317361 C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 4500 lb Front Axle, 6084 lb Rears, 285/75R16, Spring Suspension, 138 in Wheelbase, 8 ft Bed Usage: 178,963 Mi
860	<b>2012 Ford F-350 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD7W3ET9CEB81975 C/W: V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5250 lb Front Axle, 6290 lb Rears, 9800.0 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 84 in Bed Usage: 70,024 Mi	868A	<b>2012 Ford F-550 XLT 4x2 Extended Cab Versatile Hauler Truck</b> S/N: 1FD0X5GT6CEC74797 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000.0 lb GVWR, 225 /70R19.5, Spring Suspension, 162 in Wheelbase Usage: 88,176 Mi

Lot #	Details	Lot #	Details
869	<b>2004 Chevrolet C4500 4x2 Crew Cab Versatile Hauler Truck</b> S/N: 1GBE4E1214F513076 C/W: V8 6.6 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, Aluminum Wheels, 285/70R19.5, Spring Suspension, 166 in Wheelbase, Gooseneck Ball Hitch, 9 ft 7 in x 82 in Bed Usage: 193,075 Mi	875	<b>1994 Kenworth T600 6x4 Tow Truck</b> S/N: 1XKADR9X3RS620957 C/W: Detroit Diesel 6 Cylinder 12.7 L Diesel Engine, Engine Brake, Eaton Fuller Manual Transmission, 62 in Flat Top Sleeper Cab, Aluminum Front Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 320 in Wheelbase, No Mar 95-112 HDU Steel Wrecker Body Usage: 18,888 Mi
870A	<b>1995 Peterbilt 375 6x4 Rollback Truck</b> S/N: 1XPBDE9X2SN378979 C/W: Cat C12 6 Cylinder 11.8 L Diesel Engine, 1994 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 264 in Wheelbase, Double Frame, 25 ft x 101 in Bed, Winch Usage: 522,499 Mi	876	<b>2004 Chevrolet C5500 4x2 Tow Truck</b> S/N: 1GBE5C1254F511316 C/W: Dura Max V8 6.6 L Diesel Engine, Allison Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, 245/70R19.5, Spring Suspension, 152 in Wheelbase, Miller Steel Wrecker Body, 9000 lb Winch Capacity, 16000 lb Boom Rating Usage: 344,158 Mi
870	<b>2007 Peterbilt 335 6x4 Rollback Truck</b> S/N: 2NPLLZ9X37M692981 C/W: Cummins ISC 6 Cylinder Ultra Low Sulfur Diesel 315 hp Engine, 17989 Engine hrs, Allison 3000 Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Dana DSP41P Drive Axles, 4.88:1 Axle Ratio, 52350.0 lb GVWR, Aluminum Front Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 257 in Wheelbase, PTO, Double Frame, 28 ft x 102 in Bed, Winch, Rearview Camera Usage: 370,774 Mi	880A	<b>Altec AH100 95 ft on 2009 Freightliner M2 112 6x4 Bucket Truck</b> S/N: 1FVHC5DE39HAJ6082 C/W: Cat C13 6 Cylinder Diesel Engine, Allison 4500 Automatic Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 4.88:1 Axle Ratio, 60000.0 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 12R22.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 268 in Wheelbase, PTO, 800 lb Capacity, Rear Mounted, Two-Person Articulating-Telescopic Boom, Flatbed, A-Outriggers, Rear Outriggers, 23 ft 5 in x 96 in Bed Usage: 138,505 Mi
871	<b>2015 Freightliner M2106 4x2 Rollback Truck</b> S/N: 3ALACXCY6FDGS1577 C/W: Cummins ISL 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 9080 Engine hrs, Allison 3500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 6.14:1 Axle Ratio, 33000.0 lb GVWR, 295/75R22.5, Spring Suspension, 265 in Wheelbase, Century, 26 ft x 102 in Bed, Winch Usage: 223,622 Mi	881	<b>2009 Altec AM60E 60 ft on 2010 Freightliner M2 106 6x6 Bucket Truck</b> S/N: 1FVKCYBS6AHAP6068 C/W: Cummins ISC 6 Cylinder Diesel 300 hp Engine, 10305 Engine hrs, Allison 3500 Automatic Transmission, 16000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 5.29:1 Axle Ratio, 56000.0 lb GVWR, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Suspension, 208 in Wheelbase, PTO, 600 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, A-Outriggers, Rear Outriggers, 18 ft x 93 in Bed Usage: 143,927 Mi
873	<b>2007 Ford F650 XLT 4x2 Extended Cab Rollback Truck</b> S/N: 3FRNX65FX7V394158 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 245/70R19.5, Spring Suspension, 240 in Wheelbase, PTO, Jerrr Dan 21RRSB Rollback Body, 21 ft x 96 in Bed, Ramsey HD234 8000 lb Winch, Hydraulic Wheel Lift Usage: 344,636 Mi	882	<b>Altec AM60E 60 ft on 2010 Freightliner M2 106 6x4 Bucket Truck</b> S/N: 1FVHCYBSXADAP4731 C/W: 6 Cylinder Diesel 300 hp Engine, 2009 US EPA Label, 12095 Engine hrs, Allison 3500 Automatic Transmission, 14600 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 5.86:1 Axle Ratio, 54600.0 lb GVWR, 385/65R22.5, Spring Suspension, 206 in Wheelbase, PTO, 600 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Turret Mounted Winch, A-Outriggers, Rear Outriggers, 18 ft x 95 in Bed Usage: 118,759 Mi
874	<b>2019 Chevrolet 5500 4x2 Rollback Truck</b> S/N: 1HTKHPVK0KH805394 C/W: International 360 V8 6.6 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7813 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, Aluminum Front Wheels, 225/70R19.5, Spring Suspension, 216 in Wheelbase, PTO, Century Rollback Body, 19 ft 5 in x 102 in Bed, Ramsey 8000 lb Winch, Hydraulic Wheel Lift Usage: 162,523 Mi		

Lot #	Details	Lot #	Details
883	<p><b>Altec AM60E 60 ft on 2010 Freightliner M2 106 6x4 Bucket Truck</b></p> <p>S/N: 1FVHCYBSXADAP4728 C/W: Cummins ISC 6 Cylinder Diesel Engine, 2009 US EPA Label, Requires Diesel Exhaust Fluid, 11696 Engine hrs, Allison 3500 Automatic Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 5.86:1 Axle Ratio, 54600.0 lb GVWR, Air Ride Cab, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 206 in Wheelbase, 600 lb Capacity, Rear Mounted, Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, Material Handling Jib, A-Outriggers, Rear Outriggers, Cordless Remote Control, 18 ft x 96 in Bed, Pintle Hitch Usage: 145,100 Mi</p>	887	<p><b>Altec TA40 41 ft on 2004 Freightliner M2 106 4x4 Bucket Truck</b></p> <p>S/N: 1FVACXDC94HN09539 C/W: Cat C7 6 Cylinder Diesel 230 hp Engine, 14392 Engine hrs, Allison MD-3560P Automatic Transmission, 12000 lb Front Axle, 17000 lb Rears, Meritor RS-17-144 Drive Axles, 5.86:1 Axle Ratio, 29500.0 lb GVWR, 11R22.5, Spring Suspension, 186 in Wheelbase, PTO, 400 lb Capacity, Front Mounted, Insulated One-Person Articulating-Telescopic Boom, Utility Body, 12 ft x 93 in Bed Usage: 189,886 Mi</p>
884	<p><b>2014 Altec AA55 56 ft on 2015 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACXDXTXFHGE2814 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Allison 3500 Automatic Transmission, 13200 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 198 in Wheelbase, 700 lb Capacity, Center Mounted, Two-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, Pintle Hitch Usage: 66,650 Mi</p>	888	<p><b>Versalift 36 ft on 2009 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACXDT29HAH4000 C/W: Cummins 6 Cylinder Diesel Engine, US EPA Label, Allison 3500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 275/80R22.5, Spring Suspension, 178 in Wheelbase, 350 lb Capacity, Center Mounted, One-Person Articulated Boom, Utility Body Usage: 61,739 Mi</p>
885	<p><b>2014 Altec AA55 55 ft on 2015 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACXDT3FHGE2816 C/W: Cummins ISB 6.7 L Diesel 250 hp Engine, 8423 Engine hrs, Allison 3500 Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, 700 lb Capacity, Rear Mounted, Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, 14 ft x 94 in Bed Usage: 80,375 Mi</p>	889	<p><b>2012 Terex Hi Ranger XT55 55 ft on 2010 Ford F-750 XL 4x2 Bucket Truck</b></p> <p>S/N: 3FRNF7FD8AV275991 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, US EPA Label, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 12R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 194 in Wheelbase, PTO, 350 lb Capacity, Center Mounted, Insulated One-Person Articulated Boom, Chip Body, A-Outriggers, 11 ft x 96 in Bed, Pintle Hitch Usage: 133,692 Mi</p>
886	<p><b>2009 Altec AT40-P 40 ft on 2010 International 4300M7 4x4 Bucket Truck</b></p> <p>S/N: 1HTMZSKL4AJ207080 C/W: International MaxxForce 7 V8 6.4 L Diesel 255 hp Engine, 11722 Engine hrs, Allison 3500 5-Speed Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 25999.0 lb GVWR, Aluminum Wheels, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 169 in Wheelbase, PTO, 400 lb Capacity, Center Mounted, One-Person Telescopic Boom, Utility Body, Cordless Remote Control, 11 ft 8 in x 96 in Bed, Aluminum Frame, Pintle Hitch Usage: 196,442 Mi</p>	890	<p><b>2007 Terex Hi-Ranger TL45M 45 ft on 2007 Ford F-750 XL 4x2 Bucket Truck</b></p> <p>S/N: 3FRXF75R57V418653 C/W: Cat C7 ACERT 6 Cylinder Diesel Engine, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 194 in Wheelbase, 350 lb Capacity, Front Mounted, Insulated One-Person Articulating-Telescopic Boom, Utility Body, Out and Down Outriggers, 11 ft x 96 in Bed Usage: 174,928 Mi</p>
		891	<p><b>Altec AT40G 40 ft on 2013 Ram 5500HD 4x4 Bucket Truck</b></p> <p>S/N: 3C7WRNAL7DG595360 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 18750.0 lb GVWR, 225 /70R19.5, Spring Suspension, 145 in Wheelbase, 400 lb Capacity, Center Mounted, One-Person Articulating-Telescopic Boom, Utility Body, Bumper Mounted Winch, 9 ft x 94 in Bed Usage: 240,782 Mi</p>

Lot #	Details	Lot #	Details
892	<b>Altec AT40-G 40 ft on 2012 Ford F-550 XL 4x4 Bucket Truck</b> S/N: 1FDUF5HT1CEC50622 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, 400 lb Capacity, Front Mounted, Insulated One-Person Articulating-Telescopic Boom, Utility Body, 13 ft Bed Usage: 204,380 Mi	896	<b>Altec DC47TR on 2014 Freightliner M2 106 4x2 Digger Derrick Truck</b> S/N: 1FVACXDTXEHFV3554 C/W: Cummins ISB 6.7 L Diesel 250 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 4871 Engine hrs, Allison 3500 5-Speed Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000.0 lb GVWR, Steel wheels, 11R22.5, Spring Suspension, 190 in Wheelbase, 47 ft Sheave Height, 23790 lb Capacity, Rear Mounted, 37 ft Reach, 18 in Auger, Pole Guide, Turret Mounted Winch, Altec 13 ft 10 in Body, A-Outriggers, Rear Outriggers, Hydraulic Hose Reel Usage: 67,354 Mi
893	<b>2012 Dodge Ram 4500 4x4 Bucket Truck</b> S/N: 3C7WDLAL8CG288538 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16000.0 lb GVWR, 225 /70R19.5, Spring Suspension, 146 in Wheelbase, Front Mounted, One-Person Articulating-Telescopic Boom, Utility Body, 12 ft 5 in x 94 in Bed Usage: 258,219 Mi	897	<b>Altec DC47TR on 2013 Freightliner M2 106 4x2 Digger Derrick Truck</b> S/N: 1FVACXDTXDHBW2516 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2013 US EPA Label, 10079 Engine hrs, Allison Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, 47 ft Sheave Height, 23790 lb Capacity, Rear Mounted, Insulated Upper Boom, 18 in Auger, Boom Tip Mounted Winch, Material Handling Jib, Altec 15 ft Body, A-Outriggers, Rear Outriggers, Hydraulic Hose Reel Usage: 145,353 Mi
894	<b>Altec D3060TR on 2007 Peterbilt 335 6x4 Digger Derrick Truck</b> S/N: 2NPLLD0X97M688014 C/W: Cat C7 6 Cylinder 7.2 L Diesel 330 hp Engine, 2006 US EPA Label, Eaton Fuller FRO11210C 10-Speed Manual Transmission, 20000 lb Front Axle, 40000 kg Rears, 5.29:1 Axle Ratio, 60000.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring over Walking Beam Suspension, 208 in Wheelbase, PTO, 60 ft Sheave Height, 25250 lb Capacity, Rear Mounted, 50 ft Reach, Insulated Upper Boom, 26 in Auger, Pole Guide, 15 ft Body, A-Outriggers, Rear Outriggers Usage: 71,545 Mi	898	<b>Altec DM47TR on 2009 International 7300 4x4 Digger Derrick Truck</b> S/N: 1HTWBAAN49J086587 C/W: 6 Cylinder Diesel Engine, 4006 Engine hrs, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 202 in Wheelbase, PTO, 47 ft Sheave Height, 23790 lb Capacity, Rear Mounted, Insulated Upper Boom, 20 in Auger, Pole Guide, Turret Mounted Winch, 13 ft Body, A-Outriggers, Rear Outriggers Usage: 51,077 Mi
895	<b>Terex Commander C4047 on 2007 Peterbilt 335 4x2 Digger Derrick Truck</b> S/N: 2NPLHZ7X07M687824 C/W: Cummins ISC 6 Cylinder 8.3 L Ultra Low Sulfur Diesel 260 hp Engine, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, 47 ft Sheave Height, 23650 lb Capacity, Rear Mounted, 37 ft Reach, Insulated Upper Boom, 20 in Auger, Pole Guide, Auxiliary Hydraulics, Terex 14 ft Body, A-Outriggers, Hydraulic Hose Reel Usage: 21,982 Mi	899	<b>2007 Terex Commander C4045 on 2008 Ford F-750 XL 4x2 Digger Derrick Truck</b> S/N: 3FRXF75WX8V640631 C/W: Cat 6 Cylinder Diesel Engine, 8654 Engine hrs, 7-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 182 in Wheelbase, PTO, Rear Mounted, 18 in Auger, Pole Guide, Auxiliary Hydraulics, Dakota 10 ft 9 in Body, Rear Outriggers, Hydraulic Hose Reel Usage: 87,728 Mi
		900	<b>2000 Chevrolet C7500 4x2 Reel Truck</b> S/N: 1GBM7H1C8YJ502107 C/W: Cat 3126 6 Cylinder Diesel Engine, Allison Automatic Transmission, 11R22.5, Spring Suspension, 229 in Wheelbase, Hydraulic Reel Hoist, Pintle Hitch Usage: 263,871 Mi

Lot #	Details	Lot #	Details
901A	<b>1995 Chevrolet C7500 4x2 Reel Truck</b> S/N: 1GBM7H1J7SJ105638 C/W: Cat 3116 6 Cylinder 6.6 L Diesel 215 hp Engine, 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, Hydraulic Reel Hoist, Pintle Hitch Usage: 204,591 Mi	906	<b>2018 Kenworth T880 8x4 Roll-Off Truck</b> S/N: 1NKZX7EX6JJ218732 C/W: Cummins ISX12 6 Cylinder Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-164PEH Drive Axles, 410:1 Axle Ratio, 78350.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 258 in Wheelbase, PTO, Double Frame, 2005 Galbreath Roll-Off Body, 23 ft Hoist Usage: 100,320 Mi
901	<b>1997 Chevrolet C7500 4x2 Reel Truck</b> S/N: 1GBM7H1J0VJ113584 C/W: Diesel Engine, 1990 US EPA Label, 6-Speed Manual Transmission, 11000 lb Front Axle, 22000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 215 in Wheelbase Usage: 163,704 Mi	907	<b>2019 Mack GR64B 8x4 Roll-Off Truck</b> S/N: 1M2GR2GC0KM005397 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6722 Engine hrs, Engine Brake, Allison 6-Speed Automatic Transmission, Differential Lock, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Camelback Spring Suspension, 266 in Wheelbase, PTO, Hydraulic System, 2018 Unilift TA57000NL/MS Roll-Off Body, 18 ft 6 in Hoist Usage: 122,991 Mi
902	<b>2005 GMC C8500 4x2 Grapple Truck</b> S/N: 1GDP8C1355F514234 C/W: Cummins Diesel Engine, Allison Automatic Transmission, 14600 lb Front Axle, 23000 lb Rears, 37600.0 lb GVWR, 275/70R22.5, Spring Suspension, 254 in Wheelbase, Double Frame, 7100 lb Capacity, Center Mounted, 10 ft - 20 ft 2 Section Boom, Dual Controls, Out and Down Outriggers, 20 ft x 96 in Bed Usage: 151,122 Mi	908	<b>2019 Mack GR64B 8x4 Roll-Off Truck</b> S/N: 1M2GR2GC4KM005399 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 425 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9154 Engine hrs, Engine Brake, Allison Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Camelback Spring Suspension, 262 in Wheelbase, PTO, Unilift Roll-Off Body, 16 ft Hoist Usage: 185,801 Mi
903	<b>2009 International 4400 4x2 Chipper Truck</b> S/N: 1HTMKAAN19H159574 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 230 hp Engine, 2008 US EPA Label, 6276 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 12R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 250 in Wheelbase, PTO, 22 ft Long x 93 in Wide x 72 in High Body, Ringfeder Usage: 158,318 Mi	909	<b>2018 Mack GU713 Granite 8x4 Roll-Off Truck</b> S/N: 1M2AX04C8JM039722 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9742 Engine hrs, Engine Brake, Allison 6-Speed Automatic Transmission, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Steerable Air Lift Pusher Axle, Camelback Spring Suspension, 273 in Wheelbase, PTO, Double Frame, 2015 Unilift TA57000NL Roll-Off Body, 22 ft 6 in Hoist Usage: 181,835 Mi
904	<b>1999 International 4700 4x2 Chipper Truck</b> S/N: 1HTSCAAN7XH222372 C/W: International 6 Cylinder Diesel Engine, 10672 Engine hrs, 6-Speed Manual Transmission, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 140 in Wheelbase, 11 ft Long x 88 in Wide x 55 in High Body, Pintle Hitch Usage: 90,235 Mi		
905	<b>2004 Isuzu NPR 4x2 COE Chipper Truck</b> S/N: JALB4B14X47000965 C/W: Isuzu 6 Cylinder 290 cid Diesel Engine, 2003 US EPA Label, Automatic Transmission, 215/85R16, Spring Suspension, 178 in Wheelbase, 20 ft Long x 88 in Wide x 41 in High Body Usage: 152,588 Mi		

Lot #	Details	Lot #	Details
910	<b>2018 Mack GU713 Granite 8x4 Hook-Lift Roll-Off Truck</b> S/N: 1M2AX04C6JM039721 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9289 Engine hrs, Engine Brake, Allison Automatic Transmission, 18000 lb Front Axle, 44000 lb Rears, 62000.0 lb GVWR, Air Ride Cab, Aluminum Rear Wheels, 315 /80R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Camelback Spring Suspension, 288 in Wheelbase, PTO, Double Frame, Unilift Roll-Off Body Usage: 276,105 Mi	916C	<b>2009 UD 2300DH 4x2 COE Rear Loader Waste Collection Truck</b> S/N: JNALC81H99AD75082 C/W: Nissan Diesel 300 hp Engine, 2008 US EPA Label, Automatic Transmission, 16535 lb Rears, 9R22.5, Spring Suspension, 150 in Wheelbase Usage: 160,179 Mi
911	<b>2005 Mack CV713 8x4 Roll-Off Truck</b> S/N: 1M2AG11C55M020027 C/W: Mack 6 Cylinder Diesel Engine, 24385 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 270 in Wheelbase, PTO, Galbreath U5-0R-174 Roll-Off Body, 23 ft 5 in Hoist Usage: 423,143 Mi	916B	<b>2009 International 7400 6x4 Rear Loader Waste Collection Truck</b> S/N: 1HTWGAZR79J062244 C/W: International GDT300 9.3 L Diesel Engine, 8491 Engine hrs, Allison Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, 11R22.5, Hendrickson Spring over Walking Beam Suspension, 227 in Wheelbase, Double Frame, 25 cyd Capacity Collection Body Usage: 54,854 Mi
912	<b>2002 Mack CV713 6x4 Roll-Off Truck</b> S/N: 1M2AG11C02M001428 C/W: Mack E7-350 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 350 hp Engine, 2001 US EPA Label, 23240 Engine hrs, Eaton Fuller 8LL Manual Transmission, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 268 in Wheelbase, PTO, Double Frame, 2002 Gilbreath U5-0R-174 Roll-Off Body, 23 ft Hoist Usage: 453,898 Mi	916A	<b>2014 International 7400 6x4 Rear Loader Waste Collection Truck</b> S/N: 1HTWGAZT9EH787583 C/W: 6 Cylinder Diesel Engine, 9822 Engine hrs, Allison Automatic Transmission, 16000 lb Front Axle, 46000 lb Rears, 60000.0 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Rubber Suspension, 226 in Wheelbase, PTO, Heil Collection Body Usage: 57,693 Mi
913	<b>1999 Mack RD688S 6x4 Roll-Off Truck</b> S/N: 1M2P267C4XM047705 C/W: Mack 6 Cylinder Diesel Engine, 9-Speed Manual Transmission, Aluminum Outer Wheels, 295/75R22.5, Camelback Spring Suspension, 267 in Wheelbase, PTO, Galbreath U5-IO-174 Roll-Off Body, 23 ft Hoist Usage: 107,354 Mi	916	<b>2012 Mack MRU613 6x4 COE Rear Loader Waste Collection Truck</b> S/N: 1M2AV04C6CM008686 C/W: Mack MP7 6 Cylinder 10.8 L Diesel Engine, Allison Automated Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Aluminum Front Wheels, 315/80R22.5, Camelback Spring Suspension, 190 in Wheelbase, E-Z Pack 25 cyd Capacity Collection Body Usage: 206,330 Mi
914	<b>1999 International 4900 6x4 Roll-Off Truck</b> S/N: 1HTSHADT2XH640933 C/W: International 6 Cylinder Diesel 300 hp Engine, 17882 Engine hrs, Manual Transmission, 11R22.5, Dual Steering Boxes, Spring over Walking Beam Suspension, 254 in Wheelbase, PTO, Double Frame, 23 ft 6 in Hoist Usage: 404,241 Mi	917	<b>2005 Sterling SC-8000 Sweeper Truck</b> S/N: 49HAADB75DN90181 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel 200 hp Engine, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-230 Drive Axles, 5.86:1 Axle Ratio, 33000.0 lb GVWR, Spring Suspension, 121 in Wheelbase, Isuzu Auxiliary Engine, 70 in Rear Broom, Gutter Brooms Usage: 61,678 Mi
915	<b>2008 Isuzu NRR 4x2 COE Paint Striping Truck</b> S/N: JALE5W16487300719 C/W: Isuzu Diesel Engine, Automatic Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 134 in Wheelbase, Handgun & Hose Reel, Dual Steering, Sullair 210 cfm Air Compressor, John Deere Auxiliary Engine Usage: Not Available	918	<b>Schwarze A7000 on 2002 GMC T-7500 Sweeper Truck (Inoperable)</b> S/N: 1GDM7C1C72J515903 C/W: Cat 3126 7.2 L Diesel 330 hp Engine, 2002 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 32000.0 lb GVWR, 11R22.5, Spring Suspension, John Deere Auxiliary Engine, Regenerative Air Usage: Not Available

Lot #	Details	Lot #	Details
919	<b>Vac-Con on 2009 Freightliner M2112 6x4 Vacuum Excavator Truck</b> S/N: 1FVHC5DE99HAJ9777 C/W: Cat C13 6 Cylinder Diesel Engine, 3510 Engine hrs, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.89:1 Axle Ratio, 66000.0 lb GVWR, 425/65R22.5, Rubber over Walking Beam Suspension, 230 in Wheelbase, 9 in Suction Hose Usage: 51,256 Mi	927	<b>2017 Kenworth T880 8x4 Tri/A Dump Truck</b> S/N: 1NKZX4EX4HJ156403 C/W: Cummins ISX15 485V 6 Cylinder 15.0 L Diesel 485 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison 4500 Automatic Transmission, 20000 lb Front Axle, 58350 lb Rears, Meritor RT-46-160 Drive Axles, 4.89:1 Axle Ratio, 78350 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Tag Axle, Dual Steering Boxes, Chalmers Rubber over Walking Beam Suspension, 214 in Wheelbase, PTO, Double Frame, OX Bodies 16 ft Long x 4 ft High Body, 20 cyd, Capacity, Flat Bed, Electric Roll Tarp Usage: 479,213 Mi
921	<b>Vactor 2100 on 1999 Sterling LT9501 6x4 Vacuum Excavator Truck</b> S/N: 2FZNCEDB0XA982118 C/W: Cat 6 Cylinder Diesel Engine, 13915 Engine hrs, Allison Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, 425/65R22.5 Front Tires, 12R22.5 Rear Tires, Hendrickson Spring Suspension, 230 in Wheelbase, Front Hose Reel, Hydraulic Lift Tailgate, Boom, Blower Usage: 120,699 Mi	928	<b>2017 Kenworth T-880 8x4 Tri/A Dump Truck</b> S/N: 1NKZX4EX4HJ163982 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 485 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16713 Engine hrs, Engine Brake, Allison 4500 Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.89:1 Axle Ratio, 78350 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Chalmers Rubber over Walking Beam Suspension, 214 in Wheelbase, PTO, Double Frame, OX Bodies 16 ft Long x 4 ft 7 in High Steel Body, 20 cyd, Capacity, Electric Roll Tarp, High-Lift Tailgate Usage: 426,879 Mi
922	<b>Vactor 2115-36 on 1997 Ford LNT9000 6x4 Vacuum Excavator Truck</b> S/N: 1FDZW90T6VVA26502 C/W: Cat 6 Cylinder 10.5 L Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, 425/65R22.5, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, 245 in Wheelbase, PTO, Steel Debris Tank, Front Hose Reel, Full Open Tailgate, Telescopic Boom Usage: 289,485 Mi	929	<b>2016 Kenworth T680 6x4 Tri/A Dump Truck (Inoperable)</b> S/N: 1XKYDP9X7GJ465772 C/W: Paccar 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Rubber over Walking Beam Suspension, 214 in Wheelbase, PTO, 16 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: 659,771 Mi
924	<b>VacMaster VNDS2000 on 1997 Chevrolet 3500HD 4x2 Vacuum Tanker Truck</b> S/N: 1GBKC34F5VJ106434 C/W: V8 6.5 L Diesel 195 hp Engine, 1997 US EPA Label, Automatic Transmission, 225 /70R19.5, Spring Suspension, 186 in Wheelbase, Rear Hose Reel, Pump w/ Engine Usage: 180,266 Mi	930	<b>2015 Kenworth T680 8x4 Tri/A Dump Truck</b> S/N: 1XKYA48X2FJ403459 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16563 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 385/65R22.5, Air Lift Pusher Axle, Air Ride Suspension, 210 in Wheelbase, PTO, Double Frame, Global 16 ft Long x 5 ft 3 in High Steel Body, Electric Roll Tarp Usage: 881,379 Mi
925	<b>2001 International F-8100 6x4 Vacuum Tanker Truck</b> S/N: 1HSHCAHR81H395445 C/W: 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 11R22.5, Air Ride Suspension, 225 in Wheelbase, Steel Debris Tank, PTO Driven Pump Usage: 172,098 Mi		
926	<b>2020 Kenworth T800 8x4 Tri/A Dump Truck</b> S/N: 1NKDXPEX9LJ380304 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7891 Engine hrs, Engine Brake, Allison 4500 Automatic Transmission, Differential Lock, Meritor RT-46-160 Drive Axles, 4.30:1 Axle Ratio, 78350 lb GVWR, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 218 in Wheelbase, Reynolds 16 ft Long x 5 ft High Steel Body, Electric Roll Tarp, High-Lift Tailgate Usage: 185,121 Mi		

Lot #	Details	Lot #	Details
931	<p><b>2012 Peterbilt 367 8x4 Tri/A Dump Truck</b>            S/N: 1XPTD49X6CD144172            C/W: Cummins ISX15 15 L Diesel 485 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21712 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14600 lb Front Axle, 40000 lb Rears, 54600.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Air Ride Suspension, 228 in Wheelbase, R/S Body Co. 16 ft 6 in Long Steel Body, Electric Roll Tarp            Usage: Not Available</p>	935	<p><b>2018 Mack GU813 Granite 8x4 Tri/A Dump Truck</b>            S/N: 1M2AX13C1JM041884            C/W: Mack MP7-425M 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Camelback Suspension, 208 in Wheelbase, OX Bodies 26 ft Long x 9 ft 5 in High Steel Body, 20 cyd, Capacity, Round Bottom, Electric Roll Tarp            Usage: 174,995 Mi</p>
932	<p><b>2019 Western Star 4700 8x4 Tri/A Dump Truck</b>            S/N: 5KKMAXDV1KLKC9912            C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automatic Transmission, 20000 lb Front Axle, Meritor RT-46-160P Drive Axles, 4.10:1 Axle Ratio, 78350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, TufTrac Spring Suspension, 204 in Wheelbase, OX Bodies 15 ft Long x 4 ft 2 in High Steel Body, 18 cyd, Capacity, Electric Roll Tarp            Usage: 234,766 Mi</p>	937	<p><b>2012 Mack GU713 8x4 Tri/A Dump Truck</b>            S/N: 1M2AX09Y1CM010974            C/W: Mack MP8 6 Cylinder 12.8 L Diesel 415 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 19634 Engine hrs, Exhaust Brake, 10-Speed Manual Transmission, 14320 lb Front Axle, 44000 lb Rears, 58320.0 lb GVWR, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 230 in Wheelbase, PTO, 16 ft Long x 4 ft 5 in High Body, Electric Roll Tarp            Usage: 281,159 Mi</p>
933	<p><b>2016 Western Star 4700SF 8x4 Tri/A Dump Truck</b>            S/N: 5KKMAVDV6GLHK4061            C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 30067.3 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 63000 lb Rears, Meritor RT-46-160P Drive Axles, 3.73:1 Axle Ratio, 86000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Airliner Air Ride Suspension, 234 in Wheelbase, Double Frame, Heritage 17 ft Long x 60 ft High Steel Body, 26.38 cyd, Capacity, Flat Bed, Electric Roll Tarp, Tailgate Chute            Usage: Not Available</p>	939	<p><b>2012 Mack GU713 8x4 Tri/A Dump Truck</b>            S/N: 1M2AX04YXCM011869            C/W: Mack MP7 6 Cylinder 10.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21519 Engine hrs, Engine Brake, Mack 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Camelback Spring Suspension, 218 in Wheelbase, OX Bodies 16 ft Long x 4 ft 3 in High Body, Electric Roll Tarp            Usage: 728,079 Mi</p>
934	<p><b>2018 Freightliner 114SD 114 SD 8x4 Tri/A Dump Truck</b>            S/N: 3ALMG3DV7JDJP5301            C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5133 Engine hrs, Engine Brake, Allison 4500 6-Speed Automated Transmission, Differential Lock, 18740 lb Front Axle, 66000 lb Rears, Meritor RT-46-160 Drive Axles, 4.30:1 Axle Ratio, 84000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Tag Axle, Dual Steering Boxes, Airliner Air Ride Suspension, 293 in Wheelbase, PTO, Wet Kit, Double Frame, Henderson 19 ft Long x 44 ft High Steel Body, 21.11 cyd, Capacity, Electric Roll Tarp, Rear Hydraulics, Pintle Hitch            Usage: 116,967 Mi</p>	940	<p><b>2016 Mack CXU612 8x4 Tri/A Dump Truck</b>            S/N: 1M1AW01X2GM008490            C/W: Mack MP7-395C 6 Cylinder 10.8 L Diesel 395 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 724 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 213 in Wheelbase, PTO, 16 ft Long x 5 ft 2 in High Steel Body, Electric Roll Tarp            Usage: 119,840 Mi</p>



Lot #	Details	Lot #	Details
941	<b>2015 Cat CT660S SBA 8x4 Tri/A Dump Truck</b> S/N: 3HTJGTKT2FN670323 C/W: Cat A430 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 430 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6547 Engine hrs, Automatic Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, 210 in Wheelbase, PTO, 15 ft Long Body, Round Bottom, Electric Roll Tarp Usage: 109,546 Mi	946	<b>2005 Peterbilt 357 8x4 Tri/A Dump Truck (Inoperable)</b> S/N: 1NPALT0X75D864840 C/W: Cat C11 6 Cylinder Diesel Engine, Allison Automatic Transmission, 22000 lb Front Axle, 46000 lb Rears, 68000.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 216 in Wheelbase, PTO, 16 ft 5 in Long x 4 ft 4 in High Steel Body, Electric Roll Tarp Usage: 412,983 Mi
943	<b>2014 Cat CT660S SBA 8x4 Tri/A Dump Truck</b> S/N: 1HTJGTKT8EJ490300 C/W: Cat CT13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 430 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, Triple Differential Locks, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Chalmers Suspension, 202 in Wheelbase, PTO, OX Bodies 16 ft Long x 9 ft 9 in High Steel Body, Electric Roll Tarp Usage: 400,063 Mi	947	<b>2005 Kenworth T800 8x4 Tri/A Dump Truck</b> S/N: 1XKDDU9X95J086475 C/W: Cat C13 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 203 in Wheelbase, Double Frame, 16 ft Long x 8 ft 10 in High Steel Body, Electric Roll Tarp Usage: 452,819 Mi
944	<b>2008 Peterbilt 365 8x4 Tri/A Dump Truck</b> S/N: 1XPSDU9X98D740959 C/W: Cat C13 6 Cylinder 13.0 L Ultra Low Sulfur Diesel Engine, 2682 Engine hrs, Engine Brake, Eaton Fuller 15-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 225 in Wheelbase, PTO, Double Frame, Universal 16 ft Long x 53 ft High Steel Body, Electric Roll Tarp, Tailgate Chute Usage: 397,802 Mi	948	<b>2007 Mack CV713 Granite 8x4 Tri/A Dump Truck</b> S/N: 1M2AG11CX7M056105 C/W: Mack AI 6 Cylinder 12.0 L Diesel Engine, 2006 US EPA Label, 30616 Engine hrs, Eaton Fuller 8LL Manual Transmission, 18000 lb Front Axle, 72880 lb Rears, 90880 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Spring Suspension, 244 in Wheelbase, PTO, Double Frame, RS body 19 ft Long x 60 in High Steel Body, Electric Roll Tarp, Tailgate Chute Usage: 342,267 Mi
945	<b>2008 Peterbilt 365 8x4 Tri/A Dump Truck</b> S/N: 1XPSDU9X78D741012 C/W: Cat C13 6 Cylinder Diesel Engine, 23535 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 226 in Wheelbase, Double Frame, Universal Truck Bodies 17 ft Long x 53 in High Rock Sheeted Alloy Body, Electric Roll Tarp Usage: 408,998 Mi	949	<b>2005 Mack CV713 8x4 Tri/A Dump Truck</b> S/N: 1M2AG11C55M016348 C/W: Mack AMI-370 6 Cylinder 11.9 L Diesel 370 hp Engine, 2004 US EPA Label, 15615 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 315/80R22.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 188 in Wheelbase, PTO, Double Frame, Benson 13 ft 5 in Long x 9 ft 2 in High Aluminium Body, Electric Roll Tarp, Rear Hydraulics, Tailgate Chute Usage: 285,816 Mi
946A	<b>2009 Kenworth T800 6x4 Tri/A Dump Truck</b> S/N: 1XKDDB0XX9J241719 C/W: Cat C15 6 Cylinder 14.6 L Diesel Engine, 21256 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B Manual Transmission, Double Differential Locks, 14320 lb Front Axle, 46000 lb Rears, 4.30:1 Axle Ratio, 60320 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 233 in Wheelbase, PTO, Double Frame, 16 ft Long x 4 ft 10 in High Steel Body, Round Bottom, Electric Roll Tarp Usage: 613,769 Mi	950	<b>2003 Mack CV713 8x4 Tri/A Dump Truck</b> S/N: 1M2AG11Y53M006024 C/W: Mack 6 Cylinder Diesel 350 hp Engine, 26954 Engine hrs, Manual Transmission, 12000 lb Front Axle, 62000.0 lb GVWR, 11R24.5, Air Lift Pusher Axle, Camelback Suspension, 205 in Wheelbase, PTO, 14 ft Long x 4 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 748,724 Mi

Lot #	Details	Lot #	Details
952	<b>2007 Mack CXP612 6x4 Tri/A Dump Truck</b> S/N: 1M1AP01Y87N001351 C/W: Mack MP7 6 Cylinder 10.8 L Diesel Engine, 2006 US EPA Label, 24548 Engine hrs, Eaton Fuller 7-Speed Manual Transmission, 12000 lb Front Axle, 22700:1 Axle Ratio, 34700.0 lb GVWR, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 212 in Wheelbase, PTO, 16 ft Long x 5 ft High Body Usage: 878,569 Mi	956	<b>2019 Peterbilt 348 6x4 T/A Dump Truck</b> S/N: 2NP3LJ0X4KM619674 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 350 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10063 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, Dana Spicer D46-170 Drive Axles, 5.57:1 Axle Ratio, 66000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 213 in Wheelbase, PTO, OX Bodies 16 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: 212,664 Mi
954	<b>2006 Sterling L9500 8x4 Tri/A Dump Truck</b> S/N: 2FZMAZCV96AV18148 C/W: Mercedes-Benz MBE4000 6 Cylinder Diesel Engine, 2005 US EPA Label, Engine Brake, Allison Automatic Transmission, Differential Lock, 20000 lb Front Axle, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, TufTrac Suspension, 210 in Wheelbase, PTO, OX Bodies 16 ft Long x 52 in High Steel Body, 20 cyd, Capacity, Flat Bed Usage: 527,603 Mi	957	<b>2015 Kenworth T880 6x4 T/A Dump Truck</b> S/N: 1NKZXPEXXFJ441914 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison 4500 Automatic Transmission, Differential Lock, 20000 lb Front Axle, 44000 lb Rears, Air Ride Cab, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 214 in Wheelbase, 16 ft 10 in Long x 8 ft 5 in High Steel Body, Manual Roll Tarp Usage: 355,090 Mi
955C	<b>1998 International F-5070 8x4 Tri/A Dump Truck</b> S/N: 1HTTGASTXWJ001684 C/W: 6 Cylinder Diesel Engine, Eaton Fuller 8LL Manual Transmission, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, 228 in Wheelbase, 19 ft 6 in Long x 6 ft High Aluminium Body Usage: 954,017 Mi	958	<b>2016 Western Star 4700SB 6x4 T/A Dump Truck</b> S/N: 5KKHAXDV3GPHV2728 C/W: Detroit DD13 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison 4500 Automatic Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.89:1 Axle Ratio, 66000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, TufTrac Spring Suspension, 202 in Wheelbase, Double Frame, OX Bodies 16 ft Long Steel Body, 19 cyd, Capacity, Round Bottom, Electric Roll Tarp, Pintle Hitch Usage: 18,097 Mi
955B	<b>2000 Mack CH612 6x4 Tri/A Dump Truck</b> S/N: 1M1AA08Y2YW018648 C/W: Mack 6 Cylinder Diesel Engine, 1999 US EPA Label, 36561 Engine hrs, Eaton Fuller 9-Speed Manual Transmission, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Camelback Spring Suspension, 210 in Wheelbase, PTO, 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 782,978 Mi	959	<b>2016 Western Star 4700SB 6x4 T/A Dump Truck</b> S/N: 5KKHAXDV5GLHL0737 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 19283 Engine hrs, Engine Brake, Allison 4500 Automated Transmission, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.89:1 Axle Ratio, 66000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Rubber over Walking Beam Suspension, 202 in Wheelbase, PTO, OX Bodies 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 384,005 Mi
955A	<b>2000 Mack RB688S 8x4 Tri/A Dump Truck</b> S/N: 1M2AM36CYM005461 C/W: Mack E7-460XT 6 Cylinder 11.9 L Diesel 460 hp Engine, 1999 US EPA Label, 30608 Engine hrs, Engine Brake, 18-Speed Manual Transmission, Aluminum Front Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Hendrickson Rubber over Walking Beam Suspension, 250 in Wheelbase, PTO, Double Frame, 20 ft Long x 3 ft 8 in High Steel Body, Manual Roll Tarp Usage: 30,424 Mi		

Lot #	Details	Lot #	Details
960	<b>2015 Cat CT660S SBA 6x4 T/A Dump Truck</b> S/N: 3HTJGTKT3FN668371 C/W: Cat CT13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 430 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 29584 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 18180 lb Front Axle, 40000 lb Rears, 58180.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Rubber Suspension, 202 in Wheelbase, Rogers 16 ft Long x 3 ft 11 in High Aluminium Body, Electric Roll Tarp Usage: 317,653 Mi	965	<b>2015 Ford F-750 XL 4x2 S/A Dump Truck</b> S/N: 3FRWF7FA4FV707428 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 295/75R22.5, Spring Suspension, 158 in Wheelbase, PTO, Ledwell 10 ft Long x 28 in High Steel Body, Manual Roll Tarp, Double Tailgate Chutes, Pintle Hitch Usage: 18,910 Mi
962	<b>1996 Peterbilt 385 6x4 T/A Dump Truck</b> S/N: 1XPGDA8X5TN422197 C/W: Cat 3306 6 Cylinder 10.5 L Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 34000 lb Rears, 46000.0 lb GVWR, 11R22.5 Front Tires, 12R22.5 Rear Tires, Spring Suspension, 185 in Wheelbase, PTO, 14 ft Long x 4 ft 4 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 901,651 Mi	966	<b>2015 Ford F-650 XL 4x2 S/A Dump Truck</b> S/N: 3FRPF6HP9FV625243 C/W: V10 6.8 L Gasoline Engine, 2014 US EPA Label, CARB Compliant, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Ledwell 10 ft Long x 3 ft 5 in High Steel Body, Manual Roll Tarp, Double Tailgate Chutes, Pintle Hitch Usage: 80,794 Hr
963A	<b>2001 Freightliner FLD112 6x4 T/A Dump Truck</b> S/N: 1FUJACA841LJ01400 C/W: Cummins ISM 6 Cylinder Diesel 330 hp Engine, 2000 US EPA Label, Engine Brake, Meritor MO-1369A-M13 9-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 4.11:1 Axle Ratio, 52000 lb GVWR, 365/70R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, PTO, 18 ft Long x 6 ft 3 in High Steel Body, Swing Tailgate Usage: 474,554 Mi	967	<b>2018 Hino 155 4x2 COE Crew Cab S/A Dump Truck</b> S/N: JHHPDM1H7JK006380 C/W: Hino J05E-TP Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5950 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 215/75R17.5, Spring Suspension, 174 in Wheelbase, Triple Crown 13 ft 10 in Long x 7 ft 6 in High Aluminium Body, Manual Roll Tarp, Split Swing Tailgate, Ball Hitch Usage: 72,548 Mi
964	<b>2014 Kenworth T370 4x2 S/A Dump Truck</b> S/N: 2NKHHM7X9EM392796 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 5411 Engine hrs, Engine Brake, Allison 3500 Automatic Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, 5.57:1 Axle Ratio, 33000.0 lb GVWR, Aluminum Wheels, 275 /80R22.5, Air Ride Suspension, 207 in Wheelbase, PTO, 13 ft 7 in Long x 3 ft High Steel Body, Flat Bed, Manual Roll Tarp, Pintle Hitch Usage: 133,947 Mi	968	<b>2019 Isuzu NQR 4x2 COE Crew Cab S/A Dump Truck</b> S/N: JALE5J160K7900633 C/W: Isuzu 4HK1TC 6 Cylinder Diesel 210 hp Engine, 2018 US EPA Label, 4782 Engine hrs, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950.0 lb GVWR, 225/70R19.5, Spring Suspension, 178 in Wheelbase, 14 ft Long x 3 ft 10 in High Steel Body Usage: 78,511 Mi
965A	<b>2005 Ford F-750 4x2 S/A Dump Truck</b> S/N: 3FRPF75N95V174306 C/W: CAT C7 6 Cylinder Ultra Low Sulfur Diesel Engine, US EPA Label, 10000 lb Front Axle, 21000 lb Rears, 31000.0 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Ledwell 9 ft 10 in Long x 2 ft High Steel Body, Flat Bed, Manual Roll Tarp, Pintle Hitch Usage: 120,041 Mi	969	<b>2010 Isuzu NQR 4x2 COE S/A Dump Truck</b> S/N: JALE5W168A7901704 C/W: Isuzu 4HK1TC 4 Cylinder Ultra Low Sulfur Diesel 200 hp Engine, 2009 US EPA Label, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 149 in Wheelbase, Dura Mag 11 ft 8 in Long x 8 ft High Aluminium Body, Manual Roll Tarp Usage: 201,565 Mi
		970	<b>2006 Isuzu NPR 4x2 COE S/A Dump Truck</b> S/N: JALB4B16767008882 C/W: Isuzu 4HK1TC 317 cid Diesel 190 hp Engine, 2005 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 7950 lb Rears, 12000.0 lb GVWR, 215/85R16 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 133 in Wheelbase, 14 ft Long x 4 ft High Aluminium Body, Manual Roll Tarp Usage: 134,354 Mi

Lot #	Details	Lot #	Details
971	<b>2012 Volvo VAH 6x4 Car Carrier Truck</b> S/N: 4V5RC9DG1CN548736 C/W: Volvo D11H405 10.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 14600 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52600 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/60R22.5 Front Tires, 265/70R19.5 Rear Tires, Air Ride Suspension, 250 in Wheelbase, PTO, 4 Vehicle Capacity, Hydraulic Lift, Soft Tie Downs Usage: 659,634 Mi	977	<b>2020 Kenworth T880 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKZDP9X1LJ343164 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4046 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 76,962 Mi
971	<b>2012 Cottrell CX-11HCSD T/A 7 Car Open Car Carrier Trailer</b> S/N: 5E0AJ1445CG363006 C/W: 45000.0 lb GVWR, Air Ride Suspension, Air Brakes, Soft Ties, Aluminum Wheels, 285 /70R19.5 Tires Usage: Not Available	978	<b>2015 Kenworth T880 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKZD70X2FJ457384 C/W: Cummins ISX12 425V 6 Cylinder 11.9 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14509 Engine hrs, Allison 4500 Automatic Transmission, 12000 lb Front Axle, 46000 lb Rears, D46-170H Drive Axles, 4.10:1 Axle Ratio, 58000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, 8-Bag Air Ride Suspension, 202 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 371,962 Mi
973	<b>2007 Western Star 4900 6x4 Sleeper Car Carrier Truck</b> S/N: 5KKHAEAV47PW58072 C/W: Cat C15 6 Cylinder 14.6 L Diesel Engine, Engine Brake, Manual Transmission, Differential Lock, 13020 lb Front Axle, 40000 lb Rears, Air Ride Cab, 60 in Flat Top Sleeper Cab, Aluminum Wheels, 295/60R22.5 Front Tires, 255/70R22.5 Rear Tires, Airliner Air Ride Suspension, 243 in Wheelbase, PTO, Hydraulic Lift, SOLD WITH - 2006 Cottrell C-7510ST T/A, Trailer S/N - 5E0AK14437G083801, Aluminum Wheels, 253/70R22.5 Tires Usage: 95,051 Mi	980	<b>2014 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYD49X9EJ412924 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 275 /80R22.5, 8-Bag Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 848,198 Mi
974	<b>2001 Mack RD600 6x4 Winch Truck</b> S/N: 1M2P324C51M061422 C/W: Mack E7-460 11.9 L Diesel 460 hp Engine, 2001 US EPA Label, CARB Compliant, 24906.5 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, Mack Drive Axles, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 215 in Wheelbase, Wet Kit, Double Frame, 10 ft 9 in x 97 in Bed, Tulsa Winch, Lowboy Ramps Usage: 623,560 Mi	982	<b>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV4JSJJ2686 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1550 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 567,214 Mi
975	<b>2020 Peterbilt 389 8x4 Heavy Haul Tri/A Day Cab Truck Tractor</b> S/N: 1XPXP4EXXLD647718 C/W: Cummins X15 15 L Diesel 605 hp Engine, 2019 US EPA Label, 9181 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 18740 lb Front Axle, 46000 lb Rears, 80000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Air Trac Air Ride Suspension, 245 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: 286,212 Mi		

Lot #	Details	Lot #	Details
983	<b>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV2HSHR3167 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9570 Engine hrs, Retarder, Eaton Fuller FRW-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.53:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel Usage: 343,389 Mi	991	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG0GSHM9154 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13350 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT 13-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 473,111 Mi
985	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG8GSHM9158 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9299 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 296,614 Mi	992	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG6GSHM9319 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2015 US EPA Label, 13495 Engine hrs, Engine Brake, Eaton Fuller FO-18E313A MHP Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 521,433 Mi
986	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV8GSHT0363 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13903 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 316,484 Mi	993	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG0GSHM9171 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 665,945 Mi
990	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV2GSGV9595 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13630 Engine hrs, Engine Brake, Detroit DT12-OB-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 461,915 Mi	994	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV4FSGC9654 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1550 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 302,275 Mi

Lot #	Details	Lot #	Details
995	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG2FSGS0248 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6500 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT 13-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 400,000 Mi	999	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV4FSGB7097 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13205 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 465,798 Mi
996	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG6FSGS0253 C/W: Cummins ISX 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 1170 Engine hrs, Engine Brake, Eaton Fuller FD-16E313A 13-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 400,474 Mi	1000	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV3FDGL1484 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14858 Engine hrs, Eaton Fuller FO-18E313A MHP Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: 537,982 Mi
997	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV2FSGB7017 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13201 Engine hrs, Engine Brake, Eaton Fuller FO-18E313A MHP Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 439,950 Mi	1001	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG2FSGR3345 C/W: Cummins ISX 6 Cylinder Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 16873 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 564,737 Mi
998	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV5FSGC9680 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14804 Engine hrs, Engine Brake, Detroit DT12-OB-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 447,110 Mi	1005	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED6XFSGE7438 C/W: Detroit DD15TC 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
		1006B	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV4CSBM1192 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 339,264 Mi

Lot #	Details	Lot #	Details
1006	<b>2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV9ESFS3512 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, 21092 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 544,783 Mi	1010	<b>2017 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV7HSHR5494 C/W: Detroit DD13 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 14380 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.21:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: 563,009 Mi
1007	<b>2019 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV9KLKG8846 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1550 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 634,907 Mi	1011C	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV2GLGS0421 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17614 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-VAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 622,203 Mi
1008	<b>2019 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV2KSKD3874 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel Usage: 820,620 Mi	1011B	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV8GLGS0424 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17952 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS Automated Transmission, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 616,419 Mi
1009	<b>2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDVXJLJL5030 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Detroit DT12-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 706,590 Mi	1011A	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDVXGLGS0425 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14971 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-VAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 505,030 Mi

Lot #	Details	Lot #	Details
1012	<b>2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV4ELFY1442 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 13247 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.90:1 Axle Ratio, 53587.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 218 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 394,304 Mi	1020	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH0GN959657 C/W: Volvo D13 6 Cylinder 12.8 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15201 Engine hrs, ATO2612D Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 185 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 501,880 Mi
1013	<b>2016 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor (Glider Kit)</b> S/N: 3ALXA7009GDGX7402 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel Usage: 450,729 Mi	1021	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH1GN935822 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 536,120 Mi
1015	<b>2018 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH2JN891739 C/W: Volvo D13M-425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16423 Engine hrs, Engine Brake, AT2612F 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 519,926 Mi	1022	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH2GN935828 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 551,105 Mi
1017	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG4GN965209 C/W: Volvo D13 6 Cylinder 12.8 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 360,323 Mi	1023	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH4GN940139 C/W: Volvo D13J435 6 Cylinder 12.8 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 573,260 Mi
1018	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH1GN942964 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 426,638 Mi	1025	<b>2013 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EHXDN140912 C/W: Volvo D13H500 6 Cylinder Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 3.25:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 196 in Wheelbase, PTO, Wet Kit Usage: 870,090 Mi



Lot #	Details	Lot #	Details
1026	<b>2019 Mack Pinnacle 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1PN4GY6KM003743 C/W: Mack MP8 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 12591 Engine hrs, Engine Brake, mDrive Automated Transmission, Differential Lock, 13220 lb Front Axle, 46000 lb Rears, 59220.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 210 in Wheelbase, PTO, Dual Fuel Tanks Usage: 390,441 Mi	1031	<b>2015 Mack CXU 613 6x4 Pinnacle T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y2FM051734 C/W: Mack MP7-405SE 6 Cylinder 10.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 25980 Engine hrs, Engine Brake, M-Drive Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 197 in Wheelbase, PTO Usage: 393,124 Mi
1027	<b>2018 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y6JM026694 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3118 Engine hrs, Engine Brake, mDrive Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, mRide Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 552,860 Mi	1032	<b>2013 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02YXDM030000 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 285/75/24.5, Air Ride Suspension, 198 in Wheelbase Usage: 279,246 Mi
1028	<b>2018 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07YXJM027721 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 1828 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 213 in Wheelbase, PTO, Wet Kit Usage: 601,838 Mi	1033	<b>2013 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y1DM030001 C/W: Mack MP7 6 Cylinder 10.7 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, Air Ride Cab, Aluminum Wheels, 275/80R24.5, Air Ride Suspension, 198 in Wheelbase Usage: 310,059 Mi
1029	<b>2017 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW07Y1HM084316 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12591 Engine hrs, Engine Brake, mDrive Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 180 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 535,112 Mi	1034	<b>2013 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y9DM029999 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 395 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 17084 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 285/75R24.5 Front Tires, 275/80R24.5 Rear Tires, Air Ride Suspension, 196 in Wheelbase Usage: 535,491 Mi
1030	<b>2015 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW09Y6FM045540 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 415 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 192 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Lowboy Ramps Usage: 741,421 Mi	1035	<b>2012 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW09Y3CM018341 C/W: Mack MP8 12.8 L Diesel 415 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 16987 Engine hrs, Engine Brake, mDrive Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 198 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 387,907 Mi

Lot #	Details	Lot #	Details
1036	<b>2010 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y4AN011593 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 370 hp Engine, 2009 US EPA Label, CARB Compliant, 9999 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 338,905 Mi	1041	<b>2012 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y3CM008009 C/W: Mack MP8-445C 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 11571 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 214 in Wheelbase, PTO, Air Sliding 5th Wheel Usage: 751,118 Mi
1037	<b>2010 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y4AM011826 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2009 US EPA Label, CARB Compliant, 2 Engine hrs, Engine Brake, Eaton Fuller 9-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 175 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 518,124 Mi	1042	<b>2013 Cat CT660 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSJGTKT9DJ328856 C/W: Cat CT13 6 Cylinder 12.4 L Diesel Engine, 2012 US EPA Label, 11713 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 46000 lb Rears, 58350.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 188 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 304,527 Mi
1038	<b>2010 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y1AN011602 C/W: Mack MP7-395C 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 370 hp Engine, 2009 US EPA Label, 9999 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Steel, 11R22.5, Air Ride Suspension, 167 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 385,919 Mi	1043	<b>2017 International Prostar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR4HN483057 C/W: Cummins ISX15 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15463 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel Usage: 510,112 Mi
1039	<b>2013 Mack GU713 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AX04Y2DM014833 C/W: Mack MP7-405M 6 Cylinder Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 12163 Engine hrs, 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 315/80R22.5, Camelback Spring Suspension, 197 in Wheelbase, PTO, Wet Kit Usage: 403,698 Mi	1044A	<b>2017 International ProStar+ 122 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR3HN737275 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, Engine Brake, Eaton Fuller FAOM-15810S-EC3 10-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 187 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 520,843 Mi
1040	<b>2014 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AN07Y0EM015580 C/W: Mack MP8 6 Cylinder 12.8 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 11R22.5, Air Ride Suspension, 205 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 617,634 Mi	1047	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPR7GH138890 C/W: Cummins ISX15 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13046 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 298,967 Mi

Lot #	Details	Lot #	Details
1048	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPR1GH138898 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 12421 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 261,042 Mi	1054	<b>2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSCUAPR9BJ361355 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2009 US EPA Label, 15332 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 538,232 Mi
1049	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPRXGH138897 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13859 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 287,863 Mi	1055	<b>2011 International ProStar Premium 6x2 T/A Day Cab Truck Tractor</b> S/N: 3HSCUAPR2BN346337 C/W: Cummins ISX 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2009 US EPA Label, Requires Diesel Exhaust Fluid, 14698 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 677,887 Mi
1050	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPR8GH138896 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15139 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 283,754 Mi	1056	<b>2011 International ProStar Premium 6x2 T/A Day Cab Truck Tractor</b> S/N: 3HSCUAPRXBN346330 C/W: Cummins ISX 6 Cylinder 15 L Diesel Engine, 2009 US EPA Label, 16655 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 812,623 Mi
1051	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR9GN082179 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7697 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS 10-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Steel wheels, 295/75R22.5, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 227,953 Mi	1057	<b>2012 International 8600 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXSJR8CJ534652 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel Engine, 2010 US EPA Label, 10928 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 207,199 Mi
1053	<b>2012 International ProStar + 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDHSJRXCH114328 C/W: International MaxxForce 13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 410 hp Engine, 2011 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 261,514 Mi	1058	<b>2012 International 8600 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXSJR0CJ534645 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel Engine, 2010 US EPA Label, Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
1059	<b>2012 International 8600 SBA 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXSJR6CJ534651 C/W: International MaxxForce 13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 410 hp Engine, 2010 US EPA Label, 13082 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 265,845 Mi	1065	<b>2006 Mack CHN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AJ06Y56N004071 C/W: Mack AC 6 Cylinder 12.0 L Diesel Engine, 27816 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 206 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 666,621 Mi
1061	<b>2009 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y89N004666 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 338 hp Engine, 2008 US EPA Label, CARB Compliant, 12202 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 44000 lb Rears, 57220.0 lb GVWR, Aluminum Front Wheels, 11R24.5, Camelback Spring Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 260,770 Mi	1066	<b>2006 Mack CHN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AJ06Y96N004073 C/W: Mack AC 6 Cylinder 12.0 L Diesel Engine, 25170 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 198 in Wheelbase, Dual Fuel Tanks Usage: 776,115 Mi
1062	<b>2008 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y58N002498 C/W: Mack MP8-425E 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 338 hp Engine, 2007 US EPA Label, CARB Compliant, 16711 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 13220 lb Front Axle, 38000 lb Rears, Mack Drive Axles, 4.17:1 Axle Ratio, 23233.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 214 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 461,415 Mi	1067A	<b>1994 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AA12Y7RW039978 C/W: Mack EM7 6 Cylinder Diesel Engine, 1994 US EPA Label, 15470 Engine hrs, 5-Speed Manual Transmission, 11R22.5, Spring Suspension, 192 in Wheelbase, Air Sliding 5th Wheel Usage: 78,395 Mi
1063	<b>2008 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y28N002877 C/W: Mack MP8 6 Cylinder 13 L Ultra Low Sulfur Diesel Engine, 2007 US EPA Label, 9999 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11680 lb Front Axle, 40000 lb Rears, 51680.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 202 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 639,921 Mi	1067	<b>2006 Mack CHN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AJ06Y26N004321 C/W: Mack 6 Cylinder Diesel Engine, 33380 Engine hrs, Engine Brake, 9-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 925,046 Mi
1064	<b>2006 Mack CHN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AJ06Y76N003424 C/W: Mack AC 6 Cylinder 12.0 L Diesel Engine, 24771 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Mack Drive Axles, 3.86:1 Axle Ratio, 50000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 199 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 708,168 Mi	1069	<b>2002 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AA18Y72W145263 C/W: Mack E7-427 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 427 hp Engine, 2001 US EPA Label, CARB Compliant, 28966 Engine hrs, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12860 lb Front Axle, 38000 lb Rears, Mack Drive Axles, 23069.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,205,317 Mi

Lot #	Details	Lot #	Details
1070	<b>2000 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AA18Y2YW127404 C/W: Mack E7-427 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 427 hp Engine, 2000 US EPA Label, CARB Compliant, 10050 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Mack Drive Axles, 22679.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 201 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 4,034 Mi	1080	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X7LJ424020 C/W: Cummins X15 6 Cylinder 14.9 L Diesel 500 hp Engine, 2019 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52350.0 lb GVWR, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 449,618 Mi
1072A	<b>2002 Western Star 4964EX 6x4 T/A Day Cab Truck Tractor</b> S/N: 2WKEDD2HX2K972700 C/W: Cat C12 6 Cylinder Diesel Engine, 5251 Engine hrs, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R24.5, Hendrickson Air Ride Suspension, 216 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 701,754 Mi	1082A	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2LJ408033 C/W: Cummins X15 6 Cylinder 15 L Diesel 500 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 17002 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 368,396 Mi
1072	<b>2006 Sterling A9500 6x4 T/A Day Cab Truck Tractor</b> S/N: 2FWJA3CV26AV27481 C/W: Mercedes-Benz OM460LA 6 Cylinder 12.8 L Diesel Engine, 2005 US EPA Label, 14311 Engine hrs, Engine Brake, 10-Speed Manual Transmission, 11R22.5, Airliner Air Ride Suspension, 165 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 374,694 Mi	1082	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49XXLJ424013 C/W: Cummins ISX15 6 Cylinder Diesel 500 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 20465 Engine hrs, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52350.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel Usage: 531,595 Mi
1073	<b>2006 International 8600 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXahr66J295381 C/W: Cummins ISM 6 Cylinder Diesel Engine, 27984 Engine hrs, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 647,078 Mi	1083	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X6KJ237190 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 18488 Engine hrs, Paccar Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 247 in Wheelbase, Headache Rack Usage: 370,294 Mi
1075	<b>1986 International F2575 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSZJGCR1GHA35627 C/W: Cummins L10 Diesel 270 hp Engine, Eaton Fuller Manual Transmission, Differential Lock, 11R22.5, Spring Suspension, 174 in Wheelbase, Air Sliding 5th Wheel Usage: 112,991 Mi	1084	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X5KJ237164 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18142 Engine hrs, Engine Brake, Paccar PO-16F112 Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 50 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 247 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 418,958 Mi
1078	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X5LJ361601 C/W: Paccar MX-13 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 9508 Engine hrs, Engine Brake, Paccar PO16F112C 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 314,235 Mi		

Lot #	Details	Lot #	Details
1085	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X1KJ237162 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 21197 Engine hrs, Engine Brake, Paccar P0-16F112 Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 52350.0 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5, Air Ride Suspension, 245 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 460,473 Mi	1089	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2KJ229960 C/W: Cummins X15 400SA 6 Cylinder 15.0 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9681 Engine hrs, Engine Brake, Eaton Fuller EEO-177F112C Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: 428,480 Mi
1086	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X5KJ237228 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2018 US EPA Label, 18700 Engine hrs, Engine Brake, Paccar P0-16F112 Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 52350.0 lb GVWR, Air Ride Cab, 76 in Mid Roof Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 245 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 467,139 Mi	1090	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X9JJ217660 C/W: Cummins X15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13092 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, DSP40 Drive Axles, 3.25:1 Axle Ratio, 53200.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 526,848 Mi
1087	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X7KJ237165 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Paccar P0-16F112 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 240 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 665,916 Mi	1091	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5KJ220346 C/W: Cummins X15 450SA 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Paccar 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 36000 lb Rears, 2.64:1 Axle Ratio, 48000.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 537,373 Mi
1088	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X3KJ237078 C/W: Cummins X15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 53200.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Paccar Air Ride Suspension, 235 in Wheelbase, Dual Fuel Tanks Usage: 404,259 Mi	1092	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X3KJ256486 C/W: Cummins X15 400SA 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller EEO-17F112C 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 635,421 Mi

Lot #	Details	Lot #	Details
1093	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5JJ211161 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 285/75R24.5 Front Tires, 275/80R22.5 Rear Tires, Flex Air Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 540,093 Mi	1097	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X5HJ128244 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 430 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Coolant Heater, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: Not Available
1094	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X9JJ180000 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13655.9 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 13,655 Hr	1100	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X1GJ499222 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-18E313A MHP 13-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 3.36:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 231 in Wheelbase, Dual Fuel Tanks Usage: 542,908 Mi
1095	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2HJ134338 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,502 Mi	1101	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9XXGJ128299 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.79:1 Axle Ratio, 50000.0 lb GVWR, 62 in High Rise Sleeper Cab, Bunk Beds, Sleeper Air Conditioner, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Flex Air Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 615,927 Mi
1096	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X3HJ121941 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14485 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Heater, Sleeper Air Conditioner, Thermo King Tripac Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Paccar Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 694,598 Mi	1102	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X1GJ463823 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 36000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, 48000.0 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 910,732 Mi

Lot #	Details	Lot #	Details
1103	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5GJ456843 C/W: Cummins 6 Cylinder Diesel Engine, 2015 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 19000 lb Rears, 50350.0 lb GVWR, 76 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 238 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: Not Available	1112	<b>2019 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X3KD626397 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Carrier Auxiliary Power Unit, 275/80R22.5, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel Usage: 356,845 Mi
1107	<b>2014 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKAD48XXEJ386319 C/W: Cummins ISX15 425ST 6 Cylinder 15.0 L Diesel 425 hp Engine, Requires Diesel Exhaust Fluid, 25919 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 34000 lb Rears, 2.64:1 Axle Ratio, 46350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase Usage: 698,664 Mi	1113	<b>2019 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X8KD628744 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 510 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13257 Engine hrs, Engine Brake, Paccar Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 63 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 243 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 444,002 Mi
1108	<b>2013 Kenworth T660 6x2 T/A Sleeper Truck Tractor</b> S/N: 1XKAA49X9DJ288047 C/W: Cummins ISX15 15.0 L Diesel 450 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 75277 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 34000 lb Rears, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, AG400L Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 765,831 Mi	1114	<b>2019 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X1KD263192 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 24398 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, 51200.0 lb GVWR, Air Ride Cab, 63 in Flat Top Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295 /75R22.5, Flex Air Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 601,766 Mi
1110	<b>2012 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKAD49X2CJ305437 C/W: Cummins ISX15 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 23457 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 877,013 Mi	1116	<b>2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X5HD434648 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 340 hp Engine, 2016 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 52350.0 lb GVWR, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Paccar Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 582,621 Mi
1111	<b>2020 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9XXLD687392 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13772 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 78 in High Rise Sleeper Cab, Bunk Beds, Paccar Sleeper Air Conditioner, Aluminum Wheels, 295 /75R22.5, Paccar Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 527,901 Mi		



Lot #	Details	Lot #	Details
1117	<b>2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9XXHD353239 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17478 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200.0 lb GVWR, Air Ride Cab, 78 in Mid Roof Sleeper Cab, Bunk Beds, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 815,501 Mi	1122	<b>2014 Peterbilt 579 6x2 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X8ED251366 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 20460 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 37998 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 817,506 Mi
1118	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X4GD306920 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 15170 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, 51200.0 lb GVWR, Air Ride Cab, 63 in High Rise Sleeper Cab, Bunk Beds, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 557,970 Mi	1123	<b>2014 Peterbilt 579 6x2 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X7ED251360 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 25365 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R22.5, Paccar Air Ride Suspension, 234 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 829,506 Mi
1119	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X1GD339209 C/W: Cummins ISX15 450ST2 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 11R22.5 Front Tires, 295 /75R22.5 Rear Tires, Flex Air Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 674,253 Mi	1124	<b>2014 Peterbilt 579 6x2 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X7ED251357 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 28328 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 234 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 902,602 Mi
1120	<b>2015 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X3FD256900 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 35595 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,114,224 Mi	1125	<b>2013 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49X4DD190900 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 29210 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Low Air Leaf Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 851,271 Mi

Lot #	Details	Lot #	Details
1126	<b>2015 Peterbilt 389 6x4 T/A Sleeper Truck Tractor</b> S/N: 1NPXDP9X3FD272600 C/W: Cat C15 6 Cylinder 15.2 L Ultra Low Sulfur Diesel 550 hp Engine, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, 14601 lb Front Axle, 40000 lb Rears, 54600.0 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Paccar Air Ride Suspension, 250 in Wheelbase, Dual Fuel Tanks Usage: 663,880 Mi	1131	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR6MSMT9595 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 3532 Engine hrs, Engine Brake, Detroit DT12-1650-OHE 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel Usage: 149,975 Mi
1127	<b>2015 Peterbilt 365 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPSD79X3FD261516 C/W: Cummins ISX12 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23430 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 13201 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, 11R22.5 Front Tires, 285/75R24.5 Rear Tires, Air Trac Suspension, 224 in Wheelbase Usage: 500,783 Mi	1132	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR2MSMT9593 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 171,927 Mi
1128	<b>2012 Peterbilt 365 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPSD79X2CD159278 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, 15773 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Air Trac Air Ride Suspension, 222 in Wheelbase, PTO Usage: 370,036 Mi	1133	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR4MSMT9594 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 210,741 Mi
1130	<b>2019 Western Star 5700EX 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJBHDR3KLKU2694 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, 2.65:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 249 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 744,868 Mi	1134	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR7MSMT3143 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 12074 Engine hrs, Engine Brake, Detroit DT12-1750-OHE 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 403,065 Mi

Lot #	Details	Lot #	Details
1135	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDR1LLKS1221 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 17043 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.28:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Steel, 295/75R22.5, Airliner Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 658,249 Mi	1139	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDRXLSLW7427 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 852,936 Mi
1136	<b>2020 Freightliner Cascadia 126 6x2 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR7LSLS3529 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2019 US EPA Label, 20504 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 767,794 Mi	1140	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR8LSLW7426 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 21772 Engine hrs, Engine Brake, Detroit D12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 853,372 Mi
1137	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR1LSLV0306 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 701,090 Mi	1141	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR8KSKE1478 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 737,213 Mi
1138	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR6LSLJ9052 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-H 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 710,013 Mi	1142	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR4KSKE1414 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-H 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 824,722 Mi

Lot #	Details	Lot #	Details
1143	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR0KSLD3457 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 21968 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 850,746 Mi	1149	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR3KSKJ3804 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 21326 Engine hrs, Detroit DR12-1650-OH1 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 696,841 Mi
1144	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDV7KSLH6853 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15294 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4S Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 859,593 Mi	1150	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR5KSKE8758 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 29914 Engine hrs, Engine Brake, Detroit DT12-1750-OH Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.85:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 753,284 Mi
1147	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR7KSKN4727 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 OH1 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 682,641 Mi	1151	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR8KSKN4767 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15759 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 754,964 Mi
1148	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR8KSKN4736 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650 OH1 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 689,116 Mi	1152	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR0KSKN4763 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16155 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,749 Mi

Lot #	Details	Lot #	Details
1153	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR2KSKN4750 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15463 Engine hrs, Engine Brake, Detroit D12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 792,766 Mi	1160	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR2JSJY3581 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 18154 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 686,594 Mi
1154	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR9KSKW2165 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17682 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Airliner Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 702,190 Mi	1161	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR7JSJR0400 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 17920 Engine hrs, Engine Brake, Automated Transmission, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 661,959 Mi
1155	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR5KSLG7135 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 20528 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 679,753 Mi	1162	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR7JSJT2965 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 22493 Engine hrs, Engine Brake, Detroit DT12-1650-DH1 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 833,983 Mi
1158	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR9JSJR9874 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 14075 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 543,239 Mi	1164	<b>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR0KLKF4162 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16356 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 558,846 Mi

Lot #	Details	Lot #	Details
1166	<b>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR5KLF4173 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17242 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 563,543 Mi	1170	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR3JSJL2192 C/W: Detroit DD15 6 Cylinder 15 L Diesel Engine, Engine Brake, Detroit DT12-OA-1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, 60 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel Usage: 741,621 Mi
1167	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR3JSM6030 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, 28283 Engine hrs, Engine Brake, Detroit D12DA1750 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.53:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 618,778 Mi	1171	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXJSHU5283 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1750 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 594,670 Mi
1168	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR6JLJF0290 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Retarder, Detroit DT12-OA-1550 HD 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 669,993 Mi	1172	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR3JLJZ2467 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 732,039 Mi
1169	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR1JSJL2191 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 20230 Engine hrs, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 722,201 Mi	1175	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR1HSJD3878 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, 15354 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 481,739 Mi

Lot #	Details	Lot #	Details
1176	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXHSD3877 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14779 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 560,977 Mi	1182	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR2HLJF0278 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 25563 Engine hrs, Engine Brake, Detroit DT12-OA-1550 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,558 Mi
1178	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR4HLJF0279 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1550 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 710,564 Mi	1183	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR4HLJF0282 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Meritor DT12 OA 12-Speed Automated Transmission, 13300 lb Front Axle, 20000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Blower Usage: 776,398 Mi
1179	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR5HLJF0274 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, 19617 Engine hrs, Retarder, Detroit D12-OA-1550 HD 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 712,327 Mi	1185	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR7HSHF1323 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRW-15210B 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Tripac Auxiliary Power Unit, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 576,987 Mi
1180	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR1HLJF0286 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1550 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, 3.23:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 717,026 Mi	1191	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR7HSJA8869 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
1192	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG1GSHP2639 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12812 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 24,155 Mi	1196	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD57GLHR9562 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, 27016 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS Automated Transmission, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 438,613 Mi
1193	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHV2789 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, 23407 Engine hrs, Engine Brake, Detroit D12-OA-1650 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 285/75R24.5 Front Tires, 455/55R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,159,485 Mi	1197	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDV4GSHG1450 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 25624 Engine hrs, Eaton Fuller FOM-16E310C-LAS Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 545,063 Mi
1194	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD56GSHS1827 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 30511 Engine hrs, Engine Brake, Detroit D12-OA-1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 84,701 Mi	1198	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD54GSHL7802 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, 17180 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 675,508 Mi
1195	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD63GLHC0702 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 22177 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 410,293 Mi	1199	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG6GSHK5445 C/W: Cummins ISX15 6 Cylinder Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 30354 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 678,380 Mi



Lot #	Details	Lot #	Details
1200	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG7GSHM9091 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 25391 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT 13-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Steel, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 697,946 Mi	1204	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHT8603 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 430,916 Mi
1201	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD50GLHG4924 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit D12-DA-1550 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 707,165 Mi	1206	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDV7GSGU6085 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 18078 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel Usage: 597,196 Mi
1202	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD51GSHG3849 C/W: Detroit DD15 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 31915 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 758,517 Mi	1208	<b>2016 Freightliner Cascadia Evolution 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD50GSGZ0882 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Comfort Pro Auxiliary Power Unit, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,853 Mi
1203	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHE6910 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18047 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Bunk Beds, Bunk Heater, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 120,253 Mi	1211	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD5XGLGU2849 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRW-15210B 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 2.53:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 715,966 Mi

Lot #	Details	Lot #	Details
1212	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD59GSGU0935 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 742,549 Mi	1216	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR2GSGU7566 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 20645 Engine hrs, Engine Brake, Detroit DT12-DA-1750 HD 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel Usage: 801,015 Mi
1213	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD55GSGU0723 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 525 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 747,855 Mi	1217	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD59GLGZ8183 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 812,848 Mi
1214	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD50GLGS4506 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Retarder, Detroit DT12-DA-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 770,403 Mi	1219	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR8GSGW7272 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit D12-DA-1750 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 841,620 Mi
1215	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHE7765 C/W: Detroit DD15AT 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, 18540 Engine hrs, Engine Brake, Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300.0 lb GVWR, Air Ride Cab, 48 in High Rise Sleeper Cab, 295/75R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Blower Usage: 799,491 Mi	1220	<b>2016 Freightliner Cascadia 125 6x2 T/A Sleeper Truck Tractor</b> S/N: 1FUGGLBG7GLHR4053 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Dual Fuel Tanks Usage: 850,966 Mi

Lot #	Details	Lot #	Details
1221	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD57GSHV5646 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MP-40-14X4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 882,515 Mi	1227	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD50FSGB9272 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1222	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3AKJGLD53GSGX8564 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1750 HD 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 53300 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 851,176 Mi	1228	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD58FSGK9536 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 21661 Engine hrs, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 636,253 Mi
1225	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD55GLHP7513 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24297 Engine hrs, Engine Brake, Detroit DT12-OA 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 713,708 Mi	1229	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD58FLGH2541 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 28539 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS ULT 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 908,112 Mi
1226	<b>2015 Freightliner Cascadia 125 6x2 T/A Sleeper Truck Tractor</b> S/N: 1FUGGLDV1FLGF9091 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MR-20-005 Drive Axles, 2.50:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 48 in High Rise Sleeper Cab, Thermo King Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 219 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 554,210 Mi	1230	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD69ESFU1778 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, DA-RT 40-0-4 Drive Axles, 3.31:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,372,543 Mi

Lot #	Details	Lot #	Details
1231	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD55ESFX3800 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 905,389 Mi	1237	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG7CLBD8835 C/W: Cummins ISX15 6 Cylinder 15 L Diesel Engine, 2011 US EPA Label, Eaton Fuller RTO-16910B Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 758,106 Mi
1234	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD68ESFS0663 C/W: Detroit DD15 6 Cylinder 12.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 21363 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 455/55R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 956,795 Mi	1238	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR1CSBH9501 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 28094 Engine hrs, Engine Brake, Eaton Fuller RTOCM-16909A 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 793,213 Mi
1235	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD61ESFS0665 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19814 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 455 /55R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 984,074 Mi	1239	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR2CLBH5211 C/W: 6 Cylinder 14.0 L Diesel 515 hp Engine, 2005 US EPA Label, Requires Diesel Exhaust Fluid, 396 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 953,431 Mi
1236	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR5DSBT4857 C/W: Detroit 6 Cylinder Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 580,595 Mi	1240	<b>2011 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR9BSBD9309 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 23207 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 34 in High Rise Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 795,014 Mi

Lot #	Details	Lot #	Details
1241	<b>2010 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR3ASAS2859 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2108 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-143/4M Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 899,473 Mi	1248	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH5LN250345 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 807,880 Mi
1242	<b>2017 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGHV7HSHY0058 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 20216 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Steel wheels, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 743,177 Mi	1249	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH3LN250344 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 875,280 Mi
1244	<b>2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGHV9GSHJ0172 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, 17907 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor FRO-15210C Drive Axles, 52350.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 496,511 Mi	1251	<b>2020 Volvo VNL760 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH5LN215658 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 26333 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,007,427 Mi
1246	<b>2013 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHVXDLEFJ6872 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 275/80R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 601,172 Mi	1254	<b>2019 Volvo VNL760 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1KN202713 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 27620 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 605,880 Mi

Lot #	Details	Lot #	Details
1255	<b>2018 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH4JN895419 C/W: Volvo D13M-425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18317 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 546,379 Mi	1259	<b>2017 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH8HN973596 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 22842 Engine hrs, Engine Brake, AT2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52500.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 781,227 Mi
1256	<b>2018 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH6JN997630 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9118 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 637,405 Mi	1260	<b>2017 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXHN973602 C/W: Volvo D13 6 Cylinder 12.8 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17085 Engine hrs, Engine Brake, AT2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 42 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 789,407 Mi
1257	<b>2017 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1HN973603 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20216 Engine hrs, Engine Brake, AT2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 725,348 Mi	1261	<b>2017 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH2HN973531 C/W: Volvo D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 19759 Engine hrs, Engine Brake, AT2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 42 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, Air Sliding 5th Wheel Usage: 792,851 Mi
1258	<b>2017 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH6HN973600 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18189 Engine hrs, Engine Brake, AT2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 52500.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 728,428 Mi	1262	<b>2017 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ0HN968895 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, ATO2612D Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 635,307 Mi

Lot #	Details	Lot #	Details
1265	<b>2018 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH7JN898508 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13392 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 741,640 Mi	1269	<b>2017 Volvo VN670 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V4NC9EH4HN973434 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, 2.64:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1266	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH0HN972510 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14512 Engine hrs, Engine Brake, ATO2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 52500.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 415,773 Mi	1270	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V4NC9EG6HN978075 C/W: Volvo D13H425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, AT2612D Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 219 in Wheelbase, Dual Fuel Tanks Usage: Not Available
1267	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH0HN973432 C/W: Volvo D13J455 6 Cylinder 12.8 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 2689 Engine hrs, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 528,749 Mi	1273	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG8GN190994 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Retarder, Automated Transmission, Differential Lock, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 742,922 Mi
1268	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH9HN973431 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, 2.64:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Comfort Pro Auxiliary Power Unit, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 543,427 Mi	1274	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH8GN941813 C/W: Volvo D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500.0 lb GVWR, 61 in High Rise Sleeper Cab, Bunk Beds, Ampeak 2000 W Auxiliary Power Unit, 11R22.5, Volvo Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 830,677 Mi

Lot #	Details	Lot #	Details
1275	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH3GN951827 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 886,214 Mi	1284	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH1FN157989 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 669,195 Mi
1279	<b>2016 Volvo VNL 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH4GN947558 C/W: Volvo D13J455 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 460 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 632,696 Mi	1285	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH9FN922394 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 4020 Engine hrs, Engine Brake, ATO2612D Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 51200.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 723,523 Mi
1281	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXGN943286 C/W: Volvo D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24124 Engine hrs, Engine Brake, ATO2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 42 in High Rise Sleeper Cab, 11R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 770,844 Mi	1287	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG7FN921364 C/W: D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, AT2612D Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 218 in Wheelbase, Dual Fuel Tanks Usage: 886,535 Mi
1282	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH2FN912681 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, 51200.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295 /75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 480,113 Mi	1289	<b>2014 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXEN169697 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2412D 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 749,399 Mi



Lot #	Details	Lot #	Details
1290	<b>2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9THXDN568630 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295 /75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 698,884 Mi	1294	<b>2012 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH0CN561491 C/W: Cummins ISX 450 6 Cylinder 15 L Diesel 450 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, 42 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel Usage: 578,362 Mi
1291	<b>2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG8DN132069 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 53 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, ComfortPro Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 216 in Wheelbase, Dual Fuel Tanks Usage: 840,402 Mi	1296	<b>2010 Volvo VNL670 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V4NC9TJ2AN288781 C/W: Cummins ISX 6 Cylinder 485 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-18210C 10-Speed Manual Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, 3.55:1 Axle Ratio, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 285/75R24.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 824,931 Mi
1292	<b>2012 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ2CN538858 C/W: Volvo D13H475 6 Cylinder 12.8 L Diesel 475 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9247 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 51 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 771,983 Mi	1297	<b>2015 Volvo VNL730 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH5FN185422 C/W: Volvo D13J435 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, AT2612D Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Dual Fuel Tanks Usage: Not Available
1293	<b>2012 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH9CN549128 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 868,941 Mi	1298	<b>2017 Volvo VNL 630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EGXHN971453 C/W: Volvo D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9864 Engine hrs, Engine Brake, AT2612D 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT40-14XC Drive Axles, 2.47:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Auxiliary Power Unit, Aluminum Front Wheels, 295 /75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 435,105 Mi

Lot #	Details	Lot #	Details
1299	<b>2017 Volvo VNL 630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG8HN976957 C/W: Volvo D13-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11215 Engine hrs, Engine Brake, AT2612F 12-Speed Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT40-14XC Drive Axles, 2.47:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Bunk Heater, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 468,260 Mi	1303	<b>2017 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG3HN971472 C/W: Volvo D13J405 6 Cylinder 12.8 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15903 Engine hrs, Engine Brake, AT2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 618,059 Mi
1300	<b>2017 Volvo VNL 630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG9HN976949 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 11624 Engine hrs, Engine Brake, AT2612F 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT40-14XC Drive Axles, 2.47:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Bunk Heater, Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 478,408 Mi	1305	<b>2014 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH0EN170826 C/W: Volvo D13H 6 Cylinder 12.8 L Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, AT02612D 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT40-14XC Drive Axles, 2.64:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 561,409 Mi
1301	<b>2017 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG0HN976970 C/W: Volvo D13M-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15533 Engine hrs, Engine Brake, AT2612F 12-Speed Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X4 Drive Axles, 2.47:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel Usage: 554,708 Mi	1306	<b>2013 Volvo VNL 630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG8DN567321 C/W: Volvo D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, AT02612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 50 in Flat Top Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Assist Front Suspension, Air Ride Suspension, 217 in Wheelbase, Dual Fuel Tanks Usage: 775,142 Mi
1302	<b>2017 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG1HN971468 C/W: Volvo D13J405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 23753 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 50350.0 lb GVWR, Air Ride Cab, 54 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 721,538 Mi	1307	<b>2013 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EG3DN569400 C/W: Volvo D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 39086 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 3.42:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 275/80R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 748,551 Mi

Lot #	Details	Lot #	Details
1308	<b>2011 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ6BN298230 C/W: Volvo D13H475 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 22397 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 3.42:1 Axle Ratio, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 833,705 Mi	1314	<b>2020 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR7LN821374 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: 310,371 Mi
1309	<b>2014 Volvo VNM 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4MC9EH7EN164601 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2013 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, 42 in High Rise Sleeper Cab, Bunk Beds, 295 /75R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel Usage: 532,427 Mi	1315	<b>2020 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR1LN821371 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2019 US EPA Label, 13939 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 51 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 345,107 Mi
1310	<b>2015 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW07Y4FM045121 C/W: Mack MP8 6 Cylinder 12.8 L Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 13560 lb Front Axle, 40000 lb Rears, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 285/75R24.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	1322	<b>2019 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR9KN524346 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19051 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810S-EC3 10-Speed Automated Transmission, 12350 lb Front Axle, 34000 lb Rears, 46350.0 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 501,023 Mi
1311	<b>2012 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW09Y5CM018826 C/W: Mack MP8 12.8 L Diesel 415 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 248 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1323	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZTZR0JN075954 C/W: International N13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 278,088 Mi
1312	<b>2012 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW09Y6CM019502 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 48 in Mid Roof Sleeper Cab, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	1324A	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZTZRXJN439409 C/W: International 6 Cylinder Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, 14541 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 426,713 Mi

Lot #	Details	Lot #	Details
1324	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR0JN342887 C/W: Cummins X15 6 Cylinder 15.0 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17798 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 51 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 453,223 Mi	1330	<b>2016 International Ionestar SFA 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSCXAPR6GN348185 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19109 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 250 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 596,332 Mi
1325	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR8JN330650 C/W: Cummins X15 6 Cylinder 15.0 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14570 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 30,835 Mi	1331	<b>2017 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR9HN429592 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13975 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Front Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 235 in Wheelbase, Dual Fuel Tanks Usage: 542,409 Mi
1327	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR2JN552505 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 1291 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 564,466 Mi	1332A	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR3GN159606 C/W: International A450MT 6 Cylinder 12.4 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 632,640 Mi
1328	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPRXJN552543 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 1290 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 595,682 Mi	1333	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR1GN001837 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19547 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 656,396 Mi

Lot #	Details	Lot #	Details
1334	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR7FN656947 C/W: International A450MT 6 Cylinder 12.4 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 9638 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 331,722 Mi	1341	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR3FN725110 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 17083 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 578,910 Mi
1337	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR4FN588114 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1342B	<b>2013 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR1DN431328 C/W: 6 Cylinder Diesel Engine, 14232 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 644,952 Mi
1338	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR6FN663668 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1342A	<b>2013 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR9DN157117 C/W: 6 Cylinder Diesel Engine, 4209 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 490,820 Mi
1339	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR1FN664212 C/W: Cummins ISX15 425ST 6 Cylinder 15 L Diesel 425 hp Engine, 2014 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 233 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1343	<b>2013 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR6DN214356 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel Engine, 2012 US EPA Label, 19513 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 796,703 Mi
1340	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR8FN663672 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1344	<b>2013 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR5DN203221 C/W: Cummins 6 Cylinder Diesel Engine, 2012 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 262 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,302,153 Mi

Lot #	Details	Lot #	Details
1346	<b>2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDD09X21J868040 C/W: Cummins ISM330 6 Cylinder 10.8 L Diesel 330 hp Engine, 2000 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Air Ride Cab, 28 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, 8-Bag Air Ride Suspension, 200 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 82,460 Mi	1353	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CKX7LU72208 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Engine Brake, Meritor 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,036,314 Mi
1347	<b>2009 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADB9X69J256725 C/W: 6 Cylinder 14.6 L Diesel Engine, Eaton Fuller RTOM-16910B-DM3 Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, 3.36:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, Rear Tires, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1354	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK67LU72240 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Meritor M-14G10A-M16 10-Speed Manual Transmission, Meritor RT-40-145 Drive Axles, 2.79:1 Axle Ratio, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1350	<b>2010 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CV2ADAR6215 C/W: Mercedes Benz OM460LA 6 Cylinder 12.8 L Diesel 450 hp Engine, 2009 US EPA Label, 20120 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145A Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, 11R24.5, Airliner Air Ride Suspension, 212 in Wheelbase, Dual Fuel Tanks Usage: 679,777 Mi	1355	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK37LV14038 C/W: Detroit Series 60 6 Cylinder Diesel 470 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,471,865 Mi
1351	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK27LU72235 C/W: Detroit Series 60 14 L Diesel 515 hp Engine, 2006 US EPA Label, 9987 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 70 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Steel wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,414,337 Mi	1356	<b>2006 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK46LV83609 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2005 US EPA Label, 44882 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Spring Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,331,993 Mi
1352	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK17LX69903 C/W: Detroit Series 60 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 11,036 Mi	1357	<b>1999 Freightliner FLD112 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUY3WEB7XLA93448 C/W: Cat C12 Diesel Engine, Engine Brake, Eaton Fuller RTLO-14610B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.90:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Flat Top Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, PTO, Wet Kit Usage: 776,686 Mi

Lot #	Details	Lot #	Details
1358	<b>2007 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9GH97N441673 C/W: Volvo D12D465 12.1 L Diesel 465 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller RTOC-16909A 13-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 3.58:1 Axle Ratio, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,068,163 Mi	1363	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48X5DJ355177 C/W: Cummins ISX15 6 Cylinder 15.0 L Dual Fuel 400 hp Engine, Requires Diesel Exhaust Fluid, 18426 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 762,186 Mi
1359	<b>2007 International 9400i SBA 6x4 T/A Sleeper Truck Tractor</b> S/N: 2HSCNAPR97C427910 C/W: Cummins 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 242 in Wheelbase, Dual Fuel Tanks Usage: 1,048,567 Mi	1364	<b>2007 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 3WKDA48X97F171432 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel Engine, 19701 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 841,148 Mi
1360	<b>2007 International 9200i SBA 6x4 T/A Sleeper Truck Tractor</b> S/N: 2HSCEAPR47C347298 C/W: Cummins ISX 435ST 6 Cylinder 15 L Diesel 435 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,541,549 Mi	1365	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGDBG0FSFZ7793 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12656 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 182 in Wheelbase, Dual Fuel Tanks Usage: 458,174 Mi
1362A	<b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYA48X1EJ355533 C/W: Cummins ISX15 400ST 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel Usage: 650,280 Mi	1369	<b>2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV8ELFL4130 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 10744 Engine hrs, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, 295 /75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 696,039 Mi
1362	<b>2009 International 8600 6x4 T/A Sleeper Truck Tractor</b> S/N: 1HSHXSBR29J098047 C/W: Cat C13 6 Cylinder 12.5 L Ultra Low Sulfur Diesel 330 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 51 in Flat Top Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 188 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 497,668 Mi	1371	<b>2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV1ELFL4132 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 799,286 Mi

Lot #	Details	Lot #	Details
1372	<b>2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV9ELFL4122 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1383	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG38N497287 C/W: Cummins ISX 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase, Dual Fuel Tanks Usage: 227,188 Mi
1376	<b>2011 Freightliner M2 106 Hybrid 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBCYDT8BHAY8587 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Air Sliding 5th Wheel Usage: 199,094 Mi	1384	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG08N497196 C/W: Cummins ISX 6 Cylinder 14.9 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 152 in Wheelbase Usage: 946,807 Mi
1377	<b>2014 Volvo VNL300 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N39EG2EN156000 C/W: Volvo D13 6 Cylinder 12.8 L Diesel Engine, 2013 US EPA Label, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, 35050 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 165 in Wheelbase, Dual Fuel Tanks Usage: 799,894 Mi	1385	<b>2006 Volvo VNM200 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GG06N407533 C/W: Volvo D12 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 395 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller FRO-14210c 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 3.58:1 Axle Ratio, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 1,108,174 Mi
1381	<b>2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EG4CN547121 C/W: D13H-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1388	<b>2016 Freightliner Cascadia 113 6x4 Compressed Natural Gas (CNG) T/A Day Cab Truck Tractor</b> S/N: 1FUJGBD96GLHB8009 C/W: Cummins ISX12N 6 Cylinder 11.9 L Compressed Natural Gas (CNG) Engine, 17198 Engine hrs, Engine Brake, Eaton Fuller FO-14E310C-LAS ULT 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 194 in Wheelbase, Air Sliding 5th Wheel Usage: 762,120 Mi
1382	<b>2009 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG69N278664 C/W: Cummins ISX 6 Cylinder Diesel 385 hp Engine, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12500 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 984,371 Mi	1389	<b>2015 Volvo VNL300 6x4 (CNG) T/A Day Cab Truck Tractor</b> S/N: 4V5NC9UG5FN927676 C/W: Cummins ISX12G400 6 Cylinder 11.9 L Compressed Natural Gas (CNG) Engine, 2014 US EPA Label, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 200 in Wheelbase, PTO Usage: Not Available



Lot #	Details	Lot #	Details
1390	<b>2015 Freightliner M2 112 4x2 Compressed Natural Gas (CNG) S/A Day Cab Truck Tractor</b> S/N: 1FUBC5DX4FHGP2167 C/W: Cummins ISL G 320 6 Cylinder 8.9 L Compressed Natural Gas (CNG) 320 hp Engine, US EPA Label, CARB Compliant, 6757 Engine hrs, Allison 3000 6-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-161 Drive Axles, 5.38:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 185 in Wheelbase, Air Sliding 5th Wheel Usage: 242,235 Mi	5005	<b>2018 Donkey D12-4K 4000 lb 3x3 Truck Mounted Forklift</b> S/N: SEO C/W: Single Stage Mast 70 in Max Lift Height, 66 in Forks, Kubota D1305 3 Cylinder 24 hp Diesel Engine Usage: 435 Hr
1391	<b>2020 Autocar 4x2 Spotter Truck</b> S/N: 516H4GF21LH231675 C/W: Cummins 6 Cylinder Diesel Engine, 18277 Engine hrs, Allison Automatic Transmission, 12300 lb Front Axle, 23300 lb Rears, 35600.0 lb GVWR, 11R22.5, 125 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 70,944 Mi	5006	<b>2018 Donkey D12-4K 4000 lb 3x3 Truck Mounted Forklift</b> S/N: SDG C/W: Single Stage Mast 70 in Max Lift Height, 66 in Forks, Kubota D1305-EF-03 3 Cylinder 18.2 kW 1.3 L Diesel Engine Usage: 814 Hr
1392	<b>2018 Autocar 4x2 Spotter Truck</b> S/N: 516H4GF29JH225765 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 24613 Engine hrs, Allison Automatic Transmission, 12300 lb Front Axle, 23300 lb Rears, 35600.0 lb GVWR, 11R22.5, 126 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 84,973 Mi	5007	<b>2001 Moffett M4000E 4000 lb 3x3 Truck Mounted Forklift</b> S/N: A07022 C/W: 2 Stage Mast, 48 in Forks, Side Shift, 1999 US EPA Label, Kubota 4 Cylinder 1.5 L Diesel Engine Usage: 1,815 Hr
1393	<b>2013 Ottawa 4x2 Spotter Truck</b> S/N: EINF814EE1332888 C/W: Cummins 6 Cylinder Diesel Engine, Allison Automatic Transmission, 295/75R22.5, 125 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 138,572 Mi	5009	<b>2004 Yale GDP100MJNPBV110 9550 lb Pneumatic Tire Forklift (Inoperable)</b> S/N: C813V03427B C/W: 2 Stage Mast, 90 in Forks, Perkins 4 Cylinder Diesel Engine Usage: Not Available
5002	<b>2006 Princeton E2-3RVX 5000 lb 3x3 Truck Mounted Forklift</b> S/N: 112331 C/W: 2 Stage Mast, 138 in Max Lift Height, 108 in Lowered Mast Height, 48 in Forks, Side Shift, Tier 2, 2006 US EPA Label, Kubota V2203 4 Cylinder 2.2 L Diesel Engine Usage: 919 Hr	5010	<b>2010 Cat P9000 9000 lb Pneumatic Tire Forklift</b> S/N: AT29D50038 C/W: 2 Stage Mast, 132 in Max Lift Height, 90 in Lowered Mast Height, 48 in Forks, Side Shift, Tier 2, 2010 US EPA Label, Nissan 4 Cylinder 4.5 L LPG Engine Usage: 3,659 Hr
5003	<b>2005 Moffett M5000 5000 lb 3x3 Truck Mounted Forklift</b> S/N: E250267 C/W: 2 Stage Mast, Full Free Lift, 144 in Max Lift Height, 96 in Lowered Mast Height, 48 in Forks, Side Shift, Fork Positioner, Block Forks, 2015 US EPA Label, Kubota V2203 4 Cylinder 2.2 L Diesel Engine Usage: 3,437 Hr	5011	<b>Nissan F04D50V 9600 lb Pneumatic Tire Forklift</b> S/N: AN28B50096 C/W: 3 Stage Mast, 238 in Max Lift Height, 111 in Lowered Mast Height, 47 in Forks, Side Shift, 6 Cylinder Diesel Engine Usage: 17,498 Hr
5004	<b>1996 Moffett M5000 5000 lb 3x3 Truck Mounted Forklift</b> S/N: 6187 C/W: 2 Stage Mast, 48 in Forks, Side Shift, Lister Petter 4 Cylinder Diesel Engine Usage: 3,142 Hr	5014	<b>2018 Toyota 8FG45U 8500 lb Pneumatic Tire Forklift (Inoperable)</b> S/N: 12032 C/W: 3 Stage Mast, 187 in Max Lift Height, 87 in Lowered Mast Height, Side Shift, 2018 US EPA Label, Toyota 4 Cylinder 3.6 L Dual Fuel Engine Usage: 1,015 Hr
		5015	<b>2018 Toyota 8FD45U 10000 lb Pneumatic Tire Forklift</b> S/N: 11370 C/W: 2 Stage Mast, 159 in Max Lift Height, 109 in Lowered Mast Height, 70 in Forks, Side Shift, 2018 US EPA Label, Toyota 4 Cylinder 2.9 L Diesel Engine Usage: 2,157 Hr

Lot #	Details	Lot #	Details
5016	<b>2012 Toyota 7FGU45 8700 lb Pneumatic Tire Forklift</b> S/N: 71025 C/W: 3 Stage Mast, 187 in Max Lift Height, 96 in Lowered Mast Height, Side Shift, V6 LPG Engine Usage: Not Available	5025	<b>2013 Toyota 8FDU25 3700 lb Pneumatic Tire Forklift</b> S/N: 31811 C/W: 4 Stage Mast, 240 in Max Lift Height, 83 in Lowered Mast Height, 48 in Forks, Side Shift, 2012 US EPA Label, Toyota 37 kW 2.5 L Diesel Engine Usage: 3,725 Hr
5017	<b>Nissan F04D45V 9400 lb Pneumatic Tire Forklift</b> S/N: AN19C80047 C/W: 3 Stage Mast, 238 in Max Lift Height, 110 in Lowered Mast Height, 47 in Forks, 6 Cylinder Diesel Engine Usage: 7,913 Hr	5026	<b>2016 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 72959 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2016 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 1,626 Hr
5018	<b>Nissan WGF03H45V 7350 lb Pneumatic Tire Forklift</b> S/N: WGF03921061 C/W: 3 Stage Mast, 236 in Max Lift Height, 108 in Lowered Mast Height, 48 in Forks, 6 Cylinder Diesel Engine Usage: 15,702 Hr	5027	<b>2016 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 73549 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2016 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: Not Available
5019	<b>2014 Cat DP40N1 7500 lb Pneumatic Tire Forklift</b> S/N: AT12C00243 C/W: 2 Stage Mast, 132 in Max Lift Height, 90 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, Perkins 4 Cylinder Diesel Engine Usage: 9,295 Hr	5028	<b>2016 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 73281 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 41 in Forks, Side Shift, 2016 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 3,391 Hr
5020	<b>1992 Cat DP40 8000 lb Pneumatic Tire Forklift</b> S/N: 3CN00274 C/W: 2 Stage Mast, 130 in Max Lift Height, 90 in Lowered Mast Height, 46 in Forks, Side Shift, 6 Cylinder Diesel Engine Usage: 7,677 Hr	5029	<b>2016 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 72829 C/W: 3 Stage Mast, 189 in Max Lift Height, 83 in Lowered Mast Height, 48 in Forks, Side Shift, 2016 US EPA Label, Toyota 38 kW 2.2 L Dual Fuel Engine Usage: 2,015 Hr
5021	<b>Nissan WGF03A40V 8100 lb Pneumatic Tire Forklift</b> S/N: 920635 C/W: 3 Stage Mast, 217 in Max Lift Height, 106 in Lowered Mast Height, Side Shift, 6 Cylinder Diesel Engine Usage: 7,230 Hr	5030	<b>2015 Toyota 8FGU25 4750 lb Pneumatic Tire Forklift</b> S/N: 67607 C/W: 3 Stage Mast, 170.5 in Max Lift Height, 85 in Lowered Mast Height, 72 in Forks, Side Shift, 2015 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 3,122 Mi
5022	<b>2010 Doosan G30E-5 4500 lb Pneumatic Tire Forklift</b> S/N: ME00179 C/W: 4 Stage Mast, 240 in Max Lift Height, 47 in Forks, Side Shift, 2010 US EPA Label, Woodward 2.0 L Dual Fuel Engine Usage: Not Available	5031	<b>2015 Toyota 8FGU25 4750 lb Pneumatic Tire Forklift</b> S/N: 68883 C/W: 3 Stage Mast, 170.5 in Max Lift Height, 77 in Lowered Mast Height, 48 in Forks, Side Shift, 2015 US EPA Label, Toyota Dual Fuel Engine Usage: 3,239 Hr
5023	<b>2016 Heli CPYD25-TY5 4600 lb Pneumatic Tire Forklift</b> S/N: 230251L4965 C/W: 3 Stage Mast, 185 in Max Lift Height, 60 in Forks, Side Shift, 4 Cylinder 3.0 L LPG Engine Usage: 4,774 Hr	5032	<b>2015 Toyota 8FGU25 4750 lb Pneumatic Tire Forklift</b> S/N: 68837 C/W: 3 Stage Mast, 170.5 in Max Lift Height, 77 in Lowered Mast Height, 48 in Forks, Side Shift, 2016 US EPA Label, Toyota Dual Fuel Engine Usage: 4,195 Hr
5024	<b>2015 Toyota 8FDU25 4500 lb Pneumatic Tire Forklift</b> S/N: 60506 C/W: 3 Stage Mast, 189 in Max Lift Height, 83 in Lowered Mast Height, 48 in Forks, Side Shift, 2015 US EPA Label, Toyota 37 kW 1.7 L Dual Fuel Engine Usage: 4,738 Hr		

Lot #	Details	Lot #	Details
5033	<b>2014 Toyota 8FGU25 4750 lb Pneumatic Tire Forklift</b> S/N: 60296 C/W: 3 Stage Mast, 170.5 in Max Lift Height, 77 in Lowered Mast Height, 72 in Forks, Side Shift, 2014 US EPA Label, Toyota Dual Fuel Engine Usage: 1,003 Hr	5041	<b>2006 Toyota 7FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 80863 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, 2006 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 6,804 Hr
5034	<b>2014 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 53237 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 1,372 Hr	5042	<b>2013 Mitsubishi FG25N Pneumatic Tire Forklift</b> S/N: AF17D40257 C/W: 3 Stage Mast, 77 in Lowered Mast Height, 72 in Forks, Side Shift, Tier 2, 2013 US EPA Label, GCT 4 Cylinder 2.1 L Dual Fuel Engine Usage: 5,445 Hr
5035	<b>2014 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 53454 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 2,279 Hr	5043	<b>2012 Mitsubishi FG25N 4600 lb Pneumatic Tire Forklift</b> S/N: AF17D32782 C/W: 3 Stage Mast, 171 in Max Lift Height, 77 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2012 US EPA Label, Nissan 4 Cylinder 2.1 L Dual Fuel Engine Usage: 3,582 Hr
5036	<b>2014 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 60862 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 2,445 Hr	5044	<b>2012 Mitsubishi FG25N 4600 lb Pneumatic Tire Forklift</b> S/N: AF17D31914 C/W: 3 Stage Mast, 171 in Max Lift Height, 78 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2011 US EPA Label, Nissan 4 Cylinder 2.1 L Dual Fuel Engine Usage: 2,846 Hr
5037	<b>2014 Toyota 8FGU25 3450 lb Pneumatic Tire Forklift</b> S/N: 52857 C/W: 3 Stage Mast, 189 in Max Lift Height, 24 in Lowered Mast Height, 47 in Forks, Side Shift, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 2,520 Hr	5045	<b>2012 Doosan G25P-5 4600 lb Pneumatic Tire Forklift</b> S/N: FGA0B133002907 C/W: 3 Stage Mast, 184 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, 2012 US EPA Label, Woodward 4 Cylinder 2.4 L Dual Fuel Engine Usage: Not Available
5038	<b>2013 Toyota 8FGU25 3750 lb Pneumatic Tire Forklift</b> S/N: 49671 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 48 in Forks, Side Shift, 2013 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 2,154 Hr	5046	<b>2012 Doosan G25P-5 4600 lb Pneumatic Tire Forklift</b> S/N: FGA0B133002891 C/W: 3 Stage Mast, 186 in Max Lift Height, 86 in Lowered Mast Height, 42 in Forks, Side Shift, 2012 US EPA Label, GM 4 Cylinder 2.4 L LPG Engine Usage: 2,579 Hr
5039	<b>2012 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 40907 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 54 in Forks, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 3,249 Hr	5047	<b>2011 Doosan D25S-5 4600 lb Pneumatic Tire Forklift</b> S/N: FDA05124010119 C/W: 3 Stage Mast, 186 in Max Lift Height, 86 in Lowered Mast Height, 42 in Forks, Side Shift, 2011 US EPA Label, Yanmar 3VNQA 4 Cylinder 3.3 L Diesel Engine Usage: 4,011 Hr
5040	<b>2009 Toyota 8FGU25 3750 lb Pneumatic Tire Forklift</b> S/N: 19869 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 39 in Forks, Side Shift, 2009 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 3,087 Hr	5049	<b>2016 Yale GLP050LXND AE087 4500 lb Pneumatic Tire Forklift</b> S/N: B974V02141P C/W: 3 Stage Mast, 188 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2016 US EPA Label, 4 Cylinder 2.4 L LPG Engine Usage: Not Available

Lot #	Details	Lot #	Details
5050A	<b>2007 Cat P5000-LPS 5511 lb Pneumatic Tire Forklift</b> S/N: AT3511223 C/W: 2 Stage Mast, Full Free Lift, 132 in Max Lift Height, Carton Clamp, Tier 2, 2007 US EPA Label, Nissan 4 Cylinder 2.5 L LPG Engine Usage: Not Available	5060	<b>2008 Hyster S50FT 4800 lb Cushion Tire Forklift (Inoperable)</b> S/N: F187V13555F C/W: 3 Stage Mast, 206 in Max Lift Height, 42 in Forks, Side Shift, GM Vortec 2400 4 Cylinder LPG Engine Usage: Not Available
5050	<b>2006 Yale GLP050VXEUSE086 4800 lb Pneumatic Tire Forklift</b> S/N: B875B06364D C/W: 3 Stage Mast, 194.9 in Max Lift Height, 50 in Lowered Mast Height, 40 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 11,343 Hr	5061	<b>2014 UniCarrier FCG30HL-A1 5650 lb Cushion Tire Forklift</b> S/N: CU1F29Q2692 C/W: 3 Stage Mast, 187 in Max Lift Height, 87 in Lowered Mast Height, Tier 2, 2014 US EPA Label, GCT 4 Cylinder 2.5 L LPG Engine Usage: Not Available
5052	<b>1998 Hyster H50XM 4850 lb Pneumatic Tire Forklift (Inoperable)</b> S/N: D177B43469V C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, Side Shift Usage: Not Available	5063	<b>2014 UniCarrier FCG30HL-A1 5650 lb Cushion Tire Forklift</b> S/N: CU1F29Q2707 C/W: 3 Stage Mast, 187 in Max Lift Height, 87 in Lowered Mast Height, Tier 2, 2014 US EPA Label, GCT 4 Cylinder 2.5 L LPG Engine Usage: 5,179 Hr
5053	<b>Mitsubishi Pneumatic Tire Forklift</b> S/N: Not Available C/W: 42 in Forks, Side Shift, Tier 2, 2012 US EPA Label, Nissan 4 Cylinder 2.1 L Dual Fuel Engine Usage: Not Available	5064	<b>2014 UniCarrier FCG30HL-A1 5650 lb Cushion Tire Forklift</b> S/N: CU1F29Q2656 C/W: 3 Stage Mast, 187 in Max Lift Height, 87 in Lowered Mast Height, Tier 2, 2014 US EPA Label, GCT 4 Cylinder 2.5 L LPG Engine Usage: 7,726 Hr
5054	<b>2020 PCAT TW35 Pneumatic Tire Forklift</b> S/N: TW16030920568 C/W: 2 Stage Mast, 124 in Max Lift Height, Forks, 4 Cylinder Diesel Engine Usage: Not Available	5067	<b>2012 Toyota 8FGCU25 3950 lb Cushion Tire Forklift</b> S/N: 41510 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 2017 US EPA Label, Toyota LPG Engine Usage: Not Available
5055	<b>1986 Yale GLC080LCJSBE0858CS 8000 lb Cushion Tire Forklift</b> S/N: N432235 C/W: 3 Stage Mast, 185 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, 6 Cylinder LPG Engine Usage: 8,668 Hr	5068	<b>2012 Toyota 8FGCU25 3950 lb Cushion Tire Forklift</b> S/N: 41906 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, Auxiliary Hydraulic Plumbing, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available
5056	<b>2016 Yale GLC060VXNDSE085 4700 lb Cushion Tire Forklift</b> S/N: C910V05159P C/W: 3 Stage Mast, 181.9 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Auxiliary Hydraulic Plumbing, Side Shift, 2016 US EPA Label, 4 Cylinder 2.4 L LPG Engine Usage: 15,895 Hr	5069	<b>2012 Toyota 8FGCU25 3950 lb Cushion Tire Forklift</b> S/N: 41960 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, Fork Positioner, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available
5057	<b>2017 Cat 2C6000 5750 lb Cushion Tire Forklift</b> S/N: AT83F42611 C/W: 3 Stage Mast, 185 in Max Lift Height, 48 in Forks, Side Shift, Tier 2, 2017 US EPA Label, GCT 4 Cylinder 2.5 L LPG Engine Usage: 481 Hr	5070	<b>2008 Toyota 8FGCU25 4350 lb Cushion Tire Forklift</b> S/N: 19288 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 55 in Lowered Mast Height, 39 in Forks, 2008 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 28,217 Hr
5058	<b>1993 Cat TC60E 4700 lb Cushion Tire Forklift</b> S/N: 8AD00667 C/W: 3 Stage Mast, 188 in Max Lift Height, 42 in Forks, Side Shift, Cat 4 Cylinder LPG Engine Usage: 4,305 Hr		
5059	<b>2018 Yale GLC050TENUAE077 5000 lb Cushion Tire Forklift</b> S/N: N542554 C/W: 3 Stage Mast, 170 in Max Lift Height, 47 in Forks, Side Shift, Yale 4 Cylinder LPG Engine Usage: 3,413 Hr		

Lot #	Details	Lot #	Details
5071	<b>2007 Toyota 8FGCU25 4300 lb Cushion Tire Forklift</b> S/N: 17213 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 2007 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available	5081	<b>2004 Nissan MCPL02A25LV Cushion Tire Forklift</b> S/N: CPL029P2910 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 61 in Lowered Mast Height, 40 in Forks, Tier 1, 2005 US EPA Label, Nissan 4 Cylinder 2.3 L LPG Engine Usage: Not Available
5072	<b>2004 Toyota 7FGCU25 5000 lb Cushion Tire Forklift</b> S/N: 84645 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, 60 in Forks, 2004 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 35,340 Hr	5082E	<b>Crown CGC15S-9 2750 lb Cushion Tire Forklift</b> S/N: FGA1A145000126 C/W: 3 Stage Mast, 187 in Max Lift Height, 40 in Forks, Side Shift, 2020 US EPA Label, Mitsubishi 4 Cylinder 2.4 L Dual Fuel Engine Usage: 3,503 Hr
5073	<b>2004 Toyota 42-7FGCU25 5000 lb Cushion Tire Forklift</b> S/N: 87963 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, LPG Engine Usage: 15,705 Hr	5082D	<b>Crown CGC15S-9 2800 lb Cushion Tire Forklift</b> S/N: FGA1A145000276 C/W: 3 Stage Mast, 187 in Max Lift Height, 40 in Forks, Side Shift, 2021 US EPA Label, Mitsubishi 4 Cylinder 2.4 L Dual Fuel Engine Usage: 2,076 Hr
5074	<b>2000 Toyota 42-7FGCU25 5000 lb Cushion Tire Forklift</b> S/N: 64094 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 60 in Lowered Mast Height, Toyota 4 Cylinder LPG Engine Usage: 16,263 Hr	5082C	<b>Crown CGC15S-9 2950 lb Cushion Tire Forklift</b> S/N: FGA1A145000110 C/W: 3 Stage Mast, 187 in Max Lift Height, 40 in Forks, Side Shift, 2020 US EPA Label, Mitsubishi 4 Cylinder 2.4 L Dual Fuel Engine Usage: 5,223 Hr
5076	<b>2004 Cat GC25K 5000 lb Cushion Tire Forklift</b> S/N: AT82E90081 C/W: 3 Stage Mast, 78 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 6,217 Hr	5082B	<b>UniCarriers MCP1F1A15LV 2750 lb Cushion Tire Forklift</b> S/N: CP1F19N21377 C/W: 3 Stage Mast, 187 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2017 US EPA Label, Global Component 4 Cylinder 2.1 L LPG Engine Usage: 6,775 Hr
5077	<b>2001 Cat GC25K 5000 lb Cushion Tire Forklift</b> S/N: AT82D00310 C/W: 3 Stage Mast, 188 in Max Lift Height, 85 in Lowered Mast Height, 48 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 15,151 Hr	5082A	<b>UniCarriers MCP1F1A18LV 3200 lb Cushion Tire Forklift</b> S/N: CP1F19N21551 C/W: 3 Stage Mast, 187 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2018 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 7,147 Hr
5078	<b>2015 Toyota 8FGCU20 3450 lb Cushion Tire Forklift</b> S/N: 68492 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, 2015 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 25,655 Hr	5082	<b>1996 Clark CGC25 4600 lb Cushion Tire Forklift</b> S/N: C365C02959460FB C/W: 2 Stage Mast, 130 in Max Lift Height, Forks, Side Shift, Clark 4 Cylinder LPG Engine Usage: Not Available
5079	<b>2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift</b> S/N: 36779 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 8,766 Hr	5083C	<b>2006 Toyota 7FGCU18 3000 lb Cushion Tire Forklift</b> S/N: 72763 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift, 2006 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 13,553 Hr
5080	<b>2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift</b> S/N: 36763 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 8,025 Hr	5083B	<b>2018 Toyota 8FGCU18 3000 lb Cushion Tire Forklift</b> S/N: 37982 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift, 2018 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 7,127 Hr

Lot #	Details	Lot #	Details
5083A	<b>2006 Toyota 7FGCU18 3000 lb Cushion Tire Forklift</b> S/N: 73008 C/W: 3 Stage Mast, 189 in Max Lift Height, 40 in Forks, Side Shift, Fork Positioner, 2006 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 17,104 Hr	5090	<b>Hyundai 20BT-9 3840 lb Electric Forklift</b> S/N: HHKHFY08EH0000815 C/W: 5301 Pump Hours, 4885 Drive Hours, 4 Stage Mast, 187 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, 36 V Usage: 13,221 Hr
5083	<b>2011 Komatsu FG18ST-15 2950 lb Cushion Tire Forklift</b> S/N: 361007 C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, Nissan 4 Cylinder LPG Engine Usage: 4,936 Hr	5091	<b>Hyundai 15BTR-9 2810 lb Electric Forklift</b> S/N: HHKHHT06PH0000474 C/W: 3782 Pump Hours, 3343 Drive Hours, 3 Stage Mast, 185 in Max Lift Height, 42 in Forks, Side Shift, 24 V Usage: 3,343 Hr
5084	<b>1988 Clark GCS20MB 3300 lb Cushion Tire Forklift (Inoperable)</b> S/N: G138MB11376961KOF C/W: 3 Stage Mast, 188 in Max Lift Height, 73 in Lowered Mast Height, 48 in Forks, Side Shift, LPG Engine Usage: 9,815 Hr	5092	<b>2021 Toyota 8BPUE15 3000 lb Electric Forklift</b> S/N: 8BPUE1503374 C/W: Full Free Lift, 240 in Max Lift Height, 24 in Lowered Mast Height, 42 in Forks, Carton Clamp, 24 V, Battery Watering System, Battery Charger Usage: Not Available
5085A	<b>1993 Yale GLC030 3000 lb Cushion Tire Forklift</b> S/N: N569828 C/W: 3 Stage Mast, 190 in Max Lift Height, 81 in Lowered Mast Height, 42 in Forks, Side Shift, Yale 4 Cylinder LPG Engine Usage: 3,299 Hr	5093	<b>Yale 3000 lb Electric Forklift</b> S/N: C801N03581A C/W: 3 Stage Mast, 195 in Max Lift Height, 89 in Lowered Mast Height, 42 in Forks, 24 V Usage: Not Available
5085	<b>1978 Clark C300 2700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 3561114165 C/W: 2 Stage Mast, 106 in Max Lift Height, 70 in Lowered Mast Height, 42 in Forks, LPG Engine Usage: 4,906 Hr	5094	<b>2017 Presto PPS2200-62NFO-21 2200 lb Electric Stacker</b> S/N: V62140/GC1612001 C/W: Single Stage Mast 52 in Max Lift Height, 78 in Lowered Mast Height, 42 in Forks Usage: Not Available
5086	<b>2021 Toyota 8FBE20U 3450 lb Electric Forklift</b> S/N: 22109 C/W: 41 Pump Hours, 188 Drive Hours, 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 48 V, Battery Watering System Usage: 287 Hr	5105	<b>2018 Toyota 8HBE30 Electric Pallet Jack</b> S/N: 8HBE30-48799 C/W: Battery Charger Usage: 3,560 Hr
5087	<b>2013 Mitsubishi FBC25N2AC 4450 lb Electric Forklift</b> S/N: AFB3050025 C/W: 3 Stage Mast, Full Free Lift, 188 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, Fork Positioner, Block Forks, 36 V, Battery Charger Usage: Not Available	5106	<b>2021 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 58186 C/W: 4500 lb Capacity, 24 V Usage: 100 Hr
5088	<b>Hyundai 25BC-9 4950 lb Electric Forklift</b> S/N: HHKHB202AH0000166 C/W: 2714 Pump Hours, 2724 Drive Hours, 3 Stage Mast, 187 in Max Lift Height, 42 in Forks, Side Shift, 24 V Usage: 8,009 Hr	5107	<b>2020 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 8HBW2342078 Usage: 155 Hr
5089	<b>Hyundai 20BT-9 2515 lb Electric Forklift</b> S/N: HHKHFY08PH0000740 C/W: 6547 Pump Hours, 5551 Drive Hours, 3 Stage Mast, 187 in Max Lift Height, 42 in Forks, Side Shift, 24 V Usage: 12,887 Hr	5108	<b>2020 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 8HBW2342079 Usage: 222 Hr
		5109	<b>2018 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 8HBW23-27792 C/W: 4500 lb Capacity, 24 V Usage: 588 Hr
		5110	<b>2017 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 21530 Usage: 83 Hr
		5111	<b>2017 Toyota 8HBW23 Electric Pallet Jack (Inoperable)</b> S/N: 21518 C/W: 4500 lb Capacity, 24 V Usage: 139 Hr
		5112	<b>2017 Toyota 8HBW23 Electric Pallet Jack</b> S/N: 21532 C/W: 4500 lb Capacity, 24 V Usage: 250 Hr

Lot #	Details	Lot #	Details
5113	<b>Toyota 8HBW23 Electric Pallet Jack</b> S/N: 8HBW2314880 C/W: 4500 lb Capacity, 24 V Usage: Not Available	5126	<b>2009 Genie S-85 4WD Diesel Telescopic Boom Lift</b> S/N: S85098075 C/W: 85 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, Perkins 4 Cylinder Diesel Engine Usage: 8,575 Hr
5114	<b>2016 Toyota 8HBW23 Pallet Jack</b> S/N: 12430 C/W: 24 V Usage: 375 Hr	5127	<b>2000 Genie S-80 4WD Diesel Telescopic Boom Lift</b> S/N: S80-2277 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz F4L 1011F 4 Cylinder 40 kW Diesel Engine Usage: 5,098 Hr
5115	<b>2018 Yale MPB045VG Electric Pallet Jack</b> S/N: A245N17453S Usage: Not Available	5128	<b>2021 Genie S-65HF 4WD Diesel Telescopic Boom Lift</b> S/N: S65XCH47018 C/W: 65 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2021 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine Usage: Not Available
5116	<b>2018 Yale MPB045VG Electric Pallet Jack</b> S/N: A245N17454S Usage: Not Available	5129	<b>2015 Genie S-65 4WD Diesel 65 ft Telescopic Boom Lift</b> S/N: S6015A30795 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, Perkins 404F-22 4 Cylinder Diesel Engine Usage: 3,994 Hr
5117	<b>2017 Yale MPB045VG Electric Pallet Jack</b> S/N: A245N09439R Usage: Not Available	5130	<b>2008 Genie S-65 Crawler Diesel Telescopic Boom Lift</b> S/N: S600819327 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, Perkins 4 Cylinder Diesel Engine, 18 in Rubber Tracks Usage: 8,492 Hr
5118	<b>2017 Yale MPB045VG Electric Pallet Jack</b> S/N: A245N09542R Usage: Not Available	5131	<b>2007 Genie S-65 4WD Diesel Telescopic Boom Lift</b> S/N: S6007-16151 C/W: 65 ft Max Lift Height, Jib, Power to Platform, Perkins 4 Cylinder 50 hp Diesel Engine Usage: 7,748 Hr
5119	<b>2013 Yale MPB040E Electric Pallet Jack</b> S/N: B827N56667L C/W: 4000 lb Capacity, 24 V Usage: Not Available	5132	<b>2015 Genie S-60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X15A30103 C/W: 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Diesel Engine Usage: 4,078 Hr
5120	<b>2015 Yale MPB040EN24T2748 Electric Pallet Jack</b> S/N: B827N63643N Usage: Not Available	5133	<b>2007 Genie S-60 4WD Dual Fuel Telescopic Boom Lift</b> S/N: S600716272 C/W: 60 ft Max Lift Height, Power to Platform, 4 Cylinder 2.3 L Dual Fuel Engine Usage: 4,825 Hr
5121	<b>2014 Yale MPB040EN24T2748 Electric Pallet Jack</b> S/N: B827N61561M Usage: Not Available	5134	<b>2005 Genie S-60 4WD Dual Fuel Telescopic Boom Lift</b> S/N: S600511448 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Dual Fuel Engine Usage: 5,649 Hr
5122	<b>Nissan WRPN8027X84 Electric Pallet Jack</b> S/N: 14238984 C/W: 8000 lb Capacity, 24 V, Battery Charger Usage: 2,836 Hr		
5123	<b>2013 JLG 1350SJP 4WD Diesel 135 ft Telescopic Boom Lift</b> S/N: 0300163674 C/W: 135 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, 2012 US EPA Label, Deutz D2011 4 Cylinder 74 hp 3.6 L Diesel Engine Usage: 4,993 Hr		
5124	<b>2014 JLG 860SJ 4WD Diesel Telescopic Boom Lift</b> S/N: 0300185429 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Jib, Power to Platform Usage: 3,461 Hr		
5125	<b>2016 Genie S-85 4WD Diesel Telescopic Boom Lift</b> S/N: S8516H13708 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Diesel Engine Usage: 2,744 Hr		

Lot #	Details	Lot #	Details
5135	<b>2013 Skyjack SJ61T 4WD Diesel Telescopic Boom Lift</b> S/N: 97000827 C/W: 61 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Tier 4, 2012 US EPA Label, Deutz 4 Cylinder 3.6 L Diesel Engine, 15-19.5 Tires Usage: 3,249 Hr	5144A	<b>2005 JLG 400S 4WD Diesel Telescopic Boom Lift - Factory Reconditioned 2015</b> S/N: 0300090929 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2005 US EPA Label, Deutz 3 Cylinder 2.3 L Diesel Engine, 12-16.5NHS Tires Usage: 2,468 Hr
5136	<b>2007 JLG 600S 4WD Dual Fuel Telescopic Boom Lift</b> S/N: 0300102872 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Dual Fuel Engine Usage: 424 Hr	5144	<b>2013 JLG 400S 4WD Diesel Telescopic Boom Lift</b> S/N: 0300170617 C/W: 1000 lb Max Weight Capacity, Power to Platform, 2013 US EPA Label, Deutz D2011L03 3 Cylinder 49 hp 2.3 L Diesel Engine Usage: 3,643 Hr
5138	<b>2000 JLG 660SJC Crawler Diesel Telescopic Boom Lift</b> S/N: 0300055418 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, US EPA Label, Deutz 4 Cylinder Diesel Engine, 19.5 in Triple Grouser Track Shoes Usage: 5,249 Hr	5145	<b>2014 Genie S-40 4WD Diesel Telescopic Boom Lift</b> S/N: S401419093 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2013 US EPA Label, Deutz D2.9L4 49 hp 2.9 L Diesel Engine Usage: 2,967 Hr
5139	<b>2005 Snorkel TB60RT 4WD Diesel Telescopic Boom Lift</b> S/N: MR05048RBLT C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 4,555 Hr	5147A	<b>2006 Snorkel TB42 4WD Diesel Telescopic Boom Lift</b> S/N: JU06044RBLT C/W: 42 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 1,012 Hr
5140	<b>2012 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451216916 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Deutz Diesel Engine Usage: 3,554 Hr	5147	<b>2006 Snorkel TB42 Diesel Telescopic Boom Lift</b> S/N: JL06084RBLT C/W: 42 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2006 US EPA Label, Deutz 3 Cylinder 48 hp 2.3 L Diesel Engine Usage: 4,859 Hr
5141	<b>2014 Genie S-45 4WD Diesel Telescopic Boom Lift</b> S/N: S451419142 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2013 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine Usage: 4,678 Hr	5148	<b>2006 JLG 1250AJP 4WD Diesel 125 ft Articulating Boom Lift</b> S/N: 0300099648 C/W: 1000 lb Max Weight Capacity, Power to Platform, 4 Cylinder Diesel Engine Usage: 3,516 Hr
5142	<b>2016 JLG 400S 4WD Diesel 40 ft Telescopic Boom Lift</b> S/N: 0300219786 C/W: 1000 lb Max Weight Capacity, Power to Platform, 2016 US EPA Label, Deutz D2.9L4 4 Cylinder 49 hp 2.9 L Diesel Engine Usage: 2,733 Hr	5149	<b>2016 Genie Z-80/60 4WD Diesel 78 ft Articulating Boom Lift</b> S/N: Z8016H5846 C/W: 78 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, Perkins 4 Cylinder Diesel Engine Usage: 2,116 Hr
5143	<b>2015 JLG 400S 4WD Diesel Telescopic Boom Lift</b> S/N: 300200823 C/W: 40 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2014 US EPA Label, Deutz D 2.9 L4 4 Cylinder 36.4 kW 2.9 L Diesel Engine, 12-16.5 Tires Usage: 1,843 Hr	5150	<b>2015 JLG 800AJ 4WD Diesel 80 ft Articulating Boom Lift</b> S/N: 0300195356 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 2014 US EPA Label, Deutz TD2.9L4 67 hp 2.9 L Diesel Engine Usage: 2,619 Hr



Lot #	Details	Lot #	Details
5151	<b>2015 Nifty-Lift SD50D 4WD Diesel Articulating Boom Lift</b> S/N: 1731867 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Tier 4, 2015 US EPA Label, Kubota D722-EF01 3 Cylinder 15 kW 0.7 L Diesel Engine Usage: Not Available	5158	<b>2014 Skyjack SJ46AJ 4WD Diesel Articulating Boom Lift</b> S/N: 95000658 C/W: 46 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2013 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine Usage: 2,575 Hr
5152	<b>2014 Genie Z-60/34 4WD Diesel Articulating Boom Lift</b> S/N: Z601414037 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 3, US EPA Label, Deutz 3 Cylinder Diesel Engine, 355 /55D 625 Tires Usage: 2,743 Hr	5159	<b>2011 Genie Z-80/60 4WD Diesel Articulating Boom Lift</b> S/N: Z80113035 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2010 US EPA Label, Deutz 4 Cylinder 3.6 L Diesel Engine, 18-625 Tires Usage: 3,992 Hr
5153	<b>2014 Genie Z-60/34 4WD Articulating Boom Lift</b> S/N: Z6014-14247 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, Deutz D2011 3 Cylinder 49 hp Diesel Engine Usage: 3,472 Hr	5160	<b>1994 Genie Z-45/22 2WD Dual Fuel Articulating Boom Lift</b> S/N: Z45001745 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Kubota 3 Cylinder Dual Fuel Engine, 9-14.5 Tires Usage: 7,365 Hr
5154	<b>2008 Genie Z60/34 4WD Dual Fuel 60 ft Articulating Boom Lift</b> S/N: Z6008-9101 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, 2.3 L Dual Fuel Engine Usage: 4,692 Hr	5162	<b>2018 JLG H340AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300245899 C/W: 33.8 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Kubota 2 Cylinder Diesel Engine Usage: 4,417 Hr
5155	<b>2001 JLG 600AJ 4WD Dual Fuel 60 ft Articulating Boom Lift</b> S/N: 0300059863 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Dual Fuel Engine Usage: 7,016 Hr	5163	<b>2017 JLG 340AJ 4WD Diesel Articulating Boom Lift (Inoperable)</b> S/N: 0300229235 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2016 US EPA Label, Kubota 3 Cylinder 1.1 L Diesel Engine Usage: 1,580 Hr
5156	<b>1998 JLG 600S 4WD Dual Fuel Telescopic Boom Lift</b> S/N: 0300035943 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 4 Cylinder Dual Fuel Engine, 15-19.5 Tires Usage: 5,518 Hr	5164	<b>2015 JLG 340AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300196742 C/W: 33.8 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine Usage: 3,040 Hr
5157	<b>2015 JLG 450AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300201943 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2014 US EPA Label, Deutz D2.9 L4 49 hp 2.9 L Diesel Engine, 33x15.5-16.5 Tires Usage: 1,529 Hr	5165	<b>2018 JLG X600AJ Crawler Electric Articulating Boom Lift</b> S/N: C170001570 C/W: 59.2 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, 8 in Rubber Tracks Usage: 199 Hr
5158A	<b>2013 Genie Z-45/25J 4WD Diesel Articulating Boom Lift</b> S/N: Z452513A48950 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2013 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine Usage: 3,186 Hr	5166	<b>2019 JLG M600JP 2WD Electric Articulating Boom Lift</b> S/N: 0300265014 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Kohler 1 Cylinder Diesel Engine Usage: 467 Hr

Lot #	Details	Lot #	Details
5168	<b>2016 Genie Z40/23N 2WD Electric Articulating Boom Lift</b> S/N: Z40N16N3211 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 516 Hr	5178	<b>2018 JLG T500J Towable Lift</b> S/N: 0030009589 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: Not Available
5169	<b>2016 JLG E400AJPN 2WD Electric Articulating Boom Lift (Inoperable)</b> S/N: 0300216262 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: Not Available	5179A	<b>2016 JLG T500J 50 ft Towable Lift</b> S/N: 0030007618 C/W: 50 ft Max Lift Height, 440 lb Max Weight Capacity, Jib Usage: 235 Hr
5170	<b>1997 JLG 40 2WD Electric 40 ft Articulating Boom Lift (Inoperable)</b> S/N: 0400260300026970 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: Not Available	5180	<b>2013 JLG T500J Towable Lift</b> S/N: 5DYACJ1J7DP005521 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity Usage: 1,204 Hr
5171	<b>2012 JLG E300AJP 2WD Electric Articulating Boom Lift</b> S/N: 0300158480 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 657 Hr	5182	<b>2020 Haulotte 3632T Towable Lift</b> S/N: 5CUTE2216LA000012 C/W: 37 ft 6 in Max Lift Height, 500 lb Max Weight Capacity Usage: Not Available
5172	<b>2008 JLG E300AJP 2WD Electric Articulating Boom Lift</b> S/N: 0300135760 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Solid Tires Usage: 668 Hr	5183	<b>2005 Bil-Jax K13 Towable Lift</b> S/N: K13-4036 C/W: 200 kg Max Weight Capacity Usage: Not Available
5173	<b>2008 JLG E300AJP 2WD Electric Articulating Boom Lift</b> S/N: 0300120741 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Non-Marking Tires Usage: 1,107 Hr	5184	<b>2000 JLG 500RTS 4x4 Dual Fuel Scissor Lift</b> S/N: 0200066619 C/W: 50 ft Max Lift Height, 2000 lb Max Weight Capacity, Platform Extension, Stabilizers, Ford 4 Cylinder Dual Fuel Engine Usage: 2,010 Hr
5174	<b>2000 Genie Z34/22N 2WD Electric Articulating Boom Lift</b> S/N: Z34N10-8835 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 1,017 Hr	5185	<b>1999 JLG 500RTS 4x4 Dual Fuel Rough Terrain Scissor Lift (Inoperable)</b> S/N: 0200056607 C/W: 50 ft Max Lift Height, 2000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, Ford 4 Cylinder Dual Fuel Engine Usage: 5,525 Hr
5175	<b>2013 Genie Z-30/20N RJ 2WD Electric 30 ft Articulating Boom Lift</b> S/N: Z30N1314663 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 532 Hr	5187	<b>1998 JLG 500RTS 4x4 Dual Fuel Rough Terrain Scissor Lift (Inoperable)</b> S/N: 0200040682 C/W: 50 ft Max Lift Height, 2000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, Ford 4 Cylinder Dual Fuel Engine Usage: 3,335 Hr
5176	<b>2000 Genie Z-30/20N 2WD Electric 30 ft Articulating Boom Lift</b> S/N: Z30N003906 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 1,470 Hr	5188	<b>2000 JLG 40RTS 4x4 Gasoline Rough Terrain Scissor Lift</b> S/N: 0200066321 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Gasoline Engine Usage: 2,530 Hr
5177	<b>2020 Genie TZ-50 50 ft Towable Lift</b> S/N: 5D8AA2314K1003962 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2019 US EPA Label, Honda GX160 Gasoline Engine Usage: 13 Hr	5189	<b>1999 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200058788 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Ford 4 Cylinder Dual Fuel Engine Usage: 4,229 Hr

Lot #	Details	Lot #	Details
5190	<b>1999 JLG 40RTS 4x4 Gasoline Rough Terrain Scissor Lift</b> S/N: 0200060823 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 4 Cylinder Gasoline Engine Usage: 4,461 Hr	5198	<b>1995 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200019088 C/W: 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 4 Cylinder Dual Fuel Engine Usage: 3,208 Hr
5191	<b>1999 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200064432 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Dual Fuel Engine Usage: 4,138 Hr	5199	<b>2007 Genie GS3390RT Diesel Rough Terrain Scissor Lift</b> S/N: GS9007-43800 C/W: 2500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2006 US EPA Label, Deutz F3L 48 hp 2.3 L Dual Fuel Engine Usage: 3,960 Hr
5192	<b>1998 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200042953 C/W: 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Ford VSG-4111 4 Cylinder Dual Fuel Engine Usage: 3,739 Hr	5200	<b>2006 Genie GS3384RT 4x4 Diesel Scissor Lift</b> S/N: GS840641073 C/W: 33 ft Max Lift Height, 2500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2006 US EPA Label, Deutz 3 Cylinder 2.3 L Diesel Engine Usage: 2,754 Hr
5193	<b>1998 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200045196 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Ford Gasoline Engine Usage: 4,077 Hr	5201	<b>2007 Genie GS-3268RT 4x4 Dual Fuel Scissor Lift</b> S/N: GS680747758 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2006 US EPA Label, Kubota 3 Cylinder 740 cc Dual Fuel Engine Usage: 2,955 Hr
5194	<b>1998 JLG 40RTS Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200045859 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Upper Control Box, Ford 4 Cylinder Dual Fuel Engine Usage: 4,233 Hr	5203	<b>2015 Skyjack SJ6826 RT Diesel Scissor Lift</b> S/N: 37006760 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2015 US EPA Label, Deutz D902-EF01 3 Cylinder .89 L Diesel Engine Usage: 1,434 Hr
5195	<b>1998 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200048617 C/W: 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Ford 4 Cylinder Dual Fuel Engine Usage: 4,290 Hr	5204	<b>2014 Skyjack SJ6826 RT Diesel Scissor Lift</b> S/N: 37004405 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder .89 L Diesel Engine Usage: 1,287 Hr
5196	<b>1998 JLG 40RTS 4x4 Gasoline Rough Terrain Scissor Lift</b> S/N: 0200052424 C/W: 40 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 4 Cylinder Gasoline Engine Usage: 4,380 Hr	5205	<b>2018 JLG 4045R Electric Scissor Lift</b> S/N: 0200266956 C/W: 40 ft Max Lift Height, 770 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 115 Hr
5197	<b>1998 JLG 40RTS 4x4 Dual Fuel Rough Terrain Scissor Lift</b> S/N: 0200049276 C/W: 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Ford Dual Fuel Engine Usage: 5,038 Hr	5206	<b>2016 JLG 4069 LE Electric Scissor Lift</b> S/N: 0200256556 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 298 Hr

Lot #	Details	Lot #	Details
5207	<b>2017 Skyjack SJIII4740 Electric Scissor Lift</b> S/N: 70201283 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 269 Hr	5216	<b>2016 Genie GS3232 32 ft Electric Scissor Lift</b> S/N: GS3216P-143914 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 223 Hr
5208	<b>2016 Genie GS4047 Electric Scissor Lift</b> S/N: GS4716D-1476 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 471 Hr	5217	<b>2014 Genie GS3232 Electric Scissor Lift</b> S/N: GS3214A-135724 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: Not Available
5209	<b>2018 Snorkel S4732E Electric Scissor Lift</b> S/N: S4732E04180702034 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5218	<b>2011 Genie GS3232 Electric Scissor Lift</b> S/N: GS3211A97626 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 249 Hr
5210	<b>2017 Snorkel S4732E Electric Scissor Lift</b> S/N: S4732E04170100951 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 141 Hr	5219	<b>2018 JLG 3246ES Electric Scissor Lift (Inoperable)</b> S/N: M200015286 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 323 Hr
5211	<b>2017 Snorkel S4732E Electric Scissor Lift</b> S/N: S4732E04170601287 C/W: 11.8 m Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5220	<b>2016 JLG 3248RS Electric Scissor Lift</b> S/N: 0200256097 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 370 Hr
5212A	<b>2017 Snorkel S4732E Electric Scissor Lift</b> S/N: S4732E04170601282 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5221	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200241473 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr
5212	<b>2017 Snorkel S4732E Electric Scissor Lift</b> S/N: S4732E04170201046 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 187 Hr	5222	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200240411 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 437 Hr
5213	<b>2017 Snorkel S4726E Electric Scissor Lift</b> S/N: S4726E04170400474 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5223	<b>2014 JLG 3248RS Electric Scissor Lift</b> S/N: 0200236049 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 362 Hr
5215	<b>2016 Genie GS3232 Electric Scissor Lift</b> S/N: GS3216P-147013 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 81 Hr	5224	<b>2016 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70027875 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 88 Hr

Lot #	Details	Lot #	Details
5225	<b>2016 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70027863 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 123 Hr	5236	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001330 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 220 Hr
5226	<b>2016 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70027877 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 93 Hr	5237	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001530 C/W: 25.5 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 272 Hr
5227	<b>2018 MEC 3259ERT Electric Scissor Lift</b> S/N: 13100411 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 75 Hr	5238	<b>2016 JLG 2632ES 26.5 ft Electric Scissor Lift</b> S/N: M200001616 C/W: 26 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 298 Hr
5229	<b>2019 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27042920 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 128 Hr	5239	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001527 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 305 Hr
5230	<b>2019 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27043689 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 158 Hr	5240	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001364 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 308 Hr
5231	<b>2014 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27019941 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 118 Hr	5241	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001509 C/W: 25.5 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 313 Hr
5232	<b>2015 JLG 2646ES Electric Scissor Lift</b> S/N: 0200245166 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 369 Hr	5242	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200001484 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 312 Hr
5233	<b>2019 JLG 2632ES Electric Scissor Lift</b> S/N: M200028368 C/W: 25 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 18 Hr	5243	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: 0200254040 C/W: 25.4 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 272 Hr
5234	<b>2018 JLG 2632ES Electric Scissor Lift</b> S/N: M200019054 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 215 Hr	5244	<b>2014 JLG 2630ES Electric Scissor Lift</b> S/N: 0200233077 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 370 Hr
5235	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: M200002983 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 184 Hr		

Lot #	Details	Lot #	Details
5245	<b>2019 Skyjack SJIII3226 Electric Scissor Lift (Inoperable)</b> S/N: 27042751 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: Not Available	5254	<b>Genie GS2632 26 ft Electric Scissor Lift</b> S/N: Not Available C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5246	<b>2015 Skyjack SJ3226 Electric Scissor Lift</b> S/N: 27023335 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 141 Hr	5255	<b>2018 JLG 1932R Electric Scissor Lift</b> S/N: M200017544 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 161 Hr
5247	<b>2018 MEC 2659ERT Electric Scissor Lift (Inoperable)</b> S/N: 13000399 C/W: 26 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 93 Hr	5256	<b>2017 JLG 1932R Electric Scissor Lift</b> S/N: M200012617 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 186 Hr
5248	<b>2018 MEC 2659ERT Electric Scissor Lift (Inoperable)</b> S/N: 13000400 C/W: 26 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 66 Hr	5257	<b>2017 JLG 1932R Electric Scissor Lift</b> S/N: M200011401 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 266 Hr
5249	<b>2016 Genie GS2632 Electric Scissor Lift</b> S/N: GS3216P145539 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 240 Hr	5258	<b>2017 JLG 1932R Electric Scissor Lift</b> S/N: M200012644 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 280 Hr
5250	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A-139220 Usage: 238 Hr	5259	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200258361 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 131 Hr
5251	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A120222 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available	5260	<b>2016 JLG 1932RS Electric Scissor Lift (Inoperable)</b> S/N: 0200258359 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available
5252	<b>2008 Genie GS2632 Electric Scissor Lift</b> S/N: 90204 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 301 Hr	5261	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200258362 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 226 Hr
5253	<b>2008 Genie GS2632 Electric Scissor Lift</b> S/N: GS3208090402 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Onboard Generator, Solid Non-Marking Tires Usage: 227 Hr	5262	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256090 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 203 Hr

Lot #	Details	Lot #	Details
5263	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200258616 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 213 Hr	5272	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200257325 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 355 Hr
5264	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256580 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 239 Hr	5273	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256083 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 369 Hr
5265	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200257086 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 253 Hr	5274	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 00200257328 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 371 Hr
5266	<b>2016 JLG 1932RS 19 ft Electric Scissor Lift</b> S/N: 0200257324 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 279 Hr	5275A	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256079 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 445 Hr
5267	<b>2016 JLG 1932RS 19 ft Electric Scissor Lift</b> S/N: 0200257329 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 283 Hr	5275	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256078 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5268	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200254350 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 298 Hr	5276	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200237792 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 364 Hr
5269	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256588 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 319 Hr	5277	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255658 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 3 Hr
5270	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256080 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 330 Hr	5278	<b>2016 JLG 1930ES 19 ft Electric Scissor Lift</b> S/N: 0200255711 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 164 Hr
5271	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200256086 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 375 Hr	5279	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200004176 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr

Lot #	Details	Lot #	Details
5280	<b>2017 JLG 1930ES Electric Scissor Lift</b> S/N: M200005360 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 222 Mi	5290	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253808 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 255 Hr
5281	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253654 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 223 Hr	5291	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255670 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 259 Hr
5282	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200256218 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 226 Hr	5292	<b>2016 JLG 1930ES Electric Scissor Lift (Inoperable)</b> S/N: 0200255646 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 268 Hr
5283	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253648 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 228 Hr	5293	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200256212 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 6 Hr
5284	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253659 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 240 Hr	5294	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200001730 C/W: 18 ft 9 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 305 Hr
5285	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003064 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 246 Hr	5295	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255672 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 305 Hr
5286	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253634 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 252 Hr	5296	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255666 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 297 Hr
5287	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253635 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 249 Hr	5297	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200002422 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 302 Hr
5288	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003841 C/W: 18.75 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 252 Hr	5298	<b>2017 JLG 1930ES Electric Scissor Lift</b> S/N: M200005361 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 306 Hr
5289	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003067 C/W: 18.75 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 251 Hr	5300	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253649 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 309 Hr



Lot #	Details	Lot #	Details
5301	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200256223 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 310 Hr	5311	<b>2016 JLG 1930ES 19 ft Electric Scissor Lift</b> S/N: M200002947 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 423 Hr
5302	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200256219 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 319 Hr	5312	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253824 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 425 Hr
5303	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255663 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 321 Hr	5313	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200001783 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 430 Hr
5304	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253837 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 332 Hr	5314	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200001736 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 360 Hr
5305	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253638 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 377 Hr	5315	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200251932 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 237 Hr
5306	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003819 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 334 Hr	5316	<b>2014 JLG 1930ES Electric Scissor Lift</b> S/N: 0200232623 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 423 Hr
5307	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253777 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 336 Hr	5317	<b>2019 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22141512 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 89 Hr
5308	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M20001909 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 378 Hr	5318	<b>2019 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22141166 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 172 Hr
5309	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200253828 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 389 Hr	5319	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121817 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 57 Hr
5310	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200001823 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 400 Hr	5320	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121835 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 82 Hr

Lot #	Details	Lot #	Details
5321	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121837 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 104 Hr	5331	<b>2017 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22108547 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 152 Hr
5322	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121772 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 110 Hr	5332	<b>2016 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22094608 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 80 Hr
5323	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22122057 C/W: 19.5 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 176 Hr	5333	<b>2016 Skyjack SJIII-3219 19 ft Electric Scissor Lift</b> S/N: 22091071 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 182 Hr
5324	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121793 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 172 Hr	5334	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22091063 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 192 Hr
5325	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121776 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 130 Hr	5335	<b>2015 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22080459 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 157 Hr
5326	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22122038 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 140 Hr	5336	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22074077 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 184 Hr
5327	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22122022 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 182 Hr	5337	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22080178 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 199 Hr
5328	<b>2018 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22121795 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 173 Hr	5338	<b>2014 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22068900 C/W: 19 m Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 141 Hr
5329	<b>2017 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22108544 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 141 Hr	5339	<b>2014 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22064944 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 234 Hr
5330	<b>2017 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: 22108545 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 159 Hr		

Lot #	Details	Lot #	Details
5340	<b>2017 Genie GS1930 Electric Scissor Lift</b> S/N: GS30P179787 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 125 Hr	5349	<b>2015 Genie GS1930 Electric Scissor Lift (Inoperable)</b> S/N: GS3015A147405 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
5341	<b>2017 Genie GS1930 Electric Scissor Lift (Inoperable)</b> S/N: GS30P-179815 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available	5350	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A-133405 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 622 Mi
5342	<b>2017 Genie GS1930 19 ft Electric Scissor Lift</b> S/N: GS30P179786 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 150 Hr	5351	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A123250 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available
5343	<b>2017 Genie GS1930 Electric Scissor Lift</b> S/N: GS30P-179347 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 171 Hr	5352	<b>2013 Genie GS1930 Electric Scissor Lift (Inoperable)</b> S/N: GS3013A124167 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available
5344	<b>2017 Genie GS1930 Electric Scissor Lift</b> S/N: GS30P179781 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 180 Hr	5353	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A11037 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available
5345	<b>2016 Genie GS1930 Electric Scissor Lift (Inoperable)</b> S/N: GS3016P152107 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available	5354	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A125859 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
5346	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P154509 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available	5355	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A122003 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 497 Hr
5347	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147436 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available	5356	<b>2012 Genie GS1930 Electric Scissor Lift</b> S/N: 85093 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 394 Hr
5348	<b>2015 Genie GS1930 Electric Scissor Lift (Inoperable)</b> S/N: GS3015A-147813 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5357	<b>Genie GS-1930 Electric Scissor Lift</b> S/N: Not Available C/W: 25 m Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 628 Hr

Lot #	Details	Lot #	Details
5358	<b>2018 MEC 1930SE Electric Scissor Lift</b> S/N: 16400615 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 113 Hr	5368	<b>2017 MEC 1330SE Electric Scissor Lift</b> S/N: 16302064 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 127 Hr
5359	<b>2017 MEC 1930SE Electric Scissor Lift</b> S/N: 16400606 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 117 Hr	5369	<b>2017 Ballymore DMSL12 Electric Scissor Lift</b> S/N: DBA17011121 C/W: 12 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5360	<b>2017 Snorkel S3219E Electric Scissor Lift</b> S/N: S3219E04170703956 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 38 Hr	5370A	<b>2016 Snorkel S3008P Electric Scissor Lift</b> S/N: S3008P11161200043 C/W: 14 ft Max Lift Height, 500 lb Max Weight Capacity, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5361	<b>2017 Snorkel S3219E Electric Scissor Lift</b> S/N: 171104837 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 65,535 Hr	5370	<b>2017 Snorkel S3008P Electric Scissor Lift</b> S/N: S3008P01000827 C/W: 8 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5362	<b>2019 Hy-Brid PS-1430 Electric Scissor Lift</b> S/N: D0240153 C/W: Platform Extension, Power to Platform Usage: 42 Hr	5371	<b>2015 Snorkel S3008P Electric Scissor Lift</b> S/N: S3008P01000836 C/W: 14 m Max Lift Height, 500 lb Max Weight Capacity, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5363	<b>2019 Hy-Brid PS-1430 Electric Scissor Lift (Inoperable)</b> S/N: D0240163 C/W: 14 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5372	<b>2015 Snorkel S3008P Electric Scissor Lift</b> S/N: S3008P01000831 C/W: 8 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: Not Available
5364	<b>Hy-Brid HB1430 Electric Scissor Lift</b> S/N: D0213958 C/W: 14 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 247 Hr	5373B	<b>2015 Snorkel S3008P Electric Scissor Lift</b> S/N: S3008P01000898 C/W: 14 ft Max Lift Height, 500 lb Max Weight Capacity, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5365	<b>2020 MEC 1330SE Electric Scissor Lift</b> S/N: 16306346 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5373A	<b>2015 Snorkel S3008P Electric Scissor Lift</b> S/N: 3008P01000897 C/W: 14 ft Max Lift Height, 500 lb Max Weight Capacity, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5366	<b>2020 MEC 1330SE Electric Scissor Lift</b> S/N: 16306341 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5373	<b>2015 Snorkel S3008P Electric Scissor Lift</b> S/N: S30008P01000839 C/W: 14 m Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available
5367	<b>2020 MEC 1330SE Electric Scissor Lift</b> S/N: 16306343 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5374	<b>2016 JLG 32E Toucan Vertical Mast Lift</b> S/N: A300052763 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 168 Hr

Lot #	Details	Lot #	Details
5375	<b>2016 JLG 32E Toucan Vertical Mast Lift</b> S/N: A300053949 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5387	<b>2017 Genie GR20 Vertical Mast Lift</b> S/N: GRP46805 C/W: 19.9 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 137 Hr
5376	<b>2016 JLG 36AMDC Vertical Mast Lift</b> S/N: 0900036655 C/W: 36 ft Max Lift Height, 300 lb Max Weight Capacity, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 47 Hr	5388	<b>2017 Genie GR20 Vertical Mast Lift</b> S/N: GRP-46679 C/W: 19.9 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available
5377	<b>2019 JLG 30AM Vertical Mast Lift</b> S/N: 0900038602 C/W: 30.8 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available	5389	<b>2016 Genie GR-20 Vertical Mast Lift</b> S/N: GR16P-44492 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 290 Hr
5378	<b>2016 Genie AWP-30S DC Vertical Mast Lift</b> S/N: 858501 C/W: 30 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 1 Hr	5390	<b>2015 Genie GR20 Vertical Mast Lift</b> S/N: GR1538053 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
5379	<b>2017 JLG 20MVL Vertical Mast Lift</b> S/N: 130030377 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available	5391	<b>2020 Skyjack SJ16 Vertical Mast Lift</b> S/N: A600000856 C/W: 15.7 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box, Solid Tires Usage: 79 Hr
5380	<b>2017 JLG 20MVL Vertical Mast Lift</b> S/N: 0130030668 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5392	<b>Ballymore PS-140H-DRV Vertical Mast Lift</b> S/N: DBA170106-165 C/W: 12 ft Max Lift Height, 650 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available
5381	<b>2017 JLG 20MVL Vertical Mast Lift</b> S/N: 0130028781 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 233 Hr	5393	<b>2017 Sumner 2124 Material Hoist</b> S/N: 28331 Usage: Not Available
5382	<b>2016 JLG 20MVL Vertical Mast Lift</b> S/N: 0130025125 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 22 Hr	5394	<b>2018 Sumner 2118 Material Hoist</b> S/N: 30431 Usage: Not Available
5383	<b>2016 JLG 20MVL Vertical Mast Lift</b> S/N: 0130027610 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available	5395	<b>2017 Sumner 2412 Material Hoist</b> S/N: 7284 Usage: Not Available
5385	<b>2016 JLG 20MVL Vertical Mast Lift</b> S/N: 0130025593 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 239 Hr	5396	<b>2017 Sumner 2412 Material Hoist</b> S/N: 6887 Usage: Not Available
5386	<b>2018 Genie AWP-20S Vertical Mast Lift</b> S/N: AWPG93498 C/W: 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5397	<b>2016 Sumner 2412 Manual Material Hoist</b> S/N: 5636 Usage: Not Available
		5398	<b>2019 Liftsmart 4E MLM-16 Material Hoist</b> S/N: MLM1900896 Usage: Not Available
		5399	<b>2016 Genie SLA-10 Material Hoist</b> S/N: SLA16G-61532 Usage: Not Available

Lot #	Details	Lot #	Details
5400	<b>2021 Wacker Neuson LTV6L 6 kW Light Tower</b> S/N: WNCLTV01PPUM11209 C/W: 2021 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 177 Hr	5409	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0512GN000638 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,458 Hr
5401	<b>2020 Wacker LTV6K 6 kW Light Tower</b> S/N: WNCLTV02JPUM08533 C/W: Tier 4, 2019 US EPA Label, Kubota 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 3 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 532 Hr	5410	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0514GN000351 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 1.0 L Diesel Engine, 4 Lamps, Balloon Diffuser, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,546 Hr
5402	<b>2019 Wacker Neuson LTV6K 6 kW Light Tower</b> S/N: 5XFLV0418LM001021 C/W: Tier 4, 2018 US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,535 Hr	5411	<b>2016 Wacker LTN6KVS Light Tower</b> S/N: 5XFLN0517GN000490 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,696 Hr
5403	<b>2016 Wacker Neuson LTN6K 6 kW Light Tower</b> S/N: 24300195 C/W: Tier 4, 2016 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,171 Hr	5412	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0513GN000888 C/W: Tier 4, 2016 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,417 Hr
5404	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0515GN000892 C/W: Tier 4, 2016 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,959 Hr	5413	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0515GN000228 C/W: Tier 4, 2015 US EPA Label, Kubota 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,508 Hr
5405	<b>2016 Wacker LTN6KVS Light Tower</b> S/N: 5XFLN0510GN000346 C/W: Tier 4, 2015 US EPA Label, Kubota 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 2,110 Hr	5414	<b>2014 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0512EN000944 C/W: Tier 4, 2013 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,694 Hr
5406	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0517GN000487 C/W: Tier 4, 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 2,224 Hr	5415	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: Not Available C/W: Tier 4, US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,041 Hr
5407	<b>2016 Wacker Neuson LTN-6 10.8 kW Light Tower</b> S/N: 24292542 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 2,287 Hr	5416	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0518GN000479 C/W: Tier 4, 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,802 Hr
5408	<b>2016 Wacker Neuson LTN-6 Light Tower</b> S/N: 5XFLN0510GN001593 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 2,374 Hr	5417	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0513GN000891 C/W: Tier 4, 2016 US EPA Label, CARB Compliant, Kubota 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,975 Hr

Lot #	Details	Lot #	Details
5418	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0512GN000493 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,649 Hr	5427	<b>2017 Magnum PLT240 2.4 kW Light Tower</b> S/N: 3002012982 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
5419	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN051XGN000886 C/W: Tier 4, 2016 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,418 Hr	5428	<b>2017 Magnum PLT240 2.4 kW Light Tower</b> S/N: 3002012973 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
5420	<b>2016 Wacker LTN6KV Light Tower</b> S/N: Not Available C/W: Tier 4, 2013 US EPA Label, Kubota 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: 6,154 Hr	5429	<b>2017 Magnum PLT240 2.4 kW Light Tower</b> S/N: 3001629256 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
5421	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 5XFLN0518GN000241 C/W: Tier 4, 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 6,629 Hr	5430	<b>2019 Magnum MLT6SK 6 kW Light Tower</b> S/N: 7FSBL1013KB275981 C/W: Tier 4, 2018 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,598 Hr
5422	<b>2016 Wacker LTN6KVS 6 kW Light Tower</b> S/N: 24299020 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 6,943 Hr	5431	<b>2019 Magnum MLT6SK 6 kW Light Tower</b> S/N: 7FSBL1011KB894627 C/W: Tier 4, 2018 US EPA Label, Kubota 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,305 Hr
5423	<b>2015 Wacker Neuson LTN-6 Light Tower</b> S/N: 5XFLN051XFN003365 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 5,381 Hr	5432	<b>2019 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3004615896 C/W: 2018 US EPA Label, Kubota D1005 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,042 Hr
5424	<b>2014 Wacker Neuson LTN-6 Light Tower</b> S/N: 5XFLN0518EN003539 C/W: Kohler DKHXL 3 Cylinder 19 kW 1.37 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower Usage: 8,458 Hr	5433	<b>2018 Magnum MLT6SK 6 kW Light Tower (Inoperable)</b> S/N: 7FSXL1016JB914164 C/W: US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,160 Hr
5425	<b>2013 Wacker Neuson LTN-6 Light Tower (Inoperable)</b> S/N: 5XFLN051XDN000222 C/W: 2012 US EPA Label, Kohler 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,049 Hr	5434	<b>2018 Magnum MLT6S 6 kW Light Tower</b> S/N: 7FSXL1019JB914157 C/W: Tier 4, 2018 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,208 Hr
5426	<b>2020 Generac G4-ECO 3.3 kW Light Tower</b> S/N: 3006058409 C/W: Mitsubishi 2.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,813 Hr	5435	<b>2017 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3002471624 C/W: Tier 4, 2017 US EPA Label, Kubota 10 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 2,637 Hr
		5436	<b>2018 Magnum MLT6S 6 kW Light Tower</b> S/N: 7FSXL1017JB934570 C/W: Tier 4, 2018 US EPA Label, Kubota 3 Cylinder 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,739 Hr

Lot #	Details	Lot #	Details
5437	<b>2018 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 7FSXL1018JB213366 C/W: 2018 US EPA Label, Mitsubishi 1 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	5448	<b>2016 Magnum MLT6S 6 kW Light Tower</b> S/N: 5AJLS1016GB604267 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,619 Hr
5438	<b>2018 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 7FSXL1010JB680250 C/W: 2017 US EPA Label, Mitsubishi 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 4,399 Hr	5449	<b>2016 Magnum MLT6SK 6 kW Light Tower (Inoperable)</b> S/N: 1601956 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,243 Hr
5439	<b>2018 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 7FSXL1013JB619359 C/W: 2018 US EPA Label, Mitsubishi 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,239 Hr	5450	<b>2016 Magnum MLT6SK Light Tower</b> S/N: 3001258583 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,360 Hr
5440	<b>2018 Magnum MLT6S 6 kW Light Tower</b> S/N: 7FSXL1013JB934579 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 10 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,691 Hr	5451	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3001255286 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,627 Hr
5441	<b>2017 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 7FSXL1010HB501716 C/W: 2017 US EPA Label, Mitsubishi 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available	5452	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3001255320 C/W: 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Ball Hitch Usage: 3,422 Hr
5442	<b>2017 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 7FSBL1017HB650926 C/W: 2016 US EPA Label, Mitsubishi 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 4,865 Hr	5453	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3001258570 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,440 Hr
5443	<b>2017 Magnum MLT-6SK 6 kW Light Tower</b> S/N: 3002178680 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,360 Hr	5454	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 5AJLS1014GB258591 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,114 Hr
5444	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 3002192656 C/W: Tier 4, 2017 US EPA Label, Kubota 1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,529 Hr	5455	<b>2016 Magnum MLT6SK 6 kW Light Tower (Inoperable)</b> S/N: 3001255311 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,683 Hr
5445	<b>2017 Magnum MLT6SK 6 kW Light Tower</b> S/N: 7FSBL1017HB663434 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,728 Hr	5456	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3001258577 C/W: Tier 4, 2015 US EPA Label, Kubota Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 4,711 Hr
5447	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 3001258581 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,530 Hr	5457	<b>2016 Generac MLT6SK-01 Light Tower</b> S/N: 5AJLS1011GB601938 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 5,162 Hr



Lot #	Details	Lot #	Details
5458	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 1601964 C/W: Tier 4, 2015 US EPA Label, Gasoline Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 5,740 Hr	5467	<b>2018 Generac MLT3060M Light Tower</b> S/N: 7FSBL1414JB271057 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,169 Hr
5459	<b>2016 Magnum MLT6S 6 kW Light Tower</b> S/N: 5AJLS1015GB600677 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,832 Hr	5468	<b>2018 Generac MLT3060M Light Tower</b> S/N: 7FSBL1412JB281056 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,236 Hr
5460	<b>2016 Magnum MLT6S 6 kW Light Tower</b> S/N: 5AJLS1019GB255279 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,194 Hr	5469	<b>2018 Magnum MLT3060M 6 kW Light Tower</b> S/N: 3003104517 C/W: 2017 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 7,345 Hr
5461	<b>2016 Magnum MLT6SK 6 kW Light Tower (Inoperable)</b> S/N: 1600631 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,195 Hr	5470	<b>2018 Magnum MLT3060M 6 kW Light Tower</b> S/N: 3003549842 C/W: 2018 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 6,038 Hr
5462	<b>2016 Magnum MLT6SK 6 kW Light Tower</b> S/N: 5AJLS1012GB605321 C/W: Tier 4, 2015 US EPA Label, Kubota 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,396 Hr	5471E	<b>2018 Magnum MLT3060 6 kW Light Tower</b> S/N: 3003366662 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 9,382 Hr
5463	<b>2016 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 3001286238 C/W: Tier 4, 2016 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	5471C	<b>2018 Magnum MLT3060 6 kW Light Tower</b> S/N: 3002952514 C/W: 3 Cylinder 8 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 4,243 Hr
5464	<b>2016 Generac MLT6S 6 kW Light Tower</b> S/N: Not Available C/W: Tier 4, 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,204 Hr	5471B	<b>2018 Magnum MLT3060 6 kW Light Tower</b> S/N: 3002952507 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,269 Hr
5465	<b>2016 Generac MLT6S 6 kW Light Tower</b> S/N: 5AJLS1016GB255014 C/W: Tier 4, 2015 US EPA Label, Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,071 Hr	5471A	<b>2018 Magnum MLT3060 6 kW Light Tower</b> S/N: 3003098017 C/W: Mitsubishi 3 Cylinder 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,518 Hr
5466A	<b>Magnum 6 kW Light Tower</b> S/N: 3001624374 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,950 Hr	5471	<b>2018 Magnum MLT3060MV 6 kW Light Tower</b> S/N: 3003464697 C/W: 2018 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,783 Hr
5466	<b>2015 Magnum Pro MLT6S Light Tower</b> S/N: 5AJLS1018FB502466 C/W: Mitsubishi L3E Diesel Engine Usage: 605 Hr	5472	<b>2017 Magnum Pro MLT 3060 6 kW Light Tower</b> S/N: 3001816476 C/W: Mitsubishi 3 Cylinder 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 5,336 Hr
		5473	<b>2017 Magnum Pro MLT 3060 6 kW Light Tower</b> S/N: 3001816464 C/W: Mitsubishi 3 Cylinder 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,515 Hr

Lot #	Details	Lot #	Details
5474	<b>2017 Magnum Pro MLT 3060 6 kW Light Tower</b> S/N: 3001816462 C/W: Mitsubishi 3 Cylinder 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 7,213 Hr	5482	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX1013JF272287 C/W: 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 675 Mi
5475C	<b>2017 Magnum MLT3060 6 kW Light Tower</b> S/N: 3001818718 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 8,697 Hr	5483	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX1013JF272242 C/W: Kohler 1 Cylinder Diesel Engine, 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 884 Hr
5475B	<b>2017 Magnum MLT3060 6 kW Light Tower</b> S/N: 3001628100 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 8,379 Hr	5484	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX1011JF272241 C/W: Kohler 1 Cylinder Diesel Engine, 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 4,597 Hr
5475A	<b>2017 Magnum MLT3060 6 kW Light Tower</b> S/N: Not Available C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,571 Hr	5486	<b>2018 National Signal Solar Light Tower</b> S/N: 1N9LX1019JF272245 C/W: Winco Gasoline Engine, 4 Lamps, LED Lighting, Solar Powered, S/A Trailer, Ball Hitch Usage: 9,332 Hr
5475	<b>2017 Magnum Pro MLT3060M 6 kW Light Tower</b> S/N: 3001818619 C/W: 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,029 Hr	5487	<b>2018 National Signal Solar Light Tower</b> S/N: 1N9LX1011JF272160 C/W: 4 Lamps, LED Lighting, Solar Powered, S/A Trailer, Ball Hitch Usage: 18,925 Hr
5476	<b>2016 Magnum MLT3060 6 kW Light Tower</b> S/N: 1602018 C/W: Kubota 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,244 Hr	5488	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX101XJF272240 C/W: Kohler 2 Cylinder Diesel Engine, 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 21,286 Hr
5477	<b>2015 Magnum MLT3060K 6 kW Light Tower</b> S/N: 1503648 C/W: Tier 4, Kubota 3 Cylinder 10.8 kW 1 L Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 2,000 Hr	5489A	<b>2018 National Signal Hybrid Light Tower</b> S/N: 1N9LX1016JF272249 C/W: Kohler Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch, Surge Brakes Usage: 150 Hr
5478	<b>2015 Magnum MLT3060K Light Tower</b> S/N: 1501646 C/W: Kubota 3 Cylinder 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 2,811 Hr	5489	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX1017JF272292 C/W: Kohler KD15-440 1 Cylinder Diesel Engine, 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 21,948 Mi
5479	<b>Magnum MLT3060 6 kW Light Tower</b> S/N: 3003512454 C/W: Tier 4, 2018 US EPA Label, 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,206 Hr	5490	<b>2018 Genie RL4 Light Tower</b> S/N: RL4J-9318 C/W: 2019 US EPA Label, Kohler 19 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available
5480	<b>2009 Magnum 3060K-MH Light Tower</b> S/N: 5AJLS161X9B001624 C/W: US EPA Label, Kubota D905-BG-ES01 3 Cylinder 9.7 kW .99 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,443 Hr	5491	<b>2016 Allmand Night-Lite NL5000 Light Tower</b> S/N: 0046NL500016 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,470 Hr
5481	<b>2018 National Signal LTS-160H-750K Solar Light Tower</b> S/N: 1N9LX1017JF272289 C/W: 4 Lamps, Solar Powered, S/A Trailer, Ball Hitch Usage: 403 Mi		

Lot #	Details	Lot #	Details
5493	<b>Allmand Night-Lite NL5000 Light Tower</b> S/N: 06000042 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 6,245 Hr	5502	<b>2015 Allmand Maxi-Lite II Light Tower</b> S/N: 0432ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.13 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 9,958 Hr
5494	<b>2015 Allmand Night-Lite PRO II 8 kW Light Tower</b> S/N: 0274PRO215 C/W: Tier 4, 2014 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,320 Hr	5503	<b>2015 Allmand Maxi-Lite II V-TWR 8 kW Light Tower</b> S/N: 0417ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Reversible Hitch Usage: 9,958 Hr
5495	<b>2015 Allmand Maxi-Lite II 8 kW Light Tower</b> S/N: 0385ML2V15 C/W: 2014 US EPA Label, Cat 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: 6,148 Hr	5504	<b>2015 Allmand Maxi-Lite II Light Tower (Inoperable)</b> S/N: 0425ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5496	<b>2015 Allmand Maxi-Lite II Light Tower</b> S/N: 0400ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.13 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 6,483 Hr	5505	<b>2014 Allmand Maxi-Lite II Light Tower (Inoperable)</b> S/N: 0482PR0214 C/W: 2013 US EPA Label, Kohler 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available
5497	<b>2015 Allmand Maxi-Lite II V-TWR 8 kW Light Tower</b> S/N: 0423ML2V15 C/W: 2014 US EPA Label, Cat 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: 7,401 Hr	5506	<b>2014 Multiquip LT6K 6 kW Light Tower</b> S/N: 4GNBL1116EB038184 C/W: 2013 US EPA Label, Kohler 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,983 Hr
5498	<b>2015 Allmand Maxi-Lite II V-TWR 8 kW Light Tower</b> S/N: 0393ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.1 L Diesel Engine, Balloon Diffuser, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: 7,485 Hr	5507	<b>2012 Multiquip LT-12D Light Tower</b> S/N: 1GNBL1016CB910507 C/W: 2012 US EPA Label, Kohler 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,904 Hr
5499	<b>2015 Allmand Maxi-Lite II Light Tower</b> S/N: 0397ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.13 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 7,530 Hr	5508	<b>2019 Doosan LCV6WKUB-60HZ-T 6 kVA Light Tower</b> S/N: 492143UCADG78 C/W: Kubota 3 L Diesel Engine, 4 Lamps, LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,361 Hr
5500	<b>2015 Allmand Maxi-Lite II Light Tower</b> S/N: 0413ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.13 L Diesel Engine, Single Lamp, Balloon Diffuser, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 8,520 Hr	5509	<b>2017 APT V4 9.9 kW Light Tower</b> S/N: WUX910998 C/W: Tier 4, 2017 US EPA Label, Kubota Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: 524 Hr
5501	<b>2015 Allmand Maxi-Lite II Light Tower</b> S/N: 0418ML2V15 C/W: 2014 US EPA Label, Cat C1.1 3 Cylinder 1.13 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 9,302 Hr	5510A	<b>2017 Wanco WLTC4K 6 kW Light Tower</b> S/N: 5F13D1412H1005165 C/W: Tier 4, Kubota 3 Cylinder 10.8 kW 1 L Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 5,114 Hr
		5510	<b>2014 Wanco WLTS-S Light Tower</b> S/N: Not Available C/W: 4 Lamps, Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available

Lot #	Details	Lot #	Details
5511A	<b>2009 Doosan Light Tower</b> S/N: 4FVLSBDA29U408210 C/W: Tier 4, 2008 US EPA Label, Kubota 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 14,764 Hr	5522	<b>2019 Wanco Solar Arrow Board</b> S/N: 5F1151016K1008211 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
5511	<b>2009 Terex RL4000 Light Tower</b> S/N: 4ZJSL141891000132 C/W: Tier 4, 2008 US EPA Label, Kubota 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: Not Available	5523	<b>2016 Wanco WTSP Solar Arrow Board</b> S/N: 5F11S1015G1005937 C/W: LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available
5512	<b>2004 Terex/Amida AL4060D-4MH 6 kW Light Tower (Inoperable)</b> S/N: EMF07715 C/W: Tier 4, 2004 US EPA Label, Kubota 3 Cylinder Diesel Engine, 3 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	5524	<b>2015 Wanco WTSP55-LSA Solar Arrow Board</b> S/N: 5F11S101XF1000859 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available
5513	<b>Terex/Amida Light Tower</b> S/N: Not Available C/W: 7 kW 3 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 4,324 Hr	5525	<b>2011 Wanco WTSP55-LSA Arrow Board</b> S/N: 5F11S1019B1004122 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
5514	<b>2016 Wanco WTLMB-A Solar Message Board</b> S/N: 5F12S1610G1009664 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	5526	<b>2000 Wanco Solar Arrow Board (Inoperable)</b> S/N: 5F11S1017Y1000062 C/W: S/A Trailer, Lunette Ring Usage: Not Available
5515	<b>2015 Wanco WTLMB Solar Message Board</b> S/N: 5F12S1619F1001819 C/W: Solar Powered, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	5527	<b>Wanco Solar Arrow Board</b> S/N: Not Available C/W: LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available
5516	<b>2015 Wanco WTLMB-A Solar Message Board</b> S/N: 5F12S1611F1000857 C/W: S/A Trailer, Ball Hitch Usage: Not Available	5528	<b>2007 Allmand Solar Arrow Board (Inoperable)</b> S/N: 0131AB07 C/W: LED Lighting, Solar Powered, S/A Trailer, Reversible Hitch Usage: Not Available
5517	<b>2015 K &amp; K Solar Message Board</b> S/N: 1K9BM1515FT244649 C/W: Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available	5529	<b>2007 Allmand Eclipse AB2220 Arrow Board</b> S/N: 0131AB07 C/W: S/A Trailer, Reversible Hitch Usage: Not Available
5518	<b>2013 Wap Solar Message Board</b> S/N: 1P91F1014DG301231 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	5530	<b>2007 Protection Services Solar Arrow Board</b> S/N: 8065488 C/W: LED Lighting, Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available
5519	<b>2011 Wap Message Board</b> S/N: 1P91F1013BG301251 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	5531	<b>Amida Solar Arrow Board</b> S/N: Not Available C/W: LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available
5520	<b>2011 Wap Message Board</b> S/N: 1P91F1015BG301252 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	5532	<b>2014 Sullair 1600HAF 1600 cfm Mobile Air Compressor</b> S/N: 201402260021 C/W: 300 psi Working Pressure, Cat C15 8 Cylinder Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 6,036 Hr
5521	<b>2019 Arrowmaster AB4 Solar Arrow Board</b> S/N: NOVINO201343596 C/W: LED Lighting, Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	5533	<b>2012 Atlas Copco XATS1600JD7 Air Compressor</b> S/N: 4500B1929CR090503 C/W: 125 psi Working Pressure, 2012 US EPA Label, John Deere 6135HFC95 6 Cylinder 13.5 L Diesel Engine, 2/Axle Trailer, Lunette Ring Usage: 5,196 Hr

Lot #	Details	Lot #	Details
5534	<b>2019 Airman PDS400S-6E1 400 cfm Mobile Air Compressor</b> S/N: 7H6BY12AXKA000729 C/W: 100 psi Working Pressure, 2019 US EPA Label, Kubota T4 110.4 hp 3.8 L Diesel Engine, Requires Diesel Exhaust Fluid, S/A Trailer, Lunette Ring Usage: Not Available	5541	<b>2012 Sullair 375HJD3 375 cfm Mobile Air Compressor</b> S/N: 201201260080 C/W: 150 psi Working Pressure, 2011 US EPA Label, John Deere 4045HF285C 4 Cylinder 4.5 L Diesel Engine, S/A Trailer, Ball Hitch Usage: Not Available
5535	<b>2018 Doosan P425/HP375WCU-T 375 cfm Mobile Air Compressor</b> S/N: 485965UEACF68 C/W: 250 psi Working Pressure, Cummins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,431 Hr	5542	<b>2010 Ingersoll Rand P250WJD-T1 250 cfm Mobile Air Compressor (Inoperable)</b> S/N: 412549UCU394 C/W: John Deere 4045 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 5,346 Hr
5536	<b>2018 Doosan P425/HP375WCU-T4F 475 cfm Mobile Air Compressor</b> S/N: 488165UHACF68 C/W: 150 psi Working Pressure, Cummins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,740 Hr	5543	<b>2017 Doosan C185WDZ-T4F 185 cfm Air Compressor</b> S/N: 481265UFABG07 C/W: Air Dryer, Deutz Diesel Engine, T/A Trailer, Ball Hitch, Surge Brakes Usage: 4,031 Hr
5537	<b>2016 Doosan P425/HP375WCUT4 Mobile Air Compressor</b> S/N: 477234UFAAF15 C/W: Cummins 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	5544	<b>2016 Doosan P185WDO Mobile Air Compressor (Inoperable)</b> S/N: 475284UCAAF63 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 5,358 Hr
5538	<b>2015 Doosan P425/HP375WCUT4 Mobile Air Compressor</b> S/N: 469679UBZF15 C/W: Cummins 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,927 Hr	5545	<b>2015 Doosan C185WDZ 185 cfm Mobile Air Compressor</b> S/N: 469684UBZF23 C/W: 200 psi Working Pressure, Bosch 49 hp 4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 5,169 Hr
5539B	<b>2015 Doosan P425/HP375 375 cfm Mobile Air Compressor</b> S/N: 468890UAZF15 C/W: 125 psi Working Pressure, 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 5,441 Hr	5546	<b>2014 Doosan P185 Mobile Air Compressor</b> S/N: 4FVCABAA3EU463427 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,223 Hr
5539A	<b>2015 Doosan P425/HP375WCU 375 cfm Mobile Air Compressor</b> S/N: 470292UCZF15 C/W: 125 psi Working Pressure, US EPA Label, Cummins 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5547	<b>2014 Doosan C185WDZ-T4F 185 cfm Mobile Air Compressor</b> S/N: 4FVCABAA4EU464456 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 3,413 Hr
5539	<b>2015 Doosan P425/HP375WCU-T4I Mobile Air Compressor</b> S/N: 467932UJYF15 C/W: 2014 US EPA Label, Cummins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: Not Available	5548	<b>2013 Doosan P185WJD 185 cfm Mobile Air Compressor</b> S/N: 451036UBXD75 C/W: 125 psi Working Pressure, 2012 US EPA Label, John Deere 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 744 Hr
5540	<b>2012 Sullair 375HHADPQ-JD3 375 cfm Mobile Air Compressor</b> S/N: 201206220126 C/W: 13.8 bar Working Pressure, John Deere 4 Cylinder 4.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,883 Hr	5549	<b>2012 Doosan C185WKUB-T4I Mobile Air Compressor</b> S/N: 437026UCWD95 C/W: 2011 US EPA Label, Kubota V2403 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,845 Hr
		5550	<b>2019 Airman PDS185S 185 cfm Mobile Air Compressor</b> S/N: B46E12667 C/W: 100 psi Working Pressure, 2018 US EPA Label, Yanmar 2.19 L Diesel Engine, S/A Trailer Usage: Not Available

Lot #	Details	Lot #	Details
5551	<b>2018 Airman PDS185 185 cfm Mobile Air Compressor</b> S/N: 7H6BY10A9JA000562 C/W: 200 psi Working Pressure, 2018 US EPA Label, Yanmar 2.2 L Diesel Engine, S/A Trailer Usage: Not Available	5562	<b>Chicago Pneumatic CPS 185 Mobile Air Compressor</b> S/N: CE15344 C/W: 102 psi Working Pressure, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,059 Hr
5552	<b>2013 Airman PDS185 Mobile Air Compressor</b> S/N: B46C22059 C/W: Air Dryer, 125 psi Working Pressure, 2012 US EPA Label, Yanmar 4 Cylinder Diesel Engine Usage: 8,280 Hr	5563	<b>D1000 100 cfm Mobile Air Compressor</b> S/N: 300007 C/W: 100 psi Working Pressure, 3 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 323 Hr
5553	<b>2017 Rotair D185-T4F 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: C40337 C/W: 100 psi Working Pressure, Kohler 3 Cylinder 1.86 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 102 Hr	5564	<b>Quantity of (2) Containerized Generator Set</b> S/N: 2016093386 C/W: 2015 US EPA Label, Volvo FVPXL161CJA 6 Cylinder 560 hp Diesel Engine, Requires Diesel Exhaust Fluid, 816 kVA/475 kW Rated 3 Phase Output, 480 V / 277 V Rated Voltage Usage: Not Available
5554	<b>2017 Atlas Copco XAS110KDPE 185 cfm Mobile Air Compressor</b> S/N: APP488727 C/W: 7 bar Working Pressure, 2017 US EPA Label, Kubota 0.89 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	5564	<b>2015 PAN-45G1-14F 816 kVA Power Van</b> S/N: 2016093391 C/W: 2015 US EPA Label, Volvo 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 816 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, T/A Trailer, Air Brakes Usage: Not Available
5555	<b>2018 Atlas Copco XAS110KDPE 110 cfm Mobile Air Compressor</b> S/N: APP516791 C/W: 7 bar Working Pressure, 2017 US EPA Label, Kubota D902 3 Cylinder 18.5 kW .89 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 807 Hr	5564	<b>2017 CIMC SZJ9340TJZ54 45 ft T/A Container Trailer</b> S/N: LJRC41266H1029090 C/W: Spring Suspension, Air Brakes, Container Pins, 295/75R22.5 Tires Usage: Not Available
5556	<b>2018 Isuzu Mobile Air Compressor</b> S/N: 35111 C/W: 300 psi Working Pressure, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 29 Mi	5565	<b>2003 Multiquip DCA600SS 600 kVA Skid-Mounted Generator Set</b> S/N: 3699241 C/W: Komatsu 6 Cylinder 688 hp Diesel Engine, 600 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, E-Stops Usage: 7,695 Hr
5557	<b>2018 Isuzu Mobile Air Compressor</b> S/N: 35112 C/W: 300 psi Working Pressure, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 79 Hr	5566	<b>2014 Airman UDG400 320 kVA Mobile Generator Set</b> S/N: E1410006 C/W: US EPA Label, Volvo 6 Cylinder 372 hp 12.8 L Diesel Engine, 320 kVA/ Rated 3 Phase Output, 480 V Rated Voltage, 230 V & 400 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tri/A Trailer, Lunette Ring, Electric Brakes Usage: 2,238 Hr
5558	<b>2012 Sullair 185DPQJD 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: 201206160012 C/W: 125 psi Working Pressure, US EPA Label, John Deere 4024TF270 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,106 Hr	5567	<b>2016 Cat XQ35 27 kW Mobile Generator Set</b> S/N: 1U9BX1216GJ087291 C/W: Cat 4 Cylinder Diesel Engine, 35 kVA/27 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, S/A Trailer, Lunette Ring Usage: Not Available
5559	<b>2009 Ingersoll Rand P1 85W JD Mobile Air Compressor</b> S/N: 4FVCABAA49U406644 C/W: S/A Trailer, Lunette Ring Usage: 626 Hr		
5560	<b>2004 Ingersoll Rand P175WJDU 175 cfm Skid-Mounted Air Compressor</b> S/N: 344531UC0310 C/W: 120 psi Working Pressure, US EPA Label, John Deere Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
5568	<b>2014 Wacker G320 256 kW Mobile Generator Set</b> S/N: 4TCSU2328EHW32021 C/W: 2013 US EPA Label, Cummins QSL9 6 Cylinder 433 hp 8.9 L Diesel Engine, 320 kVA /256 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 2,832 Hr	5577	<b>2004 Baldor TS130T 107 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: P0409160004 C/W: US EPA Label, John Deere 6068TF250C 124 kW 6.8 L Engine, 135 kVA/107 kW Rated 3 Phase Output, 120 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank Usage: 337 Hr
5569	<b>2016 Multiquip DCA-300SSJU4F 300 kVA Mobile Generator Set</b> S/N: 5SLBG202XGL019126 C/W: Tier 4, John Deere 6090HFG09 6 Cylinder 9.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 300 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 13,987 Hr	5578	<b>2018 Atlas Copco QAS125 100 kW Mobile Generator Set</b> S/N: 4500G1425JR103382 C/W: Tier 3, 2018 US EPA Label, John Deere 4 Cylinder Diesel Engine, 100 kVA/125 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, 100 kVA,/100 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 11,869 Hr
5571	<b>2016 Multiquip DCA220SSJU4F Mobile Generator Set</b> S/N: 5SLBG1821GL019028 C/W: 2015 US EPA Label, John Deere 6 Cylinder 6.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 220 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Electric Brakes Usage: 2,559 Hr	5579	<b>2016 Multiquip DCA-125SSIU4F 100 kW Mobile Generator Set</b> S/N: 7511243 C/W: Isuzu 4 L Diesel Engine, 125 kVA/100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 13,139 Hr
5572	<b>2016 Multiquip DCA220SSJU4F 220 kVA Mobile generator Generator Set</b> S/N: 5SLBG1821GL018719 C/W: John Deere 6 Cylinder 6.8 L Diesel Engine, 220 kVA/220 kW Rated 3 Phase Output, 277 V / 480 V Rated Voltage, 230 V & 400 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 13,187 Hr	5580	<b>2016 Multiquip DCA-125SSIU4F 100 kW Mobile generator Generator Set</b> S/N: 5SLBG1525GL019098 C/W: Tier 4, Isuzu 4 Cylinder 5.19 L Diesel Engine, 125 kVA/100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA, /72 kW, Rated Single Phase Output, 220 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 12,186 Hr
5573	<b>2009 Baldor SB2S-210 Mobile Generator Set (Inoperable)</b> S/N: 1858300809 C/W: 2009 US EPA Label, John Deere 6068HF285K 6 Cylinder 197 hp 6.8 L Diesel Engine, 480 V / 277 V Rated Voltage, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available	5581	<b>2016 Multiquip DCA-125SSIU4F 100 kW Mobile Generator Set</b> S/N: 5SLBG1523GL018323 C/W: Isuzu BR-4HK1 4 Cylinder 5.1 L Diesel Engine, Requires Diesel Exhaust Fluid, 125 kVA /100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 12,217 Hr
5574	<b>2000 Olympian D200P4 200 kW Skid-Mounted Stand-By Generator Set</b> S/N: F083C003 C/W: 2000 US EPA Label, International 6 Cylinder 8.7 L Diesel Engine, 250 kVA/200 kW Rated 3 Phase Output, 277 V / 480 V Rated Voltage Usage: 875 Hr	5582	<b>Multiquip DCA-125SSIU4F 100 kW Skid-Mounted Generator Set</b> S/N: 7511863 C/W: Diesel Engine, 125 kVA/100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage Usage: 12,501 Hr
5575	<b>Olympian D200P3 200 kW Generator Set</b> S/N: OLY00000CNND02425 C/W: Perkins 87 L Diesel Engine, 500 gal Fuel Tank Usage: Not Available		

Lot #	Details	Lot #	Details
5583	<b>2018 Shindaiwa DGK100D 100 kVA Skid-Mounted Generator Set</b> S/N: D11301000286 C/W: 2018 US EPA Label, Isuzu BI-4HK1X 6 Cylinder 75 kW 5193 cc Diesel Engine, 100 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 58 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank Usage: 13,395 Hr	5589	<b>2017 Multiquip DCA-70SSIU4F 55 kW Mobile Generator Set</b> S/N: 5SLBG142XHL019987 C/W: Tier 4, 2016 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 71 kW 3.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 13,919 Hr
5584	<b>Tradewinds TP105E 105 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 697111269 C/W: Perkins 6 Cylinder Diesel Engine Usage: 303 Hr	5590	<b>2017 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1423HL020981 C/W: Tier 4, 2017 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 13,925 Hr
5585	<b>2020 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1424LL029455 C/W: Tier 4, 2015 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: 14,776 Hr	5591	<b>2015 Multiquip DCA-70SSIU4F 55 kW Mobile Generator Set</b> S/N: 5SLBG1427FL017949 C/W: Tier 4, 2015 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 71 kW 3.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 17,244 Hr
5586	<b>2017 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1423HL020513 C/W: Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA /56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 8,010 Hr	5592	<b>2016 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1429GL018814 C/W: Tier 4, 2016 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring, Surge Brakes Usage: 12,870 Hr
5587	<b>2017 Multiquip DCA-70SSIU4F 55 kW Mobile Generator Set</b> S/N: 5SLBG1423HL020043 C/W: Tier 4, 2016 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 71 kW 3.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 10,493 Hr	5593	<b>2016 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 7353378 C/W: Tier 4, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 13,234 Hr
5588	<b>2017 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1424HL021024 C/W: Tier 4, 2017 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 13,610 Hr		



Lot #	Details	Lot #	Details
5594	<b>2015 Multiquip DCA-70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG1425FL017920 C/W: Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA /56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 11,183 Hr	5601	<b>2013 Multiquip DCA-40SSKU Mobile Generator Set</b> S/N: 4GNBG1221DB033355 C/W: 2013 US EPA Label, Kubota 4 Cylinder 36.5 kW 3.3 L Diesel Engine, 37 kVA/30 kW Rated 3 Phase Output, 120 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Ball Hitch, Surge Brakes Usage: 1,932 Hr
5595	<b>2014 Multiquip DCA-70SSIU2 70 kVA Mobile Generator Set</b> S/N: 7351423 C/W: 2010 US EPA Label, Isuzu 4 Cylinder 73.0 kW Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 120 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Ball Hitch, Surge Brakes Usage: 3,926 Hr	5602	<b>2013 Multiquip DCA-45USI2 36 kW Mobile Generator Set</b> S/N: 8203055 C/W: 2013 US EPA Label, Isuzu 4 Cylinder 50.0 kW Diesel Engine, 45 kVA/36 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 4,238 Hr
5596	<b>2006 Multiquip DCA-70SSJU2 56 kW Mobile Generator Set</b> S/N: 7304869 C/W: Tier 1, 2006 US EPA Label, John Deere 4045TF275D 4 Cylinder 84 kW 4.5 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 210 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 4,812 Hr	5604	<b>2015 Cat XQ30-8 33.8 kW Mobile Generator Set (Inoperable)</b> S/N: 16MBB1316FG071872 C/W: Tier 4, 2015 US EPA Label, Cat C2.2 4 Cylinder Diesel Engine, 33.8 kVA/27 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 33.8 kVA,/27 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring, Surge Brakes Usage: 11,488 Hr
5597	<b>2013 Doosan G70 Mobile Generator Set</b> S/N: Not Available C/W: 2013 US EPA Label, Cummins 4 Cylinder 4.5 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V & 120 V Receptacles, Sound Attenuated, T/A Trailer, Lunette Ring, Surge Brakes Usage: 1,664 Hr	5605	<b>2006 Atlas Copco QAS 30 25 kW Mobile Generator Set (Inoperable)</b> S/N: 16MPF07116D046202 C/W: 2006 US EPA Label, John Deere 4024TF270D 4 Cylinder 36 kW 2.4 L Diesel Engine, 31 kVA/25 kW Rated 3 Phase Output, 277 V / 480 V Rated Voltage, /19 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer Usage: Not Available
5598	<b>2005 Magnum MMG55 41 kW Mobile Generator Set</b> S/N: 053212 C/W: 2004 US EPA Label, CARB Compliant, John Deere 5030tf270 5 Cylinder 60 kW 3 L Diesel Engine, 53 kVA/41 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, /41 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, S/A Trailer, Ball Hitch, Surge Brakes Usage: Not Available	5607	<b>2018 Multiquip DCA25SSIU4F 20 kVA Mobile generator Generator Set</b> S/N: 7154576 C/W: Isuzu 4 Cylinder 2.17 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 230 V & 400 V Receptacles, Sound Attenuated, S/A Trailer, Lunette Ring Usage: 9,431 Hr
5599	<b>2016 Multiquip DCA-45SSIU4F Generator Set</b> S/N: 7250978 C/W: 2014 US EPA Label, Isuzu 4LE2X 4 Cylinder 66 hp 2.1 L Diesel Engine, 240 V / 480 V Rated Voltage, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 3,984 Hr	5608	<b>2017 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG0916HB045109 C/W: Tier 4, 2017 US EPA Label, Isuzu BZ-4LE2T 4 Cylinder 30 kW 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 8,625 Hr

Lot #	Details	Lot #	Details
5609	<b>2016 Multiquip DCA-25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG091XGB041689 C/W: Tier 4, 2016 US EPA Label, Isuzu 4LE2T 4 Cylinder 30 kW 2.1 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 9,333 Hr	5616	<b>2013 Doosan G25WMI-2A-T4i 20 kW Mobile Generator Set</b> S/N: 456445UHXD61 C/W: Mitsubishi 4 Cylinder Diesel Engine, 480 V Rated Voltage, 240 V & 120 V Receptacles, S /A Trailer, Lunette Ring Usage: 12,180 Hr
5610	<b>2016 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG0913GB043073 C/W: Tier 4, 2016 US EPA Label, Isuzu BZ-4LE2T 4 Cylinder 30 kW 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 9,293 Hr	5617	<b>2006 Airman SDG25S 14.4 kW Mobile Generator Set</b> S/N: 1266A70691 C/W: Tier 3, 2006 US EPA Label, Isuzu 4 Cylinder Diesel Engine, 25 kVA/14.4 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch Usage: 3,641 Hr
5611	<b>2015 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG0911FB040686 C/W: Tier 4, 2015 US EPA Label, Isuzu 4LE2T 4 Cylinder 30 kW 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 9,331 Hr	5618	<b>2004 Airman SDG25 20 kW Mobile Generator Set</b> S/N: 16MPF07174D037307 C/W: 2004 US EPA Label, Isuzu 4LE1 25 kW Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, /14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, S/A Trailer, Lunette Ring Usage: 3,946 Hr
5612	<b>2015 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG091XFB040685 C/W: Tier 4, Isuzu 4LE2T 4 Cylinder 2.17 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 7,947 Hr	5619	<b>2015 Multiquip DCA-15SPXU4F 14 kW Mobile Generator Set</b> S/N: 8700962 C/W: Tier 4, 2014 US EPA Label, Kubota D1503 3 Cylinder 18.5 kW 1.5 L Diesel Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 7,735 Hr
5614	<b>2015 Magnum MMG25 23 kW Mobile Generator Set</b> S/N: 5AJGS1316FB510319 C/W: Tier 4, 2014 US EPA Label, Isuzu 4 Cylinder Diesel Engine, 23 kVA/23 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 22 kVA,/22 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch, Surge Brakes Usage: 10,020 Hr	5620	<b>2001 Katolight D15FPY4 15 kW Mobile Generator Set</b> S/N: 1C9US05131R615358 C/W: 4 Cylinder Diesel Engine, 18.8 kVA/15 kW Rated 3 Phase Output, 120 V / 180 V Rated Voltage, S/A Trailer, Ball Hitch Usage: 4,696 Hr
5615	<b>2013 Magnum MMG25 Mobile Generator Set</b> S/N: 1308527 C/W: 2012 US EPA Label, Isuzu 4 Cylinder Diesel Engine, /18 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, /15 kW, Rated Single Phase Output, 240 V Rated Voltage, 120 V Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	5621	<b>2021 Airman SDG13S 12.5 kVA Mobile Generator Set</b> S/N: P18E1N0151 C/W: Tier 4, Kubota 3 Cylinder 18.2 kW 1.5 L Diesel Engine, 12.5 kVA/ Rated 3 Phase Output, 240 V Rated Voltage, 9.6 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 1,043 Hr
		5622	<b>Onan 125DGEA 125 kW Skid-Mounted Generator Set</b> S/N: G820626256 C/W: Allis-Chalmers 6 Cylinder Diesel Engine, 156 kVA/125 kW Rated 3 Phase Output, 220 V / 480 V Rated Voltage, 103 kVA,/82.5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: 825 Hr

Lot #	Details	Lot #	Details
5623	<b>Onan Generator Set</b> S/N: 272342 C/W: 6 Cylinder Diesel Engine Usage: Not Available	5632	<b>1997 Lincoln Commander 400 500 A Mobile Engine Driven Welder</b> S/N: 1L9U21213VU184545 C/W: Deutz 3 Cylinder Diesel Engine, Welding Leads Not Included, 40 V / 80 V Rated Voltage, S/A Trailer, Ball Hitch Usage: 3,589 Hr
5624	<b>Skid-Mounted Generator Set</b> S/N: Not Available C/W: Cummins 6 Cylinder 166 hp 5.9 L Diesel Engine, 120 V / 240 V Rated Voltage Usage: 1,589 Hr	5633	<b>2014 Multiquip DLW330 280 A Engine Driven Welder (Inoperable)</b> S/N: 5722511 C/W: Tier 4, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW .89 L Diesel Engine, Welding Leads Not Included, 10.5 kVA/9.6 kW Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
5625	<b>Kohler Skid-Mounted Generator Set</b> S/N: 94SAX219512030DE3 C/W: 1998 US EPA Label, Kohler 4 Cylinder 100 hp 4.5 L Diesel Engine Usage: 9,320 Hr	5634	<b>2005 Miller Trailblazer 302 80 A Multi-Process Engine Driven Welder</b> S/N: LF190839 C/W: 2005 US EPA Label, 2 Cylinder Gasoline Engine, /10.0 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
5626	<b>Terex OT451 36 kW Mobile Generator Set</b> S/N: G1G21025 C/W: 2005 US EPA Label, Isuzu 4 Cylinder 48.3 kW Diesel Engine, /36 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 2,559 Hr	5635	<b>2015 Miller Bobcat 250 LP 275 A Mobile Engine Driven Welder</b> S/N: MF031413R C/W: 2014 US EPA Label, Kohler 2 Cylinder 725 cc LPG Engine, 25 V / 28 V Rated Voltage Usage: 1,397 Hr
5627	<b>Generac Generator Set (Inoperable)</b> S/N: Not Available C/W: 2012 US EPA Label, Generac 10 Cylinder 6.8 L Diesel Engine, 120 V / 208 V Rated Voltage Usage: Not Available	5636	<b>2010 Miller Bobcat 250 250 A Engine Driven Welder</b> S/N: MA290106H C/W: Tier 2, US EPA Label, Kohler 2 Cylinder 674 cc Engine, 120 V / 240 V Rated Voltage Usage: 2,870 Hr
5628	<b>2013 Miller Big Blue 500 500 A Multi-Process Engine Driven Welder</b> S/N: MD040320E C/W: 2012 US EPA Label, Deutz 4 Cylinder 19.37 kW Diesel Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: Not Available	5637	<b>Miller Bobcat 250 250 A Multi-Process Engine Driven Welder</b> S/N: Not Available C/W: Kohler 2 Cylinder 20 hp Gasoline Engine, Welding Leads, 120 V / 240 V Rated Voltage Usage: 1,520 Hr
5629	<b>2011 Miller Big Blue 500 500 A Multi-Process Engine Driven Welder</b> S/N: MB110111E C/W: 2010 US EPA Label, Deutz 4 Cylinder 19.37 kW Diesel Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: 5,098 Hr	5638	<b>Kohler AMP Triplex 9200 200 A Mobile Engine Driven Welder</b> S/N: 4720203538 C/W: 2017 US EPA Label, Kohler 2 Cylinder 14 hp 429 cc Gasoline Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage, / 120 V Rated Voltage, Air Compressor Usage: Not Available
5630A	<b>2018 Miller Big Blue 400 Pro 400 A Multi-Process Engine Driven Welder</b> S/N: MJ111154R C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: Not Available	5639	<b>2013 Lincoln Bulldog 5500 125 A Engine Driven Welder</b> S/N: U1130807588 C/W: 2013 US EPA Label, Kohler CH395 Gasoline Engine, Welding Leads Usage: 154 Hr
5630	<b>Lincoln Vantage 500 500 A Multi-Process Engine Driven Welder</b> S/N: Not Available C/W: 2011 US EPA Label, Deutz 4 Cylinder 19.37 kW Diesel Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: 6,391 Hr	5640	<b>18 in Skid-Mounted Water Pump</b> S/N: 5677 C/W: 18 in Intake, 18 in Discharge, Self Priming Centrifugal Water Pump, Tier 3, 2018 US EPA Label, John Deere 6135HF485 600 hp 13.5 L Diesel Engine Usage: Not Available
5631	<b>2006 Miller Big Blue 400D Mobile Stick Engine Driven Welder</b> S/N: LG012254 C/W: Deutz 23.8 kW Diesel Engine, Welding Leads, 120 V / 240 V Rated Voltage, S/A Trailer, Ball Hitch Usage: 9,652 Hr		

Lot #	Details	Lot #	Details
5641	<b>18 in Skid-Mounted Water Pump</b> S/N: 5676 C/W: 18 in Intake, 18 in Discharge, Self Priming Centrifugal Water Pump, Tier 3, 2018 US EPA Label, John Deere 6135HF485 600 hp 13.5 L Diesel Engine Usage: Not Available	5649	<b>2011 Cornell 8NHTH-RP-EM Trailer-Mounted Water Pump</b> S/N: 191413 C/W: 8 in Intake, 10 in Discharge, Centrifugal John Deere Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 7,688 Hr
5642	<b>Pioneer PP1818S22 18 in Skid-Mounted Water Pump</b> S/N: 13644 C/W: 18 in Intake, 18 in Discharge, Self Priming Centrifugal Water Pump, Tier 3, 2018 US EPA Label, John Deere 6135HF485 6 Cylinder 600 hp 13.5 L Diesel Engine Usage: Not Available	5650	<b>2011 Thompson 8 in Skid-Mounted Water Pump</b> S/N: 8VW082 C/W: 8 in Intake, 8 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder 4.5 L Diesel Engine Usage: 4,823 Hr
5643	<b>2010 Thompson Skid-Mounted Water Pump</b> S/N: 12JSCG-178 C/W: 12 in Intake, 12 in Discharge, 2008 US EPA Label, John Deere 6 Cylinder 9.0 L Diesel Engine Usage: 9,648 Hr	5651	<b>2010 Pioneer SC108S17 Trailer-Mounted Water Pump</b> S/N: 12148 C/W: 10 in Intake, 8 in Discharge, Centrifugal Water Pump, John Deere Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 14,125 Hr
5644	<b>2003 Godwin Pumps CD250 Skid-Mounted Water Pump</b> S/N: 075024502 C/W: 8 in Intake, 10 in Discharge, Self Priming Centrifugal Trash Pump, John Deere 6 Cylinder Diesel Engine Usage: 11,811 Hr	5652	<b>2006 Pioneer PP88S12 Trailer-Mounted Water Pump (Inoperable)</b> S/N: 6144 C/W: 8 in Intake, 8 in Discharge, Self Priming Centrifugal Water Pump, Tier 4, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Surge Brakes Usage: 3,259 Hr
5645	<b>Skid-Mounted Water Pump (Inoperable)</b> S/N: 160526 C/W: 8 in Intake, 8 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder 4.5 L Engine Usage: 7,499 Hr	5654	<b>2015 Cornell 6NNT-EM16-3 Trailer-Mounted Water Pump</b> S/N: 1F9BP1567FV591775 C/W: 6 in Intake, 6 in Discharge, 2015 US EPA Label, John Deere 4045TF290A 4 Cylinder 56 kW Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available
5646	<b>8 in Skid-Mounted Water Pump (Inoperable)</b> S/N: 8RP612 C/W: 8 in Intake, 8 in Discharge, Centrifugal Water Pump, Tier 4, Yanmar 4 Cylinder Diesel Engine Usage: Not Available	5655	<b>2010 Cornell 6NNT Trailer-Mounted Water Pump</b> S/N: Not Available C/W: 8 in Intake, 6 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 7,901 Hr
5647A	<b>Skid-Mounted Water Pump</b> S/N: 97133 C/W: 7 in Intake, 7 in Discharge, 4 Cylinder Diesel Engine Usage: Not Available	5656	<b>2011 Thompson 6HT Skid-Mounted Water Pump (Inoperable)</b> S/N: 6HTC264 C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal Water Pump, 2011 US EPA Label, John Deere 4 Cylinder Diesel Engine Usage: 4,641 Hr
5647	<b>Pioneer Skid-Mounted Water Pump</b> S/N: Not Available C/W: 14 in Intake, 14 in Discharge, Centrifugal Water Pump, John Deere 6 Cylinder Diesel Engine Usage: 31,694 Hr	5657	<b>2007 Pioneer PP66S12L Trailer-Mounted Water Pump</b> S/N: 7939 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Surge Brakes Usage: 9,674 Hr
5648	<b>Cornell Skid-Mounted Water Pump</b> S/N: 3852 C/W: 8 in Intake, 8 in Discharge, Self Priming Centrifugal Water Pump, Tier 4, Perkins 4 Cylinder Diesel Engine Usage: 23,585 Hr		

Lot #	Details	Lot #	Details
5658	<b>2006 Pioneer PP66S12 Trailer-Mounted Water Pump</b> S/N: 6104 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 2,739 Hr	5667	<b>Thompson Trailer-Mounted Water Pump (Inoperable)</b> S/N: 1T9BT11164P634214 C/W: Deutz 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,858 Hr
5659	<b>2006 Pioneer PP66S12 Trailer-Mounted Water Pump</b> S/N: 6106 C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 4,259 Hr	5668	<b>4 in Diaphragm Trailer-Mounted Water Pump (Inoperable)</b> S/N: 4DD-667 C/W: 4 in Intake, 4 in Discharge, Diaphragm Trash Pump, Tier 4, 2015 US EPA Label, Yanmar 1 Cylinder Gasoline Engine, S/A Trailer, Lunette Ring Usage: 40 Hr
5660	<b>2005 Pioneer PP66S12 Trailer-Mounted Water Pump</b> S/N: 5662 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 6,094 Hr	5669	<b>4 in Diaphragm Trailer-Mounted Water Pump</b> S/N: HG10270313 C/W: 4 in Intake, 4 in Discharge, Diaphragm Trash Pump, Tier 4, 2012 US EPA Label, Hatz 1 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,047 Hr
5661	<b>2002 Pioneer PP66S2 Trailer-Mounted Water Pump</b> S/N: 2514 C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal Water Pump, Tier 4, Isuzu 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,955 Hr	5670	<b>2017 Skid-Mounted Water Pump (Inoperable)</b> S/N: W03371 C/W: 4 in Intake, 4 in Discharge, Yanmar 1 Cylinder Diesel Engine Usage: 8,998 Hr
5662	<b>Trailer-Mounted Water Pump</b> S/N: 5299 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available	5671	<b>2017 Skid-Mounted Water Pump (Inoperable)</b> S/N: W02345 C/W: 6 in Intake, 4 in Discharge, 2016 US EPA Label, Yanmar 1 Cylinder 10.5 kW .43 L Diesel Engine Usage: 12,649 Hr
5663	<b>Trailer-Mounted Water Pump</b> S/N: 97413881 C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal Water Pump, Tier 4, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 8,802 Hr	5672	<b>2017 Skid-Mounted Water Pump (Inoperable)</b> S/N: 4DD753 C/W: 6 in Intake, 2016 US EPA Label, Yanmar L100W6-G 1 Cylinder 10.5 kW .43 L Diesel Engine Usage: 13,847 Hr
5664	<b>1986 Pioneer Trailer-Mounted Water Pump</b> S/N: Not Available C/W: 6 in Intake, 6 in Discharge, Centrifugal Deutz 43 kW Diesel Engine, S/A Trailer, Lunette Ring Usage: 9,864 Hr	5673	<b>2016 Skid-Mounted Water Pump (Inoperable)</b> S/N: 4DD710 C/W: 6 in Intake, 4 in Discharge, 2017 US EPA Label, Yanmar L100W6-G 1 Cylinder 10.5 kW .43 L Diesel Engine Usage: 5,073 Hr
5665	<b>Gorman-Rupp 16D60 Trailer-Mounted Water Pump</b> S/N: 1381465 C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal 2005 US EPA Label, Hatz Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	5674	<b>2014 Skid-Mounted Water Pump (Inoperable)</b> S/N: 4DD376 C/W: 6 in Intake, 4 in Discharge, 2015 US EPA Label, Yanmar L100W6-S 1 Cylinder 10.5 kW .43 L Diesel Engine Usage: Not Available
5666	<b>Magnum MTG55F/STD2 Trailer-Mounted Water Pump</b> S/N: PE4024R043274 C/W: 4 in Intake, 4 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 3,598 Hr	5675	<b>Oilgear SPM8EE-10 Skid-Mounted Water Pump</b> S/N: 0386026 C/W: 2 in Intake, 2 in Discharge, 2013 US EPA Label, Hatz 1B30 1 Cylinder .34 L Gasoline Engine Usage: Not Available
		5678	<b>Sitek Hydraulic Power Pack (Inoperable)</b> S/N: 0942105057432 C/W: Tier 4, John Deere 4 Cylinder Diesel Engine Usage: Not Available

Lot #	Details	Lot #	Details
5679	<b>Hydraulic Drilling Hammer (Inoperable)</b> S/N: Not Available C/W: 2006 US EPA Label, Briggs & Stratton 2 Cylinder 18 hp Gasoline Engine Usage: Not Available	5689	<b>2009 Vermeer BC600XL Tow-Behind Wood Chipper</b> S/N: 1VR2091H591003310 C/W: 2008 US EPA Label, Kohler PRO 27 2 Cylinder Gasoline Engine, 6 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch Usage: 176 Hr
5680	<b>Hydraulic Power Pack (Inoperable)</b> S/N: Not Available C/W: Briggs & Stratton Vangaurd 2 Cylinder 18 hp Gasoline Engine Usage: 530 Hr	5690	<b>2008 Vermeer BC600XL Tow-Behind Wood Chipper</b> S/N: 1VR2091H881002800 C/W: US EPA Label, Kohler PRO 27 2 Cylinder Gasoline Engine, 6 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch Usage: 28 Hr
5681	<b>2016 Vermeer BC1800XL Tow-Behind Wood Chipper</b> S/N: 1VRY151Z3G1006132 C/W: Tier 4, Cummins 4 Cylinder 3.8 L Diesel Engine, 38 in Feed Opening, Swivel Discharge Chute, Loading Winch, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5693	<b>2023 Agrotk KU45 Mini Excavator (Unused)</b> S/N: KU4523051701E C/W: Enclosed Cab, Air Conditioner, Straight Travel Pedal, 2023 US EPA Label, Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 2 Hr
5682	<b>2012 Vermeer BC1800XL Tow-Behind Wood Chipper</b> S/N: 1VRY131ZXC1002979 C/W: 2011 US EPA Label, John Deere 4 Cylinder 4.5 L Diesel Engine, 36 in Feed Opening, S/A Trailer, Lunette Ring Usage: 7,419 Hr	5694	<b>2023 CFG STE35SR Mini Excavator (Unused)</b> S/N: E02FYNP0001219 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 4 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 16 in Digging Bucket, Hydraulic Thumb Usage: 13 Hr
5683	<b>2012 Vermeer BC1800XL Tow-Behind Wood Chipper (Inoperable)</b> S/N: 1VRY131Z4C1003030 C/W: Tier 4, Cummins 4 Cylinder Diesel Engine, 38 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring, Electric Brakes Usage: 4,113 Hr	5695	<b>2023 CFG STE35SR Mini Excavator (Unused)</b> S/N: E02FYNP0001649 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 16 in Digging Bucket, Hydraulic Thumb Usage: Not Available
5684	<b>2016 Vermeer BC1500XL Tow-Behind Wood Chipper</b> S/N: 1VR2181V0G1008232 C/W: Cummins Diesel Engine, 33 in Feed Opening, S/A Trailer, Lunette Ring Usage: 4,857 Hr	5696	<b>2023 Agrotk R35 Mini Excavator (Unused)</b> S/N: R3523020401C C/W: Enclosed Cab, Straight Travel Pedal, Tier 4, 2022 US EPA Label, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, 19 in Digging Bucket Usage: 1 Hr
5685	<b>2015 Morbark M18F Tow-Behind Wood Chipper</b> S/N: 4S8SZ1913FW052027 C/W: Perkins 4 Cylinder Engine, 50 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 1,601 Hr	5697	<b>2023 MMS MS180K Mini Excavator (Unused)</b> S/N: MS182305 C/W: Swing Boom, 15 ft 0 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5686	<b>2017 Morbark M12RX Tow-Behind Wood Chipper</b> S/N: 4S8SZ1611HW031488 C/W: 4 Cylinder Dual Fuel Engine, 30 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 733 Hr	5698	<b>2023 Vicsec VC15 Mini Excavator (Unused)</b> S/N: VC15133 C/W: 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: 170 Hr
5687	<b>2011 Vermeer BC1000 XL Tow-Behind Wood Chipper</b> S/N: 1VRY11196B1016459 C/W: 4 Cylinder Diesel Engine, 30 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch Usage: 1,636 Hr	5699	<b>2023 Vicsec VC15 Mini Excavator (Unused)</b> S/N: VC15131 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Thumb Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5700	<b>2023 Vicsec VC15 Mini Excavator (Unused)</b> S/N: VC15132 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5711	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C028 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5701	<b>2023 Vicsec VC13C Mini Excavator (Unused)</b> S/N: VCR13C009 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5712	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C016 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5702	<b>2023 Vicsec VC13C Mini Excavator (Unused)</b> S/N: VCR13C007 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5713	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C026 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5703	<b>2023 VICSEC VC13C Mini Excavator (Unused)</b> S/N: VCR13C008 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5714	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C021 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5704	<b>2023 Vicsec VC13C Mini Excavator (Unused)</b> S/N: VCR13C011 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5715	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C017 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5705	<b>2023 Vicsec VC13C VC13C Mini Excavator (Unused)</b> S/N: VCR13C010 C/W: Enclosed Cab, 14 ft Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5716	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C013 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5706	<b>2023 Vicsec VC13 Mini Excavator (Unused)</b> S/N: VCR13009 C/W: 6 ft 0 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5717	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C023 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5707	<b>2023 Vicsec VC13 Mini Excavator (Unused)</b> S/N: VCR13011 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5718	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C022 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5708	<b>2023 Vicsec VC13 Mini Excavator (Unused)</b> S/N: VCR13015 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5719	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C019 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5709	<b>2023 Vicsec VC13 Mini Excavator (Unused)</b> S/N: VCR13012 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5720	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C020 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5710	<b>2023 Vicsec VC13 Mini Excavator (Unused)</b> S/N: VCR13010 C/W: 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available		

Lot #	Details	Lot #	Details
5721	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C018 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5730	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041206C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5722	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MSR13C009 C/W: Enclosed Cab, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5732	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223051701C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5723	<b>2023 MMS MS13 Mini Excavator (Unused)</b> S/N: MS131319 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5733	<b>2023 Agrotk L12 Mini Excavator (Unused)</b> S/N: QH1223051702C C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5724	<b>2023 Agrotk KAT12 Mini Excavator (Unused)</b> S/N: KAT1223041201C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: 1 Hr	5734	<b>2023 AGROTK QH12 Mini Excavator (Unused)</b> S/N: QH1223051701E C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: 1 Hr
5725	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041201C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5735	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223051701F C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5726	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041202C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5736	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223051702F C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5727	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041203C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5737	<b>2023 FF FF-12 Mini Excavator</b> S/N: 422311367 C/W: 2022 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket Usage: Not Available
5728	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041204C C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5738	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461072 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5729	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223041205C C/W: 2023 US EPA Label, 15 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5739	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461062 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
		5740	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461077 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available



Lot #	Details	Lot #	Details
5741	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462121 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5751	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461084 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5742	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462123 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5752	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462109 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5743	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462092 C/W: 2 ft 8 in Stick, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5753	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462136 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5744	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461075 C/W: 2 ft 8 in Stick, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5754	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462120 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5745	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461074 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5755	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461066 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: 99 Hr
5746	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461056 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5756	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461068 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 8 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5747	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461082 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	5757	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461054 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5748	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461034 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5758	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461047 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
5749	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462061 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5759	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461058 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available
5750	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461092 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available		

Lot #	Details	Lot #	Details
5760	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422461078 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5769	<b>2023 LKR LKR-12 Mini Excavator (Unused)</b> S/N: LKR20231200124318 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5761	<b>2023 FF FF-12 Mini Excavator (Unused)</b> S/N: 422462150 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5770	<b>2023 LKR LKR-12 Mini Excavator (Unused)</b> S/N: LKR20231200124320 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5762	<b>2023 Agrotk L12 Mini Excavator (Unused)</b> S/N: L1223051701G C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5771	<b>2023 LKR LKR-12 Mini Excavator (Unused)</b> S/N: LKR20231200124322 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5763	<b>2023 Agrotk L12 Mini Excavator (Unused)</b> S/N: L1223051702G C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5772	<b>2023 LKR LKR-12 Mini Excavator (Unused)</b> S/N: LKR20231200124321 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5764	<b>2023 Agrotk L12 Mini Excavator (Unused)</b> S/N: L1223051703G C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5773	<b>2023 DOWAY DY08 Mini Excavator (Unused)</b> S/N: DY082320 C/W: 12 ft 0 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 6 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5765	<b>2023 Agrotk L12 Mini Excavator (Unused)</b> S/N: L1223051704G C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5774	<b>2023 Diggitt EM15 Mini Excavator (Unused)</b> S/N: EM152304336 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Thumb Bracket Usage: Not Available
5766	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223051701D C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: Not Available	5775	<b>2023 Diggitt EM15 Mini Excavator (Unused)</b> S/N: EM152304338 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Thumb Bracket Usage: Not Available
5767	<b>2023 Agrotk QH12 Mini Excavator (Unused)</b> S/N: QH1223051702D C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket, Manual Thumb Usage: 1 Hr	5776	<b>2023 Diggitt EM15 Mini Excavator (Unused)</b> S/N: EM152304312 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Thumb Bracket Usage: Not Available
5768	<b>2023 LKR LKR-12 Mini Excavator (Unused)</b> S/N: LKR20231200124319 C/W: Enclosed Cab, 2 ft 7 in Stick, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	5777	<b>2023 Diggitt EM15 Mini Excavator (Unused)</b> S/N: EM152304329 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Thumb Bracket Usage: Not Available
		5779	<b>2023 Diggitt EM15 Mini Excavator (Unused)</b> S/N: EM152304354 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Thumb Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5780	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231467 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5788	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231456 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available
5781	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231368 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5789	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 1123D2093 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available
5782	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231435 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5790	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 1123D2062 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available
5783	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231400 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Bucket, Manual Thumb, Grapple Usage: Not Available	5791	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 012300219 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available
5784	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 12300121 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Bucket, Manual Thumb, Grapple Usage: Not Available	5792	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231274 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Bucket, Manual Thumb, Grapple Usage: Not Available
5785	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231424 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5793	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 012300169 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Bucket, Manual Thumb, Grapple Usage: Not Available
5786	<b>2023 Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 08231220 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5794	<b>2023 PowerX PX10-L Mini Excavator (Unused)</b> S/N: JZY202305223 C/W: 2 ft 8 in Stick, Backfill Blade, 6 in Rubber Tracks, 12 in Digging Bucket, Manual Thumb Usage: Not Available
5787	<b>Chery Equipment KV12 Mini Excavator (Unused)</b> S/N: 012300148 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 14 in Digging Bucket, Additional 18 in Cleanup Bucket, Manual Thumb, Grapple Usage: Not Available	5795	<b>2023 PowerX PX10-L Mini Excavator (Unused)</b> S/N: JZY202305215 C/W: 2 ft 8 in Stick, Backfill Blade, 6 in Rubber Tracks, 12 in Digging Bucket, Manual Thumb Usage: Not Available

Lot #	Details	Lot #	Details
5796	<b>2023 AGROTK LBT23 Mini Compact Track Loader (Unused)</b> S/N: LBT2323041201C C/W: Open Operator Station, 7 in Track Belts, Manual Coupler, 44 in Bucket Usage: Not Available	5810	<b>2019 Toro Dingo TX427 Mini Compact Track Loader</b> S/N: 405528570 C/W: Open Operator Station, 2019 US EPA Label, CARB Compliant, 6 in Track Belts, Manual Coupler, 34 in Bucket, Auger, S/A Trailer, Ball Hitch, (2) Auger Bits Usage: Not Available
5797	<b>2023 AGROTK LBT23 Mini Compact Track Loader (Unused)</b> S/N: LBT2323051701F C/W: Open Operator Station, Joystick Steering, 7 in Track Belts, Manual Coupler, 44 in Bucket Usage: Not Available	5811	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323034 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5798	<b>2020 Ditch Witch SK1050 Mini Compact Track Loader</b> S/N: DWPSK105EL0001739 C/W: 2019 US EPA Label, 9 in Track Belts, Manual Coupler, 52 in Bucket Usage: 1,225 Hr	5812	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323033 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5801	<b>2018 Vermeer S925TX Mini Compact Track Loader</b> S/N: 1VRL0705XJ1000780 C/W: Open Operator Station, 9 in Track Belts, Manual Coupler, 48 in Grapple, Counterweight Kit Usage: 2,525 Hr	5813	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323032 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5802	<b>2017 Vermeer S725TX Mini Compact Track Loader</b> S/N: 1VRD070Y2H1001415 C/W: Open Operator Station, 7 in Track Belts, Manual Coupler, 42 in Bucket Usage: 1,916 Hr	5814	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323037 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5804	<b>2018 Vermeer CTX100 Stand-On Compact Track Loader</b> S/N: 1VRZ080H2J1000671 C/W: Open Operator Station, 2017 US EPA Label, 9 in Track Belts, Manual Coupler Usage: 706 Hr	5815	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323036 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5805	<b>2006 Vermeer S600TX Stand-On Compact Track Loader (Inoperable)</b> S/N: 1VRZ0508361000460 C/W: Open Operator Station, 7 in Track Belts, Manual Coupler Usage: 1,656 Hr	5816	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323035 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, 41 in Bucket Usage: Not Available
5806	<b>2013 Vermeer S450TX Stand-On Compact Track Loader</b> S/N: 1VRD060B6D1000249 C/W: Open Operator Station, 2013 US EPA Label, 9 in Track Belts, Manual Coupler Usage: 1,351 Hr	5817	<b>2022 Toro TRX16 Walk-Behind Trencher</b> S/N: 412193979 C/W: 2022 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine, 6 in Wide x 48 in Long Dirt Trencher Chain, 6 in Rubber Tracks Usage: 93 Hr
5807	<b>2019 Boxer 700HDX Mini Compact Track Loader</b> S/N: 700HDX0130519 C/W: Open Operator Station, 9 in Track Belts, Manual Coupler, 45 in Grapple Bucket Usage: 101 Hr	5818	<b>2020 Vermeer RTX250 Walk-Behind Trencher</b> S/N: 1VRD070D4L1001616 C/W: Hydrostatic Drive, 2019 US EPA Label, Kohler Gasoline Engine, 6 in Wide x 42 in Long Dirt Trencher Chain, 7 in Rubber Tracks Usage: 360 Hr
5808	<b>2017 Toro TX525 Mini Compact Track Loader</b> S/N: 400584513 C/W: 2016 US EPA Label, 7 in Track Belts, Manual Coupler, 42 in Bucket Usage: 813 Hr	5819	<b>2020 Vermeer RTX250 Walk-Behind Trencher</b> S/N: 1VRD070D7L1001612 C/W: Hydrostatic Drive, 2019 US EPA Label, Kohler 747 cc Gasoline Engine, 6 in Wide x 42 in Long Dirt Trencher Chain, 7 in Rubber Tracks Usage: 405 Hr

Lot #	Details	Lot #	Details
5820	<b>2018 Vermeer RTX250 Walk-Behind Trencher</b> S/N: 1VRD070D3J1001233 C/W: Hydrostatic Drive, 2018 US EPA Label, Gasoline Engine, 4 in Wide x 48 in Long Dirt Trencher Chain, 7 in Rubber Tracks Usage: Not Available	5835	<b>2021 Bandit SG40 Walk-Behind Stump Grinder</b> S/N: 518049 C/W: Hydrostatic Drive, 2021 US EPA Label, Kohler 2 Cylinder 999 cc Gasoline Engine, 16 in Grinding Wheel, 7 in Rubber Tracks Usage: 19 Hr
5822	<b>2018 Barreto E2036TKH-6M Walk-Behind Trencher</b> S/N: RTK0954 C/W: Hydrostatic Drive, 2010 US EPA Label, Honda GX630 Gasoline Engine, 6 in Wide x 48 in Long Dirt Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: Not Available	5836	<b>Bandit ZT1844 Tracked Stump Grinder</b> S/N: 510405 C/W: Hydrostatic Drive, 2019 US EPA Label, Kohler ECH989 2 Cylinder Gasoline Engine, 17 in Grinding Wheel, 7 in Rubber Tracks Usage: 543 Hr
5824	<b>2015 Vermeer RTX100 Walk-Behind Trencher</b> S/N: 1VR9071RXF1001933 C/W: 2010 US EPA Label, Honda 1 Cylinder Gasoline Engine, 4 in Wide x 36 in Long Dirt Trencher Chain Usage: 474 Mi	5838	<b>2015 Vermeer SC30TX Walk-Behind Stump Grinder</b> S/N: 1VRC070N1F1001243 C/W: Hydrostatic Drive, Kohler Gasoline Engine, 20 in Grinding Wheel, 7 in Rubber Tracks Usage: 558 Hr
5826	<b>2008 Ditch Witch R300 Ride-On Trencher (Inoperable)</b> S/N: CMW1D4XXE80000536 C/W: 2005 US EPA Label, Kohler 747 cc Gasoline Engine Usage: 229 Hr	5839	<b>2018 Toro STX26 Walk-Behind Stump Grinder</b> S/N: 403029318 C/W: 2018 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine, 15 in Grinding Wheel, 6 in Rubber Tracks Usage: 367 Hr
5827	<b>2017 E-Z Trench EZ9100 Walk-Behind Trencher</b> S/N: 9116414 C/W: 2016 US EPA Label, Honda GX200 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	5841	<b>2017 Toro STX-26 Walk-Behind Stump Grinder</b> S/N: 401239741 C/W: Hydrostatic Drive, 2017 US EPA Label, Kawasaki 2 Cylinder Engine, 18 in Grinding Wheel, 6 in Rubber Tracks Usage: 495 Hr
5828	<b>2022 Carlton SP5014 4x2 Stump Grinder</b> S/N: 1J9BA1212N1167767 C/W: Van Guard 2 Cylinder 31 hp Gasoline Engine, 20 in Grinding Wheel Usage: 15 Hr	5842	<b>2023 VICSEC VC5050 Self-Loading Mini Crawler Dumper (Unused)</b> S/N: VCDP0043 C/W: Hydrostatic Drive, Briggs & Stratton 1 Cylinder 4.9 kW 208 cc Gasoline Engine, 7 in Rubber Tracks Usage: Not Available
5829	<b>2022 Vermeer SC362 Walk-Behind Stump Grinder</b> S/N: 1VRF112YCN1004566 C/W: Hydrostatic Drive, 2021 US EPA Label, Briggs & Stratton Vanguard 35 hp 993 cc Engine, 20 in Grinding Wheel Usage: 152 Hr	5843	<b>2023 VICSEC VC5050 Walk-Behind Mini Crawler Dumper (Unused)</b> S/N: VCDP0044 C/W: Hydrostatic Drive, Briggs & Stratton 4.9 hp 208 cc Gasoline Engine, 7 in Rubber Tracks Usage: Not Available
5830	<b>2019 Vermeer SC362 Walk-Behind Stump Grinder</b> S/N: 1VRF112Y7K1002437 C/W: Hydrostatic Drive, 2018 US EPA Label, Briggs & Stratton Vanguard 35 hp 993 cc Engine, 20 in Grinding Wheel Usage: 448 Hr	5844	<b>2023 VICSEC VC5050 Self-Loading Mini Crawler Dumper (Unused)</b> S/N: VCDP0045 C/W: Hydrostatic Drive, Briggs & Stratton 1 Cylinder 4.9 kW 208 cc Gasoline Engine, 7 in Rubber Tracks Usage: 1 Hr
5832	<b>2013 Vermeer SC372 Walk-Behind Stump Grinder</b> S/N: 1VR710230D1000647 C/W: 2013 US EPA Label, Yanmar 3 Cylinder Diesel Engine, 20 in Grinding Wheel Usage: 1,686 Hr	5845	<b>Kubota RCK60R-331Z Zero-Turn Lawn Mower (Inoperable)</b> S/N: 13291 C/W: Hydrostatic Drive, 2013 US EPA Label, 15 X 6.00-6/4.50 Front Tires, 26 X 12.00-12 Rear Tires, Kubota 62 in Mower Usage: 1,799 Hr
5834	<b>2005 Vermeer SC252 Walk-Behind Stump Grinder</b> S/N: 1VRN071F151010104 C/W: Hydrostatic Drive, Kohler Gasoline Engine, 20 in Grinding Wheel Usage: 1,512 Hr	5846A	<b>Kubota Zero-Turn Lawn Mower</b> S/N: 1004 C/W: Hydrostatic Drive, 15x6.00-6 Front Tires, 26x12.00-16NHS Rear Tires, 62 in Mower Usage: 2,493 Hr

Lot #	Details	Lot #	Details
5846	<b>Kubota ZD326RP Zero-Turn Lawn Mower</b> S/N: 84195 C/W: Tier 4, 2013 US EPA Label, 12.00-12 Rear Tires, Kubota 60 in Mower Usage: 2,066 Hr	5859	<b>2023 Powertek DG9250E 8 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 420 cc Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available
5847	<b>Hustler 932053 Zero-Turn Lawn Mower</b> S/N: 14123849 C/W: Canopy, Hydrostatic Drive, 2019 US EPA Label, 60 in Mower Usage: Not Available	5860	<b>2023 Powertek IN3500I 3.5 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 150 cc Gasoline Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
5848	<b>2019 John Deere Z535M Zero-Turn Lawn Mower</b> S/N: 1GX535MFCKK112742 C/W: Hydrostatic Drive, 2017 US EPA Label, 13 X 5.00 Front Tires, 22 X 9.50-10 Rear Tires, 54 in Mower Usage: 122 Hr	5861	<b>Quantity of (2) 2023 Powertek PT80C 3 in Water Pump (Unused)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Centrifugal 1 Cylinder 212 cc Gasoline Engine Usage: Not Available
5849	<b>John Deere 737 Zero-Turn Lawn Mower</b> S/N: TC0737B030653 C/W: Hydrostatic Drive, 60 in Mower Usage: Not Available	5862	<b>Quantity of (2) 2023 Powertek CD-265ES Battery Charger (Unused)</b> S/N: Not Available Usage: Not Available
5850	<b>Exmark Staris S-Series Ride-On Lawn Mower</b> S/N: 404844907 C/W: 32 in Mower Usage: Not Available	5863	<b>2023 Powertek PT-H500R Laser Level (Unused)</b> S/N: Not Available Usage: Not Available
5851	<b>2023 Powertek WW20000 20000 lb Winch (Unused)</b> S/N: Not Available Usage: Not Available	5865	<b>Quantity of (2) 2023 Powertek MMA160 160 A Stick Electric Welder (Unused)</b> S/N: Not Available Usage: Not Available
5852	<b>Quantity of (2) 2023 Powertek WW13000 13000 lb Winch (Unused)</b> S/N: Not Available Usage: Not Available	5866	<b>Quantity of (2) 2023 Powertek Mig 100 90 A MIG Electric Welder (Unused)</b> S/N: Not Available C/W: Single Phase, / 120 V Input, Welding Leads Usage: Not Available
5853	<b>Quantity of (4) 2023 Powertek ATV3000 3000 lb ATV Winch (Unused)</b> S/N: Not Available Usage: Not Available	5867	<b>2023 Powertek PT9500 Electric Magnetic Drill (Unused)</b> S/N: Not Available Usage: Not Available
5854	<b>2023 Powertek MS120 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: 1 Cylinder 6.5 hp 156 cc Gasoline Engine Usage: Not Available	5868	<b>2023 Powertek PT9500 Electric Magnetic Drill (Unused)</b> S/N: Not Available Usage: Not Available
5855	<b>2023 Powertek MS20 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: 1 Cylinder 6.5 hp 156 cc Gasoline Engine Usage: Not Available	5869	<b>Quantity of (2) 2023 Powertek PT8810 1 in Pneumatic Impact Wrench (Unused)</b> S/N: Not Available Usage: Not Available
5856	<b>2023 Powertek MS10 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: 1 Cylinder 6.5 hp 156 cc Gasoline Engine Usage: Not Available	5870	<b>Quantity of (2) 2023 Powertek 300 ft 4 in PVC Discharge Water Hose (Unused)</b> S/N: Not Available Usage: Not Available
5857	<b>2023 Powertek PT500 Walk-Behind Saw (Unused)</b> S/N: Not Available C/W: 1 Cylinder 15 hp Gasoline Engine Usage: Not Available	5871	<b>Quantity of (3) 2023 Powertek 300 ft 3 in PVC Discharge Water Hose (Unused)</b> S/N: Not Available Usage: Not Available
5858	<b>2023 Powertek PT620 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	5872	<b>Quantity of (4) 2023 Powertek 300 ft 2 in PVC Discharge Water Hose (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5873	Quantity of (3) 2023 Powertek PT1800 Cordless Grease Guns (Unused) S/N: Not Available Usage: Not Available	5886	Quantity of (10) 14 in Diamond Blades (Unused) S/N: Not Available Usage: Not Available
5874	Quantity of (3) 2023 Powertek 10 ton Porta Power Jack (Unused) S/N: Not Available Usage: Not Available	5887	Quantity of (5) 25 ft 800 Amp Booster Cables (Unused) S/N: Not Available Usage: Not Available
5875	Quantity of (4) 2023 Powertek 20 ton Air /Hydraulic Bottle Jack (Unused) S/N: Not Available Usage: Not Available	5888	Quantity of (5) 25 ft 800 Amp Booster Cables (Unused) S/N: Not Available Usage: Not Available
5876	Quantity of (4) 2023 Powertek 20 ton Air /Hydraulic Bottle Jack (Unused) S/N: Not Available Usage: Not Available	5889	Quantity of (2) MIG Electric Welder S/N: Not Available C/W: Welding Leads Usage: Not Available
5877	2023 Powertek G80A Electric Demolition Breaker (Unused) S/N: Not Available Usage: Not Available	5890	Quantity of Tools S/N: Not Available Usage: Not Available
5878	Quantity of (5) 2023 Powertek PG1402 Electric Angle Grinder (Unused) S/N: Not Available Usage: Not Available	5891	Quantity of Remote Controls, Tools and GPS Equipment S/N: Not Available Usage: Not Available
5879	Quantity of (2) 2023 Powertek EB-800-E Leaf Blower (Unused) S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	5893	2017 Mala Ground Penetrating Radar (Inoperable) S/N: 11811004 Usage: Not Available
5880	2023 Powertek PT3500 Electric Core Drill (Unused) S/N: Not Available Usage: Not Available	5894	2019 General GL175 Buried Line Transmitter S/N: 8436514 Usage: Not Available
5881	2023 Powertek PT6280S Concrete Cutter (Unused) S/N: Not Available C/W: 1 Cylinder 3.2 hp 58 cc Gasoline Engine Usage: Not Available	5895	2016 Vivax-Metrotech VM-810 Utility Locator S/N: 21301120172 Usage: Not Available
5882	Quantity of (2) 2023 Powertek R2103 Electric Band Saw (Unused) S/N: Not Available Usage: Not Available	5896	2019 General GL-100 Pipe Locator S/N: 8393985 Usage: Not Available
5883	2023 Powertek PTS-B-16 3520 lb Electric Stacker (Unused) S/N: Not Available C/W: 3 Stage Mast, 118 in Max Lift Height Usage: Not Available	5897	2017 General GL-100 Pipe Locator S/N: 8404670 Usage: Not Available
5884	2023 Powertek PT7208S Concrete Cutter (Unused) S/N: Not Available C/W: 1 Cylinder 4.8 hp 74 cc Gasoline Engine Usage: Not Available	5898	2009 Prototek LF2000 Pipe Locator S/N: 081885 Usage: Not Available
5885	Quantity of (10) 14 in Diamond Blades (Unused) S/N: Not Available Usage: Not Available	5899	2022 Trimble Robotic RTS573 Total Station S/N: 74250136 Usage: Not Available
		5900	2021 Trimble Rts573 Total Station S/N: Not Available Usage: Not Available
		5901	2015 Trimble S8 Robotic Total Station S/N: 99310555 Usage: Not Available
		5902	2015 Trimble TSC3 Data Recorder S/N: RS2WC634 Usage: Not Available

Lot #	Details	Lot #	Details
5903	<b>2023 Spectra Precision LL300N Self-Leveling Rotary Laser Level</b> S/N: Not Available C/W: Receiver, Tripod, Grade Rod Usage: Not Available	5917	<b>2020 John Deere BYT10062 Radio Field Kit</b> S/N: Not Available C/W: To Fit John Deere 320G/E - 333G/E Skid Steer/Compact Track Loader Usage: Not Available
5904	<b>Trimble SPS852 Grade Control GNSS Receiver</b> S/N: Not Available C/W: SPS882 Rover, Zephyr 2 Geodetic Antenna, ADL35-2 Radio Usage: Not Available	5918	<b>Topcon SRL-35 UHF Radio</b> S/N: Not Available Usage: Not Available
5905	<b>Trimble SPS855 Grade Control GNSS Receiver</b> S/N: Not Available C/W: SPS882 Rover, Zephyr 2 Geodetic Antenna, ADL35-2 Radio Usage: Not Available	5919	<b>Quantity of (3) Kenwood NX-P1300AUK 16 Channel UHF Radios</b> S/N: Not Available Usage: Not Available
5906	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit John Deere 700L/750L Usage: Not Available	5920	<b>Quantity of (6) Schumacher 250 amp Battery Charger</b> S/N: Not Available Usage: Not Available
5907	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit John Deere 700L/750L Usage: Not Available	5921	<b>Quantity of (6) Schumacher 250 amp Battery Charger</b> S/N: Not Available Usage: Not Available
5908	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit John Deere 650K Usage: Not Available	5922	<b>Quantity of (6) Schumacher 250 amp Battery Charger</b> S/N: Not Available Usage: Not Available
5909	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit John Deere 550/650K Usage: Not Available	5923	<b>Quantity of (2) Electric 42 in Barrel Fan</b> S/N: Not Available Usage: Not Available
5910	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit John Deere 550/650K Usage: Not Available	5924	<b>Quantity of (2) Electric 42 in Barrel Fan</b> S/N: Not Available Usage: Not Available
5911	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit Cat D3/D4/D5K2 Usage: Not Available	5925	<b>Quantity of (2) Electric 42 in Barrel Fan</b> S/N: Not Available Usage: Not Available
5912	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit Cat D3/D4/D5K2 Usage: Not Available	5926	<b>Makita 25 Piece Power Tool Kit</b> S/N: Not Available C/W: c/w: Frontier 48 in Job Site Box Usage: Not Available
5913	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit Cat D3/D4/D5K2 Usage: Not Available	5927	<b>Makita 25 Piece Power Tool Kit</b> S/N: Not Available C/W: c/w: Frontier 48 in Job Site Box Usage: Not Available
5914	<b>Topcon 3DMCMAX Ready Kit</b> S/N: Not Available C/W: To Fit Cat D3/D4/D5K2 Usage: Not Available	5928	<b>Makita 25 Piece Power Tool Kit</b> S/N: Not Available C/W: c/w: Frontier 48 in Job Site Box Usage: Not Available
5915	<b>SmartGrade MCR3 Crawler Kit</b> S/N: Not Available C/W: To Fit John Deere 850L Usage: Not Available	5929	<b>Quantity of (14) Makita Power Tools</b> S/N: Not Available Usage: Not Available
5916	<b>Topcon GX-60 Grade Control Display - Fits Paving System</b> S/N: Not Available Usage: Not Available	5930	<b>Quantity of (14) Makita Power Tools</b> S/N: Not Available Usage: Not Available
		5931	<b>Quantity of (14) Makita Power Tools</b> S/N: Not Available Usage: Not Available
		5932	<b>Quantity of (14) Makita Power Tools</b> S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
5933	<b>Rhino 21 Piece Landscaping Tools</b> S/N: Not Available Usage: Not Available	5953	<b>Quantity of (10) Real Tree Freedom Bell</b> S/N: Not Available Usage: Not Available
5934	<b>Rhino 21 Piece Landscaping Tools</b> S/N: Not Available Usage: Not Available	5954	<b>Hampton Bay Edington 5 Piece Patio Firepit Chair Set</b> S/N: Not Available Usage: Not Available
5935	<b>Wokin 8 Piece Hydraulic Bottle Jack &amp; Jack Stand Kit Jack</b> S/N: Not Available C/W: c/w: 42 in Job Site Box Usage: Not Available	5956	<b>Quantity of (6) Homelite Leaf Blower</b> S/N: Not Available Usage: Not Available
5936	<b>Wokin 8 Piece Hydraulic Bottle Jack &amp; Jack Stand Kit</b> S/N: Not Available C/W: c/w: 42 in Job Site Box Usage: Not Available	5957	<b>Craftsman 15 Piece Power Tool Set</b> S/N: Not Available C/W: c/w: Craftsman 48 in Job Site Box Usage: Not Available
5937	<b>Wokin 158 Piece Standard &amp; Metric Tool Set</b> S/N: Not Available C/W: c/w: 42 in Job Site Box Usage: Not Available	5958	<b>Craftsman 15 Piece Power Tool Set</b> S/N: Not Available C/W: c/w: Craftsman 48 in Job Site Box Usage: Not Available
5938	<b>Wokin 158 Piece Standard &amp; Metric Tool Set</b> S/N: Not Available Usage: Not Available	5960	<b>Quantity of (4) Craftsman 3 ton Floor Jack</b> S/N: Not Available Usage: Not Available
5939	<b>Quantity of (4) Poulan String Trimmer</b> S/N: Not Available Usage: Not Available	5961	<b>Quantity of (5) Murray Pressure Washer</b> S/N: Not Available C/W: 3200 psi Rating, Hose, Spray Wand, Briggs & Stratton 1 Cylinder 208 cc Gasoline Engine Usage: Not Available
5945	<b>Quantity of (6) Yard Force Lawn Mower</b> S/N: Not Available C/W: 2023 US EPA Label, CARB Compliant, 22 in Mower Usage: Not Available	5962	<b>Quantity of (5) Murray Pressure Washer</b> S/N: Not Available C/W: 3200 psi Rating, Hose, Spray Wand, Briggs & Stratton 1 Cylinder Gasoline Engine Usage: Not Available
5946	<b>Quantity of (6) Yard Force Lawn Mower</b> S/N: Not Available C/W: 22 in Mower Usage: Not Available	5964	<b>Quantity of (5) Electric 24 in Tilt Base Drum Fan</b> S/N: Not Available Usage: Not Available
5947	<b>Real Tree RTK100 Single Seat Go Cart</b> S/N: Not Available C/W: 1 Cylinder 2.45 hp 98 cc Gasoline Engine Usage: Not Available	5968	<b>Quantity of (4) PowerTrain PT1300E 13 hp General Purpose Engine</b> S/N: Not Available C/W: 1 Cylinder 13 hp 389 cc Gasoline Engine Usage: Not Available
5948	<b>Real Tree RTK100 Single Seat Go Cart</b> S/N: Not Available C/W: 1 Cylinder 2.45 hp 98 cc Gasoline Engine Usage: Not Available	5969	<b>Quantity of (4) PowerTrain PT1300E 13 hp General Purpose Engine</b> S/N: Not Available C/W: 1 Cylinder 13 hp 389 cc Gasoline Engine Usage: Not Available
5949	<b>Real Tree RTK100 Single Seat Go Cart</b> S/N: Not Available C/W: 1 Cylinder 2.45 hp 98 cc Gasoline Engine Usage: Not Available	5970	<b>Quantity of (6) PowerTrain PT650E 6.5 hp General Purpose Engine</b> S/N: Not Available C/W: 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
5950	<b>Real Tree RT200 Mini Bike</b> S/N: Not Available C/W: 1 Cylinder 3.8 kW 196 cc Gasoline Engine Usage: Not Available	5971	<b>Quantity of (6) PowerTrain PT650E 6.5 hp General Purpose Engine</b> S/N: Not Available C/W: 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
5951	<b>Real Tree RT200 Mini Bike</b> S/N: Not Available C/W: 1 Cylinder 3.8 kW 196 cc Gasoline Engine Usage: Not Available	5972	<b>Quantity of (12) Goodyear Spring Driven Air Hose Reel</b> S/N: Not Available Usage: Not Available
5952	<b>Real Tree RT200 Mini Bike</b> S/N: Not Available C/W: 1 Cylinder 196 cc Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
5973	<b>Quantity of (5) 30 in Barrel Fan</b> S/N: Not Available Usage: Not Available	5996	<b>PowerTrain PT-14G30TRKE-V2 18.5 cfm 30 gal Air Compressor</b> S/N: Not Available C/W: 175 psi Working Pressure, 1 Cylinder 14 hp Gasoline Engine Usage: Not Available
5975	<b>Quantity of (8) Ryobi 18 in Chain Saw</b> S/N: Not Available Usage: Not Available	5997	<b>Quantity of (2) MAC 5200 6.5 cfm 5.2 gal Air Compressor</b> S/N: Not Available C/W: 140 psi Working Pressure, 3 hp Motor Usage: Not Available
5978	<b>Quantity of (4) Champion 4.47 kW Portable Generator Set</b> S/N: Not Available C/W: Dual Fuel Engine, 120 V Rated Voltage Usage: Not Available	5998	<b>Quantity of (2) MAC 5200 6.5 cfm 5.2 gal Air Compressor</b> S/N: Not Available C/W: 140 psi Working Pressure, 3 hp Motor Usage: Not Available
5979	<b>Quantity of (4) Champion 4.47 kW Portable Generator Set</b> S/N: Not Available C/W: Dual Fuel Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5999	<b>Eagle TT55G-ND 12.5 cfm 10 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, Honda GX160 1 Cylinder 5.5 hp Gasoline Engine Usage: Not Available
5980	<b>Quantity of (4) Champion 4.47 kW Portable Generator Set</b> S/N: Not Available C/W: Dual Fuel Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	6000	<b>Eagle TT55G-ND 12.5 cfm 10 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, Honda GX160 1 Cylinder 5.5 hp Gasoline Engine Usage: Not Available
5984	<b>Seaflo Kayak</b> S/N: Not Available Usage: Not Available	6001	<b>PowerTrain 11.2 cfm 10 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, 7 hp Motor, 7.0 hp Gasoline Engine Usage: Not Available
5985	<b>Seaflo Kayak</b> S/N: Not Available Usage: Not Available	6002	<b>PowerTrain 11.2 cfm 10 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, 7 hp Motor, 7.0 hp Gasoline Engine Usage: Not Available
5986	<b>Armor 64 Gun Safe</b> S/N: Not Available C/W: 40 in Wide x 55 in High x 25 in Deep Usage: Not Available	6003	<b>Frontier 62 in Work Bench</b> S/N: Not Available C/W: c/w: Peg Board & Power Station Usage: Not Available
5987	<b>Armor 64 Gun Safe</b> S/N: Not Available Usage: Not Available	6004	<b>Frontier 62 in Work Bench</b> S/N: Not Available C/W: Peg Board & Power Station Usage: Not Available
5992	<b>Iron Horse 11.2 cfm Electric 60 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, 6.5 hp Motor Usage: Not Available	6005	<b>Frontier 62 in Work Bench</b> S/N: Not Available C/W: Peg Board & Power Station Usage: Not Available
5993	<b>Eagle 18.5 cfm 30 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, 2023 US EPA Label, Honda GX 270 1 Cylinder 9.0 hp Gasoline Engine Usage: Not Available	6006	<b>Frontier 62 in Work Bench</b> S/N: Not Available C/W: Peg Board & Power Station Usage: Not Available
5994	<b>Eagle 18.5 cfm 30 gal Air Compressor</b> S/N: Not Available C/W: 150 psi Working Pressure, 2023 US EPA Label, Honda GX 270 1 Cylinder 9.0 hp Gasoline Engine Usage: Not Available	6008	<b>2023 Suihe NWB-H30DS-10 10 ft Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
5995	<b>PowerTrain Air Compressor</b> S/N: Not Available C/W: 175 psi Working Pressure, Power Train PT1400E 1 Cylinder 14 hp 420 cc Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
6009	2023 Suihe NWB-H30DS-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6023	2023 Suihe NWB-34DS-9 9 ft Work Bench (Unused) S/N: Not Available Usage: Not Available
6010	2023 Suihe NWB-H30DS-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6024	2023 Suihe NWB-34DS-9 9 ft Work Bench (Unused) S/N: Not Available Usage: Not Available
6011	2023 Suihe NWB-H30DS-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6025	2023 Suihe 7FT-35D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available
6012	2023 Suihe 10FT-30D (30) Drawers Work Bench (Unused) S/N: Not Available Usage: Not Available	6026	2023 Suihe 7FT-35D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available
6013	2023 Suihe NWB-30DS-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6027	2023 Suihe 7FT-35D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available
6014	2023 Suihe 10FT-30D Work Bench (Unused) S/N: Not Available Usage: Not Available	6028	2023 Suihe NWB-20DS-7 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available
6015	2023 Suihe 10FT-30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6029	2023 Suihe NWB-20DS-7 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available
6016	2023 Suihe NWB-25DB-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6030	2023 Suihe 7FT-18HD Work Bench (Unused) S/N: Not Available Usage: Not Available
6017	2023 Suihe 10FT-18D Work Bench (Unused) S/N: Not Available Usage: Not Available	6031	2023 Suihe 7FT-18HD Work Bench (Unused) S/N: Not Available Usage: Not Available
6018	2023 Suihe NWB-18DS-2B-10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6032	2023 Suihe 7FT-18HD Work Bench (Unused) S/N: Not Available Usage: Not Available
6019	2023 Suihe NWB-15DR-2 -10 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6033	2023 Suihe 7FT-10D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available
6020	2023 Suihe NWB-34DS-9 9 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6034	2023 Suihe 7FT-10D-01B Work Bench (Unused) S/N: Not Available Usage: Not Available
6021	2023 Suihe NWB-34DS-9 9 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6035	2023 Suihe NWB-10DS-2-7 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available
6022	2023 Suihe NWB-34DS-9 9 ft Work Bench (Unused) S/N: Not Available Usage: Not Available	6038	2023 Diggitt 10D-2 6 ft 4 in Work Bench (Unused) S/N: Not Available Usage: Not Available
		6039	2023 Diggitt 10HD-2C-R Work Bench (Unused) S/N: Not Available Usage: Not Available
		6040	2023 Diggitt 10HD-2C-R Work Bench (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6041	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: 10D23060701 C/W: c/w: Tools Usage: Not Available	6058	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available
6042	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: 10D23060702 C/W: c/w: Tools Usage: Not Available	6059	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available
6043	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6060	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6044	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6061	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6045	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6062	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6046	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6063	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6047	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6064	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available
6048	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6065	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available
6049	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6066	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: with Tools Usage: Not Available
6050	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6067	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available C/W: c/w: Tools Usage: Not Available
6051	<b>2023 Diggitt 10D-O Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6068	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6052	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6069	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available C/W: C/W Tools Usage: Not Available
6053	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6070	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6054	<b>2023 Diggitt 10D-R Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6071	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6055	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6072	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available C/W: c/w: Tools Usage: Not Available
6056	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available	6073	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6057	<b>2023 Diggitt 10D Work Bench (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6074	<b>2023 DiggIt 10D Work Bench (Unused)</b> S/N: Not Available C/W: c/w: Tools Usage: Not Available	6088	<b>2023 Kit Containers ST-57 30 in x 57 in Work Bench</b> S/N: Not Available Usage: Not Available
6075	<b>2023 DiggIt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6089	<b>2023 Kit Containers ST-57 30 in x 57 in Work Bench</b> S/N: Not Available Usage: Not Available
6076	<b>2023 DiggIt 10D-O Work Bench (Unused)</b> S/N: Not Available C/W: With Tools Usage: Not Available	6090	<b>2023 JQ SHELTER JQ212009 19 ft x 7 ft 3 in Expandable Storage Building (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
6077	<b>Work Bench</b> S/N: Not Available Usage: Not Available	6091	<b>2023 JQ SHELTER JQ212009 19 ft x 7 ft 3 in Expandable Storage Building (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
6078	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6092	<b>2023 50 ft x 80 ft x 26 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6079	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6093	<b>2023 40 ft x 80 ft x 24 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6080	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6094	<b>2023 30 ft x 70 ft x 22 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6081	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6095	<b>2023 30 ft x 70 ft x 22 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6082	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6096	<b>2023 40 ft x 60 ft x 24 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6083	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6097	<b>2023 30 ft x 60 ft x 22 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6084	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6098	<b>2023 30 ft x 40 ft x 22 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6085	<b>2023 Kit Containers WB-90-243 28 in x 90 in Work Bench</b> S/N: Not Available Usage: Not Available	6099	<b>2023 HOS HF2L 8 ft x 7 ft Folding Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6086	<b>2023 Kit Containers WB-60-190 28 in x 60 in Work Bench</b> S/N: Not Available Usage: Not Available	6100	<b>2023 HOS HF2L Skid-Mounted Folding Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6087	<b>2023 Kit Containers WB-60-190 28 in x 60 in Work Bench - Fits Skid Steer Loader</b> S/N: Not Available Usage: Not Available	6101	<b>2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused)</b> S/N: 2209043 Usage: Not Available

Lot #	Details	Lot #	Details
6102	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209045 Usage: Not Available	6117	2023 Suihe Portable Folding Storage Building (Unused) S/N: Not Available Usage: Not Available
6103	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209052 Usage: Not Available	6118	2023 Suihe S308515P 85 ft x 30 ft Portable Storage Building (Unused) S/N: Not Available Usage: Not Available
6104	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209053 Usage: Not Available	6119	2023 Suihe S308515P 85 ft x 30 ft Portable Storage Building (Unused) S/N: Not Available Usage: Not Available
6105	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209040 Usage: Not Available	6120	2023 Suihe S408020R 80 ft x 40 ft Portable Storage Building (Unused) S/N: Not Available Usage: Not Available
6106	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209039 Usage: Not Available	6121	2023 Suihe S203012R 30 ft x 20 ft Portable Storage Building (Unused) S/N: Not Available Usage: Not Available
6107	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: 2209049 Usage: Not Available	6122	2023 Suihe 203012R 20 ft x 30 ft x 12 ft Dome Storage Building (Unused) S/N: Not Available Usage: Not Available
6108	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	6123	2023 Agrotk ST4040C 40 ft x 40 ft Container Storage Canopy (Unused) S/N: ST4040C23041201C Usage: Not Available
6110	2023 HOS HF2S 8 ft x 7 ft 6 in 15 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	6124	2023 Suihe C604015S 60 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6111	2023 HOS HF2S 15 ft x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	6125	2023 Suihe C404015S 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6112	2023 HOS HF2S 15 ft x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	6126	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6113	2023 HOS HF2S 15 ft x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	6127	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6114	2022 TMG ST2031E 30 ft x 20 ft Storage Building S/N: Not Available Usage: Not Available	6128	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6115	2022 TMG ST1830 30 ft x 18 ft Motorhome Storage Building (Unused) S/N: Not Available Usage: Not Available	6130	2023 Suihe C2040 20 ft x 40 ft x 6 1/2 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6116	2023 Suihe FB1920 19 ft x 20 ft Skid-Mounted Folding Storage Building (Unused) S/N: Not Available Usage: Not Available	6131	2023 Suihe C2040 20 ft x 40 ft x 6 1/2 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6132	2023 Suihe C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available	6150	2023 KAIJIAN K2119 21 ft x 19 ft Double Garage Shed (Unused) S/N: Not Available Usage: Not Available
6133	2023 Suihe C2020 20 ft x 20 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available	6151	2023 KAIJIAN K1220 12 ft x 20 ft Single Garage Shed (Unused) S/N: Not Available Usage: Not Available
6135	2023 KAIJIAN K1119 19 ft x 11 ft Carport (Unused) S/N: Not Available Usage: Not Available	6152	TMG S2119 21 ft x 19 ft Double Garage Metal Shed S/N: Not Available Usage: Not Available
6136	2023 KAIJIAN K1119 19 ft x 11 ft Carport (Unused) S/N: Not Available Usage: Not Available	6153	2023 HOS HSM2 3 ft 7 in x 6 ft 10 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: 007-32 Usage: Not Available
6137	2023 20 ft x 12 ft Steel Carport (Unused) S/N: Not Available Usage: Not Available	6154	2023 HOS HSM1 3 ft 7 in x 3 ft 7 in 1 Person Skid-Mounted Portable Toilet (Unused) S/N: 007-33 Usage: Not Available
6138	2023 DiggIt F30 30 ft x 20 ft All-Steel Carport (Unused) S/N: F2023060701 Usage: Not Available	6155	2023 KAIJIAN K2113 7 ft x 4 ft 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6139	2023 DiggIt F30 30 ft x 20 ft All-Steel Carport (Unused) S/N: F3023060801 C/W: Height: 12 ft 6 in, Floor Space: 600 sqft, Sidewall Height: 10 ft, Peak Ceiling Height: 12 ft 6 in Usage: Not Available	6156	2023 KAIJIAN K2215 7 ft 4 in x 5 ft 1 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6140	2023 DiggIt MSC2030F 30 ft x 20 ft Metal Garage Carport Shed (Unused) S/N: Not Available Usage: Not Available	6157	2023 KAIJIAN K2215 7 ft 4 in x 5 ft 1 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6141	2023 Suihe 2040P 40 ft x 20 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available	6158	2023 Suihe NT-D 6 ft 9 in x 4 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6142	2023 Suihe 2040P 40 ft x 20 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available	6159	2023 Suihe NT-D 6 ft 9 in x 4 ft 3 in 2 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6144	2023 Suihe MH13 9 ft 7 in x 13 ft Prefab Tiny Cube (Unused) S/N: Not Available Usage: Not Available	6160	2023 Suihe NT-D 6 ft 9 in x 4 ft 3 in 2 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6145	2023 Suihe MH10 9 ft 7 in x 7 ft 3 in Prefab Tiny Cube (Unused) S/N: Not Available Usage: Not Available	6161	2023 Suihe NT-SH(a) 7 ft x 5 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6147	2023 25 ft x 33 ft Metal Shed (Unused) S/N: Not Available C/W: 2 Boxes Usage: Not Available	6162	2023 Suihe NT-SH(a) 7 ft x 5 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6149	2023 12 ft x 20 ft Single Garage Metal Shed (Unused) S/N: Not Available Usage: Not Available	6163	2023 Suihe NT-SH(b) 6 ft 3 in x 7 ft Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6164	2023 Suihe NT-SH(b) 7 ft x 6 ft 3 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6177	2023 KAIJIAN K1912 20 ft x 12 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available
6165	2023 Suihe NT-SH(b) 7 ft x 6 ft 3 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6178	2023 KAIJIAN K1912 20 ft x 12 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available
6166	2023 Suihe ST-SH(a) 7 ft x 5 ft Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6179	2023 12 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available
6167	2023 Suihe ST-SH(b) 6 ft 8 in x 6 ft 4 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6180	2023 BYT CC002 12 ft 6 in Squeeze Chute w/ (20) 9' 6" Livestock Panels (Unused) S/N: Not Available C/W: Includes (20) 9' 6" Livestock Panels Usage: Not Available
6168	2023 Suihe ST-S 3 ft 6 in x 4 ft 1 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6181	Quantity of (56) 2023 KAIJIAN K3830 10 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6169	2023 Suihe ST-S 3 ft 6 in x 4 ft 1 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6182	Quantity of (56) 2023 KAIJIAN K3830 10 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6170	2023 Suihe ST-D 7 ft x 4 ft 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6183	Quantity of (56) 2023 KAIJIAN K3830 10 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6171	2023 Suihe ST-D 7 ft x 4 ft 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6184	Quantity of (31) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6172	2023 Diggitt W110 2 Person Portable Toilet (Unused) S/N: W11023060701 C/W: (1) Toilet ; (1) Sink ; Fork Pockets Usage: Not Available	6185	Quantity of (31) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6173	2023 Diggitt W110 4 ft x 3 ft 6 in 1 Person Portable Toilet (Unused) S/N: W11023060702 C/W: (1) Toilet ; (1) Sink ; Fork Pockets Usage: Not Available	6186	Quantity of (31) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6174	2023 Diggitt W110 4 ft x 3 ft 6 in 1 Person Portable Toilet (Unused) S/N: W21023060801 C/W: (1) Toilet ; (1) Sink ; Fork Pockets Usage: Not Available	6187	Quantity of (31) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6175	2023 Diggitt W110 4 ft x 3 ft 6 in 1 Person Portable Toilet (Unused) S/N: W11023060901 C/W: (1) Toilet ; (1) Sink ; Fork Pockets Usage: Not Available	6188	Quantity of (26) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6176	2023 Diggitt W110 4 ft x 3 ft 6 in 1 Person Portable Toilet (Unused) S/N: W11023060902 C/W: (1) Toilet ; (1) Sink ; Fork Pockets Usage: Not Available	6190	Quantity of (70) 2023 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6191	Quantity of (20) 2023 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	6206	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available
6192	Quantity of (40) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	6207	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available
6193	Quantity of (28) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	6208	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available
6194	Quantity of (84) 6 ft x 7 ft Galvanized Livestock Panel S/N: Not Available Usage: Not Available	6209	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available
6195	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6210	2023 BYT HRS627 Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available
6196	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6211	2023 BYT HRS627 Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available
6197	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6212	2023 BYT HRS627 Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available
6198	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6213	2023 BYT HRS627 Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available
6199	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6214	2023 BYT HRS627 Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available
6201	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6215	Quantity of (3) 2023 KAIJIAN K2007H 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6202	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6216	Quantity of (3) 2023 KAIJIAN K2007H 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6203	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6217	2023 Suihe 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6204	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6218	Quantity of (6) 2023 KAIJIAN K0720F 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6205	2023 Kit Containers CFX-90 90 in Livestock Feeder S/N: Not Available Usage: Not Available	6219	Quantity of (6) 2023 KAIJIAN K0720 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
		6220	2023 KAIJIAN K0720 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6221	2023 KAIJIAN K0720 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6234	2023 4 ft Wrought Iron Entry Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6222	Quantity of (4) 2023 KAIJIAN K0714 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow Motif Usage: Not Available	6235	Quantity of (30) Canex 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: (1) Skid Usage: Not Available
6223	Quantity of (4) 2023 KAIJIAN K0714 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6236	Quantity of (30) Canex 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: (1) Skid Usage: Not Available
6224	Quantity of (5) 2023 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6237	Quantity of (30) Canex 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: (1) Skid Usage: Not Available
6225	Quantity of (5) 2023 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6238	Quantity of (30) Canex 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: (1) Skid Usage: Not Available
6226	Quantity of (5) 2023 Suihe SG-20D-5 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6239	Quantity of (59) 10 ft x 6 ft Galvanized Site Fence S/N: Not Available Usage: Not Available
6227	Quantity of (3) 2023 Suihe SFG-20F-1&FF-2 20 ft Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6240	Quantity of (59) 10 ft x 6 ft Galvanized Site Fence S/N: Not Available Usage: Not Available
6228	Quantity of (3) 2023 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6245	Quantity of (6) 2023 KAIJIAN K1444 14 ft Expandable Site Fence (Unused) S/N: Not Available Usage: Not Available
6229	Quantity of (2) 2023 Suihe SG-14D-2 14 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6246	Quantity of (6) 2023 KAIJIAN K1444 14 ft Expandable Site Fence (Unused) S/N: Not Available Usage: Not Available
6230	Quantity of 2023 20 ft and 16 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6247	Quantity of (6) 2023 KAIJIAN K1444 14 ft Expandable Site Fence (Unused) S/N: Not Available Usage: Not Available
6231	2023 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6248	Quantity of (6) 2023 KAIJIAN K1444 14 ft Expandable Site Fence (Unused) S/N: Not Available Usage: Not Available
6232	2023 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6249	Quantity of (6) 2023 KAIJIAN K1444 14 ft Expandable Site Fence (Unused) S/N: Not Available Usage: Not Available
6233	2023 4 ft Wrought Iron Entry Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6250	Quantity of (20) 2023 KAIJIAN K1830 10 ft x 6 ft Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6251	Quantity of (20) 2023 KAIJIAN K1830 10 ft x 6 ft Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available	6265	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6252	Quantity of (20) 2023 KAIJIAN K1830 10 ft x 6 ft Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available	6266	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6253	Quantity of (20) 2023 Suihe SF-D-20 10 ft x 6 ft Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available	6267	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6254	Quantity of (24) 2023 Suihe NF-X-24 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available C/W: Damage Usage: Not Available	6268	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6255	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6269	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6256	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6270	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6257	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6271	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6258	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6272	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6259	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6273	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6260	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6274	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6261	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing S/N: Not Available Usage: Not Available	6275	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6262	Quantity of (20) Canex 10 ft x 7 ft Wrought Iron Fencing S/N: Not Available Usage: Not Available	6276	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6263	Quantity of (20) Canex 8 ft x 7 ft Wrought Iron Fencing S/N: Not Available Usage: Not Available	6277	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6264	Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available	6278	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6279	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6294	Quantity of (20) 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6280	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6295	Quantity of (20) 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6281	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6296	Quantity of (20) 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6282	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6297	Quantity of (20) 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6283	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6298	Quantity of (20) 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available
6284	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6299	Quantity of (20) 2023 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6285	Quantity of (24) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6300	Quantity of (20) 2023 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6287	Quantity of (30) 2023 KAIJIAN K0710 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6301	Quantity of (20) 2023 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6288	Quantity of (22) 2023 KAIJIAN K0608 8 ft x 6 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6302	Quantity of (20) 2023 10 ft x 7 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6289	Quantity of (22) 2023 KAIJIAN K0608 8 ft x 6 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6303	Quantity of (20) 2023 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6290	Quantity of (22) 2023 KAIJIAN K0608 8 ft x 6 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6304	Quantity of (40) 2023 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6291	Quantity of (20) 2023 KAIJIAN K1030 100 ft x 40 in Galvanized Wire Mesh Field Fencing (Unused) S/N: Not Available Usage: Not Available	6305	Quantity of (40) 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6292	Quantity of (20) 2023 KAIJIAN K1030 100 ft x 40 in Farm Fencing (Unused) S/N: Not Available Usage: Not Available	6306	Quantity of (40) 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available
6293	Quantity of (20) 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available	6307	Quantity of (40) 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6308	Quantity of (40) 2023 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6324	Quantity of (10) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available
6309	Quantity of (40) 2023 7 ft x 5 ft Wrought Iron Fencing (Unused) S/N: Not Available Usage: Not Available	6325	Quantity of (10) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available
6310	Quantity of 2023 BYT FFC762 330 ft x 4 ft Farm Fencing (Unused) S/N: Not Available C/W: (10) Rolls Usage: Not Available	6326	Quantity of (10) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available
6311	Quantity of 2023 BYT FFC762 330 ft x 4 ft Farm Fencing (Unused) S/N: Not Available C/W: (10) Rolls Usage: Not Available	6327	Quantity of (11) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available
6312	Quantity of 2023 BYT FFC762 330 ft x 4 ft Farm Fencing (Unused) S/N: Not Available C/W: (10) Rolls Usage: Not Available	6328	Quantity of (11) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available
6313	Quantity of 2023 BYT FFC762 330 ft x 4 ft Farm Fencing (Unused) S/N: Not Available C/W: (10) Rolls Usage: Not Available	6329	Quantity of (9) 2023 Diggitt Holland Chain Link Fencing (Unused) S/N: Not Available Usage: Not Available
6314	Quantity of (24) 2023 Suihe 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available	6403	Quantity of (100) Crowd Barrier S/N: Not Available Usage: Not Available
6315	Quantity of (24) 2023 Suihe 10 ft x 7 ft Galvanized Fencing (Unused) S/N: Not Available Usage: Not Available	6404	Quantity of (100) Crowd Barrier S/N: Not Available Usage: Not Available
6316	Quantity of (24) 2023 Suihe F-X-24 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6410	Quantity of (80) 2023 KAIJIAN K1221 7 ft x 4 ft Galvanized Barrier (Unused) S/N: Not Available Usage: Not Available
6317	Quantity of (500) Chain Link Fencing S/N: Not Available C/W: Barbed Wire Usage: Not Available	6411	Quantity of (60) 2023 KAIJIAN K2112 7 ft x 4 ft Galvanized Barrier (Unused) S/N: Not Available Usage: Not Available
6318	Quantity of (500) Chain Link Fencing S/N: Not Available C/W: Barbed Wire Usage: Not Available	6412	Quantity of (60) 2023 KAIJIAN K2112 7 ft x 4 ft Galvanized Barrier (Unused) S/N: Not Available Usage: Not Available
6322	Quantity of (10) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available	6413	Quantity of (250) 2023 ROADAT Traffic Cones (Unused) S/N: 007-28 Usage: Not Available
6323	Quantity of (10) 2023 Diggitt Holland 30M Wire Mesh Fencing (Unused) S/N: Not Available Usage: Not Available	6414	Quantity of (250) 2023 Rodat RD25 Traffic Cones (Unused) S/N: 007-27 Usage: Not Available
		6415	Quantity of (250) 2023 AGROTK AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6416	Quantity of (250) 2023 Agrotk AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6436	Quantity of (100) 2023 45 in Delineators (Unused) S/N: Not Available Usage: Not Available
6417	Quantity of (250) 2023 Agrotk AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6437	Quantity of (100) 2023 AGROTK AGT-TBB Traffic Bollards & Bunting (Unused) S/N: Not Available Usage: Not Available
6418	Quantity of (250) 2023 Agrotk AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6438	Quantity of (100) 2023 AGROTK AGT-TBB Traffic Bollards & Bunting (Unused) S/N: Not Available Usage: Not Available
6419	Quantity of (250) 2023 Kaijian K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6439	Quantity of (100) 2023 AGROTK AGT-TBB Traffic Bollards & Bunting (Unused) S/N: Not Available Usage: Not Available
6420	Quantity of (250) 2023 Kaijian K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6440	Quantity of (100) 2023 AGROTK AGT-TBB Traffic Bollards & Bunting (Unused) S/N: Not Available Usage: Not Available
6421	Quantity of (250) 2023 Kaijian K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6441	2023 Emiliana Serbatoi AM-TANK 2300N 2376 gal Fuel Tank (Unused) S/N: 79329 C/W: 120 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
6422	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6442	2023 Emiliana Serbatoi AM-TANK 2300 2376 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 80243 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
6423	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6443	2023 Emiliana Serbatoi AM-TANK 2300 2376 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 80242 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
6424	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6444	2023 Emiliana Serbatoi AM-TANK 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 80245 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
6425	Quantity of (252) 2023 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6445	2023 Emiliana Serbatoi AM-TANK 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 80244 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
6426	Quantity of (252) 2023 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available		
6432	Quantity of (250) 28 in Traffic Cones S/N: Not Available Usage: Not Available		
6433	Quantity of (250) 28 in Traffic Cones S/N: Not Available Usage: Not Available		
6434	Quantity of (250) Traffic Cones S/N: Not Available Usage: Not Available		
6435	Quantity of (250) 28 in Traffic Cones S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6446	<b>2023 Emiliana Serbatoi AM-TANK 600 655 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 80246 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6455	<b>2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused)</b> S/N: 52787L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6447	<b>2023 Emiliana Serbatoi AM-TANK 600 655 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 80247 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6456	<b>2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused)</b> S/N: 52790L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6448	<b>2023 4-Fuel.com 4F2330 2330 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000976 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6457	<b>2023 Emiliana Serbatoi AM-TANK 58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 56993A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6449	<b>2023 4-Fuel.com 4F2000 2000 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000977 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6458	<b>2023 Emiliana Serbatoi AM-TANK 58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 56992A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6450	<b>2023 4-Fuel.com 4F1100 1100 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000978 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6459	<b>2023 Emiliana Serbatoi AM-TANK 58 58 gal Poly Diesel Fuel Tank (Unused)</b> S/N: 56994A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6451	<b>2023 4-Fuel.com 4F838 838 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000979 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6460	<b>2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused)</b> S/N: 14161E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6452	<b>2023 4-Fuel.com 4F300 300 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000980 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6461	<b>2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused)</b> S/N: 14163E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6453	<b>2023 4-Fuel.com 4F300 300 gal Skid Mounted Fuel Tank (Unused)</b> S/N: 000000981 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	6462	<b>2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused)</b> S/N: 14162E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6454	<b>2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused)</b> S/N: 52791L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6463	<b>2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused)</b> S/N: 14164E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
		6464	<b>2023 116 gal Poly Fuel Tank (Unused)</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available

Lot #	Details	Lot #	Details
6465	<b>2023 116 gal Poly Fuel Tank (Unused)</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	6475	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000995 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
6466	<b>2023 4-Fuel.com 4F116 116 gal Poly Fuel Tank (Unused)</b> S/N: 000000982 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6476	<b>2023 Kit Containers 27 in x 72 in 1 in Steel Plates</b> S/N: Not Available Usage: Not Available
6467	<b>2023 4-Fuel.com 4F116 116 gal Poly Fuel Tank (Unused)</b> S/N: 000000983 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6477	<b>2023 Kit Containers 36 in x 72 in (1 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6468	<b>2023 4-Fuel.com 4F116 116 gal Poly Fuel Tank (Unused)</b> S/N: 000000984 C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	6478	<b>Quantity of (2) 2023 Kit Containers 60 in x 0 ft 93 in (.75 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6469	<b>2023 4-Fuel.com 4F116 116 gal Poly Fuel Tank (Unused)</b> S/N: 000000985 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6479	<b>Quantity of (2) 2023 Kit Containers 60 in x 84 in 3/4 in Steel Plates</b> S/N: Not Available Usage: Not Available
6470	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000988 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6480	<b>Quantity of (2) 2023 Kit Containers 0 ft 60 in x 0 ft 106 in 3/4 in Steel Plates</b> S/N: Not Available Usage: Not Available
6471	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000989 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6481	<b>Quantity of (2) 2023 Kit Containers 60 in x 99.5 in (.62 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6472	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000990 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6482	<b>Quantity of (2) 2023 Kit Containers 65.5 in x 91 in (.62 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6473	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000991 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6483	<b>Quantity of (2) 2023 Kit Containers 72 in x 96 in 5/8 in Steel Plates</b> S/N: Not Available Usage: Not Available
6474	<b>2023 4-Fuel.com 4F58 58 gal Poly Fuel Tank (Unused)</b> S/N: 000000992 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	6484	<b>Quantity of (3) 2023 Kit Containers 72 in x 108 in 1/2 in Steel Plates</b> S/N: Not Available Usage: Not Available
		6485	<b>Quantity of (3) 2023 Kit Containers 72 in x 120 in (.5 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
		6486	<b>2023 Kit Containers 4Y-DH 4 cyd Debris Box</b> S/N: Not Available Usage: Not Available
		6487	<b>2023 Kit Containers 4Y-DH 4 cyd Debris Box</b> S/N: Not Available Usage: Not Available
		6488	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6489	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	6503	<b>2023 Suihe PW Pressure Washer (Unused)</b> S/N: Not Available C/W: 4000 psi Rating, Water Heater, Jiang Dong 1 Cylinder 420 cc Gasoline Engine Usage: Not Available
6490	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	6504	<b>2023 Suihe PW Pressure Washer (Unused)</b> S/N: Not Available C/W: 4000 psi Rating, Water Heater, Jiang Dong 1 Cylinder 420 cc Gasoline Engine Usage: Not Available
6491	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	6505	<b>2023 Agrotk HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023010608A C/W: Water Heater Usage: Not Available
6492	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	6506	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051701C C/W: 4000 psi Rating, Water Heater, 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available
6493	<b>2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	6507	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051702C C/W: 4000 psi Rating, Water Heater, 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available
6494	<b>Quantity of (4) 2023 Suihe N-1.5CY 1.5 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available	6508	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051703C C/W: 4000 psi Rating, Water Heater, 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available
6495	<b>Quantity of (2) 2023 Suihe N-1.5CY 1.5 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	6509	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051704C C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 13 hp Gasoline Engine Usage: Not Available
6496	<b>Quantity of (4) 2023 Suihe N-1CY 1 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available	6510	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051701E C/W: 4000 psi Rating, Water Heater, 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available
6497	<b>Quantity of (4) 2023 Suihe N-1CY 1 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available	6511	<b>2023 AGROTK HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023051702E C/W: 4000 psi Rating, Water Heater, 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available
6498	<b>Quantity of (4) 2023 Suihe N-1CY 1 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available	6512	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233038 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
6499	<b>2023 Suihe VG Vibratory Screen (Unused)</b> S/N: Not Available C/W: 5 ft x 4 ft Double Deck Screen, 58 in Wide Feed Conveyor, 58 in Wide Fines Discharge Conveyor, 72 in Wide Under Crusher Conveyor Usage: Not Available		
6501	<b>Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 2 in Intake Usage: Not Available		
6502	<b>Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 2 in Intake Usage: Not Available		

Lot #	Details	Lot #	Details
6513	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233037 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	6524	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
6514	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233036 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	6525	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
6515	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233039 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	6526	<b>2023 SDLOOL SL80LC Jumping Jack Tamper (Unused)</b> S/N: 007-22 C/W: 2023 US EPA Label, 1 Cylinder 4 hp Gasoline Engine Usage: Not Available
6516	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233040 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	6527	<b>Mustang ML80E Jumping Jack Tamper (Unused)</b> S/N: Not Available C/W: 2022 US EPA Label, Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
6517	<b>2023 Magnum Gold Pressure Washer (Unused)</b> S/N: 233035 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	6528	<b>Mustang ML80E Jumping Jack Tamper (Unused)</b> S/N: Not Available C/W: 2022 US EPA Label, Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
6518	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: LAM23042 C/W: US EPA Label Usage: Not Available	6529	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023041201C Usage: Not Available
6519	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: LAM23001 Usage: Not Available	6530	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023041202C Usage: Not Available
6520	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6531	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023051701C Usage: Not Available
6521	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6532	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023051702C Usage: Not Available
6522	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6533	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023051703C Usage: Not Available
6523	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6534	<b>2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATK-B100023051704C Usage: Not Available
		6535	<b>2023 10000 lbs Two Post Car Lift (Unused)</b> S/N: Not Available Usage: Not Available
		6536	<b>2023 10000 lb Two Post Car Lift (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6537	<b>TMG Two Post Car Lift</b> S/N: Not Available Usage: Not Available	6553	<b>50 ft Reel Diesel Fuel Pump (Unused)</b> S/N: Not Available C/W: 12 v Pump, Meter Usage: Not Available
6538	<b>TMG SP150 150 ton Hydraulic Shop Press (Unused)</b> S/N: Not Available Usage: Not Available	6554	<b>Quantity of (2) Diesel Fuel Pump (Unused)</b> S/N: Not Available C/W: Fuel Pump, 12 v Pump, Meter Usage: Not Available
6539	<b>2023 100 ton Hydraulic Shop Press (Unused)</b> S/N: Not Available Usage: Not Available	6555	<b>Quantity of (2) Diesel Fuel Pump (Unused)</b> S/N: Not Available C/W: 12 v Pump, Meter Usage: Not Available
6540	<b>2023 100 ton Hydraulic Shop Press (Unused)</b> S/N: Not Available Usage: Not Available	6556	<b>Quantity of (2) 2023 Fuel Pump (Unused)</b> S/N: Not Available Usage: Not Available
6541	<b>2023 50 ton Hydraulic Shop Press (Unused)</b> S/N: Not Available Usage: Not Available	6557	<b>2023 Suihe WW 20000 lb Wireless Winch (Unused)</b> S/N: Not Available Usage: Not Available
6542	<b>2023 50 ton Hydraulic Shop Press (Unused)</b> S/N: Not Available Usage: Not Available	6558	<b>2023 Suihe WW 20000 lb Wireless Winch (Unused)</b> S/N: Not Available Usage: Not Available
6543	<b>2023 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6559	<b>2023 400 lb Steel Anvil (Unused)</b> S/N: Not Available Usage: Not Available
6544	<b>2023 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6560	<b>2023 200 lb Steel Anvil (Unused)</b> S/N: Not Available Usage: Not Available
6545	<b>2023 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6561	<b>2023 Suihe A200 200 lb Cast Iron Anvil (Unused)</b> S/N: Not Available Usage: Not Available
6546	<b>2023 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6562	<b>2023 Suihe A200 200 lb Cast Iron Anvil (Unused)</b> S/N: Not Available Usage: Not Available
6547	<b>2023 Vicsec VC13H Hydraulic Power Pack (Unused)</b> S/N: HYP0026 C/W: Briggs & Stratton 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available	6563	<b>Quantity of (48) 2023 SKLP SK003 Ratchet Straps (Unused)</b> S/N: 007-23 Usage: Not Available
6548	<b>2023 Vicsec VC13H Hydraulic Power Pack (Unused)</b> S/N: HYP0027 C/W: Briggs & Stratton 1 Cylinder 13 hp 420 cc Gasoline Engine Usage: Not Available	6564	<b>Quantity of 2023 SKLP SK001 Ratchet Binders (Unused)</b> S/N: 007-26 Usage: Not Available
6549	<b>Global GRH-60L Fuel Pump (Unused)</b> S/N: GRP118 Usage: Not Available	6565	<b>Quantity of (12) 2023 TIF 2 in Ratchet Straps &amp; Tool Box (Unused)</b> S/N: Not Available C/W: 12 per box Usage: Not Available
6550	<b>2023 Fuel Solution Srl 4FHose Reel 65 ft Fuel Hose Reel (Unused)</b> S/N: Not Available Usage: Not Available	6566	<b>Quantity of (12) 2023 TIF 2 in Ratchet Straps &amp; Tool Box (Unused)</b> S/N: Not Available C/W: 12 per box Usage: Not Available
6551	<b>2023 Fuel Solution Srl 4FHose Reel 65 ft Fuel Hose Reel (Unused)</b> S/N: Not Available Usage: Not Available		
6552	<b>50 ft Reel Diesel Fuel Pump (Unused)</b> S/N: Not Available C/W: Fuel Pump, 12 v Pump, Meter Usage: Not Available		

Lot #	Details	Lot #	Details
6567	Quantity of (12) 2023 TIF 2 in Ratchet Straps & Tool Box (Unused) S/N: Not Available C/W: 12 per box Usage: Not Available	6580	Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available
6568	Quantity of (12) 2023 TIF 2 in Ratchet Straps & Tool Box (Unused) S/N: Not Available C/W: 12 per box Usage: Not Available	6581	Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available
6569	Quantity of (12) 2023 TIF 2 in Ratchet Straps & Tool Box (Unused) S/N: Not Available C/W: 12 per box Usage: Not Available	6582	Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available
6570	Quantity of (4) 2023 TIF 5400 lb Ratchet Binders & 20 ft Chain (Unused) S/N: Not Available Usage: Not Available	6583	Quantity of 2023 Diggitt Ratchet Tie Down (Unused) S/N: RTD23060701 Usage: Not Available
6571	Quantity of (4) 2023 TIF 5400 lb Ratchet Binders & 20 ft Chain (Unused) S/N: Not Available Usage: Not Available	6584	Quantity of 2023 Diggitt Ratchet Tie Down (Unused) S/N: RTD23060802 Usage: Not Available
6572	Quantity of (4) 2023 TIF 5400 lb Ratchet Binders & 20 ft Chain (Unused) S/N: Not Available Usage: Not Available	6585	Quantity of 2023 Diggitt Ratchet Tie Down (Unused) S/N: Not Available Usage: Not Available
6573	Quantity of (4) 2023 TIF 5400 lb Ratchet Binders & 20 ft Chain (Unused) S/N: Not Available Usage: Not Available	6586	Quantity of (16) 2023 Auto Darkening Welding Helmet (Unused) S/N: Not Available Usage: Not Available
6574	Quantity of (5) 2023 Suihe BC 9200 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6587	Quantity of (16) 2023 Auto Darkening Welding Helmet (Unused) S/N: Not Available Usage: Not Available
6575	Quantity of (5) 2023 Suihe BC 9200 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6588	2023 Diggitt Electric Dust Suppression Cannon (Unused) S/N: DH3520231146 Usage: Not Available
6576	Quantity of (5) 2023 Suihe BC 5400 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6589	2023 Diggitt Electric Dust Suppression Cannon (Unused) S/N: WMM23060702 Usage: Not Available
6577	Quantity of (5) 2023 Suihe BC 5400 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6590	2023 Diggitt Electric Dust Suppression Cannon (Unused) S/N: DH3520231178 Usage: Not Available
6578	Quantity of (24) 2023 Suihe R24 Ratchet Straps (Unused) S/N: Not Available Usage: Not Available	6591	2023 Diggitt Electric Dust Suppression Cannon (Unused) S/N: DH3520231179 Usage: Not Available
6579	Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available	6594	Quantity of (3) Pneumatic Grease Pumps (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6595	<b>Quantity of (2) Teran 7H1680 Grease Pumps (Unused)</b> S/N: Not Available C/W: 20Kgs Capacity Includes 5 ft Long 1.5 Mts Steel-Wired Hose Couplings on both ends and 5 Grease Nipples Usage: Not Available	6608	<b>Quantity of 2023 Diggitt Screw Pin Anchor Shackle (Unused)</b> S/N: Not Available Usage: Not Available
6596	<b>Quantity of (10) Teran 8F9866 Grease Guns (Unused)</b> S/N: Not Available C/W: c/w: 6 in Pipe Usage: Not Available	6609	<b>Quantity of 2023 Diggitt Screw Pin Anchor Shackle (Unused)</b> S/N: Not Available Usage: Not Available
6597	<b>Quantity of (22) 2023 Suihe WS22 Webbing Sling (Unused)</b> S/N: Not Available Usage: Not Available	6610	<b>2023 45 Gun Safe (Unused)</b> S/N: Not Available C/W: 40 in Wide x 63 in High x 22 in Deep Usage: Not Available
6598	<b>2023 Suihe DLS Double Leg Chain Sling (Unused)</b> S/N: Not Available Usage: Not Available	6611	<b>2023 45 Gun Safe (Unused)</b> S/N: Not Available C/W: 40 in Wide x 63 in High x 22 in Deep Usage: Not Available
6599	<b>2023 Suihe DLS Double Leg Chain Sling (Unused)</b> S/N: Not Available Usage: Not Available	6612	<b>2023 45 Gun Safe (Unused)</b> S/N: Not Available C/W: 40 in Wide x 63 in High x 22 in Deep Usage: Not Available
6600	<b>2023 Suihe DLS Double Leg Chain Sling (Unused)</b> S/N: Not Available Usage: Not Available	6613	<b>2023 14 Gun Safe (Unused)</b> S/N: Not Available C/W: 20 in Wide x 55 in High x 17 in Deep Usage: Not Available
6601	<b>2023 Suihe DLS Double Leg Chain Sling (Unused)</b> S/N: Not Available Usage: Not Available	6614	<b>2023 14 Gun Safe (Unused)</b> S/N: Not Available C/W: 20 in Wide x 55 in High x 17 in Deep Usage: Not Available
6602	<b>Quantity of (38) 2023 SKLP SK002 Shackle (Unused)</b> S/N: 007-24 Usage: Not Available	6615	<b>2023 14 Gun Safe (Unused)</b> S/N: Not Available C/W: 20 in Wide x 55 in High x 17 in Deep Usage: Not Available
6603	<b>Quantity of (38) 2023 SKLP SK002 Shackle (Unused)</b> S/N: 007-25 Usage: Not Available	6616	<b>2023 Handy HBDM72 45 in Skid Steer Mulcher (Unused)</b> S/N: BDM202305232 Usage: Not Available
6604	<b>Quantity of (38) 2023 Suihe S38 Shackle (Unused)</b> S/N: Not Available Usage: Not Available	6617	<b>2023 Handy HBDM72 45 in Skid Steer Mulcher (Unused)</b> S/N: BDM202305233 Usage: Not Available
6605	<b>Quantity of 2023 Diggitt 1-1/4 in, 12 ton Screw Pin Anchor Shackle (Unused)</b> S/N: Not Available Usage: Not Available	6618	<b>2023 Handy HDM70 45 in Skid Steer Mulcher (Unused)</b> S/N: DM202304212 Usage: Not Available
6606	<b>Quantity of 2023 Diggitt 1-1/8 in, 9.5 ton Screw Pin Anchor Shackle (Unused)</b> S/N: Not Available Usage: Not Available	6619	<b>2023 Top Cat SSDFM60 45 in Forestry Skid Steer Mulcher (Unused)</b> S/N: SSDFM6023051701E Usage: Not Available
6607	<b>Quantity of (40) Diggitt 1 in, 8.5 ton Screw Pin Anchor Shackle (Unused)</b> S/N: Not Available Usage: Not Available	6620	<b>2023 Top Cat SSDFM60 45 in Forestry Skid Steer Mulcher (Unused)</b> S/N: SSDFM6023051702E Usage: Not Available
		6621	<b>2023 Top Cat SSFM81 45 in Forestry Skid Steer Mulcher (Unused)</b> S/N: SSFM8123051701F C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6622	<b>2023 Top Cat SSFM81 45 in Forestry Skid Steer Mulcher (Unused)</b> S/N: SSFM8123051702F C/W: Quick Coupler Bracket Usage: Not Available	6633	<b>2023 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051701F C/W: Quick Coupler Bracket Usage: Not Available
6623A	<b>2015 FAE 140/U/ST-150 64 in Skid Steer Mulcher</b> S/N: 150043 C/W: Quick Coupler Bracket Usage: Not Available	6634	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051705C Usage: Not Available
6623	<b>Fecon 65 in Skid Steer Mulcher</b> S/N: 00BH074011805 Usage: Not Available	6635	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051702C Usage: Not Available
6624	<b>2023 Top Cat BDRC 77 in Articulating Skid Steer Brush Cutter (Unused)</b> S/N: BDRC23051702C C/W: Quick Coupler Bracket Usage: Not Available	6636	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051701D Usage: Not Available
6625	<b>2023 Top Cat BDRC 45 in Articulating Skid Steer Brush Cutter (Unused)</b> S/N: BDRC23051701C Usage: Not Available	6637	<b>2023 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051704F C/W: Quick Coupler Bracket Usage: Not Available
6626	<b>Blue Diamond 903875 Articulating Skid Steer Brush Cutter</b> S/N: 156603 Usage: Not Available	6638	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051703D Usage: Not Available
6627	<b>2023 Top Cat HDRC72 Skid Steer Brush Cutter (Unused)</b> S/N: HDRC23051701C C/W: Quick Coupler Bracket Usage: Not Available	6639	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051703F C/W: Quick Coupler Bracket Usage: Not Available
6628	<b>2023 Top Cat HDRC72 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HDRC23051701D C/W: Quick Coupler Bracket Usage: Not Available	6640	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051702D Usage: Not Available
6629	<b>2023 Top Cat HCRC72 Skid Steer Brush Cutter (Unused)</b> S/N: HCRC23051701C Usage: Not Available	6641	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051705D Usage: Not Available
6630	<b>2023 Top Cat HCRC72 Skid Steer Brush Cutter (Unused)</b> S/N: HCRC23051702C C/W: Quick Coupler Bracket Usage: Not Available	6642	<b>2023 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051705F C/W: Quick Coupler Bracket Usage: Not Available
6631	<b>2023 Top Cat HFRC72 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC23051701D C/W: Quick Coupler Bracket Usage: Not Available	6643	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051701C Usage: Not Available
6632	<b>2023 Top Cat HFRC72 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC23051702D C/W: Quick Coupler Bracket Usage: Not Available	6644	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051704C Usage: Not Available
		6645	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051704D Usage: Not Available

Lot #	Details	Lot #	Details
6646	<b>2023 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051702F C/W: Quick Coupler Bracket Usage: Not Available	6667A	<b>Wolverine 72 in Skid Steer Brush Cutter</b> S/N: Not Available Usage: Not Available
6647	<b>2023 Mower King SSRC 45 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23051703C Usage: Not Available	6667	<b>Blue Diamond 403850 44 in Skid Steer Brush Cutter</b> S/N: 123835 C/W: Quick Coupler Bracket Usage: Not Available
6648	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter</b> S/N: Not Available Usage: Not Available	6668	<b>2023 Mower King SSEFGC175 45 in Side Shift Flail Skid Steer Mower (Unused)</b> S/N: SSEFGC17523051701E Usage: Not Available
6650	<b>All-Star 80 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6669	<b>2023 Mower King SSEFGC175 45 in Side Shift Flail Skid Steer Mower (Unused)</b> S/N: SSEFGC17523051702E Usage: Not Available
6651	<b>All-Star 80 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6672	<b>Kosch 72 in Sickle Bar Skid Steer Mower</b> S/N: SS0738 Usage: Not Available
6652	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6673	<b>Teran THH400B-SSL Skid Steer Breaker (Unused)</b> S/N: CAA3153B54HR C/W: Quick Coupler Bracket, For Skid Steer Loader Cat 226-299 With Mounting Plate included -68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
6653	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6675	<b>2023 Jisan JSB400 Skid Steer Breaker (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6654	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6676	<b>2023 Jisan JSB400 Skid Steer Breaker (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6655	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6678	<b>2023 AGROTK SSHH680 45 in Skid Steer Breaker (Unused)</b> S/N: SSHH68023051701D C/W: Quick Coupler Bracket Usage: Not Available
6656	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6679	<b>2023 AGROTK SSHH680 45 in Skid Steer Breaker (Unused)</b> S/N: SSHH68023051702D C/W: Quick Coupler Bracket Usage: Not Available
6662	<b>2023 Suihe SSBC 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6681	<b>2023 AGROTK SSHH680 45 in Skid Steer Breaker (Unused)</b> S/N: SSHH68023051701E C/W: Quick Coupler Bracket Usage: Not Available
6663	<b>2023 Suihe SSBC 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
6665	<b>Blue Diamond 903132 72 in Skid Steer Brush Cutter</b> S/N: 162704U Usage: Not Available		
6666	<b>Blue Diamond 50 in Skid Steer Brush Cutter</b> S/N: 133914 C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
6682	<b>2023 AGROTK SSHH680 45 in Skid Steer Breaker (Unused)</b> S/N: SSHH68023051702E C/W: Quick Coupler Bracket Usage: Not Available	6697	<b>2016 Kent FX45CP-QA Skid Steer Breaker</b> S/N: 6441 Usage: Not Available
6683	<b>2023 AGROTK SSHH680 45 in Skid Steer Breaker (Unused)</b> S/N: SSHH68023051703E C/W: Quick Coupler Bracket Usage: Not Available	6698	<b>2016 Kent FX45CP-QA Skid Steer Breaker</b> S/N: 6605 C/W: Quick Coupler Bracket Usage: Not Available
6686	<b>2023 Agrotk SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68023051702C C/W: Quick Coupler Bracket Usage: Not Available	6699	<b>2015 Stanley MB05-S04 55 in Skid Steer Breaker</b> S/N: 011816003 C/W: Quick Coupler Bracket Usage: Not Available
6687	<b>2023 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68023051703C C/W: Quick Coupler Bracket Usage: Not Available	6700A	<b>45 in Skid Steer Breaker</b> S/N: Not Available Usage: Not Available
6688	<b>2023 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68023051704C C/W: Quick Coupler Bracket Usage: Not Available	6700	<b>Stanley MB55601 45 in Skid Steer Breaker (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6689	<b>2023 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68023051705C C/W: Quick Coupler Bracket Usage: Not Available	6701A	<b>Cat PC412B 48 in Skid Steer Planer</b> S/N: Not Available Usage: Not Available
6690	<b>2023 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68023020401A Usage: Not Available	6701	<b>Coneqtec 19 in Skid Steer Planer</b> S/N: Not Available Usage: Not Available
6691	<b>AGROTK SSHH680 Skid Steer Breaker</b> S/N: SSHH68022 Usage: Not Available	6702	<b>2023 Suihe SSC 45 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available Usage: Not Available
6693	<b>Agrotk 680 Skid Steer Breaker</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6703	<b>2023 Suihe SSC 45 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available Usage: Not Available
6694A	<b>2022 Trojan TH35 Skid Steer Breaker (Unused)</b> S/N: SB30YOM202270118 C/W: Quick Coupler Bracket Usage: Not Available	6704	<b>All-Star 80 in Skid Steer Grapple</b> S/N: Not Available Usage: Not Available
6694	<b>2022 Trojan TH35 SSL Skid Steer Breaker</b> S/N: SB30YOM202270140 C/W: Quick Coupler Bracket Usage: Not Available	6705	<b>All-Star 78 in Skeleton Skid Steer Grapple</b> S/N: Not Available Usage: Not Available
6695	<b>2015 Cat H55E Skid Steer Breaker</b> S/N: 3X901001 C/W: Quick Coupler Bracket Usage: Not Available	6706	<b>All-Star 74 in Skid Steer Grapple</b> S/N: Not Available Usage: Not Available
6696	<b>2016 Kent FX45CP-QA Skid Steer Breaker</b> S/N: FX45-5051 C/W: Quick Coupler Bracket Usage: Not Available	6707	<b>All-Star 72 in Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available
		6708	<b>All-Star 68 in Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available
		6709	<b>All-Star 60 in Skid Steer Grapple</b> S/N: Not Available Usage: Not Available
		6710	<b>All-Star 60 in Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available



Lot #	Details	Lot #	Details
6711	<b>All-Star 48 in Skid Steer Grapple</b> S/N: Not Available Usage: Not Available	6726	<b>All-Star 45 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available
6713	<b>Kubota RG3080 80 in Skid Steer Grapple</b> S/N: 1133992K C/W: Quick Coupler Bracket Usage: Not Available	6727	<b>Mid-State 72 in Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available
6714	<b>2016 Bobcat 7165486 72 in Skid Steer Grapple</b> S/N: AE6H05798 C/W: Quick Coupler Bracket Usage: Not Available	6731	<b>2016 Bobcat 7168340 68 in 23 m3 Skid Steer Grapple Bucket</b> S/N: AF0R06236 Usage: Not Available
6715	<b>Blue Diamond 106043-26 50 in Skid Steer Grapple</b> S/N: 147763 Usage: Not Available	6732	<b>2017 Bobcat 7168340 68 in Skid Steer Grapple Bucket</b> S/N: AF0R07432 Usage: Not Available
6716	<b>37 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6733	<b>2017 Bobcat 7168340 68 in Skid Steer Grapple Bucket</b> S/N: AF0R07219 Usage: Not Available
6717	<b>2023 Suihe SSGB-72 72 in Skeleton Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6734	<b>Blue Diamond 106027-25 37.5 in Skid Steer Grapple Bucket</b> S/N: 159758 Usage: Not Available
6718	<b>2023 Suihe SSGB-72 72 in Skeleton Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6735	<b>Blue Diamond 106027-26 37.5 in Skid Steer Grapple Bucket</b> S/N: 130827 Usage: Not Available
6719	<b>All-Star 80 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6736	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6720	<b>All-Star 78 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6737	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6721	<b>All-Star 78 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6738	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6722	<b>All-Star 72 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6739	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6723	<b>All-Star 72 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6740	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6724	<b>All-Star 72 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6741	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6725	<b>All-Star 72 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6742	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6743	<b>2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available	6762	<b>2023 Mower King SSBM72 45 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7223051702F C/W: Quick Coupler Bracket Usage: Not Available
6744	<b>All-Star 84 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6766A	<b>Sweepster 74 in Skid Steer Sweeper</b> S/N: Not Available Usage: Not Available
6745	<b>All-Star 84 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6766	<b>45 in Skid Steer Sweeper</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6747	<b>All-Star 74 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available	6767	<b>2023 Handy HSGB96 45 in Skid Steer Grader (Unused)</b> S/N: GB202305431 Usage: Not Available
6748	<b>All-Star 72 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6768	<b>2023 Handy HSGB96 45 in Skid Steer Grader (Unused)</b> S/N: GB202305433 Usage: Not Available
6749	<b>All-Star 72 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6769	<b>2023 Handy HSGB96 45 in Skid Steer Grader (Unused)</b> S/N: GB202305432 Usage: Not Available
6750	<b>All-Star 68 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6770	<b>2023 Top Cat SSSG72 72 in Skid Steer Grader (Unused)</b> S/N: SSSG7223051701D C/W: Quick Coupler Bracket Usage: Not Available
6751	<b>All-Star 66 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6771	<b>2023 Top Cat SSSG72 72 in Skid Steer Grader (Unused)</b> S/N: SSSG7223051702D C/W: Quick Coupler Bracket Usage: Not Available
6752	<b>Mid-State 60 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6772	<b>2023 Suihe SSG 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6753	<b>Mid-State 48 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available	6773	<b>2023 Diggitt CMA-PDJ 96 in Skid Steer Grader (Unused)</b> S/N: GDR962304281 C/W: Quick Coupler Bracket Usage: Not Available
6756	<b>2023 Mower King SSAB72 45 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7223051701F C/W: Quick Coupler Bracket Usage: Not Available	6774	<b>2023 Diggitt CMA-PDJ 98 in Skid Steer Grader (Unused)</b> S/N: GDR962304268 C/W: Quick Coupler Bracket Usage: Not Available
6757	<b>2023 Mower King SSAB72 45 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7223051702F C/W: Quick Coupler Bracket Usage: Not Available	6775	<b>2023 Diggitt CMA-PDJ 98 in Skid Steer Grader (Unused)</b> S/N: CMAPDJ2302250 C/W: Quick Coupler Bracket Usage: Not Available
6758	<b>All-Star 72 in Skid Steer Broom</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6776	<b>2023 Diggitt CMA-PDJ 98 in Skid Steer Grader (Unused)</b> S/N: CMAPDJ2302203 C/W: Quick Coupler Bracket Usage: Not Available
6759	<b>2023 Mower King SSBM72 45 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7223051701D Usage: Not Available		
6760	<b>2023 Mower King SSBM72 45 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7223051701E Usage: Not Available		
6761	<b>2023 Mower King SSBM72 45 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7223051701F C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
6779	<b>2022 Handy HSGB96 96 in Skid Steer Grader</b> S/N: GB211112135 C/W: Quick Coupler Bracket Usage: Not Available	6794	<b>2023 Handy HSC78 45 in Skid Steer Power Rake (Unused)</b> S/N: SC202305486 Usage: Not Available
6780	<b>45 in Skid Steer Grader</b> S/N: Not Available Usage: Not Available	6795	<b>2023 Top Cat SSSCR72 45 in Skid Steer Power Rake (Unused)</b> S/N: SSSCR7223051701F C/W: Quick Coupler Bracket Usage: Not Available
6781	<b>2023 Mower King SPA84 45 in Skid Steer Dozer (Unused)</b> S/N: SPA8423051701C Usage: Not Available	6796	<b>2023 Top Cat SSSCR72 45 in Skid Steer Power Rake (Unused)</b> S/N: SSSCR7223051702F C/W: Quick Coupler Bracket Usage: Not Available
6782	<b>2023 Mower King SPA84 45 in Skid Steer Dozer (Unused)</b> S/N: SPA8423051702C Usage: Not Available	6797	<b>2023 Suihe SSPR 45 in Skid Steer Power Rake (Unused)</b> S/N: Not Available Usage: Not Available
6783	<b>All-Star 72 in Skid Steer Dozer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6798	<b>2023 Top Cat ECSSLR72 45 in Skid Steer Landscape Rake (Unused)</b> S/N: ECSSLR7223051701D Usage: Not Available
6784	<b>Cat 92 in Skid Steer Dozer</b> S/N: A4181BD30005 C/W: Quick Coupler Bracket Usage: Not Available	6799	<b>2023 Top Cat ECSSLR72 45 in Skid Steer Landscape Rake (Unused)</b> S/N: ECSSLR7223051702D Usage: Not Available
6785	<b>TMG TMG-DB86 86 in Angle Skid Steer Dozer</b> S/N: BL2021020221 C/W: Quick Coupler Bracket Usage: Not Available	6803	<b>2023 Mower King ECSSTR072 45 in Rotary Skid Steer Tiller (Unused)</b> S/N: ECSSTR07223051701C Usage: Not Available
6786	<b>87 in Angle Skid Steer Dozer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6804	<b>2023 Mower King ECSSTR072 45 in Rotary Skid Steer Tiller (Unused)</b> S/N: ESSTR07223051701G C/W: Quick Coupler Bracket Usage: Not Available
6787	<b>2023 Handy HVR76 45 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202305221 Usage: Not Available	6805	<b>2023 Mower King ECSSTR072 45 in Rotary Skid Steer Tiller (Unused)</b> S/N: ESSTR07223051702G C/W: Quick Coupler Bracket Usage: Not Available
6788	<b>2023 Handy HVR76 45 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202305222 Usage: Not Available	6806	<b>2023 Suihe SSTL 45 in Skid Steer Tiller (Unused)</b> S/N: Not Available Usage: Not Available
6789	<b>2023 Handy HVR76 45 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202305223 Usage: Not Available	6807	<b>2023 Suihe SSTL 45 in Skid Steer Tiller (Unused)</b> S/N: Not Available Usage: Not Available
6790	<b>2023 Suihe SSVR-72 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: Not Available Usage: Not Available	6808	<b>All-Star 45 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6792	<b>2023 Handy HSC78 45 in Skid Steer Power Rake (Unused)</b> S/N: SC202305484 Usage: Not Available	6809	<b>All-Star 45 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6793	<b>2023 Handy HSC78 45 in Skid Steer Power Rake (Unused)</b> S/N: SC202305485 Usage: Not Available		

Lot #	Details	Lot #	Details
6816	2023 Mower King SSECAGY 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23041201C Usage: Not Available	6829	AGROTK ECAG Skid Steer Auger S/N: Not Available Usage: Not Available
6817	2023 Mower King SSECAGY 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051701C Usage: Not Available	6830A	45 in Skid Steer Auger S/N: Not Available Usage: Not Available
6818	2023 Mower King SSECAGY 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051702C Usage: Not Available	6830	2016 Bobcat 15C Skid Steer Auger S/N: 944253693 C/W: Quick Coupler Bracket, Does not include Auger Bit Usage: Not Available
6819	2023 Mower King SSECAGY 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051703C Usage: Not Available	6831	2023 Suihe SSBH 45 in Skid Steer Backhoe (Unused) S/N: Not Available Usage: Not Available
6820	2023 Mower King SSECAGY 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051704C C/W: Quick Coupler Bracket Usage: Not Available	6836	2023 Mower King ECSSCT72 45 in Skid Steer Trencher (Unused) S/N: ECSSCT7223041201C Usage: Not Available
6821	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23041202C Usage: Not Available	6837	2023 Mower King ECSSCT72 45 in Skid Steer Trencher (Unused) S/N: ECSSCT7223041202C Usage: Not Available
6822	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051701F C/W: Quick Coupler Bracket Usage: Not Available	6838	2023 Mower King ECSSCT72 45 in Skid Steer Trencher (Unused) S/N: ECSSCT7223051701F C/W: Quick Coupler Bracket Usage: Not Available
6823	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23051702F C/W: Quick Coupler Bracket Usage: Not Available	6839	2023 Mower King ECSSCT72 45 in Skid Steer Trencher (Unused) S/N: ECSSCT7223051702F C/W: Quick Coupler Bracket Usage: Not Available
6824	2023 Handy HHB4500 45 in Skid Steer Auger (Unused) S/N: HB202305127 Usage: Not Available	6840	2023 Mower King ECSSCT72 45 in Skid Steer Trencher (Unused) S/N: ECSSCT7223051703F C/W: Quick Coupler Bracket Usage: Not Available
6825	2023 Suihe SSA 45 in Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6841	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223051704F C/W: Quick Coupler Bracket Usage: Not Available
6826	2023 Suihe SSA 45 in Skid Steer Auger (Unused) S/N: Not Available Usage: Not Available	6842	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223051705F C/W: Quick Coupler Bracket Usage: Not Available
6827	2023 Suihe SSA 45 in Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6843	2023 Handy HST48 48 in Skid Steer Trencher (Unused) S/N: TR202305453 Usage: Not Available
6828	2023 Suihe SSA 45 in Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6844	2023 Handy HST48 48 in Skid Steer Trencher (Unused) S/N: TR202305454 Usage: Not Available

Lot #	Details	Lot #	Details
6845	2023 Suihe SST-1000/200 48 in Skid Steer Trencher (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6859	2023 Handy HRT43 45 in Skid Steer Rock and Tree Handler (Unused) S/N: RTH202305377 Usage: Not Available
6846	2023 Suihe SST-1000/200 48 in Skid Steer Trencher (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6860	2023 Handy HRT43 45 in Skid Steer Rock and Tree Handler (Unused) S/N: RTH202305379 Usage: Not Available
6847	2016 Toro 22474 42 in Skid Steer Trencher S/N: 316000150 Usage: Not Available	6861	2023 Handy HRT43 45 in Skid Steer Rock and Tree Handler (Unused) S/N: RTH202305378 Usage: Not Available
6848	2023 Handy HSG31 45 in Skid Steer Stump Grinder (Unused) S/N: SG202305154 Usage: Not Available	6862	2023 Handy HSRC12 45 in Skid Steer Pole Clamp (Unused) S/N: RC202305458 Usage: Not Available
6849	2023 Handy HSG31 45 in Skid Steer Stump Grinder (Unused) S/N: SG202305155 Usage: Not Available	6863	2023 Handy HSRC12 45 in Skid Steer Pole Clamp (Unused) S/N: RC202305457 Usage: Not Available
6850	2023 Handy HSSG27 45 in Skid Steer Stump Grinder (Unused) S/N: SG202305588 Usage: Not Available	6864	Fecon Skid Steer Log Grapple S/N: 314003 C/W: Quick Coupler Bracket Usage: Not Available
6851	2023 Handy HSSG27 45 in Skid Steer Stump Grinder (Unused) S/N: SG202305589 Usage: Not Available	6865	2021 Vermeer LG46 Skid Steer Log Grapple S/N: 1VRW030EAM1002129 Usage: Not Available
6852	2023 Handy HSSG27 45 in Skid Steer Stump Grinder (Unused) S/N: SG202305590 Usage: Not Available	6866	Blue Diamond Skid Steer Log Grapple S/N: 144318 C/W: Quick Coupler Bracket Usage: Not Available
6853	2023 Top Cat ECSSSTG200 45 in Skid Steer Stump Grinder (Unused) S/N: ECSSSTG20023051701F Usage: Not Available	6867	Blue Diamond Skid Steer Log Grapple S/N: 153253U Usage: Not Available
6854	2023 Top Cat ECSSSTG200 45 in Skid Steer Stump Grinder (Unused) S/N: ECSSSTG20023051702F C/W: Quick Coupler Bracket Usage: Not Available	6868	2023 Top Cat ECSSRB Skid Steer Tree Shear (Unused) S/N: ECSSRB23051701D Usage: Not Available
6855	2018 Bradco SG15 Skid Steer Stump Grinder S/N: 508230 C/W: Quick Coupler Bracket Usage: Not Available	6869	2023 Suihe SSTG-S Skid Steer Tree Shear (Unused) S/N: Not Available C/W: 45 in Usage: Not Available
6856	2018 Bradco SG15 10 in Skid Steer Stump Grinder S/N: 489804 C/W: 16" Grinding wheel Usage: Not Available	6870	All-Star 45 in Skid Steer Tree Shear S/N: Not Available Usage: Not Available
6858	2022 MSG100 Skid Steer Stump Grinder S/N: 05092209003 C/W: Quick Coupler Bracket Usage: Not Available	6871	Sidney HTC3 Skid Steer Tree Shear S/N: 02015 Usage: Not Available
		6872	2023 Mower King SSBX42S 45 in Skid Steer Chipper (Unused) S/N: SSBX42S23051701C Usage: Not Available
		6873A	2021 Mower King SSBX42S Skid Steer Chipper S/N: 21050302 Usage: Not Available

Lot #	Details	Lot #	Details
6873	<b>2023 Mower King SSBX42S 45 in Skid Steer Chipper (Unused)</b> S/N: SSBX42S23051702C Usage: Not Available	6892	<b>Blue Diamond 108786 72 in Multi-Purpose Skid Steer Bucket</b> S/N: 164137 Usage: Not Available
6874	<b>2023 Agrotk STSD10 70 in Skid Steer Seeder (Unused)</b> S/N: STSD1023051701E C/W: Quick Coupler Bracket Usage: Not Available	6893	<b>Blue Diamond 48 in Multi-Purpose Skid Steer Bucket</b> S/N: 128493 C/W: Quick Coupler Bracket Usage: Not Available
6875	<b>2023 Agrotk STSD10 70 in Skid Steer Seeder (Unused)</b> S/N: STSD1023051702E C/W: Quick Coupler Bracket Usage: Not Available	6894	<b>2023 Kit Containers QT-SNB-84 84 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6879	<b>2023 Suihe SSM Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6895	<b>2023 Kit Containers QT-SNB-84 84 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6882	<b>2023 Agrotk PD750-PZ Skid Steer Post Driver (Unused)</b> S/N: PD750-PZ23051701D C/W: Quick Coupler Bracket Usage: Not Available	6896	<b>Mid-State 80 in High Volume Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6884	<b>AGROTK PD680-PZ Skid Steer Post Driver</b> S/N: PD680PZ22080902 Usage: Not Available	6897	<b>Mid-State 78 in High Volume Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6885	<b>All-Star 45 in Skid Steer Post Puller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6898	<b>Mid-State 72 in High Volume Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6886	<b>2023 Handy HSRP72 45 in Skid Steer Rock Picker (Unused)</b> S/N: RP202305390 Usage: Not Available	6899	<b>All-Star 74 in High Volume Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6887	<b>2023 Suihe SSB-S 80 in Skid Steer Rock Picker (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6900	<b>Mid-State 68 in High Volume Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6888	<b>2023 Handy HVS72 45 in Screening Skid Steer Bucket (Unused)</b> S/N: VSB202305446 Usage: Not Available	6901	<b>2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6889	<b>2023 Handy HVS72 45 in Screening Skid Steer Bucket (Unused)</b> S/N: VSB202305447 Usage: Not Available	6902	<b>2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6890	<b>2023 Handy HVS72 45 in Screening Skid Steer Bucket (Unused)</b> S/N: VSB202305448 Usage: Not Available	6903	<b>2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6891	<b>2023 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT23051701D C/W: Quick Coupler Bracket Usage: Not Available	6904	<b>2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6905	<b>Mid-State 80 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6920	<b>Blue Diamond 108150 66 in Skid Steer Bucket</b> S/N: 160478 Usage: Not Available
6906	<b>All-Star 80 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6921	<b>66 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6907	<b>78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6922	<b>Blue Diamond 108090-25 60 in Skid Steer Bucket</b> S/N: 135039 Usage: Not Available
6908	<b>All-Star 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6923	<b>Blue Diamond 108090-25 60 in Skid Steer Bucket</b> S/N: 135040 Usage: Not Available
6909	<b>All-Star 74 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6924	<b>Blue Diamond 108090-25 60 in Skid Steer Bucket</b> S/N: 133873 Usage: Not Available
6910	<b>All-Star 74 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6925	<b>Blue Diamond 108095-25 60 in Skid Steer Bucket</b> S/N: 155761 Usage: Not Available
6911	<b>Mid-State 74 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6926	<b>Blue Diamond 108062-26 52 in Skid Steer Bucket</b> S/N: 155196 Usage: Not Available
6912	<b>72 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6927	<b>Blue Diamond 108052-26 50 in Skid Steer Bucket</b> S/N: 142687 Usage: Not Available
6913	<b>Mid-State 72 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6928	<b>Blue Diamond 108052-26 50 in Skid Steer Bucket</b> S/N: 141619 Usage: Not Available
6914	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6929	<b>Blue Diamond 108690-26 48 in Skid Steer Bucket</b> S/N: 165907 Usage: Not Available
6915	<b>Mid-State 68 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6930	<b>Blue Diamond 36 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6916	<b>Mid-State 60 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6931	<b>Blue Diamond 108012-26 36 in Skid Steer Bucket</b> S/N: 154448 Usage: Not Available
6917	<b>Blue Diamond 108280-125 84 in Skid Steer Bucket</b> S/N: 153065B Usage: Not Available	6932	<b>Blue Diamond 108017-26 36 in Skid Steer Bucket</b> S/N: 141121 Usage: Not Available
6918	<b>72 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6933	<b>Blue Diamond 108012-26 36 in Skid Steer Bucket</b> S/N: 154450 Usage: Not Available
6919	<b>Blue Diamond 66 in Skid Steer Bucket</b> S/N: 160481 Usage: Not Available	6934	<b>2016 Vermeer MSSA101 33 in Mini Skid Steer Bucket</b> S/N: 409012 Usage: Not Available

Lot #	Details	Lot #	Details
6935	<b>All-Star 80 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6949	<b>All-Star Stump Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6936	<b>All-Star 80 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6950	<b>All-Star 45 in Stump Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6937	<b>All-Star 80 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6951	<b>2023 Kit Containers QT-TS-40 Stump Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6938	<b>All-Star 72 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6952	<b>2023 Kit Containers QT-TS-40 40 in Stump Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6939	<b>All-Star 72 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6953	<b>2023 Kit Containers QT-CB-075 45 in .75 cyd Concrete Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6940	<b>All-Star 68 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6954	<b>2023 Kit Containers QT-CB-075 .75 cyd Concrete Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6941	<b>All-Star 66 in Skeleton Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6958	<b>2023 Suihe SSPF 45 in Side Shift Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6942	<b>2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6959	<b>All-Star 48 in Hydraulic Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available
6943	<b>2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6960	<b>All-Star 48 in Hydraulic Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available
6944	<b>2023 Kit Containers QT-SB-L76-V3 76 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6961	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6945	<b>Blue Diamond 108370 84 in Skeleton Skid Steer Bucket</b> S/N: 135961 Usage: Not Available	6962	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6946	<b>Blue Diamond 108305-25 36 in Rock Skid Steer Bucket</b> S/N: 160791 Usage: Not Available	6963	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6947	<b>All-Star 45 in Stump Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6964	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6948	<b>All-Star 45 in Stump Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6965	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available



Lot #	Details	Lot #	Details
6966	<b>All-Star 45 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6980	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6967	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6981	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6968	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6982	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6969	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6983	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6970	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6984	<b>2023 Mower King SA 45 in 48" Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner Usage: Not Available
6971	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6985	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6972	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6986	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6973	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6987	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6974	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6988	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6975	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6989	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner Usage: Not Available
6976	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6990	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6977	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6991	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available
6978	<b>2023 Mower King SAIL100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available		
6979	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6992	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7004	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6993	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7005	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6994	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7006	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6995	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7007	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6996	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7008	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6997	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7009	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6998	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7010	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6999	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7011	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
7000	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7012	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
7001	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7013	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
7002	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner Usage: Not Available	7015	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
7003	<b>2023 Mower King SAI100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7016	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		7017	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		7018	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7019	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	7032	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available
7020	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	7033	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7021	<b>2023 Mower King SA 45 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	7034	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7022	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7035	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7023	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner Usage: Not Available	7036	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7024	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7037	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7025	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7038A	<b>2023 Trojan SPF15 48 in Skid Steer Forks (Unused)</b> S/N: 124294 Usage: Not Available
7027	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7038	<b>2023 Trojan SPF15 48 in Skid Steer Forks</b> S/N: 124326 C/W: Quick Coupler Bracket Usage: Not Available
7028	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" forks Usage: Not Available	7039	<b>Paladin 48 in Skid Steer Forks</b> S/N: 558730 Usage: Not Available
7029	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7040	<b>48 in Skid Steer Forks</b> S/N: Not Available Usage: Not Available
7030	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7041	<b>Everglades 48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7031	<b>2023 Mower King SAll100 45 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Fork Positioner, 48" Forks Usage: Not Available	7042	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169452 Usage: Not Available
		7043	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169453 Usage: Not Available
		7044	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169454 Usage: Not Available
		7045	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169455 Usage: Not Available
		7046	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169483 Usage: Not Available

Lot #	Details	Lot #	Details
7047	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169484 Usage: Not Available	7062	<b>2023 Kit Containers QT-RR-70 70 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available
7048	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169482 Usage: Not Available	7063	<b>Mid-State 80 in Skid Steer Landplane</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7049	<b>Blue Diamond 9314XXX 48 in Skid Steer Forks</b> S/N: 169486 Usage: Not Available	7064	<b>2023 Kit Containers QT-TB-60 45 in Skid Steer Boom</b> S/N: Not Available Usage: Not Available
7050	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7065	<b>2023 Kit Containers QT-TB-60 45 in Skid Steer Boom</b> S/N: Not Available Usage: Not Available
7051	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7066	<b>All-Star 45 in Tree Skid Steer Boom</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7052	<b>41 in Skid Steer Forks</b> S/N: Not Available Usage: Not Available	7067	<b>Blue Diamond 112007-36 Tree Skid Steer Boom</b> S/N: 167955 Usage: Not Available
7053	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7068	<b>All-Star 45 in Skid Steer Bale Spear</b> S/N: Not Available Usage: Not Available
7054	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7069	<b>All-Star 45 in Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7055	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7070	<b>All-Star 45 in Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7056	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7071	<b>All-Star 45 in Skid Steer Hitch Receiver</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7057	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7072	<b>All-Star 45 in Skid Steer Hitch Receiver</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7058	<b>All-Star 45 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7073	<b>Blue Diamond Skid Steer Hitch Receiver</b> S/N: 167154 C/W: Quick Coupler Bracket Usage: Not Available
7059	<b>2023 Kit Containers 2YFT-SST 2 cyd Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available	7074	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available Usage: Not Available
7060	<b>2023 Kit Containers 2YFT-SST 2 cyd Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available	7075	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7061	<b>84 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7076	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7088	<b>Teran THH400BH Backhoe Hydraulic Breaker - Fits Cat 416 (Unused)</b> S/N: CAA2801B54HR C/W: For Backhoe Loaders CAT 416, 428, 444 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
7077	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available Usage: Not Available	7089	<b>Teran THH400BT Backhoe Hydraulic Breaker - Fits Cat 416 (Unused)</b> S/N: CAD5709B54HR C/W: For Backhoe Loaders CAT 416, 428, 444 -68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
7078	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7090	<b>Teran THH400B-580K/M Backhoe Hydraulic Breaker - Fits Case 580K/L/M (Unused)</b> S/N: CAE7734B54HR C/W: For Backhoe Case 580K/L/M - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
7079	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7091	<b>Teran THH400B-JD410J/K Backhoe Hydraulic Breaker - Fits John Deere 410J/K (Unused)</b> S/N: CAF9076B54HR C/W: For Backhoe John Deere JD310/410JK - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
7080	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7092	<b>Teran BKTJD310G48CLN 48 in Cleanup Backhoe Rear Bucket - Fits John Deere 310G (Unused)</b> S/N: 9036 C/W: 0.23m3 Usage: Not Available
7081	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
7082	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available Usage: Not Available		
7083	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
7084	<b>All-Star 44 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
7085	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
7086	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
7087	<b>All-Star 45 in Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
7093	<b>Teran BKT41624 24 in Backhoe Rear Bucket - Fits Cat 416 (Unused)</b> S/N: 9856 C/W: 0.21m3 for Cat 416,428 with Reinforcement Plates and 5HD Tips Usage: Not Available	7107	<b>32 in Wheel Loader Forks - Fits John Deere 544L</b> S/N: Not Available Usage: Not Available
7094	<b>Teran BKTJD310G24 24 in Digging Backhoe Rear Bucket - Fits John Deere 310G (Unused)</b> S/N: Not Available C/W: 0.21m3 with Reinforcement Plates and 5HD Tips Usage: Not Available	7111	<b>Pemberton 32 in Wheel Loader Forks</b> S/N: 7151 Usage: Not Available
7095	<b>Cat 54 in Backhoe Forks - Fits Cat 420</b> S/N: T1609000500 C/W: Quick Coupler Bracket Usage: Not Available	7112	<b>Pemberton 71 in Wheel Loader Forks - Fits John Deere 644H</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
7096	<b>48 in Backhoe Forks</b> S/N: Not Available Usage: Not Available	7113	<b>Cat 60 in Q/C Wheel Loader Forks - Fits Cat 938K</b> S/N: Not Available Usage: Not Available
7097	<b>2008 SASFORKS 24 in Hydraulic Wheel Loader Forks</b> S/N: 3604 Usage: Not Available	7114	<b>60 in Q/C Wheel Loader Forks - Fits Cat 926M</b> S/N: Not Available Usage: Not Available
7098	<b>37 in Hydraulic Wheel Loader Forks</b> S/N: 3605 Usage: Not Available	7115	<b>Fleco 120 in Q/C Wheel Loader Root Rake</b> S/N: Not Available Usage: Not Available
7099	<b>Cat 98 in Multi-Purpose Wheel Loader Bucket</b> S/N: 80231 Usage: Not Available	7116	<b>Pemberton 120 in Wheel Loader Root - Fits JohnDeere 644</b> S/N: LR-5026-0422J C/W: Quick Coupler Bracket Usage: Not Available
7100	<b>117 in Wheel Loader Bucket</b> S/N: Not Available Usage: Not Available	7117A	<b>104 in Q/C Wheel Loader Dump Hopper</b> S/N: Not Available Usage: Not Available
7101	<b>2020 John Deere 57 in 8 cyd Wheel Loader Bucket - Fits John Deere 844L</b> S/N: 800084 C/W: Wear Plate Usage: Not Available	7117	<b>2006 RPM Tech LR96 Wheel Loader Root Rake</b> S/N: 235770106 Usage: Not Available
7102	<b>Cat 96 in Wheel Loader Forks</b> S/N: B1H07821 C/W: Quick Coupler Bracket Usage: Not Available	7118	<b>91 in Motor Grader Ripper - Fits John Deere 670</b> S/N: Not Available Usage: Not Available
7103	<b>Cat 72 in Wheel Loader Forks - Fits Cat 938M</b> S/N: Not Available Usage: Not Available	7119	<b>Cat 174 in Straight Dozer Blade - Fits Cat D7</b> S/N: 77R22705 Usage: Not Available
7104	<b>Cat 72 in Wheel Loader Forks - Fits Cat 938M</b> S/N: Not Available Usage: Not Available	7121	<b>2023 Jisan JS380RT 24 in Hydraulic Shear - Fits Cat 330/336 (Unused)</b> S/N: Not Available Usage: Not Available
7105	<b>JRB 72 in Q/C Wheel Loader Forks - Fits John Deere 644K</b> S/N: Not Available Usage: Not Available	7122	<b>2023 Jisan JS280RT 24 in Hydraulic Shear - Fits Cat 320/325 (Unused)</b> S/N: 2304180094 Usage: Not Available
7106	<b>GEM 72 in Q/C Wheel Loader Forks - Fits Komatsu WA320-8</b> S/N: Not Available Usage: Not Available	7123	<b>2023 Jisan JS150RT 19 in Hydraulic Shear - Fits Cat 315 (Unused)</b> S/N: 2304180095 Usage: Not Available
		7124	<b>2023 Jisan JSS80TH 12 in Hydraulic Shear - Fits Cat 307/308 (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7125	2023 Jisan JSS80TH 12 in Hydraulic Shear - Fits Cat 307/308 (Unused) S/N: Not Available Usage: Not Available	7139	2023 Jisan JSB400 Hydraulic Breaker - Fits Cat 304/305 (Unused) S/N: Not Available Usage: Not Available
7126	2023 Jisan JSD80F 12 in Hydraulic Shear - Fits Cat 307/308 (Unused) S/N: Not Available Usage: Not Available	7140	2023 Jisan JSB300 Hydraulic Breaker - Fits Cat 304, 305 (Unused) S/N: Not Available Usage: Not Available
7127	2023 Jisan JSV765S 20 in Hydraulic Pulverizer - Fits Cat 320/325/336 (Unused) S/N: 2304180097 Usage: Not Available	7141	2023 VICSEC VCH35 5.5 in Hydraulic Breaker (Unused) S/N: 007-40 Usage: Not Available
7128	15 in Concrete Crusher S/N: Not Available Usage: Not Available	7142	2023 VICSEC VCH35 5.5 in Hydraulic Breaker (Unused) S/N: 007-41 Usage: Not Available
7129	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7143	Trojan 50CL 45mm Pins Hydraulic Breaker (Unused) S/N: Not Available Usage: Not Available
7130	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7144A	2021 Trojan TH50 Hydraulic Breaker (Unused) S/N: SB40YOM20216110 Usage: Not Available
7131	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7144	2022 Trojan TH50 Hydraulic Breaker S/N: SB40YOM202260133 Usage: Not Available
7132	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7145A	2021 Trojan TH35 Hydraulic Breaker (Unused) S/N: SB30YOM20216101 Usage: Not Available
7133	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7145	2022 Trojan TH35 Hydraulic Breaker S/N: SB30YOM202260125 Usage: Not Available
7134	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7146	Teran THH2000B Hydraulic Breaker (Unused) S/N: CEM0293C52HZ C/W: B Linkage For all 18-25 Ton Excavators - With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Toil Box With Maintenance Tools And Operations Manual. Usage: Not Available
7135	2023 Jisan JSB2200 Hydraulic Breaker - Fits Cat 320/325 (Unused) S/N: Not Available Usage: Not Available	7147	Teran THH800B Hydraulic Breaker - Fits Cat 311/312 (Unused) S/N: CDH893C14HZ C/W: For Cat 311,312 and all 10-14 Ton Excavators with 65mm Pins- 100mm Tool With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Toil Box With Maintenance Tools And Operations Manual. Usage: Not Available
7136	2023 Jisan JSB800 Hydraulic Breaker - Fits Cat 311/312/314 (Unused) S/N: Not Available Usage: Not Available		
7137	2023 Jisan JSB430 10 in Hydraulic Breaker - Fits Cat 307/308 (Unused) S/N: JSB432302065 Usage: Not Available		
7138	2023 Jisan JSB430 Hydraulic Breaker - Fits Cat 307/308 (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7148	<b>Teran THH400B-CAT308 Hydraulic Breaker - Fits Cat 307/308 (Unused)</b> S/N: CAN11929B54HR C/W: For Mini Excavators CAT 307/308 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	7160	<b>2023 Jisan JSC50 11 in Plate Compactor Attachment - Fits Cat 307/308 (Unused)</b> S/N: Not Available Usage: Not Available
7149	<b>Teran THH400B-JD85G Hydraulic Breaker - Fits John Deere 85G (Unused)</b> S/N: CAG12872A54HR C/W: For Mini Excavators John Deere JD 85G - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	7161	<b>Woods MBJD0160-E 16 in Plate Compactor Attachment</b> S/N: Not Available Usage: Not Available
		7162	<b>16 in Excavator Compaction Wheel</b> S/N: Not Available Usage: Not Available
7150	<b>2015 Cat H75ES Hydraulic Breaker</b> S/N: Not Available Usage: Not Available	7163	<b>2023 Jisan JSO2050AR 16 in Orange Peel Excavator Grapple - Fits Cat 320/325/330 (Unused)</b> S/N: Not Available Usage: Not Available
7151	<b>Cat B8 Hydraulic Breaker</b> S/N: HA803328 Usage: Not Available	7164	<b>2023 Jisan JSG2100 16 in Excavator Grapple - Fits Cat 320 (Unused)</b> S/N: 2304180099 Usage: Not Available
7152	<b>16 in Hydraulic Breaker</b> S/N: Not Available Usage: Not Available	7165	<b>2023 Jisan JSG1800 14 in Excavator Grapple - Fits Cat 315 (Unused)</b> S/N: Not Available Usage: Not Available
7153	<b>Hydraulic Breaker</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7166	<b>2023 Jisan 14 in Excavator Grapple - Fits Cat 315 (Unused)</b> S/N: JXJMQC315 Usage: Not Available
7154	<b>12 in Hydraulic Breaker</b> S/N: 801140 Usage: Not Available	7167	<b>2023 Jisan JXJMQC315 14 in Excavator Grapple - Fits Cat 315 (Unused)</b> S/N: Not Available Usage: Not Available
7155	<b>2016 Mustang 10 in Hydraulic Breaker</b> S/N: AM6108 Usage: Not Available	7168	<b>2023 VICSEC 13.5 in Excavator Grapple (Unused)</b> S/N: 007-38 Usage: Not Available
7156	<b>2016 Sparkle SP680 10 in Hydraulic Breaker</b> S/N: JH40E001 Usage: Not Available	7169	<b>Excavator Grapple - Fits Komatsu PC78US-10</b> S/N: Not Available Usage: Not Available
7157	<b>Husky 12 in Hydraulic Breaker</b> S/N: 6H21274 Usage: Not Available	7170	<b>Pemberton 36 in Excavator Grapple</b> S/N: 10062130507 Usage: Not Available
7158	<b>2023 Jisan JSC100 Excavator Plate Compactor Attachment - Fits Cat 311/312/314 (Unused)</b> S/N: Not Available Usage: Not Available	7171	<b>Quantity of 2023 VICSEC Excavator Auger (Unused)</b> S/N: 007-35 C/W: 8 in Auger, 12 in & 16 in Auger Rods Usage: Not Available
		7172	<b>2023 VICSEC 40 in Excavator Auger (Unused)</b> S/N: 007-42 Usage: Not Available
7159	<b>2023 Jisan JSC100 Excavator Plate Compactor Attachment - Fits Cat 311/312/314 (Unused)</b> S/N: Not Available Usage: Not Available	7173	<b>All-Star Excavator Brush Cutter Attachment</b> S/N: Not Available Usage: Not Available
		7174	<b>TMG EFM32 36 in Excavator Flail Brush Cutter Attachment</b> S/N: 315EFM32467 Usage: Not Available



Lot #	Details	Lot #	Details
7175	<b>Blue Diamond 50 in Excavator Brush Cutter Attachment</b> S/N: 112728 Usage: Not Available	7186	<b>Trojan 80CL 48 in Tilting Excavator Bucket - Fits 50mm Cat 307/308, Komatsu PC78/88 Deere/Hitachi 75/85 Case, New Holland, Kobelco SK80 Bobcat E80 (Unused)</b> S/N: Not Available Usage: Not Available
7176	<b>2023 AGROTK EXFLM115 45 in Excavator Flail Mower (Unused)</b> S/N: EXFLM11523051701C Usage: Not Available	7187	<b>Trojan 50CL 42 in Tilting Excavator Bucket - Fits Cat 305, 305.5, Komatsu PC45/50/55, Hyundai R55, Hitachi/John Deere 50D/G, Case, New Holland, Kobelco SK50, Bobcat E50/341 /337 (Unused)</b> S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available
7177	<b>2023 AGROTK EXFLM115 45 in Excavator Flail Mower (Unused)</b> S/N: EXFLM11523051702C Usage: Not Available	7188	<b>Trojan 50CL 42 in Tilting Excavator Bucket - Fits Cat 305, 305.5, Komatsu PC45/50/55, Hyundai R55, Hitachi/John Deere 50D/G, Case, New Holland, Kobelco SK50, Bobcat E50/341 /337 (Unused)</b> S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available
7178	<b>2023 AGROTK EXRC54 56 in Excavator Flail Mower (Unused)</b> S/N: EXRC5423051701C Usage: Not Available	7189	<b>Trojan 50CL 42 in Tilting Excavator Bucket - Fits 45mm Cat 305, 305.5 Komatsu PC45/50 /55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341 /337 (Unused)</b> S/N: Not Available Usage: Not Available
7179	<b>2023 AGROTK EXRC54 56 in Excavator Flail Mower (Unused)</b> S/N: EXRC5423051702C Usage: Not Available	7190	<b>Trojan 35CL 42 in Tilting Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused)</b> S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7181	<b>Trojan 120CL 60 in Tilting Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	7191	<b>Trojan 35CL 42 in Tilting Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused)</b> S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7182	<b>Trojan 120CL 60 in Tilting Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	7192	<b>Trojan 35CL 42 in Tilting Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused)</b> S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7183	<b>Trojan 120CL 60 in Tilting Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	7193	<b>2023 VICSEC VCT600 24 in Tilting Excavator Bucket (Unused)</b> S/N: 007-39 Usage: Not Available
7184	<b>Trojan 80CL 48 in Tilting Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere/Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available	7194	<b>2019 Diesel 120CL 58 in Q/C Tilting Excavator Bucket</b> S/N: Not Available Usage: Not Available
7185	<b>Trojan 80CL 48 in Tilting Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere/Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available		

Lot #	Details	Lot #	Details
7195	Trojan 200CL 72 in Skeleton Excavator Bucket - Fits Cat 320/321/323, Hyundai R210, Komatsu PC200/220, John Deere 160/200/225, Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins Usage: Not Available	7204	Trojan 120CL 60 in Cleanup Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available
7197	Teran BKT30236CLNSKEL 36 in Skeleton Cleanup Excavator Bucket - Fits Cat 302 (Unused) S/N: 0878 C/W: 0.11m3 with 7HD Tips - 35mm Pins Usage: Not Available	7205	Trojan 35CL 42 in Cleanup Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7198	Teran BKT30136CLNSKEL 36 in Skeleton Cleanup Excavator Bucket - Fits Cat 301 (Unused) S/N: 0857 C/W: 0.65m3 with 7HD Tips Usage: Not Available	7206	Trojan 35CL 42 in Cleanup Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7199	Trojan 200CL 72 in Cleanup Excavator Bucket - Fits Cat 320/321/323, Hyundai R210, Komatsu PC200/220, John Deere 160/200/225, Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins Usage: Not Available	7207	Trojan 35CL 42 in Cleanup Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7200	Trojan 200CL 72 in Cleanup Excavator Bucket - Fits Cat 320/321/323, Hyundai R210, Komatsu PC200/220, John Deere 160/200/225, Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins Usage: Not Available	7208	Trojan 35CL 42 in Cleanup Excavator Bucket S/N: Not Available Usage: Not Available
7201	Trojan 200CL 72 in Cleanup Excavator Bucket - Fits Cat 320/321/323, Hyundai R210, Komatsu PC200/220, John Deere 160/200/225, Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins Usage: Not Available	7209	Teran BKT32072CLN 72 in Cleanup Excavator Bucket - Fits Cat 320 (Unused) S/N: 4470 C/W: B Linkage - 0.66m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
7202	Trojan 120CL 60 in Cleanup Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	7210	Teran BKT31560CLN 60 in Cleanup Excavator Bucket - Fits Cat 315 (Unused) S/N: 1027 C/W: 315 Linkage - 0.38m3 for Cat 315, 315D, 316E, 316F, 318D2, 318E, 318F Usage: Not Available
7203	Trojan 120CL 60 in Cleanup Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere/Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	7211	Teran BKT31260CLN 60 in Cleanup Excavator Bucket - Fits Cat 312 (Unused) S/N: 3278 C/W: 312 Linkage - 0.38m3 for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available
		7212	Teran BKT31248CLN 48 in Cleanup Excavator Bucket - Fits Cat 312 (Unused) S/N: Not Available C/W: 312 Linkage - 0.31m3 for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available

Lot #	Details	Lot #	Details
7213	<b>Teran BKT30748CLN 48 in Cleanup Excavator Bucket - Fits Cat 307 (Unused)</b> S/N: 3742 C/W: For Cat 307/308 0.23m3 Usage: Not Available	7226	<b>2023 Jisan YSDC320 54 in Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7214	<b>Teran BKT30442CLN 42 in Cleanup Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 0691 C/W: 0.13m3 Usage: Not Available	7227	<b>2023 Jisan YSDC320 48 in Digging Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 22121702278 Usage: Not Available
7215	<b>Teran BKT30342CLN 42 in Cleanup Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 0747 C/W: 0.13m3 Usage: Not Available	7228	<b>2023 GIYI 320 40 in Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: WD23008 Usage: Not Available
7216	<b>Teran BKT30242CLN 42 in Cleanup Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 0879 C/W: 0.13m3 Usage: Not Available	7233	<b>Trojan 120CL 42 in Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere /Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available
7217	<b>Teran BKT30142CLN 42 in Cleanup Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: Not Available C/W: 0.076m3 Usage: Not Available	7234	<b>Trojan 120CL 42 in Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere /Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available
7218	<b>Teran BKT30236CLN 36 in Cleanup Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 0728 C/W: 0.11m3 Usage: Not Available	7235	<b>Trojan 120CL 42 in Excavator Bucket - Fits Cat 311/312/313/314, Kobelco 140, John Deere /Hitachi ZX120/135, Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available
7219	<b>Teran BKT30136CLN 36 in Cleanup Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 6920 C/W: 0.07m3 30mm Pins Usage: Not Available	7240	<b>Trojan 80CL 30 in Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available
7220	<b>Fleco 70 in Cleanup Excavator Bucket</b> S/N: Not Available Usage: Not Available	7241	<b>Trojan 80CL 30 in Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available
7221	<b>2023 Jisan YSDC345 72 in Excavator Bucket - Fits Cat 345 (Unused)</b> S/N: Not Available Usage: Not Available	7242	<b>Trojan 80CL 24 in Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available
7222	<b>2023 Jisan YSDC336 72 in Digging Excavator Bucket - Fits Cat 336 (Unused)</b> S/N: 2304180172 Usage: Not Available		
7223	<b>2023 Jisan YSDC336 60 in Digging Excavator Bucket - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available		
7224	<b>2023 Jisan YSDC336 56 in Digging Excavator Bucket - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available		
7225	<b>2023 Jisan YSDC336 56 in Digging Excavator Bucket - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7243	Trojan 80CL 24 in Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused) S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available	7254	Trojan 35CL 12 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7244	Trojan 80CL 24 in Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88, John Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused) S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available	7255	Trojan 35CL 12 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7245	Trojan 50CL 24 in Excavator Bucket - Fits Cat 305, 305.5, Komatsu PC45/50/55, Hyundai R55, Hitachi/John Deere 50D/G, Case, New Holland, Kobelco SK50, Bobcat E50/341/337 (Unused) S/N: Not Available Usage: Not Available	7256	Trojan 35CL 12 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
7246	Trojan 50CL 24 in Excavator Bucket - Fits Cat 305, 305.5, Komatsu PC45/50/55, Hyundai R55, Hitachi/John Deere 50D/G, Case, New Holland, Kobelco SK50, Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available	7257	Teran BKT305C30 30 in Excavator Bucket - Fits Cat 305 (Unused) S/N: 0629 C/W: 0.22m3 with Side Cutters, Reinforcement Plates and 6HD Tips Usage: Not Available
7247	Trojan 50CL 24 in Excavator Bucket - Fits Cat 305, 305.5, Komatsu PC45/50/55, Hyundai R55, Hitachi/John Deere 50D/G, Case, New Holland, Kobelco SK50, Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available	7258	Teran BKT30324 24 in Digging Excavator Bucket - Fits Cat 303 (Unused) S/N: Not Available C/W: 0.11m3 with Side Cutters, Reinforcement Plates and 5HD Tips Usage: Not Available
7251	Trojan 35CL 24 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available	7259	Teran BKT30224 24 in Excavator Bucket - Fits Cat 302 (Unused) S/N: 0727 C/W: 0.11 m3 with Side Cutters, Reinforcement Plates and 5HD Tips - 35mm Pins Usage: Not Available
7252	Trojan 35CL 24 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available	7260	Teran BKT30124 24 in Excavator Bucket - Fits Cat 301 (Unused) S/N: 0711 C/W: 0.07m3 with Side Cutters and 5HD Tips Usage: Not Available
7253	Trojan 35CL 24 in Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35, John Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available	7261	Teran BKT32018HD 18 in Heavy Duty Excavator Bucket - Fits Cat 320 (Unused) S/N: 5586 C/W: B Linkage - 0.29m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 3HD Tips Usage: Not Available
		7262	Teran BKT31518 18 in Excavator Bucket - Fits Cat 315 (Unused) S/N: 9079 C/W: 315 Linkage - 0.25m3 for Cat 315,315D, 316E, 316F, 318D2, 318E, 318F with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available

Lot #	Details	Lot #	Details
7263	<b>Teran BKT305C18 18 in Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 0764 C/W: 0.11m3 With Side Cutters Reinforcement Plates and 4HD Tips Usage: Not Available	7282	<b>2023 Jisan YYMZJC320 20 in Excavator Thumb - Fits Cat 320 (Unused)</b> S/N: 2301030242 Usage: Not Available
7264	<b>Teran BKT30312 12 in Digging Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: Not Available C/W: 0.04m3 with Side Cutters Reinforcement Plates and 3HD Tips Usage: Not Available	7283	<b>23.5 in Excavator Thumb</b> S/N: Not Available Usage: Not Available
7265	<b>Teran BKT30212 12 in Digging Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: Not Available C/W: 0.04m3 with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available	7284	<b>34 in Excavator Thumb</b> S/N: Not Available Usage: Not Available
7266	<b>Teran BKT30112 12 in Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 0551 C/W: 0.03m3 with Side Cutters and 3HD Tips Usage: Not Available	7285	<b>Pemberton 36 in Excavator Thumb</b> S/N: Not Available Usage: Not Available
7267	<b>Cat 74 in Excavator Bucket - Fits Cat 349F L</b> S/N: Not Available Usage: Not Available	7286	<b>2023 Handy C336 20 in Excavator Ripper - Fits Cat 336 (Unused)</b> S/N: 2023051201 Usage: Not Available
7270	<b>58 in Excavator Bucket</b> S/N: Not Available Usage: Not Available	7287	<b>2023 GIYI 336 19 in Excavator Ripper - Fits Cat 336 (Unused)</b> S/N: ST623004 Usage: Not Available
7271	<b>John Deere 54 in Excavator Bucket - Fits 350G</b> S/N: J0000032047-1 Usage: Not Available	7288	<b>2023 VICSEC 5 in Excavator Ripper (Unused)</b> S/N: 007-36 Usage: Not Available
7272	<b>52 in Excavator Bucket</b> S/N: Not Available Usage: Not Available	7289	<b>2023 Jisan JSR08 15 in Excavator Ripper - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7273	<b>Volvo 48 in Excavator Bucket</b> S/N: Not Available Usage: Not Available	7290	<b>2023 Jisan JSR08 15 in Excavator Ripper - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7275	<b>48 in Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available	7291	<b>2023 Jisan JSR06 14 in Excavator Ripper - Fits Cat 315 (Unused)</b> S/N: Not Available Usage: Not Available
7276	<b>Strickland 40 in Excavator Bucket</b> S/N: Not Available C/W: Cat Hydraulic Quick Coupler Usage: Not Available	7292	<b>2023 Jisan JSR06 14 in Excavator Ripper - Fits Cat 315 (Unused)</b> S/N: Not Available Usage: Not Available
7277	<b>Geith 40 in Excavator Bucket</b> S/N: Not Available C/W: Cat Hydraulic Quick Coupler Usage: Not Available	7293	<b>2023 Jisan JSR04 9.5 in Excavator Ripper - Fits Cat 307/308 (Unused)</b> S/N: Not Available Usage: Not Available
7279	<b>JD 28 in Excavator Bucket</b> S/N: Not Available Usage: Not Available	7294	<b>2023 Jisan JSR04 10 in Excavator Ripper - Fits Cat 307 (Unused)</b> S/N: Not Available Usage: Not Available
7280	<b>24 in Digging Excavator Bucket - Fits JohnDeere 210C</b> S/N: 203524-02 Usage: Not Available	7295	<b>Teran RIPPER345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: Not Available C/W: TB Linkage - for Cat 345, 349D, 349D2, 349E, 349F, 352F Usage: Not Available
7281	<b>22 in Excavator Bucket</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7296	<b>Teran RIPPER325D Excavator Ripper - Fits Cat 325D (Unused)</b> S/N: Not Available C/W: CB Linkage - for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F Usage: Not Available	7309	<b>2023 Jisan JS100 18 in Excavator Coupler - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available
7297	<b>Teran RIPPER307 Excavator Ripper - Fits Cat 307 (Unused)</b> S/N: Not Available C/W: For Cat 307/308 50mm Pin Usage: Not Available	7310	<b>2023 Jisan JS100 19 in Excavator Coupler - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available
7298	<b>Teran RIPPER305C Excavator Ripper - Fits Cat 305 (Unused)</b> S/N: Not Available C/W: 45mm Pin Usage: Not Available	7311	<b>2023 Jisan JS100 19 in Excavator Coupler - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available
7299	<b>Teran RIPPER304 Excavator Ripper - Fits Cat 304 (Unused)</b> S/N: Not Available C/W: 40mm Pin Usage: Not Available	7312	<b>2023 Jisan JS100 19 in Excavator Coupler - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available
7300	<b>Teran RIPPER302 Excavator Ripper - Fits Cat 302 (Unused)</b> S/N: Not Available C/W: 35mm Pin Usage: Not Available	7313	<b>2023 Jisan JS100 19 in Excavator Coupler - Fits Cat 336 (Unused)</b> S/N: Not Available Usage: Not Available
7301	<b>Teran RIPPER301 Excavator Ripper - Fits Cat 301 (Unused)</b> S/N: Not Available C/W: 30mm Pin Usage: Not Available	7314	<b>2023 Jisan JS80 16 in Excavator Coupler - Fits Cat 325 (Unused)</b> S/N: Not Available Usage: Not Available
7302	<b>2023 VICSEC 19.5 in Excavator Rake (Unused)</b> S/N: 007-37 Usage: Not Available	7315	<b>2023 Jisan JS80 16 in Excavator Coupler - Fits Cat 325 (Unused)</b> S/N: Not Available Usage: Not Available
7303	<b>78 in Excavator Rake</b> S/N: Not Available Usage: Not Available	7316	<b>2023 Jisan JS80 15 in Excavator Coupler - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7304	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 007-30 Usage: Not Available	7317	<b>2023 Jisan JS80 15 in Excavator Coupler - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7305	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 007-29 Usage: Not Available	7318	<b>2023 Jisan JS80 15 in Excavator Coupler - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7306	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 007-31 Usage: Not Available	7319	<b>2023 Jisan JS80 15 in Excavator Coupler - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7307	<b>Quantity of (3) Excavator Attachments</b> S/N: Not Available C/W: Bucket, Ripper, Coupler Usage: Not Available	7320	<b>2023 Jisan JS80 15 in Excavator Coupler - Fits Cat 320 (Unused)</b> S/N: Not Available Usage: Not Available
7308	<b>2016 Kent HP35 ME-5 45 in Excavator Adapter</b> S/N: 350952 Usage: Not Available	7321	<b>Teran QCCAT312 Excavator Coupler - Fits Cat 312 (Unused)</b> S/N: Not Available C/W: 312 Linkage for Cat 311, 312, 314 - 65mm Pins Usage: Not Available
		7322	<b>16 in Excavator Coupler</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7323	<b>16 in Excavator Coupler</b> S/N: Not Available Usage: Not Available	7334	<b>Baumann AS601440 Forklift Mast</b> S/N: Not Available Usage: Not Available
7324	<b>28 in Excavator Coupler (Inoperable)</b> S/N: Not Available Usage: Not Available	7335	<b>2023 Suihe F-10 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
7325	<b>Winch</b> S/N: Not Available Usage: Not Available	7336	<b>2023 Suihe F-10 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
7326	<b>2019 Vermeer B1250i2 25.5 in Backhoe Attachment</b> S/N: 1VRP07086K1000109 Usage: Not Available	7337	<b>2023 Suihe F-10 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
7327	<b>2015 Vermeer B750 18 in Backhoe Attachment</b> S/N: 1VR9060N9F1001124 Usage: Not Available	7340	<b>2023 Suihe JF Forklift Material Handling Arm (Unused)</b> S/N: Not Available Usage: Not Available
7328	<b>2017 John Deere 485 Backhoe Attachment</b> S/N: 1LV0485APH0040179 C/W: 18 in Digging Bucket Usage: Not Available	7341	<b>2023 Suihe JF 29 in Forklift Tilting Material Handling Arm (Unused)</b> S/N: Not Available Usage: Not Available
7329A	<b>Paladin Sweepster 2038M-0984 84 in Sweeper Bucket Broom Attachment</b> S/N: 1214071 Usage: Not Available	7342	<b>Material Handling Arm</b> S/N: Not Available Usage: Not Available
7329	<b>Amerequip 1100R 24 in Skid Steer Backhoe</b> S/N: 1016 Usage: Not Available	7343	<b>60 in Box Blade</b> S/N: Not Available Usage: Not Available
7330	<b>36 in Dragline Bucket</b> S/N: Not Available Usage: Not Available	7344	<b>2019 Vermeer HDT1250i2 36 in Trencher Attachment</b> S/N: 1VRN07078K1000109 Usage: Not Available
7331	<b>2009 Super Cage S-100 52 in 1200 lb Personnel Basket</b> S/N: C 28116 Usage: Not Available	7345	<b>Articulated Dump Truck Tail Gate</b> S/N: Not Available C/W: To Fit Cat 725 Usage: Not Available
7332	<b>Hang-on Fork Attachment</b> S/N: Not Available Usage: Not Available	7346	<b>Cub Cadet 54 in Snow Blower</b> S/N: Not Available Usage: Not Available
7333E	<b>36 in Fork Attachment</b> S/N: Not Available Usage: Not Available	7347	<b>Manitowoc 999 40 ft Crane Boom</b> S/N: Not Available Usage: Not Available
7333D	<b>40 in Fork Attachment</b> S/N: Not Available Usage: Not Available	7348	<b>40 ft Crane Boom - Fits Manitowoc 999</b> S/N: Not Available Usage: Not Available
7333C	<b>48 in Fork Attachment</b> S/N: Not Available Usage: Not Available	7351	<b>Quantity of Shackle</b> S/N: Not Available Usage: Not Available
7333B	<b>Quantity of 48 in Fork Attachment</b> S/N: Not Available Usage: Not Available	7352	<b>2020 V-Wing 3200HD Ditcher</b> S/N: V-W028-1908-3200-JRP Usage: Not Available
7333A	<b>48 in Hang-on Fork Attachment</b> S/N: Not Available Usage: Not Available	7353	<b>2021 Ashland EHDW-422014 10 ft Offset Breaking Disc</b> S/N: 26727 C/W: 42 in Notched Front Discs, 42 in Notched Rear Discs, 20 in Spacing Usage: Not Available
7333	<b>48 in Hang on Forks Fork Attachment</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7354	<b>2019 Ashland EHDW-3620-14 10 ft Offset Breaking Disc</b> S/N: 24923 C/W: 35 in Notched Front Discs, 35 in Notched Rear Discs, 20 in Spacing Usage: Not Available	7367	<b>Blue Diamond 84 in Euro Mount Rock Ag Tractor Grapple Bucket</b> S/N: 152522 Usage: Not Available
7355	<b>Rome TRCW-16 144 in Breaking Disc</b> S/N: TRCW383 C/W: 36 in Notched Front Discs, 36 in Notched Rear Discs, 20 in Spacing Usage: Not Available	7368	<b>Blue Diamond 52 in Ag Tractor Grapple - Fits John Deere 400/500</b> S/N: 141052 Usage: Not Available
7356	<b>Howse DLHT16822B 48 in 3-Point Tandem Disc Harrow</b> S/N: 0623140115 C/W: 18 in Front Discs, 18 in Rear Discs Usage: Not Available	7369	<b>Blue Diamond 52 in Ag Tractor Grapple - Fits John Deere 400/500</b> S/N: 124186 Usage: Not Available
7357	<b>2023 Mower King TAS-81 72 in 3-Point Rotary Tiller (Unused)</b> S/N: TAS8123051701G Usage: Not Available	7371	<b>2023 Mower King BX52G 20 in 3-Point Tractor Chipper (Unused)</b> S/N: BX52G23051701E C/W: 540 PTO Usage: Not Available
7358	<b>2023 Mower King TAS-81 72 in 3-Point Rotary Tiller (Unused)</b> S/N: TAS8123051702G Usage: Not Available	7372	<b>2023 Mower King BX52G 20 in 3-Point Tractor Chipper (Unused)</b> S/N: BX52G23051702E C/W: 540 PTO Usage: Not Available
7359	<b>Alamo Falcon 10 10 ft 6 in Batwing Rotary Mower</b> S/N: 180401 C/W: Hydraulic Driven Usage: Not Available	7373	<b>2017 Little Wonder BRC26 29 in Brush Cutter</b> S/N: 1185006054 C/W: 2017 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7360	<b>John Deere 3-Point Hitch Rotary Mower</b> S/N: Not Available C/W: 540 PTO Usage: Not Available	7374	<b>2017 Billy Goat F902H Walk-Behind Leaf Blower</b> S/N: 91117285 C/W: 2016 US EPA Label, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
7361	<b>Blue Diamond 403850-16 48 in Front Rotary Mower</b> S/N: 123823 Usage: Not Available	7375	<b>2017 Billy Goat F902H Walk-Behind Leaf Blower</b> S/N: 91117287 C/W: 2016 US EPA Label, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
7362	<b>2014 John Deere H240 Front Loader Attachment</b> S/N: 1P0H240XLED006092 C/W: 68 in General-Purpose Bucket Usage: Not Available	7376	<b>Stihl Leaf Blower</b> S/N: Not Available Usage: Not Available
7363	<b>2017 John Deere H160XD Front Loader Attachment</b> S/N: 1P0H180XAHD013363 C/W: to fit John Deere 4 series, 74 In. Bucket Usage: Not Available	7377	<b>Snapper RT8 Walk-Behind Rototiller (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7364	<b>2008 John Deere 740 Classic 48 in Front Loader Attachment</b> S/N: W00740D036189 Usage: Not Available	7378	<b>Cushman Lawnaire IV Aerator (Inoperable)</b> S/N: 92511546 C/W: Briggs & Stratton 1 Cylinder 3 hp Gasoline Engine Usage: Not Available
7365	<b>Blue Diamond 84 in Rock Ag Tractor Bucket - Fits John Deere 400/500</b> S/N: 150618 Usage: Not Available	7379	<b>Ryan Spikeaire S24-1 Walk-Behind Aerator</b> S/N: 8225 C/W: 2006 US EPA Label, Honda GX160 1 Cylinder 5.5 hp Gasoline Engine Usage: Not Available
7366	<b>Blue Diamond Stump Ag Tractor Bucket - Fits John Deere 400/500</b> S/N: 162454 Usage: Not Available		



Lot #	Details	Lot #	Details
7380	<b>Cushman Mataway Lawn Dethatcher (Inoperable)</b> S/N: 92513715 C/W: Briggs & Stratton 1 Cylinder 10 hp Gasoline Engine Usage: Not Available	7395	<b>2016 Gar-Bro 4928 Concrete Bucket</b> S/N: 22096-A Usage: Not Available
7381	<b>2019 Stihl MS362C-M20 Chain Saw</b> S/N: 186377074 C/W: 4.7 hp 59 cc Gasoline Engine Usage: Not Available	7396	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available
7383	<b>2017 Stihl MS29118 Chain Saw</b> S/N: 513068358 C/W: Gasoline Engine Usage: Not Available	7397	<b>2007 Gar-Bro 4940 1.5 cyd Concrete Bucket</b> S/N: Not Available Usage: Not Available
7384	<b>2016 Stihl BT130 Power Auger</b> S/N: 505400970 C/W: Gasoline Engine, c/w: (3) Auger Bits Usage: Not Available	7398	<b>2009 MB BB-10 1 cyd Concrete Bucket</b> S/N: 90224 Usage: Not Available
7385	<b>Stihl HT101 Power Auger</b> S/N: 505064639 C/W: Stihl HT101 1 Cylinder Gasoline Engine, Auger Bit Not Included Usage: Not Available	7399	<b>2019 Multiquip MC3PEA Electric Portable Concrete Mixer</b> S/N: 281127433 Usage: Not Available
7387	<b>2005 General 330 Power Auger</b> S/N: 3020852 C/W: 1 Cylinder Gasoline Engine, (Does not include Auger Bit) Usage: Not Available	7400	<b>2017 Multiquip MC94SH8 9 cft Portable Concrete Mixer</b> S/N: I1652545 C/W: Removable Hitch, Honda GX270 1 Cylinder 270 cc Gasoline Engine Usage: Not Available
7389	<b>2004 Earthquake W2265 Log Splitter</b> S/N: 86-01 C/W: 2011 US EPA Label, Honda 163 cc Gasoline Engine Usage: Not Available	7401	<b>2016 Multiquip MC94PH8 9 cft Portable Concrete Mixer</b> S/N: F1652309 C/W: Removable Hitch, Honda GX240 1 Cylinder 240 cc Gasoline Engine Usage: Not Available
7390	<b>2020 Ryan JR18 18 in Sod Cutter</b> S/N: 54496100181 C/W: 5.5 hp Gasoline Engine Usage: Not Available	7402	<b>2018 Toker CM7 Portable Concrete Mixer</b> S/N: 3A9S37M11J1165021 C/W: Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available
7391	<b>2016 Ryan 544954C Walk-Behind Sod Cutter</b> S/N: 54495405387 C/W: 2015 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7403	<b>2015 Toro CM-250E-PC Portable Concrete Mixer</b> S/N: 315000270 Usage: Not Available
7392	<b>2014 Ryan 544954C Sod Cutter</b> S/N: 54495403802 C/W: Honda Gasoline Engine Usage: Not Available	7404	<b>2017 Allen HDX780 Ride-On Power Trowel</b> S/N: 2017HDX780758 C/W: 130 in, Diesel Engine Usage: 660 Hr
7393	<b>2019 Multiquip WBH-16EF Mini Concrete Buggy</b> S/N: 190664 C/W: 2018 US EPA Label, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available	7405	<b>2017 Multiquip B46H11H Power Trowel</b> S/N: PJ0199477 C/W: 42 in, Honda Gas Engine Usage: Not Available
7394A	<b>Curb and Gutter Machine</b> S/N: Not Available Usage: Not Available	7406	<b>MQ 48 Power Trowel</b> S/N: MQ48770 C/W: 36 in, Predator Gas Engine Usage: Not Available
7394	<b>Allen AR16 Concrete Buggy</b> S/N: A16P061601 C/W: Hydrostatic Drive, 2016 US EPA Label, Honda GX390 1 Cylinder LPG Engine Usage: Not Available	7408	<b>MQ 36 Power Trowel</b> S/N: MQ36855 C/W: 28 in, Predator Gas Engine Usage: Not Available
		7409	<b>2014 Wacker Neuson CT36-5A Power Trowel</b> S/N: 20212971 C/W: 28 in, Gas Engine Usage: Not Available

Lot #	Details	Lot #	Details
7410	<b>2014 Wacker Neuson CT36-5A Power Trowel</b> S/N: 20212972 C/W: 36 in, Honda Gas Engine Usage: Not Available	7421	<b>Quantity of (2) Mustang CV3500 Electric Concrete Vibrator (Unused)</b> S/N: Not Available Usage: Not Available
7411	<b>2013 Wacker Neuson CT36-5A Power Trowel</b> S/N: 20155666 C/W: 28 in, Honda Gas Engine Usage: Not Available	7422	<b>Quantity of (2) Mustang CV3500 Electric Concrete Vibrator (Unused)</b> S/N: Not Available Usage: Not Available
7412A	<b>Power Trowel</b> S/N: Not Available C/W: 28 in, Honda Gas Engine Usage: Not Available	7423	<b>2019 Wacker M2500 Electric Concrete Vibrator</b> S/N: 11078667 Usage: Not Available
7412	<b>2003 Wacker Neuson CT36A Power Trowel</b> S/N: 5401989 C/W: 36 in, Honda Gas Engine Usage: Not Available	7424	<b>2019 Wacker M2500 Electric Concrete Vibrator</b> S/N: 11078671 Usage: Not Available
7413	<b>2017 Husqvarna FS3500G Gasoline Wet Cut Walk-Behind Saw</b> S/N: 001370291001 C/W: Kohler 2 Cylinder Gasoline Engine Usage: 307 Hr	7425	<b>2019 Wacker M2500 Electric Concrete Vibrator</b> S/N: 11047504 Usage: Not Available
7414	<b>2017 Husqvarna FS 524 Gasoline Wet Cut Walk-Behind Saw</b> S/N: 20170400006 C/W: Honda 2 Cylinder Gasoline Engine, 24 in Saw Usage: 145 Hr	7426	<b>2015 Wacker M2500/120 Electric Concrete Vibrator</b> S/N: 10489593 Usage: Not Available
7415	<b>2015 Husqvarna FS513 Gasoline Wet Cut Walk-Behind Saw</b> S/N: 1300003 C/W: 2020 US EPA Label, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available	7428	<b>2015 Wacker M2000 Electric Concrete Vibrator</b> S/N: 10447716 Usage: Not Available
7416	<b>Husqvarna FS309 Gasoline Walk-Behind Saw</b> S/N: 20190800046 Usage: Not Available	7432	<b>Rod Chopper 0E11HS Electric Rebar Bender</b> S/N: 4016 Usage: Not Available
7417	<b>Target Pro 35 III Wet Cut Walk-Behind Saw</b> S/N: 297983 C/W: 4 Cylinder Gasoline Engine Usage: 528 Hr	7433	<b>2016 Edco CPM89H Concrete Planer</b> S/N: 161010327 C/W: 2011 US EPA Label, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
7418	<b>2018 Edco DS185B Electric Wet Cut Walk-Behind Saw</b> S/N: 1803105032 C/W: 17 in Saw Usage: Not Available	7434	<b>2016 Edco CPM89H Walk-Behind Concrete Planer (Inoperable)</b> S/N: 160910510 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7419	<b>2018 Edco DS1813H Gasoline Wet Cut Walk-Behind Saw</b> S/N: 180510575 C/W: 2017 US EPA Label, Honda GX390 1 Cylinder 389 cc Gasoline Engine Usage: Not Available	7435	<b>2012 Edco CPL-8 Walk-Behind Electric Concrete Planer</b> S/N: 121210025 Usage: Not Available
7420	<b>2016 Edco SK1413HP Gasoline Wet Cut Walk-Behind Saw</b> S/N: 160810525 C/W: 2016 US EPA Label, Honda 1 Cylinder 389 cc Gasoline Engine Usage: Not Available	7436	<b>2018 Lavina LAV-21X Walk-Behind Electric Concrete Grinder</b> S/N: 1801L21X3012 Usage: 114 Hr
		7437	<b>2021 Edco 2EC-NG-15 Electric Concrete Grinder</b> S/N: 210410398 Usage: Not Available
		7438	<b>2019 Edco TL9 Electric Concrete Grinder</b> S/N: 190610258 Usage: Not Available
		7439	<b>2017 Edco TL9 Electric Concrete Grinder</b> S/N: 170510355 C/W: To Fit floor grinder, Single Phase Motor Usage: Not Available

Lot #	Details	Lot #	Details
7440	<b>2017 Edco 2ECNG15 Walk-Behind Electric Concrete Grinder</b> S/N: 170310451 C/W: Single Phase Motor Usage: Not Available	7455	<b>Hilti TE 3000-AVR Demolition Breaker</b> S/N: 074655 C/W: Single Phase Motor, Switchgear Usage: Not Available
7441	<b>2017 Edco 2ECNG15 Walk-Behind Electric Concrete Grinder</b> S/N: 170610044 Usage: Not Available	7456	<b>Hilti TE 3000-AVR Electric Demolition Breaker</b> S/N: 074621 C/W: Single Phase Motor, Switchgear Usage: Not Available
7442	<b>2016 Edco 2ECNG15 Walk-Behind Electric Concrete Grinder</b> S/N: 160810111 C/W: Baldor Reliancer Electric Motor 1.5 hp Engine Usage: Not Available	7457	<b>Hilti TE 3000-AVR Demolition Breaker</b> S/N: 074624 C/W: Single Phase Motor, Switchgear Usage: Not Available
7443	<b>2017 Edco 2GC-NG-11H Walk-Behind Concrete Grinder</b> S/N: 170310519 C/W: 2016 US EPA Label, Honda 1 Cylinder 338 cc Gasoline Engine Usage: Not Available	7458	<b>2018 Hilti TE 2000-AVR Electric Demolition Breaker</b> S/N: 12154 Usage: Not Available
7444	<b>2017 Edco 2GC-NG-11H Walk-Behind Concrete Grinder</b> S/N: 170510409 C/W: 2017 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available	7459	<b>2018 Hilti TE 2000-AVR Electric Demolition Breaker</b> S/N: 17988 Usage: Not Available
7445	<b>2003 Edco SEC Electric Concrete Grinder</b> S/N: 77262 Usage: Not Available	7460	<b>2018 Hilti TE 1000-AVR Electric Demolition Breaker</b> S/N: 116883 Usage: Not Available
7446	<b>2002 Edco SEC Electric Concrete Grinder</b> S/N: 77999 Usage: Not Available	7461	<b>2017 Hilti TE 1000-AVR Electric Demolition Breaker</b> S/N: 79642 Usage: Not Available
7447	<b>2018 Husqvarna DMS240 Core Drill</b> S/N: 20184700103 Usage: Not Available	7462	<b>2016 Hilti TE 1000-AVR Electric Demolition Breaker</b> S/N: 53113 Usage: Not Available
7448	<b>Husqvarna Core Drill</b> S/N: 001352159002 Usage: Not Available	7463	<b>2016 Hilti TE800 AVR Electric Demolition Breaker</b> S/N: 36872 Usage: Not Available
7449	<b>2007 Hilti DD250E Core Drill</b> S/N: 748-10292 Usage: Not Available	7464	<b>2016 Hilti TE800 AVR Electric Demolition Breaker</b> S/N: A37408 Usage: Not Available
7450	<b>2019 Hilti DD150-U Core Drill</b> S/N: 87718 Usage: Not Available	7465	<b>2017 Dewalt D25980 Electric Demolition Breaker</b> S/N: 020968 Usage: Not Available
7451	<b>2017 Hilti DD150BS Core Drill</b> S/N: 61888 Usage: Not Available	7466	<b>Makita AVT Electric Demolition Breaker</b> S/N: 12161 Usage: Not Available
7452	<b>2016 Hilti DD150-U Core Drill</b> S/N: 58393 Usage: Not Available	7467	<b>2019 Makita CB515HH650.00 Electric Demolition Breaker</b> S/N: 0136608 Usage: Not Available
7453	<b>Virginia Abrasives Core Drill</b> S/N: 2080211 Usage: Not Available	7468	<b>2017 Bosch BH2760VCB Electric Demolition Breaker</b> S/N: 708000078 Usage: Not Available
7454	<b>2016 Hilti TE3000-AVR Electric Demolition Breaker</b> S/N: 75275 Usage: Not Available		

Lot #	Details	Lot #	Details
7469	<b>2015 Bosch 11335K/3611C350 Electric Demolition Breaker</b> S/N: 507000922 Usage: Not Available	7488	<b>2017 Sullair MCH-3 Pneumatic Demolition Breaker</b> S/N: 23404312B Usage: Not Available
7470	<b>2013 Bosch 11335 Electric Demolition Breaker</b> S/N: 305000008 Usage: Not Available	7489	<b>2012 Sullair MPB-60A Pneumatic Demolition Breaker</b> S/N: 74123 Usage: Not Available
7471	<b>Bosch 11304 Brute Electric Demolition Breaker</b> S/N: 611000029 Usage: Not Available	7490	<b>2012 Sullair MPB-60A Pneumatic Demolition Breaker</b> S/N: 194150 Usage: Not Available
7472	<b>Bosch 11304 Brute Electric Demolition Breaker</b> S/N: 311000488 Usage: Not Available	7491	<b>2012 Sullair MPB30A Demolition Breaker</b> S/N: 112082 Usage: Not Available
7473	<b>2017 APT 264 Pneumatic Demolition Breaker</b> S/N: 40009550M264 Usage: Not Available	7492A	<b>Pneumatic Demolition Breaker</b> S/N: Not Available Usage: Not Available
7474	<b>2017 APT 264 Pneumatic Demolition Breaker</b> S/N: 40009399M264 Usage: Not Available	7492	<b>Pneumatic Demolition Breaker</b> S/N: PUN802860 Usage: Not Available
7475	<b>2017 APT 264 Pneumatic Demolition Breaker</b> S/N: 40010003 Usage: Not Available	7495	<b>2016 Wacker RT Trench Compactor</b> S/N: 24314654 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, Kubota D902-EF04 3 Cylinder .89 L Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: 390 Hr
7476	<b>2017 APT 190 Pneumatic Demolition Breaker</b> S/N: 325374 Usage: Not Available	7497	<b>2018 STORIKE SVH14 Walk Behind Roller</b> S/N: 1812046 C/W: 1 Cylinder 5.5 hp Engine, 17 in Drum Usage: Not Available
7477	<b>2017 APT 190 Pneumatic Demolition Breaker</b> S/N: 325085 Usage: Not Available	7498	<b>2017 Wacker Neuson DPU6555-HE Vibratory Plate Compactor</b> S/N: 10685381 C/W: 2017 US EPA Label, Hatz Supra 1 Cylinder 8.8 kW .66 L Diesel Engine Usage: 179 Hr
7478	<b>2016 APT 190 Pneumatic Demolition Breaker</b> S/N: 324426 Usage: Not Available	7499	<b>2016 Wacker Neuson DPU6555Heh Reversible Vibratory Plate Compactor</b> S/N: 1055279 Usage: 283 Hr
7479	<b>2016 APT 190 Demolition Breaker</b> S/N: 325085M190BV Usage: Not Available	7500	<b>2017 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10666905 C/W: 2016 US EPA Label, Hatz 5.8 kW Gasoline Engine Usage: 264 Hr
7480	<b>2018 APT 160 Pneumatic Demolition Breaker</b> S/N: 425049 Usage: Not Available	7501	<b>2017 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10711447 C/W: 2017 US EPA Label, Hatz 1 Cylinder 5.8 kW .44 L Diesel Engine Usage: Not Available
7481	<b>2016 APT 160 Pneumatic Demolition Breaker</b> S/N: 421892 Usage: Not Available	7502	<b>2016 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10621408 C/W: 2016 US EPA Label, Hatz 1 Cylinder 5.8 kW .44 L Diesel Engine Usage: 205 Hr
7482	<b>2016 APT 160 Pneumatic Demolition Breaker</b> S/N: 421665 Usage: Not Available		
7483	<b>2016 APT 160 Pneumatic Demolition Breaker</b> S/N: 422451 Usage: Not Available		
7484	<b>2016 APT 117 Demolition Breaker</b> S/N: 508508 Usage: Not Available		
7486	<b>2017 Sullair MCH-3 Demolition Breaker</b> S/N: Not Available Usage: Not Available		
7487	<b>2017 Sullair MCH-3 Pneumatic Demolition Breaker</b> S/N: 33603814B Usage: Not Available		

Lot #	Details	Lot #	Details
7503	<b>2016 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10631588 C/W: 2016 US EPA Label, Hatz 1 Cylinder 5.8 kW .44 L Diesel Engine Usage: 205 Hr	7513	<b>2017 Wacker Neuson BPU3050A Vibratory Plate Compactor</b> S/N: 10674168 C/W: Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
7504	<b>2016 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10631583 C/W: 2016 US EPA Label, Hatz 1 Cylinder 5.8 kW .44 L Diesel Engine Usage: Not Available	7514	<b>2017 Wacker Neuson BPU3050A Vibratory Plate Compactor</b> S/N: 10664912 Usage: Not Available
7505	<b>2015 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10450810 Usage: Not Available	7515	<b>2004 Wacker Neuson BPU 2540A Vibratory Plate Compactor</b> S/N: 1479881 C/W: 2017 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available
7506	<b>2015 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10450808 C/W: 2015 US EPA Label, Hatz 1 Cylinder 5.8 kW .44 L Diesel Engine Usage: Not Available	7516	<b>2015 Bomag BPR50 Vibratory Plate Compactor (Inoperable)</b> S/N: 101692821006 C/W: 2015 US EPA Label, Hatz 2 Cylinder 6.7 kW .46 L Diesel Engine Usage: 417 Hr
7507	<b>2015 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10450809 C/W: 2015 US EPA Label, Hatz 2 Cylinder 5.8 kW .44 L Diesel Engine Usage: Not Available	7517	<b>2016 Multiquip MVH308GH Vibratory Plate Compactor</b> S/N: A-3721 Usage: 10 Hr
7508	<b>2014 Wacker Neuson BPU5545H Vibratory Plate Compactor (Inoperable)</b> S/N: 10306901 C/W: 2013 US EPA Label, Hatz 6.4 kW Gasoline Engine Usage: Not Available	7518	<b>Mikasa MVH308 Vibratory Plate Compactor</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7509	<b>2014 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10306899 C/W: 2013 US EPA Label, Hatz 2 Cylinder 6.4 kW .44 L Diesel Engine Usage: Not Available	7519	<b>Mikasa MVH308 Vibratory Plate Compactor</b> S/N: Not Available C/W: 2016 US EPA Label, Honda GX270 1 Cylinder Gasoline Engine Usage: 117 Hr
7510	<b>2012 Wacker Neuson DPU 5545 Vibratory Plate Compactor (Inoperable)</b> S/N: 10101097 C/W: 2011 US EPA Label, Hatz 2 Cylinder 6.4 kW .44 L Diesel Engine Usage: Not Available	7520	<b>2016 Weber CR3 Vibratory Plate Compactor</b> S/N: 6101206 C/W: 2015 US EPA Label, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
7511	<b>Wacker BPU 4045 Reversible Vibratory Plate Compactor</b> S/N: Not Available C/W: 2018 US EPA Label, Honda GX390 1 Cylinder 11.7 hp 38 cc Gasoline Engine Usage: Not Available	7521	<b>2019 Wacker Neuson WP1550AW Vibratory Plate Compactor</b> S/N: 11073979 C/W: 2019 US EPA Label, Honda Gx160 1 Cylinder 163 cc Gasoline Engine Usage: Not Available
7512	<b>Wacker BPU 4045 Reversible Vibratory Plate Compactor</b> S/N: Not Available C/W: Honda GX240 1 Cylinder 8.4 hp 270 cc Gasoline Engine Usage: Not Available	7522	<b>2018 Wacker Neuson WP1550AW Vibratory Plate Compactor</b> S/N: 10930293 C/W: 2018 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
		7523	<b>2016 Wacker Neuson WP1550A Vibratory Plate Compactor</b> S/N: 10558353 Usage: Not Available

Lot #	Details	Lot #	Details
7524	<b>2016 Wacker Neuson WP1550AW Vibratory Plate Compactor</b> S/N: 10548138 C/W: 2007 US EPA Label, Honda 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	7535	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 6108317 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7525	<b>2016 Wacker Neuson WP1550AW Vibratory Plate Compactor</b> S/N: 10553773 C/W: 2015 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7536	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 6108314 C/W: 2016 US EPA Label, Honda GX100 1 Cylinder Gasoline Engine Usage: Not Available
7526	<b>2016 Wacker Neuson WP1550AW Vibratory Plate Compactor (Inoperable)</b> S/N: 10561380 C/W: 2020 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7537	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 6108318 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7527	<b>Wacker WP1550 Vibratory Plate Compactor</b> S/N: 11130317 Usage: Not Available	7538	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 61064417 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7528	<b>2018 Multiquip MVC-88VTHW Vibratory Plate Compactor</b> S/N: D1947 C/W: 2019 US EPA Label, Honda GX160 1 Cylinder 163 cc Gasoline Engine Usage: 54 Hr	7539	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 7100178 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7529	<b>2017 Bomag BVP10/30 Vibratory Plate Compactor (Inoperable)</b> S/N: 861834191546 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	7540	<b>2017 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 7100201 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7530	<b>Quantity of (2) Multiquip Vibratory Plate Compactor</b> S/N: D4610 C/W: Honda GX160 Gasoline Engine Usage: Not Available	7541	<b>2016 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 6106439 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7531	<b>Quantity of (5) Vibratory Plate Compactor (Inoperable)</b> S/N: Not Available Usage: Not Available	7542	<b>2016 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 61050805 C/W: 2016 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: Not Available
7532	<b>2015 Hatz DS70 Jumping Jack Tamper (Inoperable)</b> S/N: 24216814 C/W: Yanmar L48V4 1 Cylinder Gasoline Engine Usage: Not Available	7543	<b>2015 Weber SRV 620 Jumping Jack Tamper (Inoperable)</b> S/N: 3106810 C/W: 2013 US EPA Label, 1 Cylinder Gasoline Engine Usage: Not Available
7533	<b>2015 Hatz DS70 Jumping Jack Tamper (Inoperable)</b> S/N: 24216826 C/W: 2014 US EPA Label, Yanmar L48V4 1 Cylinder Gasoline Engine Usage: Not Available	7544	<b>2015 Weber SRV620 Jumping Jack Tamper (Inoperable)</b> S/N: 4105942 C/W: 2014 US EPA Label, Honda GX100 1 Cylinder Gasoline Engine Usage: Not Available
7534	<b>2015 Hatz DS70 Jumping Jack Tamper (Inoperable)</b> S/N: 24216815 C/W: 2014 US EPA Label, Yanmar 1 Cylinder Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
7545	<b>2016 Bomag BT65 Jumping Jack Tamper (Inoperable)</b> S/N: 101541324373 C/W: 2015 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: 183 Hr	7556	<b>2017 Mi-T-M HSP-3504-3MGH Pressure Washer</b> S/N: 15117902 C/W: 3500 psi Rating, Water Heater, Hose, Honda GX390 1 Cylinder 389 cc Diesel Engine Usage: Not Available
7546	<b>2016 Bomag BT65 Jumping Jack Tamper (Inoperable)</b> S/N: 101541324374 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: 143 Hr	7557	<b>2017 Mi-T-M CA27031MMH Pressure Washer</b> S/N: 11004983 C/W: 2700 psi Rating, Honda GX200 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
7547	<b>2014 Bomag BT60 Jumping Jack Tamper (Inoperable)</b> S/N: 101541114912 C/W: 2014 US EPA Label, Honda GXR120 1 Cylinder Gasoline Engine Usage: 48 Hr	7558	<b>2016 Mi-T-M CA24031MMH Pressure Washer</b> S/N: 10928259 C/W: 2400 psi Rating, Hose, Spray Wand, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7548	<b>2017 Wacker BS60-4AS Jumping Jack Tamper</b> S/N: 24413460 C/W: 2017 US EPA Label, Honda GX100 1 Cylinder 99 cc Gasoline Engine Usage: Not Available	7559	<b>2018 PSI RW4040S Pressure Washer</b> S/N: 16787334 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7549	<b>2014 Wacker BS604AS Jumping Jack Tamper</b> S/N: 20238928 C/W: 2014 US EPA Label, Honda GX100 1 Cylinder Gasoline Engine Usage: Not Available	7560	<b>2013 PSI RW4040S Pressure Washer (Inoperable)</b> S/N: 16779011 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7550	<b>2014 Wacker Neuson BS60-4 Jumping Jack Tamper (Inoperable)</b> S/N: 20236584 C/W: 2013 US EPA Label, Wacker Neuson 1 Cylinder Gasoline Engine Usage: Not Available	7561	<b>2014 PSI LWD3025G-VR54 Pressure Washer (Inoperable)</b> S/N: 16779002 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7551	<b>Quantity of (2) Mikasa MTX-70 Jumping Jack Tamper</b> S/N: Not Available Usage: Not Available	7562	<b>2012 Pressure P E3027HG Pressure Washer (Inoperable)</b> S/N: 12-04407 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7552	<b>Pneumatic Hand Held Compactor</b> S/N: Not Available Usage: Not Available	7563	<b>Pressure-Pro E Series Pressure Washer</b> S/N: 1708190 C/W: 4000 psi Rating, Honda GX390 1 Cylinder 11.7 hp 389 cc Gasoline Engine Usage: Not Available
7553	<b>Alkota 1017 Pressure Washer (Inoperable)</b> S/N: 261003 C/W: Water Heater, Kohler 3 Cylinder 1.0 L Diesel Engine Usage: 5,693 Hr	7564	<b>Atlas Copco ZR90 Skid-Mounted Electric Oil-free Air Compressor</b> S/N: AIF111663 C/W: 105 psi Working Pressure, 133 hp Motor Usage: Not Available
7554	<b>Mi-T-M 4000 Pressure Washer</b> S/N: 15084100 C/W: 3500 psi Rating, Water Heater, Dual Fuel Engine Usage: Not Available	7566	<b>2007 Atlas Copco GX7 30.7 cfm Skid-Mounted Electric Air Compressor</b> S/N: All168413 C/W: 153 psi Working Pressure, 10 hp Motor Usage: 6,740 Hr
7555	<b>2019 Mi-T-M CBA40041MGH Pressure Washer</b> S/N: 11135862 C/W: 4000 psi Rating, Honda GX390 1 Cylinder 11.7 hp 389 cc Gasoline Engine Usage: Not Available	7567	<b>2007 Atlas Copco GX7 Skid-Mounted Electric Air Compressor</b> S/N: All168126 Usage: 6,553 Hr
		7570	<b>Ingersoll Rand SSR-EP50SE 194 cfm Skid-Mounted Electric Air Compressor</b> S/N: G6940U98133 C/W: 125 psi Working Pressure, 3 Phase, 50 hp Motor Usage: Not Available

Lot #	Details	Lot #	Details
7571	<b>Gardner-Denver EDE99M07 Skid-Mounted Electric Air Compressor</b> S/N: S126843 C/W: 3 Phase, 50 hp Motor Usage: Not Available	7582	<b>Deltech 250 Electric Air Dryer</b> S/N: 00IHX4015 C/W: Single Phase Motor Usage: Not Available
7572	<b>Speedaire 1WD90A 49 cfm Air Compressor</b> S/N: D234599 C/W: 175 psi Working Pressure, 3 Phase Usage: Not Available	7586	<b>Ingersoll Rand TS500 Electric Air Dryer</b> S/N: DR10011009-031301 C/W: Copeland 3 Phase Motor Usage: Not Available
7574	<b>2015 Hitachi EC25E 13.1 cfm Mobile 8.0 gal Air Compressor</b> S/N: EA9140542 C/W: 125 psi Working Pressure, 2014 US EPA Label, Honda GX200 1 Cylinder Gasoline Engine Usage: Not Available	7588	<b>1999 Fermont MEP-803A 10 kW Portable Generator Set</b> S/N: FZ29611 C/W: Onan Corporation 4 Cylinder Diesel Engine, 120 V / 208 V Rated Voltage, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 341 Hr
7575	<b>Volt 8 gal Air Compressor</b> S/N: AC8447 C/W: 2021 US EPA Label, Kohler CH270 1 Cylinder 7 hp 208 cc Gasoline Engine Usage: Not Available	7589	<b>2015 Multiquip GA-9.7HEA Portable Generator Set</b> S/N: 5749970 C/W: 2015 US EPA Label, Honda 2 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 734 Hr
7576	<b>2015 Hitachi EC12 4.4 cfm Mobile Electric 4 gal Air Compressor</b> S/N: N1400410 C/W: 125 psi Working Pressure, 120V, 2 hp Motor Usage: Not Available	7590	<b>2013 Multiquip GA-9.7HEA 9.7 kW Portable Generator Set (Inoperable)</b> S/N: 5691784 C/W: Honda GX630 2 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
7577	<b>Air Compressor</b> S/N: Not Available C/W: 1200 psi Working Pressure Usage: Not Available	7591	<b>Quantity of (4) Mi-T-M &amp; Mulqitquip 7 kW Portable Generator Set (Inoperable)</b> S/N: Not Available C/W: Mi-T-M 420 series 1 Cylinder 420 cc Gasoline Engine, /7 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V Receptacles, (2) Pallets Usage: Not Available
7578	<b>Champion 30 gal Air Compressor</b> S/N: Not Available C/W: 200 psi Working Pressure, Gasoline Engine Usage: Not Available	7592	<b>MQ Power GA-6HR 6 kW Portable Generator Set (Inoperable)</b> S/N: 5771085 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 1,150 Hr
7579	<b>Speedair 23.5 cfm Electric Air Compressor</b> S/N: Not Available C/W: 175 psi Working Pressure Usage: Not Available	7593	<b>Quantity of (2) Ryobi 6 kW Portable Generator Set</b> S/N: Not Available C/W: 2018 US EPA Label, Ryobi 1 Cylinder 212 cc Gasoline Engine, /3.6 kW, Rated Single Phase Output, 120 V Rated Voltage Usage: Not Available
7580D	<b>Quantity of (2) Electric Air Compressor</b> S/N: Not Available Usage: Not Available	7594	<b>2004 Tsurumi TPG-6000HDX Portable Generator Set</b> S/N: 10001035 C/W: 338 cc Gasoline Engine Usage: 1 Hr
7580C	<b>Ingersoll Rand Skid-Mounted 80 gal Air Compressor</b> S/N: UP7294U07334 Usage: Not Available		
7580B	<b>Ingersoll Rand 42 cfm Skid-Mounted Electric Air Compressor</b> S/N: CBV201772 Usage: Not Available		
7580	<b>Quantity of (2) Air Compressor</b> S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available		
7581	<b>Quantity of (2) Air Dryer</b> S/N: Not Available Usage: Not Available		



Lot #	Details	Lot #	Details
7595	<b>Tsurumi TPG4-6000HDX 6 kW Portable Generator Set</b> S/N: 060890 C/W: 2014 US EPA Label, Honda GX340 1 Cylinder 389 cc Gasoline Engine, 5.5 kVA,/6 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7603	<b>2013 Honda EU2000I1A3 Portable Generator Set</b> S/N: EEAAJ2560992 C/W: 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7596	<b>Tsurumi TPG4-6000HDX 6 kW Portable Generator Set</b> S/N: 061204 C/W: 2014 US EPA Label, Honda GX340 1 Cylinder 389 cc Gasoline Engine, 5.5 kVA,/6 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7604	<b>Wacker Neuson GPI1700 1.7 kW Portable Generator Set</b> S/N: 5946679 C/W: 2011 US EPA Label, Subaru 1 Cylinder 86 cc Gasoline Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7597	<b>2016 Honda EB5000XK3 Portable Generator Set</b> S/N: 1029430 C/W: 2015 US EPA Label, Honda 1 Cylinder 389 cc Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7606	<b>Champion Portable Generator Set (Inoperable)</b> S/N: Not Available C/W: Champion 1 Cylinder Dual Fuel Engine, 20 kVA,/16 kW, Rated Single Phase Output, 1 V Rated Voltage Usage: Not Available
7598	<b>Quantity of Volt K4IN1 5 kW Portable Generator Set</b> S/N: K4IN11857 C/W: 2021 US EPA Label, Kohler Command Pro 1 Cylinder 14 hp 429 cc Gasoline Engine, /5 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V Receptacles, c/w: Lighting, & Hardware Usage: Not Available	7607	<b>Champion Portable Generator Set</b> S/N: Not Available C/W: Champion 1 Cylinder Dual Fuel Engine, 20 kVA,/16 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7599	<b>Tsurumi TPG4-3000HDX 3 kW Portable Generator Set</b> S/N: 041581 C/W: 2016 US EPA Label, Honda GX160 1 Cylinder 163 cc Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	7608	<b>Champion Mobile Portable Generator Set</b> S/N: Not Available C/W: Champion 1 Cylinder Gasoline Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7600	<b>Tsurumi TPG4-3000HDX 3 kW Portable Generator Set</b> S/N: 042613 C/W: 2019 US EPA Label, Honda GX160 1 Cylinder 163 cc Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	7609	<b>2018 Champion 100401 Portable Generator Set (Inoperable)</b> S/N: Not Available C/W: Champion 1 Cylinder Gasoline Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7601	<b>2007 Honda EB3000 2.6 kVA Skid-Mounted Portable Generator Set</b> S/N: GCAE2117835 C/W: Honda 1 Cylinder Gasoline Engine, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	7610	<b>Generac Mobile Portable Generator Set (Inoperable)</b> S/N: Not Available C/W: 2020 US EPA Label, 389 cc Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
7602	<b>Generac GP3300 Portable Generator Set (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7612	<b>CT-Power PME8000SE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available
		7613	<b>CT-Power PME7500SE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available
		7614	<b>CT-Power PME7500CLE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available
		7615	<b>CT-Power PME7500CLE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available

Lot #	Details	Lot #	Details
7616	<b>CT-Power PME6700SE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available	7630	<b>2004 Miller Mobile Multi-Process Electric Welder</b> S/N: LE299917 C/W: Single Phase, 200 V/ 460 V Input, Welding Leads Usage: Not Available
7618	<b>CT-Power PME6700SE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available	7631	<b>Linde 225 Electric Welder</b> S/N: B87B-71851 C/W: 200 V/ 230 V Input, Wire Feeder Attachment Usage: Not Available
7619	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7632	<b>Quantity of (2) Electric Welder (Inoperable)</b> S/N: Not Available C/W: c/w: Parts Washer Usage: Not Available
7620	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7633	<b>Hobart Mega Mig 450-LS Mobile Electric Welder</b> S/N: Not Available C/W: Welding Leads Not Included Usage: Not Available
7621	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7634	<b>1997 Miller S62 Wire Feeder</b> S/N: KH504167 Usage: Not Available
7622	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7635	<b>2007 Miller Spectrum 2050 Electric Plasma Cutter</b> S/N: LH021010P Usage: Not Available
7623	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7636	<b>2019 Multiquip 4TH Water Pump</b> S/N: 24460444 C/W: 4 in Intake, 4 in Discharge, Honda GX390 Gasoline Engine Usage: Not Available
7624	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7637	<b>2015 Wacker Neuson PTS4V Water Pump</b> S/N: 24223975 C/W: 4 in Intake, 4 in Discharge, Centrifugal Water Pump, Vanguard 2 Cylinder Gasoline Engine Usage: Not Available
7625	<b>CT-Power PG6500E Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available	7638	<b>2014 Wacker Neuson PTS4V Water Pump</b> S/N: 20238251 C/W: 4 in Intake, 4 in Discharge, Water Pump, 2 Cylinder Gasoline Engine Usage: Not Available
7626	<b>CT-Power PME4000CLE3 Portable Generator Set</b> S/N: Not Available C/W: Diesel Engine, 220 V Rated Voltage Usage: Not Available	7639	<b>2016 Multiquip QP-3TH Water Pump</b> S/N: 3TH30299 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, 2016 US EPA Label, Honda GX240 1 Cylinder 270 cc Gasoline Engine Usage: Not Available
7628	<b>2018 Fronus TPS 400i 400 A Mobile MIG Electric Welder</b> S/N: 31508381 C/W: 3 Phase, 230 V/ 460 V Input, Welding Leads Usage: Not Available	7640	<b>2019 Wacker PDT3A Water Pump</b> S/N: 24484733 C/W: 3 in Intake, 3 in Discharge, 2018 US EPA Label, Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available
7629	<b>2007 Miller Millermatic 251 48 A Mobile Electric Welder</b> S/N: LH060195B C/W: Single Phase, 200 V/ 230 V Input, Wire Feeder Attachment, Welding Leads Usage: Not Available	7641	<b>2019 Wacker Neuson PDT3A Water Pump</b> S/N: 24479848 C/W: 3 in Intake, 3 in Discharge, Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
7642	<b>2018 Wacker Neuson PDT3A Water Pump</b> S/N: 24456853 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, 2018 US EPA Label, Honda Gasoline Engine Usage: Not Available	7652	<b>Water Pump</b> S/N: A03336E96K C/W: 2 in Intake, 2 in Discharge, Diaphragm Trash Pump Usage: Not Available
7643	<b>2017 Wacker Neuson PT3A Water Pump</b> S/N: 24407683 C/W: 3 in Intake, 3 in Discharge, Honda GX240 Gasoline Engine Usage: Not Available	7653	<b>Volt Water Pump (Unused)</b> S/N: NP9337 C/W: 3 in Intake, 2.5 in Discharge, Self Priming Centrifugal Water Pump, 2021 US EPA Label, Kohler CH270 1 Cylinder 7 hp 208 cc Gasoline Engine Usage: Not Available
7644	<b>2017 Wacker Neuson PT3A Water Pump</b> S/N: 24407690 C/W: 3 in Intake, 3 in Discharge, Centrifugal 2017 US EPA Label, Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	7654	<b>Koshin Water Pump</b> S/N: A02336E96K C/W: 2 in Intake, 2 in Discharge, Diaphragm Trash Pump Usage: Not Available
7645	<b>2016 Wacker Neuson PT3 Water Pump (Inoperable)</b> S/N: 24297356 C/W: 3 in Intake, 3 in Discharge, Diaphragm Trash Pump, 2015 US EPA Label, Honda GX240 1 Cylinder 270 cc Gasoline Engine Usage: Not Available	7655	<b>Koshin Water Pump</b> S/N: A002336E96K C/W: 2 in Intake, 2 in Discharge, Diaphragm Trash Pump Usage: Not Available
7646	<b>2016 Wacker Neuson PT3A Water Pump</b> S/N: 24335982 C/W: 3 in Intake, 3 in Discharge, Centrifugal 2016 US EPA Label, Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	7656	<b>Water Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Self Priming Diaphragm Trash Pump, 2016 US EPA Label, Honda 1 Cylinder 119 cc Gasoline Engine Usage: Not Available
7647	<b>2017 Wacker Neuson PT2A Skid-Mounted Water Pump</b> S/N: 24366084 C/W: 2 in Intake, 2 in Discharge, Water Pump, 2016 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7657	<b>Quantity of (3) Water Pump (Inoperable)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7648	<b>2017 Wacker Neuson PT2A Skid-Mounted Water Pump</b> S/N: 24366087 C/W: 2 in Intake, 2 in Discharge, Water Pump, 2016 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7658	<b>Quantity of (2) Water Pump (Inoperable)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7649	<b>2016 Wacker Neuson PT2A Water Pump</b> S/N: 24344247 C/W: 2 in Intake, 2 in Discharge, 2016 US EPA Label, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7659	<b>Trailer-Mounted Water Pump (Inoperable)</b> S/N: Not Available C/W: 4 in Intake, 4 in Discharge, Diaphragm Trash Pump, Hatz 1 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: Not Available
7650	<b>2022 Northstar 106470H Water Pump</b> S/N: 106470H04220230 C/W: 2 in Intake, 2 in Discharge, Self Priming Centrifugal Water Pump, 2021 US EPA Label, Honda GX160 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	7660	<b>Koshin KTZ-100S Skid-Mounted Water Pump</b> S/N: 200101018 C/W: 4 in Intake, 4 in Discharge, Water Pump, Tier 3, 2019 US EPA Label, 1 Cylinder 420 cc Gasoline Engine Usage: Not Available
7651	<b>2020 Tsurumi TE3-80HA Water Pump (Inoperable)</b> S/N: 069053 C/W: 3 in Intake, 3 in Discharge, 2019 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available	7661	<b>Quantity of (6) Water Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Diaphragm Water Pump Usage: Not Available
		7662	<b>Quantity of (3) Water Pump (Inoperable)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, Honda 1 Cylinder Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
7663	<b>Quantity of (3) Water Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Diaphragm 1 Cylinder Gasoline Engine Usage: Not Available	7673	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 40249 C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7664	<b>Teran WP80L Water Pump</b> S/N: Not Available C/W: 3 in Intake, Loncin 6.5 hp Engine Usage: Not Available	7674	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 36334 C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7665	<b>Teran WP80L Water Pump</b> S/N: Not Available C/W: 3 in Intake, Loncin 6.5 hp Engine Usage: Not Available	7675	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7666	<b>Water Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Honda 1 Cylinder Gasoline Engine Usage: Not Available	7676	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 35956 C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7667	<b>Water Pump (Inoperable)</b> S/N: 04D1601 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, Honda 1 Cylinder Gasoline Engine Usage: Not Available	7677	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 36853 C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7668C	<b>Marlow 3 in Trash Skid-Mounted Water Pump</b> S/N: E3862 C/W: 4 in Intake, 4 in Discharge, Centrifugal Water Pump Usage: Not Available	7678	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 36664 C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7668B	<b>Marlow Skid-Mounted Water Pump</b> S/N: E3863 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump Usage: Not Available	7679	<b>Fruitland RCF500 Vacuum Pump</b> S/N: 502986LUF C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7668A	<b>Multiquip Water Pump</b> S/N: Not Available C/W: 2 in Discharge, Tier 2, 2002 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available	7680	<b>Fruitland RCF500 Vacuum Pump</b> S/N: 508334LUF C/W: 3 in Intake, 3 in Discharge Usage: Not Available
7668	<b>Water Pump</b> S/N: Not Available C/W: 4.5 in Intake, 4.5 in Discharge, Vikyno Diesel Engine Usage: Not Available	7681	<b>2019 United Coolair PACH5N3AS15 Air Conditioner</b> S/N: 1906058 Usage: Not Available
7669	<b>Wacker 3 in Electric Submersible Water Pump</b> S/N: 24423732181 C/W: 3 in Discharge, Submersible Water Pump Usage: Not Available	7682	<b>2020 MovinCool CLIMATEPRO D12 Electric Air Conditioner</b> S/N: 01200062D12 C/W: 11,450 btu Usage: Not Available
7670	<b>2019 Wacker PST2 400 Electric Submersible Water Pump</b> S/N: 24486683 C/W: 2 in Intake, 2 in Discharge, Submersible Usage: Not Available	7683	<b>2017 MovinCool ClimatePro12 Electric Air Conditioner</b> S/N: 07170978H12 C/W: Single Phase Motor Usage: Not Available
7671	<b>Koshin PX-65011-BAC-2 Electric Submersible Water Pump</b> S/N: 180910122 C/W: 2 in Intake, 2 in Discharge Usage: Not Available	7684	<b>2017 MovinCool ClimatePro12 Electric Air Conditioner</b> S/N: 12160684H12 C/W: Single Phase Motor Usage: Not Available
7672	<b>Challenger 100-607-FD Vacuum Pump</b> S/N: 35758 C/W: 3 in Intake, 3 in Discharge Usage: Not Available	7685	<b>2017 MovinCool ClimatePro12 Air Conditioner</b> S/N: 06170826H12 C/W: Single Phase Motor Usage: Not Available

Lot #	Details	Lot #	Details
7686	<b>2017 MovinCool ClimatePro12 Electric Air Conditioner</b> S/N: 07170977H12 C/W: Single Phase Motor Usage: Not Available	7700	<b>Denso Movincool Electric Air Conditioner</b> S/N: 04170389H12 C/W: 10200 BTU Usage: Not Available
7687	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170518H12 C/W: 10200 BTU Usage: Not Available	7701	<b>Denso Movincool Electric Air Conditioner</b> S/N: 09171210H12 C/W: 10200 BTU Usage: Not Available
7688	<b>Denso Movincool Electric Air Conditioner</b> S/N: 12171317H12 C/W: 10200 BTU Usage: Not Available	7702	<b>Denso Movincool Electric Air Conditioner</b> S/N: 10160548H12 C/W: 10200 BTU Usage: Not Available
7689	<b>Denso Movincool Electric Air Conditioner</b> S/N: 08171085H12 C/W: 10200 BTU Usage: Not Available	7703	<b>OceanAire OWC1811QC Electric Air Conditioner</b> S/N: W237919 C/W: 10200 BTU Usage: Not Available
7690	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170549H12 C/W: 10200 BTU Usage: Not Available	7704	<b>OceanAire CAC1211 Electric Air Conditioner</b> S/N: X240522 C/W: 12000 BTU Usage: Not Available
7691	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170487H12 C/W: 10200 BTU Usage: Not Available	7705	<b>OceanAire CAC1211 Electric Air Conditioner</b> S/N: X240536 C/W: 12000 BTU Usage: Not Available
7692	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170607H12 C/W: 10200 BTU Usage: Not Available	7706	<b>2018 OceanAire OWC6012QC Electric Air Conditioner</b> S/N: W3-38356 C/W: Single Phase Motor Usage: Not Available
7693	<b>Denso Movincool Electric Air Conditioner</b> S/N: 02170125H12 C/W: 10200 BTU Usage: Not Available	7707	<b>Quantity of (10) Dri-Eaz Electric Dehumidifier</b> S/N: Not Available Usage: Not Available
7694	<b>Denso Movincool Electric Air Conditioner</b> S/N: 02170118H12 C/W: 10200 BTU Usage: Not Available	7708	<b>2015 Flagro FVO400 390000 BTU Space Heater</b> S/N: OV40013237 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available
7695	<b>Denso Movincool Electric Air Conditioner</b> S/N: 08171067H12 C/W: 10209 BTU Usage: Not Available	7709	<b>2019 AM Tank AM-TANK800 838 gal Fuel Tank</b> S/N: 69236 C/W: 110 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
7696	<b>Denso Movincool Electric Air Conditioner</b> S/N: 04170468H12 C/W: 10200 BTU Usage: Not Available	7710	<b>Fuel Tank</b> S/N: Not Available Usage: Not Available
7697	<b>Denso Movincool Electric Air Conditioner</b> S/N: 08171173H12 C/W: 10200 BTU Usage: Not Available	7711	<b>2017 Western Global 10TCG 238 gal Skid Mounted Fuel Tank</b> S/N: 16002698 Usage: Not Available
7698	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170529H12 C/W: 10200 BTU Usage: Not Available	7712	<b>Newberry Skid Mounted Fuel Tank</b> S/N: 4868 Usage: Not Available
7699	<b>Denso Movincool Electric Air Conditioner</b> S/N: 05170614H12 C/W: 10200 BTU Usage: Not Available	7715	<b>100 gal Aluminum Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available

Lot #	Details	Lot #	Details
7716	<b>2022 JFC TT950 250 gal Portable Poly Fuel Tank</b> S/N: 83 C/W: 12 V Transfer Pump Usage: Not Available	7729	<b>2020 John Deere Planetary Drive Auger Adapter</b> S/N: Not Available C/W: To Fit John Deere PA15/PA30B Planetary Drive Auger Usage: Not Available
7717	<b>2022 JFC TT950 250 gal Portable Poly Fuel Tank (Unused)</b> S/N: 79 C/W: 12 V Transfer Pump Usage: Not Available	7730	<b>2020 John Deere Tank Guard</b> S/N: Not Available C/W: To Fit John Deere 750K Crawler Dozer Usage: Not Available
7718	<b>Carry Tank 116 gal Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	7731	<b>Quantity of Assorted Parts; Original Bobcat parts, Flywheels, Honda starter, cylinders, fuel caps kubota hood, seatbelts, etc...</b> S/N: Not Available C/W: to fit: Boxer/Kubota/Terex/PT30/RT30 Usage: Not Available
7719	<b>116 gal Poly Fuel Tank</b> S/N: 22379L C/W: 12 V Transfer Pump Usage: Not Available	7732	<b>Wheel Loader Arm</b> S/N: Not Available C/W: To Fit Cat 950H, 40 in wide Usage: Not Available
7720	<b>Poly Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	7733C	<b>Aluminum Hydraulic Tank</b> S/N: Not Available Usage: Not Available
7721	<b>Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	7733B	<b>16 in Linkage</b> S/N: Not Available Usage: Not Available
7722	<b>Oil Tank</b> S/N: Not Available Usage: Not Available	7733A	<b>Quantity of Hydraulic Pumps</b> S/N: Not Available C/W: To Fit Cat 740, Cat IT28, Komatsu C200, Cat D8N, Cat D8R Usage: Not Available
7723	<b>Quantity of 1000 gal Skid Mounted IBC Tank</b> S/N: Not Available Usage: Not Available	7733	<b>Quantity of (2) Pallets of Track Rollers</b> S/N: Not Available Usage: Not Available
7724	<b>Quantity of (4) Teran 0875805 80 mm x 545 mm Bucket Pins (Unused)</b> S/N: Not Available C/W: To Fit Cat 320, 80mm x 545mm - B Linkage Front & Rear Usage: Not Available	7734	<b>2023 Global 16 ft Truck Dump Body</b> S/N: GLO202002 C/W: 16 ft Body Length Usage: Not Available
7725	<b>Quantity of (4) Teran 1066878 70 mm x 508 mm Bucket Pins (Unused)</b> S/N: Not Available C/W: To Fit Cat 315, 312 Linkage for Cat 311, 312, 314 - 65mm Pins Usage: Not Available	7735	<b>13 ft Truck Dump Body (Unused)</b> S/N: Not Available C/W: 13 ft Body Length Usage: Not Available
7726	<b>Quantity of (4) Teran 0860523 65 mm x 410 mm Bucket Pins (Unused)</b> S/N: Not Available C/W: To Fit Cat 311, 314, 65mm x 410mm Usage: Not Available	7737	<b>Truck Dump Body</b> S/N: Not Available Usage: Not Available
7727	<b>Motor Grader Turn Table</b> S/N: Not Available C/W: To Fit John Deere 570B Usage: Not Available	7738	<b>2001 Presvac 11356 L Roll-Off Vacuum Excavation Unit</b> S/N: PV 3000 0900 6002 C/W: Steel Debris Tank, 3 Cylinder Diesel Engine Usage: 2,108 Hr
7728	<b>Quantity of (4) Hubs</b> S/N: Not Available Usage: Not Available	7739	<b>Tank Truck Body</b> S/N: Not Available Usage: Not Available
		7741	<b>Kidron Reefer Truck Body</b> S/N: 14P00664 Usage: Not Available

Lot #	Details	Lot #	Details
7743	<b>Supreme F0303098 26 ft Van Truck Body</b> S/N: SVF26091096 Usage: Not Available	7760	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7745	<b>Marion 28 ft Van Truck Body</b> S/N: 328506JA Usage: Not Available	7761	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7746	<b>Van Body</b> S/N: 1904071364 Usage: Not Available	7762	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7747	<b>Quantity of Fuel and Lube Truck Components &amp; Body</b> S/N: Not Available Usage: Not Available	7763	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7748	<b>Flatbed Truck Body</b> S/N: Not Available Usage: Not Available	7764	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 8 in Body Length Usage: Not Available
7749	<b>24 ft x 96 in Flatbed Truck Body</b> S/N: Not Available Usage: Not Available	7765	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7750	<b>20 ft x 96 in Flatbed Truck Body</b> S/N: Not Available Usage: Not Available	7766	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 8 in Body Length Usage: Not Available
7751	<b>12 ft x 96 in Flatbed Body</b> S/N: Not Available Usage: Not Available	7767	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7752	<b>9 ft x 96 in Flatbed Body</b> S/N: Not Available Usage: Not Available	7768	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7753	<b>CM RD Flatbed Truck Body</b> S/N: Not Available C/W: 9.3' Long x 97 inch Wide, 60 in Cab to axle, 34 in Rails Width, Super Duty Headache Rack, Color: Black, Mfg part # 1510304. Weighs approx 1100 lbs. Usage: Not Available	7769	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft Body Length Usage: Not Available
7754	<b>Flatbed Truck Body</b> S/N: Not Available Usage: Not Available	7770	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7755	<b>Flatbed Truck Body</b> S/N: Not Available C/W: 9 ft 4 in L x 8 ft W, Headache Rack Usage: Not Available	7771	<b>GMC Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7756	<b>Aluminum Flatbed Truck Body</b> S/N: Not Available C/W: 9 ft 4 in L x 8 ft W, Headache Rack Usage: Not Available	7772	<b>Ford Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7757	<b>2001 IMT Dom-1-11 Service Body</b> S/N: DOM1011126 C/W: Steel, 11 ft Body Length Usage: Not Available	7773	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7758	<b>Auto Crane Service Body</b> S/N: 5124 84 AE 0890 C/W: Steel, 11 ft Body Length Usage: Not Available	7774	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available
7759	<b>Service Body</b> S/N: Not Available C/W: 8 ft Body Length Usage: Not Available		

Lot #	Details	Lot #	Details
7775	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available	7790	<b>Cat KH3XL222TDi Engine</b> S/N: C8309188 C/W: 2019 US EPA Label, Cat C2.2 4 Cylinder 2.2 L Diesel Engine Usage: Not Available
7776	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available	7791	<b>Cat C3.3B Engine</b> S/N: Not Available C/W: Tier 4, 2015 US EPA Label, Cat 4 Cylinder 54.6 kW Engine Usage: Not Available
7777	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available	7792A	<b>Cat Engine</b> S/N: Not Available C/W: Cat 4 Cylinder 59 hp Diesel Engine Usage: Not Available
7778	<b>Chevrolet Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available	7792	<b>Cat Engine</b> S/N: 48B698 C/W: Cat D315G 4 Cylinder 56.5 hp Diesel Engine Usage: Not Available
7779	<b>Ram Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft 6 in Body Length Usage: Not Available	7794	<b>Cummins ISX11.9 Engine</b> S/N: 75006802 C/W: 2011 US EPA Label, Cummins ISX11.9 6 Cylinder 425 hp 11.9 L Diesel Engine Usage: Not Available
7782	<b>Pickup Truck Bed</b> S/N: Not Available C/W: 8 ft Body Length Usage: Not Available	7795	<b>2006 Volvo D12 Engine</b> S/N: D12568116D2AH C/W: 2006 US EPA Label, Volvo 6 Cylinder 365 hp 12.1 L Diesel Engine Usage: Not Available
7783	<b>2012 Hiab XS 322 HiPro 71 ft Reach Knuckle Boom</b> S/N: 3221270 C/W: Steel, 24 ft Body Length, (2) Stabilizers, Hydraulic Tank Usage: Not Available	7796	<b>Mack MP7 Engine</b> S/N: Not Available C/W: 2009 US EPA Label, Mack MP7 6 Cylinder 325 hp 10.8 L Diesel Engine Usage: Not Available
7784	<b>2011 Palfinger PK11001-CM Truck Mounted Boom</b> S/N: 100142861 Usage: Not Available	7797	<b>Mack Engine</b> S/N: Not Available C/W: Mack 6 Cylinder Diesel Engine Usage: Not Available
7785	<b>Fifth Wheel Wrecker Unit</b> S/N: Not Available C/W: 10 ft Body Length Usage: Not Available	7798	<b>International Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available
7786	<b>Quantity of (2) Cat C12 Engine</b> S/N: Not Available C/W: Cat C12 6 Cylinder Diesel Engine Usage: Not Available	7799	<b>Deutz Engine</b> S/N: Not Available C/W: 2013 US EPA Label, Deutz TCD 3.6L4 4 Cylinder 121 hp 3.6 L Diesel Engine Usage: Not Available
7787	<b>Cat Engine</b> S/N: Not Available C/W: Cat 6 Cylinder Diesel Engine Usage: Not Available	7800	<b>Lister-Peter Engine</b> S/N: 4800914 C/W: 3 Cylinder Diesel Engine Usage: Not Available
7788	<b>Cat Engine</b> S/N: Not Available C/W: US EPA Label, Cat 6 Cylinder Diesel Engine Usage: Not Available	7801	<b>Lister Engine</b> S/N: I565 HR3 A29-07 C/W: Lister 3 Cylinder Diesel Engine Usage: Not Available
7789	<b>Cat C7 Engine</b> S/N: Not Available C/W: 2010 US EPA Label, Cat C7 Acert 6 Cylinder 300 hp 7.2 L Diesel Engine Usage: Not Available	7802	<b>Nissan Engine</b> S/N: 652212 C/W: 4 Cylinder Gasoline Engine Usage: Not Available



Lot #	Details	Lot #	Details
7803	<b>Quantity of (2) Michelin 480/80R50 Tires</b> S/N: Not Available Usage: Not Available	7823	<b>Quantity of (2) Hydraulic Cylinder</b> S/N: Not Available Usage: Not Available
7804	<b>Quantity of (4) 12x16.5 Tires</b> S/N: Not Available Usage: Not Available	7824	<b>Quantity of (2) Cylinder</b> S/N: Not Available Usage: Not Available
7806	<b>Quantity of (4) 455/55R22.5 Tires</b> S/N: Not Available Usage: Not Available	7825	<b>Cat Radiator - Fits 3516</b> S/N: Not Available Usage: Not Available
7807	<b>Quantity of (4) 11R22.5 Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	7827	<b>John Deere Radiator - Fits 544K</b> S/N: Not Available Usage: Not Available
7808	<b>Quantity of (2) 11R22.5 Tires</b> S/N: Not Available Usage: Not Available	7828	<b>Quantity of (6) Fairings</b> S/N: Not Available Usage: Not Available
7809	<b>Quantity of (4) 11 R 17.5 Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	7829	<b>Quantity of (3) Fairings</b> S/N: Not Available Usage: Not Available
7810	<b>Quantity of (4) 11 R 17.5 Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	7830	<b>Pickup Truck Rack</b> S/N: Not Available Usage: Not Available
7811	<b>Quantity of (4) 11R22.5 Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	7831	<b>Quantity of (4) Rear Axle Differential Gear</b> S/N: Not Available Usage: Not Available
7812	<b>Quantity of (5) 11R22.5 Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	7832	<b>Diversified Metal RW1630CF Railroad Guide Wheels</b> S/N: 30433 Usage: Not Available
7814	<b>Quantity of (9) Rims</b> S/N: Not Available Usage: Not Available	7833	<b>Quantity of (2) Truck Fuel Tank</b> S/N: Not Available Usage: Not Available
7815	<b>Quantity of (6) Wheels</b> S/N: Not Available Usage: Not Available	7834	<b>Quantity of Cat 16 in Rubber Tracks - Fits Cat 259D</b> S/N: Not Available C/W: To Fit Cat 259D Usage: Not Available
7816	<b>Quantity of (4) Wheels</b> S/N: Not Available C/W: To Fit 11R17.5 Usage: Not Available	7835A	<b>Headache Rack</b> S/N: 419215TP Usage: Not Available
7818	<b>Eaton Fuller Transmission</b> S/N: Not Available Usage: Not Available	7835	<b>Headache Rack</b> S/N: Not Available C/W: Aluminum, 7 ft 2 in Body Length Usage: Not Available
7819	<b>Transmission</b> S/N: Not Available Usage: Not Available	7836	<b>Quantity of (2) Fifth Wheel</b> S/N: Not Available Usage: Not Available
7821	<b>Truck Axle</b> S/N: Not Available Usage: Not Available	7837	<b>Fifth Wheel</b> S/N: Not Available Usage: Not Available
7822A	<b>Truck Axle</b> S/N: Not Available C/W: 9 ft 6 in Body Length Usage: Not Available	7838	<b>Thermo King TK486 Reefer Unit</b> S/N: Not Available C/W: Ingersoll-Rand TK69919 4 Cylinder Diesel Engine Usage: Not Available
7822	<b>Truck Axle</b> S/N: Not Available Usage: Not Available	7839	<b>2019 Bauer Electric Band Saw</b> S/N: 372651845 Usage: Not Available

Lot #	Details	Lot #	Details
7841	<b>2021 Makita EK7651H Cut-Off Saw</b> S/N: 52074Y C/W: Gasoline Engine Usage: Not Available	7861A	<b>Quantity of (3) Battery Charger</b> S/N: Not Available Usage: Not Available
7842	<b>2021 Makita EK7651H Cut-Off Saw</b> S/N: 55732Y C/W: Gasoline Engine Usage: Not Available	7861	<b>Quantity of (2) Battery Charger</b> S/N: Not Available Usage: Not Available
7843	<b>2021 Makita EK7651H Cut-Off Saw</b> S/N: 0052038 C/W: Gasoline Engine Usage: Not Available	7862	<b>Ridgid Job Site Box</b> S/N: Not Available Usage: Not Available
7845	<b>2019 Stihl TS420 Cut-Off Saw</b> S/N: 186454958 C/W: 4.4 hp 66.7 L Gasoline Engine Usage: Not Available	7863	<b>Quantity of (2) Tool Box</b> S/N: Not Available Usage: Not Available
7846	<b>2018 Stihl TS420 Cut-Off Saw</b> S/N: 184268522 Usage: Not Available	7864	<b>Quantity of (3) Tool Box</b> S/N: Not Available Usage: Not Available
7847	<b>Quantity of (2) Cut-Off Saw</b> S/N: Not Available Usage: Not Available	7865	<b>Quantity of (3) Tool Box</b> S/N: Not Available Usage: Not Available
7848	<b>Niagara H52 Hydraulic 10 ft Metal Shear</b> S/N: 60695 C/W: To Fit shear metal Usage: Not Available	7866	<b>Quantity of (3) Tool Box</b> S/N: Not Available Usage: Not Available
7853A	<b>Bridgeport Electric Milling Machine</b> S/N: Not Available Usage: Not Available	7867	<b>Quantity of (3) Tool Box</b> S/N: Not Available Usage: Not Available
7855	<b>2004 Adira QHD-1550 Hydraulic 10 ft Press Brake</b> S/N: 623411456 C/W: 3 Phase Motor Usage: Not Available	7868	<b>Quantity of (3) Floor Jack</b> S/N: Not Available Usage: Not Available
7856	<b>Ridgid Electric Pipe Threader</b> S/N: Not Available Usage: Not Available	7869	<b>Quantity of Hydraulic Jack</b> S/N: Not Available Usage: Not Available
7857	<b>2018 Rice EL1A Electric Hydrostatic Test Pump</b> S/N: 49243 Usage: Not Available	7870	<b>2017 BlastPro BP-9-110V Portable Sand Blaster</b> S/N: 1820 C/W: Blast Hose Usage: Not Available
7858	<b>2022 Toyota EHIMV80M200 Electric Battery Charger</b> S/N: 493538 Usage: Not Available	7871	<b>2019 Dewalt Electric Tile Saw</b> S/N: Not Available Usage: Not Available
7860	<b>Pallet Jack Battery Charger</b> S/N: WJ99736 Usage: Not Available	7872	<b>2017 Norton CTC705 Electric Tile Table Saw</b> S/N: CTC00596 Usage: Not Available
7861D	<b>Forklift Battery</b> S/N: Not Available Usage: Not Available	7873	<b>2017 Husqvarna TS90 Electric Tile Table Saw</b> S/N: 20162400015 C/W: Wonder Single Phase AC Electric Motor 1.5 hp Engine, 115 V, 10 in Blade Usage: Not Available
7861C	<b>Quantity of (2) Battery Charger</b> S/N: Not Available Usage: Not Available	7874	<b>2016 Dewalt D24000 Electric Tile Saw</b> S/N: Not Available Usage: Not Available
7861B	<b>PEI 18/10 Battery Charger</b> S/N: Not Available Usage: Not Available	7875	<b>2020 Dewalt 1218R Electric Circular Saw</b> S/N: Not Available Usage: Not Available
		7876	<b>2021 Makita HR4002 Electric Rotary Hammer</b> S/N: 221616K Usage: Not Available
		7877	<b>2015 Makita HR4002 Electric Rotary Hammer</b> S/N: 106409K Usage: Not Available

Lot #	Details	Lot #	Details
7878	2018 Hitachi DH387E2 Electric Rotary Hammer S/N: C280035 Usage: Not Available	7894	2014 Clarke EZ8 Electric Sander S/N: 3000149960 C/W: 1.2 kW Single Phase Motor Usage: Not Available
7879	2016 Hilti TE70-ATC/AVR Electric Rotary Hammer S/N: 70704 Usage: Not Available	7895	2019 American S OBS-18DC Electric Orbital Sander S/N: S060646 Usage: Not Available
7880	2018 Ingersoll Rand 2925B2TI Impact Wrench S/N: SP18A08018 Usage: Not Available	7896	2016 Clarke Super 7R Electric Edge Sander S/N: S021246 C/W: Single Phase Motor Usage: Not Available
7881	2017 Ingersoll Rand 2925B2TI Impact Wrench S/N: SP17B06029 Usage: Not Available	7897	2014 Clarke SUPER 7R Electric Edge Sander S/N: 3000148122 Usage: Not Available
7883	2020 Milwaukee Electric Angle Grinder S/N: Not Available Usage: Not Available	7898	Clarke Super-7R Electric Edge Sander S/N: S045158 Usage: Not Available
7884	2017 National 6280 Electric Floor Scraper S/N: 6280-100392 Usage: Not Available	7899	2019 Breezer PB10-A-06-B Electric Fan S/N: PB60040049 Usage: Not Available
7885	2017 National 6280HD-COM Electric Walk-Behind Floor Scraper S/N: 6280HD-230053 Usage: Not Available	7900	2019 Breezer PB10-A-06-B Electric Fan S/N: PB60040134 Usage: Not Available
7886	2017 National 6280HD-COM Electric Walk-Behind Floor Scraper S/N: 6280HD-230061 Usage: Not Available	7901	2017 Breezer PB10-A-06-B Electric Fan S/N: 52F0014264 Usage: Not Available
7887	2017 National 550 Electric Walk-Behind Floor Scraper S/N: 550-230151 Usage: Not Available	7902	2017 Breezer PB10-A-06-B Electric Fan S/N: PB60040136 Usage: Not Available
7888	2017 National 550 Electric Walk-Behind Floor Scraper S/N: 550-230102 Usage: Not Available	7903	2019 Texas Pneumatic TB-12-EXP Manhole Blower S/N: D26028635 Usage: Not Available
7889	2016 National 550 Electric Walk-Behind Floor Scraper S/N: 550-230083 C/W: Corded Usage: Not Available	7904	Honda Manhole Blower S/N: Not Available C/W: 2016 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7890	2012 Edco TS8-75L Electric Walk-Behind Floor Scraper S/N: 121210095 C/W: Corded Usage: Not Available	7905	Quantity of (6) Wobble Work Lights S/N: Not Available Usage: Not Available
7891	2015 Stow TS8-75L Electric Walk-Behind Floor Scraper S/N: 150310455 C/W: Corded Usage: Not Available	7906	2017 Clarke FM1700 Walk-Behind Electric Floor Buffer S/N: S032474 Usage: Not Available
7892	2017 Hire Tech HT81.2 Electric Sander S/N: 6073 Usage: Not Available	7907	2017 Clarke FM1700 Walk-Behind Electric Floor Buffer S/N: 034323 Usage: Not Available
7893	2016 Clarke EZ8 Electric Sander S/N: S020982 C/W: Single Phase Motor Usage: Not Available	7908	2014 Clarke FM1700 Walk-Behind Electric Floor Buffer S/N: 3000154448 C/W: 16 in Working Width, 120 Volt Operating System Usage: Not Available

Lot #	Details	Lot #	Details
7909	<b>Quantity of (3) Floor Buffer</b> S/N: Not Available Usage: Not Available	7921	<b>2016 Edco Vortex200 Electric Vacuum Cleaner</b> S/N: 151556 C/W: 3.22 hp Single Phase Motor Usage: Not Available
7910	<b>2017 Tennant 5680 Walk-Behind Electric Floor Scrubber</b> S/N: 5680-10835674 C/W: 32 in Working Width, Water System, Rear Squeegee, 36 Volt Operating System Usage: 162 Hr	7922	<b>2016 Edco Vortex200 Electric Vacuum Cleaner</b> S/N: 151559 C/W: 3.22 hp Single Phase Motor Usage: Not Available
7911	<b>2016 Tennant 5680 Walk-Behind Electric Floor Scrubber</b> S/N: 5680-10788613 C/W: 32 in Working Width, Water System, Rear Squeegee, 36 Volt Operating System Usage: 186 Hr	7923	<b>2007 Blastrac BDC-1216 Electric Dust Collector</b> S/N: 13AG495 Usage: Not Available
7912	<b>2016 Tennant T20 Ride-On Floor Scrubber</b> S/N: T2-6597 C/W: 48 in Working Width, Water System, Rear Squeegee, Mitsubishi 4 Cylinder Dual Fuel Engine Usage: 1,206 Hr	7924	<b>Quantity of (3) Boxes of Safety Harnesses Safety Supplies</b> S/N: Not Available Usage: Not Available
7913	<b>2016 Tennant T20 Ride-On Floor Scrubber</b> S/N: T20-6669 C/W: 48 in Working Width, Water System, Rear Squeegee, Mitsubishi 4 Cylinder 2.0 L Dual Fuel Engine Usage: 766 Hr	7925	<b>Westinghouse Max-E2 Electric Electric Motor (Unused)</b> S/N: Not Available C/W: 200 hp 3 Phase Motor Usage: Not Available
7914	<b>Minuteman ES2832 Easy Scrub Walk-Behind Electric Floor Scrubber</b> S/N: ZES28320891 C/W: 34 in Working Width, Water System Usage: 2,553 Hr	7927	<b>Quantity of (2) Transformer</b> S/N: Not Available Usage: Not Available
7915	<b>2016 Tennant S-30 Ride-On Floor Sweeper</b> S/N: S30-7495 C/W: 48 in Working Width, 4 Cylinder LPG Engine Usage: 383 Hr	7928	<b>Quantity of Aluminum Scaffolding</b> S/N: Not Available Usage: Not Available
7916	<b>1997 Tennant 800 Ride-On Floor Sweeper</b> S/N: 800-1946 C/W: 70 in Working Width, Ford 4 Cylinder Gasoline Engine Usage: 2,630 Hr	7929	<b>Quantity of (2) Pallets of Scaffolding</b> S/N: Not Available Usage: Not Available
7917	<b>Tennant 6550 Ride-On Floor Sweeper</b> S/N: 6550-8200 C/W: 48 in Working Width, 4 Cylinder Gasoline Engine Usage: Not Available	7930	<b>Terra Group LWPS-5083 Lightweight Water Purification System (Unused)</b> S/N: Not Available C/W: 1 Cylinder Diesel Engine Usage: 2 Hr
7918	<b>Gladful Tech DW1250 Ride-On Electric Floor Sweeper</b> S/N: Not Available C/W: 46 in Working Width, Water System Usage: Not Available	7931B	<b>Quantity of Water Hose</b> S/N: Not Available Usage: Not Available
7919	<b>2019 Karcher NT30/1 TACT Electric Vacuum Cleaner</b> S/N: 010017 Usage: Not Available	7931A	<b>Quantity of Water Hose</b> S/N: Not Available Usage: Not Available
7920	<b>2018 National DL2000 Electric Vacuum Cleaner</b> S/N: DL2000-100479 Usage: Not Available	7931	<b>Quantity of Water Hose</b> S/N: Not Available Usage: Not Available
		7932	<b>1996 McCall L11002RT Commercial Freezer/ Refrigerator</b> S/N: M715156 Usage: Not Available
		7940	<b>Fairway SGT30-1 Electric Food Warmer</b> S/N: Not Available Usage: Not Available
		7944	<b>Taylor Electric Ice Cream Machine</b> S/N: Not Available Usage: Not Available
		7945	<b>Quantity of Rigging</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7946	<b>Water Pump</b> S/N: Not Available Usage: Not Available	7963	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7947	<b>Honda EB6500X 6.5 kW Portable Generator Set (Inoperable)</b> S/N: EBLC-1022755 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available	7964	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7948	<b>Quantity of Shop Equipment</b> S/N: Not Available C/W: chop saw, air comp, hose reel, hydraulic pump Usage: Not Available	7965	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7949	<b>32 Gun Safe</b> S/N: Not Available Usage: Not Available	7966	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7950	<b>Quantity of Dozer Blade, Tank, and Trencher Chain</b> S/N: Not Available C/W: 210 gal Plastic Tank, 10 ft Dozer Blade - Fits Cat D6T Usage: Not Available	7967	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7952	<b>Quantity of I-Beams</b> S/N: Not Available C/W: Assorted Sizes Usage: Not Available	7968	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7953	<b>Quantity of (2) Exercycle Electric Bicycle</b> S/N: Not Available Usage: Not Available	7969	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available
7954	<b>Electric Shop Cart</b> S/N: Not Available Usage: Not Available	7970	<b>Quantity of (18) PowerTrain Engine</b> S/N: Not Available C/W: Power Train 1 Cylinder Gasoline Engine Usage: Not Available
7955	<b>Quantity of (2) Crates of Extension Cords</b> S/N: Not Available Usage: Not Available	7971	<b>Military Gun Safe</b> S/N: Not Available C/W: 60 in Wide x 78 in High x 34 in Deep Usage: Not Available
7956	<b>Rytec Roll-Up Door</b> S/N: D0058404-020 Usage: Not Available	7972	<b>Skip Pan</b> S/N: Not Available Usage: Not Available
7957	<b>Rytec Roll-Up Door</b> S/N: D0058404-010 Usage: Not Available	7973	<b>Electric Hydraulic Magnet Set</b> S/N: Not Available Usage: Not Available
7958	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available	7974	<b>Quantity of Spanco Trollies</b> S/N: Not Available Usage: Not Available
7959	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available	7975	<b>Quantity of Beamers</b> S/N: Not Available Usage: Not Available
7960	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available	7976	<b>Quantity of Eye Bolts</b> S/N: Not Available C/W: Job Site Box Usage: Not Available
7961	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available	7979A	<b>Quantity of I-Beams</b> S/N: Not Available Usage: Not Available
7962	<b>RollaStep 8 ft 6 in x 3 ft Mobile Work Platform</b> S/N: Not Available Usage: Not Available	7980	<b>Electric Hydraulic Power Pack</b> S/N: Not Available Usage: Not Available
		7982	<b>Quantity of Tools</b> S/N: Not Available C/W: Jump Pack, Floor Jack, Oil Drain Tank & Welder Usage: Not Available

Lot #	Details	Lot #	Details
7983	<b>Quantity of (4) SEFAC 1200M65 Truck Lift</b> S/N: Not Available Usage: Not Available	8001	<b>2008 Blastrac 1-8DEZ Electric Concrete Shot Blaster</b> S/N: 28070015 C/W: 8 in, 120V Usage: Not Available
7984	<b>Electric Car Lift</b> S/N: Not Available Usage: Not Available	8002	<b>2012 Electric Eel eCAM Pro Sewer Camera</b> S/N: OPHDD-84063 Usage: Not Available
7985	<b>Tile Saw</b> S/N: Not Available Usage: Not Available	8003	<b>2019 General MR-C-O Electric Pipe Snake</b> S/N: MRCW0282 Usage: Not Available
7986	<b>Edco TS-8-75 Electric Floor Scraper</b> S/N: 160710159 Usage: Not Available	8004	<b>Quantity of (2) 2016 Skarnes M-4-6 Dolly</b> S/N: 50125 Usage: Not Available
7987	<b>Electric Kiln</b> S/N: Not Available Usage: Not Available	8005	<b>2017 ProBuilt Wobblelight Electric 36 in Jobsite Light</b> S/N: 1484779894 Usage: Not Available
7988	<b>Keiser 006070 Force Machine</b> S/N: 13050749648 Usage: Not Available	8006	<b>2017 ProBuilt Wobblelight Electric Work Lights</b> S/N: 1484709618 Usage: Not Available
7989	<b>Electric Kiln</b> S/N: Not Available Usage: Not Available	8007	<b>2017 ProBuilt Wobblelight Electric 36 in Jobsite Light</b> S/N: 148405703 Usage: Not Available
7990	<b>Leonard 3CP-HD Electric Tube End Finisher</b> S/N: 2866 Usage: Not Available	8008	<b>2017 ProBuilt Wobblelight Electric 36 in Jobsite Light</b> S/N: 1483983554 Usage: Not Available
7991	<b>Phoenix 16 C Type 300 Rod Oven</b> S/N: Not Available Usage: Not Available	8009	<b>2014 Graco GMAX II Airless Paint Sprayer</b> S/N: BA6298 C/W: Honda GX200 1 Cylinder Gasoline Engine Usage: Not Available
7992	<b>Phoenix PP7 Type 300 Rod Oven</b> S/N: Not Available Usage: Not Available	8010	<b>2013 Clarke Clean Track 12 Electric Carpet Extractor</b> S/N: Not Available Usage: Not Available
7993	<b>Electric Tube Bender</b> S/N: Not Available Usage: Not Available	8011	<b>2015 Graco Ultra 395 H-Boy Electric Airless Paint Sprayer</b> S/N: BA00192 Usage: Not Available
7995	<b>Specialty STL1500 Pneumatic/Hydraulic Tractor Lift</b> S/N: 980503NR Usage: Not Available	8012	<b>2015 BIG RED JK CH202 Chain Hoist</b> S/N: 44959 Usage: Not Available
7997	<b>Raptor RP3000 Pneumatic Torque Wrench</b> S/N: 825-253 Usage: Not Available	8013	<b>2014 Graco ULTRA395 HI-BOY Electric Airless Paint Sprayer</b> S/N: BA07483 C/W: Single Phase Motor Usage: Not Available
7998	<b>2018 Graco 3400 Airless Paint Sprayer</b> S/N: MTB002406-2 C/W: 2017 US EPA Label, Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available	8014	<b>2015 Hitachi NV45AB2 Framing Nailer</b> S/N: Q154922 Usage: Not Available
7999	<b>2016 Clarke Oasis Plus Electric Ozone Generator</b> S/N: 4000120292 Usage: Not Available	8015	<b>2012 General Mini-Rooter XP Electric Pipe Snake</b> S/N: MXP2U0183 Usage: Not Available
8000	<b>2019 Titan Impact 440 Electric Airless Paint Sprayer</b> S/N: 1859201757 Usage: Not Available		

Lot #	Details	Lot #	Details
8016	<b>2007 Bostitch MIIIFS Flooring Stapler</b> S/N: 6235010 Usage: Not Available	8035	<b>Quantity of (1) Jumping Jack Tamper &amp; (1) Walk-Behind Floor Saw (Inoperable)</b> S/N: Not Available Usage: Not Available
8017	<b>2013 Spot Nails XT8664 Finishing Nailer</b> S/N: 1080212 Usage: Not Available	8036	<b>700 ft Vinyl Fencing</b> S/N: Not Available Usage: Not Available
8018	<b>2017 Multiquip HBC19B Electric Rebar Cutter</b> S/N: 301658 Usage: Not Available	8037	<b>5 ft Self-Dumping Hopper</b> S/N: Not Available C/W: 5 ft Long x 4 ft 6 in Wide x 4 ft High Usage: Not Available
8019	<b>2019 Dewalt DWE1622K Electric Magnetic Drill Press</b> S/N: Not Available Usage: Not Available	8039	<b>Quantity of (4) Fuel Tank</b> S/N: Not Available Usage: Not Available
8020	<b>2018 General JM-1000-B Water Jetter</b> S/N: JM1R0237 Usage: Not Available	8040	<b>Quantity of (3) Portable Generator Set</b> S/N: Not Available C/W: (2) Pallets, & Belt Sander Usage: Not Available
8021	<b>2016 Hitachi NV45AB2 Framing Nailer</b> S/N: Q064225 Usage: Not Available	8041	<b>Quantity of Fuel Canisters</b> S/N: Not Available Usage: Not Available
8022	<b>2020 Woods 12VDC1400LB Glass Manipulator</b> S/N: 20200282 Usage: Not Available	8042	<b>Quantity of (9) Waste Oil Canisters</b> S/N: Not Available Usage: Not Available
8023	<b>2016 Hitachi NV45AB2 Framing Nailer</b> S/N: Q064226 Usage: Not Available	8043	<b>Quantity of (5) Tool Box</b> S/N: Not Available Usage: Not Available
8024	<b>2020 Grip Rite GRTCN90 Framing Nailer</b> S/N: Not Available Usage: Not Available	8044	<b>Quantity of (2) Snap-On Tool Cabinet</b> S/N: Not Available Usage: Not Available
8025	<b>2012 Ryobi Electric Chop Saw</b> S/N: Not Available Usage: Not Available	8045	<b>Quantity of Floor Jack</b> S/N: Not Available Usage: Not Available
8026	<b>32 in x 18 ft Portable Electric Conveyor</b> S/N: Not Available Usage: Not Available	8046	<b>Quantity of Storage Cabinets</b> S/N: Not Available Usage: Not Available
8028	<b>Quantity of Sockets</b> S/N: Not Available C/W: Rock River Job Site Box Usage: Not Available	8048	<b>Quantity of Truck Tool Box</b> S/N: Not Available Usage: Not Available
8029	<b>Quantity of Air Tools</b> S/N: Not Available Usage: Not Available	8049	<b>Quantity of Ladder</b> S/N: Not Available Usage: Not Available
8030	<b>Quantity of (5) Crates of Hand Tools</b> S/N: Not Available Usage: Not Available	8050	<b>TMG Industrial SP100 100 ton Shop Press</b> S/N: Not Available Usage: Not Available
8032	<b>Quantity of (1) Jumping Jack Tamper &amp; (1) Generator Set</b> S/N: Not Available Usage: Not Available	8051	<b>Quantity of (2) Graphtec FC7000 Cutting Plotter</b> S/N: Not Available C/W: Sealing Machine 54 Base Usage: Not Available
8033	<b>20 ft Gantry Crane</b> S/N: Not Available Usage: Not Available	8052	<b>Quantity of (3) Pressure Pots</b> S/N: Not Available Usage: Not Available
8034	<b>Quantity of Hoist Rings</b> S/N: Not Available Usage: Not Available	8053	<b>Quantity of Pressure Pots &amp; Spray Guns</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8054	<b>2014 Titan 730 Paint Sprayer</b> S/N: 1444100065 Usage: Not Available	8072	<b>Midwestern M 70 W 34 in Winch</b> S/N: 75A12093 Usage: Not Available
8055	<b>Welding Table</b> S/N: Not Available Usage: Not Available	8073	<b>Ride-On Floor Sweeper</b> S/N: Not Available C/W: 48 in Working Width, Water System, Kubota 3 Cylinder 14.9 kW Diesel Engine Usage: 543 Hr
8056	<b>Welding Torch &amp; Dolly</b> S/N: Not Available Usage: Not Available	8074	<b>Quantity of (3) Step Ladder</b> S/N: Not Available Usage: Not Available
8057	<b>Rotary Hammer</b> S/N: Not Available C/W: Bolt Cutter Usage: Not Available	8075	<b>Quantity of (4) Step Ladder</b> S/N: Not Available Usage: Not Available
8058	<b>Lely H 3-Point Fertilizer Spreader</b> S/N: Not Available C/W: 540 PTO Usage: Not Available	8076	<b>Quantity of (3) Step Ladder</b> S/N: Not Available Usage: Not Available
8059	<b>Hobart IronMan 230 250 A MIG Electric Welder</b> S/N: MH355046P C/W: 14 V/ 23 V Input, Welding Leads Not Included Usage: Not Available	8077	<b>Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available
8060	<b>400 lb Anvil</b> S/N: Not Available Usage: Not Available	8078	<b>45 in Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available
8061	<b>Quantity of (3) Pallets of Hand Tools</b> S/N: Not Available C/W: Shovels, Rakes, Brooms Usage: Not Available	8079	<b>45 in Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available
8062	<b>Quantity of Sockets</b> S/N: Not Available Usage: Not Available	8080	<b>45 in Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available
8064	<b>Personnel Basket</b> S/N: Not Available Usage: Not Available	8081	<b>45 in Skid Steer Dump Hopper</b> S/N: Not Available Usage: Not Available
8065	<b>45 in Fork Attachment</b> S/N: Not Available Usage: Not Available	8082	<b>Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available
8066	<b>Quantity of (2) Porta Power</b> S/N: Not Available Usage: Not Available	8083	<b>Magnum 4000 Pressure Washer</b> S/N: Not Available C/W: 4000 psi Rating, Hose, 1 Cylinder 420 cc Gasoline Engine Usage: Not Available
8067	<b>Quantity of Chains and Binders</b> S/N: Not Available Usage: Not Available	8084	<b>Cat Excavator Door (Unused)</b> S/N: Not Available C/W: To Fit Cat 330 Usage: Not Available
8068	<b>Quantity of Assorted Straps</b> S/N: Not Available Usage: Not Available	8085	<b>Quantity of (2) Cat Fenders (Unused)</b> S/N: Not Available C/W: To Fit Articulated Dump Truck Usage: Not Available
8069	<b>Quantity of (6) Hand Cart</b> S/N: Not Available Usage: Not Available	8086	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available
8070	<b>Quantity of (4) Battery Charger</b> S/N: Not Available Usage: Not Available	8087	<b>Schmidt 10 cu ft Sand Blaster</b> S/N: Not Available C/W: 10 cfm, 150 psi, Blast Hose, Water Filter Usage: Not Available
8071	<b>89 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available		



Lot #	Details	Lot #	Details
8088	<b>Pirate Brand 6.5 cu. ft. Sand Blaster</b> S/N: 301396 C/W: 150 psi, Blast Hose, Water Filter Usage: Not Available	8102A	<b>Quantity of Office Supplies</b> S/N: Not Available C/W: Chairs, Cord Usage: Not Available
8089A	<b>Quantity of (3) Dewalt DWS780 Electric Miter Saw</b> S/N: 323997201932-49 C/W: Single Phase Motor Usage: Not Available	8103	<b>0 Job Site Box</b> S/N: Not Available Usage: Not Available
8089	<b>Powermatic 66 Electric Table Saw</b> S/N: 00090662857 C/W: 3 Phase Motor Usage: Not Available	8104	<b>2017 Lincoln 250 GXT Ranger 250 A Mobile Multi-Process Engine Driven Welder</b> S/N: U1171108549 C/W: 2018 US EPA Label, Kohler 2 Cylinder 725 cc Gasoline Engine, Welding Leads, 120 V / 240 V Rated Voltage Usage: Not Available
8090	<b>2017 Rod Chomper BRE11 Electric Cutter &amp; Rebar Bender</b> S/N: 4017 C/W: 10 hp 3 Phase Motor Usage: Not Available	8105A	<b>JET JWBS-18 Electric Band Saw</b> S/N: 1119107 Usage: Not Available
8092	<b>Quantity of Precast Construction Materials</b> S/N: Not Available Usage: Not Available	8105	<b>Schmidt SPR 6.5 cu ft Sand Blaster</b> S/N: Not Available C/W: 150 psi, Blast Hose Usage: Not Available
8093	<b>Quantity of Percast Hardware</b> S/N: Not Available Usage: Not Available	8106	<b>Sand Silo</b> S/N: Not Available Usage: Not Available
8095	<b>Chicago Dreis &amp; Krump Electric Press Brake</b> S/N: 117183 Usage: Not Available	8107	<b>Quantity of Ultra-Arc UA-1800 Stud Welder &amp; (5) Electric Motors</b> S/N: Not Available Usage: Not Available
8096A	<b>Quantity of Shop Equipment and Tools</b> S/N: Not Available C/W: Pressure Washer, Dust Collector, Space Heaters, Blowers Usage: Not Available	8108B	<b>Quantity of (7) Shelving</b> S/N: Not Available Usage: Not Available
8096	<b>Cummins NTA 355C Engine</b> S/N: 18101073 C/W: Cummins NTA355C 6 Cylinder 355 hp Diesel Engine Usage: Not Available	8108A	<b>Shop Tools</b> S/N: Not Available C/W: Parts, Washer, Ladders, Hand Tools Usage: Not Available
8097	<b>Quantity of Lifting Beam</b> S/N: Not Available Usage: Not Available	8108	<b>Powermatic Houdaille 221 Electric Planer</b> S/N: 7922007 C/W: Leeson 10 hp 3 Phase Motor, Switchgear Usage: Not Available
8098	<b>Ingersoll Rand SS5L5 21 cfm Skid-Mounted 60 gal Air Compressor</b> S/N: NAR10432929 C/W: 135 psi Working Pressure, 3 Phase, 15 hp Motor Usage: Not Available	8110	<b>2013 Gardner-Denver L45-9A Air Compressor</b> S/N: CD10012909001 Usage: Not Available
8099	<b>Powermatic 66 Electric Table Saw</b> S/N: 95662423 C/W: Single Phase Motor Usage: Not Available	8111C	<b>Quantity of Assorted Shop Tools</b> S/N: Not Available C/W: Parts, Hand Tools Usage: Not Available
8100	<b>JET JWBS-18X Electric Band Saw</b> S/N: 07122997 C/W: 1.75 hp Single Phase Motor Usage: Not Available	8111B	<b>Quantity of (4) Load Star 215/60-8 Wheels</b> S/N: Not Available C/W: Safety Harnesses Usage: Not Available
8101	<b>2022 Ingersoll Rand 60 gal Air Compressor</b> S/N: CBV838205 Usage: Not Available	8111A	<b>Quantity of Shop Tools</b> S/N: Not Available C/W: Shop Fans, Vacuum, Floor Cleaner, Dollys Usage: Not Available
		8111	<b>Quantity of (12) A-Frame</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8112	<b>Quantity of (2) Flower Pots</b> S/N: Not Available Usage: Not Available	8123	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: (4) 20 t Jacks, Concrete Hardware, Assorted Hand Tools, (2) Pallets Usage: Not Available
8113C	<b>Quantity of (2) Knaack 4824 Job Site Box</b> S/N: Not Available C/W: Tools, Chains & Binder Usage: Not Available	8124	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: Safety Helmets, Face Shields, Roof Turbine, Hose Reel, & Hose Assembly Repair Kit Usage: Not Available
8113B	<b>Quantity of Concrete Steel Mat</b> S/N: Not Available Usage: Not Available	8127	<b>Job Site Box</b> S/N: Not Available C/W: c/w: Contents, Extension Cords, Assorted Tools Usage: Not Available
8113A	<b>Quantity of Steel Beans</b> S/N: Not Available Usage: Not Available	8128	<b>Quantity of (7) Saw Horses</b> S/N: Not Available C/W: c/w: Assorted Hardware, (1) Pallet Usage: Not Available
8113	<b>Quantity of (4) Pallets of Molding Concrete Forms</b> S/N: Not Available Usage: Not Available	8129	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: (2) Concrete Pots, Truck Toolbox, File Cabinet Usage: Not Available
8114A	<b>Quantity of Miscellaneous Steel</b> S/N: Not Available Usage: Not Available	8131	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: (2) Lincoln Electric AC 225 Arc Welders, Predator 4000 Generator, Tarp, & Assorted Tools Usage: Not Available
8114	<b>Mobile Pressure Washer</b> S/N: 1251 C/W: Hose, Spray Wand, Trailer Mounted, Kohler 2 Cylinder Diesel Engine Usage: Not Available	8132	<b>Quantity of Gardner-Denver Compressor Electric Motor</b> S/N: 130008 C/W: c/w: All-Thread Usage: Not Available
8115	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	8133	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: Power Cords, Hoses, Spill Rags, Tie Downs Usage: Not Available
8116	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	8134	<b>Quantity of Assorted Construction Materials</b> S/N: Not Available C/W: Assorted Hardware, Tubing, (1) Pallet Usage: Not Available
8117	<b>80 in Personnel Basket</b> S/N: Not Available C/W: Fork Pockets Usage: Not Available	8135	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: Pallet Jack, Tubing, & Assorted Concrete Hardware Usage: Not Available
8118	<b>Lincoln Ranger 9 250 A Mobile Multi-Process Engine Driven Welder</b> S/N: Not Available C/W: Oman 2 Cylinder Gasoline Engine, Welding Leads Not Included, 115 V / 230 V Rated Voltage Usage: Not Available	8136	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: Job Site Box with Contents, Steel Cable Spool, Electric Barrel Fan Usage: Not Available
8119	<b>Quantity of (5) Storage Cabinets</b> S/N: Not Available Usage: Not Available	8138	<b>Quantity of (2) Pallets of Assorted Sheaves</b> S/N: Not Available Usage: Not Available
8120	<b>Rockwell 347615NLK7142 Electric Table Saw</b> S/N: Not Available Usage: Not Available		
8121	<b>Quantity of (5) Tool Box</b> S/N: Not Available Usage: Not Available		
8122	<b>1996 Casadei KS/3 Electric Table Saw</b> S/N: 9693085 C/W: 3 Phase Motor Usage: Not Available		

Lot #	Details	Lot #	Details
8139	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: Dewalt Miter Saw, Hoses, Extension Cords, Assorted Tools, (1) Pallet Usage: Not Available	8151	<b>Sand Blaster</b> S/N: Not Available C/W: Blast Hose, c/w: Fan Usage: Not Available
8140	<b>Quantity of Assorted Construction Materials</b> S/N: Not Available C/W: Concrete Hardware, Fan, Buckets Usage: Not Available	8152	<b>Quantity of 7 A Frame</b> S/N: Not Available Usage: Not Available
8141	<b>Quantity of (5) Ladders, Fan, Misc Hoses, Ramps, Other Misc Concrete Hardware</b> S/N: Not Available Usage: Not Available	8153	<b>Quantity of 8 A Frame</b> S/N: Not Available Usage: Not Available
8142	<b>Quantity of (2) Lincoln Electric Power MIG 256 Mobile MIG Electric Welder</b> S/N: Not Available C/W: Single Phase, 120 V Input, Welding Leads Usage: Not Available	8154	<b>Quantity of 7 A Frame</b> S/N: Not Available Usage: Not Available
8143	<b>Quantity of Lincoln Electric Power MIG 256 250 A Electric Welder</b> S/N: Not Available C/W: Single Phase, 120 V Input, Welding Leads, c/w: Kohler AK10KRS 10 kw Generator, (1) Pallet Usage: Not Available	8155	<b>Quantity of (7) A-Frame Metal Supports</b> S/N: Not Available Usage: Not Available
8144	<b>Quantity of (2) Ameri-Tech HR-5030D Pressure Washer</b> S/N: Not Available C/W: 3000 psi Rating, Water Heater, Hose Usage: Not Available	8156	<b>Quantity of (11) A-Frame Metal Supports</b> S/N: Not Available Usage: Not Available
8145	<b>Electric Sand Blasting Box</b> S/N: Not Available Usage: Not Available	8157	<b>Electric Steel Cutting Band Saw</b> S/N: Not Available C/W: 3 Phase Motor Usage: Not Available
8146	<b>Quantity of Assorted Tools</b> S/N: Not Available C/W: Toolbox, Work Bench, & Assorted Tools Usage: Not Available	8158	<b>Quantity of Assorted Rolling Carts</b> S/N: Not Available Usage: Not Available
8147	<b>US Motors H19310A Air Compressor</b> S/N: 6946 C/W: 3 Phase, 15 hp Motor Usage: Not Available	8159	<b>Quantity of (2) 30 in Boom Fork Attachment</b> S/N: Not Available Usage: Not Available
8148	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: Concrete Saw, Backpack Sprayer, Chainsaw Usage: Not Available	8160	<b>48 in Personnel Basket</b> S/N: Not Available Usage: Not Available
8149	<b>Quantity of Job Site Box</b> S/N: Not Available C/W: c/w: Assorted Tools Usage: Not Available	8161	<b>48 in Fork Attachment</b> S/N: Not Available Usage: Not Available
8150	<b>2000 Miller Blue Star 6000 180 A Stick Engine Driven Welder</b> S/N: LA288583 C/W: US EPA Label, CARB Compliant, Honda GX390 1 Cylinder 13 hp Gasoline Engine, Welding Leads, /6 kW Rated Single Phase Output, 240 V / 120 V Rated Voltage Usage: 649 Hr	8162	<b>Quantity of (2) Electric Wacker Shakers</b> S/N: Not Available C/W: Single Phase Motor Usage: Not Available
		8163	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: Scaffolding, Engine Hoist, & Material Lift Usage: Not Available
		8165	<b>Quantity of Power Stroke Generator Set</b> S/N: Not Available C/W: 2013 US EPA Label, 389 cc Gasoline Engine, 120 V / 240 V Rated Voltage, c/w: Assorted Hoses & Hardware Usage: Not Available
		8166	<b>Quantity of Assorted Shop Supplies</b> S/N: Not Available C/W: Floor Jacks, Jack Stands, Tires Usage: Not Available
		8167	<b>Quantity of (5) Pallets of Assorted Sling</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8168	<b>Quantity of Assorted Project Metal</b> S/N: Not Available Usage: Not Available	8187A	<b>Roller Conveyor</b> S/N: Not Available Usage: Not Available
8169	<b>Quantity of Steel Components</b> S/N: Not Available Usage: Not Available	8187	<b>Quantity of Work Bench</b> S/N: Not Available Usage: Not Available
8170	<b>Quantity of Material Lift</b> S/N: Not Available Usage: Not Available	8188E	<b>Quantity of Post Tension Strand, Casters</b> S/N: Not Available Usage: Not Available
8172	<b>Quantity of Fiber Glass Concrete Forms</b> S/N: Not Available Usage: Not Available	8188D	<b>Quantity of Shelving</b> S/N: Not Available C/W: (5) Ladder, Wood Table, Fire Retardant Netting, and Electric Motor Usage: Not Available
8174	<b>Quantity of 3 Torch Dolly's, 3 Steel Rolling Racks</b> S/N: Not Available Usage: Not Available	8188C	<b>Quantity of Miscellaneous Tools</b> S/N: Not Available C/W: Drill Press Lawnmower Blower 2 Ton Engine Jack Concrete Vibrators Hand Tools Usage: Not Available
8175	<b>Quantity of Rigging</b> S/N: Not Available Usage: Not Available	8188B	<b>Quantity of Chains, Rigging &amp; Lifting Beam</b> S/N: Not Available Usage: Not Available
8176	<b>Quantity of (2) Electric Concrete Vacuum</b> S/N: Not Available Usage: Not Available	8188	<b>Quantity of Steel A-Frames</b> S/N: Not Available Usage: Not Available
8177	<b>Quantity of Assorted Power Tools</b> S/N: Not Available Usage: Not Available	8189	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DKHA805372 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 242 Hr
8178	<b>Pallet of Foam Sealant</b> S/N: Not Available Usage: Not Available	8190	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DKHA812287 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 584 Hr
8179	<b>Quantity of Rubber Hose Sleeves</b> S/N: Not Available Usage: Not Available	8191	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DCHA805388 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 719 Hr
8180	<b>Quantity of (3) Boxes of 16 mm Threaded Bars</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	8192	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DTHA812285 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 816 Hr
8181	<b>Quantity of Plastic Concrete Forms</b> S/N: Not Available C/W: c/w: Contents Usage: Not Available	8193	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DLHA805380 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 862 Hr
8182	<b>Pallet of Foam Sealant</b> S/N: Not Available Usage: Not Available	8194	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DAHA812280 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,075 Hr
8183	<b>Quantity of (3) Pallets of Rubber Hose Sleeves</b> S/N: Not Available Usage: Not Available	8195	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DHHA805445 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,249 Hr
8184	<b>Pallet of Foam Sealant</b> S/N: Not Available Usage: Not Available		
8185	<b>Quantity of (2) Job Site Box</b> S/N: Not Available C/W: c/w: Contents, Assorted Tools Usage: Not Available		
8186	<b>Quantity of (3) Work Bench</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
8196	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DLHA805363 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,338 Hr	8207	<b>Columbia EX21-T24 Utility Cart (Inoperable)</b> S/N: ET2E23ZT0339 C/W: Open Operator Station, 2 Passenger Usage: Not Available
8197	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DCHA812292 C/W: Canopy, 2 Passenger, Windshield, Gasoline Engine Usage: 1,402 Hr	8208	<b>Columbia EX21-T24 Utility Cart (Inoperable)</b> S/N: ET2E23ZT0426 C/W: Open Operator Station, 2 Passenger Usage: Not Available
8198	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DKHA805386 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,439 Hr	8209	<b>Columbia EX21-T24 Utility Cart (Inoperable)</b> S/N: ET2E23ZT0429 C/W: Open Operator Station, 2 Passenger Usage: Not Available
8199	<b>2017 Club Car Carryall 700 Utility Vehicle</b> S/N: A5CUBB2DJHA812288 C/W: Canopy, 2 Passenger, Windshield, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,465 Hr	8210	<b>Columbia EX21-T24 Utility Cart (Inoperable)</b> S/N: ET2E23ZT0337 C/W: Open Operator Station, 2 Passenger Usage: Not Available
8200	<b>2017 Club Car Carryall 700 4x2 Utility Vehicle</b> S/N: A5CUBB2DVHA805425 C/W: Canopy, 2 Passenger, 404 cc Gasoline Engine, Brush Guard, Electric Dump Bed Usage: 1,690 Hr	8211	<b>2024 STL Electric Golf Cart</b> S/N: 00017 C/W: Battery Charger, 6 Passenger, Canopy, Windshield Usage: Not Available
8201A	<b>2016 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRNA57XGE400927 C/W: Canopy, 4 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,693 Hr	8212	<b>2021 Club Car Villager Golf Cart</b> S/N: A02131-195025 C/W: Gas Engine, 6 Passenger, Canopy, 2020 US EPA Label, Kohler EXH440 1 Cylinder 14.5 hp 429 cc Gasoline Engine Usage: 303 Hr
8201	<b>2015 Club Car Carryall 300 Utility Vehicle</b> S/N: A5CUBB2DPFA587056 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Manual Dump Bed Usage: 2,501 Hr	8213	<b>2021 Club Car Villager Golf Cart</b> S/N: A02130-194326 C/W: Gas Engine, 6 Passenger, Canopy, 2020 US EPA Label, Kohler ECH440 1 Cylinder 14.5 hp 429 cc Gasoline Engine Usage: 331 Hr
8202	<b>2017 Cushman Hauler 4x4 Utility Vehicle</b> S/N: AD1UW22CLH2000099 C/W: Canopy, 4 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 875 Hr	8214	<b>2021 Club Car Villager Golf Cart</b> S/N: A02131-195024 C/W: Gas Engine, 6 Passenger, Canopy, 2020 US EPA Label, Kohler ECH440 1 Cylinder 14.5 hp 429 cc Gasoline Engine Usage: 344 Hr
8203	<b>2016 Cushman Hauler Utility Vehicle</b> S/N: 3158386 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: Not Available	8215	<b>2021 Club Car Villager Golf Cart</b> S/N: A02130-194371 C/W: Gas Engine, 6 Passenger, Canopy, 2020 US EPA Label, Kohler ECH440 1 Cylinder 14.5 hp 429 cc Gasoline Engine Usage: 363 Hr
8204	<b>Cushman Hauler Pro Utility Vehicle</b> S/N: 3313292 C/W: Canopy, 2 Passenger, Windshield Usage: Not Available	8216	<b>2018 Club Car Precedent Electric Golf Cart (Inoperable)</b> S/N: JE1821875373 C/W: 48 Volt Battery Charger, 4 Passenger, Canopy, Windshield Usage: Not Available
8205	<b>2018 GEM E6 Low Speed Vehicle</b> S/N: 52CG6AGA0J5018336 C/W: Automatic Transmission Usage: 6,493 Mi	8217	<b>2018 Club Car Precedent Electric Golf Cart (Inoperable)</b> S/N: JE1821875371 C/W: 48 Volt 4 Passenger, Canopy, Windshield Usage: Not Available
8206	<b>2018 GEM E6 Low Speed Vehicle</b> S/N: 52CG6AGA8J5018388 C/W: Automatic Transmission Usage: 5,355 Mi	8218	<b>2017 Club Car Precedent Golf Cart</b> S/N: SL1735738124 C/W: Gas Engine, 4 Passenger, Canopy, Windshield, Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
8219	<b>2014 Club Car Precedent Electric Golf Cart</b> S/N: JE1416454515 C/W: 48 Volt Battery Charger, 4 Passenger, Canopy, Windshield Usage: Not Available	8231	<b>2007 Polaris Trail Blazer 330 4x2 ATV (Inoperable)</b> S/N: 1HFTE270674600353 C/W: 1 Cylinder 329 cc Engine Usage: Not Available
8220	<b>Cushman Shuttle 6 Golf Cart</b> S/N: Not Available C/W: 6 Passenger, Canopy, Windshield, 2017 US EPA Label, Kawasaki Gasoline Engine Usage: Not Available	8232	<b>Polaris Trailboss 330 ATV (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Engine Usage: Not Available
8221	<b>2010 E-Z-Go RXV Golf Cart</b> S/N: 5102004 C/W: 2 Passenger, Canopy, Windshield Usage: Not Available	8233	<b>2008 Honda 4x2 ATV (Inoperable)</b> S/N: 1HFTE31JX84301327 C/W: Honda Engine Usage: Not Available
8222	<b>Arctic Cat Thundercat 950 4x2 ATV (Inoperable)</b> S/N: 4UF08ATV88T231897 C/W: 952 cc Engine Usage: Not Available	8234	<b>Suzuki ATV (Inoperable)</b> S/N: Not Available Usage: Not Available
8223	<b>2014 Polaris Sportsman 850 EFI AWD ATV</b> S/N: 4XAZN8FA1EA589366 C/W: Electric Start, Liquid Cooled, Power Steering, 2 Forward Gears w/ Reverse, Polaris Engine Usage: 185 Hr	8236	<b>2021 Tao DB17 124 cc Motocross Bike (Unused)</b> S/N: L9NYCJCC3M1501181 C/W: 124 cc Engine Usage: Not Available
8224	<b>2006 Suzuki King Quad 700 4x4 Fuel Injection ATV (Inoperable)</b> S/N: 5SAAP41A367110039 C/W: Fuel Injection Usage: Not Available	8237	<b>2021 Keystone Passport GT 33 ft T/A Travel Trailer</b> S/N: 4YDT32223MK410670 C/W: 2 Slide Outs, Power Leveling Jacks, Power Awning, Bumper Pull, Spring Suspension, 225/75R15 Tires Usage: Not Available
8225	<b>Arctic Cat 700 4x4 700 ATV (Inoperable)</b> S/N: 4UA08ATV38T808062 C/W: Diesel Engine Usage: Not Available	8239	<b>2019 Keystone 26 ft T/A Travel Trailer</b> S/N: 4YDT25227KK411922 C/W: Single Slide Out, Power Awning, Bumper Pull, Spring Suspension, Electric Brakes, 205 /75R15 Tires Usage: Not Available
8226	<b>2004 Kawasaki KVF700A ATV (Inoperable)</b> S/N: Not Available Usage: Not Available	8240	<b>2018 Mallard M302 30 ft T/A Travel Trailer</b> S/N: 5SFNB3629JE361433 C/W: Sleeps 6 People, 2 Slide Outs, Power Leveling Jacks, Bumper Pull, Spring Suspension, Electric Brakes, 225/75R15 Tires Usage: Not Available
8227	<b>2013 Suzuki King Quad 500AXi 4x4 ATV</b> S/N: 5SAAM46A6D7101818 C/W: Electric Start, Liquid Cooled, 2 Forward Gears w/ Reverse, 275 Engine Hours, Gasoline Engine Usage: 2,027 Mi	8241	<b>2017 Coleman 31 ft 6 in T/A Travel Trailer</b> S/N: 4YDT30120HM933502 C/W: 2 Slide Outs, Bumper Pull, Spring Suspension, 205/75R15 Tires Usage: Not Available
8228	<b>Suzuki King Quad 4x4 400 FSi ATV</b> S/N: 5SAAK4CA3G7101001 C/W: Electric Start, 4-stroke, OHC single cylinder 1 Cylinder Engine, 376cc Usage: 114 Mi	8244	<b>2000 Sailfish 18 ft Fishing Boat</b> S/N: YSIL0132D000 C/W: Fiberglass Hull, 6 Passenger Capacity, 18 ft 8 in Overall Length, 800 lb Weight Capacity, Outboard Yamaha 90 90 hp Engine, S/A Trailer, Ball Hitch Usage: Not Available
8229	<b>2007 Polaris Sportsman 500 HO Sportsman AWD ATV (Inoperable)</b> S/N: 1XANH50A87A945127 C/W: 500 HO EFI Usage: Not Available	8244	<b>2022 HMDE 20 ft S/A Boat Trailer</b> S/N: NOVIN0201372674 C/W: Ball Hitch, Spring Suspension, 175/80D13 Tires Usage: Not Available
8230	<b>2006 Yamaha Kodiak 450 4x4 Kodiak ATV (Inoperable)</b> S/N: 5Y4AJ14Y86A017808 C/W: Yamaha Ultramatic Gasoline Engine, Independent Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
8245	<b>2004 Stingray 20 ft Bowrider Boat (Inoperable)</b> S/N: PNYUSUW9L405 C/W: 8 Passenger, Inboard/Outboard Volvo Engine, Storage Compartments, S/A Trailer, Ball Hitch Usage: Not Available	8255	<b>2016 Ram 3500 Big Horn 4x4 Crew Cab Pickup</b> S/N: 3C63R3HL4GG296737 C/W: 6.7 L 6 Cylinder Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 12300.0 lb GVWR, 275/70R18 Tires, 8 ft Bed Usage: 606,460 Mi
8247	<b>2002 Honda Aquatrax F-12 10 ft Personal Watercraft</b> S/N: JPHPSB0204J102 C/W: 3 Passenger, Inboard Honda 91 kW Engine, Fuel Injection, Reverse, Storage Compartments, Rearview Mirrors, S/A Trailer, Ball Hitch Usage: Not Available	8259	<b>2012 Ford F-350 XL 4x4 Extended Cab Pickup</b> S/N: 1FT7X3B69CEB25471 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 6 ft 8 in Bed Usage: 259,060 Mi
8247	<b>2002 ShoreLandr 15 ft S/A Boat Trailer</b> S/N: 1MDGCTK182A189526 C/W: Ball Hitch, Spring Suspension, 5.30-12 Tires Usage: Not Available	8260	<b>2006 Ford F-350 XL 4x2 Extended Cab Pickup</b> S/N: 1FTSX30516ED67325 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Kobalt Tool Box, Spray-On Bed Liner, 10000 lb GVWR, 225/70R19.5 Tires, 6 ft 10 in Bed Usage: 339,924 Mi
8248	<b>2021 Ford F-450 Lariat 4x4 Crew Cab Pickup</b> S/N: 1FT8W4DTXMED30296 C/W: 6.7 L V8 Diesel Engine, 2021 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Rear Power Lift Gate, Dual Rear Wheel, Aluminium Truck Cap, Spray-On Bed Liner, 14000.0 lb GVWR, 37X13.50R26 Tires, 8 ft Bed Usage: 16,163 Mi	8261	<b>2018 Ford F-250 XL 4x2 Pickup</b> S/N: 1FTBF2A69JEC28461 C/W: 6.2 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Protech Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 180,328 Mi
8249	<b>2020 Ford F-450 STX 4x4 Crew Cab Pickup</b> S/N: 1FT8W4DT9LEE15452 C/W: 6.7 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Dual Rear Wheel, RDS 90 gal Fuel Tank, Tool Box, Rubber Mat Bed Liner, 14000.0 lb GVWR, 225 /70R19.5 Tires, 8 ft Bed , 5th Wheel Hitch Usage: 206,327 Mi	8262	<b>2015 Ford F-250 XL 4x2 Pickup</b> S/N: 1FTBF2A67FEA59418 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Rear Power Lift Gate, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 124,557 Mi
8250	<b>2022 Ford F-350 4x4 Crew Cab Pickup</b> S/N: 1FT8W3DT7NEF75164 C/W: 6.7 L V8 Diesel Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, Spray-On Bed Liner, 14000.0 lb GVWR, 245 /75R17 Tires, 8 ft Bed Usage: 36,586 Mi	8263	<b>2022 GMC Sierra 2500HD 4x4 Crew Cab Pickup</b> S/N: 1GT59LE70NF120937 C/W: 6.6 L V8 Gasoline Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, Northern Tool Tool Box, Spray-On Bed Liner, 10500.0 lb GVWR, 245/75R17 Tires, 8 ft 2 in Bed Usage: 35,393 Mi
8251	<b>2016 Ram 3500 4x4 Crew Cab Pickup</b> S/N: 3C63RRGL9GG149592 C/W: 6.7 L 6 Cylinder Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, 14000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 259,939 Mi	8264	<b>2020 Chevrolet Silverado 2500HD LTZ 4x4 Crew Cab Pickup</b> S/N: 1GC4YPEY1LF285228 C/W: 6.6 L V8 Diesel Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 11350.0 lb GVWR, 275/65R20 Tires, 6 ft Bed Usage: 263,275 Mi
8252A	<b>2012 Ford F-350 XL 4x2 Crew Cab Pickup</b> S/N: 1FT8W3CT4CEB09805 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, Tool Box, Spray-On Bed Liner, 13300 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 195,200 Mi	8265	<b>2017 Chevrolet Silverado 2500 LT 4x4 Crew Cab Pickup</b> S/N: 1GC1KVEYXHF160910 C/W: 6.6 L V8 Diesel Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Truck Cap, Drop-In Bed Liner, 10000.0 lb GVWR, 285/70R17 Tires, 8 ft Bed Usage: 201,867 Mi

Lot #	Details	Lot #	Details
8268	<b>2016 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B69GED09280 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000.0 lb GVWR, 275/65R20 Tires, 6 ft 9 in Bed Usage: 183,340 Mi	8275	<b>2003 Ford F-250 XLT 4x4 Extended Cab Pickup</b> S/N: 1FTNX21P73ED83306 C/W: 6.0 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, 285/75R16 Tires, 7 ft Bed Usage: 255,133 Mi
8269	<b>2016 Ford F-250 Lariat 4x4 Crew Cab Pickup</b> S/N: 1FT7W2BT7GEC79931 C/W: 6.7 L V8 Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Truck Cap, Spray-On Bed Liner, 10000.0 lb GVWR, 275/65R20 Tires, 6 ft 9 in Bed Usage: 187,568 Mi	8276	<b>2009 Ford F-250 XL 4x4 Pickup</b> S/N: 1FTNF21539EA02030 C/W: 5.4 L V8 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, 9000.0 lb GVWR, 245/75R17 Tires, 8 ft 2 in Bed Usage: 148,894 Mi
8270	<b>2015 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B60FEA03762 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, UWS Tool Box, Drop-In Bed Liner, 285/70R17 Tires, 8 ft Bed Usage: 220,938 Mi	8277	<b>2019 Ford F-250 4x2 Crew Cab Pickup</b> S/N: 1FT7W2A67KEF66626 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Protech Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 194,913 Mi
8272	<b>2001 Ford F-250 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTNW21F01ED77080 C/W: 7.3 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, 35X12.50R20 Tires, 8 ft Bed Usage: 289,476 Mi	8278	<b>2018 Ram 2500 4x2 Crew Cab Pickup</b> S/N: 3C6TR4CT6JG287140 C/W: 5.7 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 9000.0 lb GVWR, 245/70R17 Tires, 6 ft 4 in Bed Usage: 93,014 Mi
8273A	<b>2015 Chevrolet Silverado 2500HD 4x4 Extended Cab Pickup</b> S/N: 1GC2KUEG0FZ101785 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, UWS Tool Box, Drop-In Bed Liner, 9500 lb GVWR, 285/70R17 Tires, 6 ft 6 in Bed Usage: 178,312 Mi	8279A	<b>2015 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FT7W2A63FEA59695 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, 10000 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 114,273 Mi
8273	<b>2015 Ford F-250 XL 4x4 Extended Cab Pickup</b> S/N: 1FT7X2B62FEA04280 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 10000.0 lb GVWR, 305/70R17 Tires, 8 ft 2 in Bed Usage: 269,040 Mi	8280	<b>2010 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FTSW2AR9AEA33390 C/W: 6.4 L V8 Diesel Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 269,347 Mi
8274A	<b>2012 Ford F-250 XL 4x4 Extended Cab Pickup</b> S/N: 1FT7X2BT0CEB98471 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, 10000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 259,101 Mi	8281	<b>2019 Chevrolet Silverado 2500HD 4x2 Extended Cab Pickup</b> S/N: 2GC2CREG4K1151103 C/W: 6.0 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Bed Liner, 9500.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 94,966 Mi
8274	<b>2013 GMC Sierra 2500HD 4x4 Extended Cab Pickup</b> S/N: 1GT22ZCGXDZ250685 C/W: 6.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 9500.0 lb GVWR, 265/60R20 Tires, 8 ft Bed Usage: 281,984 Mi	8282	<b>2016 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A69GED42374 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 6 ft 5 in Bed Usage: 72,138 Mi



Lot #	Details	Lot #	Details
8283	<b>2016 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A62GEC19077 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 265/75R17 Tires, 6 ft 6 in Bed Usage: 94,366 Mi	8292	<b>2019 Ford F-250 XL 4x2 Pickup</b> S/N: 1FTBF2A68KEG06402 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, RKI Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 130,718 Mi
8284	<b>2015 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A64FEC91848 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 118,667 Mi	8293	<b>2015 Ford F-250 4x2 Pickup</b> S/N: 1FTBF2A64FEC66705 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 125,270 Mi
8285	<b>2015 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A66FEC05018 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 142,615 Mi	8295	<b>2014 Chevrolet Silverado 2500HD 4x2 Pickup</b> S/N: 1GC0CVC85EF182367 C/W: 6.6 L V8 Diesel Engine, 2014 US EPA Label, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 233,031 Mi
8286	<b>2013 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A65DEA52614 C/W: 6.2 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 209,739 Mi	8296	<b>2019 Chevrolet Silverado 1500 4x4 Crew Cab Pickup</b> S/N: 1GCPYAEH1KZ226493 C/W: 4.3 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 7000.0 lb GVWR, 265/70R17 Tires, 5 ft 10 in Bed Usage: 146,889 Mi
8287	<b>2012 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A66CEB25925 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 128,360 Mi	8297	<b>2019 Chevrolet Silverado 1500 Custom 4x4 Crew Cab Pickup</b> S/N: 3GCPYBEH3KG175374 C/W: 4.3 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7000.0 lb GVWR, 275/60R20 Tires, 5 ft 8 in Bed Usage: 140,027 Mi
8289	<b>2012 Chevrolet Silverado 2500HD 4x2 Extended Cab Pickup (Inoperable)</b> S/N: 1GC2CXCG9CZ202711 C/W: 6.0 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Tool Box, Spray-On Bed Liner, 9500.0 lb GVWR, 245 /70R17 Tires, 8 ft Bed Usage: Not Available	8298	<b>2018 Chevrolet Silverado 1500 4x4 Crew Cab Pickup</b> S/N: 3GCUKNEC1JG157898 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 7200.0 lb GVWR, 265/70R17 Tires, 6 ft 0 in Bed Usage: 118,097 Mi
8290	<b>2008 Ford F-250 XL 4x2 Extended Cab Pickup (Inoperable)</b> S/N: 1FTNX20558EE53876 C/W: 5.4 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 9000.0 lb GVWR, 245/75R17 Tires, 7 ft Bed Usage: Not Available	8299	<b>2018 Chevrolet Silverado 1500 Z71 4x4 Crew Cab Pickup</b> S/N: 3GCUKREC2JG168304 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 7200 lb GVWR, 265 /65/18 Tires, 5 ft 7 in Bed Usage: 126,826 Mi
8291	<b>2003 Dodge Ram 2500 SLT 4x2 Extended Cab Pickup</b> S/N: 3D7KA28D63G723107 C/W: 5.7 L V8 Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 8800.0 lb GVWR, 265/70R17 Tires, 6 ft 2 in Bed Usage: 254,075 Mi	8300	<b>2017 Chevrolet Silverado 1500 4x4 Crew Cab Pickup</b> S/N: 3GCUKREXHG315009 C/W: 5.3 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 7200.0 lb GVWR, 275/65R18 Tires, 6 ft 4 in Bed Usage: 33,172 Mi

Lot #	Details	Lot #	Details
8301	<b>2017 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EF4HFA07713 C/W: 5.0 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Drop-In Bed Liner, 7000.0 lb GVWR, 265 /70R17 Tires, 5 ft 5 in Bed Usage: 140,459 Mi	8313	<b>2018 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7FT4JS327215 C/W: 5.7 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 57,953 Mi
8302	<b>2017 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EF5HKD20227 C/W: 5.0 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Drop-In Bed Liner, 7000.0 lb GVWR, 285 /75R17 Tires, 5 ft 6 in Bed Usage: 189,500 Mi	8314	<b>2018 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7FT1JS252568 C/W: 5.7 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 95,672 Mi
8303	<b>2016 Chevrolet Colorado 4x4 Crew Cab Pickup</b> S/N: 1GCGTBE31G1235659 C/W: 3.6 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6000.0 lb GVWR, 275/70R16 Tires, 6 ft Bed Usage: 190,319 Mi	8315	<b>2018 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT3JS130651 C/W: 5.7 L V8 Gasoline Engine, 2018 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Ram Box Tool Box, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 70,167 Mi
8304	<b>2016 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EP1GFC65596 C/W: 2.7 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500.0 lb GVWR, 275/60R20 Tires, 6 ft 6 in Bed Usage: 200,012 Mi	8316	<b>2018 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT5JS137360 C/W: 5.7 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 112,919 Mi
8305	<b>2014 Ford F-150 XL 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FTVW1EF2EKG11151 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, Tool Box, 8200.0 lb GVWR, 245/75R17 Tires, 6 ft Bed Usage: Not Available	8317	<b>2018 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FTXJS252567 C/W: 5.7 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 116,098 Mi
8306	<b>2012 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTFW1ET3CKD38177 C/W: 3.5 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7200.0 lb GVWR, 30x12.50 R20 Tires, 6 ft 5 in Bed Usage: 230,277 Mi	8318	<b>2018 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKNEC9JZ275766 C/W: 5.3 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7200.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 67,219 Mi
8309	<b>2009 Ford F-150 4x4 Crew Cab Pickup</b> S/N: 1FTPW14V09KC71554 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Truck Cap, Drop-In Bed Liner, 7200.0 lb GVWR, 275/70R16 Tires, 6 ft 6 in Bed Usage: 257,858 Mi	8319	<b>2018 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKNEH3JZ205563 C/W: 4.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 7100.0 lb GVWR, 265/70R17 Tires, 6 ft 7 in Bed Usage: 177,748 Mi
8311	<b>2019 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT2KS593298 C/W: 5.7 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 6900.0 lb GVWR, 305/70R17 Tires, 7 ft 4 in Bed Usage: 102,970 Mi	8320	<b>2018 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1E57JFA65328 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better built Tool Box, Drop-In Bed Liner, 7050.0 lb GVWR, 285 /70R17 Tires, 6 ft 6 in Bed Usage: 99,713 Mi

Lot #	Details	Lot #	Details
8321	<b>2018 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1E52JKC36056 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7050.0 lb GVWR, 285/70R17 Tires, 6 ft 6 in Bed Usage: 113,904 Mi	8327A	<b>2016 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKNECXGZ257155 C/W: 5.3 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Trail FX Tool Box, Spray-On Bed Liner, 7200 lb GVWR, 265 /70R17 Tires, 6 ft Bed Usage: 167,617 Mi
8322A	<b>2018 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP2JKE45388 C/W: 2.7 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 167,462 Mi	8327	<b>2016 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT6GS166326 C/W: 5.7 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Ram Box Tool Box, Spray-On Bed Liner, 6800.0 lb GVWR, 265 /70R17 Tires, 6 ft 4 in Bed Usage: 84,609 Mi
8322	<b>2018 Ford F150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1E55JFA65330 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Drop-In Bed Liner, 285/75R17 Tires, 6 ft 5 in Bed Usage: 140,903 Mi	8328	<b>2016 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF7GKE19485 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7050.0 lb GVWR, 245/70R17 Tires, 6 ft 5 in Bed Usage: 125,840 Mi
8323	<b>2017 Ford F150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP6HFA60709 C/W: 2.7 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Drop-In Bed Liner, 6500.0 lb GVWR, 285/75R17 Tires, 6 ft 6 in Bed Usage: 143,823 Mi	8329	<b>2016 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF3GFA18444 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, 7050.0 lb GVWR, 285/75R17 Tires, 6 ft 5 in Bed Usage: 162,516 Mi
8324	<b>2017 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKNEC2HZ297604 C/W: 5.3 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Bed Liner, 7200.0 lb GVWR, 285/70R17 Tires, 7 ft Bed Usage: 140,951 Mi	8330	<b>2015 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF5FKD53839 C/W: 5.0 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7050.0 lb GVWR, 275/65R18 Tires, 6 ft 6 in Bed Usage: 147,357 Mi
8325	<b>2017 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT2HS608701 C/W: 5.7 L V8 Gasoline Engine, 2017 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Ram Box Tool Box, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 48,184 Mi	8331	<b>2015 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP6FFC04000 C/W: 2.7 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 6500.0 lb GVWR, 265/70R17 Tires Usage: 219,262 Mi
8326	<b>2017 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT1HS722284 C/W: 5.7 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft 3 in Bed Usage: 94,779 Mi	8332A	<b>2014 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKPEC9EZ188192 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Drop-In Bed Liner, 265 /70R17 Tires, 6 ft 6 in Bed Usage: 262,396 Mi
		8332	<b>2015 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FT2FS528361 C/W: 5.7 L V8 Gasoline Engine, 2015 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Ram Box Tool Box, Spray-On Bed Liner, 6800 lb GVWR, 265/70R17 Tires, 6 ft 4 in Bed Usage: 63,387 Mi

Lot #	Details	Lot #	Details
8333	<b>2014 Ford F-150 STX 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EFXEKE61372 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Catlin Tool Box, Spray-On Bed Liner, 7350.0 lb GVWR, 275 /55R20 Tires, 6 ft 5 in Bed Usage: 178,499 Mi	8339	<b>2010 Toyota Tundra SR5 4x4 Extended Cab Pickup</b> S/N: 5TFUY5F18AX100816 C/W: 5.7 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 275/65R18 Tires, 6 ft 5 in Bed Usage: 278,642 Mi
8334	<b>2014 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EM8EKD75939 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 181,102 Mi	8341A	<b>2002 Dodge Ram 1500 4x4 Extended Cab Pickup (Inoperable)</b> S/N: 1D7HU18Z62S525951 C/W: 5.9 L V8 Gasoline Engine, 2002 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 6650 lb GVWR, 35x12.50R17 Tires, 6 ft 6 in Bed Usage: 172,597 Mi
8335	<b>2014 Ford F-150 XLT 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF0EFB94994 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Catlin Tool Box, Spray-On Bed Liner, 7350.0 lb GVWR, 285/70R17 Tires, 6 ft 6 in Bed Usage: 226,727 Mi	8341	<b>2005 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTRX14W95NB31042 C/W: 4.6 L V8 Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 6950.0 lb GVWR, 275/70R18 Tires, 6 ft 6 in Bed Usage: 326,476 Mi
8336	<b>2014 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EMXEKE34666 C/W: 3.7 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 6900.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 237,149 Mi	8342	<b>2014 Chevrolet Silverado 1500 4x4 Pickup</b> S/N: 1GCNKPEC8EZ244168 C/W: 5.3 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 7000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 142,163 Mi
8337	<b>2014 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1ET0EFB11182 C/W: 3.5 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 10000.0 lb GVWR, 265/70R17 Tires, 6 ft 5 in Bed Usage: 244,954 Mi	8343	<b>1991 Chevrolet K1500 Z71 4x4 Pickup</b> S/N: 1GCDK14K8MZ177409 C/W: 5.7 L V8 Gasoline Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 265 /75R16 Tires, 6 ft 7 in Bed Usage: 289,634 Mi
8338	<b>2013 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF5DKF38177 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 7350.0 lb GVWR, 265/70R17 Tires, 6 ft 5 in Bed Usage: 180,118 Mi	8345	<b>2011 Chevrolet Silverado 1500 4x2 Crew Cab Hybrid Pickup</b> S/N: 3GCUCUEJ4BG179126 C/W: 6.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, 6 ft Bed Usage: 54,723 Mi
8339B	<b>2007 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTRX14W17FB52125 C/W: 4.6 L V8 Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, 6950.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 325,364 Mi	8346	<b>2010 Chevrolet Silverado 1500 4x2 Crew Cab Pickup</b> S/N: 3GCRCPEA2AG169703 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Headache Rack, Drop-In Bed Liner, 6800.0 lb GVWR, 245/70R17 Tires, 5 ft 2 in Bed Usage: 97,942 Mi
8339A	<b>2009 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTPX14V29KC22045 C/W: 5.4 L V8 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 7200.0 lb GVWR, 265/60R16 Tires, 6 ft 6 in Bed Usage: 226,923 Mi	8347	<b>2005 Nissan Titan 4x2 Crew Cab Pickup</b> S/N: 1N6BA07A55N537801 C/W: 5.6 L V8 Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 5 ft 6 in Bed Usage: 236,916 Mi

Lot #	Details	Lot #	Details
8348	<b>2018 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C54JKE87577 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 78,829 Mi	8354	<b>2015 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CFXFKE06596 C/W: 5.0 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Weatherguard Tool Box, Spray-On Bed Liner, 275/65R20 Tires, 6 ft 6 in Bed Usage: 209,578 Mi
8349A	<b>2018 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C54JKE18212 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Rear Power Lift Gate, Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft Bed Usage: 182,941 Mi	8355	<b>2014 Ford F-150 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CM8EFB48519 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, 6700.0 lb GVWR, 245/70R17 Tires, 7 ft Bed Usage: 76,863 Mi
8349	<b>2018 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C55JKE87572 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 86,975 Mi	8356	<b>2014 Ford F150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTFX1CF1EKG36899 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Drop-In Bed Liner, 7300.0 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 269,972 Mi
8350	<b>2018 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C59JKE97571 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft 8 in Bed Usage: 210,528 Mi	8359	<b>2011 Chevrolet Silverado 1500 4x2 Extended Cab Pickup</b> S/N: 1GCRCREA6BZ213036 C/W: 4.8 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 255/75R17 Tires, 8 ft Bed Usage: 203,320 Mi
8351A	<b>2016 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CP3GKF34284 C/W: 2.7 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6250.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 21,599 Mi	8360	<b>2022 Ram 1500 4x2 Pickup</b> S/N: 3C6JR6DG4NG301031 C/W: 3.6 L V6 Gasoline Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 6,635 Mi
8351	<b>2017 Ford F150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CG2HKC92962 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 245/70R17 Tires, 6 ft 6 in Bed Usage: 178,825 Mi	8361	<b>2022 Chevrolet Silverado 1500 4x2 Pickup</b> S/N: 3GCNWAEK1NG186607 C/W: 2.7 L 4 Cylinder Gasoline Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6800.0 lb GVWR, 255/70R17 Tires, 8 ft Bed Usage: 28,160 Mi
8352	<b>2015 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CF3FKE51959 C/W: 5.0 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 194,221 Mi	8362	<b>2017 Nissan Titan 4x2 Pickup</b> S/N: 1N6AA1R79HN532673 C/W: V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 7100.0 lb GVWR, 275/70R18 Tires, 8 ft Bed Usage: 130,800 Mi
8353	<b>2015 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CF8FKE06600 C/W: 5.0 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Spray-On Bed Liner, 6900.0 lb GVWR, 245/75R17 Tires, 6 ft 6 in Bed Usage: 205,780 Mi	8363A	<b>2016 Chevrolet Silverado 1500 4x2 Pickup</b> S/N: 1GCNCNEH2GZ191855 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Truck Cap, 265/70R17 Tires, 8 ft Bed Usage: 189,872 Mi
		8363	<b>2016 Chevrolet Silverado 1500 4x2 Pickup</b> S/N: 1GCNCNEH3GZ363651 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 255/70R17 Tires, 6 ft 6 in Bed Usage: 174,877 Mi

Lot #	Details	Lot #	Details
8364	<b>2016 GMC Sierra 1500 4x2 Pickup</b> S/N: 1GTN1LEH4GZ317675 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6700.0 lb GVWR, 255/70R17 Tires, 8 ft 2 in Bed Usage: 191,500 Mi	8373	<b>2006 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTRF12216NA01843 C/W: 4.2 L V6 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6650.0 lb GVWR, 245/70R17 Tires, 6 ft 0 in Bed Usage: 151,505 Mi
8366	<b>2014 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF5EKG52876 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Better Build Tool Box, Spray-On Bed Liner, 7050.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 89,974 Mi	8374	<b>2005 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTPF12545NA87407 C/W: 5.4 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Kobalt Tool Box, Drop-In Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 302,134 Mi
8367	<b>2013 Ford F-150 4x2 Pickup</b> S/N: 1FTPF1CF9DKF87702 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, 8200.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 103,117 Mi	8375	<b>2016 Chevrolet Colorado 4x4 Crew Cab Pickup</b> S/N: 1GCGTBE39G1267257 C/W: 3.6 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Tool Box, Spray-On Bed Liner, 6000.0 lb GVWR, 265/70R16 Tires, 6 ft Bed Usage: 195,729 Mi
8368	<b>2013 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF6DKG35924 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 7050.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 129,854 Mi	8379	<b>2022 Nissan Frontier 4x2 Crew Cab Pickup</b> S/N: 1N6ED1EJ2NN639019 C/W: 3.8 L V6 Gasoline Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 6012.0 lb GVWR, 265/65R17 Tires, 4 ft 10 in Bed Usage: 14,131 Mi
8369	<b>2012 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CM5CKD45702 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 6750.0 lb GVWR, 235/75R17 Tires, 8 ft Bed Usage: 108,957 Mi	8380	<b>2016 Chevrolet Colorado 4x2 Crew Cab Pickup</b> S/N: 1GCGSBE39G1267259 C/W: 3.6 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 5800.0 lb GVWR, 265/70R16 Tires, 6 ft Bed Usage: 204,272 Mi
8370	<b>2010 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CW6AKB11115 C/W: 4.6 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 6750.0 lb GVWR, 235/70R17 Tires, 8 ft Bed Usage: 151,105 Mi	8381A	<b>2006 Chevrolet Colorado LT 4x2 Crew Cab Pickup</b> S/N: 1GCCS136468207224 C/W: 3.5 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 5000.0 lb GVWR, 245/50R20 Tires, 5 ft Bed Usage: 163,196 Mi
8371	<b>2006 Chevrolet 1500 4x2 Pickup</b> S/N: 3GCEC14X16G207835 C/W: 4.3 L V6 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, Spray-On Bed Liner, 6400.0 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 261,107 Mi	8381	<b>2008 Chevrolet Colorado LT 4x2 Crew Cab Pickup</b> S/N: 1GCCS13E088151521 C/W: 3.7 L 5 Cylinder Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, UWS Tool Box, Spray-On Bed Liner, 5000.0 lb GVWR, 235/75R15 Tires, 5 ft Bed Usage: 227,265 Mi
8372	<b>2006 Chevrolet 1500 4x2 Pickup</b> S/N: 3GCEC14XX6G207896 C/W: 4.3 L V6 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, Spray-On Bed Liner, 6400.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 314,455 Mi	8382	<b>2016 Nissan Frontier 4x2 Extended Cab Pickup</b> S/N: 1N6BD0CT3GN719045 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 4700.0 lb GVWR, 235/75R15 Tires Usage: 101,738 Mi

Lot #	Details	Lot #	Details
8383	<b>2002 Ford Ranger XLT 4x2 Extended Cab Pickup</b> S/N: 1FTYR14U22TA50430 C/W: 3.0 L V6 Gasoline Engine, 2002 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 4740.0 lb GVWR, 225/70R15 Tires, 5 ft 10 in Bed Usage: 117,891 Mi	8394	<b>2017 Ford Escape SUV</b> S/N: 1FMCU0GD0HUA29475 C/W: 4 cyl 1.5 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Rear View Camera Usage: 197,817 Mi
8384	<b>2011 Toyota Tacoma 4x2 Regular Cab Pickup</b> S/N: 5TFNX4CN0BX006892 C/W: Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 4650.0 lb GVWR, 215 /70R15 Tires, 6 ft 6 in Bed Usage: 134,934 Mi	8396	<b>2016 Ford Expedition 4WD SUV</b> S/N: 1FMJK1JT8GEF03572 C/W: V6 3.5 L Gasoline Engine, 2016 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, 3rd Row, Towing Hitch Usage: 225,342 Mi
8385	<b>2011 Ford Ranger 4x2 Pickup</b> S/N: 1FTKR1ADXBPA44698 C/W: 2.3 L 4 Cylinder Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, 4300.0 lb GVWR, 225/70R16 Tires, 6 ft Bed Usage: 263,844 Mi	8397	<b>2016 Buick Enclave AWD SUV</b> S/N: 5GAKRBDK6GJ101236 C/W: V6 3.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 86,107 Mi
8386	<b>2009 Ford Ranger 4x2 Regular Cab Pickup</b> S/N: 1FTYR10D49PA56447 C/W: 2.3 L 4 Cylinder Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 4300.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 75,068 Mi	8398	<b>2016 Kia Sorento SUV</b> S/N: 5XYPG4A32GG056312 C/W: 4 cyl 2.4 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 248,063 Mi
8387	<b>2021 Chevrolet Suburban RST 4x4 SUV</b> S/N: 1GNSKEKD5MR235700 C/W: 5.3 L Gasoline Engine, 2021 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 53,934 Mi	8399	<b>2015 Chevrolet Tahoe LT 4WD SUV</b> S/N: 1GNSKBKC7FR253821 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 191,548 Mi
8388	<b>2019 Kia Sorento SX SUV</b> S/N: 5XYPKDA54KG557808 C/W: V6 3.3 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 34,226 Mi	8400	<b>2015 Mercedes-Benz GLA250 SUV</b> S/N: WDCTG4GB9FJ060007 C/W: 2.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 93,157 Mi
8389	<b>2019 Nissan Rogue SUV</b> S/N: 5N1AT2MT1KC745333 C/W: 4 cyl 2.5 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	8401	<b>2015 Jeep Patriot 4WD SUV</b> S/N: 1C4NJRBB7FD323937 C/W: 4 cyl 2.4 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 115,474 Mi
8391	<b>2018 Jeep Renegade SUV</b> S/N: ZACCJABB7JPJ33524 C/W: 4 cyl 2.4 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Rear View Camera Usage: 164,805 Mi	8404	<b>2014 BMW X1 2WD SUV</b> S/N: WBAVL1C53EVY15150 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation Usage: 108,680 Mi
8393	<b>2017 Chevrolet Equinox LT 2WD SUV</b> S/N: 2GNALCEK9H6327496 C/W: 4 cyl 2.4 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 75,459 Mi	8405	<b>2014 Jeep Compass 2WD SUV</b> S/N: 1C4NJCBA8ED725940 C/W: 4 cyl 2.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 88,845 Mi

Lot #	Details	Lot #	Details
8406	<b>2014 Jeep Compass 2WD SUV</b> S/N: 1C4NJCBA9ED573778 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 178,179 Mi	8415	<b>2011 Land Rover LR4 SUV</b> S/N: SALAK2D48BA593927 C/W: V8 5.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 142,980 Mi
8407	<b>2014 Ford Explorer 2WD SUV</b> S/N: 1FM5K8B87EGC25978 C/W: V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 95,552 Mi	8416	<b>2011 Nissan Juke SL SUV</b> S/N: JN8AF5MR6BT003905 C/W: 4 cyl 1.6 L Gasoline Engine, 6 Speed, Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 120,222 Mi
8408B	<b>2014 GMC Terrain 2WD SUV</b> S/N: 2GKALMEK7E6219294 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 97,628 Mi	8418	<b>2010 Cadillac SRX AWD SUV</b> S/N: 3GYFNAEY2AS611362 C/W: V6 3.0 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner Usage: 129,001 Mi
8408A	<b>2014 Nissan Pathfinder SUV</b> S/N: 5N1AR2MN3EC682482 C/W: V6 3.5 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, 3rd Row Usage: 123,359 Mi	8420	<b>2010 Chevrolet Tahoe 2WD SUV</b> S/N: 1GNMCAE03AR151636 C/W: V8 5.3 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 242,430 Mi
8408	<b>2014 Ford Escape SE 2WD SUV</b> S/N: 1FMCU9GX6EUC02149 C/W: 4 cyl 1.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 119,606 Mi	8421	<b>2009 Land Rover LR2 SUV</b> S/N: SALFR24N09H119918 C/W: 6 cyl 3.2 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
8409B	<b>2013 Ford Escape SE 4WD SUV</b> S/N: 1FMCU9G95DUD15591 C/W: 4 cyl 2.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 104,940 Mi	8423	<b>2008 BMW X5 SUV</b> S/N: 5UXFE83588L164252 C/W: V8 4.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 156,334 Mi
8409A	<b>2013 Ford Edge SUV</b> S/N: 2FMDK3J9XDBC11006 C/W: 4 cyl 2.0 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 168,759 Mi	8425	<b>2007 Ford Explorer 4x4 SUV</b> S/N: 1FMEU73E37UB35210 C/W: V6 4.0 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 67,778 Mi
8410	<b>2012 BMW X5 M SUV</b> S/N: 5YMGY0C51CLK27299 C/W: V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 145,267 Mi	8426	<b>2007 Ford Explorer 2WD SUV</b> S/N: 1FMEU63E07UB35207 C/W: V6 4.0 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 71,276 Mi
8412	<b>2012 Nissan Rogue 2WD SUV</b> S/N: JN8AS5MT7CW295698 C/W: 4 cyl 2.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission Usage: Not Available	8427	<b>2006 Nissan Armada SUV</b> S/N: 5N1AA08A36N725890 C/W: V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 168,594 Mi
8414	<b>2012 GMC Terrain SUV</b> S/N: 2GKFLREK2C6235984 C/W: 2.4 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 112,062 Mi	8428	<b>2006 Toyota Highlander Limited 2WD Hybrid SUV</b> S/N: JTEDW21A960005785 C/W: V6 3.3 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 3rd Row Usage: Not Available



Lot #	Details	Lot #	Details
8429	<b>2005 Lexus RX330 SUV</b> S/N: 2T2GA31U05C028260 C/W: 3 cyl 3.3 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 190,123 Mi	8441	<b>2017 BMW 320I Automobile</b> S/N: WBA8E5G35HNU43905 C/W: 4 cyl Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 39,082 Mi
8430	<b>2005 Jeep Wrangler 4x4 SUV</b> S/N: 1J4FA39S45P313736 C/W: 6 cyl 4.0 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner Usage: 133,876 Mi	8442	<b>2017 Subaru WRX AWD Automobile</b> S/N: JF1VA1B62H9839722 C/W: 4 cyl 2.0 L Gasoline Engine, 2017 US EPA Label, 6 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 71,975 Mi
8431	<b>2003 BMW X5 2WD SUV</b> S/N: 5UXFA53593LV92396 C/W: 6 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows Usage: 109,197 Mi	8443	<b>2017 Subaru Outback AWD Automobile</b> S/N: 4S4BSAACXH3239563 C/W: 4 cyl 2.5 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 108,755 Mi
8432	<b>2002 Jeep Wrangler 4x4 SUV</b> S/N: 1J4FA39S12P776364 C/W: 6 cyl 4.0 L Gasoline Engine, 2002 US EPA Label, 5 Speed Manual Transmission, Air Conditioner Usage: 175,534 Mi	8445	<b>2017 Nissan Versa SV Automobile</b> S/N: 3N1CN7AP9HL864310 C/W: 4 cyl 1.6 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 97,629 Mi
8433A	<b>1999 Jeep Wrangler 4WD SUV</b> S/N: 1J4FY19S1XP462690 C/W: 6 cyl 4.0 L Gasoline Engine, 1999 US EPA Label, Air Conditioner Usage: 230,463 Mi	8446	<b>2017 Chevrolet Camaro Automobile</b> S/N: 1G1FB1RS9H0179335 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 70,042 Mi
8433	<b>2000 Jeep Wrangler 4x4 SUV</b> S/N: 1J4FA59S8YP708812 C/W: 6 cyl 4.0 L Gasoline Engine, 2000 US EPA Label, 5 Speed Manual Transmission, Air Conditioner Usage: 92,632 Mi	8447	<b>2016 Chevrolet Camaro Automobile</b> S/N: 1G1FB1RS3G0131909 C/W: V6 3.6 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation Usage: 113,346 Mi
8435	<b>2018 BMW 320I Automobile</b> S/N: PR0095673 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 61,780 Mi	8448	<b>2016 Infiniti Q50 Automobile</b> S/N: JN1EV7AR2GM344920 C/W: V6 3.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation Usage: 79,148 Mi
8436	<b>2018 Dodge Challenger Automobile</b> S/N: 2C3CDZAG5JH245931 C/W: V6 3.6 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 99,480 Mi	8449	<b>2016 Buick Cascada Automobile</b> S/N: W04WT3N55GG023843 C/W: 4 cyl 1.6 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 68,108 Mi
8437	<b>2018 Infiniti Q50 Automobile</b> S/N: JN1EV7AP1JM364100 C/W: V6 3.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 95,969 Mi	8450	<b>2016 Buick LaCrosse Automobile</b> S/N: 1G4G45G32GF186921 C/W: V6 Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 85,229 Mi
8439	<b>2018 Volkswagen Beetle Automobile</b> S/N: 3VWFD7AT6JM706028 C/W: 4 cyl 2.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 19,375 Mi		

Lot #	Details	Lot #	Details
8451A	<b>2016 Toyota Camry Automobile</b> S/N: 4T1BF1FKXGU585271 C/W: 4 cyl 2.5 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 168,473 Mi	8462	<b>2014 Fiat 500 Automobile</b> S/N: ZFBCFADH9EZ015572 C/W: 3 cyl 1.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Navigation Usage: 109,332 Mi
8451	<b>2016 Hyundai Sonata SE Automobile</b> S/N: 5NPE24AF3GH386081 C/W: 4 cyl 2.4 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 109,886 Mi	8463	<b>2014 Volkswagen Passat Automobile (Inoperable)</b> S/N: 1VWAS7A35EC119617 C/W: 4 cyl 1.8 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 142,623 Mi
8452	<b>2016 Kia Soul Automobile</b> S/N: KNDJN2A26G7287542 C/W: 4 cyl 1.6 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 112,109 Mi	8465	<b>2014 Cadillac ATS Automobile</b> S/N: 1G6AA5RA6E0159013 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 114,472 Mi
8453	<b>2016 Chevrolet Sonic Automobile</b> S/N: 1G1JA6SH3G4105571 C/W: 4 cyl 1.8 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Locks Usage: 121,837 Mi	8466	<b>2014 Cadillac ATS Automobile</b> S/N: 1G6AA5RX9E0108822 C/W: Gasoline Engine, Automatic Transmission Usage: 210,222 Mi
8454	<b>2015 Infiniti Q50 Automobile</b> S/N: JN1BV7ARXFM416383 C/W: V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 65,537 Mi	8468	<b>2014 Ford Focus Automobile</b> S/N: 1FADP3E27EL443427 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 55,467 Mi
8455	<b>2015 Infiniti Q50 Automobile</b> S/N: JN1BV7AR4FM399709 C/W: V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 99,300 Mi	8469	<b>2014 Ford Focus Automobile</b> S/N: 1FADP3E20EL443429 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 61,201 Mi
8456	<b>2015 Infiniti Q50S Automobile (Inoperable)</b> S/N: JN1BV7AR6FM394835 C/W: V6 3.7 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	8471	<b>2013 Mercedes-Benz C250 Automobile</b> S/N: WDDGF4HB9DA848636 C/W: V6 3.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 148,767 Mi
8459	<b>2015 Hyundai Sonata Automobile</b> S/N: 5NPE24AF4FH213636 C/W: 4 cyl 2.4 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 112,884 Mi	8473	<b>2013 Nissan Altima Automobile</b> S/N: 1N4AA5AP6DC833161 C/W: V6 3.5 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission Usage: 108,207 Mi
8460	<b>2015 Chevrolet Impala LTZ Automobile</b> S/N: 1G1165S33FU114253 C/W: V6 3.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 169,263 Mi	8474	<b>2013 Ford C Max Hybrid Automobile</b> S/N: 1FADP5CU4DL537599 C/W: 4 cyl 2.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 89,932 Mi
8461	<b>2014 Fiat 500 Automobile</b> S/N: 3C3CFFAR4ET264073 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Multiair Usage: 65,092 Mi	8475	<b>2013 Chevrolet Cruze LTZ Automobile</b> S/N: 1G1PG5SB1D7218282 C/W: 4 cyl 1.4 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 151,712 Mi

Lot #	Details	Lot #	Details
8476	<b>2013 Hyundai Sonata Automobile</b> S/N: 5NPEB4AC0EH883012 C/W: 4 cyl 2.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 81,334 Mi	8487	<b>2009 Toyota Camry Hybrid Automobile</b> S/N: 4T1BB46K49U086000 C/W: 4 cyl Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 206,917 Mi
8477	<b>2013 Mini Cooper Automobile</b> S/N: WMWSU3C51DT544515 C/W: 4 cyl Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 135,046 Mi	8488A	<b>2009 Jaguar XF Automobile</b> S/N: SAJWA05BX9HR05136 C/W: V8 4.2 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
8479	<b>2012 Honda Accord Automobile</b> S/N: 1HGCP2F78CA185164 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 133,004 Mi	8488	<b>2009 Mazda 5 Automobile</b> S/N: JM1C0293390338405 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 134,618 Mi
8480	<b>2012 Suzuki SX4 Automobile</b> S/N: JS2YA5A70C6300055 C/W: 4 cyl 2.0 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 153,502 Mi	8489	<b>2008 Kia Amanti Automobile</b> S/N: KNALD125285162384 C/W: V6 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 153,809 Mi
8481	<b>2012 Ford Fusion SE Automobile</b> S/N: 3FAHP0HA5CR237170 C/W: 4 cyl 2.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 198,848 Mi	8490	<b>2007 Mercedes-Benz S550 Automobile</b> S/N: WDDNG71X97A077711 C/W: V8 5.5 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 149,685 Mi
8482	<b>2011 Mini Cooper Automobile</b> S/N: WMWSU3C52BT183339 C/W: 4 cyl Gasoline Engine, 6 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 138,186 Mi	8491	<b>2007 Toyota Camry LE Automobile</b> S/N: 4T1BE46K07U679874 C/W: 4 cyl 2.4 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 242,741 Mi
8483	<b>2011 Volkswagen Jetta Automobile</b> S/N: 3VWDZ7AJ6BM380000 C/W: 5 cyl 2.5 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 183,189 Mi	8492	<b>2006 Honda Civic Automobile</b> S/N: JHMFA36236S016089 C/W: 4 cyl 1.3 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 162,042 Mi
8484	<b>2011 Kia Forte Automobile</b> S/N: KNAFU4A20B5375816 C/W: 4 cyl 2.0 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 157,550 Mi	8494	<b>2005 Toyota Camry Automobile</b> S/N: 4T1BE30K35U022518 C/W: 4 cyl 2.4 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 178,470 Mi
8485A	<b>2011 Infiniti G37 Automobile</b> S/N: JN1CV6AP3BM506594 C/W: V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 145,562 Mi	8496	<b>2004 Honda Civic Automobile</b> S/N: 2HGES26704H632743 C/W: 4 cyl 1.7 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission Usage: 189,078 Mi
8485	<b>2011 Ford Crown Victoria Automobile</b> S/N: 2FABP7BV1BX118655 C/W: V8 4.6 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows Usage: 87,540 Mi	8497	<b>2003 Mercedes-Benz S1k230 Automobile</b> S/N: WDBKK49FX3F278759 C/W: 2.3 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 185,394 Mi

Lot #	Details	Lot #	Details
8498	<b>2003 Volkswagen Beetle Convertible</b> S/N: 3VWCK21YX3M326572 C/W: 4 cyl 2.0 L Gasoline Engine, 2003 US EPA Label, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 131,514 Mi	8510	<b>2023 Witzco Challenger RG-52 52 ton Tri/A Removable Gooseneck Lowboy Trailer (Unused)</b> S/N: 1W8A11E32PS000310 C/W: 122540.0 lb GVWR, Spring Suspension, Air Brakes, Hydraulic Removable Gooseneck, 22 ft 6 in Main Deck, 102 in Usable Deck Width, Folding Side Extensions, Honda Gas Powered Self Contained Hydraulic System, 255/70R22.5 Tires Usage: Not Available
8503	<b>2018 Chrysler Pacifica Minivan</b> S/N: 2C4RC1AG6JR103625 C/W: V6 3.6 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 64,333 Mi	8511	<b>2023 Witzco Challenger RG-52 52 ton Tri/A Removable Gooseneck Lowboy Trailer (Unused)</b> S/N: 1W8A11E34PS000311 C/W: 122540.0 lb GVWR, Spring Suspension, Air Brakes, Hydraulic Removable Gooseneck, 22 ft 6 in Main Deck, 102 in Usable Deck Width, Folding Side Extensions, Honda Gas Powered Self Contained Hydraulic System, 255/70R22.5 Tires Usage: Not Available
8504	<b>2014 Dodge Grand Caravan SXT Minivan</b> S/N: 2C4RDGCGXER162728 C/W: V6 3.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 140,985 Mi	8512	<b>2023 Witzco Challenger RG-52 52 ton Tri/A Removable Gooseneck Lowboy Trailer (Unused)</b> S/N: 1W8A11E36PS000312 C/W: 122540.0 lb GVWR, Spring Suspension, Air Brakes, Hydraulic Removable Gooseneck, 22 ft 6 in Main Deck, 102 in Usable Deck Width, Folding Side Extensions, Honda Gas Powered Self Contained Hydraulic System, 255/70R22.5 Tires Usage: Not Available
8505	<b>2012 Dodge Grand Caravan Minivan</b> S/N: 2C4RDGBG4CR320107 C/W: V6 3.6 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 95,641 Mi	8513	<b>2004 Eager Beaver 50GSL3 50 ton Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 112SD24884L060964 C/W: 121000.0 lb GVWR, Air Ride Suspension, Air Brakes, Lift 3rd- Axles, 27 ft Main Deck, 11 ft Rear Deck, 102 in Usable Deck Width, Folding Side Extensions, 255/70R22.5 Tires Usage: Not Available
8506	<b>2004 Toyota Sienna Minivan</b> S/N: 5TDZA23C04S077556 C/W: V6 3.3 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 218,977 Mi	8515	<b>2005 Trail King TK22FA-051 S/A Booster Axle</b> S/N: 1TKS005165B078300 C/W: 22500 lb GVWR, Pin-On, Air Ride Suspension, 295/75R22.5 Tires Usage: Not Available
8507	<b>2013 Trail King TK110HDG+533 55 ton Tri/A Single Drop Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ05338DM051650 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 28 ft Main Deck, 14 ft Rear Deck, 102 in Usable Deck Width, Folding Side Extensions, Boom Recess, Deck Over Tires, Gas Powered Self Contained Hydraulic System, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	8516	<b>2013 Landoll 440 48 ft T/A Sliding Axle Trailer</b> S/N: 1LH440UH3D1019372 C/W: 97100.0 lb GVWR, Air Ride Suspension, Air Brakes, 4 ft Upper Deck, 37 ft Main Deck, 102 in Usable Deck Width, Winch, Deck Over Tires, 235/75R17.5 Tires Usage: Not Available
8508	<b>2007 Fontaine TH55-04 55 ton Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 4LFE5230973529248 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, Plumbed for Booster Axle, 25 ft Main Deck, 13 ft Rear Deck, 102 in Usable Deck Width, Folding Side Extensions, Boom Recess, 275/70R22.5 Tires Usage: Not Available	8517	<b>2004 Landoll 53 ft T/A Sliding Axle Trailer</b> S/N: 1LH660WHX41B13414 C/W: Air Ride Suspension, Air Brakes, 6 ft 6 in Upper Deck, 43 ft Main Deck, 102 in Usable Deck Width, Winch, Deck Over Tires, 245/70R17.5 Tires Usage: Not Available
8509	<b>2001 Trail King TK110HDG-533 55 ton Tri/A Single Drop Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ053351B026616 C/W: 132920 lb GVWR, Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 27 ft Main Deck, 15 ft Rear Deck, 101 in Usable Deck Width, Deck Over Tires, Manual Ramps, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8518	<b>2014 Ledwell LW48 HT2-10-PB 50 ft T/A Hydraulic Tail Trailer</b> S/N: 1L9GA72A1EL033440 C/W: Air Ride Suspension, Air Brakes, 9 ft 4 in Upper Deck, 32 ft 6 in Main Deck, 8 ft Rear Deck, 5 ft Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Winch, 255 /70R22.5 Tires Usage: Not Available	8525A	<b>2008 Wilson CFD900 53 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 4WWFGE0B28N613576 C/W: 89250 lb GVWR, Air Ride Suspension, Air Brakes, 11 ft 0 in Upper Deck, 42 ft 0 in Main Deck, 102 in Usable Deck Width, Bulkhead, Deck Over Tires, Aluminum w/Wood Strips Flooring, 255/70R22.5 Tires Usage: Not Available
8519	<b>2012 Trail King TK70HT 50 ft T/A Hydraulic Tail Trailer</b> S/N: 1TKA0482XCM066630 C/W: 87820.0 lb GVWR, Air Ride Suspension, Air Brakes, 5 ft Upper Deck, 37 ft Main Deck, 8 ft Dovetail, 102 in Usable Deck Width, Deck Over Tires, Bi-Fold Hydraulic Ramps, Winch, 255 /70R22.5 Tires Usage: Not Available	8525	<b>2008 Wilson CFD-900 50 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 4WWFGE0B48N613577 C/W: 89250 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 40 ft Main Deck, 102 in Usable Deck Width, Bulkhead, Deck Over Tires, Aluminum w/Wood Strips Flooring, 255 /70R22.5 Tires Usage: Not Available
8520	<b>2005 Ledwell 48 ft T/A Gooseneck Hydraulic Tail Trailer</b> S/N: 1L9GA72A95L033556 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft 0 in Upper Deck, 29 ft 6 in Main Deck, 8 ft 0 in 2-Position Dovetail, 102 in Usable Deck Width, Self Contained Hydraulic System, Deck Over Tires, Manual Ramps, Upper Deck Ramps, Winch, 255/70R22.5 Tires Usage: Not Available	8526	<b>1995 Great Dane 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 1GRDM9621SM009102 C/W: Spring Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 96 in Usable Deck Width, Bulkhead, Deck Over Tires, Wood Flooring, 255/70R22.5 Tires Usage: Not Available
8522	<b>2023 Great Dane FLD-0024-00053 53 ft T/A Spread Axle Step Deck Trailer</b> S/N: 1GR4M0623PH504011 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 43 ft Main Deck, Storage Compartments, Deck Over Tires, Aluminum w/Wood Strips Flooring, 255/70R22.5 Tires Usage: Not Available	8527	<b>2018 Transcraft 53 ft T/A Flatbed Trailer</b> S/N: 1TTF532A0J3078320 C/W: 80000.0 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 98 in Deck Width, Aluminum Flooring, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available
8523	<b>2020 Utility FS2CDHA 53 ft T/A Step Deck Trailer</b> S/N: 1UYFS2533L5145206 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 11 ft Upper Deck, 42 ft Main Deck, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	8528	<b>2007 Utility FS2CHA 53 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS25327A028004 C/W: 68000.0 lb GVWR, Air Ride Suspension, 98 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
8524A	<b>2016 Fontaine HCR52D22WSA 53 ft T/A Spread Axle Step Deck Trailer</b> S/N: 13N25320XG1516522 C/W: 58194 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 11 ft Upper Deck, 42 ft Main Deck, 102 in Usable Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	8529	<b>2007 Utility FS2CHA 53 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS25307A028003 C/W: 68000.0 lb GVWR, Air Ride Suspension, 98 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
8524	<b>2019 Fontaine HAILD22RSA 53 ft T/A Step Deck Trailer</b> S/N: 13N2532C4K1530595 C/W: 66667.0 lb GVWR, Air Ride Suspension, Air Brakes, Deck Over Tires, Aluminum Wheels, 245/70R17.5 Tires Usage: Not Available	8530	<b>2005 Utility FS2CHA 53 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS253X5A561019 C/W: 68000.0 lb GVWR, Air Ride Suspension, Surge Brakes, 98 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
		8531	<b>2018 Great Dane FLP-0024-00048 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1GRDM9627JH126786 C/W: 70000.0 lb GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8532	<b>2018 Fontaine HCICF12WSA 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 13N148207J1523804 C/W: 70543.0 lb GVWR, Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w /Wood Strips Flooring, 445/50R22.5 Super Single Tires Usage: Not Available	8545	<b>Red Iron 100 ft x 50 ft Steel Structure</b> S/N: Not Available Usage: Not Available
8534	<b>2015 Utility FS2CHS 48 ft T/A Flatbed Trailer</b> S/N: 1UYFS2483FA395702 C/W: 73000.0 lb GVWR, Spring Suspension, Air Brakes, 96 in Deck Width, Bulkhead, 11R22.5 Tires Usage: Not Available	8545	<b>1970 Lars 40 ft T/A Flatbed Trailer</b> S/N: 777122 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Steel Decking, 11R22.5 Tires Usage: Not Available
8535	<b>2013 Utility FS2CHA 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS2484DA594304 C/W: 33100.0 kg GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, Aluminum w /Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	8547	<b>1995 Ti-Brook 42 ft T/A Aluminum End Dump Trailer</b> S/N: 1T9EAAW25SG021836 C/W: Aluminum Frame, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
8536	<b>2013 Utility FS2CHA 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS2486DA594305 C/W: 73000.0 lb GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, Aluminum w /Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	8548A	<b>1992 Ravens 40 ft T/A Spread Axle Aluminum End Dump Trailer</b> S/N: 1R1D34023NJ923235 C/W: 79000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 40 ft Body, Aluminum Body, Manual Roll Tarp, Swing Tailgate, 12R22.5 Tires Usage: Not Available
8538	<b>2007 Fontaine EFTW-7-8048WSAWK 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 13N14830871543759 C/W: 70775.0 lb GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 275/80R24.5 Tires Usage: Not Available	8548	<b>1994 Mate 39 ft T/A Aluminum End Dump Trailer</b> S/N: 1M9A39525RH036708 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, 39 ft Body, 60 in Side Walls, Aluminum Body, Manual Roll Tarp, 295/75R22.5 Tires Usage: Not Available
8539	<b>2006 Utility FS2CHA 36300 lb 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS24846A763482 C/W: 80000.0 lb GVWR, Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w /Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	8549	<b>1992 Travis 36 ft T/A Aluminum End Dump Trailer</b> S/N: 1T92F3623N1247686 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 36 ft Body, 70 in Side Walls, Aluminum Body, Electric Roll Tarp, Swing Tailgate, 11R24.5 Tires Usage: Not Available
8540	<b>2006 Chaparral 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1C92F48276M949559 C/W: 90000.0 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 97 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Outer Wheels, 285\75R24.4 Tires Usage: Not Available	8550	<b>1995 Borco 30 ft T/A End Dump Trailer</b> S/N: 1B9DS3128SP313022 C/W: 66000 lb GVWR, Spring Suspension, Air Brakes, 30 ft Body, 56 in Side Walls, Steel Body, Electric Roll Tarp, Swing Tailgate, 11R22.5 Tires, Rear left outer tire off rim Usage: Not Available
8542	<b>2007 Transcraft 45 ft T/A Flatbed Trailer</b> S/N: 1TTF4520872020315 C/W: 65000.0 lb GVWR, Spring Suspension, Sliding Suspension, 98 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	8551	<b>1995 East 48 ft T/A Moving Floor Trailer</b> S/N: 1E1U1Y288SRJ18086 C/W: Spring Suspension, Air Brakes, 11R24.5 Tires Usage: Not Available
8543	<b>2005 Fontaine FTW58045SLW 80000 lb 45 ft T/A Flatbed Trailer</b> S/N: 13N1452C151525952 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Bulkhead, 11R22.5 Tires Usage: Not Available	8552	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX27RG000253 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Container Pins, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available
		8553	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX29RG000254 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Container Pins, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8554	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX20RG000255 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 20+20 ft - Container Pins, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available	8564	<b>2023 Paisano 40 ft T/A Container Trailer (Unused)</b> S/N: 3S9G6PG29PC097278 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available
8555	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX22RG000256 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Container Pins, 11R22.5 Tires Usage: Not Available	8565	<b>2021 Texas Pride T/A Roll-Off Trailer</b> S/N: 7HCGD1622MB022030 C/W: 18000.0 lb GVWR, Spring Suspension, Electric Brakes, Electric Roll Tarp, Aluminum Wheels, 215/75R17.5 Tires Usage: Not Available
8556	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX24RG000257 C/W: 65000.0 lb GVWR, Air Brakes, Sliding Suspension, Container Pins, 11R22.5 Tires Usage: Not Available	8566B	<b>1981 Polar T/A Tanker Trailer</b> S/N: 1PMS34122B105605 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Tank, Catwalk, 11R24.5 Tires Usage: Not Available
8557	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX26RG000258 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Container Pins, 11R22.5 Tires Usage: Not Available	8566A	<b>2002 Heil 1040 cft T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN412827T08797 C/W: 70000.0 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, 11R22.5 Tires Usage: Not Available
8558	<b>2024 Atro 53 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CX28RG000259 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Container Pins, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available	8567	<b>2020 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B6LL177072 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King S-600 Refrigeration Unit, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 16,416 Hr
8559	<b>2024 Atro 20 ft - 40 ft T/A Extendable Container Trailer (Unused)</b> S/N: 3ELA6CR23RG000280 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	8568	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5329LM022853 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier 7500X4 Refrigeration Unit, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 9,910 Hr
8560	<b>2023 Paisano 40 ft T/A Container Trailer (Unused)</b> S/N: 3S9G6PG21PC097274 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available	8569	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5322LM022810 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier 7500X4 Refrigeration Unit, 9562 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 9,562 Hr
8561	<b>2023 Paisano 40 ft T/A Container Trailer (Unused)</b> S/N: 3S9G6PG23PC097275 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available	8580	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5326LM020378 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 10750 Engine Run Hours, 295/75R22.5 Tires Usage: 10,750 Hr
8562	<b>2023 Paisano 40 ft T/A Container Trailer (Unused)</b> S/N: 3S9G6PG25PC097276 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available	8581	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5324LM020380 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 11577 Engine Run Hours, 295/75R22.5 Tires Usage: 11,577 Hr
8563	<b>2023 Paisano 40 ft T/A Container Trailer (Unused)</b> S/N: 3S9G6PG27PC097277 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8582	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5328LM020382 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 10625 Engine Run Hours, 295/75R22.5 Tires Usage: 10,625 Hr	8589	<b>2019 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5324KM016215 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier 7300 X4 Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available
8583	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5328LM020379 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 11907 Engine Run Hours, 295/75R22.5 Tires Usage: 11,907 Hr	8590	<b>2019 Great Dane ESS-1114-11053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0626KW140828 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier 7300X4 Refrigeration Unit, 9513 Engine Run Hours, 295/75R22.5 Tires Usage: 9,513 Hr
8584	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5323LM020371 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available	8592	<b>2019 Utility 3000R 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 3UTVS2532K8728904 C/W: Air Ride Suspension, Air Brakes, Side Skirts, Thermo King S700 Refrigeration Unit, 275/80R22.5 Tires Usage: 12,328 Hr
8585	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5325LM020372 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300X4 Refrigeration Unit, 9027 Engine Run Hours, Aluminum Outer Wheels, 295 /75R22.5 Tires Usage: 9,027 Hr	8593	<b>2017 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5325HM009525 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King Refrigeration Unit, 295/75R22.5 Tires Usage: 16,906 Hr
8586	<b>2020 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5320KM017359 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier 7300 X4 Refrigeration Unit, 14636 Engine Run Hours, 295/75R22.5 Tires Usage: 14,636 Hr	8595	<b>2017 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2538HU899002 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 13,054 Hr
8587	<b>2019 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR532XKM017353 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 13572 Engine Run Hours, 275/80R22.5 Tires Usage: 13,572 Hr	8598	<b>2016 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536GU608107 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 8003 Engine Run Hours, 275/80R22.5 Tires Usage: 8,003 Hr
8588	<b>2019 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5323KM017355 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 9668 Engine Run Hours, 295/75R22.5 Tires Usage: 9,668 Hr	8599	<b>2016 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2533GU590309 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Front /Rear Vents, 2020 Thermo King S-700 Refrigeration Unit, Serial Number 6001327585, 7853 Engine Run Hours, Aluminum Wheels, 295 /75R22.5 Tires Usage: 7,853 Hr
		8600	<b>2016 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537GM513412 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier 7500 X4 Refrigeration Unit, 15208 Engine Run Hours, 295/75R22.5 Tires Usage: 15,208 Hr



Lot #	Details	Lot #	Details
8604	<b>2016 Hyundai VR2530162-S 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 3H3V532C1GT435061 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 2015 Carrier 7500 X4 Refrigeration Unit, Serial Number RAL91421743, 12340 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 12,340 Hr	8615	<b>2012 Wabash 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B6CL716385 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier X2 2500A Refrigeration Unit, 29613 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 29,613 Hr
8606	<b>2014 Utility VS2RAP 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2531EU772278 C/W: 65000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, Ducted Floor, Carrier X2 2500 Refrigeration Unit, 11R22.5 Tires Usage: 18,437 Hr	8616	<b>2012 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B0CL716429 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 2500A Refrigeration Unit, 20889 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 20,889 Hr
8608	<b>2014 Great Dane ESS-1119-32053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0629EW700717 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 2012 Thermo King Spectrum SB Refrigeration Unit, 19475 Engine Run Hours, Aluminum Outer Wheels, 295 /75R22.5 Tires Usage: 19,475 Hr	8617A	<b>2012 Wabash 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B3CL686682 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, Carrier X2 2100A Refrigeration Unit, 15651 Engine Run Hours, Mixed Tires Usage: 15,651 Hr
8609	<b>2013 Great Dane FTL-1114-11053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0625DE700556 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2013 Thermo King SB-230 Refrigeration Unit, Serial Number 6001133828, 28848 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 28,849 Hr	8617	<b>2012 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B6CL703135 C/W: 68000.0 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2011 Carrier X2 500 APX Refrigeration Unit, Serial Number NAP91278546, 22638 Engine Run Hours, 295 /75R22.5 Tires Usage: 22,638 Hr
8610A	<b>2013 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537DM644321 C/W: 65000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor, Carrier Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available	8618	<b>2012 Utility Trailer VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2531CU248805 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King SB230 Refrigeration Unit, 35482 Engine Run Hours, Aluminum Wheels, 295 /75R22.5 Tires Usage: 35,482 Hr
8611	<b>2013 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532BXDL703527 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Carrier 18-00091-10 Refrigeration Unit, 14877 Engine Run Hours, 295/75R22.5 Tires Usage: 14,877 Hr	8619	<b>2012 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537CU248808 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2011 Thermo King SB-230 Refrigeration Unit, Serial Number 6001088811, 35343 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 35,343 Hr
8614	<b>2012 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B1CL716150 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Carrier X2 2500A Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available	8620	<b>2012 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS253XCU242310 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2011 Thermo King SB-230 Refrigeration Unit, Serial Number 60010388315, 34707 Engine Run Hours, Aluminum Outer Wheels, 295 /75R22.5 Tires Usage: 34,707 Hr

Lot #	Details	Lot #	Details
8622	<b>2012 Great Dane CTL-1114-31053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0621CB702434 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King SB-210 Refrigeration Unit, 33624 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 33,624 Hr	8628	<b>2010 Great Dane CLR-1114-12053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0629AB702386 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier X2 2500A Refrigeration Unit, 15557 Engine Run Hours, 11R22.5 Tires Usage: 15,557 Hr
8623	<b>2012 Great Dane CTL-1114-31053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA062XCB701119 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, Ducted Floor, Carrier SB210 Refrigeration Unit, 295/75R22.5 Tires Usage: 35,322 Hr	8631	<b>2008 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25368M524029 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier X2 2500 A Refrigeration Unit, 445 /50R22.5 Super Single Tires Usage: 31,614 Hr
8624	<b>2012 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0624CW701867 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2011 Carrier NDL934NA-AB-B Refrigeration Unit, Serial Number NAK91260895, 22447 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 22,447 Hr	8634	<b>2008 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25348M549902 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, 2007 Carrier X2 2100A Refrigeration Unit, Serial Number LAP91030806, 28959 Engine Run Hours, 295/75R22.5 Tires Usage: 28,959 Hr
8625	<b>2012 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0625CB703053 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Thermo King SB-330 Refrigeration Unit, 11R22.5 Tires Usage: Not Available	8635	<b>2007 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25347U179128 C/W: 65000.0 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Carrier Refrigeration Unit, Serial Number KAY90932092, 24414 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 24,414 Hr
8626	<b>2011 Great Dane CLR-1114-32053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0629BB702793 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier X2 2500A Refrigeration Unit, 21398 Engine Run Hours, 11R22.5 Tires Usage: 21,398 Hr	8636	<b>2007 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS253X7U946416 C/W: 65000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King 5B-210 30 Refrigeration Unit, Serial Number 0766CE8366, 4274 Engine Run Hours, 295 /75R22.5 Tires Usage: 4,274 Hr
8627	<b>2010 Great Dane CLR-1114-11053 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0626AB704256 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 2500R Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available	8637	<b>2007 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25367U946039 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King SB-210 Refrigeration Unit, 38554 Engine Run Hours, 295/75R22.5 Tires Usage: 38,554 Hr
8628A	<b>2010 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536AU977122 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, Ducted Floor, 2012 Thermo King SB-230RR Refrigeration Unit, Serial Number 6001136275, 14172 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 14,172 Hr	8639	<b>2007 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA06287B709399 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Thermo King Spectrum SB Refrigeration Unit, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8640	<b>2007 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA00297W702950 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King SB-310 Refrigeration Unit, 24647 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available	8647	<b>2013 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2488DM769101 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, 2012 Thermo King SB-230 Refrigeration Unit, Serial Number 6001129673, 6569 Engine Run Hours, 295/75R22.5 Tires Usage: 6,569 Hr
8641A	<b>2006 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25306U725938 C/W: 65000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, Thermo King SBIIISR+ Refrigeration Unit, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	8648	<b>2013 Great Dane 7211TZ-1 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA9623DB701436 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, 2012 Carrier Vector 6600 MT Refrigeration Unit, Serial Number NAT91287591, 295/75R22.5 Tires Usage: 10,394 Hr
8641	<b>2007 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA06207B700759 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King SB200TG Refrigeration Unit, 16268 Engine Run Hours, 295/75R22.5 Tires Usage: 38,321 Hr	8649	<b>2008 Great Dane 7211TZ-1A 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA96278S700697 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier Refrigeration Unit, 11R22.5 Tires Usage: Not Available
8642	<b>1995 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537SU558102 C/W: 65000.0 lb GVWR, Spring Suspension, Sliding Suspension, Ducted Floor, Carrier Transcold Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available	8651B	<b>2023 DeLucio 53 ft T/A Van Trailer</b> S/N: 7LVD5DD24PD010662 C/W: 80000 lb GVWR, Air Ride Suspension, Side Skirts, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
8644	<b>2014 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2485EM873501 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Lift Gate, Curbside Door, Thermo King Refrigeration Unit, 275/70R22.5 Tires Usage: 27,536 Hr	8651A	<b>2023 DeLucio 53 ft x 102 in T/A Van Trailer</b> S/N: 7LVD5DD26PD010663 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
8645	<b>2014 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2483EM061503 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, 2013 Thermo King SB-230 Refrigeration Unit, Serial Number 6001151773, 25147 Engine Run Hours, 295/75R22.5 Tires Usage: 25,147 Hr	8651	<b>2023 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D9PL372168 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8646	<b>2014 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2487EM061505 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Lift Gate, Curbside Door, Thermo King Refrigeration Unit, 295/75R22.5 Tires Usage: 26,594 Hr	8652	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX20PG003737 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
		8653	<b>2022 Atro 53 ft x 102 in T/A Van Trailer</b> S/N: 3ELA6RX25NG002287 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		8654	<b>2022 Atro 53 ft x 102 in T/A Van Trailer</b> S/N: 3ELA6RX21NG000259 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires, CTI Usage: Not Available

Lot #	Details	Lot #	Details
8655	<b>2022 Atro 53 ft x 102 in T/A Van Trailer</b> S/N: 3ELA6RX25NG000233 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8665	<b>2018 Great Dane CS1-1314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062XJT122882 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8656	<b>2021 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D6ML270628 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8666	<b>2018 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0626JT132355 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8657	<b>2021 Stoughton ZGPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5329MBA46641 C/W: 70000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8668	<b>2018 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2538J7182507 C/W: 29500.0 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8658	<b>2020 Great Dane CS1-1314-21053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GR1A0622LT155345 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8670	<b>2017 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS253XH7945945 C/W: Air Ride Suspension, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
8659	<b>2019 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0620KT139089 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8671	<b>2017 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2530HG905714 C/W: 65000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8661	<b>2019 Great Dane CCC-3314-21053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0625KT101535 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8672	<b>2017 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0626HD465967 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8662	<b>2019 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0627KJ158380 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8673	<b>2017 Hyundai V12530152-AJS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532CXHT016370 C/W: Air Ride Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8663	<b>2019 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0626KJ158368 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8674	<b>2016 Hyundai VI2530152-JRSW 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C0GT138329 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8664	<b>2019 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP062XKJ158440 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8675	<b>2016 Hyundai VI2530152-JRSW 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C8GT138532 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8676	<b>2016 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5GL901230 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8687	<b>2013 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA0628DD449683 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
8677A	<b>2016 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2538GG748609 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8689	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0629DB711206 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts Usage: Not Available
8677	<b>2016 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2536GG502724 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8690	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624DB711288 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8678	<b>2015 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C3FT573151 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8692	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622DK234795 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8679	<b>2015 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532DXFL872905 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8693	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0621DJ640511 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8680	<b>2015 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D1FL801110 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires, CTI Usage: Not Available	8696	<b>2013 Hyundai VI2530152-JRSW 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C7DT023173 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, mixed tires Usage: Not Available
8681	<b>2015 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2534FG312015 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8697	<b>2013 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5DL737358 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8682	<b>2014 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS253XEP828104 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8698	<b>2013 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D2DL737334 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8683	<b>2014 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627ED450180 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8699	<b>2012 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5CL714502 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8684	<b>2014 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624ED450153 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8700	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C3CT452177 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8710	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624BJ631928 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8701	<b>2012 Hyundai VR2530152AJS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C0CT326018 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8711	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622BB707091 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8702	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C5CT454173 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8712	<b>2011 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624BK214349 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8704	<b>2012 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0625CD440180 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8713	<b>2011 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C4BT118044 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8705	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0629CD440117 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8714	<b>2011 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D0BL518983 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8706	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627CT566708 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8715	<b>2010 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D4AL361814 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8707	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627CK216727 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8716	<b>2010 Hyundai VC2530152-AJS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C9AT399014 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8708	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624CT566889 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8717	<b>2010 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5322AM002251 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
8709	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062XCK226121 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8718	<b>2009 Utility VS2DX 53 ft T/A Van Trailer</b> S/N: 1UYVS25319G757610 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8719	<b>2009 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E95309E523062 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8729	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06258J627153 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8720	<b>2009 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E95389E523066 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8730	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8T545312 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
8721	<b>2009 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E95319E523104 C/W: 65000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8731	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238J625496 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8722	<b>2009 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E95329E523063 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8732	<b>2008 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06268J625511 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8723	<b>2009 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E95369E523065 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8733	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288D433182 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8724	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06269T548158 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8736	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06208J627187 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8725	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06289J628881 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8737	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8J627021 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8726	<b>2009 Great Dane CLD131401053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06299B705476 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 445/50R22.5 Super Single Tires Usage: Not Available	8738	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06258J625306 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8727	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06258G345978 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8739	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06218T546400 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8728	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238J625322 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8740	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288G345652 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8741	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238K202492 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8753	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C28T141010 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8742	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288J627096 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8754	<b>2008 Hyundai VI2530152-JSR 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C28T250115 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8743	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06278T545302 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	8755	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C48T249029 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8744	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288T546913 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8757	<b>2008 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C28T250096 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8745	<b>2008 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAHX81004241 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	8758	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C68T250067 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8746	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L209572 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8759	<b>2007 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C27T361021 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8748	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C28T141427 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8760	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L083918 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8750	<b>2008 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C38T250026 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8761	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L007667 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8751	<b>2008 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C68T248092 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8762	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L007277 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8752	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C38T141324 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8763	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L008699 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
8764	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277K293507 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Aluminum Outer Wheels, 295/80R22.5 Tires Usage: Not Available	8774	<b>2007 Great Dane 7411T-SSLA 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257G341511 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8765	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207G344316 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8775	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7G344890 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8766	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G344368 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8776	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277J623846 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8767	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227J618084 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8777	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207G344722 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8768	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247G341001 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8778	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287J624679 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8769	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G344595 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8779	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D421542 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8770	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297G344279 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8780	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297T538348 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available
8771	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7G344453 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8781	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297J617918 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8772	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257J617642 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8782	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247J623772 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8773	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G340837 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8783	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297J623671 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8784	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237T540676 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8794	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296G337864 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8785	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257J623618 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8795	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216T522210 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8786	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217T538280 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8796	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206T522344 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8787	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277G344622 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8797	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266D421156 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8788	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277J618016 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8798	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206G338353 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8789	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207J618097 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8799	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296J611955 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8790	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237G344925 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8800	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266D420993 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
8791	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226J612011 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8801	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J617330 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts Usage: Not Available
8792	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236G339741 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8802	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256T522324 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8793	<b>2006 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236D415525 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8803	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T522079 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8804	<b>2006 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D415276 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8816	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266G337580 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8805	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236D415234 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8817	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256D421150 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8806	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206J612041 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8818	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236J612096 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8807	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296D420910 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8819	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D420994 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8808	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246D415078 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8820	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206G338109 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8811	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216G337888 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8821	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D420896 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8812	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206J611911 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8822	<b>2006 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216D415507 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8813	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266G341533 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts Usage: Not Available	8823	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226G341559 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8814	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J611866 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8824	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296T531172 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8815	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286J611946 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8826	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256D415218 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8840	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W25L908537 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8829	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W26L992974 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension Usage: Not Available	8841	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W75L908341 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8830	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W46L950256 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8842	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX5L908432 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8831	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W06L949685 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8843	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W05L908326 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8833	<b>2006 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C16T034494 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8846	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W25L908540 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8834	<b>2005 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C05T214189 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8847	<b>2005 Stoughton AVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53205S811010 C/W: 70000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8835A	<b>2005 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS253X5G583207 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8848	<b>2005 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH751004712 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8835	<b>2005 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C15T214184 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8849	<b>2005 Great Dane 7411T-SSL 53 ft T/A Van Trailer</b> S/N: 1GRAA06275T513087 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8838	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W95L906039 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8850	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06275D408916 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/80R22.5 Tires Usage: Not Available
8839	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W15L881914 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8851	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205T519961 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8863	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06265T512917 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8852	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235D408962 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8864	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06275T519908 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8853	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06265J609451 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8865	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225G332682 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8854	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255G333051 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8868	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205G333085 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8855	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225D411979 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8869	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255G333423 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8857	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X5T512788 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8870	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225T519556 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8858	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225D411951 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	8871	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285G336591 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8859	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06275T520072 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8872	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X5G336365 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8860	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245T512849 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8873	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245T514813 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8861	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255D409000 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8874	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205D408854 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8883	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06214D408070 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8875	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255D413158 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8884	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06294T504647 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8876	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205J609462 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8885	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06204G329004 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8877	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295T519778 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8886	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06224D408580 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8878A	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225D413120 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	8887	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06284K262133 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8878	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225T513210 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8888	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06224J604245 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8879	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06275T513476 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8889	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06294D408527 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8880	<b>2004 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06254D407942 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8890	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06214G328637 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8881	<b>2004 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06254J604370 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8892	<b>2004 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W64L896827 C/W: Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available
8882	<b>2004 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06254K256046 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8893	<b>2004 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W04L881160 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8895	<b>2004 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W64L881695 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8906	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W83L825739 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8896	<b>2004 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W94L841949 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8907	<b>2003 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06223J600615 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8897	<b>2004 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W04L841774 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8908	<b>2003 Great Dane 7411T-SSA 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06273J600867 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8898	<b>2004 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W94L881769 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8909	<b>2003 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06203J600161 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8901	<b>2004 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C44T167375 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8910	<b>2003 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06283J600845 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8902	<b>2004 Hyundai VI2530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C14T167284 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8911	<b>2003 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06223G326510 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8903	<b>2004 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C04T167308 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8912	<b>2002 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06252T009522 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8904	<b>2004 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C94T167002 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8913	<b>2002 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06262K246297 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8905A	<b>2004 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25354P198927 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8914	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W01L687353 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8905	<b>2004 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C04T167132 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8915	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W71L724334 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8922	<b>2001 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25301P331007 C/W: 65000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8916	<b>2001 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25311P331002 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	8924	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532X1S435605 C/W: 70000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8917	<b>2001 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25341P331012 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8925	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53271S480503 C/W: 70000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8918	<b>2001 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25391P629605 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8926	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53231S480501 C/W: 70000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8919	<b>2001 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS253X1P331001 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8927	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53221S435601 C/W: 70000.0 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
8920	<b>2001 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25351P331004 C/W: 65000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8928	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53261S480508 C/W: 70000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8921	<b>2001 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25331P629602 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8929	<b>2001 Stoughton AVW-535T 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53241S435602 C/W: 70000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8922C	<b>2001 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25301P629606 C/W: Spring Suspension, Air Brakes, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8930	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53281S435604 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8922B	<b>2001 Utility VS2RS 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25361P629609 C/W: Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8931	<b>2001 Stoughton AVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A53221S480506 C/W: Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8922A	<b>2001 Utility VS2RS 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25321P629607 C/W: Spring Suspension, Sliding Suspension, Mixed Tires Usage: Not Available		



Lot #	Details	Lot #	Details
8932	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A53231S435607 C/W: 70000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8936	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W2YL680835 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933E	<b>2001 Stoughton AVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A53201S480505 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8937B	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W8YL592033 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933D	<b>2001 Stoughton AVW532TSC 53 ft T/A Van Trailer</b> S/N: 1DW1A53281S480509 C/W: 70000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8937A	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W3YL675885 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933C	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A53211S435606 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8937	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W4YL647044 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933B	<b>2001 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A53261S435603 C/W: 65000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8938	<b>1999 Great Dane 7111TJ 53 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622XB298625 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933A	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A53251S480502 C/W: 70000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8939A	<b>1999 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W0XL568033 C/W: 68000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8933	<b>2001 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A53241S480507 C/W: 70000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8939	<b>1999 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0621XB098616 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/80R22.5 Tires Usage: Not Available
8934	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W7YL646521 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8941	<b>1998 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532Y1WL421798 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
8935	<b>2000 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W3YL647360 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8942A	<b>1999 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A532XXS253170 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		8942	<b>1996 Stoughton AVW-535T-S-C 53 ft x 102 in T /A Van Trailer</b> S/N: 1DW1A5324TS000419 C/W: Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8943	<b>1996 Stoughton AVW-535T-S-C 53 ft x 96 in T /A Van Trailer</b> S/N: 1DW1A5323TS000413 C/W: Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8954	<b>1990 Strick 53 ft x 102 in S/A Van Trailer</b> S/N: 1S12E9530LD327605 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8944	<b>1994 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0623R3131005 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8955	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9534LD327607 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8945	<b>1993 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9536PD354698 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8956	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E953XLD327577 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 205/75R14 Tires Usage: Not Available
8946	<b>1993 Monon MA3-32-ST-53W 53 ft x 102 in T /A Van Trailer</b> S/N: 1NNVA5329PM175428 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8957	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9538LD327576 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8947	<b>1993 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9538PD354699 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8958	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9539530LD327572 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8948	<b>1992 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E953XND339182 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8962	<b>2007 Great Dane 7441T-SSL T/A Van Trailer</b> S/N: 1GRAA96247G342394 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8949	<b>1992 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E953XND339179 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8965	<b>1998 Trailmobile 01JA-1RAL 48 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH6W9002315 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8950	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9536LD327575 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8966	<b>1998 Trailmobile 48 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH6W9002346 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8951	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9538LD327609 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8971	<b>2014 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2814ES437404 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available
8952	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9536LD327608 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8972	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5612DK231044 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
8953	<b>1990 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9539LD327604 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8974	<b>2013 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5617DD447198 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available	8991	<b>2013 Stoughton DVW-285S-C-WIC 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2811DS373126 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8975	<b>2013 Great Dane CCC-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5619DD447199 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8992	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2817DS373373 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available
8976	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5615DK230938 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8994	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A281XDS372900 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8977	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5612DK230895 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available	8999	<b>2012 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2817CS308389 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available
8978	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5616DK230950 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available	9001	<b>2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5610AK210852 C/W: 20000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8982	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2815DS373095 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	9011	<b>2010 Kentucky 28 ft x 102 in S/A Van Trailer</b> S/N: 1KKVA281XAL229237 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8986	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2810DS373196 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	9012	<b>2010 Kentucky DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1KKVA2819AL229293 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8987	<b>2013 Stoughton 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2812DS372860 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	9020	<b>2007 Great Dane 7441-SSLW 28 ft S/A Van Trailer</b> S/N: 1GRAA56197K289849 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8988	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2812DS372728 C/W: Spring Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available	9021	<b>2007 Great Dane 7441T-SSLW 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56187K289518 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8990	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2815DS373372 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	9029A	<b>2000 Kentucky 53 ft T/A Van Trailer</b> S/N: 1KKVE5327YL200889 C/W: 65000 lb GVWR, Air Ride Suspension, Curbside Door, 265/70/19.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9029	<b>2005 Kentucky 53 ft T/A Furniture Van Trailer</b> S/N: 1KKVE53235L217264 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Curbside Door, 255/70R22.5 Tires Usage: Not Available	9046	<b>2020 Homesteader 824IT 24 ft T/A Enclosed Trailer</b> S/N: 5HABE2424LN084434 C/W: 9950.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 97 in Deck Width, Ramp, Side Door 225/75R15 Tires Usage: Not Available
9030	<b>1999 Kentucky 53 ft T/A Van Trailer</b> S/N: 1KKVE5321XL114993 C/W: 65000.0 lb GVWR, Air Ride Suspension, Curbside Door, Aluminum Outer Wheels, 225/70R22.5 Tires Usage: Not Available	9048	<b>2021 Maximum Cargo TA3 20 ft T/A Enclosed Trailer</b> S/N: 4M9BE2027MS142388 C/W: 9990.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 96 in Deck Width, Ramp, Side Door 205/75R15 Tires Usage: Not Available
9031	<b>1987 Kentucky 48 ft T/A Furniture Van Trailer</b> S/N: 1KKVE4827HL080188 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, 255/70R22.5 Tires Usage: Not Available	9049	<b>2006 Forest River 16 ft T/A Enclosed Trailer</b> S/N: 5NHULF6296N054670 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 102 in Deck Width, Ramp, Side Door 205/75R15 Tires Usage: Not Available
9032	<b>2013 Dorsey 48 ft x 102 in T/A Open-Top Chip Trailer</b> S/N: 5JYCV4824DE085009 C/W: 67470.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	9050	<b>2018 Bravo Scout 14 ft T/A Enclosed Trailer</b> S/N: 542BC1423JB020240 C/W: 7000.0 lb GVWR, Ball Hitch, Spring Suspension, 80 in Deck Width, Side Door 205/75R15 Tires Usage: Not Available
9033	<b>1996 Wally T/A 6 Car Open Car Carrier Trailer</b> S/N: 1W9CE5022TH157168 C/W: Spring Suspension, Air Brakes, Soft Ties, 215/75R17.5 Tires Usage: Not Available	9051	<b>2023 Quality Cargo 12 ft S/A Enclosed Trailer</b> S/N: 50ZBE1215PP045873 C/W: 2990.0 lb GVWR, Ball Hitch, Spring Suspension, Side Door 205/75R15 Tires Usage: Not Available
9034	<b>S/A Gooseneck Water Chiller Trailer</b> S/N: Not Available C/W: Spring Suspension, 10R17.5 Tires Usage: Not Available	9052	<b>2022 Big Tex 25DU-20BK8SIR 20 ft T/A Gooseneck Dump Utility Trailer</b> S/N: 16V3D2822N2195425 C/W: 25900.0 lb GVWR, Spring Suspension, Surge Brakes, 96 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available
9035	<b>2022 Concrete Edge Portable Concrete Mixer</b> S/N: 1T9TS1323NF716786 C/W: 11600 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Aluminum Flooring, 225/75/R15 Tires, Toro Ultramix MMX 858H S, Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	9054	<b>2020 Texas Pride DT820424KGN 20 ft T/A Gooseneck Dump Utility Trailer</b> S/N: 7HCGD2023LB018517 C/W: 25990.0 lb GVWR, Spring Suspension, Electric Brakes, 96 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available
9036	<b>Hydro Tek SC3000KAF Pressure Washer</b> S/N: Not Available C/W: Water Heater, Hose, Spray Wand, Trailer Mounted Usage: 1,176 Hr	9055	<b>2021 Triple Crown D7X14HDD 14 ft T/A Gooseneck Dump Utility Trailer</b> S/N: 1XNBD1425M1120253 C/W: 14000.0 lb GVWR, Spring Suspension, Electric Brakes, 82 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available
9038	<b>2021 FUD 16 ft x 8 ft Portable T/A Kitchen Trailer</b> S/N: 3A9M1FD28MM050147 C/W: Air Conditioner, 1025.0 lb GVWR, Ball Hitch, Spring Suspension, 195R15 Tires Usage: Not Available	9056	<b>2023 Caliber DT714 14 ft T/A Dump Utility Trailer (Unused)</b> S/N: 57BDT7147P1075945 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 88 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available
9044	<b>1992 S/A Dolly</b> S/N: Not Available C/W: Spring Suspension, 11R22.5 Tires Usage: Not Available		
9045	<b>S/A Dolly</b> S/N: Not Available C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9057	<b>2023 ED Trailers LDT8314 14 ft T/A Dump Utility Trailer (Unused)</b> S/N: 3LHBS1420P7000136 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available	9068	<b>2017 Felling FT-10DTHD-G T/A Dump Utility Trailer</b> S/N: 5FTDN1227H1000130 C/W: 9980.0 lb GVWR, Aluminum Frame, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 80 in Deck Width, Aluminum Flooring, 225/75R15 Tires Usage: Not Available
9058	<b>2021 Triple Crown D7X14HDD 14 ft T/A Dump Utility Trailer</b> S/N: 1XNBD1429M1122927 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available	9069	<b>2017 Pratt EZD11762 10 ft T/A Dump Utility Trailer</b> S/N: 1P9UT1422GN343695 C/W: 10000.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 225/75R16 Tires Usage: Not Available
9059	<b>2021 Covered Wagon Trailers CWD7X14TA5 14 ft T/A Dump Utility Trailer</b> S/N: 53FBU1427MF063503 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 76 in Deck Width, Steel Decking, Aluminum Wheels, 235/80R16 Tires Usage: Not Available	9070	<b>2016 Snake River DMP610-7K HD 10 ft T/A Dump Utility Trailer</b> S/N: 5PTBD1020G1024414 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 72 in Deck Width, Steel Decking, Aluminum Wheels, 225/75R15 Tires Usage: Not Available
9061	<b>2019 Load Trail 14 ft T/A Dump Utility Trailer</b> S/N: 4ZEDT1428K2179045 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available	9080	<b>2016 Snake River DMP58-5K 8 ft S/A Dump Utility Trailer</b> S/N: 5PTBD0813G1023974 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Steel Decking, 225/75R15 Tires Usage: Not Available
9062	<b>2023 American Made Products TA5K 12 ft T/A Dump Utility Trailer</b> S/N: 1A9EE1627PD853508 C/W: 10000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 72 in Deck Width, Steel Decking, 225/75R15 Tires Usage: Not Available	9081	<b>2022 Big Tex 16GN-35BK+5MR 39 ft T/A Gooseneck Equipment Trailer</b> S/N: 16V3F482XN6085981 C/W: 12000.0 lb GVWR, Spring Suspension, Electric Brakes, 102 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, 215/75R17.5 Tires Usage: Not Available
9063	<b>2021 Load Trail 12 ft T/A Dump Utility Trailer</b> S/N: 4ZEDT122XM1215507 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, 71 in Deck Width, Ramp, Steel Decking, 235/85R16 Tires Usage: Not Available	9082	<b>2023 Maxey 28 ft T/A Gooseneck Equipment Trailer</b> S/N: 5R8GF4023PM104208 C/W: 25990.0 lb GVWR, Spring Suspension, Electric Brakes, Storage Compartments, Deck Over Tires Usage: Not Available
9065	<b>2022 Lamar 10 ft T/A Dump Utility Trailer (Unused)</b> S/N: 5RVDS1026NP106119 C/W: 7000.0 lb GVWR, Ball Hitch, Spring Suspension, Steel Decking, 205/75R15 Tires Usage: Not Available	9083	<b>2022 Maxey MAXX-D 43 ft T/A Gooseneck Equipment Trailer</b> S/N: 5R8GF3422NM092179 C/W: 17500.0 lb GVWR, Spring Suspension, Electric Brakes, 29 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
9066	<b>2021 Load Trail 10 ft T/A Dump Utility Trailer</b> S/N: 4ZEDT1026M1217726 C/W: 9990.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 72 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available	9084	<b>2023 PJ Trailers 14000 lb 40 ft T/A Gooseneck Equipment Trailer</b> S/N: 4P53F4925P1386643 C/W: 16000.0 lb GVWR, Spring Suspension, Electric Brakes, Mechanical Removable Gooseneck, 40 ft Main Deck, Storage Compartments, Deck Over Tires, Manual Ramps, 235/80R16 Tires Usage: Not Available
9067	<b>2017 Felling FT10DTHDG 12 ft T/A Dump Utility Trailer</b> S/N: 5FTBD1229H1002746 C/W: Aluminum/Steel Combination Frame, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 80 in Deck Width, Aluminum Flooring, 225/75R15 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9087	<b>2016 Kaufman 35 ft T/A Gooseneck Equipment Trailer</b> S/N: 5VGFH3522GL005760 C/W: 25900.0 lb GVWR, Spring Suspension, Electric Brakes, 6 ft Upper Deck, 30 ft Main Deck, 4 ft 5 in 2-Position Dovetail, 96 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Electric Powered Self Contained Hydraulic System, 235/80R16 Tires Usage: Not Available	9096	<b>2016 Traxx 25 ft T/A Equipment Trailer</b> S/N: 4T9T2FF23G1116020 C/W: 20000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 19 ft 9 in Main Deck, 5 ft Fixed Dovetail, 97 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9088	<b>2014 QWS 30 ft T/A Equipment Trailer</b> S/N: 1Z9PB3021E1198031 C/W: Spring Suspension, Electric Brakes, 25 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 9-14.5 Tires Usage: Not Available	9097	<b>2014 Felling FT-16 21 ft T/A Equipment Trailer</b> S/N: 5FTEE262XE1001790 C/W: 19600.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, 18 ft Main Deck, 3 ft Fixed Dovetail, 82 in Usable Deck Width, Manual Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
9089	<b>2004 Homemade 39 ft T/A Gooseneck Equipment Trailer</b> S/N: TF3097 C/W: Spring Suspension, 40 ft Main Deck, 96 in Usable Deck Width, Wood Flooring, 245/70R19.5 Tires Usage: Not Available	9098	<b>1996 Homemade 27 ft Tri/A Equipment Trailer</b> S/N: NOVIN000083417553 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, ST205/85D14.5 Tires Usage: Not Available
9090	<b>2021 Delta 25 ft T/A Gooseneck Equipment Trailer</b> S/N: 4MWGF2523MN055076 C/W: 23400.0 lb GVWR, Spring Suspension, Electric Brakes, 20 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, 235/80R16 Tires Usage: Not Available	9099	<b>1999 Trail King TK40LP242 19 ft T/A Equipment Trailer</b> S/N: 1TKC02428XB027720 C/W: 48020.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
9091	<b>2006 Tufneck 34 ft T/A Gooseneck Equipment Trailer</b> S/N: TNT0106E00975 C/W: Spring Suspension, Electric Brakes, 30 ft Main Deck, 4 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9100	<b>2023 HD Trailer Solutions EQ14 24 ft T/A Equipment Trailer (Unused)</b> S/N: 1H9BF242XPL745075 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 22 ft Main Deck, 2 ft Fixed Dovetail, 86 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires, 10,800 lb Capacity, Dexter Axles, 12,000 lb Capacity Tongue Jack, Industrial Alkyd Enamel Paint, Adjustable 2-5/16 in Adjustable Coupler, Full Length Rub Rail, (7) Blade Molded Wiring Harness w/ Junction Box Usage: Not Available
9092	<b>2009 Kaufman 35 ft T/A Equipment Trailer</b> S/N: 5VGFH30249L000179 C/W: 45000.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, Wood Flooring, 215/75R17.5 Tires, Content Quantity Of Scoffing Usage: Not Available	9102	<b>2017 Load Trail 24 ft T/A Equipment Trailer</b> S/N: 4ZEDK2422H1127708 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 24 ft Main Deck, 95 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9094	<b>2014 Belshe T10-2AP 30 ft T/A Equipment Trailer</b> S/N: 16JF02324E1048028 C/W: 40000.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, Deck Over Tires, Manual Ramps, 235/75R17.5 Tires Usage: Not Available	9103	<b>2009 Jost 24 ft T/A Equipment Trailer</b> S/N: 4DFTS10119N094243 C/W: Ball Hitch, Spring Suspension, 24 ft Main Deck, 82 in Usable Deck Width, Manual Ramps, 215/75R17.5 Tires Usage: Not Available
9095	<b>2013 Hudson Bros HTD18D 31 ft T/A Equipment Trailer</b> S/N: 10HHTD1DXD1000080 C/W: 25740.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 20 ft Main Deck, 5 ft 3 in Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	9104	<b>2022 Norstar 22 ft T/A Equipment Trailer (Unused)</b> S/N: 3EUGB2227N1005680 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9105	<b>2021 PJ Trailers T6222 T/A Tilt Deck Trailer</b> S/N: 4P5T62227M1363097 C/W: 14000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, Deck Over Tires, 23 ft Deck Tilting Length, 76 in Deck Width, 235 /80R16 Tires Usage: Not Available	9113	<b>2011 Express 20 ft T/A Equipment Trailer</b> S/N: 5GLBE2021BC000218 C/W: Lunette Ring Hitch, Torsion Axle, 20 ft Main Deck, 2 ft Fixed Dovetail, 82 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9106	<b>2023 PDQ EE7X20 20 ft T/A Equipment Trailer (Unused)</b> S/N: 1P91X2027PD796574 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 m Main Deck, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9114	<b>2009 Butler LT-2420-WR 25500 lb 22 ft Equipment Trailer</b> S/N: 1BUD2020791005418 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 0 ft Main Deck, 0 ft Dovetail, Spring Assisted Ramps Usage: Not Available
9107	<b>2023 PDQ EE7X20 7 ton 20 ft T/A Equipment Trailer (Unused)</b> S/N: 1P91X2029PD796575 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 0 ft Upper Deck, 20 ft Main Deck, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9115	<b>2023 HD Trailer Solutions EQ14 11000 lb 18 ft T/A Equipment Trailer (Unused)</b> S/N: 1H9BF1825PL745036 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Dovetail, 82 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9108	<b>2023 PDQ EE7X20 20 ft T/A Equipment Trailer (Unused)</b> S/N: 1P91X2020PD796576 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 2 ft Fixed Dovetail, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9116	<b>2022 Load Trail 18 ft T/A Equipment Trailer (Unused)</b> S/N: 4ZECH1827N1251922 C/W: 9990.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 82 in Usable Deck Width, Wood Flooring, 225/75R15 Tires Usage: Not Available
9109	<b>2022 Nortsar 20 ft T/A Equipment Trailer (Unused)</b> S/N: 3EUGB2023N1005596 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9117	<b>2022 Norstar 18 ft T/A Equipment Trailer (Unused)</b> S/N: 50HEB1825N1069410 C/W: 9990.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Wood Flooring, 225/75R15 Tires Usage: Not Available
9110	<b>2022 Nortsar 20 ft T/A Equipment Trailer (Unused)</b> S/N: 3EUGB2026N1005625 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, 17 ft Main Deck, 3 ft Fixed Dovetail, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9118	<b>2022 Norstar 18 ft T/A Equipment Trailer (Unused)</b> S/N: 3EUGB1829N1005620 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Spring Assisted Ramps, 235/80R16 Tires Usage: Not Available
9111	<b>2020 Anderson 20 ft T/A Equipment Trailer</b> S/N: 4YNBN222XLC091486 C/W: 14000.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 4 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9119	<b>2022 Nortsar 18 ft T/A Equipment Trailer (Unused)</b> S/N: 3EUGB1823N1005550 C/W: 14000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9112	<b>2020 Barrentine 20 ft T/A Equipment Trailer</b> S/N: 53VBC202XLG035951 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 79 in Usable Deck Width, Winch, Steel Decking, 205/75R15 Tires Usage: Not Available	9120	<b>2022 Nortsar 19 ft T/A Tilt Deck Trailer</b> S/N: 50HTB182XN1076411 C/W: 14000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 17 ft Deck Tilting Length, 83 in Deck Width, 235/80R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9121	<b>2022 Lamar CC831825 18 ft T/A Equipment Trailer</b> S/N: 5RVCC1821NP106252 C/W: 9990.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Storage Compartments, Manual Ramps, Wood Flooring, 225/75R15 Tires Usage: Not Available	9131A	<b>2011 Heartland 14 ft T/A Equipment Trailer</b> S/N: 1TTAGE618B1015702 C/W: Lunette Ring Hitch, Spring Suspension, 14 ft Main Deck, 2 ft Fixed Dovetail, 79 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
9122	<b>2014 Sure-Trac 18 ft T/A Equipment Trailer</b> S/N: 5JW2U1821E1081322 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 79 in Usable Deck Width, Spring Assisted Ramps, Wood Flooring, 235/75R17.5 Tires Usage: Not Available	9132	<b>2001 Haurtl 22 ft T/A Equipment Trailer</b> S/N: 198EN1021PCC30019 C/W: Lunette Ring Hitch, Spring Suspension, 20 ft Main Deck, 2 ft Fixed Dovetail, 82 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9123	<b>2011 Anderson 18 ft Equipment Trailer</b> S/N: 4YNBN1826BC063233 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 80 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	9134A	<b>2019 Load Trail 21 ft T/A Tilt Deck Trailer</b> S/N: 4ZETD2027K1187017 C/W: 14000.0 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 17 ft 6 in Deck Tilting Length, 82 in Deck Width, 235/85R16 Tires Usage: Not Available
9124	<b>1999 Belshe 18 ft T/A Equipment Trailer</b> S/N: 16JF01826X1033214 C/W: 18000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 95 in Usable Deck Width, Manual Ramps, 225/90R16 Tires Usage: Not Available	9134	<b>2017 Big Tex 14TL-20 20 ft T/A Tilt Deck Trailer</b> S/N: 16VEX2029H2063214 C/W: 12800.0 lb GVWR, Ball Hitch, Torsion Axle, 16 ft Deck Tilting Length, 75 in Deck Width, 235/85R16 Tires Usage: Not Available
9125	<b>1996 Homemade 23 ft Tri/A Equipment Trailer</b> S/N: NOVIN000083417540 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 8-14.5 Tires Usage: Not Available	9135	<b>2021 Rolls Rite 7KB14TE 14 ft S/A Tilt Deck Trailer</b> S/N: 1R9BT1415MM356317 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 14 ft Deck Tilting Length, 76 in Deck Width, 235/80R16 Tires Usage: Not Available
9127	<b>2014 Belshe T16-2EP 16 ft T/A Equipment Trailer</b> S/N: 16JF01625E1047735 C/W: 16000 lb GVWR, Spring Suspension, Electric Brakes, Wood Flooring, 215/75R17.5 Tires Usage: Not Available	9136	<b>2018 Felling FT-12IT-I-G 18 ft T/A Tilt Deck Trailer</b> S/N: 5FTCE2320J2006271 C/W: 15200 lb GVWR, Aluminum Frame, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 18 ft Deck Tilting Length, 72 in Deck Width, 235/80R16 Tires Usage: Not Available
9128	<b>2012 Belshe T16-2EP 16 ft T/A Equipment Trailer</b> S/N: 16JF01627C1046812 C/W: 16000 lb GVWR, Spring Suspension, Electric Brakes, Wood Flooring, 215/75R17.5 Tires Usage: Not Available	9137	<b>2017 Felling FT-10IT-I-G 18 ft T/A Tilt Deck Trailer</b> S/N: 5FTEN2328H2000866 C/W: 9980 lb GVWR, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 18 ft Deck Tilting Length, 82 in Deck Width, 225/75R15 Tires Usage: Not Available
9129	<b>2005 Superline 21 ft T/A Equipment Trailer</b> S/N: 1E9BE162X5A283419 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, 225/75R15 Tires Usage: Not Available	9138	<b>2017 Felling FT-10IT-I-G 18 ft T/A Tilt Deck Trailer</b> S/N: 5FTBE232XH2001469 C/W: 9980 lb GVWR, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 18 ft Deck Tilting Length, 82 in Deck Width, 225/75R15 Tires Usage: Not Available
9130	<b>2009 Superline HDD 16 ft T/A Equipment Trailer</b> S/N: 1E9BE16269A283066 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 80 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9140	<b>2000 Premco 16 ft S/A Tilt Deck Trailer</b> S/N: 5DYCU151XYC300013 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 225/75R15 Tires Usage: Not Available



Lot #	Details	Lot #	Details
9141	<b>2019 MMDI 21 ft T/A Equipment Trailer</b> S/N: 5631F2029KM000919 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9160	<b>2019 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F1724KM001864 C/W: 8800 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 64 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available
9142	<b>2019 MMDI 21 ft T/A Equipment Trailer</b> S/N: 5631F2024KM001296 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9161	<b>2019 MMDI 16 ft T/A Equipment Trailer</b> S/N: 5631F1724KM000424 C/W: Ball Hitch, Torsion Axle, Surge Brakes, 62 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
9143	<b>2019 MMDI 21 ft T/A Equipment Trailer</b> S/N: 5631F2020KM000467 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9162	<b>2019 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1729KM002539 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9144	<b>2019 MMDI 21 ft T/A Equipment Trailer</b> S/N: 5631F2020KM001134 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9163	<b>2019 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1724KM001735 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9145	<b>2019 MMDI 21 ft T/A Equipment Trailer</b> S/N: 5631F2027KM000921 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9164	<b>2019 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1724KM001606 C/W: 8880.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9152	<b>2019 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F202XKM000458 C/W: 9990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9165	<b>2019 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1725KM000254 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9157	<b>2020 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1723LM001629 C/W: 7990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9167	<b>2019 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1721KM001613 C/W: 8800 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available
9158	<b>2019 MMDI 16 ft T/A Equipment Trailer</b> S/N: 5631F1729KM002492 C/W: 8800 lb GVWR, Ball Hitch, Spring Suspension, Hydraulic Brakes, 16 ft Main Deck, 62 in Usable Deck Width, Bulkhead, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9171	<b>2019 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1729KM000256 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9159	<b>2019 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F1726KM001865 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9172	<b>2019 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1720KM002817 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9173	<b>2019 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1722KM000258 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available	9194	<b>2016 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631B1726GM015963 C/W: 6990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available
9186	<b>2018 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1725JM000690 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available	9196	<b>2017 MMDI 10 ft S/A Equipment Trailer</b> S/N: 5631F1415HM016961 C/W: Ball Hitch, Spring Suspension, 10 ft Main Deck, Manual Ramps, Steel Decking, 205 /75R15 Tires Usage: Not Available
9187	<b>2017 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F1728HM016733 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 60 in Usable Deck Width, Spring Assisted Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9202	<b>2010 MMDI 13 ft S/A Equipment Trailer</b> S/N: 1M9DA13A70M646926 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 8 ft Main Deck, 40 in Usable Deck Width, Manual Ramps, Steel Decking, 205 /75R15 Tires Usage: Not Available
9188	<b>2017 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F1726HM016732 C/W: 8800 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 60 in Usable Deck Width, Spring Assisted Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9204	<b>2011 Circle M 20 ft T/A Utility Trailer</b> S/N: 1C9US2022BM364094 C/W: 14000.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 235/80R16 Tires Usage: Not Available
9189	<b>2017 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F1727HM016819 C/W: Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 64 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9206	<b>2014 Lawrimore 83X18E2 18 ft T/A Utility Trailer</b> S/N: 5WUBU1823EF033590 C/W: 10000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Wood Flooring, 125/75R15 Tires Usage: Not Available
9190	<b>2017 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1725HM016933 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 61 in Usable Deck Width, Spring Assisted Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	9207	<b>2013 Lawrimore 18 ft T/A Utility Trailer</b> S/N: 5WUBU1823DF028548 C/W: 10400.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 225/75R15 Tires Usage: Not Available
9191	<b>2017 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1723HM016817 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R16 Tires Usage: Not Available	9208	<b>2013 Lawrimore 18 ft T/A Utility Trailer</b> S/N: 5WUBU1821DF031139 C/W: 10400.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Wood Flooring, 225/75R15 Tires Usage: Not Available
9192	<b>2017 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1727HM016027 C/W: 6990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9209	<b>2005 Anderson 12 ft S/A Utility Trailer</b> S/N: 4NYBN12175C033033 C/W: Ball Hitch, Spring Suspension, 60 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available
9193	<b>2017 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F1729HM016028 C/W: 6990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 7 ft Main Deck, 61 in Usable Deck Width, Spring Assisted Ramps, 205 /75R15 Tires Usage: Not Available	9210	<b>2017 Felling FT-3-G 10 ft S/A Utility Trailer</b> S/N: 5FTCE1112H1003425 C/W: 2900 lb GVWR, Ball Hitch, Spring Suspension, 74 in Deck Width, Wood Flooring, 205/75R15 Tires Usage: Not Available
		9211	<b>2017 Felling FT-3-G 10 ft S/A Utility Trailer</b> S/N: 5FTBE1113H1003638 C/W: 2900.0 lb GVWR, Ball Hitch, Spring Suspension, 73 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9212	<b>2018 Triple Crown 10 ft S/A Utility Trailer</b> S/N: 1XNU5X100J1082440 C/W: 2750.0 lb GVWR, Ball Hitch, Spring Suspension, 60 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available	9225	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1920HA988411 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, Aluminum Wheels, 225/75R15 Tires Usage: Not Available
9213	<b>11 ft S/A Utility Trailer</b> S/N: Not Available C/W: Ball Hitch, Spring Suspension, 78 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available	9226	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1921HA988482 C/W: 7000.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
9214	<b>2012 Toro 5 ft S/A Utility Trailer</b> S/N: 5ERBU0811CM066864 C/W: Ball Hitch, Torsion Axle, 48 in Deck Width, Ramp, Steel Decking, 5.80-12 Tires Usage: Not Available	9227	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1923HA988337 C/W: 7000.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
9215A	<b>1989 S5A 11.5 ft S/A Utility Trailer</b> S/N: K17F1711 C/W: 6920.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 70 in Deck Width, Wood Flooring, 235/85/16 Tires Usage: Not Available	9228	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1928HA988480 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, Aluminum Outer Wheels, 225/75R15 Tires Usage: Not Available
9215	<b>1999 8 ft S/A Utility Trailer</b> S/N: NOVIN000082644064 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 48 in Deck Width, Wood Flooring, 8-14.5 Tires Usage: Not Available	9229	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC192XHA988528 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
9217	<b>12 ft T/A Generator Trailer</b> S/N: Not Available C/W: Lunette Ring Hitch, Torsion Axle, Surge Brakes, 235/80R16 Tires Usage: Not Available	9230	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1922HA988362 C/W: 7000.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
9218	<b>13 ft T/A Generator Trailer</b> S/N: 4081000284 C/W: 12000.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 234/85R16 Tires Usage: Not Available	9231	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1921HA988711 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
9220	<b>2023 Primo W-DD-82x18-CAR-8k-TA T/A 1 Car Open Car Carrier Trailer (Unused)</b> S/N: 7HZBU1828P1003621 C/W: 8000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 225/75R15 Tires, Lowering Deck Usage: Not Available	9233	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1923HA988435 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 225/75R15 Tires Usage: Not Available
9221	<b>2023 Primo W-DD-82x18-CAR-8k-TA T/A 1 Car Open Car Carrier Trailer (Unused)</b> S/N: 7HZBU1829P1003613 C/W: 8000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, Aluminum Wheels, 225/75R15 Tires, Lowering Deck Usage: Not Available	9234	<b>2017 Demco AT7000P T/A Open Car Carrier Trailer</b> S/N: 15DPC1922HA988703 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: 101,689 Mi
9222	<b>2023 Primo CAR82x18-TA T/A 1 Car Aluminum Car Carrier Trailer (Unused)</b> S/N: 7HZBU1825P1003608 C/W: 6990.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Electric Brakes, Aluminum Wheels, 205/75R15 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9235	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1925HA988663 C/W: 7000.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75/R15 Tires Usage: Not Available	9249	<b>2023 KAIJIAN K1908 19 ft x 8 ft Collapsible Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available
9237	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1929HA988214 C/W: 7000.0 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	9250	<b>2023 KAIJIAN K1908 19 ft x 8 ft Collapsible Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available
9238	<b>2015 Hoosier T/A (1) Reel Trailer</b> S/N: 1H9PC1726FF423005 C/W: Lunette Ring Hitch, 225/75/R15 Tires Usage: Not Available	9251	<b>2023 KAIJIAN K1908 19 ft x 8 ft Collapsible Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available
9239	<b>2008 Hoosier T/A (1) Reel Trailer</b> S/N: 1H9PC17268F423007 C/W: Lunette Ring Hitch, 225/75/R15 Tires Usage: Not Available	9252	<b>57 ft x 14 ft Skid-Mounted Mobile Camp</b> S/N: Not Available C/W: ( 1 ) Kitchens, ( 2 ) Bedrooms w/( 9 ) Beds, ( 2 ) Bathrooms, Air Conditioner, Laundry Usage: Not Available
9240	<b>2006 Kiefer S/A Reel Trailer</b> S/N: 1DVDC12206K051636 C/W: 10000.0 lb GVWR, Lunette Ring Hitch, Electric Brakes, 215/75R17.5 Tires Usage: Not Available	9253	<b>2023 KAIJIAN K2019 20 ft x 19 ft Expandable Mobile Camp (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
9241	<b>1993 T/A (3) Reel Trailer</b> S/N: 1A9423207PS069887 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 10.00 R 15 Tires Usage: Not Available	9254	<b>2023 KAIJIAN K2019 20 ft x 19 ft Expandable Mobile Camp (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
9242	<b>2015 Lane LCE 0803 S/A Reel Trailer</b> S/N: 1L9LC1414FG321272 C/W: 3500 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 205/75R15 Tires Usage: Not Available	9255	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0110429 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
9243	<b>1983 Kingwood S/A Reel Trailer</b> S/N: CA83KWK1023 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 8-14.5 Tires Usage: Not Available	9256	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0110455 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9244	<b>2014 SMP CT1135TT-S S/A Reel Trailer</b> S/N: 1RCFADF1XE1001328 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 205/75R14 Tires Usage: Not Available	9257	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0110434 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9246	<b>2016 Lane S/A Pipe Handling Trailer</b> S/N: 1L9LC1417GG321378 C/W: 3500.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 205/75R15 Tires Usage: Not Available	9258	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0110440 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
9247	<b>2023 KAIJIAN K1908 19 ft x 8 ft Collapsible Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available	9259	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU0128205 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9248	<b>2023 KAIJIAN K1908 19 ft x 8 ft Collapsible Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available	9260	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0107852 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available

Lot #	Details	Lot #	Details
9261	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0107847 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	9272	<b>2023 40 ft High Cube Multi-Door Storage Container (Unused)</b> S/N: JPCU2200730 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9262	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0107831 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9273	<b>2022 Timber Component Treatment HLF-40HS 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: HLFU2204445 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9263	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1007011 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9274	<b>2023 Timber Component Treatment HLF-40HS 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: HLFU2204492 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9264	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5542458 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9275	<b>2022 Timber Component Treatment HLF-40HS 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: HLFU2204466 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9265	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5542479 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9276	<b>2023 AGROTK 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: ZXJU0031840 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9266	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1007006 C/W: 8 ft 6 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9277	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: CICU4761724 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9267	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1006993 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9278	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: CICU4761730 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9268	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1006988 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9279	<b>2006 40 ft High Cube Storage Container</b> S/N: FSCU9730009 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9269	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2300093 C/W: 96 in Wide, 9 ft 6 in High Usage: Not Available	9280	<b>2018 40 ft One-Way High Cube Storage Container</b> S/N: ZLSU8204586 C/W: 8 ft Wide, 9 ft 6 in High, Single Walk Door Usage: Not Available
9270	<b>2022 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2201151 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9281	<b>2023 40 ft High Cube Storage Container</b> S/N: FLZU8021141 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9271	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2300257 C/W: 96 in Wide, 9 ft 6 in High Usage: Not Available		

Lot #	Details	Lot #	Details
9282	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1007201 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9290	<b>40 ft High Cube Multi-Door Storage Container</b> S/N: XHCU5542838 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9283	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5540007 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9292	<b>40 ft High Cube Storage Container (Unused)</b> S/N: WNGU5142099 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9284	<b>40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5540012 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9293	<b>40 ft High Cube Storage Container (Unused)</b> S/N: WNGU5138308 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9285	<b>2023 KAIJIAN K40HC-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5539541 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9294	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CPLU4977329 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9286	<b>2023 KAIJIAN K40HC-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5539557 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9295	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CICU9557550 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9287	<b>2022 KAIJIAN 40 ft One-Way High Cube Storage Container</b> S/N: DCVU0007184 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9296	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CPLU4977294 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9288	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0110901 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	9297	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CPLU4977289 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9289	<b>2022 Dong Fang SLY22-A09 40 ft High Cube Multi-Door Storage Container</b> S/N: LYGU4110499 C/W: 8 ft 6 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9298	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CPLU4978027 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9290C	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0096038 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9299	<b>40 ft High Cube Storage Container (Unused)</b> S/N: WNGU5145992 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9290B	<b>2023 Agrotk 40 ft One-Way High Cube Multi-Door Storage Container (Unused)</b> S/N: XHCU5528212 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9300	<b>40 ft High Cube Storage Container (Unused)</b> S/N: WNGU5144152 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9290A	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container (Unused)</b> S/N: JPCU2200094 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9301	<b>40 ft High Cube Storage Container (Unused)</b> S/N: CPLU4977843 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
		9302	<b>40 ft High Cube Storage Container</b> S/N: CPLU4977988 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
		9303	<b>40 ft High Cube Storage Container</b> S/N: CICU4207559 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
		9304	<b>40 ft High Cube Storage Container</b> S/N: KSBU0120161 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available

Lot #	Details	Lot #	Details
9305	<b>40 ft High Cube Storage Container</b> S/N: WNGU5109887 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9319	<b>40 ft High Cube Storage Container</b> S/N: TCNU6167500 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9306	<b>40 ft High Cube Storage Container</b> S/N: WNGU5138334 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9320	<b>40 ft High Cube Storage Container</b> S/N: TCNU6456210 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9307	<b>40 ft High Cube Storage Container</b> S/N: TRDU8712140 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	9321	<b>40 ft High Cube Storage Container</b> S/N: TRDU8712135 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9309	<b>40 ft High Cube Storage Container</b> S/N: TCNU7963306 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9322	<b>40 ft High Cube Storage Container</b> S/N: TCNU9086910 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9310	<b>2004 CIMC 40 ft High Cube Storage Container</b> S/N: TRLU6806583 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9323	<b>40 ft High Cube Storage Container</b> S/N: TRDU8712346 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9311	<b>2004 CIMC HC40/03B 40 ft High Cube Storage Container</b> S/N: TCNU9925795 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9324	<b>2022 Pan Ocean 40 ft High Cube Storage Container</b> S/N: TRDU8712310 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9312	<b>40 ft High Cube Storage Container</b> S/N: 9099266 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9325	<b>40 ft High Cube Storage Container</b> S/N: TRDU8712109 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9313	<b>2012 CIMC 1AAA-084A45G1G2 40 ft High Cube Storage Container</b> S/N: TCNU6938192 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9326	<b>2022 Pan Ocean PAN-45G1-21T 40 ft High Cube Storage Container</b> S/N: TRDU8712602 C/W: 96 in Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9314	<b>2012 Ningbo Pacific XP-STDQ-08 40 ft High Cube Storage Container</b> S/N: TCNU6577227 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9327	<b>40 ft High Cube Storage Container</b> S/N: 6448596 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9315	<b>2022 Pan Ocean 40 ft High Cube Storage Container</b> S/N: TRDU8712794 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9328	<b>40 ft High Cube Storage Container</b> S/N: TRDU6862121 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9316	<b>2022 Pan Ocean 40 ft High Cube Storage Container</b> S/N: TRDU812238 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9329	<b>40 ft High Cube Storage Container</b> S/N: 8889857 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
9317	<b>40 ft High Cube Storage Container</b> S/N: TCLU5223387 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9330	<b>40 ft High Cube Storage Container</b> S/N: TRDU8712623 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
9318	<b>40 ft High Cube Storage Container</b> S/N: TCLU5435895 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9331	<b>40 ft High Cube Storage Container</b> S/N: TRDU8713065 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available

Lot #	Details	Lot #	Details
9332	<b>40 ft High Cube Storage Container</b> S/N: 5269027 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9349	<b>2023 20 ft One-Way Storage Container (Unused)</b> S/N: ZXJU0044283 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9333	<b>2006 40 ft High Cube Storage Container</b> S/N: 5261880 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9350	<b>2022 AP-20GP08-A 20 ft Storage Container (Unused)</b> S/N: NEWU2160760 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9334	<b>2004 40 ft High Cube Storage Container</b> S/N: ZCSU8235568 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9351	<b>2022 CIMC 1CC-03FF20C-16JH 20 ft Storage Container</b> S/N: NEWU2171300 C/W: 96 in Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9335	<b>40 ft High Cube Storage Container</b> S/N: TCLU6618340 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	9352	<b>2022 CIMC 1CC-S195C22 20 ft Storage Container (Unused)</b> S/N: NEWU2176719 C/W: 96 in Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9336	<b>40 ft Storage Container</b> S/N: FBZU7032943 C/W: Quantity Of Building Parts Usage: Not Available	9353	<b>2022 CIMC 1CC-03FE20C-16JH 20 ft Storage Container (Unused)</b> S/N: NEWU2171050 C/W: 96 in Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
9337	<b>40 ft High Cube Refrigerated Storage Container</b> S/N: SUDU5092858 C/W: 8 ft Wide, 9 ft 6 in High, Other 2005 Daikin Industries LXE1DE A31 Reefer Unit Usage: Not Available	9354	<b>20 ft Storage Container (Unused)</b> S/N: CPLU2048891 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9338	<b>2007 CIMC 1AAA-S-042 40 ft High Cube Refrigerated Storage Container</b> S/N: 5202451 C/W: 96 in Wide, 9 ft 6 in High, Fork Pockets, Daikin Reefer Unit Usage: Not Available	9355	<b>20 ft Storage Container (Unused)</b> S/N: WGNU2309325 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9339	<b>2023 40 ft Storage Container</b> S/N: MSKU6609345 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	9356	<b>20 ft Storage Container (Unused)</b> S/N: WNGU2293620 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9340	<b>2023 40 ft Storage Container</b> S/N: MRKU0238121 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	9357	<b>20 ft Storage Container (Unused)</b> S/N: CPLU2048865 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9341B	<b>Schneidr 53 ft High Cube Storage Container</b> S/N: SNLU985633 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9358	<b>20 ft Storage Container (Unused)</b> S/N: WNGU2312083 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9341A	<b>2006 Hyundai 53 ft High Cube Storage Container</b> S/N: 6T325930 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	9359	<b>20 ft Storage Container (Unused)</b> S/N: WNGU2284464 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9341	<b>2023 Storage Container</b> S/N: MSKU6798341 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	9360	<b>20 ft Storage Container (Unused)</b> S/N: WNGU2312102 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
9348	<b>2023 20 ft One-Way Storage Container (Unused)</b> S/N: HPCU2269226 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available		



Lot #	Details	Lot #	Details
9361	<b>20 ft Storage Container (Unused)</b> S/N: WNGU2284063 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	9374	<b>2023 Diggitt 12 ft Storage Container (Unused)</b> S/N: SQ518893 C/W: 7 ft Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9362	<b>20 ft Storage Container (Unused)</b> S/N: CPLU2047175 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	9375	<b>2023 Suihe NMC-12G 12 ft Storage Container (Unused)</b> S/N: LYP1210391 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Window, Fork Pockets Usage: Not Available
9363	<b>20 ft Storage Container (Unused)</b> S/N: CPLU2046965 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	9376	<b>12 ft Storage Container (Unused)</b> S/N: LYP1210419 C/W: 7 ft 3 in Wide, 8 ft 4 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
9364	<b>20 ft Storage Container</b> S/N: FXLU3196399 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	9377	<b>2023 Suihe NMC-12G 12 ft Storage Container (Unused)</b> S/N: LYP12-10420 C/W: 7 ft Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9365	<b>20 ft Double-Ended Storage Container</b> S/N: FXLU3196444 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	9378	<b>2023 Suihe NMC-9G 9 ft Storage Container (Unused)</b> S/N: LYP9-11145 C/W: 7 ft 6 in Wide, 8 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9366	<b>20 ft Storage Container</b> S/N: 2188143 C/W: 8 ft Wide, 8 ft 6 in High, Interior Shelving, Fork Pockets Usage: Not Available	9379	<b>2023 Suihe NMC-9G 9 ft Storage Container (Unused)</b> S/N: LYP911354 C/W: 7 ft 6 in Wide, 8 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9367	<b>20 ft Storage Container</b> S/N: TDRU2099147 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	9380	<b>2023 Suihe NMC-9G 9 ft Storage Container (Unused)</b> S/N: LYP9-11142 C/W: 7 ft 6 in Wide, 8 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9368	<b>20 ft Storage Container</b> S/N: Not Available C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	9381	<b>2023 Suihe NMC-8G 8 ft Storage Container (Unused)</b> S/N: LYP811108 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Window, Fork Pockets Usage: Not Available
9369	<b>2023 Diggitt 12 ft Storage Container (Unused)</b> S/N: SQ518880 C/W: 7 ft Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available	9382	<b>2023 Suihe NMC-8G 8 ft Storage Container (Unused)</b> S/N: LYP811360 C/W: 6 ft 7 in Wide, 7 ft 5 in High, Window, Fork Pockets Usage: Not Available
9370	<b>12 ft Storage Container (Unused)</b> S/N: SQ518897 C/W: 84 in Wide, 7 ft 10 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	9383	<b>2023 Suihe NMC-8G 8 ft Storage Container (Unused)</b> S/N: LYP8-11148 C/W: 6 ft 6 in Wide, 7 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
9371	<b>2023 Diggitt 12 ft Storage Container (Unused)</b> S/N: SQ518909 C/W: 7 ft Wide, 7 ft 10 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available		
9372	<b>2023 Diggitt 12 ft Storage Container (Unused)</b> S/N: SQ518877 C/W: 7 ft Wide, 7 ft 10 in High, Window, Fork Pockets Usage: Not Available		
9373	<b>2023 Diggitt 12 ft Storage Container (Unused)</b> S/N: SQ518888 C/W: 7 ft 6 in Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available		

Lot #	Details	Lot #	Details
9384	<b>2023 Suihe NMC-7G 7 ft Storage Container (Unused)</b> S/N: LPY710241 C/W: 6 ft Wide, 6 ft 7 in High, Window, Fork Pockets Usage: Not Available	9396	<b>2023 Qingdao Ruijunyuan 12 ft Storage Container (Unused)</b> S/N: AGT23031242 C/W: 8 ft 3 in Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
9385	<b>2023 KAIJIAN K12 12 ft Storage Container</b> S/N: K12-027 C/W: 7 ft Wide, 8 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	9397	<b>2023 Qingdao Ruijunyuan 12 ft Storage Container (Unused)</b> S/N: AGT23031247 C/W: 8 ft 3 in Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
9386	<b>2023 KAIJIAN K09 9 ft Storage Container</b> S/N: K09-027 C/W: 7 ft 6 in Wide, 8 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	9398	<b>2023 9 ft Storage Container</b> S/N: AGT23030945 C/W: 6 ft 6 in Wide, 7 ft 3 in High, Lock Box, Window, Fork Pockets Usage: Not Available
9387	<b>10 ft Storage Container (Unused)</b> S/N: CTTN0000560 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	9399	<b>2023 9 ft Storage Container</b> S/N: ATC23030935 C/W: 6 ft 6 in Wide, 7 ft 3 in High, Lock Box, Window, Fork Pockets Usage: Not Available
9388	<b>10 ft Storage Container (Unused)</b> S/N: CTTN0000425 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	9400	<b>2023 Qingdao Ruijunyuan 9 ft Storage Container (Unused)</b> S/N: AGT23030921 C/W: 6 ft 6 in Wide, 7 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
9389	<b>2023 CTN 9 ft Storage Container (Unused)</b> S/N: CTTN0900089 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	9401	<b>2023 Canex 18 ft Roll-Off Container (Unused)</b> S/N: V202311 Usage: Not Available
9390	<b>2023 CTN 8 ft Storage Container (Unused)</b> S/N: CTTN 0800074 C/W: 6 ft 8 in Wide, 7 ft 5 in High, Window, Fork Pockets Usage: Not Available	9402	<b>2023 Canex 18 ft Roll-Off Container (Unused)</b> S/N: V202312 C/W: 18 ft Long x 7 ft 4 in Wide x 4 ft 1 in High Usage: Not Available
9391	<b>2023 CTN 7 ft Storage Container (Unused)</b> S/N: CTTN0700054 C/W: 72 in Wide, 6 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	9403	<b>Canex 17 ft Roll-Off Container (Unused)</b> S/N: V202311 C/W: 17 ft Long x 6 ft Wide x 3 ft 5 in High Usage: Not Available
9392	<b>2023 CTN 6 ft Storage Container (Unused)</b> S/N: CTTN0600142 C/W: 5 ft 5 in Wide, 5 ft 9 in High, Lock Box, Fork Pockets Usage: Not Available	9404	<b>Canex 17 ft Roll-Off Container (Unused)</b> S/N: V202312 C/W: 17 ft Long x 6 ft Wide x 3 ft 5 in High Usage: Not Available
9393	<b>7 ft Storage Container</b> S/N: Not Available C/W: 5 ft 8 in Wide, 6 ft High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	9405	<b>Texas Pride 15 ft Roll-Off Container</b> S/N: 51048 Usage: Not Available
9394	<b>2023 Suihe 5 ft Storage Container</b> S/N: LYPU1001485 C/W: 4 ft 10 in Wide, 5 ft High, Lock Box, Fork Pockets Usage: Not Available	9406	<b>Texas Pride 15 ft Roll-Off Container</b> S/N: 55345 C/W: 15 ft Long x 8 ft Wide x 4 ft 4 in High Usage: Not Available
9395	<b>2023 Qingdao Ruijunyuan 12 ft Storage Container (Unused)</b> S/N: AGT23031259 C/W: 7 ft 3 in Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	9407	<b>Texas Pride 15 ft Roll-Off Container</b> S/N: 51051 C/W: 15 ft Long x 8 ft Wide x 4 ft 4 in High Usage: Not Available
		9408	<b>Texas Pride 15 ft Roll-Off Container</b> S/N: 51058 C/W: 15 ft Long x 8 ft Wide x 4 ft 4 in High Usage: Not Available

Lot #	Details	Lot #	Details
9409	<b>Texas Pride 15 ft Roll-Off Container</b> S/N: 55342 C/W: 15 ft Long x 8 ft Wide x 4 ft 4 in High Usage: Not Available	9419A	<b>2020 Trailmaster Challenger 200EX-EFI 4x4 ATV (Inoperable)</b> S/N: L0BUTRMY0L1001648 C/W: Electric Start, Forward Gears w/ Reverse, 168 cc Engine Usage: Not Available
9410A	<b>Waste Container</b> S/N: Not Available Usage: Not Available	9419	<b>Club Car Golf Cart (Inoperable)</b> S/N: Not Available C/W: Battery Charger, 2 Passenger, Canopy, Windshield, Cargo Box Usage: Not Available
9410	<b>20 ft Roll-Off Container</b> S/N: 921910 C/W: 20 ft Long x 7 ft 10 in Wide x 4 ft 6 in High Usage: Not Available	9420	<b>Kubota L2550 2WD Utility Tractor (Inoperable)</b> S/N: 11729 C/W: 205/75R14 Front Tires, 13.6x16 Rear Tires Usage: 433 Hr
9411	<b>Ledwell Loading Ramp</b> S/N: Not Available Usage: Not Available	9421	<b>Kubota L2550 2WD Utility Tractor (Inoperable)</b> S/N: 12392 C/W: 205/75R14 Front Tires, 13.6x16 Rear Tires Usage: Not Available
9412	<b>20 ft 6 in x 8 ft 4 in Floating Dock</b> S/N: Not Available Usage: Not Available	9422	<b>2000 Terramite T5C Self-Propelled Broom (Inoperable)</b> S/N: 20TS0203 C/W: Open Operator Station, 7 ft 6 in Broom, Water System, 1999 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 1,138 Hr
9413	<b>20 ft 6 in x 8 ft 4 in Floating Dock</b> S/N: Not Available Usage: Not Available	9423	<b>Terex PS3000 4x4 Swivel Dumper (Inoperable)</b> S/N: SLBKNN00E602ES03 C/W: 2005 US EPA Label, Kubota 4 Cylinder 36 kW 2.2 L Diesel Engine Usage: Not Available
9414	<b>2016 Polaris Ranger 570 Crew 4x4 Utility Vehicle</b> S/N: 3NSRNA571GE746817 C/W: Canopy, 4 Passenger, Windshield, Gasoline Engine, Locking Front Differential, Brush Guard, Hitch Receiver Usage: 1,176 Mi	9424	<b>2019 Bobcat T770 Two-Speed Compact Track Loader (Inoperable)</b> S/N: AT6319195 C/W: Enclosed Cab, Joystick Steering, 18 in Track Belts, Manual Coupler, 79 in Bucket Usage: 1,340 Hr
9415	<b>2014 Kubota RTV1100 4x4 Utility Vehicle</b> S/N: 39112 C/W: Enclosed Cab, Windshield, Diesel Engine, Brush Guard, Hitch Receiver Usage: Not Available	9425	<b>2018 Kubota SVL 95-2S Compact Track Loader</b> S/N: JKUC0953L01S40133 C/W: Enclosed Cab, Joystick Steering, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, Hydraulic Coupler Usage: Not Available
9416A	<b>2019 Kubota RTVX1140WH 4x4 Utility Vehicle (Inoperable)</b> S/N: A5KD2GDBVKG032764 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 6,332 Hr	9426	<b>2015 John Deere 333E Compact Track Loader (Inoperable)</b> S/N: 1T0333EMPFE277242 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 7 Pin Electric Kit, Hydraulic Coupler Usage: Not Available
9416	<b>2012 Kubota RTV1100 4x4 Utility Vehicle (Inoperable)</b> S/N: A5KC1HDATCG037260 C/W: Enclosed Cab, Air Conditioner, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: Not Available	9427	<b>2003 Cat 277 Compact Track Loader (Inoperable)</b> S/N: CAT00277CCNC02400 C/W: Open Operator Station, Joystick Steering, 2003 US EPA Label, 18 in Track Belts Usage: Not Available
9417	<b>2006 John Deere HPX Gator 4x4 Utility Vehicle (Inoperable)</b> S/N: M0HP4GX044230 C/W: Canopy, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: Not Available		
9418	<b>2006 Polaris Ranger 500 4x4 Utility Vehicle (Inoperable)</b> S/N: 4XARD50A36D741477 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 414 Hr		

Lot #	Details	Lot #	Details
9428	<b>1999 Hyster H135XL 13500 lb Pneumatic Tire Forklift (Inoperable)</b> S/N: F006A04732L C/W: 3 Stage Mast, 181 in Max Lift Height, 51 in Forks, Cummins 4 Cylinder Diesel Engine Usage: Not Available	9437	<b>2014 Volvo L90G Wheel Loader (Inoperable)</b> S/N: VCE0L90GA0S617208 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, 2013 US EPA Label, Hydraulic Coupler, 116 in Roll-Out Bucket, Auto Lube, 20.5R25 Tires Usage: Not Available
9429	<b>2019 Genie GTH-1056 Telehandler (Inoperable)</b> S/N: GTH10E13709 C/W: Open Operator Station, 60 ft Max Lift Height, 10000 lb Max Lift Capacity, 60 in Forks, Outriggers, Frame Leveling, 14.00-24 Aperture Tires Usage: Not Available	9438	<b>2011 Komatsu WA200-6 Wheel Loader (Inoperable)</b> S/N: KMTWA105T01071455 C/W: Enclosed Cab, 2011 US EPA Label, 100 in Bucket, 20.5R25 Tires Usage: Not Available
9431	<b>2017 SkyTrak 6042 Telehandler (Inoperable)</b> S/N: 0160080841 C/W: Open Operator Station, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Frame Leveling Usage: Not Available	9441	<b>1965 Manitowoc 3900 100 ton Lattice-Boom Crawler Crane (Inoperable)</b> S/N: 39650 C/W: 100 ft Boom, BEC Hook Block, Overhaul Ball, Air Conditioner, 48 in Track Shoes Usage: 5,236 Hr
9432	<b>2016 JLG G518A Telehandler (Inoperable)</b> S/N: 0160078044 C/W: Open Operator Station, 18 ft Max Lift Height, 5000 lb Max Lift Capacity, 2016 US EPA Label, 12-16.5 Tires Usage: Not Available	9442B	<b>2015 Cat 314E LCR Tracked Excavator (Inoperable)</b> S/N: CAT0314EJZJT01329 C/W: 9 ft 10 in Stick, Backfill Blade, 20 in Triple Grouser Track Shoes w/Rubber Pads, 38 in Digging Bucket, Hydraulic Thumb Usage: Not Available
9433	<b>2012 Cat 420F 4x4 Backhoe Loader (Inoperable)</b> S/N: CAT0420FLSKR00299 C/W: Open Operator Station, 2012 US EPA Label, 88 in Loader Bucket, Flip-Over Forks, Extendable Stick, 24 in Backhoe Digging Bucket Usage: Not Available	9442A	<b>2016 Takeuchi TB290 Tracked Excavator (Inoperable)</b> S/N: 185102110 C/W: Air Conditioner, US EPA Label, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket Usage: 4,618 Hr
9434	<b>1987 Cat 426 4x4 Backhoe Loader (Inoperable)</b> S/N: 7BC00986 C/W: Open Operator Station, Air Ride Seat, 87 in Multi-Purpose Loader Bucket, Forks, 24 in Backhoe Digging Bucket Usage: 11,395 Hr	9442	<b>2005 JCB JS220LC Tracked Excavator (Inoperable)</b> S/N: 1019787 C/W: Air Conditioner, Straight Travel Pedal, 2005 US EPA Label, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 27.5 in Triple Grouser Track Shoes, 54 in Digging Bucket, Manual Thumb Usage: Not Available
9435A	<b>2014 Bomag BW100AD-4 Double Drum Roller</b> S/N: 861880261013 C/W: Open Operator Station, 2012 US EPA Label, Kubota 3 Cylinder 1.7 L Diesel Engine, 39.5 in Drums Usage: 547 Hr	9443	<b>1997 Cat M318 Wheel Excavator (Inoperable)</b> S/N: 8AL01065 C/W: 9 ft Stick, Auxiliary Hydraulic Plumbing, Front and Rear Stabilizers, 10.00x20 Tires, Hydraulic Tilting Bucket, Manual Thumb Usage: 12,733 Hr
9435	<b>2005 Hamm 3205P Smooth Drum Compactor (Inoperable)</b> S/N: H1580071 C/W: Open Operator Station, Air Ride Seat, 2003 US EPA Label, Deutz 4 Cylinder 56 hp 2.9 L Diesel Engine, 54 in Drum, Padfoot Shell Kit, Leveling Blade Usage: Not Available	9444C	<b>Ingersoll Rand Crawlair Tie-Back Drill (Inoperable)</b> S/N: T-1172 C/W: Walk Behind Usage: Not Available
9436	<b>2007 Komatsu WA380-6 Wheel Loader (Inoperable)</b> S/N: KMTWA095K57A53190 C/W: Enclosed Cab, 2006 US EPA Label, 112 in Bucket, 23.5R25 Tires Usage: Not Available	9444B	<b>2006 Vermeer RT350 4x4 Trencher (Inoperable)</b> S/N: 1VRZ0826761000278 C/W: Hydrostatic Drive, 3 Cylinder Diesel Engine, 5 in Wide x 80 in Long Combination Trencher Chain, Crumbling Shoe, Straight Blade Usage: 1,261 Hr

Lot #	Details	Lot #	Details
9444A	<b>1984 Case 25+4XP 4x4 Trencher (Inoperable)</b> S/N: 1231986 C/W: Hydrostatic Drive, Tier 4, 4 Cylinder Gasoline Engine, 4 in Wide x 69 in Long Dirt Trencher Chain, Backhoe Attachment, Straight Blade Usage: 1,562 Hr	9448B	<b>2017 Isuzu NPR HD 4x2 COE Cab and Chassis (Inoperable)</b> S/N: 54DC4W1B8HS803333 C/W: V8 6.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 225/70R19.5, Spring Suspension, 133 in Wheelbase, 105 in Cab to Axle, 158 in Cab to End of Frame Usage: Not Available
9444	<b>2014 LeeBoy 8515C Track Asphalt Paver (Inoperable)</b> S/N: 106799 C/W: Electric Heated 0 ft 105 in - Screed Usage: Not Available	9448A	<b>2007 International 8600 6x4 Cab and Chassis (Inoperable)</b> S/N: 1HSHXAHRX7J375431 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel Engine, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, 120 in Cab to Axle, 252 in Cab to End of Frame Usage: Not Available
9445A	<b>2015 Chevrolet Express 3500 4x2 Cargo Van (Inoperable)</b> S/N: 1GCZGUCGXF1130907 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 6084 lb Rears, 9600.0 lb GVWR, 244 /75R16, Spring Suspension, 156 in Wheelbase, 11 ft Long x 75 in Wide x 55 in High Body Usage: 138,736 Mi	9448	<b>2006 Ford F-650 XLT 4x2 Crew Cab Cab and Chassis (Inoperable)</b> S/N: 3FRNW65F56V232441 C/W: 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 221 in Wheelbase, 93 in Cab to Axle, 146 in Cab to End of Frame Usage: 400,183 Mi
9445	<b>2012 Ford Transit Connect XL 4x2 Cargo Van</b> S/N: NM0LS7ANXCT125579 C/W: 4 Cylinder 2.0 L Gasoline Engine, Automatic Transmission, 2491 lb Front Axle, 2740 lb Rears, 5005 lb GVWR, 205/65R15, Spring Suspension, 6 ft 6 in Long x 63 in Wide x 54 in High Body, 30 gal Air Compressor Usage: Not Available	9449	<b>2008 Ford E-450 4x2 12-Seat Transit Bus (Inoperable)</b> S/N: 1FD4E45P78DA32251 C/W: Gasoline Engine, Air Conditioner, Automatic Transmission, Wheelchair Lift, 225 /75R16, Spring Suspension, 176 in Wheelbase Usage: Not Available
9446	<b>2013 International 4300 SBA 4x2 Van Truck (Inoperable)</b> S/N: 1HTMMAALXDH178044 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 256 in Wheelbase, Mickey Truck Bodies 26 ft Long x 102 in Wide x 106 in High Body, Liftgate Usage: Not Available	9450	<b>2005 Oshkosh F2346 6x6 Mixer Truck (Inoperable)</b> S/N: 10TDDAC325S084623 C/W: 6 Cylinder Diesel Engine, Manual Transmission, 23000 lb Front Axle, 46000 lb Rears, 69000.0 lb GVWR, 445/65R22.5 Front Tires, 315/80R22.5 Rear Tires, Rubber over Walking Beam Suspension, 216 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: Not Available
9447A	<b>2013 Peterbilt 220 4x2 COE Van Truck (Inoperable)</b> S/N: 3BPPHM6X8DF590300 C/W: Paccar PX-6 6 Cylinder 6.7 L Diesel 250 hp Engine, 2012 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 17000 lb Rears, 5.29:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 209 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: Not Available	9451	<b>2001 Oshkosh F2346 6x6 Mixer Truck (Inoperable)</b> S/N: 10TDDAC381S069862 C/W: 6 Cylinder Diesel Engine, 9-Speed Manual Transmission, 23000 lb Front Axle, 46000 lb Rears, 445/65R22.5, Rubber over Walking Beam Suspension, 216 in Wheelbase, McNeilus Mixer Unit Usage: Not Available
9447	<b>2006 GMC W4500 4x2 COE Van Truck (Inoperable)</b> S/N: J8DC4B16X67004216 C/W: Isuzu 4HK1TC 4 Cylinder Diesel Engine, 2005 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 215/85R16, Spring Suspension, 151 in Wheelbase, ABC 16 ft Long x 91 in Wide x 85 in High Body Usage: 164,779 Mi	9452B	<b>2009 Ford F-450 XL 4x2 Extended Cab Service Truck (Inoperable)</b> S/N: 1FDAX46R69EA25767 C/W: V8 6.4 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 5600 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225 /70R19.5, Spring Suspension, 162 in Wheelbase, 9 ft Body, Liftmoore 3200REL 3200 lb 3 Section Electric Crane Usage: Not Available

Lot #	Details	Lot #	Details
9452A	<b>2012 Ford F-450 XL 4x4 Extended Cab Service Truck (Inoperable)</b> S/N: 1FD0X4HT8CEA18136 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, Aluminum Wheels, 245/70R19.5, Spring Suspension, 164 in Wheelbase, 9 ft Body, Manual Stabilizers, Stellar 3200 3200 lb 3 Section Electric Crane Usage: 149,729 Mi	9458	<b>2008 Chevrolet W4500 4x2 COE Flatbed Truck (Inoperable)</b> S/N: J8BC4W16387000673 C/W: Isuzu 4 Cylinder Diesel Engine, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 215/85R16, Spring Suspension, 130 in Wheelbase, 12 ft x 96 in Bed Usage: Not Available
9452	<b>Knuckle Boom on 1995 International 4900 4x2 Boom Truck (Inoperable)</b> S/N: 1HTSDAAN6SH643263 C/W: International DT466 6 Cylinder Diesel 210 hp Engine, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.91:1 Axle Ratio, 11R22.5, Spring Suspension, 218 in Wheelbase, 15 ft x 92 in Bed Usage: 359,212 Mi	9459	<b>2003 Ford F550 XL 4x2 Flatbed Truck (Inoperable)</b> S/N: 1FDAF56P93ED42764 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 90 in Bed, Liftgate Usage: Not Available
9453	<b>2006 Ford F-550 XL 4x2 Utility Truck (Inoperable)</b> S/N: 1FDAF56P66EA56553 C/W: V8 6.0 L Diesel 325 hp Engine, 2006 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 19000.0 lb GVWR, 245/70R19.5, Spring Suspension, 166 in Wheelbase, 11 ft Body Usage: 218,535 Mi	9460	<b>2015 Ford F-450 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD0W4GT4FED32522 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8622 Engine hrs, Automatic Transmission, 6500 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 225/70R19.5, Spring Suspension, 202 in Wheelbase, 11 ft 3 in x 98 in Bed Usage: 222,297 Mi
9454	<b>2015 Ford F-350 4x2 Utility Truck (Inoperable)</b> S/N: 1FDBF3E62FEC17093 C/W: Ford V8 6.2 L Gasoline Engine, Automatic Transmission, 10000 lb GVWR, LT275/65R18 Front Tires, LT275/65R18 Rear Tires, Spring Suspension, 2015 Ford 0 ft 115 in Body, Hydraulic Lift Gate, Champion Air Compressor, Air Hose Reel Usage: 179,491 Mi	9461	<b>2017 Ford F-350 XL 4x4 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD8W3HT0HEB62156 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5600 lb Front Axle, 10040 lb Rears, 14000.0 lb GVWR, 245/75R17, Spring Suspension, 179 in Wheelbase, 9 ft x 96 in Bed Usage: Not Available
9455	<b>2015 Ford F-250 XL 4x2 Extended Cab Utility Truck (Inoperable)</b> S/N: 1FD7X2A64FEA47466 C/W: Ford V8 6.2 L Gasoline Engine, 2015 US EPA Label, 4550 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 245/75R17, Spring Suspension, 158 in Wheelbase, Omaha 8 ft Body, Hydraulic Lift Gate Usage: Not Available	9462	<b>2015 Ford F-350 XL 4x4 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD8W3HT0FEC28279 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 14000.0 lb GVWR, Dual Rear Wheel, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 92 in Bed Usage: Not Available
9456	<b>2011 International 4300 4x2 Flatbed Truck (Inoperable)</b> S/N: 1HTMMAAL8BH364064 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, Eaton Fuller Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 274 in Wheelbase, 26 ft x 98 in Bed Usage: Not Available	9463A	<b>2015 GMC Sierra 2500HD 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1GD11XEG0FF125503 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 6200 lb Rears, 9500.0 lb GVWR, 245/75R17, Spring Suspension, 172 in Wheelbase, 8 ft 6 in x 80 in Bed Usage: 224,281 Mi
9457	<b>2008 Isuzu W5500 4x2 COE Flatbed Truck (Inoperable)</b> S/N: J8DE5W16487300333 C/W: Automatic Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 185 in Wheelbase, 18 ft x 97 in Bed, Liftgate Usage: Not Available	9463	<b>2006 Ford F-350 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FDWW37P46EC38194 C/W: Power Stroke V8 6.0 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 9750 lb Rears, ford Drive Axles, 245/75R17 Front Tires, 245/75R17 Rear Tires, Spring Suspension, 176 in Wheelbase, 9 ft x 96 in Bed, receiver hitch Usage: 292,545 Mi

Lot #	Details	Lot #	Details
9464A	<b>2015 Isuzu NPR HD 4x2 COE Rollback Truck (Inoperable)</b> S/N: JALE5W163F7302510 C/W: Isuzu 4HK1TC 4 Cylinder Diesel 210 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12747 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 21 ft x 94 in Bed, Aluminum Frame, Winch, Hydraulic Wheel Lift Usage: 197,171 Mi	9468	<b>Vac-Con 4716SMD on 2004 Sterling L9500 Vacuum Excavator Truck</b> S/N: 2FZHZAAS84AM48021 C/W: Cat C12 6 Cylinder Diesel 380 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 252 in Wheelbase, Steel Debris Tank, Full Open Tailgate, Hydraulic Tailgate Locks, 8 in Suction Hose, Blower Usage: Not Available
9464	<b>2003 Chevrolet Silverado 3500 4x2 Flatbed Truck (Inoperable)</b> S/N: 1GBJC34U43E333338 C/W: V8 6.0 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 144 in Wheelbase, 10 ft x 96 in Bed Usage: Not Available	9469A	<b>Vac-Con on 1997 Ford LT8501 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 1FDZW86EXVVA41636 C/W: Diesel Engine, 1997 US EPA Label, 12278 Engine hrs, Eaton Fuller 9-Speed Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, 295/75R22.5 Front Tires, 315/80R22.5 Rear Tires, Hendrickson Spring Suspension, 234 in Wheelbase, Front Hose Reel, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Boom, 10 in Suction Hose, FMC Bean Pump w/ John Deere Engine Usage: 97,767 Mi
9465	<b>2013 Volvo VNL300 6x4 Roll-Off Truck (Inoperable)</b> S/N: 4V4N39EH1DN139485 C/W: Volvo D13 6 Cylinder 12.8 L Diesel Engine, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 35350.0 lb GVWR, Aluminum Rear Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring over Walking Beam Suspension, 292 in Wheelbase, 23 ft Hoist Usage: Not Available	9469	<b>1996 IbeX on 2001 Sterling A9500 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 2FWJA3CG91AH73781 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, 2000 US EPA Label, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 218 in Wheelbase, PTO, Steel 3050 gal Debris Tank Usage: 747,015 Mi
9466	<b>Prentice 2124 Knuckle Boom on 2006 Mack CT713 8x4 Grapple Truck (Inoperable)</b> S/N: 1M2AL02C46M001720 C/W: Mack 6 Cylinder Diesel Engine, Allison Automatic Transmission, 70000.0 lb GVWR, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Camelback Spring Suspension, 280 in Wheelbase, PTO, Double Frame, Front Mounted, A-Outriggers, 20 ft x 108 in Bed Usage: Not Available	9470	<b>2005 Ford F-750 4x2 Vacuum Tanker Truck (Inoperable)</b> S/N: 3FRWF75E35V215993 C/W: Cummins Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 295/75R22.5, Spring Suspension, 195 in Wheelbase, Stainless Steel 2000 gal Debris Tank, 500 gal Fresh Water Tank, Masport PTO Driven Pump Usage: Not Available
9467	<b>2007 Sterling L9500 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 2FZHZAAG07AY33747 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 455 hp Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, 425/65R22.5, Rubber over Walking Beam Suspension, 263 in Wheelbase, Steel Debris Tank Usage: Not Available	9471	<b>2017 Kenworth T-880 6x4 Tri/A Dump Truck (Inoperable)</b> S/N: 1NKZX4EX7HJ144746 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel Engine, US EPA Label, Eaton Fuller 8-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, Aluminum Front Wheels, 11R24.5, Steerable Air Lift Pusher Axle, Steerable Air Lift Tag Axle, Dual Steering Boxes, 228 in Wheelbase, PTO, Double Frame, OX Bodies 16 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: Not Available

Lot #	Details	Lot #	Details
9472A	<b>2015 Cat CT660SSBA 8x4 Tri/A Dump Truck (Inoperable)</b> S/N: 3HTJGTKT1FN507095 C/W: Cat C13 6 Cylinder 12.4 L Diesel 430 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 215 in Wheelbase, PTO, OX Bodies 17 ft Long x 4 ft 6 in High Steel Body, 20 cyd, Capacity, Flat Bed Usage: Not Available	9475	<b>2005 Peterbilt 378 8x4 Tri/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPFPBEXX5N866109 C/W: Cat 6 Cylinder Diesel Engine, Eaton Fuller 18-Speed Manual Transmission, 12350 lb Front Axle, 46000 lb Rears, 75350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 265 in Wheelbase, Wet Kit Usage: Not Available
9472	<b>2015 Cat CT660 6x4 Tri/A Dump Truck (Inoperable)</b> S/N: 3HTJGTKT7FN638418 C/W: Cat CT13 6 Cylinder 13.0 L Diesel Engine, Engine Brake, Automated Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Aluminum Wheels Except Pusher Axle, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Hendrickson Spring Suspension, 218 in Wheelbase, PTO, OX Bodies 17 ft Long x 4 ft 8 in High Steel Body, 20 cyd, Capacity, Electric Roll Tarp Usage: 428,696 Mi	9476	<b>2007 Kenworth T-800 8x4 Tri/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKDP4EXX7J177755 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 18-Speed Manual Transmission, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Primaax EX Air Ride Suspension, 265 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: Not Available
9473	<b>2014 Cat CT660 8x4 Tri/A Dump Truck (Inoperable)</b> S/N: 3HTJGTKT3EN032676 C/W: 6 Cylinder Diesel Engine, Aluminum Wheels, Hendrickson Haulmaax Suspension, OX Bodies 16 ft Long Steel Body Usage: Not Available	9478	<b>2008 Peterbilt 386 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPHDB9X58N755631 C/W: Cat Diesel Engine, Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
9474A	<b>Rosco Maximizer 3 1950 gal on 2007 Freightliner M2106V 4x2 Asphalt Distributor Truck (Inoperable)</b> S/N: 1FVAC2DC47HX49105 C/W: Cat C7 6 Cylinder Diesel Engine, Eaton Fuller FSO-6406A 6-Speed Manual Transmission, 10000 lb Front Axle, 23000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 8 ft Bolt- On Spray Bar, Diesel Burners, Automated Bar Controls Usage: Not Available	9479	<b>2008 Peterbilt 386 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPHD49X08D755604 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
9474	<b>1999 International 4900 6x4 T/A Dump Truck (Inoperable)</b> S/N: 1HTSHAAR5XH672333 C/W: International DT466E 6 Cylinder 7.6 L Diesel 230 hp Engine, 1999 US EPA Label, Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, 11R22.5, Spring over Walking Beam Suspension, 190 in Wheelbase, PTO, Double Frame, 15 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Rear Hydraulics, Pintle Hitch Usage: Not Available	9480A	<b>2012 Volvo VNL300 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4NC9EH8CN532477 C/W: Volvo D13H435 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2011 US EPA Label, Engine Brake, ATO2612D 12-Speed Automated Transmission, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.42:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: Not Available



Lot #	Details	Lot #	Details
9480	<b>2013 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGEBG6DLFG7493 C/W: Cummins ISX15 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-14E310-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 5200.0 lb GVWR, Air Ride Cab, Aluminum Rear Wheels, 11R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	9490	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3AKJGLBG3DSFJ7423 C/W: Cummins ISX 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 425 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO16310C-LAS 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 876,767 Mi
9482A	<b>1991 International 2554 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1HTGCNHR9MH329294 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, Eaton Fuller Manual Transmission, 11R22.5, Hendrickson Spring over Walking Beam Suspension, 173 in Wheelbase, Double Frame, Headache Rack Usage: 180,720 Mi	9491	<b>2012 Volvo VNM 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V4MC9DG9CN541077 C/W: Volvo D11H385 6 Cylinder 10.8 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, AT2612D Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 42 in Mid Roof Sleeper Cab, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 210 in Wheelbase, Dual Fuel Tanks Usage: Not Available
9482	<b>1993 White/GMC WIA 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V1WDBRE0PN663799 C/W: Detroit Series 60 6 Cylinder 11.1 L Diesel 350 hp Engine, 1993 US EPA Label, Eaton Fuller Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 201 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	9494	<b>2011 International ProStar Premium 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3HSCUAPR1BN358298 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel Engine, 2010 US EPA Label, Engine Brake, Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Rear Wheels, 11R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
9483A	<b>2020 Kenworth T680 4x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKYD49X7LJ424017 C/W: Cummins X15 6 Cylinder 14.9 L Diesel 500 hp Engine, 2019 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 20000 lb Rears, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 507,438 Mi	9496	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKAA48X3DJ354755 C/W: Cummins ISX15 6 Cylinder 15 L Diesel Engine, 19720 Engine hrs, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 774,066 Mi
9484	<b>2015 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKYD49X5FJ420536 C/W: Cummins ISX15 400ST 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19571 Engine hrs, Engine Brake, Eaton Fuller RTOCM-16909A 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel Usage: 735,320 Mi	9497	<b>2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3AKBGEDR1GSHT3807 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.28:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 795,717 Mi

Lot #	Details	Lot #	Details
9498	<b>2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3AKBGADV2ESFY7355 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2013 US EPA Label, Automated Transmission, 33000.0 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: Not Available	9506	<b>2014 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2B67EEB32337 C/W: 6.2 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Bad Mat Bed Liner, 10000 lb GVWR, 275/70R17 Tires, 8 ft Bed Usage: 276,281 Mi
9499	<b>2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGADV0CSBM8587 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: Not Available	9507	<b>2014 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2BT1EEA89345 C/W: 6.7 L V8 Diesel Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000.0 lb GVWR, 275/70R18 Tires, 6 ft 6 in Bed Usage: Not Available
9500	<b>2011 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGADVXBSAV4960 C/W: Detroit 6 Cylinder 12.8 L Diesel Engine, Engine Brake, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: Not Available	9508	<b>2016 Ford F-250 XL 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2A65GEEA48716 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: Not Available
9502	<b>2011 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1HSCRAPN5BJ363084 C/W: 6 Cylinder 15 L Diesel 385 hp Engine, 2009 US EPA Label, Engine Coolant Heater, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 758,487 Mi	9510	<b>2017 Nissan Titan 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1N6BA1F38HN543461 C/W: V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Sliding Rear Window, Drop-In Bed Liner, 8990.0 lb GVWR, 35x12.50R17 Tires, 6 ft 7 in Bed Usage: Not Available
9503	<b>2005 International 4300 SBA 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1HSMMAAN05H135646 C/W: International 6 Cylinder Diesel Engine, Eaton Fuller Automated Transmission, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 152 in Wheelbase Usage: Not Available	9511A	<b>2018 Ram 1500 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1C6RR6KG5JS322320 C/W: 3.6 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 6800.0 lb GVWR, 265/70R17 Tires, 5 ft 6 in Bed Usage: Not Available
9505	<b>2015 Ford F-350 XL 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FT8W3AT9FEB39180 C/W: 6.6 L V8 Diesel Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 11100.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: Not Available	9511	<b>2016 Ford F-150 XLT 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FTEW1E88GKF27016 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, 6350.0 lb GVWR, 265/70R17 Tires, 5 ft 6 in Bed Usage: Not Available
		9512	<b>2013 Ford F-150 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FTFW1CF8DKF57604 C/W: 5.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 7100 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 263,221 Mi
		9513	<b>1992 Mazda B2200 4x2 Pickup (Inoperable)</b> S/N: JM2UF1130N0298485 C/W: Gasoline Engine, 1992 US EPA Label, Manual Transmission, Drop-In Bed Liner, 225 /70R14 Tires, 6 ft Bed Usage: 224,817 Mi

Lot #	Details	Lot #	Details
9514	<b>2021 Ford Escape SUV (Inoperable)</b> S/N: 1FMCU0F66MUA49680 C/W: 4 cyl 1.5 L Gasoline Engine, 2021 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: Not Available	9526	<b>2011 Chevrolet CAPRICE Automobile (Inoperable)</b> S/N: 6G1MK5T29BL567701 C/W: V8 6.0 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation Usage: Not Available
9515	<b>2018 Land Rover Discovery SUV (Inoperable)</b> S/N: A0105435 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	9527	<b>2008 BMW 528i Automobile (Inoperable)</b> S/N: WBANU53508CT00692 C/W: V6 3.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
9516	<b>2010 Land Rover HSE SUV (Inoperable)</b> S/N: SALME1D49AA317706 C/W: V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 114,385 Mi	9528	<b>2008 Toyota PRIUS Hybrid Automobile (Inoperable)</b> S/N: JTDKB20U383333806 C/W: 4 cyl 1.5 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 172,535 Mi
9518	<b>2015 Chrysler 200 Automobile (Inoperable)</b> S/N: 1C3CCCBG7FN519157 C/W: V6 3.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	9529	<b>2004 BMW 325CI Automobile (Inoperable)</b> S/N: WBABW33414PL30294 C/W: Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 110,519 Mi
9519	<b>2015 Chevrolet Camaro Automobile (Inoperable)</b> S/N: 2G1FD1E36F9168675 C/W: V6 3.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 118,154 Mi	9530	<b>2004 Jaguar XJ8 Automobile (Inoperable)</b> S/N: SAJWA71C64SG29768 C/W: V8 4.2 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 104,604 Mi
9520	<b>2015 Ford Fiesta Automobile (Inoperable)</b> S/N: 3FADP4AJXFM152858 C/W: 4 cyl 1.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	9531	<b>2002 Toyota Corolla Automobile (Inoperable)</b> S/N: 2T1BR12E12C581241 C/W: 4 cyl 1.8 L Gasoline Engine, 2002 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 200,164 Mi
9521	<b>2014 Subaru Impreza AWD Automobile (Inoperable)</b> S/N: JF1GPAS69E8260915 C/W: 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission Usage: 195,707 Mi	9532	<b>2014 Honda Odyssey Minivan (Inoperable)</b> S/N: 5FNRL5H29EB096897 C/W: V6 3.5 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
9522	<b>2013 Subaru Impreza Automobile (Inoperable)</b> S/N: JF1GV7E63DG003712 C/W: Air Conditioner, Power Windows, Power Locks Usage: Not Available	9533	<b>2011 Dodge Grand Caravan Minivan (Inoperable)</b> S/N: 2D4RN5DG1BR764724 C/W: Gasoline Engine, Automatic Transmission Usage: Not Available
9525	<b>2012 Volvo C70 T5 Convertible Automobile (Inoperable)</b> S/N: YV1672MC6CJ127091 C/W: 4 cyl 2.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	9534A	<b>2014 Haulotte 2668RT 4x4 Diesel Scissor Lift (Inoperable)</b> S/N: CD703282 C/W: 26 ft Max Lift Height, 1243 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box, Kubota D1105 3 Cylinder Diesel Engine Usage: Not Available

Lot #	Details	Lot #	Details
9534	<b>2015 JLG 340AJ 4WD Diesel 34 ft Articulating Boom Lift (Inoperable)</b> S/N: 0300209050 C/W: 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2014 US EPA Label, Kubota D1105-EF02 18 kW 1.1 L Diesel Engine Usage: 1,567 Hr		