



## Quebec Timed Auction Event, QC, CAN - Apr 20, 2023

Lot #	Details	Lot #	Details
1	<b>2013 Ford Escape 4WD SUV</b> S/N: 1FMCU9GX9DUA43352 C/W: 4 cyl 1.6 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 196,158 Mi	9	<b>2013 Ford E-350 4x2 Utility Truck</b> S/N: 1FTSS3EL8DDA57651 C/W: V8 5.4 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 3700 lb Front Axle, 6084 lb Rears, 4309 kg GVWR, 245 /75R16, Spring Suspension, 138 in Wheelbase, Traffic Arrow, PARE-BRISE BRISER / WINDSHIELD BROKEN Usage: 124,381 Mi
2	<b>2018 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7FM8JS354989 C/W: 3.0 L V6 Diesel Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 265/70R17 Tires, 6 ft Bed Usage: 67,038 Mi	12	<b>2008 International 4400 SBA 6x4 Flatbed Truck</b> S/N: 1HTMSAZR68H650017 C/W: International MaxxForce 9 6 Cylinder 9.3 L Diesel 310 hp Engine, 2007 US EPA Label, 7920 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, 14000 lb Front Axle, 40000 lb Rears, 24494 kg GVWR, Air Ride Cab, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, 268 in Wheelbase, 23 ft x 103 in Bed, Support de cabine a remplace/Cabin support to be replaced Usage: 337,388 Mi
3	<b>2018 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7FM8JS354992 C/W: 3.0 L V6 Diesel Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Sliding Rear Window, Headache Rack, 265/70R17 Tires, 6 ft Bed Usage: 80,475 Mi	13	<b>2014 Peterbilt 367 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPTDP0X0ED234984 C/W: Paccar MX-13 6 Cylinder 12.8 L Diesel 485 hp Engine, 2013 US EPA Label, 10769 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, 27488 kg GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 206 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 193,788 Mi
4	<b>2016 Ford F-150 XLT 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EG1GKD61088 C/W: 3.5 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, LT275/65R18 Tires, 8 ft Bed Usage: 100,299 Mi	14	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP0XXJJ992564 C/W: Paccar 6 Cylinder 12.8 L Diesel Engine, 19103 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 26853 kg GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Wheels, 11R22.5, 8 Bag Air Ride Suspension, 240 in Wheelbase, PTO, Wet Kit Usage: 682,384 Mi
5	<b>2013 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7FP0DS658395 C/W: 4.7 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, 265/70R17 Tires, 6 ft 6 in Bed Usage: 127,777 Mi		
7	<b>2014 Ford E-350 4x2 Utility Truck</b> S/N: 1FTSS3EL0EDA73439 C/W: V8 5.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 3700 lb Front Axle, 6084 lb Rears, 4309 kg GVWR, 245 /75R16, Spring Suspension, 138 in Wheelbase, Traffic arrow Usage: 83,033 Mi		
8	<b>2013 Ford E-350 4x2 Utility Truck</b> S/N: 1FTSS3EL1DDA60519 C/W: V8 5.4 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 3700 lb Front Axle, 6084 lb Rears, 4309 kg GVWR, 245 /75R16, Spring Suspension, 138 in Wheelbase, Traffic arrow Usage: 81,539 Mi		

Lot #	Details	Lot #	Details
15	<b>2015 International Prostar LF687 6x4 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPR3FH585800 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, 13877 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Transmission, Double Differential Locks, 12350 lb Front Axle, 40000 lb Rears, 23745 kg GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 543,600 Mi	23	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320778 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
17	<b>2008 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y58N002010 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 370 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 23587 kg GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks, AIR LEAK/FUITE D'AIR Usage: 579,499 Mi	24	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422317804 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr
18	<b>2008 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y98N002012 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 370 hp Engine, 2007 US EPA Label, Engine Brake, Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 23587 kg GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 160 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks, PROBLEME DE POMPE A EAU / WATER PUMP ISSUE Usage: 740,193 Mi	25	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320753 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
20	<b>2000 International 9200i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCEAXR0YC065340 C/W: Cat C12 6 Cylinder Diesel 410 hp Engine, Engine Brake, Eaton Fuller 10-Speed Transmission, 12000 lb Front Axle, 40000 lb Rears, 23587 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: Not Available	26	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320476 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
21	<b>2002 Peterbilt 330 8x4 Twin-Steer T/A Dump Truck</b> S/N: 2NPNLZ9X62M573856 C/W: 6 Cylinder 8.3 L Diesel 250 hp Engine, 22237 Engine hrs, Exhaust Brake, Eaton Fuller 8LL Transmission, Differential Lock, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 237 in Wheelbase, PTO, Lagacé 19 ft Long Steel Body, Electric Roll Tarp, 2-Way Tailgate, Tailgate Chute, snow panels Usage: 407,451 Mi	27	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320555 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: 1 Hr
22	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320795 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr	28	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320503 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
		29	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320523 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
		30	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422332762 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr
		31	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422332762 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr

Lot #	Details	Lot #	Details
32	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320730 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available	40	<b>2006 Lode King PAC28 28 ft T/A Super B-Train Pup Flatbed Trailer</b> S/N: 2LDPA28236C044508 C/W: 34000 kg GVWR, Air Ride Suspension, Air Brakes, 97 in Deck Width, Wood Flooring, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available
33	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422320767 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr	40	<b>2006 Load King PAC32 32 ft Tri/A Super B-Train Lead Flatbed Trailer</b> S/N: 2LDPA32326C044507 C/W: 38000 kg GVWR, Air Ride Suspension, Air Brakes, 97 in Deck Width, Wood Flooring, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available
34	<b>1979 P &amp; H Omega 40 40 ton 4x4x4 Rough Terrain Crane</b> S/N: 46743 C/W: Anti Two-Block, Hirschmann PRS 40 EZ Load Moment Indicator, Detroit V6 Diesel Engine, 32.5 ft Minimum 106 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 3 Sheave Hook Block, 10 ton Capacity Overhaul Ball, Firestone 26.5-25 Tires Usage: Not Available	42	<b>2012 Manac 944531038 53 ft Quad/A Refrigerated Trailer</b> S/N: 2M5941617C1128597 C/W: 49500 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 2011 Thermo King SB230 Refrigeration Unit, 12366 Engine Run Hours, 11R22.5 Tires Usage: Not Available
35	<b>2001 Larry's Custom 43 ft Quad/A End Dump Trailer</b> S/N: 2L9DA14S211070437 C/W: 56246 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 40 ft Body, Aluminum Body, Manual Roll Tarp, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	43	<b>2012 Manac 944531038 53 ft x 102 in Quad/A Refrigerated Trailer</b> S/N: 2M5941613C1128600 C/W: 49500 kg GVWR, Air Ride Suspension, Air Brakes, Lift 4th- Axles, Steering 4th- Axle, 2011 Thermo King SB230 Refrigeration Unit, 11R22.5 Tires Usage: 20,374 Hr
36	<b>2002 Manac 41332 32 ft Tri/A End Dump Trailer</b> S/N: 2M543097326085272 C/W: Air Ride Suspension, Air Brakes, 32 ft Body, Aluminum Body, Electric Roll Tarp, 11R22.5 Tires Usage: Not Available	44	<b>2011 Manac 94453103 53 ft Quad/A Refrigerated Trailer</b> S/N: 2M5941614B1124294 C/W: 49500 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Carrier 2100A Refrigeration Unit, 18533 Engine Run Hours, 11R22.5 Tires Usage: Not Available
37	<b>2014 Manac 44227A000 27 ft T/A End Dump Trailer</b> S/N: 5MC422716E3140372 C/W: 38102 kg GVWR, Air Ride Suspension, Air Brakes, 27 ft Body, Steel Body, Manual Roll Tarp, 11R22.5 Tires Usage: Not Available	45	<b>2012 Manac 944531038 53 ft x 102 in Quad/A Refrigerated Trailer</b> S/N: 2M5941613C1128595 C/W: 49500 kg GVWR, Air Ride Suspension, Air Brakes, Lift 4th- Axles, Steering 4th- Axle, 2011 Thermo King SB230 Refrigeration Unit, 11R22.5 Tires Usage: 18,264 Hr
38	<b>2008 Eager Beaver DD Quad/A Removable Gooseneck Lowboy Trailer</b> S/N: 1125D24828L073599 C/W: Air Ride Suspension, Air Brakes, Lift 1st-3rd- 4th- Axles, 23 ft 8 in Main Deck, 15 ft 8 in Rear Deck, 102 in Usable Deck Width, 255 /70R22.5 Tires Usage: Not Available	46	<b>2012 Manac 944531038 53 ft x 102 in Quad/A Refrigerated Trailer</b> S/N: 2M5941615C1128596 C/W: 49500 kg GVWR, Air Ride Suspension, Air Brakes, Lift 4th- Axles, Steering 4th- Axle, 2011 Thermo King SB230 Refrigeration Unit, 11R22.5 Tires Usage: 19,661 Hr
39	<b>1999 Max Atlas CCBL3 Tri/A Heavy-Haul Jeep</b> S/N: 2V9C3S231XS007295 C/W: 30600 kg GVWR, Sliding 5th Wheel, Spring Suspension, 11R22.5 Tires Usage: Not Available	50	<b>2012 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5321CM207093 C/W: 30909 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
52	<b>2012 Vanguard 53 ft T/A Van Trailer</b> S/N: 5V8VC5323CM206947 C/W: 35455 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	64	<b>2001 Manac 53 ft T/A Van Trailer</b> S/N: 2M592161511076762 C/W: 30500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
53	<b>2012 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5329CM206936 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	65	<b>2001 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161517076841 C/W: 33500 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
54	<b>2012 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5325CM207081 C/W: 30909 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	66	<b>2000 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH9Y1001590 C/W: 34960 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
55	<b>2012 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5327CM206921 C/W: 35455 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	67	<b>1999 Manac 942 53 ft x 102 in T/A Van Trailer</b> S/N: 2M5921616X1060563 C/W: 30770 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
56	<b>2012 Vanguard CVXP 53 ft T/A Van Trailer</b> S/N: 5V8VC5329CM206953 C/W: 35455 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	69	<b>1999 Manac 94253002 53 ft x 102 in T/A Van Trailer</b> S/N: 2M5921611X7063951 C/W: 31500 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
57	<b>2011 Manac 942530010 53 ft x 102 in T/A Van Trailer</b> S/N: 2M5921610B1126064 C/W: 33500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	70	<b>1999 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328XS326049 C/W: 30836 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
58	<b>2010 Vanguard CVXP 53 ft T/A Van Trailer</b> S/N: 5V8VC5320AM001650 C/W: 30909 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	71	<b>1999 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH5X9007278 C/W: 31100 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
59	<b>2006 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06246T527160 C/W: 30845 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	72	<b>1998 Manac 53 ft T/A Van Trailer</b> S/N: 2M5921612W7054321 C/W: 32500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
60	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX5L897285 C/W: 30909 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	73	<b>1998 Manac 94253002 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161XW7054342 C/W: 32500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
61	<b>2004 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161241097816 C/W: 33500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	75	<b>1998 Mond 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN123145W2245707 C/W: 34960 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
62	<b>2003 Manac 92253001 53 ft T/A Van Trailer</b> S/N: 2M592161X31086710 C/W: 33500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	76	<b>1997 Manac 942 53 ft x 102 in T/A T/A Van Trailer</b> S/N: 2M5921612V1047869 C/W: 31000 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
63	<b>2002 Manac 94253001 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161021083619 C/W: 33500 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
77	<b>1997 Manac 53 ft T/A Van Trailer</b> S/N: 2M5921613V1047847 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	89	<b>2023 True North CT5X10GW 10 ft S/A Utility Trailer (Unused)</b> S/N: 2PJBU101XPX000989 C/W: 1359 kg GVWR, Ball Hitch, Spring Suspension, 61 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available
79	<b>1997 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M5921617V7044897 C/W: 31000 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	90	<b>2022 True North 10 ft S/A Utility Trailer (Unused)</b> S/N: 2PJBU1015NX000136 C/W: 1359 kg GVWR, Ball Hitch, Spring Suspension, 60 in Deck Width, Wood Flooring, 205/75R15 Tires Usage: Not Available
81	<b>2016 Manac 94248A319 48 ft T/A Van Trailer</b> S/N: 2M5921466G1155221 C/W: 33644 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	92	<b>Arctic Shelter 150 ft x 50 ft x 26 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
82	<b>2016 Manac 94248 48 ft x 102 in T/A Van Trailer</b> S/N: 2M5921464G1155220 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	93	<b>Arctic Shelter 80 ft x 40 ft x 24 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
83	<b>2004 Manac 94132 32 ft x 102 in S/A Van Trailer</b> S/N: 2M591097141096640 C/W: 25500 kg GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	94	<b>Arctic Shelter 70 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
84	<b>Tenco C2024 T/A Gooseneck Equipment Trailer</b> S/N: TCR24012 C/W: 24000 kg GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 3 ft 6 in Fixed Dovetail, 102 in Usable Deck Width, Manual Ramps, Wood Flooring, 8-14.5 Tires, (4) Tires Usage: Not Available	95	<b>Arctic Shelter 60 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
85	<b>2022 True North 14 ft T/A Dump Utility Trailer</b> S/N: 2PJBD1423NW008101 C/W: 6364 kg GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Ramp, Steel Decking, 235/80R16 Tires Usage: Not Available	97	<b>Arctic Shelter 40 ft x 30 ft x 16 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
86	<b>2022 True North 14 ft T/A Dump Utility Trailer</b> S/N: 2PJBD1427NW008294 C/W: 6364 kg GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 84 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available	98	<b>2023 Arctic Shelter 30 ft x 20 ft x 16 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
87	<b>2022 Larochelle 12 ft T/A Dump Utility Trailer</b> S/N: 2LCDM2E61NS001614 C/W: 4486 kg GVWR, Spring Suspension, Electric Brakes, 225/75/R15 Tires Usage: Not Available	99	<b>Arctic Shelter 30 ft x 20 ft x 16 ft Peak Double Truss Storage Building (Unused)</b> S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available
88	<b>2023 True North 10 ft S/A Utility Trailer (Unused)</b> S/N: 2PJBU1018PX000988 C/W: 1359 kg GVWR, Ball Hitch, Spring Suspension, 61 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available	100	<b>2001 Moffet M5500 5500 lb 3x3 Truck Mounted Forklift</b> S/N: A39041R C/W: 2 Stage Mast, 46 in Forks, Side Shift, 2001 US EPA Label, Kubota V2203-E 3 Cylinder 2.2 L Diesel Engine Usage: Not Available

Lot #	Details	Lot #	Details
101	<b>2010 Doosan 185 185 cfm Mobile Air Compressor</b> S/N: 4FVCABAA9AU415666 C/W: John Deere 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 2,385 Hr		