

Australia National Unreserved Auction, AUS - Apr 19, 2023

Lot #	Details	Lot #	Details
1	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available C/W: 35 Drawers, 1 Door Usage: Not Available	16	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available
2	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available C/W: 35 Drawers, 1 Door Usage: Not Available	18	Suihe 2870 mm Work Bench (Unused) S/N: Not Available Usage: Not Available
3	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available C/W: 35 Drawers, 1 Door Usage: Not Available	20	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 18 Drawers, 4 Doors Usage: Not Available
4	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available Usage: Not Available	21	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 18 Drawers, 4 Doors Usage: Not Available
5	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available Usage: Not Available	22	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers Usage: Not Available
6	Suihe 2200 mm Tool Cabinet (Unused) S/N: Not Available Usage: Not Available	23	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers Usage: Not Available
8	1500 mm Tool Cabinet (Unused) S/N: Not Available C/W: 22 Drawers, 2 Doors Usage: Not Available	24	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers Usage: Not Available
9	1500 mm Tool Cabinet (Unused) S/N: 13291 C/W: 22 Drawers, 2 Doors Usage: Not Available	25	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 25 Drawers Usage: Not Available
11	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available	26	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 25 Drawers Usage: Not Available
12	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available	27	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available
13	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available	28	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 25 drawers Usage: Not Available
14	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available	29	2870 mm Work Bench (Unused) S/N: 13453 C/W: 20 Drawers Usage: Not Available
15	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 30 Drawers, 2 Doors Usage: Not Available	31	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 20 Drawers Usage: Not Available

Lot #	Details	Lot #	Details
32	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 20 Drawers Usage: Not Available	47	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 10 Drawers, 2 Doors Usage: Not Available
33	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 20 Drawers Usage: Not Available	48	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available
34	Suihe 2220 mm Work Bench (Unused) S/N: Not Available C/W: 20 Drawers Usage: Not Available	49	Suihe 2200 Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available
35	Suihe 2220 mm Work Bench (Unused) S/N: Not Available C/W: 20 Drawers Usage: Not Available	50	Suihe 2200 mm Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available
36	Suihe 2220 mm Work Bench (Unused) S/N: Not Available Usage: Not Available	51	Suihe 2220 mm Work Bench (Unused) S/N: Not Available C/W: 10 drawers, 2 doors Usage: Not Available
37	Suihe 2870 mm Work Bench (Unused) S/N: Not Available Usage: Not Available	52	Suihe 2200 mm Work Bench (Unused) S/N: Not Available Usage: Not Available
38	Suihe 2220 mm Work Bench (Unused) S/N: Not Available Usage: Not Available	53	Suihe 2200 mm Work Bench (Unused) S/N: Not Available Usage: Not Available
39	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 18 Drawers, 2 Doors Usage: Not Available	54	Suihe 2200 mm Work Bench (Unused) S/N: Not Available Usage: Not Available
40	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 18 Drawers, 2 Doors Usage: Not Available	55	Suihe 40 ft x 60 ft x 15 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
41	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 18 Drawers, 2 Doors Usage: Not Available	56	Suihe 40 ft x 60 ft x 15 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
42	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 15 Drawers, 2 Doors Usage: Not Available	57	TMG DT5040CF 40 ft x 50 ft 50ft x 40ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
43	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: 15 Drawers, 2 Doors Usage: Not Available	58	TMG DT4041CF 40 ft x 40 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
44	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: (15) Drawers, (2) Doors Usage: Not Available	59	Suihe 40 ft x 40 ft x 11 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
45	Suihe 2870 mm Work Bench (Unused) S/N: Not Available C/W: broken handles Usage: Not Available	60	Suihe 40 ft x 40 ft x 15 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
46	Suihe 2220 mm Work Bench (Unused) S/N: Not Available C/W: 10 drawers, 2 doors Usage: Not Available	61	Suihe 40 ft x 40 ft x 11 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
62	Suihe 40 ft x 40 ft x 11 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	76	TMG DT5080 80 ft x 50 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
63	Suihe 40 ft x 40 ft x 11 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	77	Suihe 20 ft x 30 ft x 12 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
64	Suihe 40 ft x 40 ft x 11 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	78	Suihe 20 ft x 30 ft x 12 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
65	Suihe 40 ft x 40 ft x 15 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	79	Suihe 20 ft x 30 ft x 12 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
66	Suihe 40 ft x 40 ft x 15 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	80	Suihe 20 ft x 30 ft x 12 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
67	Suihe 40 ft x 40 ft x 15 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	81	Suihe 20 ft x 30 ft x 12 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
68	TMG ST3041CVF 40 ft x 30 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	82	Suihe 20 ft x 20 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
69	TMG 40 ft x 30 ft Peak Roof Container Shelter (Unused) S/N: Not Available Usage: Not Available	83	Suihe 20 ft x 20 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
70	Suihe 20 ft x 40 ft x 6.5 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	84	Suihe 20 ft x 20 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available
71	Suihe 20 ft x 40 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	85	Suihe 20 ft x 40 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available
72	Suihe 20 ft x 40 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	86	Suihe 20 ft x 40 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available
73	Suihe 20 ft x 40 ft x 6.5 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	87	TMG GH30120 120 ft x 30 ft Greenhouse (Unused) S/N: Not Available Usage: Not Available
74	Suihe 20 ft x 20 ft x 6.5 Ft Container Shelter (Unused) S/N: Not Available Usage: Not Available	88	TMG GH30100 100 ft x 30 ft Greenhouse (Unused) S/N: Not Available Usage: Not Available
75	TMG DT3081 80 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	89	TMG GH3040 40 ft x 30 ft Greenhouse (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
90	TMG GH3040 40 ft x 30 ft Greenhouse (Unused) S/N: Not Available Usage: Not Available	107	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
91	TMG MSC2030F 30 ft x 20 ft Carport Shed (Unused) S/N: Not Available Usage: Not Available	108	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
92	TMG MSC2030F 30 ft x 20 ft Carport Shed (Unused) S/N: Not Available Usage: Not Available	109	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
93	TMG MSC2020F 20 ft x 20 ft Carport Shed (Unused) S/N: Not Available Usage: Not Available	110	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
94	TMG MSC2020F Shed (Unused) S/N: Not Available C/W: 20 ft x 20 ft Carport Usage: Not Available	111	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
95	TMG MSC2020F 20 ft x 20 ft Carport Shed (Unused) S/N: Not Available Usage: Not Available	112	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
96	2022 EXEQ 20 ft x 20 ft x 10 ft Steel Carport (Unused) S/N: Not Available Usage: Not Available	113	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available
97	2022 EXEQ 20 ft x 20 ft x 10 ft Steel Carport (Unused) S/N: Not Available Usage: Not Available	114	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
98	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	115	Suihe Portable Restroom (Unused) S/N: Not Available C/W: Shower, Basin Usage: Not Available
99	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	116	Suihe Portable Restroom (Unused) S/N: Not Available C/W: Shower, Basin Usage: Not Available
100	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	117	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
101	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	118	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
103	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	119	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
104	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	120	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
105	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	121	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available
106	Freeport Portable Restroom (Unused) S/N: Not Available Usage: Not Available	122	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available

Lot #	Details	Lot #	Details
123	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets, Window & Floor Damaged Usage: Not Available	139	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
124	Suihe Portable Toilet (Unused) S/N: Not Available Usage: Not Available	140	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available
125	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available	141	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available
126	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available	142	Suihe Portable Toilet (Unused) S/N: Not Available C/W: (1) Sinks, (1) Toilets Usage: Not Available
127	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available	143	Suihe Portable Toilet (Unused) S/N: Not Available C/W: (1) Sinks, (1) Toilets Usage: Not Available
128	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available	144	Suihe Portable Toilet (Unused) S/N: Not Available Usage: Not Available
129	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available	145	Suihe Portable Toilet (Unused) S/N: Not Available Usage: Not Available
130	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available	146	Portable Toilet S/N: Not Available C/W: (1) Sinks, (1) Toilets Usage: Not Available
131	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available	147	2001 PBL S/A Portable Toilet S/N: 6HAPBLBT1MJL0539 C/W: Ball Hitch, Spring Suspension, 195R14C Tires Usage: Not Available
132	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available	148	2022 EXEQ 6 m x 5.8 m Skid-Mounted Expandable Mobile Office (Unused) S/N: NOTAVAILABLE C/W: (1) Bathrooms, Includes: 8 Sliding lockable Windows, 1 x Door, Timber look flooring, lockable door, Hot & Cold-water inlets, 2 waste outlets, Light, Exhaust fan vent, Gas struts & winches for easy assembly, Size when opened out: 19ft x 20ft, Adjustable feet for easy levelling, WELS Registration Number: L07047, Efficiency Star Rating 4, Water Consumption Full Flush 4.5 L / Half Flush 3.1 L, Nominal Average Flush: 3.4L, Tap Equipment, WELS Registration Number: T38665, Water Efficiency Star rating: 5, Water Consumption 6L /min, NOTE: Units are Plumbed for the shower but Shower Head / Mixer needs to be supplied & Installed by buyer, Photo of shower head is for example purposes only, Approximate Shipping Dimensions: 5950mm L x 2200mm W x 2515mm H, Approximate Weight: 3945kg, NOTE: Units do not come wired. Customer must arrange a licensed Electrician to supply & Install all wiring. Usage: Not Available
133	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available		
134	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available		
135	Suihe Double Portable Toilet (Unused) S/N: Not Available C/W: (2) Sinks, (2) Toilets Usage: Not Available		
136	Suihe Portable Restroom (Unused) S/N: Not Available Usage: Not Available		
137	Suihe Double Portable Toilet (Unused) S/N: Not Available Usage: Not Available		
138	Suihe Portable Restroom (Unused) S/N: Not Available C/W: (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available		

Lot #	Details	Lot #	Details
149	2022 EXEQ Fold Out Mobile Office (Unused) S/N: Not Available C/W: Includes: 1 Large Sliding Door, 8 Sliding Windows, Timber look flooring, Approximate Size when opened out: 20ft x 20ft, Adjustable feet for easy levelling, Approximate Internal floor space: 5.35m x 6.1m (32.5 Sqm), Unit is folded up and ready for transport, Approximate Shipping Dimensions: 5950mm L x 2200mm W x 2515mm H, Approximate Weight: 2650kg Usage: Not Available	161	Suihe Skid-Mounted 12 Ft Mobile Office (Unused) S/N: Not Available C/W: (1) Offices, (1) Bedrooms w/, (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available
150	Suihe 5.8 m x 6 m Portable Folding Storage Building (Unused) S/N: Not Available Usage: Not Available	163	Lincoln Electric Precision Tig 375 TIG Electric Welder S/N: U1050408179 Usage: Not Available
151	Suihe 4 m x 6 m Portable Folding Storage Building (Unused) S/N: Not Available Usage: Not Available	164	13.5 A Mobile Stick Electric Welder S/N: 86086900 C/W: Single Phase 240 V Input, Welder Parts and Sticks Usage: Not Available
152	Suihe 5.8 m x 6 m Portable Folding Storage Building (Unused) S/N: Not Available Usage: Not Available	165	Weldmaster Mig 350S Electric Welder S/N: Not Available C/W: 3 Phase, Wire Feeder Attachment Usage: Not Available
154	Custom Built 8 m x 3 m Skid-Mounted Mobile Office S/N: Not Available C/W: A258012 Usage: Not Available	166	2011 Meccalte 270 kVA Containerized Generator Set S/N: FBXU8353068 C/W: Detroit 6 Cylinder Diesel Engine, 270 kVA/ Rated 3 Phase Output, 138 V / 480 V Rated Voltage, E-Stops Usage: Not Available
155	GB McGregor 6 m x 3 m Skid-Mounted Portable Restroom S/N: NC415 C/W: (3) Sinks, (1) Showers, (4) Toilets, (1) Urinals Usage: Not Available	167	2022 EXEQ APW25 25 kVA Skid-Mounted Generator Set (Unused) S/N: 22100288 C/W: 4 Cylinder Diesel Engine, 240 V / 415 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, E-Stops Usage: Not Available
156	6 m x 3 m Skid-Mounted Mobile Office S/N: Not Available C/W: Air Conditioner, Kitchen, First Aid Usage: Not Available	168	2022 EXEQ APW25 25 kVA Skid-Mounted Generator Set (Unused) S/N: 22100289 C/W: 4 Cylinder Diesel Engine, 240 V / 415 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, E-Stops Usage: Not Available
157	6 m x 3 m Mobile Office S/N: Not Available C/W: Air Conditioner Usage: Not Available	169	2017 Powerlink GMS15KS-AU 17 kVA Stand-By Generator Set S/N: PL7750/1 C/W: Kubota 3 Cylinder Engine, 415 V / 240 V Rated Voltage, Sound Attenuated, E-Stops Usage: 2,632 Hr
158	Atco 9.3 m x 3.3 m Skid-Mounted Mobile Office S/N: Not Available C/W: Air Conditioner Usage: Not Available	170	2022 EXEQ GEN15 15 kVA Skid-Mounted Generator Set (Unused) S/N: 23020409 C/W: 4 Cylinder 21 kW Diesel Engine, 15 kVA,/ Rated Single Phase Output, / 240 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, E-Stops Usage: Not Available
159	6 m x 2.5 m Hook-Lift Mobile Office S/N: Not Available C/W: Air Conditioner, Kitchen, Fork Pockets Usage: Not Available	171B	2015 Agrison 187 kVA Skid-Mounted Generator Set S/N: 1508273 C/W: 6 Cylinder Engine, 187 kVA/ Rated 3 Phase Output, 415 V Rated Voltage, Sound Attenuated, E-Stops Usage: 37,994 Hr
160	Suihe Skid-Mounted 12 Ft Mobile Office (Unused) S/N: Not Available C/W: (1) Offices, (1) Bedrooms w/, (1) Sinks, (1) Showers, (1) Toilets Usage: Not Available		

Lot #	Details	Lot #	Details
171A	2015 Agrison 187 kVA Skid-Mounted Generator Set S/N: 1508275 C/W: 6 Cylinder Engine, 187 kVA/ Rated 3 Phase Output, 415 V Rated Voltage, Sound Attenuated, E-Stops Usage: 2,859 Hr	179	CompAir VT-1 Superlight Light Tower (Inoperable) S/N: 6T926V9780AKE021 C/W: Kubota 3 Cylinder Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer Usage: 16,312 Hr
171	2022 EXEQ GEN15-1 15 kVA Skid-Mounted Generator Set (Unused) S/N: 23020432 C/W: 4 Cylinder 21 kW Diesel Engine, 15 kVA,/ Rated Single Phase Output, / 240 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, E-Stops Usage: Not Available	180	2012 Bartco Electric Traffic Light S/N: 6T9T27V97C0FKE212 C/W: Master & Slave Unit Usage: Not Available
172	2012 BROADCASTCROWN 200 kVA Skid-Mounted Generator Set S/N: ACBCJD200-50 C/W: John Deere 6 Cylinder Diesel Engine, 200 kVA/160 kW Rated 3 Phase Output, 415 V / 240 V Rated Voltage, Sound Attenuated, E-Stops Usage: 2,054 Hr	184	Quantity of (2) Freeport Air Compressor (Unused) S/N: Not Available Usage: Not Available
173	2012 BROADCASTCROWN 150 kVA Generator Set S/N: EXP54288 C/W: John Deere 6 Cylinder Engine, 150 kVA /120 kW Rated 3 Phase Output, 415 V / 240 V Rated Voltage, Sound Attenuated, E-Stops Usage: 10,791 Hr	185	Quantity of (2) Freeport Skid-Mounted Air Compressor (Unused) S/N: Not Available C/W: Jiang Dong JFNT200 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
174	Allight Mobile Light Tower S/N: C046501/04 C/W: Deutz 3 Cylinder Diesel Engine, 3 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Lunette Ring, Manual Stabilizers Usage: 2,052 Hr	186	Quantity of (2) Freeport Skid-Mounted Air Compressor (Unused) S/N: Not Available C/W: Jiang Dong JFNT200 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
175	Allight Mobile Light Tower S/N: C074784/07 C/W: Deutz 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring, Manual Stabilizers, Remote Control Usage: 4,638 Hr	187	Quantity of (2) Freeport Air Compressor (Unused) S/N: Not Available Usage: Not Available
176	2011 Blix Fox Light Tower S/N: 6T9T26R11B02XF011 C/W: 2011 US EPA Label, Cat 3 Cylinder Engine, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch, E-Stops Usage: 8,387 Hr	189	Air Receiver S/N: Not Available Usage: Not Available
177	Allight Light Tower (Inoperable) S/N: NOT-AVAILABLE C/W: Perkins 3 Cylinder Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch, E-Stops Usage: 5,132 Hr	190	Ingersoll Rand 100-47 Air Compressor (Inoperable) S/N: 112556A80910 C/W: Deutz 4 Cylinder Engine, S/A Trailer, Ball Hitch Usage: Not Available
178	2011 Blix Fox Light Tower S/N: 6T9T26R11B02XF010 C/W: 2011 US EPA Label, Cat 3 Cylinder Engine, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch, E-stops Usage: 5,385 Hr	191	Comp Air Mobile Air Compressor (Inoperable) S/N: 18HV558841 C/W: 4 Cylinder Engine, S/A Trailer, Ball Hitch Usage: Not Available
		192	Suihe Skid Mounted Pressure Washer (Unused) S/N: Not Available C/W: Water Heater, Jiang Dong JF420 Engine Usage: Not Available
		193	Suihe Skid Mounted Pressure Washer (Unused) S/N: Not Available C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Jiang Dong JF420 Engine Usage: Not Available
		194	Suihe Skid Mounted Pressure Washer (Unused) S/N: 0160240100 C/W: 4000 psi Rating, 20 L Water Supply, Jiang Dong JF420 Engine Usage: Not Available

Lot #	Details	Lot #	Details
195	Spitwater Pressure Washer (Inoperable) S/N: Not Available C/W: 330 bar Rating, Hose, Electric Operated Usage: Not Available	206	2005 Hyster H18.00XM-12EC Container Handler S/N: A214E02126C C/W: Enclosed Cab, 18800 mm Max Lift Height, Side Shift Usage: 9,324 Hr
196	Linear Concrete Pump S/N: 713002 C/W: Hatz 3 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Hoses and Fittings Usage: Not Available	207	2008 Agrimac TH-210 4x4 Rough Terrain Forklift S/N: 4955B C/W: 3 Stage Mast, 3300 mm Max Lift Height, 2050 mm Lowered Mast Height, 1060 mm Forks, Side Shift, 2008 US EPA Label, Perkins 4 Cylinder Diesel Engine Usage: 2,699 Hr
197	2022 Boss BP30 Cast Iron Pump (Unused) S/N: Not Available C/W: 28 CFM, Flywheel & Filter Housing Usage: Not Available	208	2007 Yale GLP35TK Cushion Tyre Forklift S/N: B871R04939E C/W: 3 Stage Mast, 4580 mm Max Lift Height, 1070 mm Forks, Side Shift, Fork Positioner, 4 Cylinder LPG Engine Usage: 4,629 Hr
198	2022 Boss BP30 Cast Iron Pump (Unused) S/N: Not Available C/W: 28 CFM, Flywheel & Filter Housing Usage: Not Available	209	Toyota 32-8FG30 Cushion Tyre Forklift S/N: 30022 C/W: 2 Stage Mast, 4500 mm Max Lift Height, 1120 mm Forks, Side Shift, Load Weigh System, 4 Cylinder LPG Engine Usage: 10,238 Hr
199	Kelly & Lewis Pumps Water Pump S/N: AY7805 C/W: 140 mm Intake, 160 mm Discharge Usage: Not Available	210	Komatsu FD30T-16 Pneumatic Tire Forklift S/N: 568472 C/W: 3 Stage Mast, 4300 mm Max Lift Height, 1950 mm Lowered Mast Height, 1070 mm Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 10,692 Hr
200	Kelly & Lewis Pumps Water Pump S/N: AY7804 C/W: 140 mm Intake, 160 mm Discharge Usage: Not Available	211	1995 Hyster H3.20XML Cushion Tyre Forklift S/N: D177B21041S C/W: 3 Stage Mast, Forks, LPG Engine Usage: Not Available
201	Water Pump S/N: Not Available C/W: 75 mm Intake, 75 mm Discharge, Honda GX390 Engine Usage: Not Available	212	Nissan 25 Dual Fuel Pneumatic Tire Forklift S/N: UJ02111323 C/W: 2 Stage Mast, 4100 mm Max Lift Height, 2550 mm Lowered Mast Height, 2000 mm Forks, Side Shift, 4 Cylinder Engine Usage: 6,117 Hr
202	JLG 2030ES Electric Scissor Lift (Inoperable) S/N: 1200014203 C/W: 12.5 m Max Lift Height, 160 kg Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 330 Hr	213	Hyster 2.50XL Cushion Tyre Forklift S/N: NOT-AVAILABLE C/W: 2 Stage Mast, 2800 mm Lowered Mast Height, 1050 mm Forks, Isuzu 4 Cylinder Diesel Engine Usage: 4,401 Hr
203	2005 Haulotte Optimum 8 Electric Scissor Lift (Inoperable) S/N: CE115896 C/W: 7.6 m Max Lift Height, 230 kg Max Weight Capacity, Platform Extension, Solid Non-Marking Tires Usage: Not Available	214	Toyota 7-FBMBF-25 Electric Forklift S/N: Y5739 C/W: 2 Stage Mast, 1200 mm Forks, Side Shift, Fork Positioner, Battery Charger Usage: Not Available
204	2007 JLG 660SJ Elevating Work Platform 4WD Diesel Telescopic Boom Lift S/N: 0300104267 C/W: 20.1 m Max Lift Height, 230 kg Max Weight Capacity, Power to Platform, 2006 US EPA Label, Deutz 4 Cylinder Engine, 15-19.5 Tires Usage: 3,579 Hr	215	Komatsu FD25T-16 Pneumatic Tire Forklift S/N: 453142 C/W: 2 Stage Mast, 3000 mm Max Lift Height, 1950 mm Lowered Mast Height, 1100 mm Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 2,918 Hr
205	2004 Haulotte HA16PXNT 4WD Diesel Articulating Boom Lift S/N: AD108882 C/W: 16 m Max Lift Height, 230 kg Max Weight Capacity, 2004 US EPA Label, Deutz 4 Cylinder Engine, 385/65-22.5 Tires Usage: 2,644 Hr		

Lot #	Details	Lot #	Details
216	1999 Toyota 42-7FG18 Pneumatic Tire Forklift (Inoperable) S/N: 407FG1810591 C/W: 2 Stage Mast, 3000 in Max Lift Height, 1970 mm Lowered Mast Height, 1100 mm Forks Usage: Not Available	225	1989 Austoft TR40 4x4 Trencher S/N: 1036 C/W: Canopy, Hydrostatic Drive, Kubota 4 Cylinder Engine, 110 mm Wide x 1900 mm Long Rock Trencher Chain, Angle Blade Usage: 1,759 Hr
217	Nissan YGL02A35U Pneumatic Tire Forklift S/N: 001748 C/W: 2 Stage Mast, 4500 mm Max Lift Height, 1700 mm Forks, Side Shift, Fork Positioner, Load Weigh System, 4 Cylinder Diesel Engine Usage: Not Available	226	1000 mm Skid Steer Trencher S/N: Not Available Usage: Not Available
218	2015 Komatsu FD25T-17 Pneumatic Tire Forklift S/N: 342373 C/W: 3 Stage Mast, 4500 mm Max Lift Height, 1190 mm Forks, Side Shift, Fork Positioner, 4 Cylinder Engine Usage: 9,257 Hr	227	2020 Ausa D1000AP 10.6 t 4x4 Dumper S/N: 63275946 C/W: Manual Transmission, 2014 US EPA Label, Kubota V3800-CR-TI-EF02 4 Cylinder 111 hp Diesel Engine, Front View Camera Usage: 680 Hr
219A	Toyota 42-6FG15 Pneumatic Tire Forklift S/N: 406FG1831668 C/W: 2 Stage Mast, 4500 in Max Lift Height, 2550 mm Lowered Mast Height, 1100 mm Forks, Side Shift, 4 Cylinder Dual Fuel Engine Usage: 3,467 Hr	228	2020 Ausa D1000AP 4x4 Dumper S/N: VA106323C00085063 C/W: Canopy, E-Stops, Manual Transmission, 2018 US EPA Label, Deutz 4 Cylinder 72 hp Diesel Engine, 500/60-22.5 Tyres, Front View Camera Usage: 744 Hr
219	2012 Nissan L01A18JU Cushion Tyre Forklift S/N: 004627 C/W: 2 Stage Mast, 4500 mm Max Lift Height, 1110 mm Forks, Side Shift, 4 Cylinder LPG Engine Usage: 4,449 Hr	229	2016 Terex TA9 4x4 Dumper S/N: NOTAVAILABLE C/W: Canopy, E-Stops, Manual Transmission, 2015 US EPA Label, JCB 4 Cylinder 73 hp Diesel Engine Usage: 2,345 Hr
220	Yale 03-FG14PVD5 Dual Fuel Pneumatic Tire Forklift S/N: BJ0742 C/W: 2 Stage Mast, 4000 mm Max Lift Height, 2550 mm Lowered Mast Height, 1200 mm Forks, 4 Cylinder Engine Usage: 1,394 Hr	230	Mitsubishi LD1000E Crawler Dumper S/N: CB100307 C/W: Enclosed Cab, Air Conditioner, US EPA Label, Isuzu AA-6HK1X 6 Cylinder Engine, 750 mm Rubber Tracks Usage: 2,473 Hr
221	1999 Vermeer BC1800A Tow-Behind Chipper S/N: 1VRN13124X1001645 C/W: 1998 US EPA Label, Perkins 4 Cylinder Engine, Swivel Discharge Chute, S/A Trailer, Lunette Ring, Surge Brakes Usage: 2,871 Hr	231	Mitsubishi LD1000E Crawler Dumper S/N: CB101017 C/W: Enclosed Cab, Air Conditioner, US EPA Label, Isuzu 6 Cylinder Engine, 750 mm Rubber Tracks Usage: 5,634 Hr
223A	2017 Ditch Witch RT45 4x4 Trencher/Cable Plow S/N: DWPH314XVH0003849 C/W: 3 Cylinder Engine, 140 mm Wide x 1400 mm Long Straight Blade, Front Weights, A252760 Usage: 373 Hr	232	2015 Fiori F7000 4x4 All Terrain Mixer S/N: D6480302 C/W: Enclosed Cab, Air Conditioner, 4 Cylinder Engine Usage: 3,321 Hr
223	2007 Rayco RG1635JR Stump Grinder S/N: 1R91209117M210020 C/W: Hydrostatic Drive, 2020 US EPA Label, Briggs & Stratton Vanguard 37 hp Petrol Engine, 450 mm Grinding Wheel, S/A Trailer, Ball Hitch Usage: 1,939 Hr	233	2016 Terex PT80 Two-Speed Compact Track Loader S/N: ASVPT080CDWS01564 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, E-Stops, 450 mm Track Belts, Manual Coupler, 1900 mm Norm PT80 Crossflow Hydraulic Tilting Multi Purpose Bucket Usage: 3,572 Hr
		234A	2014 Cat 259D Two-Speed Compact Track Loader S/N: CAT0259DCFTK00397 C/W: Enclosed Cab, Air Conditioner, 2012 US EPA Label, 400 mm Track Belts, Hydraulic Coupler, 1700 mm Multi-Purpose Bucket Usage: 4,457 Hr

Lot #	Details	Lot #	Details
234	2018 Kubota SVL75-2 Compact Track Loader S/N: 35920 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, 2018 US EPA Label, 315 mm Track Belts, Manual Coupler, 1850 mm Multi-Purpose Bucket Usage: 5,183 Hr	245	JCB 185 Skid Steer Loader (Inoperable) S/N: NOT-AVAILABLE C/W: Enclosed Cab (Door missing), Air Conditioner, Manual Coupler Usage: Not Available
236	2020 Cat 239D3 Two-Speed Compact Track Loader S/N: CAT0239DJHC901043 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, E-Stops, 2020 US EPA Label, 320 mm Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 1750 mm Norm Engineering Multi-Purpose Crossflow Bucket Usage: 470 Hr	246	Toyota 4SDK4 Huski Skid Steer Loader (Inoperable) S/N: 4SDK410561 C/W: Open Operator Station, Solid Tires, Manual Coupler, 950 mm Multi-Purpose Bucket Usage: Not Available
237	2008 Bobcat T190 High Flow Compact Track Loader S/N: 531620596 C/W: Open Operator Station, Tier 2, 2007 US EPA Label, 320 mm Track Belts, Manual Coupler, 1730 mm Multi-Purpose Bucket Usage: 3,922 Hr	247	2008 Cat 444E Premier 4x4x4 Backhoe Loader S/N: CAT0444ELLBE00676 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, E-Stops, Auxiliary Hydraulics, Hydraulic Coupler, 2420 mm Multi-Purpose Loader Bucket, Side Shift, Extendable Stick, Hydraulic Quick Coupler, 1520 mm Backhoe Cleanup Bucket, Rear Auxiliary Hydraulics, Additional 850 mm, 550 mm, 400 mm, 290 mm Backhoe Buckets Usage: 10,481 Hr
238	2008 ASV PT60 Two-Speed Compact Track Loader S/N: PTE02577 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 380 mm Track Belts, Manual Coupler, 1700 mm Tilting Multi-Purpose Bucket Usage: 4,051 Hr	248	2022 JCB 3DX 4x4 Backhoe Loader (Unused) S/N: HAR3DXU4E03073362 C/W: Enclosed Cab, Air Conditioner, 2200 mm Multi-Purpose Loader Bucket, Side Shift, Extendable Stick, 560 mm Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 10 Hr
240A	2017 Bobcat S450 Skid Steer Loader S/N: B1ED11832 C/W: Enclosed Cab (Door missing), Joystick Steering, Rear View Camera, E-Stops, Manual Coupler, 1600 mm Multi-Purpose Bucket Usage: 2,520 Hr	249	2006 JCB 3CX 4x4 Backhoe Loader S/N: SLP3CXTS6E0967894 C/W: Enclosed Cab, Air Conditioner, Ride Control, Backhoe Pilot Controls, Control Pattern Changer, Powershift Transmission, 2005 US EPA Label, 2270 mm Multi-Purpose Loader Bucket, Side Shift, Extendable Stick, Hydraulic Quick Coupler, 1240 mm Backhoe Cleanup Bucket Usage: Not Available
241	2017 Mustang 1650R Skid Steer Loader S/N: MMX1650RJ0X192008 C/W: Open Operator Station, Aperture Tires, Manual Coupler, 1840 mm Bucket Usage: 1,409 Hr	250	1991 Case 580K 4x4 Backhoe Loader S/N: JJH0011079 C/W: Enclosed Cab, 2300 mm Multi-Purpose Loader Bucket, Side Shift, 550 mm Backhoe Digging Bucket, 400 mm Bucket, 300 mm Bucket, Additional 300 mm and 400mm Digging Buckets Usage: Not Available
242	2004 Bobcat S185 High Flow Skid Steer Loader S/N: 525014358 C/W: Enclosed Cab, E-Stops, 2004 US EPA Label, Aperture Tires, Manual Coupler, 1600 mm Multi-Purpose Bucket, Additional (4) Pneumatic Tyres Usage: 3,179 Hr	252	2011 Manitou MT1440 Telehandler S/N: 905951 C/W: Enclosed Cab, Air Conditioner, E-Stops, 13.5 m Max Lift Height, 4000 kg Max Lift Capacity, 1200 mm Forks, Fork Positioner, Manual Coupler, Outriggers, Auxiliary Hydraulic Plumbing, 400/80-24 Tires Usage: 7,210 Hr
243	2006 Gehl 3640E Skid Steer Loader S/N: GHL03640E00002147 C/W: Open Operator Station, 2006 US EPA Label, Solid Tires, Manual Coupler, 1560 mm Bucket Usage: 1,973 Hr	253	2011 Volvo L180G Wheel Loader S/N: VCEL180GE00016068 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, Loadrite L2180 On-Board Scale, E-Stops, 3400 mm Bucket, Auto Lube, 26.5R25 Tires Usage: 23,724 Hr
244	2002 Bobcat 753 Skid Steer Loader S/N: 515842391 C/W: Open Operator Station, 2001 US EPA Label, Manual Coupler, 1500 mm Multi-Purpose Bucket Usage: 3,416 Hr		

Lot #	Details	Lot #	Details
257	2006 Volvo L90E Wheel Loader S/N: L90EV22192 C/W: Enclosed Cab, Air Conditioner, Ride Control, Loadrite On-Board Scale w/Printer, 2006 US EPA Label, Hydraulic Coupler, 2600 mm Bucket, Auto Lube, 20.5R25 Tires Usage: 11,697 Hr	273	2003 Bullivants 85,000 L Water Tank S/N: 1273768 C/W: to fit 777F, rear sprays Usage: Not Available
259	1997 Cat 928G Wheel Loader S/N: 7SR00384 C/W: Enclosed Cab, Air Conditioner, 2550 mm Bucket, 20.5R25 Tires Usage: 8,927 Hr	274	Custom Built 45,000 L Water Tank S/N: Not Available C/W: to suit Cat 773, rear sprays, southern cross pump Usage: Not Available
262	2018 Volvo A40G Articulated Dump Truck S/N: VCE0A40GP00323045 C/W: Air Conditioner, Retarder, Rear View Camera, E-Stops, Tailgate, Fast Fuel Fill, 29.5 R25 Tires Usage: 7,660 Hr	275	Custom Built 35,000 L Water Tank S/N: Not Available C/W: to suit Komatsu HD405, Flowserve pump Usage: Not Available
264	2000 Cat D400E Series II Articulated Dump Truck S/N: 8PS00604 C/W: Air Conditioner, Retarder, E-Stops, Fast Fuel Fill, 29.5R25 Tires Usage: 24,449 Hr	276	2014 John Deere 672GP AWD Motor Grader S/N: 1DW672GPLEF660983 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Requires AdBlue, 14 ft / 4.27 m Moldboard, Push Block, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 4,777 Hr
265	2003 Volvo A35D Articulated Dump Truck S/N: A35DV11733 C/W: Air Conditioner, Retarder, E-Stops, Steel Body Liner, Fast Fuel Fill, 26.5R25 Tires Usage: 13,957 Hr	277	2012 John Deere 672GP AWD Motor Grader S/N: 1DW672GPKCD645448 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, E-Stops, 14 ft / 4.27 m Moldboard, Push Block, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 10,020 Hr
268	2008 Volvo A30E Articulated Dump Truck S/N: A30EV72030 C/W: Air Conditioner, Retarder, E-Stops, 2007 US EPA Label, Tailgate, 23.5R25 Tires Usage: 13,425 Hr	278	2012 John Deere 670GP Motor Grader S/N: 1DW670GPKBD640978 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 14 ft / 4.27 m Moldboard, Push Block, Combination Ripper/Scarifier, 17.5-25 Tires Usage: 8,946 Hr
269A	2003 Terex TA30 Articulated Dump Truck S/N: A8281029 C/W: Air Conditioner, Retarder, 23.5R25 Tires Usage: 14,132 Hr	279	2008 John Deere 670D Motor Grader S/N: DW670DX620048 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, E-Stops, 2008 US EPA Label, 12 ft / 3.66 m Moldboard, Push Block, Combination Ripper/Scarifier, 14.00-24 Tires Usage: 7,145 Hr
269	2008 Volvo A30E Articulated Dump Truck S/N: VCE0A30EL00072139 C/W: Air Conditioner, Retarder, 2008 US EPA Label, Tailgate, 23.5R25 Tires, Inclinator Usage: 18,333 Hr	280	2002 John Deere 670CH Series II Motor Grader S/N: DW670CH585516 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, 14 ft / 4.27 m Moldboard, Push Block, Combination Ripper/Scarifier, Rear Auxiliary Hydraulics, 14.00R24 Tires Usage: 11,938 Hr
270	2006 Volvo A25D Articulated Dump Truck S/N: A25DV15822 C/W: Air Conditioner, E-Stops, Tailgate, 23.5 R25 Tires Usage: 19,062 Hr	281	1976 Cat 140 G Motor Grader S/N: 72V1524 C/W: Enclosed Cab, Air Conditioner, 14 ft / 4.27 m Moldboard, Push Block, Combination Ripper/Scarifier, 14.00R24 Tires Usage: 7,031 Hr
271	1990 Cat 631E 45000 L Water Wagon S/N: 1AB01333 C/W: Enclosed Cab, Air Conditioner, Retarder, E-Stops, Rear Spray, Side Spray, Hydraulic Driven Water Pump, 37.25R35 Tires, Cushion Hitch, Fast Fuel Fill, Fire Suppression, Safety Rails Usage: 7,316 Hr	282	2001 Cat 631G Motor Scraper S/N: CAT0631GAAWK00277 C/W: Enclosed Cab, Air Conditioner, Fire Suppression System, E-Stops, Cushion Hitch, Fast Fuel System, 37.25R35 Tires Usage: 19,872 Hr
272	1988 Cat 631E 45000 L Water Wagon S/N: 1AB01031 C/W: Enclosed Cab, Air Conditioner, Retarder, E-Stops, Rear Spray, Side Spray, Hydraulic Driven Water Pump, 37.25-35 Tires, Cushion Hitch, Fast Fuel, Fire Suppression, Safety Rails Usage: 10,445 Hr		

Lot #	Details	Lot #	Details
283	1995 Cat D10N Crawler Dozer S/N: 3SK00935 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Powershift Transmission w/ Lever Steering, E-Stops, Fast Fuel System, 4400 mm Wide Semi-U Blade w/ Single Tilt, 600 mm Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper w/Hydraulic Pin Puller Usage: 10,730 Hr	295	2021 Cat CP44B Padfoot Drum Compactor S/N: CATCP44BLGTT00147 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, E-Stops, Cat C4.4 Engine, 1700 mm Drum Usage: 76 Hr
286	2008 Cat D6T XW Crawler Dozer S/N: CAT00D6TCDJG00306 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, E-Stops, 4100 mm Wide PAT Blade, 560 mm Single Grouser Track Shoes, SystemOne Undercarriage, Multi-Shank Ripper Usage: 11,799 Hr	296	2007 Ammann ASC 70 Smooth Drum Compactor S/N: 10708270430 C/W: Enclosed Cab, Air Conditioner, E-Stops, 2006 US EPA Label, Cummins 4 Cylinder Engine, 1680 mm Drum, Padfoot Shell Kit Usage: 2,267 Hr
287	2007 Cat D6T LGP Crawler Dozer S/N: CAT00D6TPKJL00433 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, E-Stops, 3900 mm Wide Straight Blade w/ Single Tilt, 920 mm Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 23,819 Hr	297	2010 Dynapac CA302D Smooth Drum Compactor S/N: 68411619 C/W: Enclosed Cab, Air Conditioner, Swivel Operator Controls, 4 Cylinder Engine, 2130 mm Drum Usage: 2,441 Hr
289	2002 Cat 825G Converted From 826G Soil Compactor S/N: CAT0825GH6RN00523 C/W: Enclosed Cab, Air Conditioner, E-Stops, 3406 Engine, 1100 mm Compaction Wheel Width, 4400 mm Straight Blade w/ Single Tilt, Fire Suppression Usage: 19,894 Hr	298	2022 Wacker Neuson RC70 Smooth Drum Compactor S/N: WNCR1201HHAA00334 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, E-Stops, Tier 4, 2021 US EPA Label, Kubota 4 Cylinder Engine, 1680 mm Drum Usage: 128 Hr
291	2006 Cat 815F Soil Compactor S/N: CAT0815FPBKL00882 C/W: Enclosed Cab, Air Conditioner, E-Stops, Pre-Wired for Grade Control, 2005 US EPA Label, Cat 3176 Engine, 950 mm Compaction Wheel Width, 3700 mm Straight Blade w/ Single Tilt, Fire Suppression System Usage: 12,553 Hr	299	2021 Cat CB2.7 Double Drum Roller S/N: CAT0CB27PR5201294 C/W: Open Operator Station, E-Stops, Cat 3 Cylinder Engine, 1200 mm Drums, Water System Usage: 54 Hr
292	2016 Tana E520 Landfill Compactor S/N: AT1152 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Cummins QSX15 6 Cylinder Engine, 4000 mm Compaction Wheel Width, 4950 mm Straight Blade w/ Single Tilt, Fire Suppression Usage: 11,576 Hr	301	2000 Bomag BW120AD-3 Double Drum Roller S/N: 101170515673 C/W: Open Operator Station, E-Stops, Deutz 2 Cylinder Engine, 1200 mm Drums, Water System Usage: 2,118 Hr
293	2008 Bomag BW216PD-4 Padfoot Drum Compactor S/N: 101583241014 C/W: Enclosed Cab, Air Conditioner, E-Stops, 2008 US EPA Label, Deutz 4 Cylinder 160 hp Engine, 2100 mm Drum Usage: 4,788 Hr	302	Aveling Barford DC015 3 Wheel Roller S/N: GN3871 C/W: Enclosed Cab, Air Conditioner, E-Stops, Perkins 4 Cylinder Engine, 2000 mm Compaction Width Usage: 6,891 Hr
294	2012 Hamm 3414P Padfoot Drum Compactor S/N: H1802381 C/W: Enclosed Cab, Air Conditioner, Swivel Operator Controls, E-Stops, Deutz 4 Cylinder Engine, 2130 mm Drum Usage: 3,832 Hr	303	1993 Multipac VP200 8 Wheel Pneumatic Roller S/N: NOT AVAILABLE C/W: Enclosed Cab, Dual Controls, E-Stops, Deutz 5 Cylinder Engine, 1750 mm Compaction Width Usage: 7,044 Hr
		304A	2006 Chang Diamond RH126 Smooth Drum Compactor S/N: 0610126009 C/W: Enclosed Cab, Air Conditioner, E-Stops, Deutz 4 Cylinder Engine, 2130 mm Drum Usage: 3,563 Hr
		304	1984 Pacific RP38 7 Wheel Pneumatic Roller S/N: 241 C/W: Enclosed Cab, Air Conditioner, 6 Cylinder Engine Usage: 1,352 Hr

Lot #	Details	Lot #	Details
306	1998 Link-Belt ATC 822 4x4 Hydraulic Truck Crane (Inoperable) S/N: 7118-8920 C/W: Allison 6 Speed Powershift Automatic, Transmission, 6707 hrs Carrier Engine, Cummins 6BT 6 Cylinder Diesel Carrier Engine, Anti Two-Block, Microguard 414 Load Moment Indicator, 8.23 m Minimum 21.34 m Maximum Boom Length, Rooster Sheave, Swingaway Offset Jib, 85 lb Hook Block, 85 lb Overhaul Ball, 445/80R25 Tires Usage: 104,748 Mi	315	2006 Cat 345C L Tracked Excavator S/N: CAT0345CAPJW00691 C/W: Air Conditioner, Fire Suppression System, E-Stops, 2005 US EPA Label, 3650 mm Stick, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1300 mm Digging Bucket, Auto Lube, Safety Rails Usage: 5,578 Hr
308	1996 Mait HR110 Foundation Drill S/N: 1101051030 C/W: 14 m Mast, Auxiliary Winch, (4) Hydraulic Stabilisers, Detroit 4 Cylinder Engine, 600 mm TGB Tracks, E-stops, PileSafe Exp. 04/2022, A254090 Usage: 20,623 Hr	316	2019 Cat 336 Next Gen Tracked Excavator S/N: CAT00336VYBN00603 C/W: Air Conditioner, Rear & Side View Cameras, E-Stops, Pre-Wired for Grade Control, 3D GPS Grade Control, Tier 4, 2019 US EPA Label, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Digging Bucket, Safety Rails Usage: 5,201 Hr
309	2007 Terex Pegson 1300 Maxtrak Cone Crushing Plant S/N: 130205EH C/W: Belt Feeder Terex Pegson 1300AMAX Cone Crusher, 1300 mm Wide Feed Conveyor, 1000 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C13 ACERT 440 hp Engine, 500 mm Triple Grouser Track Shoes Usage: 6,852 Hr	317	2018 Hitachi ZX360-5B Tracked Excavator S/N: HCMDDD21C00072021 C/W: Air Conditioner, Rear View Camera, E-Stops, Pre-Wired for Grade Control, 2700 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 2075 mm Hydraulic Tilting Bucket, Auto Lube, Safety Rails Usage: 5,266 Hr
311	2002 Powerscreen 600 Tracked Screen Plant S/N: 15500082 C/W: 2500 mm x 3600 mm Belt Feeder w /Hydraulic Raise Grizzly 4700 mm x 1800 mm Trommel Screen, 800 mm Wide Fines Discharge Conveyor, 1000 mm Wide Under Screen Conveyor, 1000 mm Wide End Discharge Conveyor, Cable Remote Control, 2007 US EPA Label, Deutz 4 Cylinder 100 hp Engine, 500 mm Triple Grouser Track Shoes, Auxiliary Hydraulics, E-Stops Usage: 7,457 Hr	318	2013 Komatsu PC350LC-8 Tracked Excavator S/N: KMTPC191C02063774 C/W: Air Conditioner, Rear View Camera, E-Stops, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1600 mm Digging Bucket, Auto Lube, Safety Rails Usage: 5,502 Hr
312	Trommel Screen S/N: NOT-AVAILABLE C/W: 4200 mm x 1780 mm Trommel Screen, 4 Cylinder Diesel Engine, 1080 mm Wide Feed Conveyor, 830 mm Wide Under Screen Conveyor, 900 mm Wide End Discharge Conveyor Usage: 1,695 Hr	319	2011 Cat 336D Tracked Excavator S/N: CAT0336DPPGW00178 C/W: Air Conditioner, E-Stops, 2700 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Safety Rails Usage: 11,881 Hr
313	2023 VICKEY 510W S/A Trommel Screen (Unused) S/N: 2023021612 C/W: 2510 mm x 1520 mm Trommel Screen, 755 mm Wide Feed Conveyor, 1050 mm Wide End Discharge Conveyor, Deutz D914L4 4 Cylinder 51 kW Diesel Engine Usage: Not Available	320	2013 Volvo EC350DL Tracked Excavator S/N: VCEC350DC00280018 C/W: Air Conditioner, Cab Screens, E-Stops, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1200 mm Digging Bucket, Safety Rails Usage: 5,772 Hr
314	JCB 2063 Tracked Conveyor S/N: D70463 C/W: Hydraulic Raise, Hydraulic Radial Drive, Perkins 6 Cylinder Engine, 1200 mm Belt Usage: 4,668 Hr	321	2017 Sumitomo SH330LC-6 Tracked Excavator S/N: SMT330U6E00BH1101 C/W: Air Conditioner, Cab Screens, Rear View Camera, E-Stops, 3300 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1300 mm Digging Bucket, Safety Rails, Vandal Covers Usage: 3,621 Hr

Lot #	Details	Lot #	Details
322	2011 Hitachi ZX330LC-3 Tracked Excavator S/N: HCM1V700L00059253 C/W: Air Conditioner, Rear View Camera, 2700 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 2000 mm Cleanup Bucket, Safety Rails Usage: 14,056 Hr	331	2011 Hitachi ZX240-3 Tracked Excavator S/N: HCM1V100C00026410 C/W: Air Conditioner, Rear View Camera, E-Stops, 3000 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 2100 mm Hydraulic Tilting Bucket Usage: 11,288 Hr
324	2006 Cat 330D L Tracked Excavator S/N: CAT0330DCNBD00165 C/W: Air Conditioner, E-Stops, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 2200 mm Cleanup Bucket, Safety Rails Usage: 15,826 Hr	332	2018 Hitachi ZX225USLC-5B Tracked Excavator S/N: HCMDCN21H00307953 C/W: Air Conditioner, Rear View Camera, E-Stops, Pre-Wired for Grade Control, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 600 mm Triple Grouser Track Shoes, Tilting Hydraulic Coupler, 2000 mm Cleanup Bucket, Safety Rails Usage: 6,184 Hr
325	2004 Hitachi ZX330LC Long Reach Tracked Excavator S/N: HCM1HH00P00032056 C/W: Air Conditioner, Fire Suppression System, Rear View Camera, E-Stops, 9.9 m Boom, 6600 mm Stick, 600 mm Triple Grouser Track Shoes, 1320 mm Cleanup Bucket, Safety Rails Usage: 23,601 Hr	333	Kobelco SK250-8 Tracked Excavator S/N: L01206044 C/W: Air Conditioner, E-Stops, 3000 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1300 mm Digging Bucket Usage: 16,887 Hr
326	2017 Doosan DX300LC Tracked Excavator S/N: DHKCECAACH0010917 C/W: Air Conditioner, Cab Screens, Rear View Camera, E-Stops, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1450 mm Digging Bucket, Safety Rails Usage: 8,106 Hr	334	2022 Komatsu PC210-LC-10 Tracked Excavator (Unused) S/N: KMTPC282ANY732679 C/W: Air Conditioner, Cab Screens, 2500 mm Stick, Auxiliary Hydraulic Plumbing, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1290 mm Digging Bucket Usage: 20 Hr
327	2013 Komatsu PC300LC-8 Tracked Excavator S/N: KMTPC191E02064009 C/W: Air Conditioner, Rear View Camera, E-Stops, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Digging Bucket, Auto Lube, Safety Rails Usage: 9,062 Hr	335	2021 Kobelco SK200-10 Tracked Excavator S/N: YN15086813 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Requires AdBlue, 2950 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1200 mm Digging Bucket Usage: 510 Hr
329	2013 Cat 329D L Tracked Excavator S/N: CAT0329DVDJF00532 C/W: Air Conditioner, E-Stops, Pre-Wired for Grade Control, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1550 mm Digging Bucket, Catwalks, Safety Rails Usage: 9,855 Hr	337	2019 Sumitomo SH210LC-6 Tracked Excavator S/N: SMT210U6L00BH1405 C/W: Air Conditioner, Cab Screens, Rear View Camera, E-Stops, 2500 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 600 mm Digging Bucket, Hydraulic Thumb, Safety Rails, Vandal Covers Usage: 1,154 Hr
330	2019 Cat 323 Next Gen Tracked Excavator S/N: CAT00323ARAZ11483 C/W: Air Conditioner, Rear & Side View Cameras, E-Stops, 3D GPS Grade Control, Tier 4, 2019 US EPA Label, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Tilting Hydraulic Coupler, 1410 mm Digging Bucket, Safety Rails Usage: 4,149 Hr	339	2019 Cat 320GC Tracked Excavator S/N: CAT00320EZBT00714 C/W: Air Conditioner, 3250 mm Stick, 800 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1170 mm Digging Bucket, Safety Rails Usage: 2,875 Hr

Lot #	Details	Lot #	Details
340	2014 Cat 321D LCR Tracked Excavator S/N: CAT0321DCKBZ00212 C/W: Air Conditioner, Cab Screens, Rear View Camera, E-Stops, Pre-Wired for Grade Control, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1850 mm Cleanup Bucket, Safety Rails, Height & Slew Limiter Usage: 8,749 Hr	346	2007 Hitachi ZX200LC-3 Tracked Excavator S/N: HCM1U100A00202975 C/W: Air Conditioner, Cab Screens, Pre-Wired for Grade Control, 2007 US EPA Label, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1200 mm Digging Bucket Usage: 15,073 Hr
342	2015 Komatsu PC200LC-8M0 Tracked Excavator S/N: KMTPC244HFC400587 C/W: Air Conditioner, Rear View Camera, E-Stops, Pre-Wired for Grade Control, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1100 mm Digging Bucket, Safety Rails Usage: 4,213 Hr	347	1994 Cat 320 Tracked Excavator S/N: 2DL00263 C/W: 3900 mm Stick, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 14,745 Hr
343	2012 Cat 320D L Tracked Excavator S/N: CAT0320DPGDP00933 C/W: Air Conditioner, Cab Screens, E-Stops, 2500 mm Stick, Auxiliary Hydraulic Plumbing, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1240 mm Digging Bucket, Safety Rails Usage: 5,257 Hr	348	2004 Cat 318C LN Tracked Excavator S/N: CAT0318CVGPA00231 C/W: Air Conditioner, Cab Screens, E-Stops, 2700 mm Stick, Auxiliary Hydraulic Plumbing, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1700 mm Cleanup Bucket Usage: 10,034 Hr
344A	2008 Komatsu PC210LC-8K Tracked Excavator S/N: KMTPC180K55K52839 C/W: Air Conditioner, Rear View Camera, E-Stops, 2900 mm Stick, Auxiliary Hydraulic Plumbing, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1000 mm Digging Bucket, Safety Rails Usage: 10,109 Hr	349	2012 Hyundai Robex 170W-9 Wheel Excavator S/N: HHKHZ503TD0000207 C/W: Air Conditioner, E-Stops, 2200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, Front Stabilizers, 10.00x20 Tires, Hydraulic Quick Coupler, 890 mm Digging Bucket, Safety Rails Usage: 2,827 Hr
344	2012 Kobelco SK200-8 Tracked Excavator S/N: YN12-62473 C/W: Air Conditioner, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Tilting Hydraulic Coupler, 1320 mm Digging Bucket, Safety Rails Usage: 4,451 Hr	350	2018 Cat 315F LCR Tracked Excavator S/N: CAT0315FKTDY11773 C/W: Air Conditioner, Rear View Camera, E-Stops, Requires AdBlue, 2500 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Tilting Hydraulic Coupler, 1450 mm Cleanup Bucket, Auto Lube, Safety Rails Usage: 4,410 Hr
345	2006 Cat 320DL Tracked Excavator S/N: CAT0320DPBWP00380 C/W: Air Conditioner, Rear View Camera, 2006 US EPA Label, 3000 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1750 mm Hydraulic Tilting Bucket Usage: 12,135 Hr	351	2015 Volvo ECR145CL Tracked Excavator S/N: VCECR145E00110833 C/W: Air Conditioner, Cab Screens, Rear View Camera, 2500 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 550 mm Digging Bucket, Vandal Covers Usage: 4,129 Hr
346A	Hitachi EX200-5 Tracked Excavator S/N: 14MP091329 C/W: Air Conditioner, 2900 mm Stick, Auxiliary Hydraulic Plumbing, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 19,646 Hr	352	2014 Doosan DX140LCR Tracked Excavator S/N: DHKCEBAIEE0006006 C/W: Air Conditioner, Cab Screens, Rear View Camera, E-Stops, 2200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1600 mm Cleanup Bucket, Additional 950 mm & 500 mm Digging Buckets, Ripper Bucket, Safety Rails Usage: 3,632 Hr

Lot #	Details	Lot #	Details
353	2018 Doosan DX140LCR Tracked Excavator S/N: DHKCEBAIKJ0006250 C/W: Air Conditioner, Rear View Camera, E-Stops, Pre-Wired for Grade Control, 2200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1600 mm Cleanup Bucket, Additional 950 mm Digging Bucket, Ripper, Safety Rails Usage: 4,916 Hr	361	1998 Cat 308BSR Tracked Excavator S/N: 3YS01195 C/W: Air Conditioner, Parallel Offset Boom, 1750 mm Stick, Backfill Blade, 450 mm Triple Grouser Track Shoes, 440 mm Digging Bucket Usage: 3,656 Hr
354	2010 Cat 314D L CR Tracked Excavator S/N: CAT0314DTXHR00156 C/W: Air Conditioner, 4000 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1330 mm Digging Bucket, Safety Rails Usage: 8,372 Hr	362	2022 Doosan DX60E-9CN Mini Excavator S/N: DXCCEABAJN0042957 C/W: Enclosed Cab, Air Conditioner, 1600 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Triple Grouser Track Shoes, 700 mm Digging Bucket Usage: 65 Hr
355	Kobelco SK135SR Tracked Excavator S/N: YY0407730 C/W: Air Conditioner, 2006 US EPA Label, Parallel Offset Boom, 2200 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1180 mm Cleanup Bucket, Additional 900 mm Digging Bucket, Ripper Usage: 7,152 Hr	363	2022 Doosan DX60E-9CN Mini Excavator S/N: DXCCEABACN0042958 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 1600 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Triple Grouser Track Shoes, 700 mm Digging Bucket Usage: 68 Hr
356	2011 Cat 312D Tracked Excavator S/N: CAT0312DLPHH00295 C/W: Air Conditioner, Rear View Camera, 3000 mm Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1450 mm Hydraulic Tilting Bucket Usage: 8,477 Hr	364	2021 Doosan DX60E-9CN Mini Excavator S/N: DXCCEABAJM0042763 C/W: Enclosed Cab, Air Conditioner, 1600 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Triple Grouser Track Shoes, 700 mm Digging Bucket Usage: 65 Hr
357	2017 Cat 311F L RR Tracked Excavator S/N: CAT0311FEKCW10055 C/W: Air Conditioner, Rear View Camera, E-Stops, 2800 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 500 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1500 mm Hydraulic Tilting Bucket, Safety Rails Usage: 2,919 Hr	365	2016 Yanmar B65 Mini Excavator S/N: YMRB65YYAEYC10535 C/W: Enclosed Cab, Air Conditioner, 2100 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Triple Grouser Track Shoes, Manual Quick Coupler, 720 mm Digging Bucket Usage: 2,698 Hr
359	2008 Kubota KX080-3 Tracked Excavator S/N: 12486 C/W: Air Conditioner, Tier 2, 2007 US EPA Label, Swing Boom, 2100 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 450 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Hydraulic Tilting Bucket Usage: 7,134 Hr	367	2014 Yanmar B65 Mini Excavator S/N: YMRB65YYPDYC00627 C/W: Enclosed Cab, Air Conditioner, 2100 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 770 mm Digging Bucket Usage: 3,016 Hr
360	2013 Kobelco SK75SR-3 Tracked Excavator S/N: YT0726183 C/W: Air Conditioner, Rear View Camera, E-Stops, Parallel Offset Boom, 1800 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 450 mm Triple Grouser Track Shoes w/Rubber Inserts, Hydraulic Quick Coupler, 1550 mm Cleanup Bucket, MSB Hydraulic Hammer, 430 mm & 300 mm Buckets, Ripper, Vandal Guards Usage: 7,587 Hr	368	2021 Komatsu PC55MR-5 Mini Excavator S/N: KMTPC259JME023053 C/W: Enclosed Cab, Air Conditioner, E-Stops, 2021 US EPA Label, Swing Boom, 1650 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Rubber Tracks, Tilting Hydraulic Coupler, Cleanup Bucket, Additional 250 mm Digging Bucket Usage: 878 Hr
		369	2021 Komatsu PC55MR-5 Mini Excavator S/N: KMTPC259AME022554 C/W: Enclosed Cab, Air Conditioner, E-Stops, 2021 US EPA Label, 1600 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Rubber Tracks, Tilting Hydraulic Coupler, 1170 mm Cleanup Bucket, Additional 570 mm Digging Bucket Usage: 1,464 Hr

Lot #	Details	Lot #	Details
370	2016 Kubota U55-4 Mini Excavator S/N: JKUU0554L01H21931 C/W: Enclosed Cab, Air Conditioner, E-Stops, Swing Boom, 1400 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 400 mm Rubber Tracks, Hydraulic Quick Coupler, 1500 mm Cleanup Bucket, 590 mm, 300 mm Digging Buckets, Ripper, Fire Suppression System Usage: 5,732 Hr	378	2017 Yanmar SV08-1A Mini Excavator S/N: YMRSV08YLHAJAF902 C/W: Swing Boom, 700 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 185 mm Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 600 mm Cleanup Bucket, Additional 300 mm Digging Bucket, Hydraulic Breaker w/(4) Moil Points, Ripper Usage: 610 Hr
371	2016 Yanmar ViO45-6B Mini Excavator S/N: YMRV1045LEBJ60671 C/W: Cab Screens, Swing Boom, 1450 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 350 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1500 mm Cleanup Bucket, Additional 600 mm & 350 mm Digging Bucket, Ripper Usage: 3,205 Hr	379	Kubota K-008 Mini Excavator S/N: NOT-AVAILABLE C/W: 2002 US EPA Label, Swing Boom, 800 mm Stick, Backfill Blade, 180 mm Rubber Tracks, Expandable Width Tracks, 350 mm Digging Bucket Usage: 3,332 Hr
374A	2010 Komatsu PC35MR-3 Mini Excavator S/N: KMTPC201L04016756 C/W: Enclosed Cab, Air Conditioner, 2010 US EPA Label, Swing Boom, 1700 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 300 mm Rubber Tracks, Hydraulic Quick Coupler, 1150 mm Cleanup Bucket, Additional 310 mm Digging Bucket Usage: 3,782 Hr	380	Trimble GCS900 Grade Control System S/N: 2026J055SV C/W: To Fit Excavator, CB450 Control Box (2026J055SV), TDL450 Radio (SN: 12237399), (2) MS992 Antenna (SN: 0762J558SP & 0762J560SP) Usage: Not Available
374	2021 Komatsu PC35MR-5 Mini Excavator S/N: KMTPC263EME32662 C/W: E-Stops, 2021 US EPA Label, Swing Boom, 1350 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 300 mm Rubber Tracks, Tilting Hydraulic Coupler, 1200 mm Cleanup Bucket, Additional Hydraulic Grapple, Ripper, 280 mm, 430 mm and 580 mm Digging Buckets Usage: 577 Hr	381	Trimble 2D Grade Control System S/N: 3806 C/W: 0365-2040 Controller (3806), ST2M-20 Detector (5985), R2S-S Laser Receiver (25663), Pole, Cables Usage: Not Available
375	2012 Komatsu PC30MR-3 Mini Excavator S/N: KMTPC200P04035516 C/W: 2012 US EPA Label, Swing Boom, 1250 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 300 mm Rubber Tracks, Hydraulic Quick Coupler, 1120 mm Cleanup Bucket Usage: 1,724 Hr	382	Trimble 2D Grade Control System S/N: 4695 C/W: 0365-20 Controller (4695), (3) 0365-3000 Slope Sensor (7049, 5704, 5281) Power Box (2257), Cables Usage: Not Available
376	2015 Kubota U25-3 Mini Excavator S/N: JKUU0253E01H50905 C/W: Control Pattern Changer, Tier 4, 2015 US EPA Label, Swing Boom, 1400 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 300 mm Rubber Tracks, Hydraulic Quick Coupler, 1000 mm Cleanup Bucket, Demolition Grapple, Ripper Usage: 1,520 Hr	383	Quantity of Survey Equipment S/N: Not Available C/W: 2 x ATE Dual 250 700, Pipehorn 800 HL, Fisher 82kHz Transmitter and Receiver, Leica GHT 56, Eaton Elipse Max 1500, GeoScipe 3 - Dimensional Ground Penetrating Radar, Fuji Tecom PL 2000 Pipeline and cable Locator Transmitter and Receiver, Yellowbrick V3 Equipment, 3 x Vivax Metrtech vLochPro2, Sun Surface Controller Mk2 Imaging System Usage: Not Available
377	2023 Everun ERE10PRO Mini Excavator (Unused) S/N: 2E2502 C/W: Swing Boom, 750 mm Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 175 mm Rubber Tracks, 400 mm Digging Bucket Usage: Not Available	384	Quantity of Ground Radar Equipment S/N: Not Available C/W: 2 x ATS Dual 250 700, Metrotech 9860XT, Pipehorn 800HL Transmitter and Receiver, Vivax Metrotech VX200 - 2, VX200 - 4, Leica PinPoint RH 1200, Fuji Tecom PL 960 Transmitter and Receiver Usage: Not Available
		385A	Quantity of Trimble Survey Equipment and Grade Control S/N: Not Available C/W: Trimble TSC3, 2 x Traverse Kit, Power Kit, S6 Total Station Usage: Not Available

Lot #	Details	Lot #	Details
385	Quantity of Ground Radar Equipment S/N: Not Available C/W: 2 x ATS Dual 250 700, Radiodetection RD1000, Sure - Lock Multi - Frequency Detector, RD 4000 Fault and Find Frame, Leica RX 1200, Goldak Triad Series 2310 UL Locator, Pipehorn 800 HL Transmitter and Receiver, Fuji Tecom PL 960 Transmitter and Receiver, Radiodetection GD 1506 Genny Radio Signal Generator, Dynatel 7550 Cable/Pipe/EMS Locator Usage: Not Available	396	Quantity of (2) Suihe Self Dumping Steel Hopper Bins (Unused) S/N: Not Available Usage: Not Available
386	Abtus ABT4610 Laser Offset Gauge S/N: Not Available C/W: A258766 Usage: Not Available	397	Quantity of (2) Suihe Self Dumping Steel Hopper Bins (Unused) S/N: Not Available Usage: Not Available
387	Trimble GPS Mast S/N: 1820J006RY Usage: Not Available	398	Quantity of (4) Suihe Self Dumping Steel Hopper Bins (Unused) S/N: Not Available Usage: Not Available
388	Laserplane Laser Level S/N: Not Available Usage: Not Available	399	Quantity of (2) Suihe Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
389	2006 Dynapac LP8500 Trench Compactor S/N: 18500217 C/W: E-Stops, 2005 US EPA Label, Hatz 2G40 16 hp Diesel Engine, 850 mm Drums, Cordless Remote Control, w/ Battery Charger Usage: Not Available	400	Quantity of (2) Suihe Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
390	2004 Dynapac LP8500 Trench Compactor (Inoperable) S/N: 18500026 C/W: Deutz 2 Cylinder Diesel Engine, 630 mm Drums Usage: Not Available	401	Quantity of (2) Suihe Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
391	2006 Dynapac LP8500 Trench Compactor (Inoperable) S/N: 185000242 C/W: Deutz 2 Cylinder Diesel Engine, 850 mm Drums Usage: Not Available	402	Quantity of (2) Suihe Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
392	2005 Dynapac LP8500 Trench Compactor (Inoperable) S/N: 18500078 C/W: Deutz 2 Cylinder Diesel Engine, 850 mm Drums Usage: Not Available	403	Tipping Skip Bin S/N: Not Available Usage: Not Available
393	Wacker RT820 Trench Compactor S/N: 539654 C/W: Lombardini 2 Cylinder Engine, 800 mm Drums Usage: 1,547 Hr	404	Silo Hopper Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
394	4810 mm Spreader Bar S/N: Not Available Usage: Not Available	405	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
395	Quantity of (4) Suihe Self Dumping Steel Hopper Bins (Unused) S/N: Not Available Usage: Not Available	406	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
		407	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
		408	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
		409	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
		410	Suihe 2900 mm Fork Extensions (Unused) S/N: Not Available Usage: Not Available
		411	Suihe Forklift Jib (Unused) S/N: 00503632573 Usage: Not Available

Lot #	Details	Lot #	Details
412	Suihe Forklift Jib (Unused) S/N: 00503632572 Usage: Not Available	427	Suihe Hydraulic Skid Steer Auger (Unused) S/N: Not Available C/W: 450 mm, 350 mm & 200 mm Auger Bits Usage: Not Available
413	Air Reciever Tank Fork Attachment S/N: Not Available Usage: Not Available	428	Suihe Hydraulic Skid Steer Auger (Unused) S/N: Not Available C/W: 450 mm, 350 mm & 200 mm Auger Bits Usage: Not Available
414	Gas Bottle Lifting Stillage S/N: Not Available Usage: Not Available	429	Suihe Hydraulic Tree Shear (Unused) S/N: Not Available Usage: Not Available
415	2023 Handy HBDM72 1850 mm Drum Skid Steer Mulcher (Unused) S/N: BDM202302188 Usage: Not Available	430	Suihe Hydraulic Tree Shear (Unused) S/N: Not Available Usage: Not Available
416	Suihe 1750 mm Hydraulic Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	431	Suihe Hydraulic Skid Steer Tree Shear (Unused) S/N: Not Available Usage: Not Available
417	Suihe 1750 mm Hydraulic Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	432	Suihe Hydraulic Skid Steer Tree Shear (Unused) S/N: Not Available Usage: Not Available
418	Suihe 1750 mm Hydraulic Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	433	2023 Handy HRT43 530 mm Skid Steer Rock & Tree Handler (Unused) S/N: RTH202302310 Usage: Not Available
419	Suihe 1750 mm Hydraulic Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	434	2023 Handy HRT43 Rock &Tree Handler (Unused) S/N: RTH202302311 Usage: Not Available
420	Suihe 1650 mm Skid Steer Brush Cutter (Unused) S/N: 001600374 Usage: Not Available	435	2023 Handy HSG28 110 mm Hydraulic Swing Skid Steer Stump Grinder (Unused) S/N: SG202302113 Usage: Not Available
421	Suihe 1650 mm Skid Steer Brush Cutter (Unused) S/N: 001600380 Usage: Not Available	436	Suihe Skid Steer Hydraulic Post Driver (Unused) S/N: Not Available Usage: Not Available
422	Suihe 1650 mm Hydraulic Skid Steer Brush Cutter (Unused) S/N: 001600372 Usage: Not Available	437	Suihe Hydraulic Skid Steer Post Driver (Unused) S/N: Not Available Usage: Not Available
423	Suihe 1650 mm Skid Steer Brush Cutter (Unused) S/N: 001600376 Usage: Not Available	438	Suihe 1900 mm Hydraulic Skid Steer Vibratory Roller (Unused) S/N: Not Available Usage: Not Available
424	Suihe Hydraulic Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available	439	Suihe 1830 mm Hydraulic Skid Steer Vibratory Roller (Unused) S/N: Not Available Usage: Not Available
425	Suihe Hydraulic Skid Steer Auger (Unused) S/N: Not Available C/W: 450mm Wide, 300mm Wide, 250mm Wide Usage: Not Available	440	Suihe 2000 mm Hydraulic Heavy Grass Fork Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available
426	Suihe Hydraulic Skid Steer Auger (Unused) S/N: Not Available C/W: 400mm Wide, 300mm Wide, 250mm Wide Usage: Not Available	441	Suihe 2000 mm Hydraulic Heavy Grass Fork Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
442	Suihe 2000 mm Hydraulic Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	458	Suihe 2100 mm Screening Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
443	Suihe 2000 mm Hydraulic Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	459	Suihe 2000 mm Screening Skid Steer Bucket (Unused) S/N: 001000051 Usage: Not Available
444	Suihe 2000 mm Hydraulic Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	460	Suihe 1800 mm Multi-Purpose Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
445	Suihe 2000 mm Hydraulic Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	461	1900 mm Q/C Multi-Purpose Bucket S/N: Not Available C/W: Euro Hitch Usage: Not Available
446	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	462	Norm Engineering 1600 mm Skid Steer Grapple Bucket - Fits Bobcat S185 S/N: 85649DL Usage: Not Available
447	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: 001800618 Usage: Not Available	463	Norm Eng 1650 mm Skid Steer Grapple Bucket S/N: 65293J Usage: Not Available
448	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: 001800612 Usage: Not Available	464	Norm Eng 1600 mm Skid Steer Grapple Bucket S/N: 54662A Usage: Not Available
449	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	465	2100 mm Skid Steer Root Rake S/N: Not Available Usage: Not Available
450	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	466	Suihe 1830 mm Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available
451	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available	467	Suihe 1830 mm Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available
452	Suihe 1950 mm Skid Steer Root Rake (Unused) S/N: 001800616 Usage: Not Available	468	Suihe 1830 mm Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available
453	2000 mm Skid Steer Root Rake S/N: Not Available Usage: Not Available	469	Suihe 1830 mm Hydraulic Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available
454	Suihe 1800 mm Skid Steer Push Stick Rake (Unused) S/N: Not Available Usage: Not Available	470	2023 Handy HSC78 1970 mm Skid Steer Power Rake (Unused) S/N: SC202302421 Usage: Not Available
455	Suihe 1800 mm Skid Steer Push Stick Rake (Unused) S/N: Not Available Usage: Not Available	471	Suihe 1850 mm Skid Steer Landscape Rake (Unused) S/N: Not Available Usage: Not Available
456	2023 Handy HVS72 1630 mm Hydraulic Screening Bucket (Unused) S/N: VSB202302382 Usage: Not Available	472	Suihe 1850 mm Skid Steer Landscape Rake (Unused) S/N: 00304195 Usage: Not Available
457	2023 Handy HVS72 1630 mm Hydraulic Screening Bucket (Unused) S/N: VSB202302383 Usage: Not Available		

Lot #	Details	Lot #	Details
473	Suihe 1850 mm Hydraulic Rotary Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	487	Suihe 2450 mm Hydraulic Skid Steer Grader (Unused) S/N: Not Available Usage: Not Available
474	Suihe 1850 mm Hydraulic Rotary Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	488	2023 Handy HSGB96 2405 mm Skid Steer Grader (Unused) S/N: GB202302375 Usage: Not Available
475	Suihe 1850 mm Hydraulic Rotary Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	489	Suihe 2450 mm Hydraulic Skid Steer Grader (Unused) S/N: 003044172 Usage: Not Available
476	Suihe 1850 mm Skid Steer Tiller (Unused) S/N: 002400221 Usage: Not Available	490	2022 EXEQ 2000 mm Skid Steer Landplane (Unused) S/N: Not Available Usage: Not Available
477	Suihe 1850 mm Hydraulic Skid Steer Tiller (Unused) S/N: 002400285 Usage: Not Available	491A	2000 mm Land Leveler S/N: Not Available Usage: Not Available
478	Suihe 1850 mm Hydraulic Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	491	2022 EXEQ 2500 mm Skid Steer Landplane (Unused) S/N: Not Available Usage: Not Available
479	Suihe 1350 mm Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available	492	Suihe Hydraulic Skid Steer Backhoe (Unused) S/N: Not Available Usage: Not Available
480	Suihe 1320 mm Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available	493	Suihe 350 mm Skid Steer Backhoe (Unused) S/N: Not Available Usage: Not Available
481	Wolverine 1200 mm Hydraulic Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Remote Control Usage: Not Available	494	2023 Handy HSRC12 550 mm Rotating Skid Steer Pole Clamp (Unused) S/N: RC202302412 Usage: Not Available
482	TMG DB86 2200 mm Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available	495	Suihe 1850 mm Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available
483	TMG DB86 2200 mm Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available	496	Suihe 1850 mm Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available
484	TMG DB86 2200 mm Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available	497	Suihe 1850 mm Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available
485	TMG DB86 2200 mm Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available	498	Suihe 1830 mm Hydraulic Skid Steer Plate Compactor (Unused) S/N: 00304272128 Usage: Not Available
486	TMG DB86 2180 mm Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available	499	Suihe 1220 mm Skid Steer Forks (Unused) S/N: Not Available C/W: Side Shift Usage: Not Available
		500	2018 Digga PF-1500 700 mm Skid Steer Forks S/N: 1802020019 Usage: Not Available

Lot #	Details	Lot #	Details
501	Norm Engineering 1660 mm Skid Steer Broom S/N: 50435E Usage: Not Available	513	2022 EXEQ 410 mm Hydraulic Pulverizer (Unused) S/N: FSQ2022-1008 C/W: To Suit 12-16T Excavators, Weight: 940Kgs, Maximum Opening: 600mm, Required Flow: 180-200 Lpm, Pressure: 260-280Kg/cm2, Pin Diameter: 65mm, Total Width Between the ears: 330mm, (Width with Boss fitted 266mm) Centre to Centre: 430mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 1930mm L x 1330mm H x 700mm W Usage: Not Available
502	1780 mm Skid Steer Broom S/N: Not Available Usage: Not Available	514	2022 EXEQ 300 mm Hydraulic Pulverizer (Unused) S/N: FSQ2022-1003 C/W: To Suit 5-10T Excavators, Weight: 3600Kgs, Maximum Opening: 420mm, Required Flow: 140-160 Lpm, Pressure: 240-260Kg/cm2, Pin Diameter: 60mm, Total Width Between the ears: 230mm, (Width with Boss fitted 206 mm) Centre to Centre: 305mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 1400mm L x 890mm H x 530mm W Usage: Not Available
504	2021 Eurosteel 3000 mm Skeleton Wheel Loader Grapple S/N: 100240 C/W: To suit Cat 972L Usage: Not Available	515	SEC Q/C Hydraulic Shear - Fits 30 t Excavator S/N: Not Available C/W: 85 mm Diameter Pins, 505 mm Center of Pin Boss to Center of Pin Boss, 370 mm Inside to Inside Pin Boss Spacing Usage: Not Available
505	1450 mm Q/C Wheel Loader Forks - Fits Volvo L90 S/N: Not Available Usage: Not Available	516	2020 Mustang RH20 Hydraulic Pulverizer S/N: AH200283 C/W: 100 mm Diameter Pins, 590 mm Center of Pin Boss to Center of Pin Boss, 425 mm Inside to Inside Pin Boss Spacing Usage: Not Available
506	2016 East West Wheel Loader Forks S/N: 102488 Usage: Not Available	517	Ironbark 550 mm Hydraulic Shear S/N: Not Available C/W: 100 mm Diameter Pins, 485 mm Center of Pin Boss to Center of Pin Boss, 350 mm Inside to Inside Pin Boss Spacing Usage: Not Available
507	Cat D10SS Ripper Box & Base - Fits Crawler Dozer S/N: BEY00198 C/W: To Fit Cat D10T Usage: Not Available	518A	2415 mm Stick - Fits Excavator S/N: Not Available Usage: Not Available
508	Quantity of (2) Tracks - Fits Crawler Dozer S/N: Not Available C/W: To Fit Cat D10T, 710 mm Single Grouser Tracks Usage: Not Available	518	2015 Trevi Benne CS 03 550 mm Q/C Steel Shear - Fits Yanmar ViO45-6B S/N: Y0278 Usage: Not Available
509	Quantity of (2) Tracks - Fits Crawler Dozer S/N: Not Available C/W: To Fit Cat D10T Usage: Not Available	519	2016 OKTech 150 250 mm Q/C Hydraulic Breaker S/N: B150A1299 Usage: Not Available
510	Quantity of (2) Tracks - Fits Crawler Dozer S/N: Not Available C/W: To Fit Cat D10T, 610 mm Single Grouser Tracks Usage: Not Available	520	Pterosaur YLB1650 Q/C Hydraulic Breaker (Inoperable) S/N: Not Available C/W: 100 mm Diameter Pins, 580 mm Center of Pin Boss to Center of Pin Boss, 430 mm Inside to Inside Pin Boss Spacing, Chisel & Moils Usage: Not Available
511	2015 Bost MK20 Q/C Excavator Shear w/ 2015 Trevi Benne Pulveriser - Fits Volvo EC350 S/N: Not Available Usage: Not Available		
512	2022 EXEQ 460 mm Hydraulic Pulverizer (Unused) S/N: FSQ20221011 C/W: To Suit 18-25T Excavators, Weight: 1630Kgs, Maximum Opening: 900mm, Required Flow: 220-260 Lpm, Pressure: 290-310Kg/cm2, Pin Diameter: 75mm, Total Width Between the ears: 360mm, (Width with Boss fitted 328 mm) Centre to Centre: 450mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 2245mm L x 1660mm H x 705mm W Usage: Not Available		

Lot #	Details	Lot #	Details
521	HTG Hydraulic Breaker S/N: Not Available C/W: 80 mm Pin Diameter, 500 mm Center of Pin Boss to Center of Pin Boss, 370 mm Inside to Inside Pin Boss Spacing Usage: Not Available	531	Soosan SB3 TS-P 300 mm Q/C Hydraulic Breaker - Fits 2.5 t Excavator S/N: 4842 C/W: Quick Coupler Bracket, 30 mm Pin Diameter, 150 mm Center of Pin Boss to Center of Pin Boss, 120 mm Inside to Inside Pin Boss Spacing Usage: Not Available
522	Indeco Q/C Hydraulic Breaker - Fits Sumitomo SH210LC-6 S/N: Not Available Usage: Not Available	532	2022 EXEQ 825 mm Excavator Grapple (Unused) S/N: S20221043 C/W: To Suit 18 - 25T Excavators, Maximum Opening: 1900mm, Weight: 1480Kgs, Required flow: 100-140Lpm, Pressure: 160-180Kg/cm2, Pin Diameter: 75mm, Total Width Between the ears: 360mm, (Width with Boss fitted 324mm) Centre to Centre: 460mm, NOTE: Comes with Removable Boss allowing Pin size changes), Shipping Dimensions: 2250mm L x 1225mm H x 1100mm W Usage: Not Available
523	2012 Soosan SB81TSP Q/C Hydraulic Breaker - Fits Sumitomo SH210LC-6 S/N: 9018 C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	533	2022 EXEQ 790 mm Excavator Grapple (Unused) S/N: S2022-1037 C/W: To Suit 12-16T Excavators, Maximum Opening: 1600mm, Weight: 930Kgs, Required flow: 90-110Lpm, Pressure: 150-170Kg/cm2, Pin Diameter: 65mm, Total Width Between the ears: 302mm, (Width with Boss fitted 266mm) Centre to Centre: 380mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 2060mm L x 780mm H x 860mm W Usage: Not Available
524	Sandvik BR2155 Q/C Hydraulic Breaker - Fits 20-25 t Excavator S/N: Not Available Usage: Not Available	534	Trevibenne 2100 mm Q/C Hydraulic Rotating Excavator Grapple - Fits Sumitomo SH210LC-6 S/N: 15233519 C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
525	Giant Q/C Hydraulic Breaker S/N: Not Available C/W: 45 mm Diameter Pins, 245 mm Center of Pin Boss to Center of Pin Boss, 150 mm Inside to Inside Pin Boss Spacing Usage: Not Available	535	2023 Warrior 20T-25T Hydraulic Excavator Grapple (Unused) S/N: 20230112021 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 355 mm Inside to Inside Pin Boss Spacing Usage: Not Available
526	Impact 500 Q/C Hydraulic Breaker - Fits Volvo ECR145CL S/N: 15J50051JSC C/W: 80 mm Pin Diameter, 470 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	536	2022 EXEQ 550 mm Excavator Grapple (Unused) S/N: D20221009 C/W: To suit 12-16T Excavator, Maximum Opening 1200mm, Weight: 630Kgs, Required Flow: 90-110 LPM, Pressure: 150-170Kg/cm2, Pin Diameter: 65mm, Total Width Between the ears: 310mm, (Width with Boss fitted 255 mm) Centre to Centre: 370mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 885mm L x 1610mm H x 485mm W Usage: Not Available
527	Ironfist I-10 Hydraulic Breaker - Fits 9-16 t Excavator S/N: I10Z210201 C/W: 65 mm Diameter Pins, 405 mm Center of Pin Boss to Center of Pin Boss, 300 mm Inside to Inside Pin Boss Spacing Usage: Not Available		
528	Impact 400 300 mm Q/C Hydraulic Breaker - Fits 4.5 t Excavator S/N: Not Available C/W: Quick Coupler Bracket, 45 mm Pin Diameter, 280 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available		
529	Atlas Copco SB202 Q/C Hydraulic Breaker - Fits 4 t Excavator S/N: Not Available Usage: Not Available		
530	Atlas Copco SB202 300 mm Q/C Hydraulic Breaker - Fits 4 t Excavator S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
537	2022 EXEQ 720 mm Rotating Excavator Grapple (Unused) S/N: D20221011 C/W: To Suit 19-25T Excavators, Maximum Opening: 1540mm, Weight: 1140Kgs, Required Flow: 100-140LPM, Pressure: 160-180Kg/cm2, Pin Diameter: 80mm, Total Width Between the ears: 370mm, (Width with Boss fitted 320 mm) Centre to Centre: 430mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 900mm L x 1350mm H x 1900mm W Usage: Not Available	542	2022 EXEQ 400 mm Rotating Excavator Grapple (Unused) S/N: D20221002 C/W: To Suit 3-5T Excavators, Maximum Opening: 800mm, Weight: 270Kgs, Required Flow: 30-55LPM, Pressure: 110-140Kg/cm2, Pin Diameter: 42mm, Total Width Between the ears: 210mm, (Width with Boss fitted 160mm) Centre to Centre: 255mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 600mm L x 780mm H x 1070mm W Usage: Not Available
538	2022 EXEQ 400 mm Rotating Excavator Grapple (Unused) S/N: D20221006 C/W: To Suit 5-10T Excavators, Maximum Opening: 950mm, Weight: 380Kgs, Required Flow: 50-100LPM, Pressure: 150-170Kg/cm2, Pin Diameter: 50mm, Total Width Between the ears: 260mm, (Width with Boss fitted 176 mm) Centre to Centre: 275mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 620mm L x 900mm H x 1220mm W Usage: Not Available	543	Q/C Hydraulic Excavator Grapple - Fits Komatsu PC300 & PC350 S/N: Not Available C/W: 90 mm Diameter Pins, 510 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available
539	2022 EXEQ 400 mm Excavator Grapple (Unused) S/N: S20221010 C/W: To Suit 1-3T Excavators, Maximum Opening: 620mm, Weight: 155Kgs, Required Flow: 20-40LPM, Pressure: 80-110Kg/cm2, Pin Diameter: 28mm, Total Width Between the ears: 140mm, (Width with Boss fitted 116 mm) Centre to Centre: 140mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 460mm L x 710mm H x 485mm W Usage: Not Available	544	830 mm Q/C Excavator Grapple S/N: Not Available C/W: 65 mm Diameter Pins, 350 mm Center of Pin Boss to Center of Pin Boss, 265 mm Inside to Inside Pin Boss Spacing Usage: Not Available
540	2022 EXEQ 580 mm Excavator Grapple (Unused) S/N: S2022-1023 C/W: To Suit 5-10T Excavators, Maximum Opening: 950mm, Weight: 380Kgs, Required Flow: 50-100LPM, Pressure: 150-170Kg/cm2, Pin Diameter: 50mm, Total Width Between the ears: 260mm, (Width with Boss fitted 176 mm) Centre to Centre: 275mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 620mm L x 900mm H x 1220mm W Usage: Not Available	545	EIE Q/C Excavator Grapple - Fits Volvo EC350DL S/N: Not Available Usage: Not Available
541	2022 EXEQ 500 mm Q/C Excavator Grapple (Unused) S/N: S20221017 C/W: To Suit 3-5T Excavator, Maximum Opening: 1100mm, Weight: 350Kgs, Required flow: 30-55Lpm, Pressure: 110-140Kg/cm2, Pin Diameter: 42mm, Total Width Between the ears: 252mm, (Width with Boss fitted 168 mm) Centre to Centre: 230mm, NOTE: Comes with Removeable Boss allowing Pin size changes), Shipping Dimensions: 1450mm L x 630mm H x 740mm W Usage: Not Available	546	BME 960 mm Q/C Excavator Grapple - Fits Komatsu PC350 S/N: Not Available Usage: Not Available
		547	2017 ECH 1200 mm Q/C Excavator Grapple - Fits Sumitomo SH330LC-6 S/N: Not Available C/W: 90 mm Pin Diameter, 540 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
		548	Q/C Hydraulic Excavator Grapple - Fits Komatsu PC300 S/N: Not Available C/W: 80 mm Diameter Pins, 470 mm Center of Pin Boss to Center of Pin Boss, 350 mm Inside to Inside Pin Boss Spacing Usage: Not Available
		551A	ABS GEN20.25HG 950 mm Q/C Excavator Grapple S/N: ABS202133422RM C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available
		551	Tiger 1100 mm Q/C Excavator Grapple - Fits Suimoto SH210LC-6 S/N: Not Available C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 320 mm Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
552	2023 Warrior 20T-25T Excavator Grapple (Unused) S/N: 20230112002 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	562	ABS TD20-25T 2000 mm Q/C Tilting Excavator Bucket S/N: ABS2018082518002DF C/W: Quick Coupler Bracket, 100 mm Stick Pin Diameter, 80 mm Link Pin Diameter, 460 mm Center of Pin Boss to Center of Pin Boss, 335 mm Inside to Inside Pin Boss Spacing, To suit ABS TD02-25T Usage: Not Available
553	2023 Warrior 20T-25T Excavator Grapple (Unused) S/N: 20230112003 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	563	2000 mm Q/C Hydraulic Tilting Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available
554	2023 Warrior 20T-25T Excavator Grapple (Unused) S/N: 20230112001 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	564	2000 mm Q/C Hydraulic Tilting Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available
555	Ses 1650 mm Skeleton Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available	565	2000 mm Q/C Hydraulic Tilting Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available
557	2019 Boss BHBG200 850 mm Q/C Grab Bucket Excavator Grapple S/N: 3835 C/W: 490 mm Center of Pin Boss to Center of Pin Boss, 320 mm Inside to Inside Pin Boss Spacing, To fit 20t Excavator Usage: Not Available	566	1950 mm Hydraulic Tilting Excavator Bucket - Fits Komatsu PC200 S/N: Not Available C/W: Quick Coupler Bracket, 80 mm Diameter Pins, 445 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
558	Vibrating Rock Driller S/N: Not Available C/W: 65 mm Diameter Pins, 375 mm Center of Pin Boss to Center of Pin Boss, 255 mm Inside to Inside Pin Boss Spacing Usage: Not Available	567	BBB 1700 mm Hydraulic Tilting Excavator Bucket S/N: Not Available C/W: 65 mm Diameter Pins, 410 mm Center of Pin Boss to Center of Pin Boss, 270 mm Inside to Inside Pin Boss Spacing Usage: Not Available
559	Excavator Auger - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing, Auger Drive w/ 75 mm Hub, 1150 mm, 900 mm, (2) 750 mm, 700 mm Augers, 1200 mm, 1460 mm, 2000 mm, 2180, 2200 mm Auger Extensions w/ 75 mm Hubs Usage: Not Available	568	Titan 1900 mm Hydraulic Tilting Excavator Bucket S/N: Not Available C/W: 70 mm Diameter Pins, 380 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available
560	Auger Torque 8000 Max Hydraulic Auger Stillage Auger Attachment S/N: Not Available Usage: Not Available	569	2000 mm Q/C Cleanup Excavator Bucket - Fits Volvo EC350DL S/N: 14-22258B C/W: 110 mm Pin Diameter, 520 mm Center of Pin Boss to Center of Pin Boss, 500 mm Inside to Inside Pin Boss Spacing Usage: Not Available
561	1940 mm Hydraulic Tilting Excavator Bucket - Fits Komatsu PC350 S/N: Not Available C/W: Quick Coupler Bracket, 90 mm Diameter Pins, 600 mm Center of Pin Boss to Center of Pin Boss, 450 mm Inside to Inside Pin Boss Spacing Usage: Not Available		

Lot #	Details	Lot #	Details
570	EIE 2000 mm Q/C Cleanup Excavator Bucket - Fits Sumitomo SH330LC-6 S/N: Not Available C/W: 90 mm Pin Diameter, 580 mm Center of Pin Boss to Center of Pin Boss, 440 mm Inside to Inside Pin Boss Spacing Usage: Not Available	580	2000 mm Q/C Skeleton Excavator Bucket - Fits Volvo EC350DL S/N: 14-22258C C/W: 110 mm Pin Diameter, 510 mm Center of Pin Boss to Center of Pin Boss, 510 mm Inside to Inside Pin Boss Spacing Usage: Not Available
571	Komatsu 2100 mm Q/C Cleanup Excavator Bucket - Fits Komatsu PC300 S/N: K30-2200-117 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 350 mm Inside to Inside Pin Boss Spacing Usage: Not Available	581	EIE 1800 mm Q/C Skeleton Excavator Bucket - Fits Sumitomo SH330LC-6 S/N: Not Available C/W: 90 mm Pin Diameter, 580 mm Center of Pin Boss to Center of Pin Boss, 440 mm Inside to Inside Pin Boss Spacing Usage: Not Available
572	EIE 2000 mm Q/C Cleanup Excavator Bucket - Fits Sumitomo SH210LC-6 S/N: Not Available C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	582	2023 Warrior 20T-25T 1240 mm Skeleton Excavator Bucket S/N: 20230112020 C/W: 80 mm Diameter Pins, 440 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
573	1800 mm Q/C Cleanup Excavator Bucket - Fits Sumitomo SH210LC-6 S/N: Not Available C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	583	2023 Warrior 20T-25T 1500 mm Skeleton Excavator Bucket S/N: 20230112005 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available
575	Komatsu 1800 mm Cleanup Excavator Bucket - Fits Komatsu PC200 S/N: Not Available C/W: 80 mm Diameter Pins, 445 mm Center of Pin Boss to Center of Pin Boss, 325 mm Inside to Inside Pin Boss Spacing Usage: Not Available	584	EIE 1500 mm Q/C Skeleton Excavator Bucket - Fits Sumitomo SH210LC-6 S/N: Not Available C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
576	ECH 1500 mm Q/C Cleanup Excavator Bucket - Fits Volvo ECR145CL S/N: 15-23907B C/W: 80 mm Pin Diameter, 465 mm Center of Pin Boss to Center of Pin Boss, 375 mm Inside to Inside Pin Boss Spacing Usage: Not Available	587	1150 mm Q/C Skeleton Excavator Bucket - Fits 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
577	1800 mm Q/C Cleanup Excavator Bucket - Fits Kobelco S/N: Not Available Usage: Not Available	588	ECH 1500 mm Q/C Skeleton Excavator Bucket - Fits Volvo ECR145CL S/N: 15-23907C C/W: 80 mm Pin Diameter, 465 mm Center of Pin Boss to Center of Pin Boss, 375 mm Inside to Inside Pin Boss Spacing Usage: Not Available
578	2023 Warrior 30T-36T 1800 mm Skeleton Excavator Bucket S/N: 20230112007 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available	589	2023 Warrior 30T-36T 1500 mm Digging Excavator Bucket (Unused) S/N: 20230112004 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
579	2023 Warrior 30T-36T 1800 mm Skeleton Excavator Bucket S/N: 20230112006 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available	590	2023 Warrior 20T-25T 1200 mm Digging Excavator Bucket (Unused) S/N: 20230112017 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
591	2023 Warrior 20T-25T 1200 mm Digging Excavator Bucket (Unused) S/N: 20230112019 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	601	550 mm Q/C Digging Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 310 mm Inside to Inside Pin Boss Spacing Usage: Not Available
592	2023 Warrior 20T-25T 680 mm Digging Excavator Bucket (Unused) S/N: 20230112013 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	603	ECH 900 mm Q/C Digging Excavator Bucket - Fits Volvo ECR145CL S/N: 15-23907A C/W: 80 mm Pin Diameter, 465 mm Center of Pin Boss to Center of Pin Boss, 375 mm Inside to Inside Pin Boss Spacing Usage: Not Available
593	2023 Warrior 20T-25T 1200 mm Digging Excavator Bucket (Unused) S/N: 20230112018 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	604	ECH 600 mm Q/C Digging Excavator Bucket - Fits Volvo ECR145CL S/N: Not Available C/W: 80 mm Pin Diameter, 465 mm Center of Pin Boss to Center of Pin Boss, 375 mm Inside to Inside Pin Boss Spacing Usage: Not Available
594	2023 Warrior 20T-25T 1200 mm Digging Excavator Bucket (Unused) S/N: 20230112016 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	605	2008 Atlas 800 mm Q/C Digging Excavator Bucket - Fits Cat 312 S/N: 45077 C/W: 65 mm Diameter Pins, 410 mm Center of Pin Boss to Center of Pin Boss, 220 mm Inside to Inside Pin Boss Spacing Usage: Not Available
595	Gtex 675 mm Digging Excavator Bucket S/N: Not Available C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	611A	Quantity of (3) OZ Excavator Bucket - Fits Komatsu PC55MR-5 S/N: 38870B C/W: 45 mm Diameter Pins, 230 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing, OZ 470 mm Digging Bucket, OZ 300 mm Digging Bucket , OZ 580 mm Ripper Usage: Not Available
596	HW 1460 mm Digging Excavator Bucket S/N: Not Available C/W: 70 mm Diameter Pins, 440 mm Center of Pin Boss to Center of Pin Boss, 325 mm Inside to Inside Pin Boss Spacing Usage: Not Available	611A	OZ 300 mm Q/C Digging Excavator Bucket - Fits Komatsu PC55MR-5 S/N: 38870A C/W: 45 mm Diameter Pins, 230 mm Center of Pin Boss to Center of Pin Boss, 175 mm Inside to Inside Pin Boss Spacing Usage: Not Available
598	1200 mm Q/C Digging Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available	611A	OZ 580 mm Q/C Excavator Ripper - Fits Komatsu PC55MR-5 S/N: 38870E C/W: 45 mm Diameter Pins, 230 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available
599	1100 mm Q/C Digging Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 315 mm Inside to Inside Pin Boss Spacing Usage: Not Available	611	NORM KX080-3 1000 mm Q/C Multi-Purpose S/N: 285666 C/W: 45 mm Diameter Pins, 430 mm Center of Pin Boss to Center of Pin Boss, 290 mm Inside to Inside Pin Boss Spacing Usage: Not Available
600	700 mm Q/C Digging Excavator Bucket - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 310 mm Inside to Inside Pin Boss Spacing Usage: Not Available	617	Furukawa 900 mm Q/C Hydraulic Breaker S/N: Not Available C/W: 490 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
618	Cat 1000 mm Digging Excavator Bucket S/N: Not Available C/W: 70 mm Diameter Pins, 420 mm Center of Pin Boss to Center of Pin Boss, 250 mm Inside to Inside Pin Boss Spacing Usage: Not Available	627	490 mm Q/C Excavator Compaction Wheel - Fits Komatsu PC300 S/N: Not Available C/W: 80 mm Diameter Pins, 470 mm Center of Pin Boss to Center of Pin Boss, 335 mm Inside to Inside Pin Boss Spacing Usage: Not Available
619	600 mm Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available	628	2023 Handy Excavator Ripper - Fits Cat 336 (Unused) S/N: 2023021185 C/W: 100 mm Stick Pin Diameter, 90 mm Link Pin Diameter, 520 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available
620	1600 mm Digging Excavator Bucket S/N: ATT008 C/W: 90 mm Stick Pin Diameter, 80 mm Link Pin Diameter, 505 mm Center of Pin Boss to Center of Pin Boss, 385 mm Inside to Inside Pin Boss Spacing Usage: Not Available	629	2023 Handy Excavator Ripper - Fits Cat 336 (Unused) S/N: 2023021184 C/W: 100 mm Stick Pin Diameter, 90 mm Link Pin Diameter, 520 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available
621	AE 300 mm Q/C Digging Excavator Bucket S/N: Not Available C/W: 65 mm Diameter Pins, 410 mm Center of Pin Boss to Center of Pin Boss, 220 mm Inside to Inside Pin Boss Spacing Usage: Not Available	630	2023 Warrior 30T-36T Excavator Ripper (Unused) S/N: 20230112014 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
622	400 mm Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 385 mm Inside to Inside Pin Boss Spacing Usage: Not Available	631	2023 Warrior 30T-36T Excavator Ripper (Unused) S/N: 20230112015 C/W: 90 mm Diameter Pins, 515 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
623	AE 580 mm Q/C Excavator Bucket S/N: Not Available C/W: 510 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available	632	Q/C Excavator Ripper - Fits Volvo EC350DL S/N: 14-22258D C/W: 110 mm Pin Diameter, 510 mm Center of Pin Boss to Center of Pin Boss, 500 mm Inside to Inside Pin Boss Spacing Usage: Not Available
624	Titan 980 mm Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 500 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	633	Excavator Ripper - Fits Sumitomo SH330LC-6 S/N: Not Available C/W: 110 mm Pin Diameter, 570 mm Center of Pin Boss to Center of Pin Boss, 520 mm Inside to Inside Pin Boss Spacing Usage: Not Available
625	NORM 640 mm Digging Excavator Bucket S/N: Not Available C/W: No Hitch Usage: Not Available	634	Excavator Ripper - Fits Komatsu PC300 S/N: Not Available C/W: 80 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 335 mm Inside to Inside Pin Boss Spacing Usage: Not Available
626	500 mm Q/C Excavator Compaction Wheel - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 470 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	635	2023 Warrior 20T-25T Excavator Ripper (Unused) S/N: 20230112008 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available
627A	500 mm Q/C Excavator Compaction Wheel - Fits 20 - 28 ton S/N: Not Available C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available		

Lot #	Details	Lot #	Details
636	2023 Warrior 20T-25T Excavator Ripper (Unused) S/N: 20230112009 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	645	ECH Q/C Excavator Ripper - Fits Volvo ECR145CL S/N: 15-23907D C/W: 80 mm Pin Diameter, 465 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available
637	2023 Warrior 20T-25T Excavator Ripper (Unused) S/N: 20230112011 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	648	Quantity of (2) 2435 mm Cutting Edges - Fits Motor Grader (Unused) S/N: Not Available C/W: To Fit Cat 14M Usage: Not Available
638	2023 Warrior 20T-25T Excavator Ripper (Unused) S/N: 20230112010 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	649	Q/C Donga 7700 mm Arm Attachment - Fits Suit 33 - 35 t Excavator S/N: Not Available C/W: 90 mm Pin Diameter, 570 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
639	2023 Warrior 20T-25T Excavator Ripper (Unused) S/N: 20230112012 C/W: 80 mm Diameter Pins, 460 mm Center of Pin Boss to Center of Pin Boss, 340 mm Inside to Inside Pin Boss Spacing Usage: Not Available	650	Q/C Donga 5600 mm Arm Attachment - Fits 33 - 35 t Excavator S/N: Not Available C/W: 80 mm Pin Diameter, 480 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available
640	Q/C Excavator Ripper - Fits Sumitomo SH210LC-6 S/N: Not Available C/W: 80 mm Pin Diameter, 470 mm Center of Pin Boss to Center of Pin Boss, 410 mm Inside to Inside Pin Boss Spacing Usage: Not Available	651	Donga 3700 mm Arm Attachment - Fits 14 t Excavator S/N: Not Available C/W: 90 mm Pin Diameter, 530 mm Center of Pin Boss to Center of Pin Boss, 400 mm Inside to Inside Pin Boss Spacing Usage: Not Available
641	Q/C Excavator Ripper - Fits Sumitomo SH210LC-6 S/N: Not Available C/W: 75 mm Pin Diameter, 450 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available	652	Q/C Donga 3500 mm Arm Attachment - Fits Suit 4 t Excavator S/N: Not Available C/W: 50 mm Pin Diameter, 280 mm Center of Pin Boss to Center of Pin Boss, 180 mm Inside to Inside Pin Boss Spacing Usage: Not Available
642	Q/C Excavator Ripper - Fits Hitachi 20 t S/N: Not Available C/W: 80 mm Diameter Pins, 475 mm Center of Pin Boss to Center of Pin Boss, 310 mm Inside to Inside Pin Boss Spacing Usage: Not Available	653	670 mm Quick Coupler S/N: Not Available C/W: Pin diameter (90mm), Centre pin boss to centre pin boss (515mm), Pin boss spacing (380mm). Usage: Not Available
643	Q/C Excavator Ripper - Fits Komatsu PC200 S/N: Not Available C/W: 90 mm Diameter Pins, 520 mm Center of Pin Boss to Center of Pin Boss, 410 mm Inside to Inside Pin Boss Spacing Usage: Not Available	654	Gelth 330 mm Quick Coupler S/N: Not Available Usage: Not Available
644	TE 450 mm Q/C Excavator Ripper - Fits Komatsu S/N: Not Available C/W: 90 mm Diameter Pins, 500 mm Center of Pin Boss to Center of Pin Boss, 335 mm Inside to Inside Pin Boss Spacing Usage: Not Available	655A	400 mm Rubber Tracks - Fits Excavator S/N: Not Available C/W: To Fit Komatsu PC55MR-5 Usage: Not Available
		656	Concrete Hopper S/N: Not Available Usage: Not Available
		657	Cab S/N: Not Available C/W: To Fit Mitsubishi MG150 Motor Grader Usage: Not Available

Lot #	Details	Lot #	Details
661	Quantity of (4) Eternity 55x19.00-25 Wheels S/N: Not Available Usage: Not Available	679	Quantity of Suihe Double Leg Lifting Chains Sling (Unused) S/N: Not Available Usage: Not Available
662	Quantity of Filters S/N: Not Available Usage: Not Available	680	Quantity of Suihe Double Leg Lifting Chains Sling (Unused) S/N: Not Available Usage: Not Available
663	400 mm Q/C Excavator Compactor S/N: Not Available C/W: 65 mm Diameter Pins, 420 mm Center of Pin Boss to Center of Pin Boss, 250 mm Inside to Inside Pin Boss Spacing Usage: Not Available	681	Quantity of Suihe Double Legs Lifting Chains Sling (Unused) S/N: Not Available Usage: Not Available
665	Suihe 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available	682	Quantity of (24) Suihe Ratchet (Unused) S/N: Not Available Usage: Not Available
666	Suihe 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available	683	Quantity of (24) Suihe Ratchet Straps (Unused) S/N: Not Available Usage: Not Available
667	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	684	Quantity of (5) Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
668	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	685	Quantity of Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
669	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	686	Quantity of Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
670	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	687	Quantity of Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
671	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	688	Quantity of (5) Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
672	200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	689	Quantity of (5) Suihe Ratchet Binders & Chains (Unused) S/N: Not Available Usage: Not Available
673	Suihe 12000 lb Heavy Duty Electric Winch (Unused) S/N: Not Available Usage: Not Available	690	Quantity of (38) Suihe Shackles (Unused) S/N: Not Available Usage: Not Available
674	Quantity of (22) Suihe Webbing Sling (Unused) S/N: Not Available Usage: Not Available	691	Quantity of (24) Suihe 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available
675	Quantity of (22) Suihe Webbing Sling (Unused) S/N: Not Available Usage: Not Available	692	Quantity of (24) Suihe 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available
676	Quantity of (22) Suihe Webbing Sling (Unused) S/N: Not Available Usage: Not Available	693	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available
677	Quantity of Suihe Double Leg Lifting Chains Sling (Unused) S/N: Not Available Usage: Not Available		
678	Quantity of Suihe Double Leg Lifting Chains Sling (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
694	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	708	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available
695	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	709	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available
696	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	710	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available
697	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	711	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available
698	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	712	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available
699	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	713	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
700	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	714	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
701	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	715	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
702	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	716	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
703	Quantity of (2) Freeport 80 Ton Lifting Jack (Unused) S/N: Not Available Usage: Not Available	717	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
704B	2012 Jungheinrich ERE225 Electric Pallet Jack S/N: 98054104 C/W: 24 V, Battery Charger Usage: 1,501 Hr	718	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
704A	2013 Jungheinrich ERE225 Electric Pallet Jack S/N: 98075949 C/W: 24 V, Battery Charger Usage: 4,601 Hr	719	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
705	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available	720	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
706	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available	721	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available
707	Freeport Oil Dispenser (Unused) S/N: Not Available Usage: Not Available	722	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
723	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available	738	50 ft x 10 ft Cattle Crowding Tub (Unused) S/N: Not Available Usage: Not Available
724	Quantity of (2) Freeport Air Impact Wrench & 51 Sockets (Unused) S/N: Not Available Usage: Not Available	739	50 ft x 10 ft Cattle Crowding Tub (Unused) S/N: Not Available Usage: Not Available
725	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	740	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
726	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	741	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
727	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	742	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
728	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	743	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
729	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	744	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
730	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	745	Quantity of (20) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
731	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	746	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
732	Quantity of (150) Freeport Highway Cones (Unused) S/N: Not Available Usage: Not Available	747	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
733	5 t Scale S/N: Not Available Usage: Not Available	748	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
734	Gas Bottle Stillage S/N: Not Available Usage: Not Available	749	Quantity of (33) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
735	3.8 m Stockman Cattle Crush (Unused) S/N: Not Available Usage: Not Available	750	Quantity of (27) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
736	3.8 m Stockman Cattle Crush (Unused) S/N: Not Available Usage: Not Available	751	Quantity of (20) 2.8 m Livestock Panel (Unused) S/N: Not Available Usage: Not Available
737	Beefmaster Squeeze Chute S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
752	Quantity of (26) 2 m Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	768	Driveway Gate S/N: Not Available Usage: Not Available
753	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	769	Quantity of (3) Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
754	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	770	Quantity of (2) Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
755	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	771	Quantity of (3) Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
756	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	772	Quantity of (2) Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
757	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	773	Quantity of (2) Dog Kennel Pet Supplies (Unused) S/N: Not Available Usage: Not Available
758	Horse Stall Kit (Unused) S/N: Not Available Usage: Not Available	774	Quantity of (2) Dog Kennel Pet Supplies (Unused) S/N: Not Available Usage: Not Available
759	Suihe 20 ft Bi-Parting Wrought Iron Livestock Gate (Unused) S/N: Not Available Usage: Not Available	775	Quantity of (2) 6 ft x 9 ft Dog Kennel (Unused) S/N: Not Available Usage: Not Available
760	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	776	Quantity of (2) 6 ft x 9 ft Dog Kennel (Unused) S/N: Not Available Usage: Not Available
761	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	777	Quantity of (60) Suihe 4 ft x 7 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available
762	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	778	Quantity of (50) Freeport 7 ft x 4 ft Galvanized Temporary Security Fencing (Unused) S/N: Not Available Usage: Not Available
763	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	779	Quantity of (50) Freeport 7 ft x 4 ft Security Fencing (Unused) S/N: Not Available Usage: Not Available
764	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	780	Quantity of (10) 330 ft x 4 ft Wire Fencing (Unused) S/N: Not Available Usage: Not Available
765	Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	781	Quantity of (10) 330 ft x 4 ft Wire Fencing (Unused) S/N: Not Available Usage: Not Available
766	Quantity of Driveway Gate S/N: Not Available Usage: Not Available	782	Quantity of (10) 330 ft x 4 ft Galvanized Wire Fencing (Unused) S/N: Not Available Usage: Not Available
767	4 m Bi-Parting Driveway Gate S/N: Not Available Usage: Not Available	783	Quantity of (10) 330 ft x 4 ft Galvanized Wire Fencing (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
784	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	797	2002 Nissan Stagea Automobile S/N: 6U90000NM35311559 C/W: 6 cyl 2.5 L Petrol Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Dual Sun Roof Usage: 111,526 Mi
785	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	798	2000 Honda HR-V Automobile S/N: JHLGH4850YS201120 C/W: 4 cyl Petrol Engine, Automatic Transmission Usage: 213,383 Mi
786	Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	799	2008 Holden WM Statesman Automobile (Inoperable) S/N: 6G1MY55759L179138 C/W: V6 Petrol Engine, Automatic Transmission Usage: Not Available
787	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	800	2019 Toyota HiLux Rugged 4x4 Dual Cab Ute S/N: MR0HA3CD300430428 C/W: 2.8 L 4 Cylinder Diesel Engine, Automatic Transmission, Drop-In Bed Liner, 265/65R17 Tires, 1500 mm Body Usage: 88,516 Mi
788	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	802	2014 Toyota HiLux SR 4x4 Dual Cab Ute S/N: MR0FZ22G901084093 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, LT265/65R17 Tires, 1900 mm Steel Tray Usage: 104,121 Mi
789	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	803	2014 Toyota HiLux SR 4x4 Dual Cab Ute S/N: MR0FZ22GX01201163 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, LT265/65R17 Tires, 1900 mm Steel Tray Usage: 130,708 Mi
790	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	805	2013 Toyota HiLux SR 4x4 Dual Cab Ute S/N: MR0FZ22G501196549 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, LT245/70R16 Tires, 1900 mm Steel Tray Usage: 82,463 Mi
791	Quantity of (48) Freeport Barbed Wire (Unused) S/N: Not Available Usage: Not Available	806B	2013 Toyota HiLux 4x4 Dual Cab Ute S/N: MR0FZ22G601076775 C/W: 4 Cylinder Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, 205R16 Tires, 1900 mm Steel Tray Usage: 204,089 Mi
792	2016 Toro Groundmaster 5910 4x2 Ride-On Lawn Mower S/N: 316000255 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 29/12.50 Front Tires, 23/10.50 Rear Tires, 5500 mm Batwing Mower Usage: 1,369 Hr	806A	2013 Toyota HiLux 4x4 Dual Cab Ute S/N: MR0FZ22G501073561 C/W: 3.0 L 4 Cylinder Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, 225/75R16 Tires, 1900 mm Tray Usage: 210,385 Mi
793	2016 Toro Groundmaster 5910 4x2 Ride-On Lawn Mower S/N: 401183638 C/W: Enclosed Cab, Air Conditioner, 320/55-15 Front Tires, 23x10.50-12 Rear Tires, 5500 mm Batwing Mower Usage: 3,265 Hr	806	2014 Toyota HiLux SR 4x4 Dual Cab Ute S/N: MR0FZ22G301200467 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, LT265/65R17 Tires, 1900 mm Steel Tray Usage: 84,985 Mi
794B	2017 E Car Electric Golf Cart S/N: LTA0013424 C/W: Battery Charger, 6 Passenger, Canopy, Windshield Usage: 17 Mi		
794A	John Deere Ride-On Lawn Mower (Inoperable) S/N: 1M038CPAPDM080341 C/W: Hydrostatic Drive, 15x6.00-6 Front Tires, 20x10.00-8 Rear Tires, 38 in Mower Usage: Not Available		
794	Suzuki Quad Runner 250 4x2 ATV (Inoperable) S/N: JSAAJ49A1X2103666 C/W: Electric Start, 5 Forward Gears w/ Reverse, 2 Cylinder Petrol Engine Usage: 6,078 Mi		
796	2009 Ford Focus Zetec Automobile S/N: AFAUXXMJDU9U00939 C/W: 4 cyl Petrol Engine, Automatic Transmission, Air Conditioner Usage: 190,261 Mi		

Lot #	Details	Lot #	Details
807	2012 Toyota HiLux 4x4 Dual Cab Ute S/N: MR0FZ22G901059954 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 245/70R16 Tires, 1900 mm Steel Tray Usage: 142,957 Mi	817	2001 Toyota HiLux 4x4 Dual Cab Ute S/N: JTFDM696X00019548 C/W: 2.7 L 4 Cylinder Petrol Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 265/70R16 Tires, 1400 mm Body, Roof Cage, LED Lights, Kings Awning Usage: 181,360 Mi
808	2012 Nissan Navara 4x4 Dual Cab Ute S/N: VSKCAND40A0445542 C/W: V6 Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 265/65R17 Tires, 1500 mm Bed , Fibreglass Canopy, Towing Hitch Usage: 197,503 Mi	818	2011 Toyota HiLux WorkMate 4x2 Ute S/N: MR0CX12G500078221 C/W: 4 Cylinder Engine, 5 Speed Manual Transmission, 205/70R15 Tires, 2500 mm Alloy Tray Usage: 151,364 Mi
809	2011 Mazda BT-50 4x4 Ute S/N: MM0UP0YF100101874 C/W: 5 Cylinder Engine, Automatic Transmission, 305/70R16 Tires, 1800 mm Body Usage: 190,504 Mi	819	2009 Toyota HiLux SR 4x2 Extended Cab Ute S/N: MROGU12G708004066 C/W: 4 Cylinder Petrol Engine, Automatic Transmission, Air Conditioner, Power Windows, 215/70R15 Tires, 1840 mm Bed Usage: 232,940 Mi
811	2008 Toyota HiLux 4x4 Dual Cab Ute S/N: MR0FZ22G601161566 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 265/65R17 Tires, 1800 mm Alloy Tray Usage: 190,484 Mi	821	2008 Holden Colorado 4x2 Regular Cab Ute S/N: MMMTFR32J8H565414 C/W: 4 Cylinder Engine, 5 Speed Manual Transmission, Air Conditioner, 195/80R14C Tires, 2600 mm Tray Usage: 210,786 Mi
812	2007 Toyota HiLux SR 4x4 Ute S/N: MR0DZ22G100009160 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 245/75R16 Tires, 2600 mm Steel Tray Usage: 195,137 Mi	822	2009 Mitsubishi Triton 4x2 Regular Cab Ute S/N: MMAENKB909D011602 C/W: 4 Cylinder Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 205R16C Tires, 2460 mm Tray Usage: 40,778 Mi
813	2007 Toyota HiLux SR 4x4 Ute S/N: MR0DZ22G900006734 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, LT265/65R17 Tires, 2600 mm Steel Tray Usage: 200,368 Mi	823	2007 Holden Rodeo 4x2 Dual Cab Ute S/N: MPATFR27H7H528933 C/W: V6 Petrol Engine, Automatic Transmission, 225/75R15 Tires, 1370 mm Body Usage: 130,230 Mi
814	2007 Nissan Narava D40 RX 4x4 Dual Cab Ute S/N: VSKCVND40A0209502 C/W: 4 Cylinder Diesel Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 265/65R17 Tires, 1640 mm Body Usage: 133,871 Mi	824	2007 Mitsubishi Triton 4x2 Ute S/N: MMBENKA507F001145 C/W: 4 Cylinder Petrol Engine, Manual Transmission, Air Conditioner, Power Windows, 205R16C Tires, 2400 mm Alloy Tray, (3) Honda Water Pumps, Traffic Control Light Board, Road Signs Usage: 208,986 Mi
815	2005 Holden Rodeo 4x4 Dual Cab Ute S/N: MPATFS77J6H509764 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, 245/70R16 Tires, 1800 mm Steel Tray Usage: 166,956 Mi	825	2005 Toyota Hilux WorkMate 4x2 Ute S/N: MR0CX12G300001900 C/W: 4 Cylinder Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Tool Box, 205/70R15C Tires, 2640 mm Steel Tray Usage: 202,511 Mi
816	2001 Nissan Patrol 4x4 Ute S/N: JN1UCLY61A0502856 C/W: 6 Cylinder Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, 265/75R16 Tires, 2500 mm Body Usage: 231,310 Mi	827	2007 Toyota HiLux 4x2 Dual Cab Ute (Inoperable) S/N: MR0EX12G102302503 C/W: 4 Cylinder Petrol Engine, 5 Speed Manual Transmission, Air Conditioner, 195/75R14 Tires, 1650 mm Bed Usage: Not Available

Lot #	Details	Lot #	Details
828	2010 Nissan D40 Navara 4x4 Dual Cab Ute (Inoperable) S/N: MNTVCUD40A0003470 C/W: 4 Cylinder Diesel Engine, 5 Speed Manual Transmission, 265/75R16 Tires, 1700 mm Alloy Tray Usage: Not Available	839	2015 Volkswagen Crafter 4x2 Van S/N: WV1ZZZ2EZD6031454 C/W: 4 Cylinder Diesel Engine, Requires AdBlue, Automatic Transmission, Dometic Sleeper Air Conditioner, 235/65R16 Front Tires, 235/65R16 Rear Tires, Spring Suspension, 4340 mm Wheelbase, 4300 mm Long x 1750 mm Wide x 1830 mm High Body, Towing Hitch, GVM 3.55 t, Cummins Onan 2.3 Kw Petrol Generator w/ Remote Start, 240 v Inlet, 4 x 240 v GPO's, Battery Power Storage, Water Storage w/ Electric Pump & In-Cab Digital Gauge, Microwave Cooker, Manual Rollout Awning, Rearview Camera, UHF Usage: 86,932 Mi
829	2005 Holden Rodeo 4x4 Extended Cab Ute (Inoperable) S/N: MPATFS77H6H510289 C/W: 6 Cylinder Diesel Engine, 6 Speed Manual Transmission, Air Conditioner, 265/75R16 Tires, 2200 mm Steel Tray Usage: Not Available	840	2019 Iveco Daily Van S/N: ZCFC135C005234438 C/W: 4 Cylinder Diesel Engine, 4095 Engine hrs, Engine Brake, Hi-Matic Automatic Transmission, Right Hand Drive, 235/65R16C Front Tires, 235/65R16C Rear Tires, 3500 mm Wheelbase, 3700 mm Long x 1970 mm Wide x 2650 mm High Body Usage: 67,816 Mi
830	2012 Toyota LandCruiser 4x4 200 Series Altitude SUV S/N: JTMHV09JX04090833 C/W: V8 4.5 L Diesel Engine, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Towing Hitch, Yakima Flat Roof Rack, Wanderer Awning, LED Light Bar Usage: 223,580 Mi	841	2002 Nissan MK150 4x2 28-Seat Bus S/N: JNBKMA12100G00320 C/W: Nissan 4 Cylinder Diesel Engine, Air Conditioner, 6 Speed Manual Transmission, 215/75R17.5 Front Tires, 215/75R17.5 Rear Tires, Spring Suspension, 4300 mm Wheelbase, A258442 Usage: 197,088 Hr
831	2013 Toyota LandCruiser 78 Series WorkMate Troop Carrier 4x4 SUV S/N: JTERV71J900006268 C/W: V8 Engine, 5 Speed Manual Transmission, Air Conditioner, 3rd Row, 265 /75R16 Tyres Usage: 148,134 Mi	842	MacDonald Johnston on 2013 Johnston Sweeper Truck S/N: SA92V52WXD4068965 C/W: VM Motori 4 Cylinder Engine, 6535 Engine hrs, Automatic Transmission, 6.5R10 Front Tires, 225/75R10 Rear Tires, 1450 mm Wheelbase, Water System, GVM 4.5 t Usage: 27,114 Mi
832	2012 Toyota LandCruiser 76 Series WorkMate 4x4 SUV S/N: JTEEV73J500008952 C/W: V8 Engine, 5 Speed Manual Transmission, Air Conditioner, Roll Cage, 235 /85R16 Tyres Usage: 216,327 Mi	843	1999 Mitsubishi FV54 Fighter 6x2 Van Truck S/N: JMFFV547T0KJ00007 C/W: 6 Cylinder Engine, Exhaust Brake, 10-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6400 mm Wheelbase, 8000 mm Long Body, Curbside Door, GVM 24 t Usage: 352,575 Mi
834	2009 Holden Captiva 2WD SUV S/N: KL3CD26RJ9B505780 C/W: Automatic Transmission, Air Conditioner, Power Windows Usage: 105,224 Mi	844	2012 Isuzu FSR86 4x2 Van Truck S/N: JALFSR86MC7000001 C/W: 6 Cylinder Liquid Propane Gas (LPG) Engine, Exhaust Brake, 6-Speed Transmission, 265/70R19.5 Front Tires, 265/70R19.5 Rear Tires, Spring Suspension, 5800 mm Wheelbase, All Truck Bodies 7500 mm Long x 2500 mm Wide x 2500 mm High Body, Curbside Door, GVM 14 t Usage: 192,064 Mi
835	2010 Holden Captiva SUV S/N: KL3CD26RJAB024279 C/W: Automatic Transmission, Air Conditioner, Power Windows Usage: 146,613 Mi		
838	2019 Mercedes-Benz Sprinter 414 Van S/N: WDB9106432P012747 C/W: 4 Cylinder Engine, Automatic Transmission, 225/75R16C Front Tires, 225 /75R16C Rear Tires, Spring Suspension, 4000 mm Wheelbase, 3800 mm Long x 1950 mm Wide x 2800 mm High Body Usage: 67,467 Mi		

Lot #	Details	Lot #	Details
845	2012 Isuzu FSR 4x2 Van Truck S/N: JALFSR86MC7000002 C/W: Isuzu 6 Cylinder Liquid Propane Gas (LPG) Engine, Exhaust Brake, 6-Speed Manual Transmission, 265/70R19.5 Front Tires, 265/70R19.5 Rear Tires, Spring Suspension, 5800 mm Wheelbase, All Truck Bodies 7500 mm Long x 2500 mm Wide x 2500 mm High Body, Curbside Door, GVM 14 t Usage: Not Available	856	1998 International ACCO 2350G 6x2 Tautliner Truck S/N: 6F2242300WDE00569 C/W: Cummins 6 Cylinder Engine, Engine Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6050 mm Wheelbase, 8500 mm Long Body, GVM 24 t Usage: 863,224 Mi
846	2008 Isuzu FVM 1400 6x2 Tautliner Truck S/N: JALFVM34W87000190 C/W: 6 Cylinder Engine, 14986 Engine hrs, Exhaust Brake, 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 5850 mm Wheelbase, Vawdrey 7400 mm Long x 2485 mm Wide x 2600 mm High Body, Liftgate, GVM 22.5 t Usage: 214,847 Mi	857	1997 International ACCO 2350G 6x2 Tautliner Truck S/N: 6F2242300VDD00944 C/W: Cummins 250 hp Engine, Engine Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6050 mm Wheelbase, 8500 mm Long Body, GVM 24 t Usage: 592,763 Mi
848	2007 Isuzu FRR5MF 4x2 Tautliner Truck (Inoperable) S/N: JALFRR34H67000369 C/W: 4 Cylinder Engine, Exhaust Brake, 6-Speed Transmission, 9.5R17.5, Spring Suspension, 5350 mm Long Body, Liftgate, GVM 10.4 t Usage: Not Available	858	2011 DAF FALF55 4x2 Tautliner Truck S/N: XLRAE55GFAL360271 C/W: Cummins ISB 6 Cylinder 280 hp Engine, Requires AdBlue, Exhaust Brake, Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6200 mm Wheelbase, 7400 mm Long Body, GVM 18 t Usage: 515,430 Mi
850	2010 Hino 716 4x2 Refrigerated Truck S/N: JHFUU11H30K002657 C/W: 4 Cylinder Diesel Engine, Air Conditioner, Exhaust Brake, 6-Speed Manual Transmission, 205/85R16 Front Tires, 205/85R16 Rear Tires, Spring Suspension, 3200 mm Wheelbase, Thermo King Reefer Unit, 4400 mm Long x 2200 mm Wide x 2200 mm High Body, Curbside Door, GVM 6500 t, A261382 Usage: 310,866 Mi	859	2002 Isuzu FVD950 6x2 Tautliner Truck S/N: JALFVD23RY3000171 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6700 mm Wheelbase, 8600 mm Long Body, GVM 16 t Usage: 822,365 Mi
851	2006 Isuzu FVZ 1400 6x4 Tautliner Truck S/N: JALFVZ23M67000075 C/W: Isuzu 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 8LL Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 6300 mm Wheelbase, 8800 mm Long x 2500 mm Wide x 3000 mm High Body, GVM 24 t Usage: 175,137 Mi	860A	1999 Scania P124GB 8x2 Twin-Steer Table Top Truck w/Crane S/N: YS2P8X40001244366 C/W: Scania 6 Cylinder Engine, 2130 Engine hrs, Exhaust Brake, GRS900 6-Speed Transmission, Differential Lock, 19000 kg Rears, Scania Drive Axles, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4700 mm Wheelbase, PTO, 3375 kg Capacity, Rear Mounted, 8.5 m Boom, Straight Down Outriggers, Rear Outriggers, 6700 mm x 2750 mm Bed, GVM 33.2 t Usage: 597,344 Mi
852	2017 Volvo FE8 6x2 Tautliner Truck S/N: YV2V0Y1C4HZ113413 C/W: 6 Cylinder 280 hp Engine, Requires AdBlue, 7738 Engine hrs, Exhaust Brake, Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5500 mm Wheelbase, Alltruck Bodies 8500 mm Long x 2800 mm High Body, GVM 26 t Usage: 149,644 Mi	860	1988 Mitsubishi FM515 4x2 Livestock Truck S/N: FM515JVF30010310 C/W: 6 Cylinder Engine, Exhaust Brake, 10-Speed Transmission, 10.00R20 Front Tires, 10.00R20 Rear Tires, Spring Suspension, 4600 mm Wheelbase, 6500 mm Body, Internal Dividers, Sliding Gate Usage: 308,392 Mi
855	2010 Isuzu FVM 1400 6x2 Tautliner Truck S/N: JALFVM34W97000059 C/W: 6 Cylinder Engine, 17861 Engine hrs, Exhaust Brake, 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5800 mm Wheelbase, 8800 mm Long x 2800 mm High Body, GVM 24 t Usage: 325,594 Mi	861	1993 Mack MHR788RS 8x4 Twin-Steer Table Top Truck S/N: 6FME07E05APB01586 C/W: Mack EN7 6 Cylinder 400 hp Engine, 14782 Engine hrs, Engine Brake, MaxiTorque 18-Speed Transmission, 11R22.5, Spring Suspension, 6000 mm Wheelbase, 8.9 m Bed, Dovetail, Hydraulic Ramps, GVM 28.3 t, Rear View Camera Usage: 730,597 Mi

Lot #	Details	Lot #	Details
862	2006 Hino 500 GH 6x4 Table Top Truck S/N: JHDGH1JSPXXX10745 C/W: 6 Cylinder Engine, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6300 mm Wheelbase, 8500 mm x 2500 mm Bed, Dovetail, Hydraulic Ramps, GVM 23 t Usage: 327,777 Mi	870	2003 Isuzu FRR 500 4x2 Table Top Truck S/N: JALFRR34H37000079 C/W: 6 Cylinder Diesel Engine, Exhaust Brake, 6-Speed Manual Transmission, 9.5R17.5 Front Tires, 9.5R17.5 Rear Tires, Spring Suspension, 4200 mm Wheelbase, 6.1 m Bed, Bartlett, GVM 10.4 t Usage: 160,045 Mi
863	1994 International S3600 6x4 Table Top Truck S/N: 6F2EF3600RDA10484 C/W: Detroit Series 60 Engine, Engine Brake, Eaton Fuller 13-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6600 mm Wheelbase, 7.6 m Bed, Dovetail, Hydraulic Ramps, GVM 23.2 t Usage: 553,020 Mi	870	R V Trailers 7.8 m Bogie/A Equipment Trailer S/N: 6G9T2000012AK0012 C/W: Spring Suspension, Steel Decking, 6.50 R16LT Tires Usage: Not Available
864	2001 Iveco Eurocargo 4x2 Table Top Truck S/N: SBGA1RLJ002353561 C/W: 6 Cylinder Engine, 16068 Engine hrs, Exhaust Brake, 9-Speed Manual Transmission, 295/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Air Ride Suspension, 6500 mm Wheelbase, 9.1 m x 2480 mm Bed, GVM 17 t Usage: 393,238 Mi	871A	2000 Iveco 75E14 4x2 Table Top Truck (Inoperable) S/N: SBGA75A0002294957 C/W: 4 Cylinder Diesel Engine, 5-Speed Manual Transmission, 225/75R16C, Spring Suspension, 4200 mm Wheelbase, 4500 mm x 2480 mm Bed, GVM 8 t Usage: 173,384 Mi
865	2005 Hino GH1J 4x2 Table Top Truck S/N: JHDGH1JSPXXX10440 C/W: 6 Cylinder Engine, Exhaust Brake, 6-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6300 mm Wheelbase, 7600 mm Bed, Dovetail, Hydraulic Ramps, GVM 16 t Usage: 408,727 Mi	871	2007 Iveco Daily 65C18 4x2 Table Top Truck S/N: ZCFC65D000D347451 C/W: 4 Cylinder Engine, 6-Speed Transmission, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 4300 mm Wheelbase, 4900 mm Bed, GVM 6.5 t Usage: 168,410 Mi
866	2001 Iveco Eurocargo 4x2 Table Top Truck S/N: SBGA1RLJ002355512 C/W: 6 Cylinder Engine, 8831 Engine hrs, Exhaust Brake, 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6500 mm Wheelbase, 9.1 m x 2480 mm Bed, GVM 16 t Usage: 622,788 Mi	872	1992 Isuzu NPR66 4x2 Table Top Truck S/N: JAANPR66LN7100598 C/W: 4 Cylinder Engine, Exhaust Brake, 6-Speed Transmission, 7.50R16LT, Spring Suspension, 3300 mm Wheelbase, 4.3 m Bed, GVM 6.2 t Usage: 69,943 Mi
867	1999 Isuzu FVR900A 4x2 Table Top Truck S/N: JALFVR32RX3000015 C/W: 6 Cylinder Engine, Exhaust Brake, 7-Speed Manual Transmission, 275/70R22.5 Front Tires, 275/70R22.5 Rear Tires, Air Ride Suspension, 6400 mm Wheelbase, 7.2 m Bed, GVM 16 t Usage: 540,668 Mi	873	2008 Volkswagen Transporter 4x2 Crew Cab Table Top Truck S/N: WV3ZZZ7JZ8X010892 C/W: 4 Cylinder Diesel Engine, 5-Speed Manual Transmission, 205/65R16C Front Tires, 205/65R16C Rear Tires, Spring Suspension, 3400 mm Wheelbase, 2470 m x 2050 mm Bed Usage: 82,338 Mi
868	1990 Isuzu FSR 4x2 Table Top Truck S/N: JALFSR12KK3600286 C/W: 6 Cylinder Engine, Exhaust Brake, 6-Speed Manual Transmission, 8.25R20 Front Tires, 8.25R20 Rear Tires, Spring Suspension, 4700 mm Wheelbase, 6.6 m Bed, Container Pins, GVM 11 t Usage: 613,624 Mi	874	2009 Isuzu NNR200 4x2 Table Top Truck S/N: JAANNR85H87100859 C/W: 4 Cylinder 150 hp Engine, Exhaust Brake, 5-Speed Transmission, 215/75R17.5 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 3400 mm Wheelbase, 3900 mm x 2200 mm Bed, GVM 4.5 t, Hydraulic Liftgate Assembly Included (Not Fitted) Usage: 276,204 Mi
869	1982 Hino FF 4x2 Table Top Truck S/N: FF177-10227 C/W: 6 Cylinder Engine, Exhaust Brake, 10-Speed Transmission, 10.00R20 Front Tires, 10.00R20 Rear Tires, Spring Suspension, 5600 mm Wheelbase, 6.6 m Bed, GVM 13.5 t, Hydraulic Ramps, 1200 mm Fixed Dovetail Usage: 204,083 Mi	875A	2005 Iveco Daily Table Top Truck S/N: ZCFC50C000D283862 C/W: 4 Cylinder Engine, 6-Speed Transmission, 195/75R16 Front Tires, 195/75R16 Rear Tires, Spring Suspension, 3500 mm Wheelbase, 3500 mm x 2100 mm Bed, Pintle Hitch, GVM 4.49 t Usage: 189,786 Mi

Lot #	Details	Lot #	Details
875	2006 Isuzu NPR75 4x2 Table Top Truck S/N: JAANPR75L57101512 C/W: 4 Cylinder Diesel Engine, Exhaust Brake, Automatic Transmission, 205/85R16, Spring Suspension, 2800 mm Wheelbase, 3.4 m Bed, Pintle Hitch, GVM 4.4 t Usage: Not Available	885	1991 Kenworth T400 11000 L 6x4 Water Truck S/N: 6F5000000MA411883 C/W: Cummins L10 330 hp Engine, Engine Brake, Eaton Fuller 13-Speed Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4200 mm Wheelbase, PTO, 14000 L Alloy Tank, T-REX Hydraulic Driven Pump, Hose Reel, Rear Spray, Dribble Bar, Side Spray, GVM 24.2 t Usage: 37,328 Mi
876	1993 Nissan Atlas 4x2 Table Top Truck S/N: 6U9000W2H41004431 C/W: 4 Cylinder Diesel Engine, Exhaust Brake, 5-Speed Transmission, 7.00R16LT Front Tires, 17.5R13C Rear Tires, Spring Suspension, 2500 mm Wheelbase, 3 m Bed, Liftgate, GVM 4.3 t Usage: 91,678 Mi	886	2007 Isuzu FVZ 12000 L 6x4 Water Truck S/N: JALFVZ23767000343 C/W: 6 Cylinder Engine, 2712 Engine hrs, Exhaust Brake, Allison 6-Speed Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 5400 mm Wheelbase, PTO, AGM Tank, Water Cannon, Front Spray, Rear Spray, Side Spray, GVM 24 t, E-Stops Usage: 44,051 Mi
877	2010 Mitsubishi Canter 4x2 Table Top Truck (Inoperable) S/N: JLFFE84DE0KJ10443 C/W: 4 Cylinder Engine, Engine Brake, Exhaust Brake, 5-Speed Transmission, 205/85R16 Front Tires, 205/85R16 Rear Tires, Spring Suspension, 3300 mm Wheelbase, 4500 mm Bed, GVM 6.5 t Usage: Not Available	887	2016 Nissan UD PKC8E 8000 L 4x2 Water Truck S/N: JNCL0F1A1GV004580 C/W: 6 Cylinder Engine, Requires AdBlue, Exhaust Brake, Allison Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 4500 mm Wheelbase, PTO, Hydraulic System, Allquip 8000 L Poly Tank, Southern Cross PTO Driven Pump, 2200 mm, Spray Bar, Hose Reel, Water Cannon, Front Spray, Rear Spray, Side Spray, GVM 16 t, Rear View Camera, Davey 5265H Firefighter with Honda GX200 Usage: 77,679 Mi
879	2006 Ford Transit 4x2 Service Truck S/N: WF0FXXTFF6M33860 C/W: Ford 4 Cylinder Engine, 6-Speed Manual Transmission, 195/75R16C, Spring Suspension, 3900 mm Wheelbase, Classic Truck Bodies 3500 mm Body, GVM 3.55 t Usage: 195,752 Mi	888	2006 Mitsubishi Fuso FM600 7000 L 4x2 Water Truck S/N: JLFFM65FH0KK00236 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 4300 mm Wheelbase, PTO, Hydraulic System, 7000 L Poly Tank, Southern Cross PTO Driven Pump, Hose Reel, Water Cannon, Rear Spray, GVM 16 t Usage: 130,709 Mi
880	2004 Ford F-250 XL 4x4 Ute S/N: 9BFJF21F15B008952 C/W: International B285 V8 Diesel Engine, 6-Speed Transmission, 265/75R16, Spring Suspension, 3500 mm Wheelbase, 2650 mm Body Usage: 62,734 Mi	889	1989 Nissan UD CWA46 15000 L 6x4 Water Truck S/N: JNBCWA46H00000072 C/W: 6 Cylinder 290 hp Engine, Exhaust Brake, Eaton Fuller 15-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4000 mm Wheelbase, Steel Tank, Pump w/ TWM 1 Cylinder Engine, Hose Reel, Rear Spray, Dribble Bar, GVM 26 t Usage: 458,879 Mi
883	2008 Iveco Acco 2350 17000 L 8x4 Twin-Steer Water Truck S/N: 6F22623008DR00323 C/W: Cummins ISC 315 hp Engine, 28394 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 11R22.5, Air Ride Suspension, 5000 mm Wheelbase, PTO, Trans Tank 17000 L Poly Tank, Southern Cross PTO Driven Pump, Front Spray, Rear Spray, Side Spray, GVM 30 t Usage: 413,815 Mi	890	1983 Mercedes-Benz 2233 14700 L 6x4 Water Truck S/N: 62314564951349 C/W: V8 Engine, Exhaust Brake, 10-Speed Transmission, 295/80R22.5, 6-Rod Suspension, 3650 mm Wheelbase, PTO, Hydraulic System, Steel Tank, Hydraulic Driven Pump, Front Spray, Rear Spray, Side Spray Drivers Side Only, GVM 22 t Usage: 353,540 Mi
884	2013 Cat CT610 15000 L 6x4 Water Truck S/N: 1HSKMTKR6DJ311935 C/W: CT13 475 hp Engine, 8995 Engine hrs, Engine Brake, Eaton Fuller UltraShift Plus Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5200 mm Wheelbase, PTO, Steel Tank, Hydraulic Driven Pump, Rear Spray, Side Spray, GVM 24.5 t, Auto Lube, E-stops, ROPS Usage: 52,181 Mi		

Lot #	Details	Lot #	Details
891	2016 Mitsubishi Fuso FS52 8x4 Twin-Steer Hook Truck S/N: JLFFS52SS0KJ25016 C/W: 6 Cylinder 450 hp Engine, Requires AdBlue, Engine Brake, Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 5900 mm Wheelbase, Multilift Roll-Off Body, 6.4 m Hoist, GVM 30.8 t Usage: 204,854 Mi	897	1992 Hino GH 4x2 Tilt Tray Truck S/N: JHDGH3HPKXXX10056 C/W: 6 Cylinder 240 hp Engine, Exhaust Brake, Eaton Fuller 10-Speed Transmission, 20000 lb Rears, Air Ride Cab, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 5300 mm Wheelbase, 6 m Bed, Thomas 30000 lb Winch, GVM 15 t, Hiab 090 RW 3 Section 7 m 1.17 t Folding Crane, Out & Down Outriggers Usage: 211,198 Mi
892	2020 Isuzu FXY 6x4 Hook Truck S/N: JALFXZ77UH7000740 C/W: 6 Cylinder 350 hp Engine, Exhaust Brake, Allison Automatic Transmission, Differential Lock, Air Ride Cab, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6050 mm Wheelbase, PTO, Hydraulic System, 2019 HYVA LIFT 20-57-SK Roll-Off Body, 5.1 m Hoist, GVM 24 t Usage: 61,969 Mi	898	2012 Iveco Acco 2350G 8x4 Twin-Steer Mixer Truck S/N: 6F2262300CDV00413 C/W: Cummins ISL 320 hp Engine, Requires AdBlue, 14315 Engine hrs, Allison Automatic Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Rubber over Walking Beam Suspension, 5100 mm Wheelbase, PTO, Mixers Australia 7.6 m3 Mixer Unit, GVM 30 t Usage: 150,128 Mi
893	2009 Hino FM1J 500 Series 6x4 Hook Truck S/N: JHDFM8JRKXXX10249 C/W: 6 Cylinder Engine, Exhaust Brake, Allison Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4800 mm Wheelbase, PTO, Hydraulic System, 4.6 m Hoist, GVM 26 t Usage: 364,331 Mi	899	2012 Freightliner CL112 Columbia 6x4 Mixer Truck S/N: 1FVHF0CYXDLBZ8391 C/W: Cummins ISL8.9e5 6 Cylinder 316 hp Engine, Requires AdBlue, Engine Brake, Allison Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4950 mm Wheelbase, PTO, AADS 6.5 m3 Mixer Unit, GVM 24.8 t, Auto Lube Usage: 119,386 Mi
894	2005 Isuzu FVY1400 6x4 Hook Truck S/N: JALFVY23V47000235 C/W: 6 Cylinder 275 hp Engine, Exhaust Brake, Eaton Fuller 15-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 6600 mm Wheelbase, PTO, Hydraulic System, HaulMaster Roll-Off Body, 5.5 m Hoist, GVM 24 t, Electric Roll Tarp, E-Stops Usage: 250,805 Mi	900	2003 Sterling LT7500 6x4 Mixer Truck S/N: 2FZHATBS04AM00797 C/W: Cummins 6 Cylinder Engine, Exhaust Brake, 6-Speed Automatic Transmission, 40000 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Rubber Suspension, 4800 mm Wheelbase, PTO, Davcron Engineering 6.5 m3 Mixer Unit, GVM 24 t Usage: 200,621 Mi
895	2004 Hino FM1J 6x4 Hook Truck S/N: JHDFM1JTPXXX10050 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 8LL Transmission, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 5600 mm Wheelbase, PTO, Hydraulic System, Palfinger Roll-Off Body, 4.2 m Hoist, GVM 26 t, Palfinger PK9501 7.6 m 3 Section 2.14 t Folding Crane, Out & Down Stabilizers, E-stops Usage: 267,483 Mi	901	2007 Hino FM1J 6x4 Mixer Truck S/N: JHDFM1JLPXXX10880 C/W: 4 Cylinder Engine, 7559 Engine hrs, Exhaust Brake, Eaton Fuller 8LL Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4300 mm Wheelbase, PTO, GVM 26 t Usage: 183,294 Mi
896A	2000 Isuzu FVR900A 4x2 Skip Truck S/N: JALFVR32HX3000025 C/W: 6 Cylinder Engine, Exhaust Brake, 6-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 4250 mm Wheelbase, PTO, 2000 Roll-Off Body, GVM 16 t Usage: Not Available	902	2003 Sterling LT7500 6x4 Mixer Truck (Inoperable) S/N: 2FZHATBSX3AL95199 C/W: Cummins 6 Cylinder Engine, Exhaust Brake, Allison 6-Speed Automatic Transmission, 11R22.5, Rubber Suspension, 4800 mm Wheelbase, PTO, Davcron Engineering 6.5 m3 Mixer Unit, 3 Removable Chutes, GVM 24 t Usage: 236,256 Mi
896	2003 Isuzu FSR700 4x2 Hook Truck S/N: JALFSR34P37000123 C/W: Isuzu 6 Cylinder Engine, Exhaust Brake, 6-Speed Transmission, 255/70R22.5, Spring Suspension, 5500 mm Wheelbase, PTO, Hydraulic System, 1995 Polybenne BL8 Roll-Off Body, GVM 11.99 t, Hook Bin Usage: 159,749 Mi		

Lot #	Details	Lot #	Details
903	2007 Hino FM1J 6x4 Mixer Truck (Inoperable) S/N: JHDFM1JLPXXX10861 C/W: 6 Cylinder Engine, 6866 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 4500 mm Wheelbase, Mixers Australia Mixer Unit, 2 Removable Chutes, GVM 26 t Usage: Not Available	909	2002 Hino FM1J 4x2 Cab & Chassis (Inoperable) S/N: JHDFM1JLLXXX10449 C/W: 6 Cylinder Engine, Eaton Fuller Manual Transmission, 295/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Spring Suspension, 4400 mm Wheelbase, 3300 mm Cab to Axle, 5000 mm Cab to End of Frame, GVM 23 t Usage: Not Available
904	2003 Hino FC4J 4x2 Mixer Truck (Inoperable) S/N: JHDFC4JEPXXX10311 C/W: 4 Cylinder Engine, 255 Engine hrs, 6-Speed Manual Transmission, 9.5R17.5, Spring Suspension, 3700 mm Wheelbase, PTO, 2 Removable Chutes, GVM 10.4 t Usage: Not Available	910	2002 Isuzu FY 4x2 Day Cab Prime Mover (Inoperable) S/N: JALGVD23FY3000029 C/W: 6 Cylinder Engine, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Air Ride Suspension, 4100 mm Wheelbase, GVM 16 t, GCM 32 t Usage: 375,627 Mi
905	2005 Iveco Acco 2350G 8x4 Twin-Steer Mixer Truck (Inoperable) S/N: 6F22623005DM00500 C/W: Cummins Engine, 24655 Engine hrs, Engine Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Rubber Suspension, 5400 mm Wheelbase, PTO, mixers Australia Mixer Unit, Composite Mixer Drum, GVM 30 t Usage: 246,469 Mi	914	2014 Kenworth T409SAR 6x4 Tipper Truck S/N: 6F5000000EA452487 C/W: Cummins ISXe5 550 hp Engine, Requires AdBlue, 23783 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5000 mm Wheelbase, BTE 4400 mm Long x 1600 mm High Alloy Body, Electric Roll Tarp, Ringfeder, GVM 26.5 t, Auto Lube Usage: 31,254 Mi
906B	1995 Volvo FL7 8x4 Twin-Steer Cab & Chassis S/N: YV5F5A4G2RD562442 C/W: 35435 Engine hrs, Steuerung Automatic Transmission, Differential Lock, 5.43:1 Axle Ratio, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring over Walking Beam Suspension, 5600 mm Wheelbase, 5250 mm Cab to Axle, 7300 mm Cab to End of Frame, GVM 30 t Usage: 360,166 Mi	915	2014 Freightliner Coronado 6x4 Tipper Truck S/N: 1FVHG7DR7DLFG4591 C/W: Detroit DD15 520 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5500 mm Wheelbase, 4750 mm Long x 1640 mm High Alloy Body, Electric Roll Tarp, Ringfeder, GVM 26 t Usage: 522,114 Mi
906A	1979 Ford 8000 6x4 Cab & Chassis S/N: 65234 C/W: Cat 3208 V8 Diesel Engine, Roadranger RT-613 13-Speed Manual Transmission, Differential Lock, 10.00R20 Front Tires, 11R22.5, 10.00R20 Rear Tires, 4720 mm Wheelbase, 3100 mm Cab to Axle, 4320 mm Cab to End of Frame Usage: 17,798 Mi	916	2011 Freightliner Coronado 122 6x4 Tipper Truck S/N: 1FVHGVDR3CLBB1152 C/W: Detroit DD15 560 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5000 mm Wheelbase, PTO, Hydraulic System, CBB 4500 mm Long x 1400 mm High Alloy Body, Manual Roll Tarp, Ringfeder, GVM 24 t Usage: 257,865 Mi
906	Daysworth Spotter Truck S/N: NOTAVAILABLE C/W: Scania 6 Cylinder Engine, Automatic Transmission, 12.00R20 Front Tires, 12.00R20 Rear Tires, 2850 mm Wheelbase, Hydraulic Lift 5th Wheel, RedDOT Air Conditioner Usage: 6,078 Hr	917	2011 Freightliner Coronado 122 6x4 Tipper Truck S/N: 1FVHGVDR5CLBE0202 C/W: Detroit DD15 560 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5300 mm Wheelbase, Hydraulic System, CBB 4500 mm Long x 1400 mm High Alloy Body, Manual Roll Tarp, Ringfeder, GVM 24 t Usage: 552,793 Mi
908	2005 Iveco Acco 2350G 8x4 Twin-Steer Cab & Chassis (Inoperable) S/N: 6F22623005DM00490 C/W: Cummins ISC 6 Cylinder Engine, 22207 Engine hrs, Engine Brake, Eaton Fuller 9LL Transmission, 295/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Rubber over Walking Beam Suspension, 5400 mm Wheelbase, PTO, 4700 mm Cab to Axle, 6200 mm Cab to End of Frame, GVM 30 t Usage: 212,100 Mi		

Lot #	Details	Lot #	Details
918A	2009 Sterling LT9500 6x4 Tipper Truck S/N: 2FZJAZCV29AAJ2378 C/W: Mercedes-Benz OM460LA 6 Cylinder 450 hp Engine, Engine Brake, Eaton Fuller 13-Speed Transmission, Double Differential Locks, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5000 mm Wheelbase, PTO, 4500 mm Long x 1200 mm High Steel Body, Manual Roll Tarp, Bartlett Ball, GVM 24 t Usage: 232,364 Mi	924	1994 Nissan-UD CWB452 6x4 Tipper Truck S/N: JNBCWB45200H00009 C/W: 6 Cylinder Engine, Exhaust Brake, 15-Speed Transmission, Dirna Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 3900 mm Wheelbase, PTO, Hamelex White 4300 mm Long x 1250 mm High Steel Body, Manual Roll Tarp, Ringfeder, GVM 26 t Usage: 322,515 Mi
918	2010 Cat CT610 6x4 Tipper Truck S/N: 1HSHXSBRT279465 C/W: C13 ACERT 470 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5200 mm Wheelbase, Shephard 4600 mm Long x 1300 mm High Alloy Body, Manual Roll Tarp, Pintle Hitch, GVM 23.5 t Usage: 647,924 Mi	925	1991 Mitsubishi FV458J 6x4 Tipper Truck S/N: 6F6V6A14DLA020177 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 13-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring over Walking Beam Suspension, 3850 mm Wheelbase, PBW Engineering 4200 mm Long x 1000 mm High Steel Body, Manual Roll Tarp, GVM 22.5 t Usage: 547,699 Mi
919	2007 Western Star 4800FX 6x4 Tipper Truck S/N: 5KKJAECG67PY85442 C/W: Detroit Series 60 500 hp Engine, 11513 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5100 mm Wheelbase, Lusty EMS 4300 mm Long x 1450 mm High Rock Sheeted Alloy Body, Manual Roll Tarp, Ringfeder, GVM 24.5 t Usage: 125,319 Mi	926	1987 Nissan UD CWA450 6x4 Tipper Truck S/N: CWA45H01669 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 15-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4000 mm Wheelbase, 4100 mm Long x 1200 mm High Steel Body, Manual Roll Tarp, GVM 24 t Usage: 349,145 Mi
920	2006 Volvo FM13 6x4 Tipper Truck S/N: YV5JSW0DX6D127949 C/W: 6 Cylinder 480 hp Engine, 31955 Engine hrs, Exhaust Brake, 7-Speed Transmission, Differential Lock, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3600 mm Wheelbase, PTO, 4400 mm Long x 1300 mm High Steel Body, Electric Roll Tarp, Bartlett Ball, GVM 27.5 t Usage: 709,899 Mi	928	1978 International ACCO 1950B 6x4 Tipper Truck S/N: G02784 C/W: V8 Engine, Eaton Fuller 13-Speed Transmission, 11R22.5 Front Tires, 10.00R20 Rear Tires, Spring Suspension, 4000 mm Wheelbase, 4700 mm Long x 1320 mm High Steel Body, Ringfeder, GVM 20.9 t Usage: 1,271,207 Mi
921	2005 Mitsubishi Fuso FN62 Fighter 6x4 Tipper Truck S/N: JLFFN62FK0KK00075 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 9-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4300 mm Wheelbase, CBB 4800 mm Long x 1100 mm High Steel Body, Bartlett Ball, GVM 23.5 t Usage: 179,059 Mi	929	2008 Isuzu FRR 600 4x2 Tipper Truck S/N: JALFRR34P87000107 C/W: 6 Cylinder 235 hp Engine, Exhaust Brake, 6-Speed Manual Transmission, 235/75R17.5 Front Tires, 235/75R17.5 Rear Tires, Spring Suspension, 5150 mm Wheelbase, PTO, Hydraulic System, 3000 mm Long x 500 mm High Steel Body, 2-Way Tailgate, GVM 11 t, 5.4 m Body, 2.4 m Tray w/Toolboxes, Roof Mounted Traffic Control Board Usage: 192,101 Mi
923	1994 Nissan UD CWB450 6x4 Tipper Truck S/N: JNBCWB45000K00434 C/W: 6 Cylinder Engine, Exhaust Brake, Eaton Fuller 13-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 6-Rod Suspension, 4300 mm Wheelbase, 4300 mm Long x 1300 mm High Steel Body, Manual Roll Tarp, Ringfeder, GVM 26 t Usage: 24,686 Mi	930	2007 Mitsubishi Fuso FK617 Fighter 4x2 Tipper Truck S/N: JLFFK617H0KK00813 C/W: 6 Cylinder Diesel Engine, Exhaust Brake, 6-Speed Manual Transmission, 9.5R17.5 Front Tires, 9.5R17.5 Rear Tires, Spring Suspension, 4300 mm Wheelbase, PTO, 3100 mm Long x 450 mm High Steel Body, Flat Bed, GVM 10.4 t Usage: 209,095 Mi

Lot #	Details	Lot #	Details
931	2007 Mitsubishi Fuso FK617 Fighter 4x2 Tipper Truck S/N: JLFFK617H0KK00834 C/W: 6 Cylinder Diesel Engine, Exhaust Brake, 6-Speed Manual Transmission, 9.5R17.5 Front Tires, 9.5R17.5 Rear Tires, Spring Suspension, 4350 mm Wheelbase, PTO, 3200 mm Long x 550 mm High Steel Body, GVM 10.4 t Usage: 220,912 Mi	938	2019 Kenworth T909 6x4 Fuel Haul Sleeper Prime Mover S/N: 6F5000000KA465898 C/W: Cummins X15 550 hp Engine, Requires AdBlue, 8911 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 50000 lb Rears, Icepack ES Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson 8 Bag Air Ride Suspension, 5850 mm Wheelbase, PTO, GVM 26.5 t, GCM 130 t, Liquip Pump System Usage: 357,897 Mi
932	2007 Mitsubishi Fuso FK617 Fighter 4x2 Tipper Truck S/N: JLFFK617H0KK00947 C/W: 6 Cylinder Engine, Exhaust Brake, 6-Speed Manual Transmission, 9.5R17.5 Front Tires, 9.5R17.5 Rear Tires, Spring Suspension, 4300 mm Wheelbase, PTO, 3200 mm Long x 450 mm High Steel Body, Flat Bed, GVM 10.4 t Usage: 234,855 Mi	939	2019 Kenworth T909 6x4 Sleeper Prime Mover S/N: 6F5000000KA465461 C/W: Cummins X15 550 hp Engine, Requires AdBlue, 11109 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 50000 lb Rears, Icepack ES Diesel Sleeper Air Conditioner, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 6100 mm Wheelbase, GVM 28.2 t, GCM 131 t Usage: 472,394 Mi
933	2006 Mitsubishi Fuso FK617 Fighter 4x2 Tipper Truck S/N: JLFFK617L0KK00375 C/W: 6 Cylinder Diesel Engine, Exhaust Brake, 6-Speed Manual Transmission, 9.5R17.5 Front Tires, 9.5R17.5 Rear Tires, Spring Suspension, 5300 mm Wheelbase, PTO, 5600 mm Long x 300 mm High Steel Body, GVM 10.4 t Usage: 200,751 Mi	940	2018 Kenworth T900 Legend 6x4 Fuel Haul Sleeper Prime Mover S/N: 6F5000000JA460243 C/W: Cummins X15 550 hp Engine, Requires AdBlue, 9538 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 50000 lb Rears, Icepack ES Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 5800 mm Wheelbase, PTO, Hydraulic System, GVM 26.5 t, GCM 130 t, Legend No. 243 Usage: 400,055 Mi
935	2010 Mitsubishi Canter 7/800 4x2 Tipper Truck S/N: JLFFE84DC0KJ10175 C/W: Fuso 4 Cylinder Diesel Engine, Air Conditioner, Exhaust Brake, 5-Speed Manual Transmission, 205/85R16 Front Tires, 205/85R16 Rear Tires, Spring Suspension, 2800 mm Wheelbase, PTO, ShinMaywa 2800 mm Long x 350 mm High Steel Body, GVM 6.5 t Usage: 119,868 Mi	941	2019 Kenworth K200 Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000KA466058 C/W: Cummins X15 525 hp Engine, Requires AdBlue, 8860 Engine hrs, Engine Brake, Eaton Fuller UltraShift Automatic Transmission, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4300 mm Wheelbase, GVM 26.5 t, GCM 97 t, Autoclima Air Conditioner, Right Weigh Load Scales Usage: 452,393 Mi
936	2007 Mitsubishi Canter 7/800 4x2 Tipper Truck (Inoperable) S/N: JLFFE84PC0KJ00514 C/W: 6 Cylinder Diesel Engine, Exhaust Brake, 5-Speed Manual Transmission, 205/85R16 Front Tires, 205/85R16 Rear Tires, Spring Suspension, 2800 mm Wheelbase, PTO, 2950 mm Long x 350 mm High Steel Body, GVM 6.5 t Usage: 171,395 Mi	942A	2017 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000HA45963 C/W: Cummins X15 600 hp Engine, 14811 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 46000 lb Rears, CustomAir Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4500 mm Wheelbase, Auto Lube, GVM 25 t, GCM 90 t Usage: 737,145 Mi
937	2019 Kenworth T909 6x4 Sleeper Prime Mover S/N: 6F5000000KA466616 C/W: Cummins X15 550 hp Engine, Requires AdBlue, 6394 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5700 mm Wheelbase, GVM 27.6 t, GCM 97 t, Icepak ES Diesel Air Conditioner Usage: 279,099 Mi		

Lot #	Details	Lot #	Details
942	2018 Kenworth K200 Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000JA461161 C/W: Cummins X15 580 hp Engine, Requires AdBlue, 13365 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 46000 lb Rears, Kohler Diesel Sleeper Air Conditioner, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4300 mm Wheelbase, GVM 26.5 t, GCM 97 t, Right Weigh Load Scales Usage: 658,597 Mi	947	2016 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000GA457044 C/W: 2021 Cummins ISXe5 600 hp Engine, Requires AdBlue, 18469 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4450 mm Wheelbase, Ballrace 5th Wheel, GVM 27.6 t, GCM 97 t, Remote Fuel Filter Usage: 901,176 Mi
943	2017 Kenworth K200 Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000HA458714 C/W: Cummins X15 550 hp Engine, Requires AdBlue, 13102 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4300 mm Wheelbase, GVM 26.5 t, GCM 97 t, Right Weigh Load Scales Usage: 617,484 Mi	948	2016 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000GA457043 C/W: 2021 Cummins ISXe5 600 hp Engine, Requires AdBlue, 18696 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4450 mm Wheelbase, Ballrace 5th Wheel, GVM 27.6 t, GCM 97 t, Remote Fuel Filter Usage: 900,741 Mi
944	2017 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000HA459181 C/W: Cummins ISXe5 600 hp Engine, Requires AdBlue, 14481 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4450 mm Wheelbase, Ballrace 5th Wheel, GVM 26.5 t, GCM 97 t, ABS, Remote Fuel Filter Usage: 700,618 Mi	949	2019 Mack CMMT Granite 6x4 Day Cab Prime Mover S/N: 6FMN12H69KD811215 C/W: Mack MP8 500 hp Engine, Requires AdBlue, 6034 Engine hrs, Exhaust Brake, mDRIVE Transmission, Double Differential Locks, 46000 lb Rears, Air Ride Cab, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4600 mm Wheelbase, PTO, Ballrace 5th Wheel, Blower, GVM 27.6 t, GCM 70 t, 241 Blower Hours Usage: 132,306 Mi
945	2016 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000GA457439 C/W: 2022 Cummins ISXe5 600 hp Engine, Requires AdBlue, 15736 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4450 mm Wheelbase, Ballrace 5th Wheel, GVM 27.8 t, GCM 97 t, ABS, Remote Fuel Filter Usage: 744,340 Mi	950	2019 Mack CMMT Granite 6x4 Day Cab Prime Mover S/N: 6FMN12H55KD811279 C/W: Mack MP8 435 hp Engine, Requires AdBlue, 5782 Engine hrs, Exhaust Brake, mDRIVE Automatic Transmission, Double Differential Locks, 40000 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4100 mm Wheelbase, Ballrace 5th Wheel, GVM 24.6 t, GCM 50 t Usage: 163,817 Mi
946	2016 Kenworth K200 Big Cab Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000GA455784 C/W: Cummins ISX15e5 600 hp Engine, Requires AdBlue, 21316 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4450 mm Wheelbase, Ballrace 5th Wheel, GVM 26.5 t, GCM 97 t, ABS, Integral Sleeper Usage: 777,636 Mi	951	2017 Western Star 4900FXT Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJAEDR7FPGK1521 C/W: Detroit DD15 560 hp Engine, 16232 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, CustomAir Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5800 mm Wheelbase, PTO, Hydraulic System, GVM 27.4 t, GCM 106 t Usage: 516,827 Mi

Lot #	Details	Lot #	Details
952	2017 Western Star 4900FXT Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJAEDR6JPJL6891 C/W: Detroit DD15 560 hp Engine, 15135 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 46000 lb Rears, CustomAir Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5800 mm Wheelbase, PTO, GVM 27.4 t, GCM 106 t Usage: 521,771 Mi	957	2018 Freightliner Argosy 6x4 Sleeper Prime Mover S/N: 1FVJAWDR7HLHY2537 C/W: Detroit DD15 560 hp Engine, Engine Brake, Eaton Fuller AutoShift w/SmartShift Transmission, Double Differential Locks, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4400 mm Wheelbase, GVM 26 t, GCM 106 t Usage: 601,833 Mi
953	2017 Western Star 4900FXT Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJAEDRXFPGD3299 C/W: Detroit DD15 560 hp Engine, 15406 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 46000 lb Rears, CustomAir Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5800 mm Wheelbase, PTO, Hydraulic System, GVM 27.4 t, GCM 106 t Usage: 545,429 Mi	958	2018 Mercedes-Benz Actros 2658 6x4 Sleeper Prime Mover S/N: WDB96342420286836 C/W: 6 Cylinder 580 hp Engine, Requires AdBlue, 3631 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 44000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4000 in Wheelbase, GVM 26 t, GCM 90 t Usage: 524,711 Mi
954	2016 Kenworth T409 SAR 6x4 Sleeper Prime Mover S/N: 6F5000000GA457265 C/W: Cummins ISXe5 550 hp Engine, Requires AdBlue, 18159 Engine hrs, Engine Brake, Eaton Fuller UltraShift Plus Transmission, 46000 lb Rears, Icepack 2000S Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5200 mm Wheelbase, Auto Lube, GVM 27.8 t, GCM 97 t Usage: 861,235 Mi	959	2017 Mercedes-Benz Actros 2658 6x4 Sleeper Prime Mover S/N: WDB96342420186077 C/W: 6 Cylinder 580 hp Engine, Requires AdBlue, 4290 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 44000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4000 mm Wheelbase, GVM 26 t, GCM 90 t Usage: 628,257 Mi
955	2015 Kenworth T409 SAR 6x4 Sleeper Prime Mover S/N: 6F5000000FA454463 C/W: Cummins ISX E5 485 hp Engine, Requires AdBlue, 19877 Engine hrs, Engine Brake, Eaton Fuller UltraShift PLUS Automatic Transmission, 46000 lb Rears, Icepack 2000s Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5200 mm Wheelbase, Auto Lube, GVM 26.5 t, GCM 97 t Usage: 855,141 Mi	961A	2016 Mercedes-Benz 2651 6x4 Sleeper Prime Mover S/N: WDB96342420088279 C/W: 6 Cylinder 510 hp Engine, Requires AdBlue, 12147 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 44000 lb Rears, Autoclima Fresco 3000 Evaporative Sleeper Air Conditioner, 295 /80R22.5 Front Tires, 295/80R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4000 mm Wheelbase, GVM 26 t, GCM 70 t Usage: 520,478 Mi
956	2015 Kenworth T409 SAR 6x4 Sleeper Prime Mover S/N: 6F5000000FA454464 C/W: Cummins ISX E5 485 hp Engine, Requires AdBlue, 19059 Engine hrs, Engine Brake, Eaton Fuller UltraShift PLUS Transmission, 46000 lb Rears, Icepack 2000-S Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 295 /80R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5200 mm Wheelbase, Auto Lube, GVM 26.5 t, GCM 97 t Usage: 836,633 Mi	961	2017 Mercedes-Benz Actros 2663 6x4 Sleeper Prime Mover S/N: WDB96342420191722 C/W: 6 Cylinder 630 hp Engine, Requires AdBlue, 7531 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 44000 lb Rears, Bycool Mochila Evaporative Sleeper Air Conditioner, 295/80R22.5 Front Tires, 295/80R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3900 mm Wheelbase, GVM 26 t, GCM 90 t Usage: 543,354 Mi

Lot #	Details	Lot #	Details
962	2015 Kenworth K200 Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000FA453953 C/W: 2018 Cummins X15 500 hp Engine, Requires AdBlue, 18093 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Viesa Evaporative Sleeper Air Conditioner, Aluminum Wheels, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3800 mm Wheelbase, GVM 26.5 t, GCM 97 t Usage: 846,473 Mi	967	2014 Western Star 4800FX Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJBEDR0EPFT3390 C/W: Detroit DD15 560 hp Engine, 4598 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Ecwind Sleeper Air Conditioner, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5100 mm Wheelbase, PTO, GVM 27.5 t, GCM 90.5 t, Airtec Load Scales Usage: 613,325 Mi
963	2014 Kenworth K200 Aerodyne 6x4 Sleeper Prime Mover S/N: 6F5000000EA451487 C/W: Cummins ISXe5 550 hp Engine, Requires AdBlue, 20437 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Ecwind Diesel Sleeper Air Conditioner, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4250 mm Wheelbase, GVM 26.5 t, GCM 97 t, Right Weigh Load Scales Usage: 975,666 Mi	968	2014 Cat CT630 6x4 Day Cab Prime Mover S/N: 1HSJRSCR6EH027249 C/W: C15 ACERT 550 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4900 mm Wheelbase, Triple PTO, Hydraulic System, GVM 24.5 t, GCM 90 t Usage: 221,447 Mi
964	2016 Iveco Stralis AS-L Series II 6x4 Sleeper Prime Mover S/N: 6F2SFAS00GDZ30033 C/W: Cursor 13 560 hp Engine, Requires AdBlue, 9765 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 295 /80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4100 mm Wheelbase, Ballrace 5th Wheel, GVM 25.1 t, GCM 75 t, Disc Brakes, Right Weigh Load Scales, Usage: 352,455 Mi	969	2013 Cat CT630 6x4 Sleeper Prime Mover S/N: 1HSJRSCR7EJ403904 C/W: C15 ACERT 550 hp Engine, 17972 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5550 mm Wheelbase, Air Sliding 5th Wheel, GVM 24.5 t, GCM 90 t, Lombardini EcoWind Air Conditioner Usage: 588,813 Mi
966	2014 Western Star 4800 FX 6x4 Sleeper Prime Mover S/N: 5KKJBEBGXDPFF2122 C/W: Cummins ISX 550 hp Engine, 10041 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Viesa Evaporative Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5100 mm Wheelbase, Dual Fuel Tanks, GVM 24.5 t, GCM 90.5 t, Right Weigh Load Scales Usage: 368,776 Mi	970	2013 Volvo FH13 6x4 Sleeper Prime Mover S/N: YV5AG40D5DD136125 C/W: 6 Cylinder 540 hp Engine, Requires AdBlue, Exhaust Brake, Automatic Transmission, Double Differential Locks, 46000 lb Rears, Icepack 2000S Diesel Sleeper Air Conditioner, 22500 Engine hrs, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3800 mm Wheelbase, GVM 27.7 t, GCM 70 t Usage: 832,258 Mi
967A	2014 Western Star 4800FXB Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJBEDR1EPFY5241 C/W: Detroit DD15 6 Cylinder 560 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Autoclima Fresco 3000 Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5000 mm Wheelbase, Auto Lube, GVM 27.4 t, GCM 90.5 t, Right Weigh Load Scales Usage: 715,847 Mi	971A	2014 Kenworth T609 6x4 Day Cab Prime Mover S/N: 6F5000000EA452373 C/W: Cummins ISX E5 6 Cylinder 485 hp Engine, Requires AdBlue, 20748 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, 205/80R22.5 Front Tires, 11R22.5 Rear Tires, 8-Bag Air Ride Suspension, 4500 mm Wheelbase, PTO, Hydraulic System, GVM 26.5 t, GCM 97 t Usage: 440,555 Mi
		971	2013 Volvo FH13 6x4 Sleeper Prime Mover S/N: YV5AG40D4DD136066 C/W: 6 Cylinder 540 hp Engine, Requires AdBlue, 7181 Engine hrs, Exhaust Brake, Automatic Transmission, Double Differential Locks, 46000 lb Rears, Icepack 2000S Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3800 mm Wheelbase, GVM 27.7 t, GCM 70 t Usage: 765,909 Mi

Lot #	Details	Lot #	Details
972B	2012 Mack CMHT Trident 6x4 Sleeper Prime Mover S/N: 6FMM12H020D803765 C/W: Mack MP8 535 hp Engine, 18845 Engine hrs, Exhaust Brake, mDRIVE Automatic Transmission, Differential Lock, 46000 lb Rears, Durapoid Drive Axles, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5200 mm Wheelbase, GVM 24.5 t, GCM 70 t Usage: 656,565 Mi	976	2011 Freightliner CST 112 Century Class 6x4 Cab & Chassis S/N: 1FVJF0DV6CLBB3157 C/W: Detroit DD15 Engine, Engine Brake, Automatic Transmission, Differential Lock, 40000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5000 mm Wheelbase, PTO, Hydraulic System, 5000 mm Cab to Axle, 5800 mm Cab to End of Frame, Bartlett Ball, GVM 24 t Usage: 165,062 Mi
972A	2012 Kenworth T403 6x4 Day Cab Prime Mover S/N: 6F5000000CA447372 C/W: Cummins ISX 450 hp Engine, 19453 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 46000 lb Rears, 295/80R22.5 Front Tires, 12R22.5 Rear Tires, 8 Bag Air Ride Suspension, 4800 mm Wheelbase, GVM 26.5 t, GCM 70 t Usage: 545,221 Mi	977	2010 Kenworth T908 6x4 Sleeper Prime Mover S/N: 6F5000000AA442999 C/W: 2013 Cummins ISX 500 hp Engine, 7332 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Icepack 2000-S Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5400 mm Wheelbase, PTO, Hydraulic System, GVM 20.5 t, GCM 97 t, Right Weigh Load Scales Usage: 199,138 Mi
972	2012 Kenworth T409 SAR 6x4 Sleeper Prime Mover S/N: 6F5000000CA447472 C/W: Cummins ISX 550 hp Engine, 33970 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, Icepack Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5400 mm Wheelbase, PTO, Hydraulic System, GVM 26.5 t, GCM 80 t, Right Weigh Load Scales Usage: 1,179,362 Mi	979	2010 Kenworth T408SAR 6x4 Sleeper Prime Mover S/N: 6F5000000AA443863 C/W: Cummins ISX Engine, 30740 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, CustomAir Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5500 mm Wheelbase, GVM 26.5 t, GCM 80 t, Right Weigh Load Scales Usage: 1,088,389 Mi
973	2012 Western Star 5800SS 6x4 Day Cab Prime Mover S/N: 5KKJBBDRXCPBU1562 C/W: Detroit DD15 500 hp Engine, 18609 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4200 mm Wheelbase, Dual PTO, Hydraulic System, GVM 24.5 t, GCM 90.5 t, Right Weigh Load Scales Usage: 539,893 Mi	980	2010 Kenworth T408SAR 6x4 Sleeper Prime Mover S/N: 6F5000000AA443864 C/W: Cummins ISX 550 hp Engine, 31732 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, CustomAir Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 5400 mm Wheelbase, PTO, Hydraulic System, GVM 26.5 t, GCM 80 t, Right Weigh Load Scales Usage: 1,113,007 Mi
974	2012 Iveco Powerstar 7200 6x4 Sleeper Prime Mover S/N: 6F2SFAN00CDV30347 C/W: Cummins ISX 525 hp Engine, 19327 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4800 mm Wheelbase, GVM 24.5 t, GCM 90 t Usage: 739,590 Mi	981	2009 Western Star 4800FX Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJAEAV69PAJ8114 C/W: Cat C15 ACERT 550 hp Engine, 15369 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5100 mm Wheelbase, GVM 24.5 t, GCM 90.5 t Usage: 351,229 Mi
975	2011 Freightliner Coronado 6x4 Sleeper Prime Mover S/N: 1FVJGVDR9CLBC6921 C/W: Detroit DD15 560 hp Engine, 13457 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Bunk Beds, CustomAir SU-S12CA Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5600 mm Wheelbase, GVM 24 t, GCM 140 t Usage: 491,252 Mi	983	2010 Iveco Powerstar ATN 485 6x4 Sleeper Prime Mover S/N: 6F2SFAN00ADT30111 C/W: Cummins ISX 6 Cylinder 550 hp Engine, 21363 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4800 mm Wheelbase, GCM 75 t, Right Weigh Load Scales Usage: 823,113 Mi

Lot #	Details	Lot #	Details
984A	2010 Freightliner Columbia CL112 6x4 Day Cab Prime Mover S/N: 1FVJF0CV2BLAW4141 C/W: Mercedes-Benz OM460LA Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 40000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4300 mm Wheelbase, GVM 24 t, GCM 50 t Usage: 367,509 Mi	990	2007 Kenworth T604 6x4 Sleeper Prime Mover S/N: 6F50000007A435617 C/W: Cat C15 550 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, 46000 lb Rears, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5200 mm Wheelbase, PTO, Hydraulic System, GVM 26.5 t, GCM 90 t Usage: 319,114 Mi
985	2010 DAF CF85.460 6x4 Sleeper Prime Mover S/N: XLRTT85MCAE880692 C/W: Paccar MX 460 hp Engine, Requires AdBlue, Exhaust Brake, Automatic Transmission, Differential Lock, 46000 lb Rears, Bunk Beds, Viesa Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3900 mm Wheelbase, PTO, Hydraulic System, GVM 24.6 t, GCM 70 t Usage: 524,694 Mi	991	2006 Iveco Stralis AS 550 6x4 Sleeper Prime Mover S/N: 6F2SFAS006DN30295 C/W: Cursor 13 550 hp Engine, 29443 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 46000 lb Rears, AutoClima Evaporative Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 3900 mm Wheelbase, GCM 75 t, Right Weigh Load Scales Usage: 1,139,412 Mi
986	2009 Volvo FM13 6x4 Day Cab Prime Mover S/N: YV5JBP0D19D131690 C/W: 6 Cylinder 400 hp Engine, Exhaust Brake, Automatic Transmission, Differential Lock, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 3700 mm Wheelbase, GVM 27.5 t, GCM 70 t Usage: 396,102 Mi	992	2005 Freightliner Argosy 6x4 Sleeper Prime Mover S/N: 1FVJAWCK25L996445 C/W: Detroit Series 60 575 hp Engine, 4157 Engine hrs, Engine Brake, Eaton Fuller AutoShift w/SmartShift Automated Transmission, Differential Lock, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4200 mm Wheelbase, Auto Lube, GVM 24 t, GCM 70 t, E-Stops, Viesa Air Conditioner Usage: 1,717,356 Mi
987	2006 Volvo FM13 6x4 Day Cab Prime Mover S/N: YV5JSG0DX6D128315 C/W: 6 Cylinder 400 hp Engine, 24020 Engine hrs, Engine Brake, Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3700 mm Wheelbase, GVM 27.5 t, GCM 65 t Usage: 315,156 Mi	993	2005 Sterling 6x4 LT9500 Day Cab Prime Mover S/N: 2FZJAZCGX5AV08716 C/W: Detroit Series 60 500 hp Engine, Engine Brake, Automatic Transmission, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4150 mm Wheelbase, Ballrace 5th Wheel, GVM 24 t, GCM 70 t Usage: 287,583 Mi
988	2008 Western Star 4800FX Stratosphere 6x4 Sleeper Prime Mover S/N: 5KKJAECKX9PAB9779 C/W: Detroit Series 60 525 hp Engine, 15289 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Autoclima Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5100 mm Wheelbase, GVM 24.5 t, GCM 90.5 t Usage: 1,352,679 Mi	994	2005 Iveco Powerstar 6700 6x4 Sleeper Prime Mover S/N: 6F2GF67004DL01021 C/W: Engine Brake, Automatic Transmission, 46000 lb Rears, Viesa Evaporative Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 5250 mm Wheelbase, GVM 24 t, GCM 75 t Usage: 263,586 Mi
989	2008 International 9200 Eagle 6x4 Sleeper Prime Mover S/N: 6F2L922008DR00063 C/W: Cummins ISX 485 hp Engine, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 46000 lb Rears, Autoclima Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 4800 mm Wheelbase, GVM 24.5 t, GCM 75 t, Right Weigh Load Scales Usage: 1,024,753 Mi	995	2004 Volvo FM12 6x4 Day Cab Prime Mover S/N: YV5J4CFD53D124985 C/W: 6 Cylinder 420 hp Engine, 11507 Engine hrs, Exhaust Brake, 13-Speed Transmission, Double Differential Locks, 46000 lb Rears, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, 8 Bag Air Ride Suspension, 3600 mm Wheelbase, PTO, Hydraulic System, GVM 27.5 t, GCM 70 t Usage: 749,164 Mi

Lot #	Details	Lot #	Details
996	2000 Scania 94G 310 4x2 Day Cab Prime Mover S/N: YS2P4X20001260169 C/W: 6 Cylinder Engine, Exhaust Brake, 9-Speed Transmission, Differential Lock, 25000 kg Rears, 275/70R22.5 Front Tires, 275/70R22.5 Rear Tires, Spring Suspension, 3300 mm Wheelbase, PTO, Hydraulic System, GVM 18.6 t, GCM 40 t Usage: 481,023 Mi	1004	2006 John Deere 5720 4WD Tractor S/N: L05720E510467 C/W: Enclosed Cab, Air Conditioner, 16 Forward 16 Reverse, PowrQuad, Left Hand Reverser, 80 hp Engine, John Deere 551 Loader w/ Joystick, Quick Coupler, 1800 mm Bucket, 1 Front Remotes, 3 Rear Remotes, Exterior 3-Point Hitch Controls, 540/1000 PTO, 3-Point Hitch, 380/70R24 Front Tires, 480/70R34 Rear Tires Usage: 4,186 Hr
998	1978 Fiat 170 6x4 Sleeper Prime Mover S/N: 170NT26003420 C/W: 6 Cylinder Diesel Engine, Manual Transmission, Differential Lock, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring over Walking Beam Suspension, 3500 mm Wheelbase Usage: 7,412 Mi	1005A	2014 Agrison 504 4WD Tractor S/N: B1402711 C/W: Canopy, Differential Lock, 12 Forward 12 Reverse, Manual Transmission, 50 hp Engine, Loader, Quick Coupler, Pallet Forks, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 8.3-20 Front Tires, 13.6x28 Rear Tires, 1650 mm Multi-Purpose Bucket Usage: 355 Hr
999	2012 DAF XF105 6x4 Sleeper Prime Mover (Inoperable) S/N: XLRTT47MSBE930315 C/W: DAF 6 Cylinder Engine, Requires AdBlue, Automatic Transmission, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 3300 mm Wheelbase, GVM 24.6 t, GCM 70 t Usage: Not Available	1005	2020 Kubota MX5200D 4WD Tractor S/N: 30111 C/W: Canopy, 8 Forward 8 Reverse, Synchro Shuttle, 51 hp Engine, Kubota LA854 Loader w/ Joystick, Quick Coupler, Kubota 1650 mm Multi-Purpose Bucket, 1 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, Burder 650 kg Counterweight, 9.5-16 Front Tires, 13.6-28 Rear Tires Usage: 767 Hr
1000	2012 DAF XF105 6x4 Sleeper Prime Mover (Inoperable) S/N: XLRTT47MSCE958945 C/W: FTTXF105 6 Cylinder Engine, Requires AdBlue, Engine Brake, Automatic Transmission, Ecwind Diesel Sleeper Air Conditioner, 295/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 3300 mm Wheelbase, GVM 24.6 t, GCM 70 t, Right Weigh Load Scales Usage: 6,837 Hr	1006	John Deere 1640 4WD Tractor S/N: 583643L C/W: Canopy, 8 Forward 4 Reverse, 62 hp Engine, 1 Rear Remotes, Auxiliary Hydraulics, 540 PTO, 3-Point Hitch, Hydraulic Top Link, A-Frame Hitch, Drawbar, 320/85R24 Front Tires, 420/85R30 Rear Tires Usage: 10,328 Hr
1001	2009 Massey Ferguson 6499 4WD Tractor S/N: U063045 C/W: Enclosed Cab, Air Conditioner, 24 Forward 24 Reverse, Partial Powershift, Left Hand Reverser, Cab Suspension, AGCO Display, 227 hp Engine, Front Weights, 4 Rear Remotes, Auxiliary Hydraulics, Load Sensing, ISOBUS, Exterior 3-Point Hitch Controls, 540 /1000 PTO, 3-Point Hitch w/ Quick Hitch, Swing Drawbar, 480/70R30 Front Tires, 620 /70R42 Rear Tires Usage: Not Available	1007	Case IH PUMA 195 4WD Tractor (Inoperable) S/N: Z7BH50610 C/W: Enclosed Cab, Air Conditioner, CVT, Left Hand Reverser, 231 hp Engine, 2007 US EPA Label, 3 Rear Remotes, Auxiliary Hydraulics, 540/1000 PTO, 3-Point Hitch w/ Quick Hitch, Drawbar, 600/65R28 Front Tires, 710/70R38 Rear Tires Usage: Not Available
1002	2000 John Deere 7610 4WD Tractor S/N: RW7610H001209 C/W: Enclosed Cab, Air Conditioner, 16 Forward 16 Reverse, PowrQuad, 140 hp Engine, 2 Rear Remotes, 540/1000 PTO, 3-Point Hitch, Drawbar, 420/85R28 Front Tires, 520/85R38 Rear Tires, Rear Wheel Weights Usage: 1,691 Hr	1008A	1973 Massey Ferguson 135 2WD Tractor S/N: 424756 C/W: 8 Forward 2 Reverse, 46 hp Engine, 540 PTO, 3-Point Hitch, 6.00-16 Front Tires, 14.9 x24 Rear Tires Usage: 4,956 Hr
1003	2003 John Deere 6420 4WD Tractor S/N: L06420D349728 C/W: Enclosed Cab, Air Conditioner, IVT, Left Hand Reverser, Cab Suspension, 110 hp Engine, John Deere 640 Loader, Quick Coupler, Suspended Front Axle, 2 Rear Remotes, 540 /1000 PTO, 3-Point Hitch, Drawbar, 420/70R24 Front Tires, 480/70R38 Rear Tires Usage: 8,412 Hr	1008	2019 Iseki TG 5570 4WD Tractor (Inoperable) S/N: 000405 C/W: Canopy, 12 Forward 12 Reverse, Power Shuttle, Left Hand Reverser, Front Weights, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 9.5-18 Front Tires, 14.9-28 Rear Tires Usage: 971 Hr
		1009	2021 KD-200-GKM-2 4x2 ATV S/N: 21000600 C/W: Electric Start, 1 Cylinder 169 cc Petrol Engine Usage: Not Available

Lot #	Details	Lot #	Details
1010	Polaris Ranger 150 4x2 Utility Cart S/N: L6KHZA156KS001697 C/W: Canopy, Windshield, Petrol Engine Usage: Not Available	1024	Pull Behind Roller S/N: Not Available C/W: 1820 mm Drum Usage: Not Available
1011	2022 Ilgi 6C7 4 Tire Pull Scraper (Unused) S/N: 2210061 C/W: 12.5/80-15.3 Usage: Not Available	1025	Burder 2150 mm Q/C General Purpose Ag Tractor Bucket S/N: Not Available Usage: Not Available
1012	2021 Madara Agro UPS 14 1 m Paddle Rock Picker (Unused) S/N: 20023 C/W: 1100 mm Rock Clearance, Hydraulic Drive, Hydraulic Swing Hitch Usage: Not Available	1026	2400 mm 3-Point Carry All S/N: Not Available Usage: Not Available
1013	2004 Idrofoglia IG2 140 IG 400 Turbocar Irrigator S/N: 18895 C/W: 150 mm x 400 m Hose, Sprinkler Head, 360 Degree Turntable Usage: Not Available	1027	2400 mm 3-Point Carry All S/N: Not Available Usage: Not Available
1014	Spreader Box S/N: Not Available Usage: Not Available	1028	2400 mm 3-Point Carry All S/N: Not Available Usage: Not Available
1015	Amazone ZA-M 3000 Ultra 3-Point Fertilizer Spreader S/N: NOT-AVALIABLE C/W: 1000 PTO, Monitor Usage: Not Available	1029	3-Point Landscape Drag S/N: Not Available Usage: Not Available
1016	2010 Amazone ZAM 1501 3-Point Fertilizer Spreader S/N: ZAM0082030 C/W: 1000 PTO, ISOBUS Usage: Not Available	1030	Trelleborg 23.1-26 Tyres S/N: Not Available Usage: Not Available
1017	Custom Made Grain Bin S/N: NOTAVAILABLE Usage: Not Available	1031	John Shearer GSB J/S 24 Small Seeds Box S/N: 14364961 Usage: Not Available
1018	+/- 10 t Grain Bin S/N: Not Available C/W: Roof Inspection Hatch, Roof Vents Usage: Not Available	1032	2015 Tuff Trailers 13.5 m Tilt Slide Tri/A Roll-Off Trailers S/N: 6K9T25TUFFC104019 C/W: Air Ride Suspension, 265/70R19.5 Tires, ATM 38 t, 3 Way Container Pins, Dual Winches, 9.6 m Main Deck, 3.9 m Upper Deck, Remote Control Usage: Not Available
1019	1930 mm 3-Point Flail Mower S/N: Not Available C/W: 540 PTO Usage: Not Available	1033	2015 Tuff 6.8 m Bogie/A B-Double Lead Flatbed Trailer S/N: 6K9T25TUFFC104018 C/W: Air Ride Suspension, 20 ft - Container Pins, Ramp, 11R22.5 Tires, ATM 38 t Usage: Not Available
1020	Bondioli & Pavesi Slasher - Fits Tractor S/N: 00000 Usage: Not Available	1036	2013 Tuff Trailers 2 Rows of 4 Low Loader Dolly S/N: 6K9T25TUFDC104035 C/W: Air Ride Suspension, 265/70R19.5 Tires, Right Weigh Load Scales, ATM 35 t Usage: Not Available
1021	1800 mm 3-Point Box Scraper S/N: Not Available Usage: Not Available	1037	2008 Drake 4 Rows of 4 Hydraulic Deck Widening Low Loader S/N: 6T9T25ABF80AKG025 C/W: Hydraulic Suspension, Air Brakes, Steering 3rd- 4th- Axle, 3-Way Container Pins, 12.5 m Main Deck, 3450 mm Widening Width, Bi-Fold Hydraulic Ramps, 9.5R17.5 Tires, ATM 51 t, Two Position King Pin, Powered By Truck Hydraulics Usage: Not Available
1022	Paddock 850 mm Tandem Disc (Unused) S/N: Not Available C/W: 350 mm Notched Front Discs, 350 mm Notched Rear Discs, 200 mm Spacing Usage: Not Available		
1023	Dover 1800 mm Rake Attachment S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
1038	1998 Drake 2 Rows of 4 Low Loader Dolly S/N: 6H9T23000W2AV5015 C/W: Spring Suspension, 9.5R17.5 Tires, ATM 26 t Usage: Not Available	1046	1999 Vawdrey 6.7 m Tri/A B-Double Lead Step Deck Trailer S/N: 6T9T25V97X2AFA118 C/W: Air Ride Suspension, 3.8 m Upper Deck, 2.9 m Main Deck, 21.5/75R17.5 Tires, ATM 38 t Usage: Not Available
1039	2000 Drake 4 Rows of 4 Hydraulic Widening Low Loader S/N: 6T9T25ABJY0AKG030 C/W: Hydraulic Suspension, 12.5 m Main Deck, 3500 mm Widening Width, Hydraulic Ramps, Honda Petrol Powered Self Contained Hydraulic System, 9.5R17.5 Tires, ATM 51 t, 3 Position King Pin Usage: Not Available	1047	1991 Southern Cross 8.6 m Bogie/A Step Deck Trailer S/N: 6B9814ASXMAAB2797 C/W: Air Ride Suspension, 3.6 m Upper Deck, 5 m Main Deck, 2600 mm Dovetail, Hydraulic Ramps, 255/70R22.5 Tires, ATM 30 t Usage: Not Available
1040	1992 Smith & Sons 4 Rows of 4 Hydraulic Widening Low Loader S/N: 6H9T24000S2AC2039 C/W: Air Ride Suspension, 10.2 m Main Deck, Hydraulic Ramps, Subaru Petrol Powered Self Contained Hydraulic System, 265/70R19.5 Tires, ATM 60 t Usage: Not Available	1048	2018 Gippsland Body Builders 9.6 m Tri/A B-Double Lead Sliding Sliding Tipping Trailer S/N: 6T9T25V86J0ALN013 C/W: Air Ride Suspension, Lift 1st- Axles, Ringfeder, 9600 mm Body, 2500 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 40 t, Access Door Usage: Not Available
1041	1986 Freightor Tri/A Low Loader S/N: R12T1021286 C/W: Spring Suspension, 10 m Main Deck, 2.6 m Fixed Dovetail, 2.5 m Usable Deck Width, Hydraulic Ramps, 9.5R17.5 Tires Usage: Not Available	1049	2018 Gippsland Body Builders 10.4 m Tri/A Tipping Trailer S/N: 6T9T25V86J0ALN014 C/W: Air Ride Suspension, Lift 1st- Axles, Ringfeder, 10400 mm Body, 2770 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 40 t, Access Door, Chassis Tip Usage: Not Available
1042	1998 Drake 2 Rows of 8 Low Loader Hydraulic Widening Dolly S/N: 6H9T23000W2AV5006 C/W: Walking Beam Suspension, 215/75R17.5 Tires, ATM 40 t, 4300 mm Widening Width, 90 mm King Pin, Sliding 5th Wheel Usage: Not Available	1050	2017 Gippsland Body Builders 9.6 m Tri/A B-Double Lead Sliding Tipping Trailer S/N: 6T9T25V86H0ALN058 C/W: Air Ride Suspension, Lift 1st- Axles, Ringfeder, 2550 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 40 t, Access Door Usage: Not Available
1043	2021 AAA 13.1 m Tri/A Hydraulic Deck Widening Step Deck Trailer S/N: LA993VGP0L0CMW299 C/W: Air Ride Suspension, 3-Way Container Pins, 3.9 m Upper Deck, 9.25 m Rear Deck, 3500 mm Widening Width, Upper Deck Ramps, Bi-Fold Hydraulic Ramps, Yarmax Diesel Powered Self Contained Hydraulic System, 215 /75R17.5 Tires, Right Weigh Load Scales, EBS, ATM 42 t Usage: Not Available	1051	2017 Gippsland Body Builders 10.4 m Tri/A Tipping Trailer S/N: 6T9T25V86H0ALN059 C/W: Air Ride Suspension, Lift 1st- Axles, 2770 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 40 t, Access Door, Chassis Tip Usage: Not Available
1044	2009 Sette 13.7 m Tri/A Step Deck Trailer S/N: 6V9SETTET9M024002 C/W: Air Ride Suspension, 4 m Upper Deck, 9.7 m Main Deck, Bi-Fold Hydraulic Ramps, Electric Powered Self Contained Hydraulic System, 255 /70R22.5 Tires, ATM 45 t Usage: Not Available	1052A	2016 Boomer 6.6 m Tri/A Stag Rear Tipping Trailer S/N: 6W9077200GA032563 C/W: Air Ride Suspension, 2000 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 47 t Usage: Not Available
1045	2005 Vawdrey 13.7 m Tri/A Step Deck Trailer S/N: 6HJVAWAUS5SE01921 C/W: Air Ride Suspension, Ringfeder, 3.9 m Upper Deck, 9.8 m Main Deck, 850 mm Fixed Dovetail, Hydraulic Ramps, Electric Powered Self Contained Hydraulic System, 265/70R19.5 Tires, ATM 38 t Usage: Not Available	1052	2016 Boomer Tri/A Stag B-Double Combination Tipping Trailer S/N: 6W9076600GA032557 C/W: Air Ride Suspension, 9.6 m Body, 2000 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 47 t Usage: Not Available

Lot #	Details	Lot #	Details
1053	2016 Boomer Tri/A B-Double Stag Combination Tipping Trailer S/N: 6W9076700GA032558 C/W: Air Ride Suspension, 10 m Body, 2000 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 47 t Usage: Not Available	1059	2002 Lusty EMS 7.7 m T/A Stag Tipping Trailer S/N: 6F9T25000225E3421 C/W: Air Ride Suspension, 1900 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 32 t Usage: Not Available
1053	2016 Boomer 6.6 m Tri/A Stag Tipping Trailer S/N: 6W9077100GA032562 C/W: Air Ride Suspension, 2 m Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 47 t Usage: Not Available	1060	2009 MaxiTrans Bogie/A Stag B-Double Combination Tipping Trailer S/N: 6HUMTAHXW0H0T0891 C/W: Air Ride Suspension, 8 m Body, 2000 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, Airtec Load Scales, ATM 32 t Usage: Not Available
1055	2015 MaxiTrans Tri/A Stag B-Double Combination Tipping Trailer S/N: 6F80000000B088370 C/W: Air Ride Suspension, 9.5 m Body, 1400 mm Side Walls, Alloy Body, Electric Roll Tarp, Box Liner, 11R22.5 Tires, Airtec Load Scales, ATM 42 t Usage: Not Available	1060	2009 MaxiTrans 4.9 m Bogie/A Stag Tipping Trailer S/N: 6HUMTAHXW0H0T0892 C/W: Air Ride Suspension, 2200 mm Side Walls, Alloy Body, Manual Roll Tarp, 295 /80R22.5 Tires, Airtec Load Scales, ATM 32 t Usage: Not Available
1055	2015 MaxiTrans 6.1 m Tri/A Stag Rear Tipping Trailer S/N: 6F80000000B088369 C/W: Air Ride Suspension, Lift 1st- 3rd- Axles, 1600 mm Side Walls, Alloy Body, Electric Roll Tarp, Box Liner, 11R22.5 Tires, Airtec Load Scales, ATM 42 t Usage: Not Available	1061	2012 CBB 8 m Bogie/A Tipping Trailer S/N: 6B9TR2TANCSCB8788 C/W: Air Ride Suspension, 1200 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, ATM 32 t Usage: Not Available
1056	2015 Rhino 11.1 m Tri/A Blowing Tipping Trailer S/N: 6B9AX6A86FTAT7251 C/W: Air Ride Suspension, 1900 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 40 t, Tip Over Axle Usage: Not Available	1062	2020 CBB 7.7 m Quad Dog Tipping Trailer S/N: 6B9TR4D0GLSCB8742 C/W: Air Ride Suspension, 7800 mm Body, 1800 mm Side Walls, Rock Sheeted Alloy Body, Electric Roll Tarp, Box Liner, 11R22.5 Tires, ATM 35 t, PBS Spec Usage: Not Available
1057	2007 Gippsland Body Builders 7.8 m Tri/A Tipping Trailer S/N: 6T9T25V9770ALN012 C/W: Air Ride Suspension, Lift 1st- Axles, 1800 mm Side Walls, Alloy Body, Manual Roll Tarp, 255/70R22.5 Tires, ATM 40 t, Tip Over Axle Usage: Not Available	1063	2012 CBB 7 m Quad Dog Tipping Trailer S/N: 6B9TR4D0GCSCB8844 C/W: Air Ride Suspension, 7100 mm Body, 1800 mm Side Walls, Rock Sheeted Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 35 t, PBS Spec Usage: Not Available
1058	2007 Gippsland Body Builders 7.8 m Tri/A Lead Rollback Tipping Trailer S/N: 6T9T25V9770ALN010 C/W: Air Ride Suspension, Lift 1st- Axles, 1800 mm Side Walls, Alloy Body, Manual Roll Tarp, 275/70R22.5 Tires, ATM 40 t Usage: Not Available	1066	2007 Lusty EMS 7.2 m Quad Dog Tipping Trailer S/N: 6F8T250007LE04749 C/W: Air Ride Suspension, 1500 mm Side Walls, Rock Sheeted Alloy Body, Manual Roll Tarp, 11R22.5 Tires, ATM 27.5 t Usage: Not Available
1059	2002 Lusty EMS Bogie/A B-Double Combination Tipping Trailer S/N: 6F9T25000225E3420 C/W: Air Ride Suspension, 6.2 m Body, 1900 mm Side Walls, Alloy Body, Manual Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 32 t Usage: Not Available	1067	1999 Hercules 7 m Quad Dog Tipping Trailer S/N: 6T9T24V97X2AFH047 C/W: Air Ride Suspension, 1900 mm Side Walls, Alloy Body, Electric Roll Tarp, 11R22.5 Tires, Right Weigh Load Scales, ATM 33 t Usage: Not Available
		1068	2016 BTE 5.8 m Super Dog Tipping Trailer S/N: 6T9T24V86G0847004 C/W: Air Ride Suspension, 1500 mm Side Walls, Alloy Body, Electric Roll Tarp, Box Liner, 11R22.5 Tires, ATM 26 t Usage: Not Available

Lot #	Details	Lot #	Details
1069	1997 Gorski 5.1 m Super Dog Tipping Trailer S/N: 6D9T24RTAV2368010 C/W: Spring Suspension, 1000 mm Side Walls, Bisalloy Body, Electric Roll Tarp, 11R22.5 Tires, ATM 25 t Usage: Not Available	1080	2006 MaxiTrans 7.1 m Tri/A B-Double Lead Rollback Refrigerated Trailer S/N: 6F8T250006B070675 C/W: Air Ride Suspension, Ducted Floor, Double Loader, Thermo King SLX400 Refrigeration Unit, 11R22.5 Tires, ATM 38 t Usage: Not Available
1070	1985 Hamelex 5.1 m Super Dog Tipping Trailer S/N: R78T047596U C/W: Spring Suspension, 1100 mm Side Walls, Steel Body, 2-Way Tailgate, 11R22.5 Tires Usage: Not Available	1083	2003 MaxiTrans 14 m Tri/A Refrigerated Trailer S/N: 6F8T250003B064403 C/W: Air Ride Suspension, Thermo King SLXe400 Refrigeration Unit, 11R22.5 Tires, ATM 38 t Usage: Not Available
1071	2018 Mick Murray Welding 4.5 m Tri/A B-Double Lead Side Dump Trailer S/N: 6K9T25MMWJC150046 C/W: Air Ride Suspension, Dumps to Right Side, 1600 mm Side Walls, Steel Body, 11R22.5 Tires, EBS, ATM 42.5 t Usage: Not Available	1084	2003 Peki 13.3 m Tri/A Refrigerated Trailer S/N: 6T9T25V9730AGD060 C/W: Air Ride Suspension, Ringfeder, Ducted Floor, Double Loader, 2011 Thermo King SB-330 Refrigeration Unit, 23831 Engine Run Hours, 11R22.5 Tires, ATM 38 t Usage: Not Available
1072	2018 Mick Murray Welding 8.4 m Tri/A Side Dump Trailer S/N: 6K9T25MMWJC150047 C/W: Air Ride Suspension, Dumps to Right Side, 1600 mm Side Walls, Steel Body, 11R22.5 Tires, EBS, ATM 42.5 t, 90 mm Kingpin Usage: Not Available	1085	2002 MaxiTrans 13.3 m Tri/A Refrigerated Trailer S/N: 6F8T250002B063254 C/W: Air Ride Suspension, Ducted Floor, Double Loader, Thermo King SLX400 Refrigeration Unit, 33625 Engine Run Hours, 11R22.5 Tires, ATM 38 t Usage: Not Available
1073	2014 Krueger 7.2 m Tri/A Lead Curtain Side Refrigerated Trailer S/N: 6FH9079DCEM015564 C/W: Air Ride Suspension, 2014 Thermo King SLXe 400 Refrigeration Unit, 4953 Engine Run Hours, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t, Load Restraint Curtains, Ballrace 5th Wheel Usage: Not Available	1086	1998 Maxi-CUBE 7.4 m Tri/A B-Double Lead Rollback Refrigerated Trailer S/N: 6FABC3XFXWH035489 C/W: Air Ride Suspension, Double Loader, Thermo King SB-II Refrigeration Unit, 22853 Engine Run Hours, 11R22.5 Tires, ATM 35 t Usage: Not Available
1074	2014 Krueger 13.3 m Tri/A Curtain Side Refrigerated Trailer S/N: 6FH9079DCEM015565 C/W: Air Ride Suspension, 2014 Thermo King SLXe 400 Refrigeration Unit, 4837 Engine Run Hours, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t, Load Restraint Curtains Usage: Not Available	1087	1998 Lucar 13.4 m Tri/A Refrigerated Trailer S/N: 6D9T25RTAW2006032 C/W: Air Ride Suspension, Ducted Floor, Carrier Refrigeration Unit, 25698 Engine Run Hours, 11R22.5 Tires Usage: Not Available
1077	2009 Southern Cross 14.6 m Bogie/A Refrigerated Trailer S/N: 6X9C13CSX9A056395 C/W: Air Ride Suspension, Lift Gate, Curbside Door, Thermo King SL400e Refrigeration Unit, ATM 32 t Usage: Not Available	1088A	1991 Krueger 13.6 m Tri/A Tautliner Refrigerated Trailer S/N: 6FH8517DCMM004000 C/W: Air Ride Suspension, Carrier Vector 1800 Refrigeration Unit, 11R22.5 Tires, ATM 35 t Usage: Not Available
1078A	2007 MaxiTrans 13.3 m Tri/A Refrigerated Trailer S/N: 6F8T250007B074503 C/W: Air Ride Suspension, Ringfeder, Ducted Floor, Double Loader, 2016 Thermo King SLXe Refrigeration Unit, 25922 Engine Run Hours, 11R22.5 Tires, Airtec Load Scales, ATM 38 t Usage: Not Available	1089	1998 FTE 11.3 m Bogie/A Refrigerated Trailer S/N: 6B9FTE2FRWMAA5128 C/W: Air Ride Suspension, Thermo King SBIII MAX Refrigeration Unit, 11R22.5 Tires, ATM 30 t Usage: Not Available
		1090	2018 Krueger 7.2 m Tri/A Lead Step Deck Tautliner Trailer S/N: 6FH9079DBJM017340 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.6 m Upper Deck, 3.6 m Main Deck, Load Restraint Curtains, Ballrace 5th Wheel Usage: Not Available

Lot #	Details	Lot #	Details
1091	2018 Krueger 13.3 m Tri/A Step Deck Tautliner Trailer S/N: 6FH9079DBJM017341 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.7 m Upper Deck, 9.6 m Main Deck, Load Restraint Curtains Usage: Not Available	1100	2010 Krueger 7.6 m Tri/A B-Train B-Double Lead Step Deck Tautliner Trailer S/N: 6FH9079DBAM013321 C/W: Air Ride Suspension, 275/70R22.5 Tires, ATM 38 t, 3.6 m Top Deck & 3.7 m Main Deck Usage: Not Available
1092	2017 Krueger 7.2 m Tri/A Lead Step Deck Tautliner Trailer S/N: 6FH9079DBHM016911 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.6 m Upper Deck, 3.6 m Main Deck, Load Restraint Curtains, Ballrace 5th Wheel Usage: Not Available	1101	2010 Krueger 13.4 m Tri/A Step Deck Tautliner Trailer S/N: 6FH9079DBAM013322 C/W: Air Ride Suspension, 275/70R22.5 Tires, ATM 38 t, 3.7 m Upper Deck, 9.7 m Main Deck Usage: Not Available
1093	2017 Krueger 13.3 m Tri/A Step Deck Tautliner Trailer S/N: 6FH9079DBHM016912 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.7 m Upper Deck, 9.6 m Main Deck, Load Restraint Curtains Usage: Not Available	1102	2018 MaxiTrans 13.5 m Tri/A Tautliner Trailer S/N: 6F8000000B094717 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available
1094	2017 Krueger 7.2 m Tri/A Lead Step Deck Tautliner Trailer S/N: 6FH9079DBHM016727 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.6 m Upper Deck, 3.6 m Main Deck, Load Restraint Curtains, Ballrace 5th wheel Usage: Not Available	1103	2015 Krueger 7.2 m Tri/A B-Double Lead Tautliner Trailer S/N: 6FH9079DAFM016006 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available
1095	2017 Krueger 13.3 m Tri/A Step Deck Tautliner Trailer S/N: 6FH9079DBHM016728 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.7 m Upper Deck, 9.6 m Main Deck, Load Restraint Curtains Usage: Not Available	1104	2015 Krueger 13.5 m Tri/A Tautliner Trailer S/N: 6FH9079DAFM016007 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available
1096	2016 Krueger 7.2 m Tri/A Lead Step Deck Tautliner Trailer S/N: 6FH9079DBGM016152 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.6 m Upper Deck, 3.6 m Main Deck, Load Restraint Curtains, Ballrace 5th Wheel Usage: Not Available	1105	2007 MaxiTrans 7.4 m Tri/A B-Double Lead Tautliner Trailer S/N: 6F8T250007B073027 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available
1097	2016 Krueger 13.3 m Tri/A Step Deck Tautliner Trailer S/N: 6FH9079DBGM016153 C/W: Air Ride Suspension, Mezzanine Floor, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.7 m Upper Deck, 9.6 m Main Deck, Load Restraint Curtains Usage: Not Available	1106	2009 Vawdrey 14.3 m Tri/A Tautliner Trailer S/N: 6HJVWAUS9SE05937 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available
1098	2015 Krueger 7.4 m Tri/A B-Double Lead Step Deck Tautliner Trailer S/N: 6FH9079DBFM016008 C/W: Air Ride Suspension, 275/70R22.5 Tires, Right Weigh Load Scales, ATM 38 t, 3.7 m Top Deck, 3.7 m Main Deck Usage: Not Available	1107	2008 MaxiTrans 7.2 m Tri/A Turntable B-Double Lead Tautliner Trailer S/N: 6F8T250008B075694 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available
		1108	2008 MaxiTrans 13.7 m Tri/A Tautliner Trailer S/N: 6F8T250008B075695 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available
		1109	2008 MaxiTrans 7.2 m Tri/A B-Double Lead Tautliner Trailer S/N: 6F8T250008B075692 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available
		1110	2008 MaxiTrans 13.7 m Tri/A Tautliner Trailer S/N: 6F8T250008B075930 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available

Lot #	Details	Lot #	Details
1111	2007 Krueger 14.3 m Tri/A Tautliner Trailer S/N: 6FH8517DA7M011734 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t, Load Restraint Curtains Usage: Not Available	1122	Krueger 13.4 m Tri/A Tautliner Trailer S/N: R76T4180386 C/W: Air Ride Suspension, 11R22.5 Tires Usage: Not Available
1112	2003 Freightier 13.9 m Tri/A Tautliner Trailer S/N: 6F8T250003B064253 C/W: Air Ride Suspension, 295/80R22.5 Tires, ATM 38 t Usage: Not Available	1123	2004 Southern Cross Tri/A Enclosed Car Carrier Trailer S/N: 6B9B31ESX4AAB2158 C/W: Hydraulic Suspension, 385/65R22.5 Tires, ATM 38 t Usage: Not Available
1113	2002 MaxiTrans 7.4 m Tri/A B-Double Lead Tautliner Trailer S/N: 6F8T250002B063874 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available	1124	2008 Vawdrey 14.7 m Tri/A Van Trailer S/N: 6HJVAWAUS8SE05117 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t Usage: Not Available
1114A	1999 Freightier 13.3 m Tri/A Tautliner Trailer S/N: 6F8T25003XB059596 C/W: Air Ride Suspension, Lift Gate, 11R22.5 Tires, ATM 35 t Usage: Not Available	1125	1997 Freightier 13.3 m Tri/A Van Trailer S/N: 6F8T25003VB057100 C/W: Air Ride Suspension, Curbside Door, 11R22.5 Tires, ATM 35 t Usage: Not Available
1114	2001 Krueger 7.4 m Tri/A B-Double Lead Tautliner Trailer S/N: 6FH9079DA1M008438 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available	1126	1993 Air Ride 13.4 m Tri/A Van Trailer S/N: 6B9187500PAAC2165 C/W: Air Ride Suspension, Sliding Suspension, Lift 1st- 2nd- 3rd- Axles, 255/70R22.5 Tires Usage: Not Available
1115	1998 Freightier 13.4 m Tri/A Tautliner Trailer S/N: 6F8T25003WB057941 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 35 t Usage: Not Available	1127	1990 Freightier Tri/A Van Trailer S/N: 6F8T25003LB052194 C/W: Spring Suspension, Curbside Door, 11R22.5 Tires, ATM 35 t Usage: Not Available
1116	1997 Freightier 7.4 m Tri/A Tautliner Trailer S/N: 6F8T25003VB056901 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 35 t Usage: Not Available	1128	1985 Maxi-CUBE 12 m Tri/A Portable Workshop Van Trailer S/N: 2267 C/W: Spring Suspension, Curbside Door, 10.00 R20 Tires, Shelving, Work Bench, Vice Usage: Not Available
1117	1997 Lusty 13.5 m Tri/A Belly Tank Tautliner Trailer S/N: 6D93324PEVSAH1138 C/W: Spring Suspension, 425/65R22.5 Tires, ATM 35 t, 15,000 L (Approx.) Belly Tank Usage: Not Available	1129	Custom Built Bogie/A Van Trailer S/N: NOT-AVAILABLE C/W: Spring Suspension, Curbside Door, 10R20 Tires Usage: Not Available
1118	1996 Freightier 13.4 m Tri/A Tautliner Trailer S/N: 6F8T25003TB056628 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 35 t Usage: Not Available	1130	2017 MaxiTrans 13.4 m Tri/A Flatbed Trailer S/N: 6F80000000B093290 C/W: Air Ride Suspension, 3-Way Container Pins, Ringfeder, 11R22.5 Tires, ATM 38 t Usage: Not Available
1119	1998 GTE 7.4 m Tri/A B-Double Lead Tautliner Trailer S/N: 6J9T25000W2AA7015 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 43 t Usage: Not Available	1131	2017 MaxiTrans 13.4 m Tri/A Flatbed Trailer S/N: 6F80000000B093289 C/W: Air Ride Suspension, 3-Way Container Pins, Ringfeder, 11R22.5 Tires, ATM 38 t Usage: Not Available
1121	1990 Freightier 12.3 m Bogie/A Tautliner Trailer S/N: 6F8T25002LB051994 C/W: Air Ride Suspension, Lift Gate, 295 /80R22.5 Tires, ATM 31 t Usage: Not Available	1132	2012 Multiframe Engineering 13.7 m Tri/A Flatbed Trailer S/N: 6T9T2500SC091G003 C/W: 3-Way Container Pins, Ringfeder, 2500 mm Deck Width, 11R22.5 Tires, ATM 40 t Usage: Not Available

Lot #	Details	Lot #	Details
1134	2005 Southern Cross 7.2 m Tri/A B-Double Lead Flatbed Trailer S/N: 6B9R25CSX5AAB2595 C/W: Air Ride Suspension, 20 ft - Container Pins, 11R22.5 Tires, ATM 38 t Usage: Not Available	1144	1986 Krueger 12.5 m Tri/A Flatbed Trailer S/N: KT2113 C/W: Spring Suspension, 3-Way Container Pins, 2500 mm Deck Width, 11R22.5 Tires, ATM 32 t Usage: Not Available
1135	2005 Southern Cross 12.3 m Tri/A Flatbed Trailer S/N: 6B9128CSX5AAB2596 C/W: Air Ride Suspension, 3-Way Container Pins, 2500 mm Deck Width, 11R22.5 Tires, ATM 38 t Usage: Not Available	1145	1987 Lusty Allison 12.3 m Tri/A Flatbed Trailer S/N: LE870610 C/W: Spring Suspension, Ringfeder, 11R22.5 Tires, ATM 35 t Usage: Not Available
1136	2001 Plunkett 6.8 m Tri/A B-Double Lead Flatbed Trailer S/N: 6G9T2500012JJ6003 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 40 t Usage: Not Available	1146	1979 Freightor 14 m Tri/A Flatbed Trailer S/N: 45863 C/W: Spring Suspension, 2500 mm Deck Width, 11R22.5 Tires Usage: Not Available
1137	2001 Plunkett 12.6 m Tri/A Flatbed Trailer S/N: 6G9T2500012JJ6004 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 40 t Usage: Not Available	1148	1995 Haulmark 13.4 m Bogie/A Flatbed Trailer S/N: 6H92SFWRDSBAA0384 C/W: Air Ride Suspension, 255/70R22.5 Tires, ATM 31.5 t, Bolsters Usage: 648,979 Mi
1138	2004 Vawdrey 7.6 m Tri/A B-Double Lead Flatbed Trailer S/N: 6HJVWAUS4SE01308 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t Usage: Not Available	1149	1980 Fruehauf 6 m Dog Flatbed Trailer S/N: 41635 C/W: Spring Suspension, 20 ft - Container Pins, Pintle Hitch, Steel Decking, 11R22.5 Tires Usage: Not Available
1139A	1998 Freightor 13.3 m Tri/A Flatbed Trailer S/N: 6F8T25003WB058751 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 35 t Usage: Not Available	1150	1989 Freightor 11.6 m Tri/A Moving Floor Trailer S/N: 6F8T25003KB051419 C/W: Spring Suspension, 445/65R22.5 Super Single Tires, ATM 38 t Usage: Not Available
1139	2001 Barker 7.3 m Tri/A B-Double Lead Flatbed Trailer S/N: 6B90425001WAA6915 C/W: Air Ride Suspension, 11R22.5 Tires, Right Weigh Load Scales, ATM 38 t, Ball Race Fifth Wheel Usage: Not Available	1151	2006 Lusty EMS 13.5 m Tri/A Moving Floor Trailer S/N: 6F8T250006LE04414 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 38 t, Electric Roll Tarp Usage: Not Available
1140	1998 Freightor 7.3 m Tri/A Flatbed Trailer S/N: 6F8T25003WB058392 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 35 t Usage: Not Available	1152	2002 Peak Engineering Tri/A Roll-Off Trailers S/N: 6F9PE1WHD2P015004 C/W: Air Ride Suspension, Palfinger BL25H /PLTS30 Roll-Off Unit 11R22.5 Tires, ATM 41 t, 60 m3 Hook-Lift Bin Usage: Not Available
1141	1998 Barker 7.4 m Tri/A B-Double Lead Flatbed Trailer S/N: 6B9012500WWAA6298 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 36 t Usage: Not Available	1153	1987 Hamelex 6.5 m Dog Roll-Off Trailers S/N: R06TV009887 C/W: Spring Suspension, 255/70R22.5 Tires Usage: Not Available
1142	1993 Krueger 13.1 m Tri/A Flatbed Trailer S/N: 6FH7105AAPM004670 C/W: Spring Suspension, 3-Way Container Pins, 255/70R22.5 Tires, ATM 35 t Usage: Not Available	1154	2015 Jamieson 56 m3 Tri/A Pneumatic Bulk Trailer S/N: 6W9974800EA032090 C/W: Air Ride Suspension, Steel Tank, 4 Compartments, Catwalk w/Guardrails, Gardner Denver 12 Series Diesel Powered Blower, 11R22.5 Tires, EBS, ATM 47 t Usage: 1,098 Hr
1143	1988 Lusty 12.6 m Tri/A Flatbed Trailer S/N: LE840606 C/W: Spring Suspension, 11R22.5 Tires Usage: Not Available	1155	2010 Jamieson 56 m3 Tri/A Pneumatic Bulk Trailer S/N: 6W9667500AA032792 C/W: Air Ride Suspension, Steel Tank, 4 Compartments, Catwalk w/Guardrails, 11R22.5 Tires, ATM 47 t Usage: Not Available

Lot #	Details	Lot #	Details
1156	2008 Feldbinder 56 m3 Tri/A Pneumatic Bulk Trailer S/N: 6W93S07488C097008 C/W: Air Ride Suspension, Steel Tank, 4 Compartments, Catwalk w/Guardrails, Gardner Denver Series 10 Diesel Powered Blower, 275 /70R22.5 Tires, ABS, EBS, ATM 44 t Usage: 2,398 Hr	1164	1998 Marshall Lethlean 30000 L Bogie/A Tanker Trailer S/N: 6D9T25RTAW2057014 C/W: Air Ride Suspension, Alloy Tank, 4 Compartments, 265/70R19.5 Tires, ABS, ATM 29 t Usage: Not Available
1157	2013 Stonestar 30000 L Tri/A Tri/A Tanker Trailer S/N: LJT93VGGXD0010932 C/W: Spring Suspension, Steel Tank, 4 Compartments, Catwalk w/Guardrails, 295 /80R22.5 Tires, ATM 40 t Usage: Not Available	1165	1990 Holmwood Highgate 34000 L Tri/A Water Tank Trailer S/N: 6B9BH0951LBAB3063 C/W: Spring Suspension, Alloy Tank, 5 Compartments, Catwalk w/Guardrails, Petrol Powered Pump, 385/65R22.5 Tires, ATM 36 t Usage: Not Available
1159	2006 Tieman 42000 L Tri/A Water Tanker Trailer S/N: 6B9TA34586MAC1458 C/W: Air Ride Suspension, Ringfeder, Alloy Tank, 5 Compartments, Hydraulic Powered Pump, 11R22.5 Tires, ATM 45 t, 90 mm King Pin, Dribble Bar, Rear & Side Sprays Usage: Not Available	1166	1976 EPEX 28500 L Tri/A Water Tank Trailer S/N: T4427S C/W: Spring Suspension, Steel Tank, 5 Compartments, Catwalk w/Guardrails, Honda Petrol Powered Pump, 11R22.5 Tires, ATM 43.5 t Usage: Not Available
1160	1996 Hockney 30000 L Tri/A B-Double Combination Tanker Trailer S/N: 6B9T25BBWT2AM7017 C/W: Air Ride Suspension, Alloy Tank, 3 Compartments, Catwalk w/Guardrails, 275 /70R22.5 Tires, ATM 36 t Usage: Not Available	1167	1971 Vick 28000 L Tri/A Tanker Trailer S/N: 390176 C/W: Spring Suspension, Steel Tank, Aussie Pumps Petrol Powered Pump, 11R22.5 Tires, Rear & Side Spray, Hose Reel Usage: Not Available
1160	1996 Hockney 37000 L Tri/A Tanker Trailer S/N: 6B9T25BBWT2AM7018 C/W: Air Ride Suspension, Alloy Tank, 4 Compartments, Catwalk w/Guardrails, 275 /70R22.5 Tires, ATM 36 t Usage: Not Available	1168	1992 Bear Engineering 12.8 m Tri/A 4x2 Convertible Livestock Trailer S/N: 6B9T25000M2JS8003 C/W: Spring Suspension, Divide Gates, 4 Decks, 11R22.5 Tires, ATM 35 t, Half Deck Ramp Usage: Not Available
1161	1997 Tieman 14500 L Tri/A B-Double Lead Tanker Trailer S/N: 6B9TA1983VMAC1983 C/W: Air Ride Suspension, Food Grade Stainless Steel Tank, Catwalk w/Guardrails, 11R22.5 Tires, ATM 37 t, A261362 Usage: Not Available	1169	2006 Vawdrey Trackaxle 12.2 m Quad/A B-Double Lead Skel Trailer S/N: 6HJVVAWAUS6SE03035 C/W: Air Ride Suspension, 3-Way Container Pins, 265/70R19.5 Tires, ATM 64 t, Fully Steerable Rears, Heavy Chassis Corrosion Usage: Not Available
1162	1997 Tieman 28000 L Tri/A Tanker Trailer S/N: 6B9TA2034VMAG1034 C/W: Air Ride Suspension, Food Grade Stainless Steel Tank, 3 Compartments, Catwalk w/Guardrails, 11R22.5 Tires, ATM 37 t, A261316 Usage: Not Available	1170	2006 Vawdrey Trackaxle 12.2 m Tri/A Skel Trailer S/N: 6HJVVAWAUS6SE03036 C/W: Air Ride Suspension, 3-Way Container Pins, 265/70R19 Tires, ATM 42 t, Fully Steerable Rears, Heavy Chassis Corrosion Usage: Not Available
1163	1998 Hockney 30000 L Tri/A B-Double Lead Tanker Trailer S/N: 6B9T25YYWW2AM7014 C/W: Air Ride Suspension, Alloy Tank, 3 Compartments, Catwalk w/Guardrails, 11R22.5 Tires, ATM 36 t Usage: Not Available	1171A	2014 Vawdrey Tri/A Retractable Skel Trailer S/N: 6HJVVAWAUSESE10925 C/W: 20 ft - Container Pins, 11R22.5 Tires, ATM 38 t, Cracked Chassis Usage: 214,448 Mi
		1171	2014 Krueger 10.7 m Bogie/A Tautliner Trailer S/N: 6FH9200DAEM015273 C/W: Air Ride Suspension, Lift Gate, 11R22.5 Tires, ATM 32 t, Remote Control, Load Restraint Curtains Usage: Not Available

Lot #	Details	Lot #	Details
1172	2011 Krueger 12.2 m Tri/A Skel Trailer S/N: 6FH9079GABM013573 C/W: Air Ride Suspension, 3-Way Container Pins, 11R22.5 Tires, ATM 38 t Usage: Not Available	1180	2014 Gippsland Body Builders Tri/A Road Train Dolly S/N: 6T9T23V97E0ALN006 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 23.5 t, Hydraulic Plumbing Usage: Not Available
1173	2011 CIMC 12.2 m Tri/A Skel Trailer S/N: 6X9C1MCAU0M028556 C/W: Air Ride Suspension, 3-Way Container Pins, 11R22.5 Tires, ATM 38 t Usage: Not Available	1181	2015 Gippsland Body Builders Tri/A Road Train Dolly S/N: 6T9T23V86F0ALN008 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 23.5 t, Hydraulic Plumbing Usage: Not Available
1174	2002 Krueger 6.1 m Tri/A Retractable Tipping Skel Trailer S/N: 6FH9079GB2M008756 C/W: Air Ride Suspension, 20 ft - Container Pins, 255/70R22.5 Tires, ATM 38 t, Engine Driven Self Contained Hyrdraulic System Usage: Not Available	1182	2015 PG&A Tri/A Road Train Dolly S/N: 6W9002300EA032241 C/W: Spring Suspension, 11R22.5 Tires, ATM 23.5 t, Ballrace 5th Wheel, Disc Brakes Usage: Not Available
1175C	1983 Fruehauf Bogie/A Skel Trailer S/N: 6L9T27000M10L7001 C/W: Skid, Water Tanks, Pump Usage: Not Available	1183	2012 GTE Tri/A Road Train Dolly S/N: 6T9T23WA1C0AAN025 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 23.5 t Usage: Not Available
1175A	2000 MaxiTrans 8.8 m Tri/A Step Deck Skel Trailer S/N: 6F8T25000YB060199 C/W: Air Ride Suspension, 20 ft - Container Pins, 265/70R19.5 Tires, ATM 35 t Usage: Not Available	1184	2001 Mick Murray Welding Tri/A Road Train Dolly S/N: 6T9T23NT012YMW008 C/W: Spring Suspension, 11R22.5 Tires Usage: Not Available
1175	2002 Krueger 6.1 m Tri/A Retractable Tipping Skel Trailer S/N: 6FH9079GB2M008943 C/W: Air Ride Suspension, 20 ft - Container Pins, 255/70R22.5 Tires, ATM 38 t, Engine Powered Self Contained Hydraulic System Usage: Not Available	1187	2003 Machinery Trailers Australia 8.6 m Tri/A Equipment Trailer S/N: 6T9T23V9730095015 C/W: Lunette Ring Hitch, Spring Suspension, 1.5 m Fixed Dovetail, Hydraulic Ramps, Electric Powered Self Contained Hydraulic System, 255 /70R22.5 Tires, ATM 24.5 t Usage: Not Available
1176	2003 Moore 12.2 m S/A Skel Trailer S/N: 6T9T25AEJ30AAD221 C/W: Spring Suspension, 20+20 ft - Container Pins, 11R22.5 Tires, ATM 9 t Usage: Not Available	1189	1992 Pohlner 6.5 m Bogie/A Equipment Trailer S/N: 6D9T24RTAN2127016 C/W: Spring Suspension, 1.1 m Fixed Dovetail, Air Assisted Ramps 8.25R15 Tires, Bartlett Ball Hitch Usage: Not Available
1177	1994 Freightner 12.2 m S/A Skel Trailer S/N: 6F8T25002RB054135 C/W: Spring Suspension, 20+20 ft - 40 ft - Container Pins, 255/70R22.5 Tires, ATM 31 t Usage: Not Available	1190	2010 Custom Built 5 m Bogie/A Equipment Trailer S/N: 6T9T20ABMA0AAB190 C/W: Spring Suspension, Steel Decking, 185R14C Tires, ATM 3.5 t Usage: Not Available
1178A	2017 AM Trailers Tri/A Road Train Dolly S/N: 6W9AMT3FTHB009240 C/W: Air Ride Suspension, 255/70R22.5 Tires, ATM 22.5 t Usage: Not Available	1191A	2015 Sureweld 5.8 m Bogie/A Equipment Trailer S/N: 6T9T27V86F0BYZ328 C/W: Torsion Axle, Manual Ramps, 255/75R16 Tires, ATM 3.5 t Usage: Not Available
1178	1989 Custom Built 6 m S/A B-Double Lead Skel Trailer S/N: 6FABA2XXXKH003342 C/W: Spring Suspension, 20 ft - Container Pins, 11R22.5 Tires Usage: Not Available	1191	2017 Custom Built 5.8 m Bogie/A Flatbed Trailer S/N: 6T9T23V86H0KV0002 C/W: Air Ride Suspension, 2490 mm Deck Width, Steel Decking, 9.5R17.5 Tires, ATM 17 t Usage: Not Available
1179	2014 Gippsland Body Builders Tri/A Road Train Dolly S/N: 6T9T23V97E0ALN003 C/W: Air Ride Suspension, 11R22.5 Tires, ATM 23.5 t, Hydraulic Plumbing Usage: Not Available		

Lot #	Details	Lot #	Details
1193	2009 Freightliner 3 m Bogie/A Equipment Trailer S/N: 6T9T23ABSK0AAB001 C/W: Spring Suspension, Manual Ramps, 195R14 Tires, ATM 3.5 t, Lunette Ring & Ball Hitch Usage: Not Available	1202	Custom Built 3.6 m Dog Utility Trailer S/N: NOTAVAILABLE C/W: Ball Hitch, 5.00-10 Tires Usage: Not Available
1194A	Vermeer VSK25-1000 380 L Bogie/A Vacuum Excavation Trailer S/N: S1S0623162018 C/W: Spring Suspension, Steel Debris Tank, Full Open Tailgate, Manual Tailgate Locks, 185R14 Tires, ATM 2 t, Honda 2 Cylinder Petrol Engine Usage: 255 Hr	1204	2011 Custom Built 4.6 m S/A Travel Trailer S/N: 6T9T20ABSA0AAB029 C/W: Bumper Pull, Spring Suspension, 195R14C Tires Usage: Not Available
1194	2013 Lara Floats 3.6 m Bogie/A Horse Trailer S/N: 6T9T27V97D03EZ060 C/W: Ball Hitch, Spring Suspension, 2 Horse, 1600 mm Stall Width, 185R14 Tires, ATM 0.75 t Usage: Not Available	1205	Custom Built 3.6 m Dog Utility Trailer S/N: NOTAVAILABLE C/W: Ball Hitch, 5.20-10 Tires Usage: Not Available
1195	2015 Western Trailers 4.6 m Bogie/A Service Trailer S/N: 6T9T20V86F0EB62F5 C/W: Ball Hitch, Spring Suspension, 3.1 m Deck Length, 195R15C Tires, ATM 2 t, Air Compressor, Drum Pumps, Tool Boxes Usage: Not Available	1206	Custom Built 3.6 m Dog Utility Trailer S/N: NOTAVAILABLE C/W: 5.20-10 Tires Usage: Not Available
1196	1995 Classic Trailers Drawbar Fuel / Lube Trailer S/N: 6F0CLAS1CS0TQ4984 C/W: Ball Hitch, Spring Suspension, 185R14C Tires, ATM 7 t Usage: Not Available	1207	2022 Durotank 1000 L Trailer Mounted Steel Diesel Self Bunded Fuel Tank S/N: 6T9T27R10MADY9010 C/W: Fuel Meter, 12v Pump, 10 m Retractable Hose Reel, Auto Nozzle, Flow Meter, Donaldson Filter, 245/75R16 Usage: Not Available
1197	4.4 m Bogie/A Utility Trailer S/N: B20-089 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 8.25R15TR Tires Usage: Not Available	1208	1985 Custom Built 1000 L S/A Diesel Tanker Trailer S/N: NOT-AVAILABLE C/W: Spring Suspension, Steel Tank, SFE170 Petrol Powered Pump, 185R14C Tires, Nozzle w/Flow Meter Usage: Not Available
1198	2019 Western Trailer 3.4 m Bogie/A Utility Trailer S/N: 6T9T20V86KAEB6007 C/W: Ball Hitch, Spring Suspension, 185R14C Tires, ATM 2 t Usage: Not Available	1209	1982 Custom Built 1000 L S/A Diesel Tanker Trailer S/N: NOT-AVAILABLE C/W: Spring Suspension, Steel Tank, Honda GX31 Petrol Powered Pump, 185R14C Tires Usage: Not Available
1199	Custom Built 2.5 m Bogie/A Tipping Utility Trailer S/N: NOT-AVAILABLE C/W: Ball Hitch, Spring Suspension, 265/75R16 Tires, 12v Powerpack Usage: Not Available	1210	30 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1200	2.3 m S/A Utility Trailer S/N: NOT-AVAILABLE C/W: Ball Hitch, Spring Suspension, 7.5R16 Tires Usage: Not Available	1211	30 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1201	Custom Built S/A Utility Trailer S/N: 6T9T2000SNA1FC042 C/W: Spring Suspension, 165/70R13 Tires, 2100 mm x 1200 mm Usage: Not Available	1212	27 m3 Hook-Lift Waste Bin S/N: 274 Usage: Not Available
		1213	27 m3 Hook-Lift Bisalloy Waste Bin S/N: 273 Usage: Not Available
		1214	27 m3 Hook-Lift Bisalloy Waste Bin S/N: NOT-AVAILABLE Usage: Not Available
		1215	27 m3 Hook-Lift Bisalloy Waste Bin S/N: 271 Usage: Not Available
		1216	27 m3 Hook-Lift Waste Bin S/N: NOT-AVAILABLE Usage: Not Available

Lot #	Details	Lot #	Details
1217	27 m3 Hook-Lift Waste Bin S/N: 272 Usage: Not Available	1235	12 m3 Hook-Lift Bisalloy Waste Bin S/N: 122 Usage: Not Available
1218	27 m3 Hook-Lift Waste Bin S/N: NOT-AVAILABLE Usage: Not Available	1236	12 m3 Hook-Lift Bisalloy Waste Bin S/N: 123 Usage: Not Available
1219	25 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1237	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1220	25 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1238	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1221	20 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1239	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1222	18 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1240	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1223	18 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1241	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1224	18 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1242	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1225	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1243	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1226	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1244	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1227	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1245	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1228	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1246	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1229	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1247	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1230	16 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1248	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1231	15 m3 Hook-Lift Waste Bin S/N: 153 Usage: Not Available	1249	12 m3 Hook Lift Waste Bin S/N: Not Available Usage: Not Available
1232	15 m3 Hook-Lift Waste Bin S/N: 151 Usage: Not Available	1250	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1233	15 m3 Hook-Lift Waste Bin S/N: 152 Usage: Not Available	1251	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1234	12 m3 Hook-Lift Bisalloy Waste Bin S/N: 121 Usage: Not Available	1252	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1253	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1271	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1254	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1272	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1255	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1273	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1256	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1274	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1257	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1275	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1258	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1276	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1259	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1277	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1260	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1278	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1261	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1279	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1262	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1280	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1263	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1281	12 m3 Hook Lift Waste Bin S/N: Not Available Usage: Not Available
1264	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1282	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1265	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1283	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1266	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1284	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1267	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1285	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1268	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1286	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1269	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1287	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1270	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1288	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1289	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1304	2022 EXEQ PS22 20000 L Skid Mounted Steel Fuel Tank (Unused) S/N: INCU220026 C/W: Fuel Meter, Automatic Shut-Off Nozzle, Comes with Electric Pump, Galvanized Grated Bunded front Compartment with drain, DN50 (2") Flanged 150# Fill Point with Full Bore Ball Valve, Non Return Valve, Male Camlock Fitting, Dust Cap, Mechanical Overfill Protection Valve, 12V Overfill Alarm, DN50 (2") Flanged 150# Suction Point with Anti Syphon, Foot Valve Assembly, Fork Pockets, TARE: 4700kg, Approximate Shipping Dimensions: 4950mm L x 2200mm W x 2530mm H, NOTE: This tank is constructed to AS1692-2006 & AS1940-2017, To be installed & maintained in accordance with AS1940, Tank is suitable for combustible Liquid Usage: Not Available
1290	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1291	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1292	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1293	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1294	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1295	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1305	2023 Durotank 16000 L Portable Steel Diesel Tank (Unused) S/N: 4058 C/W: Fuel Meter, 3" Bulk Fill Point, Dipstick, Safety Signage, w/ 240v Bowser, 4m Hose, Auto Shutoff Nozzle Usage: Not Available
1296	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1306	2023 Durotank 10000 L Portable Steel Diesel Self Bunded Fuel Tank (Unused) S/N: 3906 C/W: Fuel Meter, Lockable Pump Bay, Bulk Fill Point, Dipstick, Safety Signage, 5.5 hp Honda Pump, 10 m Retractable Hose Reel, Donaldson Filter, Flow Meter, Auto Nozzle Usage: Not Available
1297	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1307	2022 EXEQ 4100 L Skid Mounted Steel Fuel Tank (Unused) S/N: 00450112 C/W: 12 V Transfer Pump, 4 m Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, (2) Solar Panels, Fork Pockets Usage: Not Available
1298	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1308	2023 Durotank 4000 L Portable Steel Diesel Self Bunded Fuel Tank (Unused) S/N: 3782 C/W: Fuel Meter, Forklift & Crane Points, 12v Pump, Donaldson Filter, 4 m Hose, Auto Nozzle, Safety Signage Usage: Not Available
1299	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1310	13000L Poly Tank S/N: Not Available Usage: Not Available
1300	12 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1311	8000L Poly Tank S/N: Not Available Usage: Not Available
1301	2023 Durotank 33000 L Portable Steel Diesel Tank (Unused) S/N: 3553 C/W: Fuel Meter, 3" Bulk Fill Point, Dipstick, Safety Signage, w/ 240v Bowser, 4m Hose, Auto Shutoff Nozzle Usage: Not Available	1312	2000 Packo 8000 L Stainless Steel Tank S/N: E10587 Usage: Not Available
1302	2023 Durotank 33000 L Portable Steel Diesel Tank (Unused) S/N: 4057 C/W: 240 V Transfer Pump, Fuel Meter, 3" Bulk Fill Point, Dipstick, Safety Signage, w/ 240v Bowser, 4m Hose, Auto Shutoff Nozzle Usage: Not Available	1313	4400L Poly Tank S/N: Not Available Usage: Not Available
1303	2013 Transtank 31217 L Skid Mounted Diesel Fuel Tank S/N: TLTK7200881 C/W: 240 V Transfer Pump, Fuel Meter, E-Stops Usage: Not Available		

Lot #	Details	Lot #	Details
1314	Rapidspray 4000 L Slip-In Water Tank S/N: Not Available C/W: Honda GX200 Engine, Honda Pump, Hose Reel, Rear Spray Usage: Not Available	1326	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1315	3000 L Water Tank S/N: Not Available Usage: Not Available	1327	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1316	2022 EXEQ DD1000 1000 L Portable Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle, Fork Pockets Usage: Not Available	1328	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1317	1000 L Steel Diesel Tank S/N: Not Available Usage: Not Available	1329	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1318	980 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1330	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1319	2022 EXEQ DD500 500 L Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle Usage: Not Available	1331	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1320	2022 EXEQ DD400/50 400 L Portable Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle, 50 L Adblue Tank Usage: Not Available	1332	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1321	2022 EXEQ DD400 400 L Portable Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle Usage: Not Available	1333	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1322	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1334	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1323	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1335	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1324	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1336	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1325	400 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1337	400 L Poly Fuel Tank S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose Usage: Not Available

Lot #	Details	Lot #	Details
1338	Quantity of (2) Steel Fuel Tank S/N: Not Available C/W: Fuel Meter Usage: Not Available	1349	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1338	Fuel Tank S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	1350	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1339	Quantity of (2) Siluan Selecta 300 L Poly Diesel 200 L Poly Diesel Tank Fuel Tank S/N: Not Available Usage: Not Available	1351	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1340	2022 EXEQ DD210 210 L Portable Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle Usage: Not Available	1352	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1341	2022 EXEQ D200 200 L Portable Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, 4 m Hose, Automatic Shut-Off Nozzle Usage: Not Available	1353	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1342	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1356	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
1343	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1358	4 m3 Skip Waste Bin S/N: Not Available C/W: A259122 Usage: Not Available
1344	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1359	4 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1345	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1360	4 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1346	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1361	4 m3 Skip Waste Bin S/N: Not Available C/W: A259124 Usage: Not Available
1347	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1362	4 m3 Skip Waste Bin S/N: Not Available C/W: A259126 Usage: Not Available
1348	210 L Portable Poly Diesel Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	1363	4 m3 Skip Waste Bin S/N: Not Available C/W: A259128 Usage: Not Available
		1364	4 m3 Skip Waste Bin S/N: Not Available C/W: A259123 Usage: Not Available
		1365	4 m3 Skip Waste Bin S/N: Not Available C/W: A259127 Usage: Not Available

Lot #	Details	Lot #	Details
1366	4 m3 Skip Waste Bin S/N: Not Available C/W: A259125 Usage: Not Available	1384	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1367	4 m3 Skip Waste Bin S/N: Not Available C/W: A259129 Usage: Not Available	1385	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1368	4 m3 Waste Bin S/N: Not Available Usage: Not Available	1386	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1369	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1387	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1370	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1388	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1371	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1389	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1372	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1390	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1373	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1391	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1374	3 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1392	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1375	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1393	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1376	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1394	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1377	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1395	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1378	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1396	3 m3 Skip w/ Lid Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1379	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1397	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1380	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1398	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1381	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1399	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1382	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1400	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available
1383	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1401	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1402	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1417	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1403	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1418	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1404	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1419	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1405	3 m3 Skip Waste Bin S/N: Not Available Usage: Not Available	1420	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1406	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1421	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available
1407	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1422	2012 Useter Electric Winch S/N: A-180-037-P002 Usage: Not Available
1408	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1424	Electric Wastewater Treatment System S/N: 1317900321 Usage: Not Available
1409	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1427	Quantity of XL 4 Way Multi-Duct Cable Ducting S/N: Not Available Usage: Not Available
1410	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1430	Quantity of (233) Plastic Cable Ducts (Unused) S/N: Not Available C/W: 12 Pallets Usage: Not Available
1411	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1432	Quantity of (221) Plastic Cable Ducts (Unused) S/N: Not Available C/W: 12 Pallets Usage: Not Available
1412	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1433	Quantity of (218) Plastic Cable Ducts (Unused) S/N: Not Available C/W: 12 Pallets Usage: Not Available
1413	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1434	Quantity of Stillages S/N: Not Available Usage: Not Available
1414	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1435	Quantity of Stillages S/N: Not Available Usage: Not Available
1415	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1436	Quantity of (4) Qty of Stillages S/N: Not Available Usage: Not Available
1416	2 m3 Skip Waste Bin S/N: Not Available C/W: Fork Pockets Usage: Not Available	1440	Quantity of (3) Reels Fibre Cable S/N: Not Available C/W: A258725 Usage: Not Available
		1443	Quantity of Powder Coated Manhole Pit Barrier Site Fence S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1444	Quantity of (29) Skip Bin Lids w/ Mounting Bracket S/N: Not Available Usage: Not Available	1463	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1445	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1464	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1446	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1465	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1447	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1466	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1448	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1467	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1449	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1468	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1450	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1469	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1452	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1470	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1453	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1471	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1454	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1472	Tennant 5400 Walk-Behind Electric Floor Scrubber S/N: 5400 - 10203085 C/W: 700 mm Working Width, 24 Volt Operating System Usage: 448 Hr
1455	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1473	Intellibot Duobot Walk-Behind Electric Sweeper (Inoperable) S/N: 11506-1103-00Y0 C/W: 650 mm Working Width, Water System, 24 Volt Operating System Usage: Not Available
1456	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1474	Intellibot Duobot Walk-Behind Electric Sweeper (Inoperable) S/N: 11507-1002-0045 C/W: 700 mm Working Width, Water System, Rear Squeegee, 24 Volt Operating System Usage: Not Available
1457	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1475	Intellibot Duobot 1850 Walk-Behind Electric Sweeper (Inoperable) S/N: 11704-1003-0075 C/W: 650 mm Working Width, Water System, 24 Volt Operating System Usage: Not Available
1458	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1476	Intellibot Swingobot 1650 Walk-Behind Electric Sweeper (Inoperable) S/N: 11703-1001-0298 C/W: 750 mm Working Width, Water System, Rear Squeegee, 24 Volt Operating System Usage: Not Available
1459	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1460	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1461	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		
1462	10 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
1477	Quantity of Pallet Racking S/N: Not Available Usage: Not Available	1494	Stainless Steel Sink S/N: Not Available C/W: 4 Tap, 1.8 m, A258765 Usage: Not Available
1478	Quantity of (2) Work Bench S/N: Not Available Usage: Not Available	1495	Quantity of (2) Lighting Fixtures S/N: Not Available Usage: Not Available
1479	Quantity of Tool Box S/N: Not Available Usage: Not Available	1497	Quantity of 2040 mm x 870 mm Doors S/N: Not Available Usage: Not Available
1480	Quantity of (3) 2015 Fetra Trolleys & Structural Steel S/N: Not Available C/W: Commercial Grade, SWL 500 kg, (4) Structural Steel 120 mm x 120 mm x 10 mm Thick Usage: Not Available	1498	BS3DC-1795 Refrigerators S/N: 1009292G31T005 Usage: Not Available
1482	Quantity of Tools S/N: 0410019 Usage: Not Available	1499	Ramcor 12 t Truck Hoist S/N: Not Available Usage: Not Available
1483	Quantity of Hose S/N: Not Available Usage: Not Available	1500	Quantity of (4) Concrete Tilt Panel A-Frames S/N: Not Available Usage: Not Available
1484	Quantity of (7) Solar Panels S/N: Not Available C/W: 1600 mm x 800 mm, BP Solar Inverter Usage: Not Available	1501	6.7 m Tautliner Body S/N: Not Available Usage: Not Available
1485	Quantity of (3) Demolition Hammers S/N: Not Available C/W: (2) Hitachi, (1) Makita, 240v Usage: Not Available	1502	8.6 m Tautliner Body S/N: Not Available Usage: Not Available
1486	Quantity of (4) Pipe/Cable Transmitters And Receivers S/N: Not Available Usage: Not Available	1503	14000L Aluminium Tank S/N: Not Available Usage: Not Available
1487	Quantity of Workshop Items S/N: Not Available C/W: Renegade Air Compressor, Tool Boxes Usage: Not Available	1504	7000 mm Stock Crate S/N: Not Available Usage: Not Available
1488	Quantity of Workshop Items & Parts S/N: Not Available C/W: Drill Press, Grinder, Workshop Signs Usage: Not Available	1505A	6.6 m3 Mixer Barrel - Fits Truck (Unused) S/N: Not Available Usage: Not Available
1489	Quantity of Miscellaneous S/N: Not Available Usage: Not Available	1505	9.8 m Dump Body S/N: Not Available C/W: Steel Usage: Not Available
1490	Quantity of (2) 2014 Chain Hoist S/N: Not Available Usage: Not Available	1506	3.1 M Tipper Body S/N: Not Available Usage: Not Available
1491	4600 mm x 1000 mm Stairs S/N: Not Available C/W: Suit Shipping Container Usage: Not Available	1507	Service Body S/N: Not Available C/W: 6 Cylinder Petrol Engine, Lincoln Tractapac 225 Amp Welder, Air Compressor, Air Tank Usage: Not Available
1493	Quantity of Shade Cloth Rolls S/N: Not Available Usage: Not Available	1508	Service Body S/N: Not Available C/W: To Fit Ute, 2500 mm Body Length, Tyres Usage: Not Available
		1509	Service Body S/N: Not Available C/W: To Fit Ute, 2700 mm Body Length, Tyres Usage: Not Available
		1510	Quantity of (3) Ute Canopy S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1512	Quantity of (2) Tool Box S/N: Not Available Usage: Not Available	1534	8 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1513	Quantity of (2) Tool Box S/N: Not Available Usage: Not Available	1535	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1514	Palfinger Crane S/N: Not Available C/W: Isuzu Tow Assembly Usage: Not Available	1536	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1515	Quantity of (2) Fifth Wheel S/N: Not Available Usage: Not Available	1537	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1517	TRT Headache Rack S/N: Not Available Usage: Not Available	1538	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1519	250 L Fuel Tank S/N: Not Available Usage: Not Available	1539	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1520	Quantity of (6) 385/65R22.5 Tyres S/N: Not Available C/W: All Tires with Wheels, Quantity (9) Pressure Hubs Usage: Not Available	1540	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1521	Quantity of 7.00R16 Wheels S/N: Not Available Usage: Not Available	1541	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1524	Quantity of (5) 265/75R16 Tyres S/N: Not Available C/W: All Tires with Wheels Usage: Not Available	1542	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1526	Quantity of (4) Wheels S/N: Not Available C/W: Suit Manitou Telehandler, Tire Size - 12-16.5 Usage: Not Available	1543	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1527	Quantity of (6) Isuzu FXZ Rims (Unused) S/N: Not Available Usage: Not Available	1544	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1528	Quantity of (8) Isuzu FXZ Rims (Unused) S/N: Not Available Usage: Not Available	1545	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1529	Quantity of Dogs & Chains S/N: Not Available Usage: Not Available	1546	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1530	Quantity of (12) Trailer Gates S/N: Not Available Usage: Not Available	1547	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1531	Quantity of Pallet Angles S/N: Not Available Usage: Not Available	1548	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1532	8 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1549	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
1533	8 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1550	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available
		1551	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
1552	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1569	Suihe 40 ft High Cube Storage Container S/N: LYGU0092674 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1553	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1570	Suihe 40 ft High Cube Storage Container S/N: LYP00096260 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1554	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1571	Suihe 40 ft High Cube Storage Container S/N: LYP00096254 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1555	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1572	Suihe 40 ft High Cube Storage Container S/N: LYP00096275 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1556	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1573	Suihe 40 ft High Cube Storage Container S/N: LYGU0092695 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1557	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1574	Suihe 40 ft High Cube Storage Container S/N: LYP00096249 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1558	6 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1575	Suihe 40 ft High Cube Storage Container S/N: LYP00095411 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available
1559	4 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1576	2022 EXEQ 40 ft High Cube with Side Opening Doors Storage Container (Unused) S/N: LYP00085239 C/W: Lock Box, 4 side doors on one side, TARE: 4260 Kgs, comes with CSC plate, next maintenance inspection due: 2027 Usage: Not Available
1560	4 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1577	2022 EXEQ 40 ft High Cube with Side Opening Doors Storage Container (Unused) S/N: LYP00093825 C/W: Lock Box, 4 side doors on one side, TARE: 4260 Kgs, comes with CSC plate, next maintenance inspection due: 2027 Usage: Not Available
1561	4 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1578	20 ft Storage Container S/N: 4060240 C/W: 2400 mm Wide, 2550 mm High, Interior Shelving, Fork Pockets Usage: Not Available
1562	4 m3 Hook-Lift Waste Bin S/N: Not Available Usage: Not Available	1579	20 ft Hook-Lift Storage Container S/N: Not Available C/W: Lock Box, Fork Pockets Usage: Not Available
1563	Suihe 40 ft High Cube Storage Container S/N: LYP00096228 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available	1580	1984 20 ft Storage Container S/N: ANC633737 C/W: Fork Pockets, Misc Truck Parts Usage: Not Available
1564	Suihe 40 ft High Cube Storage Container S/N: LYP00095406 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available	1581	Suihe 12 ft Storage Container (Unused) S/N: LYP12-10278 C/W: 2200 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1565	Suihe 40 ft High Cube Storage Container S/N: LYP00096233 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available		
1566	Suihe 40 ft High Cube Storage Container S/N: LYP00096207 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available		
1567	Suihe 40 ft High Cube Storage Container S/N: LYP00096212 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available		
1568	Suihe 40 ft High Cube Storage Container S/N: LYP00096193 C/W: 2500 mm Wide, 2900 mm High, Lock Box Usage: Not Available		

Lot #	Details	Lot #	Details
1582	Suihe 12 ft Storage Container (Unused) S/N: LYP12-10273 C/W: 2200 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1594	Suihe 8 ft Storage Container (Unused) S/N: LYP8-10914 C/W: 2000 mm Wide, 2250 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1583	Suihe 12 ft Storage Container (Unused) S/N: LYP1210262 C/W: 2220 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1595	Suihe 8 ft Storage Container (Unused) S/N: LYP810927 C/W: 2030 mm Wide, 2260 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1584	10 ft Storage Container S/N: Not Available C/W: Lock Box, Fork Pockets Usage: Not Available	1596	Suihe 8 ft Storage Container (Unused) S/N: LYP810870 C/W: 2030 mm Wide, 2250 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1585	10 ft Storage Container S/N: Not Available C/W: Lock Box, Fork Pockets Usage: Not Available	1597	Suihe 8 ft Storage Container (Unused) S/N: LYP810911 C/W: 2030 mm Wide, 2270 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1586	Suihe 9 ft Storage Container (Unused) S/N: LYP9-10886 C/W: 2200 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1598	Suihe 7 ft Storage Container (Unused) S/N: LYP7-10163 C/W: 1850 mm Wide, 2000 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1587	Suihe 9 ft Storage Container (Unused) S/N: LYP9-10868 C/W: 2200 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1599	Suihe 7 ft Storage Container (Unused) S/N: LYP710171 C/W: 1840 mm Wide, 2000 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
1588	Suihe 9 ft Storage Container (Unused) S/N: LYP9-10923 C/W: 2200 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1600	Suihe 6 ft Storage Container (Unused) S/N: LYPU 1001356 C/W: 1650 mm Wide, 1750 mm High, Lock Box, Fork Pockets Usage: Not Available
1589	Suihe 9 ft Storage Container (Unused) S/N: LYP910918 C/W: 2220 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	1601	Suihe 5 Ft Storage Container (Unused) S/N: LYPU-10014222 C/W: 1500 mm Wide, 1500 mm High, Lock Box, Fork Pockets Usage: Not Available
1590	Suihe 9 ft Storage Container (Unused) S/N: LYP910900 C/W: 2220 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available		
1591	Suihe 9 ft Storage Container (Unused) S/N: LYP910890 C/W: 2220 mm Wide, 2500 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available		
1592	Suihe 8 ft Storage Container (Unused) S/N: LYP8-10908 C/W: 2000 mm Wide, 2300 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available		
1593	Suihe 8 ft Storage Container (Unused) S/N: LYP8-10919 C/W: 2000 mm Wide, 2300 mm High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available		