



## Penske Nationwide Medium Duty Truck Event - Mar 26, 2024

Lot #	Details	Lot #	Details
1	<p><b>2018 Ford Transit -250 4x2 Cargo Van</b>            S/N: 1FTYR2XM6JKA92394            C/W: V6 3.7 L Gasoline Engine, 2018 US EPA Label, Automated Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase            Usage: 135,010 Mi            Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ;SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW</p>	7	<p><b>2019 Isuzu NQR 4x2 COE Van Truck</b>            S/N: JALE5W164K7305507            C/W: Isuzu 4HK1TC 6 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 20 ft x 102 in Wide x 75 in High Body            Usage: 64,711 Mi            Notes: LOCATED-IN-SACRAMENTO-CA-PEN</p>
2	<p><b>2018 Ford F-450 4x2 Van Truck</b>            S/N: 1FDUF4GT1JEB76241            C/W: V8 6.7 L Diesel Engine, 16 ft x x Body            Usage: 108,550 Mi            Notes: LOCATED-IN-HOUSTON-TX-PEN</p>	8	<p><b>2017 Isuzu NQR 4x2 Van Truck</b>            S/N: JALE5W163H7900180            Usage: 108,393 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>
3	<p><b>2018 Ford F-450 XL 4x2 Van Truck</b>            S/N: 1FDUF4GT2JEB76121            C/W: V8 6.7 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 12880 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 205 in Wheelbase, Supreme 16 ft x 96 in Wide x 90 in High Body, Liftgate            Usage: 115,067 Mi            Notes: LOCATED-IN-COLUMBUS-OH-PEN</p>	9	<p><b>2017 Isuzu NQR 4x2 Van Truck</b>            S/N: JALE5W163H7900020            Usage: 115,431 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>
4	<p><b>2018 Ford F-450 4x2 Van Truck</b>            S/N: 1FDUF4GT3JEB76080            C/W: V8 6.7 L Diesel Engine, 16 ft x x Body            Usage: 119,050 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>	10	<p><b>2016 Isuzu NQR 4x2 Van Truck</b>            S/N: JALE5W164G7900977            Usage: 97,683 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>
5	<p><b>2018 Ford F-450 XL 4x2 Van Truck</b>            S/N: 1FDUF4GT3JEB76094            C/W: V8 6.7 L Diesel 330 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4882 Engine hrs, Engine Brake, Automatic Transmission, 225/70R19.5, Spring Suspension, 210 in Wheelbase, Supreme 16 ft x 96 in Wide x 90 in High Body, Liftgate            Usage: 123,559 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>	11	<p><b>2016 Isuzu NRR 4x2 Van Truck</b>            S/N: JALE5W165G7303630            Usage: 160,770 Mi            Notes: LOCATED-IN-NASHVILLE-TN-PEN</p>
6	<p><b>2018 Hino 195 4x2 COE Van Truck</b>            S/N: JHHRDM2H6JK005292            C/W: Hino J05E-TP 4 Cylinder 5.1 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 7370 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 150 in Wheelbase, Morgan 17 ft x 94 in Wide x 90 in High Body, Liftgate            Usage: 110,900 Mi            Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>	12	<p><b>2018 Isuzu NPR-XD 4x2 Van Truck</b>            S/N: JALC4W169J7K00907            Usage: 88,280 Mi            Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
		13	<p><b>2020 International MV607 SBA 4x2 Van Truck</b>            S/N: 3HAEUMMN1LL054529            C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 3419 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 293 in Wheelbase, Supreme 30 ft x 102 in Wide x 97 in High Body            Usage: 159,699 Mi            Notes: LOCATED-IN-COLUMBUS-OH-PEN</p>

Lot #	Details	Lot #	Details
14	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXKDKN9335 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 5262.2 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 28 ft x 102 in Wide x 97 in High Body Usage: 118,746 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	20	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDJB1022 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 28 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 165,694 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
15	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWFC8JHKA9571 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 28 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 165,133 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	21	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJB1023 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11862 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 28 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 203,880 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
16	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFCXJHKA9572 Usage: 197,566 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	22	<b>2017 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWDT2HDHW3490 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7245.1 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 28 ft x 102 in Wide x 92 in High Body Usage: 210,176 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
17	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE7JDJT2127 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6462 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.78:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 285 in Wheelbase, Supreme 28 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 269,691 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	23	<b>2017 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT6HDHV4775 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, 6713 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 255 /70R22.5, Airliner Suspension, 276 in Wheelbase, Kentucky 28 ft x 96 in Wide x 108 in High Body Usage: 223,446 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
18	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT3HHHW8529 Usage: 140,087 Mi Notes: LOCATED-IN-DENVER-CO-PEN	24	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8GDHA7242 Usage: 270,611 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
19	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDJB1021 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9759 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 28 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 167,269 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	25	<b>2019 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8K4S74148 C/W: Hino JO8E-WU 6 Cylinder Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 5323 Engine hrs, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 28 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 150,271 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN

Lot #	Details	Lot #	Details
26	<b>2020 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC8LDMA4028 Usage: 184,217 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	34	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC1JDJP0333 Usage: 75,489 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
27	<b>2020 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFC9LDLP1146 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 kg Rears, Meritor MFS-12-143A Drive Axles, 5.22:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Marion 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 296,327 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ;SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	35	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJT1506 C/W: Cummins 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3343.4 Engine hrs, Eaton Edco-6F107A Procision DTC Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 93,748 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
28	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFC2KHKH5096 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 143,879 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN	36	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJH4307 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 94,277 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
29	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFC0KHKC6611 Usage: 153,516 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	37	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB2JHJH4906 C/W: 26 ft x x Body Usage: 103,763 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
30	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5KDL3580 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 187,277 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	38	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJK7358 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3304 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 109,133 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
31	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFC2KHKC6612 Usage: 203,274 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	39	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJR9055 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4757 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 116,691 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
32	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1KDKD5243 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6605 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 86 in High Body, Liftgate Usage: 231,331 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN		
33	<b>2019 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9KDKH6994 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6397 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 251,203 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN		

Lot #	Details	Lot #	Details
40	<p><b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJH4337 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 116,910 Mi</p> <p>Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	46	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4542 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5066 Engine hrs, Eaton Fuller 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 106 in High Body, Liftgate Usage: 140,144 Mi</p> <p>Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
41	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4926 Usage: 128,261 Mi</p> <p>Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	47	<p><b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJH4908 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5101 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 142,076 Mi</p> <p>Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>
42	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB0JHJH4788 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5065 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RA-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 129,226 Mi</p> <p>Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>	48	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4928 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5550 Engine hrs, Allison 2200 Automatic Transmission, 1000 lb Front Axle, 19000 lb Rears, DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 142,392 Mi</p> <p>Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
43	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJZ9520 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 4953 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 274 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 133,427 Mi</p> <p>Notes: LOCATED-IN-KANSAS-CITY-MO-PEN</p>	49	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJH4643 Usage: 142,578 Mi</p> <p>Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>
44	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJH5234 Usage: 134,006 Mi</p> <p>Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>	50	<p><b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJR9069 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7667 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 143,026 Mi</p> <p>Notes: LOCATED-IN-SACRAMENTO-CA-PEN</p>
45	<p><b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC6JDJR9066 C/W: 26 ft x x Body Usage: 139,878 Mi</p> <p>Notes: LOCATED-IN-LOS-ANGELES-CA-PEN</p>		

Lot #	Details	Lot #	Details
51	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJV0185 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 5005.3 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 145,282 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	57	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4051 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 7138 Engine hrs, Engine Brake, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 154,574 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
52	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJK7154 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4140 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 145,507 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	58	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4907 Usage: 155,542 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
53	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC3JDJH4704 C/W: 26 ft x x Body Usage: 146,640 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	59	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4122 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7460 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 155,917 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
54	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC0JDJR9063 C/W: 26 ft x x Body Usage: 150,632 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	60	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB8JHJH4652 Usage: 156,057 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
55	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWFB4JHJH4650 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5233 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 150,766 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	61	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJR9050 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5595 Engine hrs, Engine Brake, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 156,863 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
56	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC8JDJZ9523 C/W: 26 ft x x Body Usage: 152,583 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	62	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJK7131 Usage: 157,694 Mi Notes: LOCATED-IN-DENVER-CO-PEN

Lot #	Details	Lot #	Details
63	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJH4050 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7697 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 106 in High Body, Liftgate Usage: 158,152 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	68	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB3JHJH4977 C/W: Detroit DD5 4 Cylinder 5.1 L Diesel 210 hp Engine, Requires Diesel Exhaust Fluid, 5764 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 160,000 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
64	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJH4299 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5710.7 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 158,388 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	69	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJH4421 C/W: Cummins B6 6 Cylinder 6.7 L Diesel 202 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 160,958 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
65	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJH5167 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 158,468 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	70	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB5JHJH5614 C/W: 26 ft x x Body Usage: 162,245 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
66	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB7JHJH4917 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6321 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 158,887 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	71	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJH5329 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 165,627 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
67	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWFB0JHJH4662 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel 230 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 158,942 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	72	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB4JHJH4776 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 165,807 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN
		73	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC7JDJH5242 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5738 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in High Body, Liftgate Usage: 167,085 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN

Lot #	Details	Lot #	Details
74	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH4302 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6385 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 167,433 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	81	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB7JHJH5016 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6015 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 171,930 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
75	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB7JHJH4769 C/W: Detroit DD5 4 Cylinder 5.1 L Ultra Low Sulfur Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5987.8 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 167,528 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	82	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB2JHJH5019 C/W: 26 ft x x Body Usage: 172,297 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
76	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFCXJDJH5459 Usage: 167,545 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	83	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJR9064 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 174,852 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
77	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC7JDJH4141 Usage: 168,075 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	84	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH5160 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 78 in High Body, Liftgate Usage: 175,975 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
78	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC0JDJH4966 C/W: 26 ft x x Body Usage: 169,965 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	85	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4120 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7322 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 176,146 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
79	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC1JDJH4734 Usage: 170,563 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	86	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4762 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 11R22.5, Air Ride Suspension, 272 in Wheelbase, supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 176,301 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
80	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJH4707 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 171,497 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN		

Lot #	Details	Lot #	Details
87	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJR9047 Usage: 176,468 Mi Notes: LOCATED-IN-TIPTON-CA-PEN	95	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH5742 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5358.1 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 184,124 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
88	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJH4786 Usage: 177,120 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	96	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJH5407 Usage: 184,787 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
89	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB9JHJH4868 C/W: Detroit DD5 4 Cylinder 5.1 L Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6256 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 178,693 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	97	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJH5298 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6094 Engine hrs, Eaton Fuller Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 100 in High Body, Liftgate Usage: 186,418 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN
90	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC0JDJH4661 C/W: 26 ft x x Body Usage: 179,213 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	98	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJH5441 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 3144 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Multivans 26 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 187,127 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
91	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC8JDJH5718 Usage: 179,545 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	99	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH5316 C/W: Cummins LSB 6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 188,835 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
92	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJH5527 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6440 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Multivans 26 ft x 102 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 179,643 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	100	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4597 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6466 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 189,797 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
93	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH5216 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5816 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 172 in Wheelbase, SUPREME 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 180,542 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN		
94	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC1JDJU1009 Usage: 182,055 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN		

Lot #	Details	Lot #	Details
101	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJH4968 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 5562 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 190,110 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	106	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJX8020 C/W: Cummins 6 Cylinder Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14464 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.88:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 196,488 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
102	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4279 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7953 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 190,359 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	107	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH5241 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6596 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 199,788 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
103	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJK7197 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 191,191 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	108	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH5240 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 200,125 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
104	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJH4052 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5863 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 191,415 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	109	<b>2018 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWFC5JDJH5675 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6794 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 29000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Spring Suspension, 271 in Wheelbase, Supreme Corporation 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 205,711 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
105	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC9JDJH5243 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6943 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 192,145 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	110	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4750 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 206,280 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
111	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJH4675 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, 7001 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 208,091 Mi Notes: LOCATED-IN-MINNEAPOLIS-MN-PEN	116	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4728 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7286.0 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 214,573 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
112	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH3918 C/W: Cummins 6 Cylinder 6.7 L 220 hp Engine, 2017 US EPA Label, 6023 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 268 in Wheelbase, Morgan 26 ft x 96 in Wide x 104 in High Body, Liftgate Usage: 211,792 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	117	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH5559 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6615 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 271 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 214,620 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
113	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH5402 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6698.8 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Multi Vans 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 212,472 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	118	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC7JDJH5080 Usage: 216,335 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
114	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJH5261 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6382 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, SUPREME 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 212,620 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	119	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4055 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6763 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 270:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 217,541 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
115	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC6JDJR9021 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6450 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 213,987 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	120	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJH4048 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 218,607 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
		121	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH4087 C/W: Cummins 6 Cylinder Diesel Engine, 6554.9 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 218,918 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
122	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJL2219 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5098 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 96 in High Body Usage: 220,493 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	129	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJH4114 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, 7018 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 232,505 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
123	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJH3917 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 7250.4 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 221,132 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	130	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJK7279 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 202 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7007 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 233,180 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
124	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJP2464 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 6809 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, SUPREME 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 223,651 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	131	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4716 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 234,790 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
125	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH4543 C/W: 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 224,818 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	132	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC7JDJH4222 Usage: 235,947 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
126	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJK7103 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 226,354 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	133	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC7JDJH4186 Usage: 240,975 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
127	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJH4756 Usage: 228,651 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	134	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJS8214 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8521 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 29000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, AMH 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 244,884 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
128	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC4JDJU1005 Usage: 230,378 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	135	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC3JDJH5397 Usage: 250,662 Mi Notes: LOCATED-IN-BUTNER-NC-PEN

Lot #	Details	Lot #	Details
136	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJK7217 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 202 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8585 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 19000 Drive Axles, 29000 lb GVWR, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 255,532 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	143	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJH4076 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 271951 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Steel, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 271,951 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
137	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4196 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 256,581 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN	144	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC7JDJT8096 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7726 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Kentucky 26 ft x 96 in Wide x 105 in High Body, Curbside Door, Liftgate Usage: 296,277 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
138	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJS8215 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9039 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 257,193 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	145	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJV4940 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 8639 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS 19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 103 in High Body, Liftgate Usage: 312,999 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN ; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
139	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFCXJDJH4151 Usage: 259,863 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	146	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJD2040 Usage: 89,544 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
140	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC3JDJH4170 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 260,039 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	147	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT0HDJG0868 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 3580 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 89,876 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN; OHIO DEALER TITLE- ALL APPLICABLE TAXES DUE. ADDITIONAL PAPERWORK REQUIRED FOR TITLE PROCESSING; TITLE NOT IMMEDIATELY AVAILABLE.
141	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJH4375 C/W: Cummins 6 Cylinder Diesel Engine, 7353 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 260,375 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN		
142	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJK7278 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7911 Engine hrs, Eaton Fuller 6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 262,807 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN		

Lot #	Details	Lot #	Details
148	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJD2039 Usage: 90,917 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	155	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWCYXHDHZ2121 C/W: Cummins ISL 6 Cylinder Diesel 270 hp Engine, Requires Diesel Exhaust Fluid, 4160 Engine hrs, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 4.78:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 142,899 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
149	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDHV3215 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 129,330 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	156	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDHV3557 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4983 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 1900 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, MORGAN 26 ft x 102 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 145,250 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN
150	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJD7029 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 204420 mi, 7014 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, Detroit Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 133,222 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	157	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDJB7399 Usage: 146,290 Mi Notes: LOCATED-IN-DENVER-CO-PEN
151	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT6HDJA0335 C/W: Cummins ISB6.7 6 Cylinder Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4564 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 256 in Wheelbase, Supreme 26 ft x 102 in Wide x 108 in High Body, Curbside Door Usage: 135,145 Mi Notes: LOCATED-IN-DENVER-CO-PEN	158	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1HDJD3565 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 3427 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, MORGAN 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 147,596 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN
152	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJG3630 Usage: 135,834 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	159	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDJB7403 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5300 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 153,601 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
153	<b>2017 Freightliner M2 106 4x2 Crew Cab Van Truck</b> S/N: 3ALACXDT4HDJB3526 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, 5323 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 305 in Wheelbase, SUPREME 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 140,296 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	160	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT0HDHV4044 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 155,522 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
154	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDHV9750 Usage: 142,447 Mi Notes: LOCATED-IN-DENVER-CO-PEN		

Lot #	Details	Lot #	Details
161	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT5HDJC4096 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4699 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 161,371 Mi Notes: LOCATED-IN-MINNEAPOLIS-MN-PEN	166	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJF9114 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6114.7 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, Airliner Air Ride Suspension, 262 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 103 in High Body, Curbside Door Usage: 171,308 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
162	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT1HDHV3730 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6255 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 161,687 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	167	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJF0346 Usage: 172,080 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
163	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJD6995 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6145 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 190000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Rubber Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 106 in High Body, Liftgate Usage: 163,586 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	168	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDHY3118 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 5856 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 272 in Wheelbase, MORGAN 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 172,154 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN
164	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT1HDHV2924 Usage: 163,755 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	169	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDHV4045 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6020 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 177,548 Mi Notes: LOCATED-IN-DENVER-CO-PEN
165	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACXDT9HDJC4103 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 168,008 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	170	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDU3HDHT8882 C/W: Cummins ISB Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5862 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, SUPREME CORP 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 180,234 Mi Notes: LOCATED-IN-DENVER-CO-PEN

Lot #	Details	Lot #	Details
171	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HHDHV3248 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6048 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 180,822 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	176	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJC0636 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5245 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body Usage: 184,052 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
172	<b>2017 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDT1HDHU9032 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 9722 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 181,834 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	177	<b>2017 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT6HDJF9109 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5739 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 102 in High Body Usage: 185,071 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
173	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDHV4017 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6202 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 182,045 Mi Notes: LOCATED-IN-DENVER-CO-PEN	178	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXHDHV3516 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6222 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 186,600 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
174	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDHU9021 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 182456 mi, 6270 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 201 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN ; ENGINE MILES SHOW 182456 MILES - PLEASE SEE INSPECTION REPORT	179	<b>2017 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDTXHDHV6125 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 5742 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 268 in Wheelbase, Morgan has 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 189,249 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
175	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDHY0024 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 5934 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 183,700 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	180	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJD6990 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6484 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 190,672 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
181	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT4HDJF9089 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, Airliner Air Ride Suspension, 278 in Wheelbase, Kentucky 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 190,735 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	188	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT9HDJF9119 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7339 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 255/70R22.5, Air Ride Suspension, 280 in Wheelbase, Kentucky 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 196,077 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
182	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJF9077 Usage: 190,923 Mi Notes: LOCATED-IN-DENVER-CO-PEN	189	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1HDHV3100 Usage: 196,444 Mi Notes: LOCATED-IN-DENVER-CO-PEN
183	<b>2017 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT6HDJF9076 C/W: Cummins ISB Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7265 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 255 /70R22.5 Front Tires, 255/70R22.5 Rear Tires, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 193,773 Mi Notes: LOCATED-IN-DENVER-CO-PEN	190	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDJF9091 Usage: 197,100 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
184	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT2HDJD6989 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6392.4 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 266 in Wheelbase, Supreme 26 ft x 102 in Wide x Body, Liftgate Usage: 193,884 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	191	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJB7361 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6949 Engine hrs, Eaton Fuller EDCO-6F107A 7-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 199,521 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
185	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6HDJB7362 Usage: 194,112 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	192	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJF3577 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9937.9 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body Usage: 199,954 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
186	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJD6916 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6420 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Superior 26 ft x 102 in Wide x 100 in High Body, Liftgate Usage: 194,878 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	193	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML2HL522804 C/W: Long Wide High Usage: 200,372 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
187	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJD6928 Usage: 195,691 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN		

Lot #	Details	Lot #	Details
194	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDHV3838 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7872 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 269 in Wheelbase, 26 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 200,558 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	202	<b>2017 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT3HDJA3645 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7256 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Front Wheels, 255/70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 210,768 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
195	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDJF9120 Usage: 201,675 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	203	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HDHV5761 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5391 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Liftgate Usage: 211,541 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
196	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDHV3275 Usage: 202,837 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	204	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJB7395 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, 7452 Engine hrs, Eaton Fuller EDCO-6F107A Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 211,798 Mi Notes: LOCATED-IN-MINNEAPOLIS-MN-PEN
197	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT0HDHV3059 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 203,190 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	205	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDHV3204 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7010.6 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 212,306 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
198	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDHV3682 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7635.5 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 204,700 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	206	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5HDJD7019 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 7579 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Multivans 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 212,400 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
199	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJF9081 Usage: 207,581 Mi Notes: LOCATED-IN-BUTNER-NC-PEN		
200	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDHV3689 Usage: 208,759 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN		
201	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT1HDJF9082 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6316 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Airliner Air Ride Suspension, 260 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Mezzanine Floor, Curbside Door Usage: 209,076 Mi Notes: LOCATED-IN-BUTNER-NC-PEN		

Lot #	Details	Lot #	Details
207	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJB7413 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, 6510.1 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 212,935 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	212	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJD6987 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 216,205 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
208	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1HDHV3615 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 78 in High Body, Curbside Door, Liftgate Usage: 213,090 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	213	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDHV3828 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, 272 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Curbside Door, Liftgate Usage: 216,749 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
209	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDJD6869 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 213,418 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	214	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJB7411 Usage: 221,465 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
210	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJD6836 C/W: Cummins ISB 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 214,186 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	215	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HDJD6988 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6963.5 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 222,303 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
211	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT4HDHV3639 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7396 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 215,964 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	216	<b>2017 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT6HDHV4789 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7252 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 255/70R22.5, Airliner Air Ride Suspension, 278 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 222,603 Mi Notes: LOCATED-IN-BUTNER-NC-PEN

Lot #	Details	Lot #	Details
217	<b>2017 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT4HDHV4788 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 7183 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 222,844 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	223	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6HDJD6834 Usage: 233,881 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
218	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1HDJG3181 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6630.6 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 223,973 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	224	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDJB7397 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8170 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 235,272 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
219	<b>2017 Freightliner M2 106 4x2 Crew Cab Moving Van Truck</b> S/N: 3ALACWDT7HDHV4753 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7549 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Outer Wheels, 255/70R22.5, Airliner Air Ride Suspension, 282 in Wheelbase, KENTUCKY TRAILER 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 225,379 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	225	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJD6813 Usage: 236,032 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
220	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HDHV3444 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 226,369 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	226	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDHV4790 Usage: 236,362 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
221	<b>2017 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT5HDHV4783 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 7845.8 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky trailer 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 229,800 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	227	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJG0861 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7236 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 104 in High Body, Liftgate Usage: 238,862 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
222	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDJB7352 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 230,339 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	228	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJB7408 Usage: 238,955 Mi Notes: LOCATED-IN-DENVER-CO-PEN
		229	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT1HDJF9129 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7307.6 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Air Ride Suspension, 280 in Wheelbase, KT 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 239,119 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN

Lot #	Details	Lot #	Details
230	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJD7027 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7207 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 240,030 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	235	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJB7392 C/W: Cummins ISB 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8000 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, MORGAN 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 250,186 Mi Notes: LOCATED-IN-DENVER-CO-PEN
231	<b>2017 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT5HDJA3646 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 255/70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 240,922 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	236	<b>2017 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDT2HDHV3879 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6444 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 251,268 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
232	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJD7013 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8120 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 240,924 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	237	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT5HHHX0511 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7739 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x Body, Liftgate Usage: 253,075 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
233	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDHV4740 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 8008 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 255/70R22.5, Airliner Air Ride Suspension, 282 in Wheelbase, KT 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 241,621 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	238	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT0HDJF9106 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6632 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255 /70R22.5, Airliner Air Ride Suspension, 279 in Wheelbase, 26 ft x 102 in Wide x 109 in High Body, Curbside Door Usage: 253,119 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
234	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2HDJF9110 Usage: 242,044 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	239	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDHV3575 Usage: 256,600 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN

Lot #	Details	Lot #	Details
240	<b>2017 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT3HDHV4782 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8122.3 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 255 /70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky trailer 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 256,744 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	247	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDHV4779 Usage: 281,086 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
241	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDHV4746 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 256,844 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	248	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDTXHDHV4763 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9310 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 255/70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 102 in High Body, Curbside Door Usage: 303,849 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
242	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDHV3563 Usage: 258,271 Mi Notes: LOCATED-IN-DENVER-CO-PEN	249	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2GDHN5257 Usage: 110,173 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
243	<b>2017 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT2HDHV4787 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 7583 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255 /70R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 259,617 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	250	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT6GHHR1608 Usage: 111,706 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
244	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HDHV4772 Usage: 260,803 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	251	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDHT6394 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Coolant Heater, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 127,227 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
245	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT7HHHX0512 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9217 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 262,620 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	252	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWDT6GHHR6372 C/W: 6 Cylinder 6.7 L Diesel Engine, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, Supreme 26 ft x 102 in Wide x Body Usage: 127,892 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
246	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJB7428 C/W: Cummins 6 Cylinder Diesel Engine, 2016 US EPA Label, 8337 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 272,711 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	253	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0GDHN6973 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5434 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 272 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Liftgate Usage: 145,286 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN

Lot #	Details	Lot #	Details
254	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9GDHG0418 Usage: 145,705 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	262	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDHM6696 C/W: Cummins B6.7 6 Cylinder 12.8 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7342 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 kg GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 287 in Wheelbase, Supreme 26 ft x 102 in Wide x 110 in High Body, Curbside Door, Liftgate Usage: 172,482 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
255	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1GDHP1594 Usage: 147,157 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	263	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDT7GHHS6174 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5919 Engine hrs, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 4.10:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, SUPREME CORPORATION 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 176,559 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
256	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1GDHG1434 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 149,759 Mi Notes: LOCATED-IN-LAS-VEGAS-NV-PEN	264	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT0GHHR1622 Usage: 193,433 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
257	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2GDHJ8984 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 150,022 Mi Notes: LOCATED-IN-LAS-VEGAS-NV-PEN	265	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7GDHM8711 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 7564 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 3.74:1 Axle Ratio, 29000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 195,937 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
258	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7GDHL9068 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8377 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x Body Usage: 158,624 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	266	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4GDHN6975 Usage: 197,895 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
259	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDHL9067 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8577 Engine hrs, Allison 2200 Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body Usage: 163,609 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN		
260	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9GDHM2540 Usage: 164,800 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN		
261	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDT2GHGW5493 Usage: 168,923 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN		

Lot #	Details	Lot #	Details
267	<b>2016 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDT8GDHP4489 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6464.9 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase Usage: 199,084 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	273	<b>2016 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT5GDGW3026 C/W: Cummins Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 8551 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.23:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5 Front Tires, 255/70R22.5 Rear Tires, Spring Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 233,712 Mi Notes: LOCATED-IN-DENVER-CO-PEN
268	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT4GDHK3992 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5364 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 98 in High Body, Curbside Door Usage: 199,986 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	274	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0GDGW3063 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8079.9 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Spring Suspension, 280 in Wheelbase, Kentucky trailers 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 238,460 Hr Notes: LOCATED-IN-FORT-WORTH-TX-PEN
269	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6GDHN6976 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 9509 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 98 in High Body, Liftgate Usage: 213,522 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	275	<b>2016 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT0GDGW3029 C/W: Cummins ISB 6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8657 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 255/70R22.5, Spring Suspension, 280 in Wheelbase, Kentucky 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 248,878 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
270	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4GDHB6343 Usage: 219,953 Mi Notes: LOCATED-IN-DENVER-CO-PEN	276	<b>2016 Freightliner M2 106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT8GDGW3019 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10483.4 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Spring Suspension, 280 in Wheelbase, Kentucky trailers 26 ft x 96 in Wide x 109 in High Body, Curbside Door Usage: 259,783 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
271	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDGW3068 Usage: 232,220 Mi Notes: LOCATED-IN-DENVER-CO-PEN	277	<b>2016 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWDT5GDHJ8977 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 105 in High Body, Liftgate Usage: 239,760 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
272	<b>2016 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT7GDGW3030 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8594 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Spring Suspension, 280 in Wheelbase, Kentucky 26 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 232,253 Mi Notes: LOCATED-IN-DENVER-CO-PEN		

Lot #	Details	Lot #	Details
278	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2GDGW3033 Usage: 239,352 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	284	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT6FDGA3086 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, 26 ft x 102 in Wide x 78 in High Body, Curbside Door, Liftgate Usage: 172,968 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
279	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWDT0GHHD1965 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11578 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 29000 lb GVWR, 11R22.5, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 244,838 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	285	<b>2015 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 1FVACWDT9FHGW1790 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8439 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 295 /75R22.5, Spring Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 103 in High Body, Curbside Door Usage: 214,663 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
280	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT0FDGN7410 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 2591 Engine hrs, Engine Brake, Allison 3500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.58:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 64,853 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	286	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT6FDGP3790 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8834.6 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 97 in High Body, Liftgate Usage: 215,222 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
281	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9FDGM5160 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 140,492 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	287	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 1FVACWDT6FHGM7278 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 4361 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.13:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 96 in Wide x 104 in High Body, Liftgate Usage: 246,182 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
282	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1FDGJ0600 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 7705 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 147,059 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN		
283	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT7FDGA3176 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.88:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 96 in High Body, Curbside Door Usage: 169,845 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN		

Lot #	Details	Lot #	Details
288	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1FDGL3357 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 3541.7 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 278,471 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	294	<b>2020 International MV607 SBA 4x2 Van Truck</b> S/N: 3HAEUMML9LL865445 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 5931 Engine hrs, Exhaust Brake, Automatic Transmission, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 223,743 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
289	<b>2015 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACXDT0FDGA9214 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 11002 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 268 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 322,255 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	295	<b>2020 International MV607 4x2 Van Truck</b> S/N: 3HAEUMMLXLL865518 C/W: Cummins ISB 6 Cylinder 7.2 L Ultra Low Sulfur Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 242,605 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
290	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8EDFZ0506 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 263,606 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	296	<b>2020 International MV607 SBA 4x2 Van Truck</b> S/N: 3HAEUMML4LL865496 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6952 Engine hrs, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 245,293 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
291	<b>2020 International MV607 4x2 Van Truck</b> S/N: 3HAEUMML6LL865516 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4945 Engine hrs, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 188,143 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	297	<b>2020 International MV607 SBA 4x2 Van Truck</b> S/N: 3HAEUMML2LL865495 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7666 Engine hrs, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 248,426 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
292	<b>2020 International MV607 4x2 Van Truck</b> S/N: 3HAEUMML1LL865519 Usage: 194,000 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN	298	<b>2019 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMMLXKH092517 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4726 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 147,994 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
293	<b>2020 International MV 607 4x2 Van Truck</b> S/N: 3HAEUMML3LL865442 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6835 Engine hrs, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 222,453 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	299	<b>2019 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML1KL596965 Usage: 206,145 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN

Lot #	Details	Lot #	Details
300	<b>2019 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML6KL508380 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8124 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 92 in High Body, Liftgate Usage: 326,216 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	305	<b>2018 International 4300 4x2 Moving Van Truck</b> S/N: 3HAMMMML2JL546154 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4129 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 102,220 Mi Notes: LOCATED-IN-SACRAMENTO-CA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
301	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMLXJH438788 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 2432 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Steel, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 75,047 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	306	<b>2018 International Durastar 4300 4x2 Moving Van Truck</b> S/N: 1HTMMMLXJH438791 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 108 in High Body, Liftgate Usage: 110,916 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
302	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML4JH438785 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, 3385 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Steel, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 82,965 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	307	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML6JH438786 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4259 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 12R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, Supreme 26 ft x 96 in Wide x 108 mm High Body, Liftgate Usage: 112,990 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
303	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML1JH438789 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3062 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 108 in High Body, Liftgate Usage: 87,298 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	308	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML8JL111283 Usage: 123,668 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
304	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML8JH438790 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Firestone Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 108 in High Body, Liftgate Usage: 93,154 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	309	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML4JL543465 Usage: 128,309 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
		310	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML9JH418838 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 4874 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 134,665 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN

Lot #	Details	Lot #	Details
311	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML6JH756455 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 5144 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x Body, Liftgate Usage: 137,462 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	316	<b>2018 International Durastar 4300 4x2 Extended Cab Van Truck</b> S/N: 1HTMMMML7JH533924 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4364 Engine hrs, Eaton Fuller EDCO-6F107A-P 7-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.29:1 Axle Ratio, 25999 lb GVWR, Air Ride Cab, 11R22.5, International IROS Air Ride Suspension, 287 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 143,615 Mi Notes: LOCATED-IN-LAS-VEGAS-NV-PEN
312	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML1JH546099 Usage: 138,127 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	317	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML2JH756453 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 148,429 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
313	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML6JH713427 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5444 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Multi Vans 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 140,283 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	318	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML4JH418696 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5186 Engine hrs, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 149,698 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
314	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMN7JL543283 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 141,512 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	319	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML9JL546183 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5323 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 153,730 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
315	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML2JH436291 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5314 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 143,197 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	320	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML7JL003804 C/W: Cummins B 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5653 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 155,522 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN

Lot #	Details	Lot #	Details
321	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML6JH736691 Usage: 156,784 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	327	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML8JL543355 C/W: Cummins B 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6933 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 164,922 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
322	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML1JH543882 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, 5164 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, SUPREME 26 ft x 102 in Wide x 106 in High Body, Curbside Door, Liftgate Usage: 157,496 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	328	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML4JH544136 Usage: 168,828 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
323	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML6JH418859 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6080 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 158,134 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	329	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML4JH546064 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5534 Engine hrs, Engine Brake, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 105 in High Body Usage: 170,341 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
324	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML7JL546134 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25998 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 160,183 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	330	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML3JH736566 C/W: 26 ft x x Body Usage: 171,455 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
325	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMLXJH418816 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5794 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 162,493 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	331	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML2JL003791 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6455 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 175,264 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
326	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML0JH713438 Usage: 162,536 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	332	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMLXJH543492 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6454 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 175,431 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN

Lot #	Details	Lot #	Details
333	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML0JL546153 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25998 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 185,896 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	339	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML2JH349992 Usage: 208,639 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
		340	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML8JH543362 Usage: 214,027 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
334	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML6JL003812 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6358 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 186,844 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	341	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML9JH216534 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7876 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 214,275 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
335	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML0JH578896 Usage: 190,593 Mi Notes: LOCATED-IN-TIPTON-CA-PEN	342	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMLXJH546148 Usage: 216,178 Mi Notes: LOCATED-IN-DENVER-CO-PEN
336	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML1JH546104 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7034 Engine hrs, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 190,604 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	343	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML4JH713409 Usage: 218,110 Mi Notes: LOCATED-IN-DENVER-CO-PEN
337	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML9JL003836 C/W: Cummins B 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6838 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 196,223 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	344	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML0JH216535 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8512 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 109 in High Body, Liftgate Usage: 218,822 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
338	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML8JH216542 C/W: 26 ft x x Body Usage: 206,364 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	345	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML5JH420361 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6423 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 225,818 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN

Lot #	Details	Lot #	Details
346	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML8JH216539 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 232,978 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	352	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML8HL488111 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5138 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 144,664 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
347	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMNMML1JH495104 Usage: 245,730 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	353	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML6HL456483 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5427 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 147,784 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
348	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML9JH543449 Usage: 245,944 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	354	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML2HL462734 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5641 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 157,473 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
349	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML2HL517179 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4446 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body Usage: 104,144 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	355	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML6HL470352 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11655 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 159,369 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
350	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML7HL570640 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4164 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 108,203 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	356	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML3HH462621 C/W: Cummins B6.7 220 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6116 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Firestone Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 96 in Wide x 108 in High Body, Liftgate Usage: 169,151 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
351	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML3HL462709 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 274 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 115,680 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN		

Lot #	Details	Lot #	Details
357	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML2HL456528 C/W: Cummins Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6850 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 271 in Wheelbase, supreme 26 ft x 96 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 171,492 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	364	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML9HL471480 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6414 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 187,181 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
358	<b>2017 International 4300 4x2 Van Truck</b> S/N: 3HAMMMML8HL470353 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11774 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 171,517 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	365	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMLXHL456275 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7127 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 189,931 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
359	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML1HH462651 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5572 Engine hrs, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 171,963 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	366	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML3HL456375 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9037 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 200,033 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
360	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML7HH462637 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6506 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 173,647 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	367	<b>2017 International 4300 4x2 Van Truck</b> S/N: 3HAMMMMLXHL456552 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6510 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 200,807 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
361	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMLXHH462664 Usage: 180,980 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	368	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML7HH462539 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6077 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Liftgate Usage: 200,936 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
362	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML3HL456277 Usage: 185,695 Mi Notes: LOCATED-IN-DENVER-CO-PEN		
363	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML5HH462457 Usage: 186,345 Mi Notes: LOCATED-IN-BUTNER-NC-PEN		

Lot #	Details	Lot #	Details
369	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMMLXHL456227 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6131 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 204,092 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	375	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMN2HL752585 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7751 Engine hrs, Allison Automatic Transmission, 12000 kg Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 220,925 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
370	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML6HL456399 Usage: 204,248 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	376	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMLXHH462552 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7477 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme Corp 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 222,501 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
371	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML5HL462727 Usage: 213,855 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	377	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML7HL462731 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7024 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.29:1 Axle Ratio, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 223,987 Mi Notes: LOCATED-IN-DENVER-CO-PEN
372	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML1HL462398 C/W: Cummins 6 Cylinder Diesel Engine, 7912 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme corporation 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 214,275 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	378	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMML6HH462449 Usage: 225,691 Mi Notes: LOCATED-IN-DENVER-CO-PEN
373	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMLXHL462402 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7292 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Curbside Door, Liftgate Usage: 215,055 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	379	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMML5HH462569 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7745 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 226,789 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
374	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMMLXHL456213 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7419 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 217,308 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN		

Lot #	Details	Lot #	Details
380	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML4HH462546 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7778 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 229,098 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	387	<b>2015 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML4FL040073 C/W: Cummins 6 Cylinder Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5988 Engine hrs, Automated Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body Usage: 216,349 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
381	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML1HH647587 Usage: 230,150 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	388	<b>2020 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5L4S77249 C/W: 7.6 L Diesel Engine Usage: 266,307 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
382	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML4HH462658 Usage: 232,403 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	389	<b>2019 Hino 268 Van Truck</b> S/N: 5PVNJ8JV3K4S71223 C/W: 7.6 L Diesel Engine, 26 ft x x Body Usage: 100,615 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
383	<b>2017 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML8HH462615 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8730 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 233,248 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	390	<b>2019 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXK4S71512 C/W: 6 Cylinder 7.6 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, AMH 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 111,402 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
384	<b>2016 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML9GL738194 Usage: 221,067 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	391	<b>2019 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2K4S71956 C/W: 7.6 L Diesel Engine Usage: 273,999 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
385	<b>2016 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML8GH021162 Usage: 249,022 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	392	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9J4S67109 C/W: 6 Cylinder Diesel Engine, 2017 US EPA Label, 6962 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hino Air Ride Suspension, 269 in Wheelbase, Supreme Corporation 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 57,486 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
386	<b>2016 International Durastar 4300 4x2 Van Truck</b> S/N: 3HAMMMML3GL087998 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7911 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 207 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 267,783 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	393	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8J4S67019 C/W: 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25990 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 114,516 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN

Lot #	Details	Lot #	Details
394	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4J4S67115 C/W: Hino V6 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 129,447 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	399	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9J4S67238 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4956 Engine hrs, Engine Brake, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 150,130 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
395	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4J4S68376 C/W: 6 Cylinder 7.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 108 in High Body, Liftgate Usage: 140,528 Mi Notes: LOCATED-IN-DENVER-CO-PEN	400	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3J4S68725 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Morgan 16 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 156,523 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
396	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0J4S66995 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body Usage: 143,073 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	401	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2J4S67128 C/W: 7.6 L Diesel Engine Usage: 158,647 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
397	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXJ4S68981 C/W: Hino 6 Cylinder Diesel Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5234 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 144,358 Mi Notes: LOCATED-IN-SACRAMENTO-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	402	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5J4S67107 C/W: 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 163,271 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
398	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4J4S67034 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4689 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 100 in High Body, Curbside Door, Liftgate Usage: 147,311 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	403	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXJ4S67121 C/W: Hino 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 26 ft x 102 in Wide x Body, Curbside Door, Liftgate Usage: 169,327 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
		404	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2J4S67131 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Hino Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 26 ft x 102 in Wide x 78 in High Body, Curbside Door, Liftgate Usage: 180,148 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN

Lot #	Details	Lot #	Details
405	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXJ4S68074 C/W: J08E-WU 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 230 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6070 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 181,466 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	411	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7J4S66878 C/W: Hino J08E-WU 6 Cylinder Ultra Low Sulfur Diesel 230 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 204793 mi, 7352.25 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25959 kg GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 204,689 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
406	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0J4S67113 C/W: Hino 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x Body, Liftgate Usage: 183,211 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	412	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXJ4S67233 C/W: hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6255.2 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 207,246 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
407	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4J4S68894 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 274 in Wheelbase, supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 185,421 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	413	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1J4S67010 C/W: 6 Cylinder 7.6 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 216,649 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
408	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0J4S68844 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6378 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 186,446 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	414	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3J4S67025 C/W: 7.6 L Diesel Engine Usage: 224,087 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN
409	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6J4S68959 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, 7301.17 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hino Air Ride Suspension, 272 in Wheelbase, Supreme Corporation 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 196,409 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	415	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2J4S66996 C/W: 7.6 L Diesel Engine Usage: 226,306 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
410	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9J4S67126 C/W: 7.6 L Diesel Engine Usage: 204,591 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	416	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6J4S70209 C/W: 7.6 L Diesel Engine, 26 ft x x Body Usage: 229,038 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
		417	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2J4S69378 C/W: 7.6 L Diesel Engine Usage: 237,233 Mi Notes: LOCATED-IN-DENVER-CO-PEN

Lot #	Details	Lot #	Details
418	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2J4S68957 C/W: 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7447 Engine hrs, Automatic Transmission, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 266,273 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	425	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9H4S63491 C/W: 7.6 L Diesel Engine Usage: 164,604 Mi Notes: LOCATED-IN-TIPTON-CA-PEN
419	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S63876 C/W: 7.6 L Diesel Engine Usage: 130,281 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	426	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5H4S63827 C/W: 6 Cylinder Diesel Engine, 999 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 164,695 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
420	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3H4S64555 C/W: J08E-WU 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 230 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 999.59 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 130,726 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	427	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9H4S65399 C/W: J08E-WU 6 Cylinder 469 cid Diesel 230 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 33000 lb GVWR, 11R22.5, 271 in Wheelbase, 26 ft x 96 in Wide x 105 in High Body, Liftgate Usage: 172,569 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
421	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S65482 C/W: 7.6 L Diesel Engine Usage: 134,751 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	428	<b>2017 Hino 268 Van Truck</b> S/N: 5PVNJ8JV0H4S64724 Usage: 175,657 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
422	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXH4S66156 C/W: 6 Cylinder 7.6 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 26 ft x 102 in Wide x 78 in High Body, Liftgate Usage: 138,908 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	429	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8H4S65460 C/W: 7.6 L Diesel Engine Usage: 176,417 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
423	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S63487 C/W: 6 Cylinder Diesel Engine, 2016 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 145,020 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	430	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S64428 C/W: 6 Cylinder 7.6 L Diesel Engine, 2016 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 176,969 Mi Notes: LOCATED-IN-MINNEAPOLIS-MN-PEN
424	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5H4S65528 C/W: Hino 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 96 in Wide x 90 in High Body, Curbside Door, Liftgate Usage: 164,299 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	431	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV2H4S63574 C/W: 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, 999.95 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 268 in Wheelbase, Supreme 26 ft x 102 in Wide x Body, Liftgate Usage: 184,931 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN

Lot #	Details	Lot #	Details
432	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1H4S63100 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 185,699 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	439	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV9H4S64656 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Comfort Air Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 213,864 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
433	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S63537 C/W: J08E-WU 6 Cylinder 7.7 L Diesel 230 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 185,817 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	440	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1H4S64389 C/W: 6 Cylinder Diesel Engine, 2016 US EPA Label, 411 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 276 in Wheelbase, Supreme 26 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 218,073 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
434	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3H4S63258 C/W: Cummins 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 29000 lb GVWR, 11R22.5, Spring Suspension, 276 in Wheelbase, 26 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 188,421 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	441	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4H4S66007 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, 999.6 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.57:1 Axle Ratio, 25950 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 272 in Wheelbase, Supreme 26 ft x 96 in Wide x 101 in High Body, Liftgate Usage: 226,458 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
435	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3H4S65429 C/W: 7.6 L Diesel Engine Usage: 188,972 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	442	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6H4S64646 C/W: 7.6 L Diesel Engine Usage: 243,587 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN
436	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6H4S63299 C/W: Hino 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 201,825 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	443	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5H4S65965 C/W: HINO 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 757 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 268 in Wheelbase, SUPREME 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 251,247 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
437	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6H4S64856 C/W: 6 Cylinder 7.6 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 211,994 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	444	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7H4S65496 C/W: 6 Cylinder 7.6 L Diesel Engine, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 252,300 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
438	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1H4S63050 C/W: 7.6 L Diesel Engine Usage: 212,453 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN		

Lot #	Details	Lot #	Details
445	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXG4S61005 C/W: 6 Cylinder 7.7 L Diesel Engine, 2015 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 103,149 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	452	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8F4S58294 C/W: Hino J08E-VC 6 Cylinder 7.6 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 589 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x 87 in High Body, Liftgate Usage: 99,414 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
446	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0G4S59862 C/W: Hino 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 492 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 135,185 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	453	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV6F4S58309 C/W: Hino J08E-VC 6 Cylinder 7.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 171,662 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
447	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4G4S60982 C/W: 7.6 L Diesel Engine Usage: 146,613 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT-PEN	454	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNE8JV4F4S54036 C/W: 7.6 L Diesel Engine Usage: 176,790 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
448	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8G4S61388 C/W: 6 Cylinder 7.6 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, 24 ft x 102 in Wide x 84 in High Body, Liftgate Usage: 156,457 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	455	<b>2014 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV5E4S55822 C/W: 7.6 L Diesel Engine Usage: 149,427 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
449	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0G4S60848 C/W: 7.6 L Diesel Engine Usage: 171,869 Mi Notes: LOCATED-IN-DENVER-CO-PEN	456	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJP4697 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4383 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 253 in Wheelbase, Supreme 24 ft x 96 in Wide x 98 in High Body, Liftgate Usage: 109,725 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
450	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXG4S62316 C/W: 7.6 L Diesel Engine Usage: 189,434 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	457	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJM4198 C/W: Cummins 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 149,120 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
451	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8G4S61391 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 273 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 284,866 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN		

Lot #	Details	Lot #	Details
458	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC8JDJM4196 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 151,315 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	464	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT0HDHW1236 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7474 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 103 in High Body Usage: 123,230 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
459	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC9JDJX5845 Usage: 224,822 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	465	<b>2017 Freightliner M2 106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT9HDJC4080 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 280 in Wheelbase, Supreme 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 141,139 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
460	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC2JDJY8212 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8976.1 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 230,575 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	466	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0HDJD4996 Usage: 155,538 Mi Notes: LOCATED-IN-DENVER-CO-PEN
461	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJD3239 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 84215 mi, 2246 Engine hrs, Engine Brake, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 8,070 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN ; ENGINE DIAGNOSTIC SHOWS 84215 MILES	467	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3HDJE3773 Usage: 184,981 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN
462	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6HDJD3240 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 2352 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 86,477 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	468	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT1HHHW9064 Usage: 188,002 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
463	<b>2017 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJE9716 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 3695 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 106,184 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	469	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDHW4479 Usage: 189,842 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
		470	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT4HDHV5276 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5542 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, Steel, 11R22.5, Airliner Air Ride Suspension, 271 in Wheelbase, Morgan 24 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 192,113 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
		471	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT4HDJE1620 Usage: 197,576 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
		472	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDHU0000 Usage: 212,510 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
473	<b>2017 Freightliner M2106 4x2 Extended Cab Van Truck</b> S/N: 3ALACWDT6HDHV4744 C/W: Cummins 6 Cylinder Diesel Engine, 2017 US EPA Label, 7358.9 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 255 /70R22.5, Airliner Air Ride Suspension, 281 in Wheelbase, Kentucky Trailer. 24 ft x 96 in Wide x 108 in High Body, Curbside Door Usage: 230,168 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	478	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDHK8212 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6213.3 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 140,664 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
474	<b>2016 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWDT3GDHP2830 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 4660 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 105,803 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	479	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT4GHHD6926 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5459 Engine hrs, Eaton Fuller FO-5406B Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 274 in Wheelbase, Supreme 24 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 145,875 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
475	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT7GDHK6689 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5600.0 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 110,661 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	480	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9GDGU4883 C/W: Cummins ISB 6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6867 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 150,821 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN
476	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJA1673 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5105.1 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 118,596 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	481	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT2GDHP4441 Usage: 152,654 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
477	<b>2016 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT8GDHC2338 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5972 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 278 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 137,803 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	482	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHK6690 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7858.0 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 156,118 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN

Lot #	Details	Lot #	Details
483	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4GDGU4886 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 7049 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 92 in High Body, Liftgate Usage: 159,007 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN	487	<b>2016 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT5GDHP4448 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 5947 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 283 in Wheelbase, Kentucky Trailer 24 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 205,388 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
484	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDHR8650 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 3866.2 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 169,776 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	488	<b>2016 Freightliner M2106 4x2 Crew Cab Van Truck</b> S/N: 3ALACWDT7GDHP4452 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 3199 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 283 in Wheelbase, Kentucky Trailer 24 ft x 96 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 208,418 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
485	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHG5789 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 7723 Engine hrs, Allison 2200 Automatic Transmission, 5.56:1 Axle Ratio, 11R22.5, Spring Suspension, 252 in Wheelbase, Supreme 24 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 182,810 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	489	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1GDHN6738 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 209,000 Mi Notes: LOCATED-IN-PITTSBURGH-PA-PEN
486	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHM4476 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 186106 mi, 10560.4 Engine hrs, Exhaust Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DS-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 81,085 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN ; ENGINE MILES SHOW 186106 MILES - PLEASE SEE INSPECTION REPORT	490	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9GDHJ1160 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6875.3 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 213,507 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN
		491	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT7GDGW5303 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 7668 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 24 ft x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 215,033 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN

Lot #	Details	Lot #	Details
492	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDTXGHHE4609 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10180 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 108 in High Body, Liftgate Usage: 219,655 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	498	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDU7FDGG9364 Usage: 186,576 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
493	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDHG5787 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10539 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Supereme 24 ft x 96 in Wide x 102 in High Body, Liftgate Usage: 231,342 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	499	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0FDGA3083 Usage: 218,233 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
494	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0GDHJ1161 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7758.5 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 231,132 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	500	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT3FHGT3516 Usage: 219,916 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
495	<b>2016 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDT9GDHB8251 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8011.2 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 253 in Wheelbase, Supreme 24 ft x 102 in Wide x 94 in High Body, Liftgate Usage: 277,089 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	501	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5FDGT4169 Usage: 221,008 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
496	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8GDGV8905 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8418 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 308,418 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	502	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML8JH438787 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, 3396 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 24 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 95,070 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
497	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0FDGE0814 Usage: 145,940 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	503	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML6JH675116 Usage: 126,984 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
		504	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML5JH526938 Usage: 168,005 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
		505	<b>2018 International Durastar 4300 4x2 Van Truck</b> S/N: 1HTMMMML2JH547875 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4954 Engine hrs, Allison 2100 6-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.86:1 Axle Ratio, 25999 lb GVWR, Aluminum Wheels, 11R22.5, International IROS Air Ride Suspension, 254 in Wheelbase, Morgan 24 ft x 96 in Wide x 97 in High Body, Liftgate Usage: 180,118 Mi Notes: LOCATED-IN-LAS-VEGAS-NV-PEN
		506	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML9JH543385 C/W: Cummins 6 Cylinder Diesel Engine, 7097 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, Supreme 24 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 201,957 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
507	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML9HH462655 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 24 ft x 102 in Wide x 78 in High Body, Liftgate Usage: 204,344 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN	513	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJM1964 C/W: Cummins 6 Cylinder Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, 10313 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 234 in Wheelbase, 22 ft x 102 in Wide x Body, Liftgate Usage: 190,016 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN : CHECK ENGINE LIGHT ON PLEASE INSPECT
508	<b>2017 International Durastar 4300 4x2 Moving Van Truck</b> S/N: 3HAMMMML8HL456095 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 5767 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 268 in Wheelbase, Morgan 24 ft x x 96 in High Body, Liftgate Usage: 206,736 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	514	<b>2017 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDT0HDHW8140 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5697.8 Engine hrs, Exhaust Brake, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 22 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 203,328 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
509	<b>2015 International Durastar 4300 LP 4x2 Van Truck</b> S/N: 1HTMNAAL4FH637973 C/W: 6 Cylinder Diesel Engine, 9876 Engine hrs, Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, 24 ft x 96 in Wide x 94 in High Body, Liftgate Usage: 247,635 Mi Notes: LOCATED-IN-KANSAS-CITY-MO-PEN	515	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXCY5EHFP0646 C/W: Cummins ISL 6 Cylinder Diesel Engine, 7110 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.22:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 235 in Wheelbase, Mickey 22 ft x 91 in Wide x 96 in High Body, Liftgate Usage: 171,576 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
510	<b>2017 Hino 258LP 4x2 Moving Van Truck</b> S/N: 5PVNJ8JT6H4S57923 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, US EPA Label, 999.59 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, Aluminum Wheels, 245/70R19.5, Air Ride Suspension, 254 in Wheelbase, Morgan 24 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 94,531 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	516	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJK7305 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 4066 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 171 in Wheelbase, Morgan 20 ft x 102 in Wide x Body, Curbside Door, Liftgate Usage: 113,507 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
511	<b>2016 Hino 338 4x2 Van Truck</b> S/N: 5PVNV8JT4G4S54098 C/W: 24 ft x x Body Usage: 206,110 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN	517	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFCXJDJK7304 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4728 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, 20 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 131,872 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
512	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JT0G4S56748 C/W: 6 Cylinder 7.6 L Diesel Engine, Requires Diesel Exhaust Fluid, 999 Engine hrs, Automatic Transmission, 10000 kg Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 254 in Wheelbase, Supreme 24 ft x 96 in Wide x 104 in High Body, Liftgate Usage: 230,835 Mi Notes: LOCATED-IN-BUTNER-NC-PEN		

Lot #	Details	Lot #	Details
518	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDHU3032 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 5101 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 218 in Wheelbase, Supreme 18 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 175,497 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	525	<b>2017 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JL4H4S51957 C/W: 6 Cylinder 7.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 999 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 189 in Wheelbase, MORGAN 16 ft x x 78 in High Body Usage: 154,554 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN
519	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXCY6HDJH0078 Usage: 246,422 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	526	<b>2019 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC8KDLC2900 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 9578 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 29000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King Reefer Unit, AMH 26 ft x 96 in Wide x 92 in High Body, Curbside Door, Ducted Floor, Liftgate Usage: 291,787 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
520	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC6JDJS5503 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4317 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 29000 lb GVWR, 11R22.5, Air Ride Suspension, 204 in Wheelbase, Supreme 18 ft x 102 in Wide x 96 in High Body Usage: 133,830 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	527	<b>2019 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC9KDKX8944 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 8875 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 29000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Thermo King Reefer Unit, AMH 26 ft x 96 in Wide x 96 in High Body, Curbside Door, Ducted Floor, Liftgate Usage: 308,790 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
521	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0GDHL6304 Usage: 187,000 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN	528	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFCXJDJT4267 Usage: 229,181 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
522	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JM6F4S50492 C/W: 7.6 L Diesel Engine Usage: 211,053 Mi Notes: LOCATED-IN-BUTNER-NC-PEN	529	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC8JDJT4266 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8790 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-1080S Reefer Unit, 4564 Reefer Engine Hours:, 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 231,880 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
523	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT0GHHS1845 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9796 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 192 in Wheelbase, Morgan 16 ft x 96 in Wide x 85 in High Body, Curbside Door Usage: 73,327 Mi Notes: LOCATED-IN-CHICAGO-IL-PEN		
524	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDHN4829 C/W: Cummins ISB 6 Cylinder Diesel Engine Usage: 157,130 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN		

Lot #	Details	Lot #	Details
530	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC7JDKB3410 Usage: 236,891 Mi Notes: LOCATED-IN-TIPTON-CA-PEN	537	<b>2017 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT4HDJH2835 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5691 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880S Reefer Unit, 4642 Reefer Total Hours;, Morgan 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 228,511 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
531	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC1JDJH4457 Usage: 241,241 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN	538	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT6HDJD6980 Usage: 258,741 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
532	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFCXJDJT4270 C/W: Cummins B6.7-220 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 7356 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King Reefer Unit, Morgan 26 ft x 102 in Wide x 98 in High Body, Ducted Floor, Liftgate Usage: 241,852 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	539	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT0HDHV2980 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7639.2 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Carrier Reefer Unit, Morgan 26 ft x 102 in Wide x 84 in High Body, Curbside Door, Liftgate Usage: 258,546 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
533	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC9JDJH4528 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Eaton Fuller EDCO-6F107A Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T880S Reefer Unit, 12229 Reefer Total Hours;, AMH 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 268,009 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	540	<b>2017 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT0HDJB7311 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6459.4 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-1080S Whisper Reefer Unit, 7722 Reefer Engine Hours;, 7722 Reefer Total Hours;, Supreme 26 ft x 102 in Wide x 99 in High Body, Curbside Door, Ducted Floor, Liftgate Usage: 289,555 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
534	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC7JDJH3944 Usage: 274,585 Mi Notes: LOCATED-IN-BUTNER-NC-PEN		
535	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT6HDHW0012 Usage: 207,744 Mi Notes: LOCATED-IN-SACRAMENTO-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG		
536	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT6HDJG5959 Usage: 228,229 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN		

Lot #	Details	Lot #	Details
541	<b>2017 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWDTXHDJF7816 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9080.2 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880R Whisper Reefer Unit, 4528 Reefer Engine Hours:, 4528 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 97 in High Body, Ducted Floor Usage: 351,041 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	546	<b>2019 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JV7K4S72584 C/W: honk 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Thermo King T880R Reefer Unit, 7593 Reefer Total Hours:, Standby Power, morgan 26 ft x 102 in Wide x 84 in High Body Usage: 225,927 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
542	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT7GDHM8451 Usage: 233,237 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	547	<b>2019 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JV2K4S72587 Usage: 248,478 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
543	<b>2016 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT1GDGZ7478 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 6803 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Carrier Reefer Unit, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 272,457 Mi Notes: LOCATED-IN-DENVER-CO-PEN	548	<b>2019 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JV0K4S72586 Usage: 325,982 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
544	<b>2015 Freightliner M2106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT5FDGT4155 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 13399 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Carrier Reefer Unit, 7686 Reefer Engine Hours:, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 225,979 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	549	<b>2018 Hino 268 Refrigerated Truck</b> S/N: 5PVNJ8JV1J4S66861 Usage: 226,914 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN
545	<b>2018 International DuraStar 4300 4x2 Refrigerated Truck</b> S/N: 1HTMMMML8JH576331 C/W: Cummins B 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8276 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Carrier supra 750 Reefer Unit, 9587 Reefer Engine Hours:, supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 287,646 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	550	<b>2016 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JV3G4S62836 C/W: Hino 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 19500 lb Rears, 25950 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Thermo King T-880 Reefer Unit, 9245 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 220,998 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
		551	<b>2016 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JVXG4S59660 Usage: 232,592 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
		552	<b>2016 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JV4G4S61615 C/W: Hino 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King T-880 Reefer Unit, American 26 ft x 102 in Wide x 92 in High Body Usage: 254,793 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN

Lot #	Details	Lot #	Details
553	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT9GDHM8452 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9891 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit Da-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Thermo King T-880S Reefer Unit, 4668 Reefer Engine Hours;, Morgan 24 ft x 102 in Wide x 96 in High Body, Ducted Floor, Liftgate Usage: 229,874 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	557	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT0JDJH9934 C/W: Cummins 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, 1354 Engine hrs, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 234 in Wheelbase, Morgan 22 ft x 96 in Wide x Body Usage: 252,706 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
554	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT2GDGZ0961 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6266.8 Engine hrs, Allison 2500 Automatic Transmission, 8000 lb Front Axle, 19000 lb Rears, 5.13:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Thermo King Reefer Unit, 5173 Reefer Engine Hours;, Supreme 24 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 260,317 Mi Notes: LOCATED-IN-FORT-WORTH-TX-PEN	558	<b>2016 Hino 338 4x2 Refrigerated Truck</b> S/N: 5PVNV8JR7G4S51006 Usage: 228,253 Mi Notes: LOCATED-IN-BUTNER-NC-PEN
555	<b>2017 International 4300 4x2 Refrigerated Truck</b> S/N: 3HAMMMML4HL518818 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5571 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 256 in Wheelbase, Thermo King Reefer Unit, Supreme 24 ft x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 186,681 Mi Notes: LOCATED-IN-SACRAMENTO-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	559	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT1GDHT7865 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8520 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 216 in Wheelbase, Thermo King T-880S Reefer Unit, 4177 Reefer Engine Hours;, Morgan 20 ft x 102 in Wide x 96 in High Body, Ducted Floor, Liftgate Usage: 225,080 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN
556	<b>2018 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXFEXJDJT0646 C/W: Cummins L9 6 Cylinder Ultra Low Sulfur Diesel 300 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6914.1 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.91:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 234 in Wheelbase, Thermo King T880R Reefer Unit, 8494 Reefer Total Hours;, 22 ft x 102 in Wide x 91 in High Body Usage: 250,204 Mi Notes: LOCATED-IN-NASHVILLE-TN-PEN	560	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT8FDGM5165 Usage: 290,378 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
		561	<b>2018 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JMXJ4S50911 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, Thermo King Reefer Unit, 18 ft x 102 in Wide x 78 in High Body, Liftgate Usage: 293,471 Mi Notes: LOCATED-IN-SACRAMENTO-CA-PEN
		562	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDTXGDHT7864 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8794 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Thermo King T-880S Whisper Reefer Unit, 4284 Reefer Engine Hours;, Morgan 18 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 216,802 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN

Lot #	Details	Lot #	Details
563	<b>2017 Freightliner M2106 4x2 Flatbed Truck</b> S/N: 3ALACWDT2HDHV3431 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4846 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Steel, 11R22.5, Airliner Air Ride Suspension, 271 in Wheelbase, 27 ft 6 in x 9 in Bed, Liftgate Usage: 168,620 Mi Notes: LOCATED-IN-ATLANTA-GA-PEN	569	<b>2016 International 4300 SBA 4x2 Flatbed Truck</b> S/N: 3HAMMMMNXL006304 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6556 Engine hrs, Allison 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5, 270 in Wheelbase, 26 ft x 96 in Bed, Liftgate Usage: 149,032 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
564	<b>2017 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 1FVACWDT6HHHX7502 Usage: 190,453 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	570	<b>2016 International 4300 SBA 4x2 Flatbed Truck</b> S/N: 3HAMMMML4GL088089 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6810 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 27 ft x 97 in Bed, Liftgate Usage: 170,548 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN
565	<b>2017 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 3ALACWDT5HDJG0865 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10346 Engine hrs, Allison 2200 Automatic Transmission, 11000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 27 ft x 102 in Bed, Liftgate Usage: 209,245 Mi Notes: LOCATED-IN-PHOENIX-AZ-PEN	571	<b>2016 International DuraStar 4300 4x2 Flatbed Truck</b> S/N: 3HAMMMMN2GL006295 Usage: 249,090 Mi Notes: LOCATED-IN-NORTH-EAST-MD-PEN
566	<b>2016 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 3ALACWDT0GDGW5640 Usage: 90,286 Mi Notes: LOCATED-IN-CHEHALIS-WA ; ALL WASHINGTON BUYERS MUST SIGN TITLE APPLICATIONS ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	572	<b>2018 Hino 268 4x2 Flatbed Truck</b> S/N: 5PVNJ8JV4J4S68037 C/W: 28 ft Bed Usage: 144,395 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN
567	<b>2016 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 3ALACWDT6GDHF6987 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, 5484 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 278 in Wheelbase, 24 ft x 102 in Bed, Liftgate Usage: 140,945 Mi Notes: LOCATED-IN-LOS-ANGELES-CA-PEN	573	<b>2016 Hino 268 4x2 Flatbed Truck</b> S/N: 5PVNJ8JJ0G4S50284 C/W: 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 272 in Wheelbase, 26 ft x 96 in Bed, Liftgate Usage: 124,114 Mi Notes: LOCATED-IN-COLUMBUS-OH-PEN
568	<b>2016 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 3ALACWDT3GDGV8939 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6394 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 97 in Bed, Liftgate Usage: 190,950 Mi Notes: LOCATED-IN-ORLANDO-FL-PEN	574	<b>2014 Hino 268 4x2 Flatbed Truck</b> S/N: 5PVNJ8JT9E4S55398 Usage: 219,326 Mi Notes: LOCATED-IN-DENVER-CO-PEN
		575	<b>2018 Freightliner M2106 4x2 Cab and Chassis</b> S/N: 3ALACWFC9JDJZ9501 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 255 /70R22.5, Airliner Air Ride Suspension, 239 in Wheelbase, 174 in Cab to Axle, 272 in Cab to End of Frame Usage: 181,437 Mi Notes: LOCATED-IN-HOUSTON-TX-PEN

Lot #	Details	Lot #	Details
576	<p><b>2017 Freightliner M2106 4x2 Cab and Chassis</b>  S/N: 3ALACWDT0HDJC5506  C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8151.4 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, 206 in Cab to Axle, 298 in Cab to End of Frame  Usage: 215,012 Mi  Notes: LOCATED-IN-FORT-WORTH-TX-PEN</p>		
577	<p><b>2016 Freightliner M2 106 4x2 Extended Cab Cab and Chassis</b>  S/N: 3ALACWDT4GDHT2109  C/W: Cummins ISB 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 4624 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 288 in Wheelbase, 197 in Cab to Axle, 274 in Cab to End of Frame  Usage: 102,624 Mi  Notes: LOCATED-IN-DENVER-CO-PEN</p>		
578	<p><b>2016 Freightliner M2106 4x2 Cab and Chassis</b>  S/N: 3ALACWDT2GDHT2108  C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 4464 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 287 in Wheelbase, 197 in Cab to Axle, 323 in Cab to End of Frame  Usage: 104,095 Mi  Notes: LOCATED-IN-DENVER-CO-PEN</p>		