



US Penske Event - Sep 26, 2024

Lot #	Details	Lot #	Details
1	<p>2019 Ford Transit 350 4x2 Cargo Van S/N: 1FTBW3XG7KKB44082 C/W: FoMoCo 6 Cylinder 3.5 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 6000 lb Rears, 9500 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, FoMoCo 12 ft x 84 in Wide x 82 in High Body, Curbside Door Usage: 122,556 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	6	<p>2018 Ford Transit 250 Cargo Van S/N: 1FTYR2XMXJKA90339 Usage: 128,922 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
2	<p>2017 Ford Transit 350 4x2 Cargo Van S/N: 1FTBW3XM8HKA32521 C/W: Ford 4 Cylinder 3.7 L Gasoline Engine, 2017 US EPA Label, 9811 Engine hrs, Automated Transmission, 4130 lb Front Axle, 6000 lb Rears, 95000 lb GVWR, 235/65R16C, 148 in Wheelbase, 12 ft x 76 in Wide x 80 in High Body, Curbside Door Usage: 163,499 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	7	<p>2015 Freightliner MT45 4x2 Step Van S/N: 4UZAAPDU4FCGX2074 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6185 Engine hrs, Allison Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 18000 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, Utilimaster 18 ft x 96 in Wide x 78 in High Body, Liftgate Usage: 143,085 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
3	<p>2016 Ford Transit 350 4x2 Cargo Van S/N: 1FTRS4XG3GKB56320 C/W: V6 3.5 L Gasoline Engine, 2016 US EPA Label, 4425 Engine hrs, Automatic Transmission, 4130 lb Front Axle, 7275 lb Rears, 10360 lb GVWR, 195/75R16, Spring Suspension, 148 in Wheelbase, 12 ft x 80 in Wide x 82 in High Body, Curbside Door Usage: 110,883 Mi Notes: LOCATED-IN-PERRIS-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	8	<p>2019 GMC Savana G3500 4x2 Van Truck S/N: 7GZ37TCG9KN005287 C/W: Chevrolet Vortec V8 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16, Spring Suspension, 179 in Wheelbase, Supreme 16 ft x 96 in Wide x 79 in High Body Usage: 85,808 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
4	<p>2021 Ford Transit 250 Cargo Van S/N: 1FTBR1X83MKA53737 C/W: V6 3.5 L Gasoline 3.5 hp Engine, 2021 US EPA Label, 235/65R16, Spring Suspension, 149 in Wheelbase, 11 ft x 70 in Wide x Body Usage: 100,339 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	9	<p>2019 GMC G3500 4x2 Van Truck S/N: 7GZ37TCG4KN005231 C/W: GM V8 6.0 L Gasoline Engine, 2019 US EPA Label, CARB Compliant, 4417 Engine hrs, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75/16, Spring Suspension, 178 in Wheelbase, Supreme 16 ft x 96 in Wide x 73 in High Body, Walk-Up Ramp Usage: 108,932 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; MECHANICAL ISSUE(S) NOTED - PLEASE SEE INSPECTION REPORT</p>
5	<p>2019 Ford Transit 250 Cargo Van S/N: 1FTYR2XM5KKA54737 C/W: Ford KFMXD03.76BX V6 3.7 L Gasoline Engine, 2019 US EPA Label, 1680 Engine hrs, Ford Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235-65-16, Spring Suspension, 148 in Wheelbase, 10 ft x 72 in Wide x 75 mm High Body, Curbside Door Usage: 134,396 Mi Notes: LOCATED-IN-NASHVILLE-TN ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>		

Lot #	Details	Lot #	Details
10	<p>2018 GMC G3500 4x2 Moving Van Truck S/N: 7GZ37TCG8JN901188 C/W: GM Vortec V8 6.0 L Gasoline Engine, 2018 US EPA Label, 3976 Engine hrs, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16, Spring Suspension, 177 in Wheelbase, Morgan 16 ft x 96 in Wide x 79 in High Body, Walk-Up Ramp, Ball Hitch Usage: 110,657 Mi</p> <p>Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	15	<p>2019 Isuzu NRR 4x2 COE Moving Van Truck S/N: JALE5W16XK7305883 C/W: Isuzu 4 Cylinder 317 cid Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 177 in Wheelbase, Morgan 22 ft x 102 in Wide x Body, Walk-Up Ramp Usage: 74,345 Mi</p> <p>Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
11	<p>2017 Ford E-350 6x2 Van Truck S/N: 1FDWE3FS2HDC42472 C/W: Ford 4 Cylinder Gasoline Engine, 2017 US EPA Label, Automated Transmission, 4050 lb Front Axle, 8500 lb Rears, 12500 lb GVWR, 225 /70R19.5, 176 in Wheelbase, 12 ft x 102 in Wide x Body Usage: 103,801 Mi</p> <p>Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	16	<p>2019 Isuzu NRR 4x2 COE Van Truck S/N: JALE5W168K7301864 C/W: Isuzu 6 Cylinder 317 cid Diesel Engine, 2018 US EPA Label, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 149 in Wheelbase, Supreme 16 ft x 96 in Wide x 80 in High Body, Curbside Door Usage: 155,557 Mi</p> <p>Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
12	<p>2017 Ford E350 4x2 Moving Van Truck S/N: 1FDWE3FSXHDC43983 C/W: V8 6.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4050 lb Front Axle, 8500 lb Rears, 12500 lb GVWR, 225 /75R16, 167 in Wheelbase, Morgan 17 ft x 96 in Wide x 76 in High Body, Liftgate Usage: 160,988 Mi</p> <p>Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	17	<p>2019 Isuzu NRR 4x2 COE Van Truck S/N: JALE5W162K7301861 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8633 Engine hrs, Automated Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 151 in Wheelbase, SUPREME 16 ft x 96 in Wide x 85 in High Body, Curbside Door Usage: 156,545 Mi</p> <p>Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
13	<p>2019 Isuzu FTR 4x2 COE Van Truck S/N: 54DK6S165KSG00282 C/W: Isuzu 4HK11C 4 Cylinder 3.0 L Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4339 Engine hrs, Exhaust Brake, 6-Speed Automatic Transmission, 12000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 226 in Wheelbase, Morgan 26 ft x 96 in Wide x 90 in High Body, Liftgate Usage: 166,096 Mi</p> <p>Notes: LOCATED-IN-NASHVILLE-TN ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	19	<p>2019 Isuzu NPR 4x2 Van Truck S/N: JALC4W162K7010044 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7288 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 150 in Wheelbase, Superme 16 ft x 102 in Wide x 85 in High Body, Liftgate Usage: 128,815 Mi</p> <p>Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
14	<p>2018 Hino 155 4x2 COE Moving Van Truck S/N: JHHUDM1H3JK003169 C/W: Hino J05E-TP 4 Cylinder 313 cid Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 6-Speed Automatic Transmission, 5950 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/75R17.5, Spring Suspension, 138 in Wheelbase, Morgan 15 ft x 96 in Wide x 92 in High Body, Liftgate Usage: 105,231 Mi</p> <p>Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	20	<p>2019 Isuzu NPR 6x2 Van Truck S/N: JALC4W168K7K00026 C/W: Isuzu Diesel Engine, Automated Transmission, 6630 lb Front Axle, 11020 lb Rears, 16000 lb GVWR, 225/70R19.5, x 102 in Wide x 92 in High Body Usage: 157,933 Mi</p> <p>Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
21	<p>2019 Isuzu NPR 4x2 Van Truck S/N: JALC4W166K7008930 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8859 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 151 in Wheelbase, Morgan 16 ft x 96 in Wide x 79 in High Body Usage: 158,691 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	26	<p>2017 Isuzu NPR HD 4x2 Van Truck S/N: JALC4W160H7000525 C/W: Isuzu 4HK1TC 4 Cylinder 5.3 L Ultra Low Sulfur Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 252 in Wheelbase, Morgan 18 ft x 96 in Wide x 84 in High Body, Liftgate Usage: 196,842 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
22	<p>2018 Isuzu NPR HD 4x2 COE Moving Van Truck S/N: 54DC4W1B2JS803575 C/W: GM V8 6.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 154 in Wheelbase, Supreme 16 ft x 96 in Wide x 92 in High Body, Liftgate Usage: 116,990 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	27	<p>2016 Isuzu NPR Van Truck S/N: JALC4W163G7000226 C/W: Isuzu 4 Cylinder 317 cid Diesel 210 hp Engine, 2015 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 137 in Wheelbase, Supreme 15 ft x 96 in Wide x 90 in High Body, Liftgate Usage: 149,114 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
23	<p>2018 Isuzu NPR HD 4x2 Moving Van Truck S/N: 54DC4W1B9JS801063 C/W: GM V8 6.0 L Gasoline Engine, US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 152 in Wheelbase, Morgan 16 ft x 96 in Wide x 92 in High Body, Liftgate Usage: 155,974 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	28	<p>2016 Freightliner M2 112 6x4 Moving Van Truck S/N: 3ALHC5DV9GDHG4687 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2015 US EPA Label, 11125 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 248 in Wheelbase, PTO, Marion 26 ft x 102 in Wide x 100 in High Body, Liftgate Usage: 389,758 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
24	<p>2017 Isuzu NPR HD 4x2 COE Van Truck S/N: 54DC4W1B4HS801319 C/W: GM V8 6.0 L Gasoline Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Morgan 16 ft x 96 in Wide x 84 in High Body, Liftgate, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 108,655 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	29	<p>2017 Freightliner M2 106 6x4 Moving Van Truck S/N: 3ALHCYCY2HDJH0051 C/W: Cummins ISL 6 Cylinder Diesel 330 hp Engine, 2016 US EPA Label, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 256 in Wheelbase, 26 ft x 102 in Wide x 100 in High Body Usage: 335,985 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
25	<p>2017 Isuzu NPR 4x2 COE Van Truck S/N: JALC4W163H7000289 C/W: IZUZU 6 Cylinder Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6751 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 148 in Wheelbase, MORGAN 18 ft x 96 in Wide x 94 in High Body, Liftgate Usage: 170,240 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>		

Lot #	Details	Lot #	Details
30	<p>2016 Freightliner M2106 6x4 Van Truck S/N: 3ALHCYCY6GDHM8450 C/W: Cummins ISL 6 Cylinder Ultra Low Sulfur Diesel 350 hp Engine, Requires Diesel Exhaust Fluid, 9501 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.88:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Spring Suspension, 256 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 308,401 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	35	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC6JDJH5717 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5846 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corporation 26 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 203,654 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
31	<p>2020 Freightliner M2 106 Van Truck S/N: 1FVACWFC5LHKZ8216 Usage: 277,079 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	36	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC6JDJK7185 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6775 Engine hrs, Eaton Fuller Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Walk-Up Ramp, Liftgate Usage: 207,258 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
32	<p>2017 Freightliner M2 106 6x2 Van Truck S/N: 3ALACWDU7HDHT8884 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9750 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5, Morgan 28 ft x 102 in Wide x 92 in High Body, Liftgate Usage: 213,413 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	37	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC1JDJH4345 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8055 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corporation 26 ft x 102 in Wide x 103 in High Body, Walk-Up Ramp, Liftgate Usage: 207,719 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
33	<p>2017 Freightliner M2 106 6x2 Moving Van Truck S/N: 3ALACXDT0HDHU3034 C/W: Cummins ISB 6 Cylinder 6.7 L 220 hp Engine, 2016 US EPA Label, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 285 in Wheelbase, todco 28 ft x 102 in Wide x 106 in High Body, Liftgate Usage: 506,012 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	38	<p>2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC3JDJS6785 C/W: 26 ft x x Body Usage: 219,936 Mi Notes: LOCATED-IN-ATLANTA-GA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
34	<p>2019 Freightliner M2 112 4x2 Moving Van Truck S/N: 3ALAC4DV6KDKU9152 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 350 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9385 Engine hrs, Engine Brake, Eaton Fuller FR0-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 3.21:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 250 in Wheelbase, Supreme 26 ft x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 385,259 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>		

Lot #	Details	Lot #	Details
39	<p>2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC0JDJH4658 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 221,749 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	43	<p>2017 Freightliner M2106 4x2 Van Truck S/N: 3ALACWDT0HDHZ1613 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5442 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, MORGAN 26 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 163,219 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
40	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC7JDJH4592 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7224 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, A.M. Haire 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 225,448 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>	44	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT0HDHV3556 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5624 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corporation 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Walk-Up Ramp, Liftgate Usage: 198,975 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
41	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACXFC9JDJX1882 C/W: Cummins 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Whiting 26 ft x 102 in Wide x 106 in High Body Usage: 239,060 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	45	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDTXHDJB9115 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6492 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 90 in High Body, Front/Rear Vents, Liftgate Usage: 211,678 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
42	<p>2017 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT2HDJC0632 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x Body, Liftgate Usage: 159,048 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	46	<p>2017 Freightliner M2 106 Van Truck S/N: 3ALACXDT3HDJH0252 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Allison Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 90 in High Body, Liftgate Usage: 230,167 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
47	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT8HDHZ2122 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6924 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 237,275 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>	51	<p>2016 Freightliner M2 106 4x2 Moving Van Truck S/N: 1FVACWDT5GHHS5356 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10266 Engine hrs, Allison 2200 Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 28 ft x 102 in Wide x 90 in High Body, Liftgate Usage: 268,446 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
48	<p>2016 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT5GDHG3932 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Supreme 26 ft x 102 in Wide x 90 in High Body, Liftgate Usage: 187,452 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	52	<p>2016 Freightliner M2 106 4x2 Moving Van Truck S/N: 1FVACXDT7GHHS0195 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2023 US EPA Label, Requires Diesel Exhaust Fluid, 12736 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x Body, Liftgate Usage: 376,099 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
49	<p>2016 Freightliner M2 106 Van Truck S/N: 3ALACWDTXGDHL2132 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, 6781 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 90 in High Body, Liftgate Usage: 241,836 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	53	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML0KH512253 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 3995 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Ball Hitch Usage: 176,960 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
50	<p>2016 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT9GDGW5278 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 1699 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, SUPREME 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 251,105 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	54	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML9KH511991 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4007 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Ball Hitch Usage: 177,311 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>

Lot #	Details	Lot #	Details
55	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML9KH514759 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4224 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Walk-Up Ramp, Ball Hitch Usage: 178,096 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>	59	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML3KH520394 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4124 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Ball Hitch Usage: 185,498 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
56	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML2KH383030 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4139 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x x Body Usage: 180,712 Mi Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	60	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML4KL382018 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 4298 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17000 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.57:1 Axle Ratio, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 98 in High Body, Ball Hitch Usage: 189,601 Mi Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
57	<p>2019 International 4300 4x2 Moving Van Truck S/N: 3HAMMMML2KL383507 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 2385 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Walk-Up Ramp, Ball Hitch Usage: 181,873 Mi Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	61	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMMML0KH511863 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4221 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Ball Hitch Usage: 193,836 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
58	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML7KL382515 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4209 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 98 in High Body, Ball Hitch Usage: 185,290 Mi Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	62	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML1KL383451 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4534 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor NS1714x Drive Axles, 5.57:1 Axle Ratio, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp, Ball Hitch Usage: 196,778 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
63	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML9KL383326 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4660 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp, Ball Hitch Usage: 200,512 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	67	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML9KL382547 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 4760 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp, Ball Hitch Usage: 209,896 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; MECHANICAL ISSUES NOTED - PLEASE SEE INSPECTION REPORT</p>
64	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML5KL382254 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4567 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp, Ball Hitch Usage: 200,592 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; MECHANICAL ISSUES NOTED - PLEASE SEE INSPECTION REPORT</p>	68	<p>2019 International 4300 4x2 Cargo Van Truck S/N: 3HAMMMML2KL381465 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4602 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Ball Hitch Usage: 212,365 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
65	<p>2019 International 4300 4x2 Van Truck S/N: 3HAMMMML5KL383341 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 4590 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14x-3DFL Drive Axles, 5.57:1 Axle Ratio, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 98 in High Body, Ball Hitch Usage: 200,898 Mi Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	69	<p>2019 International 4300 4x2 Van Truck S/N: 1HTMMML5KH514869 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4658 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 29555 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Ball Hitch Usage: 212,401 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
66	<p>2019 International 4300 4x2 Moving Van Truck S/N: 1HTMMML8KH382447 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4743 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp, Ball Hitch Usage: 203,250 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; MECHANICAL ISSUES NOTED - PLEASE SEE INSPECTION REPORT</p>	70	<p>2017 International 4300 4x2 Van Truck S/N: 3HAMMMML5HL177137 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, 6847 Engine hrs, Eaton Fuller EDCO-6F107A-P 7-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.29:1 Axle Ratio, 25999 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 219,518 Mi Notes: LOCATED-IN-LAS-VEGAS-NV ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
71	<p>2017 Hino 268 4x2 Van Truck S/N: 5PVNJ8JV5H4S63259 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 999 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, Morgan 26 ft x 102 in Wide x 98 in High Body, Curbside Door, Liftgate, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 16,331 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	76	<p>2015 Hino 268 4x2 Van Truck S/N: 5PVNJ8JV2F4S57500 C/W: Hino J08-E 6 Cylinder Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, 999 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 100 in High Body, Liftgate Usage: 247,242 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
72	<p>2017 Hino 268 4x2 Van Truck S/N: 5PVNJ8JT5H4S57492 C/W: V8 Ultra Low Sulfur Diesel Engine, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x Body, Liftgate Usage: 256,701 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	77	<p>2018 Freightliner M2 106 4x2 Extended Cab Moving Van Truck S/N: 3ALACWFC9JDJY9695 C/W: Cummins ISX Diesel 240 hp Engine, 2017 US EPA Label, 5953 Engine hrs, Automated Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 255/70R22.5, 252 in Wheelbase, 24 ft x 102 in Wide x 120 in High Body, Curbside Door Usage: 147,320 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
73	<p>2017 Hino 268 4x2 Moving Van Truck S/N: 5PVNJ8JV8H4S64776 C/W: hino J08E 6 Cylinder 8 L Ultra Low Sulfur Diesel 230 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 273 in Wheelbase, Amh 26 ft x 102 in Wide x 104 in High Body, Liftgate Usage: 265,589 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	78	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC0JDJS5500 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 5589 Engine hrs, Allison 2100 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA RS 19 Drive AXles, 4.78:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Amh 26 ft x 102 in Wide x 110 in High Body, Curbside Door Usage: 202,431 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
74	<p>2017 Hino 268 4x2 Moving Van Truck S/N: 5PVNJ8JV6H4S63710 C/W: Hino 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 1000 Engine hrs, Exhaust Brake, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 kg GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 85 in High Body, Liftgate Usage: 275,732 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>	79	<p>2015 Freightliner M2 4x2 Extended Cab Moving Van Truck S/N: 1FVACWDT9FHGW1787 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7871 Engine hrs, Allison 2500 Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, 255 /70R22.5, Spring Suspension, 280 in Wheelbase, 26 ft x 102 in Wide x 101 in High Body, Curbside Door, Walk-Up Ramp Usage: 241,541 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
75	<p>2016 Hino 268 4x2 Van Truck S/N: 5PVNJ8JV1G4S61748 C/W: Hino 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 212,740 Mi Notes: LOCATED-IN-LAS VEGAS-NV ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>		

Lot #	Details	Lot #	Details
80	<p>2017 International 4300 4x2 Extended Cab Moving Van Truck S/N: 3HAMMMMN9HL672457 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6731 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 294 in Wheelbase, Morgan 26 ft x 102 in Wide x 110 in High Body, Curbside Door, Walk-Up Ramp, Over Cab Storage Usage: 276,308 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	84	<p>2015 Freightliner M2 106 6x2 Moving Van Truck S/N: 1FVACWDT7FHGP7762 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Eaton Fuller 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 104 in High Body Usage: 242,880 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
81	<p>2019 Freightliner M2106 4x2 Van Truck S/N: 3ALACWFC8KDKL6118 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8590 Engine hrs, Allison Automatic Transmission, 9880 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X Drive Axles, 4.11:1 Axle Ratio, 26000 lb GVWR, 245 /70R19.5, Airliner Air Ride Suspension, 240 in Wheelbase, MORGAN 24 ft x 102 in Wide x 97 in High Body Usage: 214,963 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	85	<p>2016 Hino 268 6x2 Moving Van Truck S/N: 5PVNJ8JT2G4S56525 C/W: 5 Cylinder Diesel Engine, 2015 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 254 in Wheelbase, Morgan 24 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 335,477 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
82	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDTXHDJC2841 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13322 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 96 in Wide x 93 in High Body, Curbside Door, Liftgate Usage: 274,912 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	86	<p>2019 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC1KDKC9734 C/W: Cummins B6.7 6 Cylinder Diesel 220 hp Engine, 2018 US EPA Label, Eaton Fuller 6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 234 in Wheelbase, supreme 22 ft x 102 in Wide x 100 in High Body, Liftgate Usage: 137,504 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
83	<p>2015 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT8FDGD4386 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5249.9 Engine hrs, Eaton Fuller FO-5406B Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 24 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 163,995 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	87	<p>2017 Freightliner M2 106 4x2 Van Truck S/N: 1FVACWDTXHHHW2176 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8631 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, supreme 22 ft x 102 in Wide x 85 in High Body, Liftgate Usage: 227,736 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
88	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT5HDJC0124 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, 7917 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, Morgan 22 ft x 102 in Wide x 90 in High Body, Liftgate Usage: 252,999 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	92	<p>2016 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT8GDHP5335 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 216 in Wheelbase, Morgan 20 ft x 96 in Wide x 100 in High Body Usage: 232,845 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
89	<p>2016 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT3GDHK4342 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, 8995 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Spring Suspension, 234 in Wheelbase, Morgan 22 ft x 102 in Wide x 99 in High Body, Liftgate Usage: 226,253 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	93	<p>2017 Freightliner M2 106 6x2 Van Truck S/N: 1FVACXDT8HHHT5824 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, 7547 Engine hrs, Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, 192 in Wheelbase, Morgan 18 ft x 102 in Wide x 92 in High Body, Curbside Door Usage: 146,045 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
90	<p>2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT0JDJJ7996 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, 9469 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 216 in Wheelbase, Morgan 20 ft x x Body Usage: 264,963 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	94	<p>2016 Freightliner M2106 4x2 Van Truck S/N: 3ALACXDT5GDHN1032 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8669.4 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Morgan 18 ft x 96 in Wide x 79 in High Body, Walk-Up Ramp, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 7,829 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
91	<p>2017 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDTXHDHZ0341 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, 10044 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 216 in Wheelbase, Morgan 20 ft x 102 in Wide x 92 in High Body, Liftgate Usage: 272,350 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	95	<p>2016 Freightliner M2106 4x2 Van Truck S/N: 3ALACXDT6GDHN1055 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8121 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Morgan 18 ft x 96 in Wide x 80 in High Body, Curbside Door, Front/Rear Vents, Walk-Up Ramp Usage: 172,617 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
96	<p>2014 Hino 268 4x2 Van Truck S/N: 5PVNJ8JMXE4S50459 C/W: Hino J08E-VC 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 999 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 206 in Wheelbase, Morgan 18 ft x 96 in Wide x 92 in High Body, Curbside Door, Walk-Up Ramp, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 212,644 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	100	<p>2017 Freightliner M2 4x2 Refrigerated Truck S/N: 3ALACWDT2HDJB7312 C/W: Cummins Engine, 7777 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Thermo King Reefer Unit, 9101 Reefer Engine Hours:, 9101 Reefer Total Hours:, Supreme 26 ft x 102 in Wide x 100 in High Body, Curbside Door, Liftgate Usage: 204,017 Mi Notes: LOCATED-IN-SALT-LAKE-CITY-UT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
97	<p>2017 International 4400 6x4 Refrigerated Truck S/N: 3HAMSSTRXHL500761 C/W: Navistar 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, Spring Suspension, 257 in Wheelbase, Thermo King T-880R Reefer Unit, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 255,354 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	101	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACXDT6GDHT8886 C/W: Cummins 6.7 L 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 12196 Engine hrs, Allison 2500 Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, 2016 Thermo King Reefer Unit, 11448 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 92 in High Body, Walk-Up Ramp, Liftgate Usage: 304,207 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
98	<p>2019 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWFC8KDKD1738 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 280 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7965 Engine hrs, Exhaust Brake, Allison 2500 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880R Reefer Unit, Morgan 26 ft x 102 in Wide x 92 in High Body, Curbside Door, Liftgate Usage: 304,670 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	102	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACXDT5GDHT2089 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, 12964 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King T-880r whisper Reefer Unit, 9958 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 98 in High Body, Walk-Up Ramp, Liftgate Usage: 328,247 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
99	<p>2017 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT4HDHV3480 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8001 Engine hrs, Engine Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880S Reefer Unit, Supreme 26 ft x 102 in Wide x 96 in High Body, Curbside Door, Ducted Floor, Liftgate Usage: 196,570 Mi Notes: LOCATED-IN-PERRIS-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	103	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACXDT3GDHT2088 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 12906 Engine hrs, Allison 2500 Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, 2016 Thermo King Reefer Unit, 10116 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 92 in High Body, Walk-Up Ramp, Liftgate Usage: 371,824 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
104	<p>2018 Hino 338 4x2 Refrigerated Truck S/N: 5PVNV8JV8J4S57451 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 9412 Engine hrs, Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 272 in Wheelbase, Thermo King T-880S WHISPER Reefer Unit, VR HACKNEY 26 ft x 102 in Wide x Body, Liftgate Usage: 338,313 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	109	<p>2016 Hino 268 4x2 Refrigerated Truck S/N: 5PVNJ8JT8G4S56318 C/W: Hino 6 Cylinder Diesel Engine, 2015 US EPA Label, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King T – 680R whisper Reefer Unit, Morgan 24 ft x 102 in Wide x 89 in High Body, Ducted Floor, Liftgate Usage: 300,340 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
105	<p>2011 Freightliner M2 106 4x2 Refrigerated Truck S/N: 1FVACXDT2BDBE1448 C/W: Cummins 6 Cylinder Diesel Engine, 2011 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 380 in Wheelbase, 2011 Carrier Reefer Unit, Morgan 26 ft x 102 in Wide x Body Usage: 200,405 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	110	<p>2016 Hino 268 4x2 Refrigerated Truck S/N: 5PVNJ8JT6G4S56317 C/W: 6 Cylinder Diesel Engine, 2015 US EPA Label, Automated Transmission, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King T-680R whisper Reefer Unit, Morgan 24 ft x 102 in Wide x 90 in High Body, Ducted Floor, Liftgate Usage: 314,061 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
106	<p>2018 International 4300 Refrigerated Truck S/N: 1HTMMMML1JH539492 C/W: 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 5468 Reefer Engine Hours:, x x 90 in High Body Usage: 305,275 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	111	<p>2018 International 4300 SBA 4x2 Refrigerated Truck S/N: 1HTMMMML2JH435089 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7452 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 236 in Wheelbase, Carrier Supra 860 Reefer Unit, 4099 Reefer Engine Hours:, Morgan 22 ft x 102 in Wide x 97 in High Body Usage: 187,524 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
107	<p>2018 International 4300 4x2 Refrigerated Truck S/N: 1HTMMMML2JH539484 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 254 in Wheelbase, Thermo King T-680R Reefer Unit, 6198 Reefer Engine Hours:, Morgan 24 ft x 96 in Wide x 97 in High Body, Walk-Up Ramp Usage: 306,337 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	112	<p>2016 Hino 338 Refrigerated Truck S/N: 5PVNV8JR2G4S50992 Usage: 197,343 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
108	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACXDT6GDHL2604 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 12666.5 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Thermo King T-1080s Reefer Unit, 2370 Reefer Engine Hours:, 2370 Reefer Total Hours:, kidron 24 ft x 102 in Wide x 96 in High Body, Walk-Up Ramp Usage: 243,856 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	113	<p>2018 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWFC3JDJU0959 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9709 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, Thermo King T-680R Reefer Unit, Morgan 20 ft x 102 in Wide x 97 in High Body Usage: 367,280 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>

Lot #	Details	Lot #	Details
114	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT5GDHT2104 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 9569 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, 2016 Thermo King T-680R Reefer Unit, Morgan 18 ft x 102 in Wide x 92 in High Body Usage: 191,643 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	118	<p>2017 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWDT3HDJD6810 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4753 Engine hrs, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 4.10:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 252 in Wheelbase, 24 ft x 91 in Bed Usage: 173,027 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
115	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT5GDHT8890 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10508 Engine hrs, Automated Transmission, 1000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, 192 in Wheelbase, 2016 Thermo King Reefer Unit, 8249 Reefer Total Hours;, Morgan 18 ft x 102 in Wide x 92 in High Body, Walk-Up Ramp Usage: 244,562 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	119	<p>2017 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWDT0HDJB3565 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11517 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 98 in Bed Usage: 439,110 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
116	<p>2016 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT9GDHT8892 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 307287 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, 192 in Wheelbase, 2016 Thermo King Reefer Unit, 7753 Reefer Total Hours;, 18 ft x 102 in Wide x 92 in High Body, Walk-Up Ramp Usage: 307,393 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	120	<p>2016 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWDT3GDHL4434 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 7153 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, 24 ft x 102 in Bed Usage: 201,379 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
117	<p>2017 Freightliner M2106 4x2 Refrigerated Truck S/N: 3ALACWDT1HDJA5670 C/W: Cummins 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9706.2 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 192 in Wheelbase, Thermo King T-680R Whisper Reefer Unit, Morgan 15 ft x 96 in Wide x 91 in High Body, Walk-Up Ramp Usage: 269,712 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	121	<p>2016 Freightliner M2 106 4x2 Crew Cab Flatbed Truck S/N: 3ALACWDT2GDHF6985 C/W: Cummins ISB 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 6205 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 278 in Wheelbase, 24 ft x 98 in Bed, Liftgate Usage: 26,544 Mi Notes: LOCATED-IN-SACRAMENTO-CA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
122	<p>2017 Hino 268 6x2 Flatbed Truck S/N: 5PVNJ8JR0H4S51281 C/W: Hino J08E-WU Diesel Engine, 2016 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 236 in Wheelbase, 22 ft 3 in x 102 in Bed Usage: 223,914 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	127	<p>2017 Freightliner Cascadia 125 S/A Day Cab Truck Tractor S/N: 1FUBGDDV6HLJG3171 Usage: 472,600 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
123	<p>2018 International 4300LP 4x2 Cab and Chassis S/N: 1HTMNMML7JH351931 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6283 Engine hrs, Exhaust Brake, Allison 6-Speed Automatic Transmission, 7937 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 245/70R19.5, Spring Suspension, 205 in Wheelbase, 139 in Cab to Axle, 214 in Cab to End of Frame Usage: 201,537 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	128	<p>2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGDDV7HLJG3177 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Detroit DT12-DB Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 177 in Wheelbase Usage: 473,641 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
124	<p>2018 International 4300LP 4x2 Cab and Chassis S/N: 1HTMNMML1JH235026 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6526 Engine hrs, Exhaust Brake, Allison 2200 6-Speed Automatic Transmission, 9000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 4.33:1 Axle Ratio, 26000 lb GVWR, 245/70R19.5, Air Ride Suspension, 187 in Wheelbase, 184 in Cab to Axle, 121 in Cab to End of Frame Usage: 215,713 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	129	<p>2016 Freightliner Cascadia 125 S/A Day Cab Truck Tractor S/N: 3AKBGDDV2GSGT3562 Usage: 219,639 Mi Notes: LOCATED-IN-PHOENIX-AZ ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
125	<p>2016 Utility 53 ft x 102 in T/A Turntable Refrigerated Trailer S/N: 1UYVS2537GM560102 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 2015 Thermo King C-600 Refrigeration Unit, Serial Number 6001183097, Aluminum Wheels, 11R22.5 Tires Usage: 28,239 Hr Notes: LOCATED-IN-NORTH EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	130	<p>2018 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGBDV7JSJT2143 C/W: Detroit DD13 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Detroit DT12-DB Automatic Transmission, 13300 lb Front Axle, 21000 lb Rears, 34300 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 165 in Wheelbase Usage: 537,214 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
126	<p>2016 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2485GU772302 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, Swing Door, Thermo King Refrigeration Unit, 11R22.5 Tires Usage: 16,587 Hr Notes: LOCATED-IN-DENVER-CO ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	131	<p>2017 Freightliner M2 106 4x2 S/A Day Cab Truck Tractor S/N: 3AKBCYCY2HDJA0334 C/W: Cummins ISL 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 300 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5619 Engine hrs, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Detroit DA RS 23 Drive Axles, 3.91:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 78,279 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
132	<p>2018 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N39EG7JN996509 C/W: Volvo D13 M 405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6187 Engine hrs, Engine Brake, Volvo ATO2612F Automated Transmission, 12350 lb Front Axle, 23000 lb Rears, 33500 lb GVWR, 11R22.5, Volvo Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 374,705 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	136	<p>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDR6KSKU3026 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11523 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 640,123 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
133	<p>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 1FUJHLDV2LLLLV3033 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14630 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Suspension, 200 in Wheelbase, Dual Fuel Tanks Usage: 599,205 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	137	<p>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV3JSJR0166 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, Detroit DT12-DA Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, 4-Bag Air Ride Suspension, 181 in Wheelbase Usage: 283,043 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
134	<p>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV9KSKF1856 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 15352 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner 4-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 359,626 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	138	<p>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV5JSJT0972 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12800 Engine hrs, Engine Brake, Retarder, 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 284,897 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
135	<p>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV3KSKE0884 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10895 Engine hrs, Retarder, 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 557,614 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	139	<p>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV0JSJX5284 C/W: Detroit DD15 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10584 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner II Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 303,798 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
140	<p>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV7JSJR1711 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10110 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 336,932 Mi</p> <p>Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>	143	<p>2019 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV9KSLG7864 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14227 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 527,867 Mi</p> <p>Notes: LOCATED-IN-NASHVILLE-TN ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
141	<p>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV6JSJT0902 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11831 Engine hrs, Retarder, Detroit DT121550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 401,292 Mi</p> <p>Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	144	<p>2019 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDR9KCLKJ4307 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 1662 Engine hrs, Engine Brake, Detroit DT12-OH1 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner 4-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 563,309 Mi</p> <p>Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
142	<p>2019 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDR3KCLKJ4304 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 16943 Engine hrs, Engine Brake, Detroit DT12-HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner 4-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 428,157 Mi</p> <p>Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	145	<p>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV4JSJK4675 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, 4-Bag Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: 254,675 Mi</p> <p>Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; ODOMETER DISCREPANCY: ODOMETER REPLACED - MILEAGE CANNOT BE VERIFIED, TITLE WILL READ NOT ACTUAL</p>

Lot #	Details	Lot #	Details
146	<p>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDR5HLHT8324 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10143 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 351,705 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	149	<p>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV7HSHZ1026 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17050 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 671,716 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE</p>
147	<p>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV7HDHZ1015 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13121 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 204 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 482,085 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	150	<p>2016 Freightliner Cascadia 125 6x4 Heavy Haul T/A Day Cab Truck Tractor S/N: 3AKJGEBG8GDHJ7993 C/W: Cummins ISX15 V8 Diesel 425 hp Engine, 16236.7 Engine hrs, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, 4-Bag Air Ride Suspension, 181 in Wheelbase Usage: 406,188 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
148	<p>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV1HDHS9285 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14450 Engine hrs, Engine Brake, Detroit DT12 OB 1550 HD OVERDRIVE 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Ballrace 5th Wheel, Dual Fuel Tanks Usage: 495,809 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	151	<p>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV7GSHD8501 C/W: Detroit DD13 6 Cylinder 12.4 L Diesel 500 hp Engine, 2015 US EPA Label, Engine Brake, Freightliner 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, supreme 26 ft x 102 in Wide x 98 in High Body, Liftgate Usage: 472,587 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
		152	<p>2019 Volvo VNR300 6x4 T/A Day Cab Truck Tractor S/N: 4V4WC9EH9KN195577 C/W: Volvo D13M425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14823 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 11R22.5, Volvo 4-Bag Air Ride Suspension, 187 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 547,603 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
153	<p>2019 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH4KN208635 C/W: Volvo 6 Cylinder 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10437 Engine hrs, Engine Brake, Volvo Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 186 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 339,120 Mi Notes: LOCATED-IN-HOUSTON-TX ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	157	<p>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR3KSKD3827 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18951 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner II Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 579,291 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
154	<p>2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH3HN985722 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12069 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52350 lb GVWR, Bunk Beds, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 311,104 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	158	<p>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDRXHLHD2308 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG Usage: 514,627 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
155	<p>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR0KSKS6168 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 20086.24 Engine hrs, Engine Brake, Detroit DT12-H 12-Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 537,899 Mi Notes: LOCATED-IN-ATLANTA-GA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	159	<p>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDR9HLJH1399 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 28913 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Front Aluminum Wheels, Drive wheels mixed steel /aluminum, 11R22.5, Airliner 4-Bag Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 638,185 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
156	<p>2019 Freightliner Cascadia 126 T/A Sleeper Truck Tractor S/N: 3AKJHHDR1KSKF0457 Usage: 678,684 Mi Notes: LOCATED-IN-ATLANTA-GA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>		

Lot #	Details	Lot #	Details
160	<p>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD56GLHN7609 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 2.3 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 51,251 Mi Notes: LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; ODOMETER DISCREPANCY, POSSIBLE ODOMETER REPAIR OR CHANGED, TRUE MILEAGE UNKNOWN ; TITLE WILL READ NOT ACTUAL</p>	163	<p>2018 Volvo VNL630 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH2JN886170 C/W: Volvo D13M455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11242 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor RT-40-145 Drive Axles, 2.93:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 464,282 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
161	<p>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD51GLHF8887 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Retarder, Detroit DT12-OA-1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 656,976 Mi Notes: LOCATED-IN-HUMBLE-TX-TX ; CPC HAS BEEN REMOVED FROM THIS TRUCK AND STORED IN THE OFFICE</p>	164	<p>2018 Volvo VNL670 T/A Sleeper Truck Tractor S/N: 4V4NC9EH8JN899554 Usage: 486,499 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
162	<p>2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGHDV4JLJX1847 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OB 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, 11R22.5, 4-Bag Air Ride Suspension, 204 in Wheelbase, Dual Fuel Tanks Usage: 605,424 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>	165	<p>2018 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ1JN890794 C/W: Volvo D13M500 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15486 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 3.42:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Volvo 4-Bag Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 637,341 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; LOCATED-IN-FRANKLIN-CT ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>
		166	<p>2018 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ0JN890785 C/W: Volvo D13M500 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15391 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 3.42:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Volvo Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 739,065 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG</p>

Lot #	Details	Lot #	Details
167	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR1KN060243 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 430 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 11848 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, International IROS 4-Bag Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 428,123 Mi Notes: LOCATED-IN-PITTSBURGH-PA ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	171	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8KN744089 C/W: Cummins X15 6 Cylinder 15 L Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15244 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 542,509 Mi Notes: LOCATED-IN-DAVENPORT-FL ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG ; CANNOT VERIFY ODOMETER READING-VEHICLE IS EXEMPT FROM MILEAGE DISCLOSURE
168	2019 International LT625 T/A Sleeper Truck Tractor S/N: 3HSDZAPRXKN060239 Usage: 480,041 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG	70000	2015 Hino 268 Van Truck S/N: 5PVNE8JV5F4S54093 Usage: 168,459 Mi Notes: LOCATED-IN-BUTNER-NC ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG
169	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR2KN318060 C/W: Cummins 6 Cylinder 15 L Diesel 450 hp Engine, 2018 US EPA Label, 413 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 495,127 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG		
170	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR7KN740857 C/W: Cummins X15 6 Cylinder 15 L Diesel 450 hp Engine, 2018 US EPA Label, CARB Compliant, 17715 Engine hrs, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds Usage: 511,790 Mi Notes: LOCATED-IN-NORTH-EAST-MD ; PROFESSIONALLY-MAINTAINED-FLEET-VEHICLE-PAG		