



Quebec Timed Auction Event - Apr 19, 2024

Lot #	Details	Lot #	Details
1	2019 Ford Transit 250 4x2 Cargo Van S/N: 1FTYR2CMXKKB29647 C/W: V6 3.7 L Gasoline Engine, 2019 US EPA Label, CARB Compliant, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 4082 kg GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 11 ft x 78 in Wide x 70 in High Body Usage: 57,295 Mi Notes: VOYANT D'ANOMALIE DU MOTEUR ALLUME / CHECK ENGINE LIGHT ON, CARFAX DISPONIBLE / CARFAX AVAILABLE	5	2013 Genie GTH-5519 Telehandler S/N: GTH5514B416 C/W: Enclosed Cab, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2013 US EPA Label, 48 in Forks, Auxiliary Hydraulic Plumbing, 12-16.5 Tires, PROBLEME HYDRAULIQUE / HYDRAULIC PROBLEM Usage: 2,463 Hr Notes: PROBLEMES MECANIKES / MECHANICAL ISSUES
2	2007 Dodge Sprinter 4x2 Cargo Van S/N: WD0BE845675163366 C/W: OM642LA V6 3.9 L Diesel 154 hp Engine, 2007 US EPA Label, CARB Compliant, Automatic Transmission, 3970 lb Front Axle, 5359 lb Rears, 3878 kg GVWR, 245/75R16, Spring Suspension, 171 in Wheelbase, 14 ft x 74 in Wide x 76 in High Body, PROBLEME DE DIRECTION ASSISTEE / POWER STEERING PROBLEM Usage: 178,931 Mi Notes: PROBLEMES MECANIKES / MECHANICAL ISSUES, CARFAX DISPONIBLE / CARFAX AVAILABLE, RAPPEL DE SECURITE SELON LE RAPPORT CARFAX EN DOSSIER / SAFETY RECALL AS PER CARFAX ON FILE, MAY REQUIRE FIX TO BE ELIGIBLE FOR IMPORT INTO U.S.	6	2014 Holder C270 Sidewalk Plow S/N: 212000928 C/W: 64 in Straight Plow, Drop Spreader, Enclosed Cab, Kubota 4 Cylinder 2.6 L Diesel Engine, hydraulic dump box Usage: 2,125 Hr Notes: TRANSFERT DE PROPRIETE EN COURS / TRANSFER OF OWNERSHIP BEING PROCESSED
3	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2KSJZ9779 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6825 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 23814 kg GVWR, Air Ride Cab, 60 in Condo Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 11R22.5 Front Tires, 455 /55R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 596,420 Mi Notes: CONSIGNATAIRE INSCRIT AU PEP / CONSIGNOR ENROLLED IN PEP, INSPECTION REQUISE / INSPECTION REQUIRED	7	2007 J C Trailers 60 ton T/A Beam Single Drop Removable Gooseneck Lowboy Trailer S/N: 2J9J3A4E67K001173 C/W: 37800 kg GVWR, Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, Flip-Up Neck Extension, Plumbed for Booster Axle, 25 ft 6 in Main Deck, 50 in Usable Deck Width, 50 in Overall Deck Width, Honda Gas Powered Self Contained Hydraulic System, 305/70R22.5 Tires, Steering Stinger, 60 in Axle Spread, Non-Ground Bearing Usage: Not Available Notes: insp 25-02
4	2014 JLG G10-55A Telehandler S/N: 0160056902 C/W: Enclosed Cab, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2013 US EPA Label, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 400/75-28 Tires Usage: 3,598 Hr	8	2008 TCM FCG25L-4L 4300 lb Cushion Tire Forklift S/N: A49F01023 C/W: 3 Stage Mast, 189 in Max Lift Height, 82 in Lowered Mast Height, 40 in Forks, Side Shift, 2008 US EPA Label, Nissan K21L 4 Cylinder 2.1 L LPG Engine Usage: 2,525 Hr
		9	2018 Skyjack SJ86T 4WD Diesel Telescopic Boom Lift S/N: 97100545 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, 2017 US EPA Label, CARB Compliant, Deutz 74 hp Diesel Engine, 18-625 Tires Usage: 1,552 Hr
		10	2015 JLG 860SJ 4WD Diesel Telescopic Boom Lift S/N: 0300204793 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Jib, Power to Platform, 2015 US EPA Label, CARB Compliant, Deutz 4 Cylinder 67 hp 2.9 L Diesel Engine, 15-625 NHS Tires Usage: 2,982 Hr

Lot #	Details	Lot #	Details
11	2014 JLG 860SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300182789 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Dual Fuel Engine, 15-625 Tires Usage: 3,276 Hr	18	2014 JLG 460SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300183139 C/W: 46 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 12-16.5 Tires Usage: 3,812 Hr
12	2014 JLG 860SJ 4WD Diesel Telescopic Boom Lift S/N: 0300193503 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Power to Platform, 2014 US EPA Label, Deutz 4 Cylinder 67 hp 2.9 L Diesel Engine, 15-625 Tires Usage: 3,961 Hr	19	2017 JLG 800 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300232259 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2017 US EPA Label, CARB Compliant, 4 Cylinder 64 kW 2.5 L Dual Fuel Engine, 15-625 Tires Usage: 764 Hr
13	2013 JLG 860SJ 4WD Diesel Telescopic Boom Lift S/N: 0300164313 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 4 Cylinder 62 hp 2.9 L Diesel Engine, 15-625 Tires Usage: 4,511 Hr	20	2017 JLG 800 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300224308 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, 4 Cylinder Dual Fuel Engine, 15-625 Tires Usage: 1,795 Hr
14	2014 JLG 660SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300182918 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Dual Fuel Engine, 39x15-22.5 Tires, FUIITE D'HUILE HYDRAULIQUE / HYDRAULIC OIL LEAK Usage: 3,709 Hr	21	2016 JLG 800 AJ 4WD Diesel Articulating Boom Lift S/N: 0300222657 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2016 US EPA Label, Deutz TD 2.9 L4 4 Cylinder 67 hp 2.9 L Diesel Engine, 15-625 Tires Usage: 2,230 Hr
15	2014 JLG 660SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300182876 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, PSI 4 Cylinder Dual Fuel Engine, 39x15-22.5 Tires Usage: 4,339 Hr	22	2013 JLG 800 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300172819 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, 445 /55D19 Tires Usage: 4,177 Hr
16	2012 JLG 660SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300162757 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, 39x15-22.5 Tires Usage: 3,282 Hr Notes: HARNAIS OBLIGATOIRE POUR OPERER CET ITEM / HARNESS REQUIRED TO OPERATE THIS ITEM	23	2014 JLG 600 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300191035 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2014 US EPA Label, 4 Cylinder 3.0 L Dual Fuel Engine, 355 /55D625 Tires Usage: 1,430 Hr
17	2014 JLG 460SJ 4WD Dual Fuel Telescopic Boom Lift S/N: 0300188245 C/W: 46 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 12-16.5 Tires Usage: 3,479 Hr	24	2014 JLG 600 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300191039 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 355/55D625 Tires Usage: 1,626 Hr
		25	2014 JLG 600AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300191041 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 355/55D625 Tires Usage: 1,652 Hr

Lot #	Details	Lot #	Details
26	2014 JLG 600 AJ Dual Fuel Articulating Boom Lift S/N: 0300191101 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, CARB Compliant, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 355/55d625 Tires Usage: 2,168 Hr	34	2014 JLG 450AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300190042 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 1,848 Hr
27	2014 JLG 600AJ Dual Fuel Articulating Boom Lift S/N: 0300194424 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, CARB Compliant, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 355/55D625 Tires Usage: 2,196 Hr	35	2014 JLG 450AJ Series II Dual Fuel Articulating Boom Lift S/N: 0300194774 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, CARB Compliant, 4 Cylinder 3.0 L Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 1,927 Hr
28	2014 JLG 600 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300194472 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2014 US EPA Label, 4 Cylinder 3.0 L Dual Fuel Engine, 355 /55D625 Tires Usage: 2,237 Hr	36	2014 JLG 450 AJ Series II 4WD Dual Fuel Articulating Boom Lift S/N: 0300190955 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2014 US EPA Label, 4 Cylinder 3.0 L Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 2,191 Hr
29	2014 JLG 600AJ 4WD Diesel Articulating Boom Lift S/N: 0300192701 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, Deutz TD 2.9 L4 4 Cylinder 67 hp 2.9 L Diesel Engine, 355/55D625 Tires Usage: 2,369 Hr	37	2014 JLG 450AJ Series II 4WD Dual Fuel Articulating Boom Lift S/N: 0300194768 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine Usage: 2,335 Hr
30	2013 JLG 600 AJ 4WD Diesel Articulating Boom Lift S/N: 0300165539 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 4 Cylinder 49 hp 3.1 L Diesel Engine, 355/55D625 Tires Usage: 3,984 Hr	38	2014 JLG 450AJ Series II 4WD Dual Fuel Articulating Boom Lift S/N: 0300194723 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 2,347 Hr
31	2012 JLG 600 AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300153629 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Dual Fuel Engine, 355/55D625 Tires Usage: 1,871 Hr	39	2008 JLG E400AJPN 2WD Electric Articulating Boom Lift S/N: 0300120048 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 25x7-12 Solid Tires Usage: 1,101 Hr
32	2015 Genie Z45/25 2WD Electric Articulating Boom Lift S/N: Z452515A53743 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 9-14.5 Tires Usage: 865 Hr	40	2012 JLG 340AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300152353 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Dual Fuel Engine, 265/50d20 Tires Usage: 1,367 Hr
33	2014 JLG 450AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300182540 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, PSI 4 Cylinder 3.0 L Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 1,752 Hr	41	2013 Platform Basket Spider 18.90 Pro Crawler Electric Articulating Boom Lift S/N: PB8693 C/W: 59 ft Max Lift Height, 440 lb Max Weight Capacity, 7.5 in Rubber Tracks Usage: 536 Hr Notes: PROBLEMES MECANIKES / MECHANICAL ISSUES

Lot #	Details	Lot #	Details
42	2019 JLG T500J Towable Lift S/N: 5DYACJ1JXKP010810 C/W: 50 ft Max Lift Height, 440 lb Max Weight Capacity, Jib, Power to Platform, 2023 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: 397 Hr	50	2015 Genie GS4069RT 4x4 Diesel Scissor Lift S/N: GS69156224 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW 1.5 L Diesel Engine Usage: 1,469 Hr
43	2019 JLG T500J Towable Lift S/N: 5DYACJ1J8KP010966 C/W: 50 ft Max Lift Height, 440 lb Max Weight Capacity, Jib, Power to Platform, 2018 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: 882 Hr	51	2015 Genie GS-4069 RT 4x4 Diesel Scissor Lift S/N: GS69156353 C/W: 40 ft Max Lift Height, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW 1.1 L Diesel Engine, PROBLEME HYDRAULIQUE / HYDRAULIC PROBLEM Usage: 1,619 Hr Notes: PROBLEMES MECANQUES / MECHANICAL ISSUES
44	2013 Skyjack SJ46AJ 4WD Diesel Articulating Boom Lift (Inoperable) S/N: 95000576 C/W: 46 ft Max Lift Height, Power to Platform, Deutz 3 Cylinder Diesel Engine, 305/70D16.5 Tires Usage: 2,621 Hr	52	2015 Genie GS-4069RT 4x4 Diesel Scissor Lift S/N: GS69156181 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Power to Platform, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 1,743 Hr
45	2015 JLG T500J S/A Towable Lift (Inoperable) S/N: 5DYACJ1J9FP006656 C/W: 50 ft Max Lift Height, 440 lb Max Weight Capacity, 2015 US EPA Label, CARB Compliant, Honda Gasoline Engine Usage: 1,113 Hr Notes: AUCUN TRANSIT NE PEUT ETRE EMIS POUR CETTE UNITE / NO TRANSIT CAN BE ISSUED FOR THIS UNIT	53	2015 Genie GS4069RT 4x4 Diesel Scissor Lift S/N: GS69156222 C/W: 40 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Upper Control Box, 2014 US EPA Label, CARB Compliant, Kubota 3 Cylinder Diesel Engine Usage: 1,789 Hr
46	2015 JLG 80SL 4x4 Diesel Scissor Lift S/N: 1200025006 C/W: 80 ft Max Lift Height, 1650 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2012 US EPA Label, Deutz 4 Cylinder 55 hp 3.6 L Diesel Engine Usage: 2,129 Hr	54	2015 Genie GS4069RT 4x4 Diesel Scissor Lift S/N: GS69156173 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW 1.5 L Diesel Engine Usage: 1,907 Hr
47	2012 JLG 80SL 4x4 Diesel Scissor Lift S/N: 1200025007 C/W: 80 ft Max Lift Height, 1650 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2012 US EPA Label, Deutz 4 Cylinder 55 hp 3.6 L Diesel Engine Usage: 1,663 Hr	55	2011 JLG SJ7135 4x4 Dual Fuel Scissor Lift S/N: 34001999 C/W: 35 ft Max Lift Height, 10000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, 2008 US EPA Label, Kubota DF972-EF 3 Cylinder 962 cc Dual Fuel Engine Usage: 3,477 Hr
48	2014 Skyjack SJ8841 RT 4x4 Dual Fuel Scissor Lift S/N: 40001277 C/W: 41 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2013 US EPA Label, Kubota WG972-GL-ET 3 Cylinder 962 cc Dual Fuel Engine, PROBLEME HYDRAULIQUE / HYDRAULIC PROBLEM Usage: 1,891 Hr Notes: PROBLEMES MECANQUES / MECHANICAL ISSUES	56	2014 Genie GS-3369RT 4x4 Diesel Scissor Lift S/N: GS69145711 C/W: 33 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder 18.5 kW 1.5 L Diesel Engine Usage: 2,590 Hr
49	2015 Genie GS-4069RT 4x4 Diesel Scissor Lift S/N: GS69156335 C/W: 33 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, Tier 4, 2014 US EPA Label, CARB Compliant, Kubota 3 Cylinder 1.1 L Diesel Engine Usage: 1,453 Hr	57	2018 Skyjack SJ6832 RT 4x4 Dual Fuel Scissor Lift S/N: 37011301 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box Usage: 1,166 Hr

Lot #	Details	Lot #	Details
58	2018 Skyjack SJ 6832RT 4x4 Dual Fuel Scissor Lift S/N: 37012330 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2017 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,587 Hr	66	2014 Skyjack SJ3226 Electric Scissor Lift S/N: 270119229 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 280 Hr
59	2016 Skyjack SJ6832RT 4x4 Dual Fuel Scissor Lift S/N: 37009031 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2016 US EPA Label, Kubota WG972-GL-ET 3 Cylinder 962 cc Dual Fuel Engine, PROBLEME HYDRAULIQUE / HYDRAULIC PROBLEM Usage: 1,941 Hr Notes: PROBLEMES MECANQUES / MECHANICAL ISSUES	67	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27020359 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 283 Hr
60	2012 Skyjack SJ7127 4x4 Dual Fuel Scissor Lift S/N: 34002092 C/W: 27 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2008 US EPA Label, Kubota DF972-ES 3 Cylinder Dual Fuel Engine Usage: 2,556 Hr	68	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27020232 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 301 Hr
61	2013 Plafolift PH26 4x4 Diesel Scissor Lift S/N: SR26MH2D1328268 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, Kubota 4 Cylinder Diesel Engine Usage: 3,137 Hr	69	2014 Skyjack SJ3226 Electric Scissor Lift S/N: 27019232 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 313 Hr
62	2015 Skyjack SJ4626 Electric Scissor Lift S/N: 70024183 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 303 Hr	70	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27020363 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 424 Hr
63	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27020233 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 213 Hr	71	2014 JLG 2630ES Electric Scissor Lift S/N: 0200234180 C/W: 25 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 263 Hr
64	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27019230 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 241 Hr	72	2014 Skyjack SJIII3220 Electric Scissor Lift S/N: 60004639 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 147 Hr
65	2014 Skyjack SJIII3226 Electric Scissor Lift S/N: 27020357 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 250 Hr	73	2014 Skyjack SJIII3220 Electric Scissor Lift S/N: 60004640 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 156 Hr
		74	2014 Skyjack SJ3220 Electric Scissor Lift S/N: 60004633 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 158 Hr

Lot #	Details	Lot #	Details
75	2014 Skyjack SJ3220 Electric Scissor Lift S/N: 60004636 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 162 Hr	85	2014 Skyjack SJ7135 Diesel Scissor Lift (Inoperable) S/N: 34002713 C/W: 35 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: Not Available
76	2014 Skyjack SJ3220 Electric Scissor Lift S/N: 60004638 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 173 Hr	86	2014 Genie GS3369RT 4x4 Diesel Scissor Lift (Inoperable) S/N: GS6914-5710 C/W: 33 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 2,015 Hr
77	2014 Skyjack SJ3220 Electric Scissor Lift S/N: 60004635 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 198 Hr	87	2015 Genie GS3232 Electric Scissor Lift (Inoperable) S/N: GS3215A138620 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
78	2006 Skyjack SJIII-3219 Electric Scissor Lift S/N: 256768 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 435 Hr	88	2011 Yanmar C12R-B Mini Crawler Dumper S/N: 26363C C/W: Hydrostatic Drive, 2011 US EPA Label, Yanmar 2 Cylinder 0.5 L Diesel Engine, 9 in Rubber Tracks Usage: 1,133 Hr
79	2016 Genie GS1930 Electric Scissor Lift S/N: GS3016P157799 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 341 Hr	89	2017 Atlas Copco XAS88 Mobile Portable S/A Air Compressor S/N: YA3064308H0464690 C/W: 7 bar Working Pressure, 2017 US EPA Label, Kubota V1505-T 4 Cylinder 37 kW 1.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 432 Hr Notes: PROBLEMES MECANIKES / MECHANICAL ISSUES
80	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A136171 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: Not Available	90	2017 Atlas Copco XAS 88 Mobile Electric Air Compressor S/N: YA3064302H0464703 C/W: 7 bar Working Pressure, 2017 US EPA Label, Kubota 4 Cylinder 33 kW 1.5 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,169 Hr
81	2014 Genie G-1930 Electric Scissor Lift S/N: GS3014A136227 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: Not Available Notes: PROBLEMES MECANIKES / MECHANICAL ISSUES	91	2014 Mustang 1750RT Mini Compact Track Loader (Inoperable) S/N: MMC175RTD00131023 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Self Leveling, 2014 US EPA Label, 12 in Track Belts, Manual Coupler, 67 in Bucket Usage: 1,815 Hr Notes: AUCUN TRANSIT NE PEUT ETRE EMIS POUR CETTE UNITE / NO TRANSIT CAN BE ISSUED FOR THIS UNIT
82	2014 Hy-Brid HB-P1027 Scissor Lift S/N: D0530001 C/W: 550 lb Max Weight Capacity, Upper Control Box Usage: Not Available		
83	2014 Hy-Brid HB-P1027 Scissor Lift S/N: D0530002 C/W: 550 lb Max Weight Capacity, Upper Control Box Usage: Not Available		
84	2014 MEC 4069RT Diesel Scissor Lift (Inoperable) S/N: 13500060 C/W: 40 ft Max Lift Height, 600 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box, Kubota 3 Cylinder Diesel Engine, Positive Air Shutoff Usage: 1,808 Hr		