



United Rentals Regional Event, USA - Sep 13, 2023

Lot #	Details	Lot #	Details
5000	2021 (unverified) Polaris Pro XD 4000D 4x4 Utility Vehicle S/N: 4XABFBD49M8509311 C/W: Enclosed Cab, 6 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 412 Hr	5009	2018 Club Car Carryall 1700 Utility Cart S/N: SD1821874472 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,358 Hr
5001	2016 Kubota RTV-X1140 4x4 Utility Vehicle S/N: A5KD2GDBAGG014886 C/W: Enclosed Cab, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hydraulic Dump Bed Usage: 5,491 Hr	5010	2018 Club Car Carryall 1700 Utility Cart S/N: SD1821874925 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Manual Dump Bed Usage: 1,545 Hr
5002	2017 John Deere XUV 825I S4 Utility Cart S/N: 1M0825GFKHM130984 C/W: Canopy, 4 Passenger, Windshield, 812 cc Gasoline Engine, Locking Front Differential Usage: 5,772 Hr	5011	2018 Club Car Carryall 1700 Utility Vehicle S/N: SD1821874412 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,219 Hr
5004	2017 (unverified) Bobcat 3400XL 4x4 Utility Vehicle S/N: B3FM17062 C/W: Enclosed Cab, 6 Passenger, Windshield, Diesel Engine, Locking Front Differential, Manual Dump Bed Usage: 1,403 Hr	5012	2017 (unverified) Club Car Carryall 1700 4x4 Utility Vehicle S/N: SD1746-833272 C/W: Enclosed Cab, 4 Passenger, Windshield, Diesel Engine, Brush Guard, Manual Dump Bed Usage: 699 Hr
5005	2016 Bobcat 3600 4x4 Utility Vehicle S/N: B3C212064 C/W: Enclosed Cab, Air Conditioner, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Hitch Receiver, Hydraulic Dump Bed Usage: 417 Hr	5013	2017 (unverified) Club Car Carryall 1700 4x4 Crew Utility Vehicle S/N: SD1821-875130 C/W: Enclosed Cab, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 882 Hr
5006	2018 (unverified) Bobcat 3600 4x4 Utility Vehicle S/N: 4XAB3C2A0G8012059 C/W: Enclosed Cab, Air Conditioner, 3 Passenger, Windshield, Diesel Engine, Locking Front Differential, Hydraulic Dump Bed Usage: 1,242 Hr	5014	2017 Club Car Carryall 1700 4x4 Crew Utility Vehicle S/N: SD1720 813368 C/W: Canopy, 4 Passenger, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,088 Hr
5007	2018 Club Car Carryall 1700 4x4 Crew Utility Vehicle S/N: SD1805-847733 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,081 Hr	5015	2017 Club Car Carryall 1700 Utility Cart S/N: SD1716-812472 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,114 Hr
5008	2018 Club Car Carryall 1700 Crew Utility Vehicle S/N: SD1821875200 C/W: Enclosed Cab, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,110 Hr	5016	2017 Club Car Carryall 1700 Utility Cart S/N: SD1720 813360 C/W: Canopy, 4 Passenger, Diesel Engine, Hitch Receiver, Manual Dump Bed Usage: 1,186 Hr

Lot #	Details	Lot #	Details
5017	2017 (unverified) Club Car Carryall 1700 4x4 Crew Utility Vehicle S/N: SD1746-833495 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,207 Hr	5026	2017 Club Car Carryall 1500 Utility Cart S/N: RC1741-828155 C/W: Canopy, 2 Passenger, Gasoline Engine, Hitch Receiver, Manual Dump Bed Usage: 996 Hr
5018	2017 (unverified) Club Car Carryall 1700 4x4 Crew Utility Vehicle S/N: SD1738-827314 C/W: Enclosed Cab, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 2,035 Hr	5027	2017 Club Car Carryall 1500 Utility Cart S/N: RF1728 815944 C/W: Canopy, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Manual Dump Bed Usage: 2,322 Hr
5019	2018 (unverified) Club Car Carryall 1500 4x4 Utility Vehicle S/N: RF1838907822 C/W: Enclosed Cab, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 680 Hr	5028	2016 Club Car Carryall 1500 Utility Cart S/N: RC1643-692093 C/W: Canopy, 2 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,078 Hr
5020	2018 (unverified) Club Car Carryall 1500 4x4 Utility Vehicle S/N: RF1838-907796 C/W: Enclosed Cab, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,150 Hr	5029	2016 Club Car Carryall 1500 4x4 Utility Vehicle (Inoperable) S/N: RC1643-690699 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Hitch Receiver, Manual Dump Bed Usage: 1,158 Hr
5021	2018 Club Car Carryall 1500 4x4 Utility Vehicle S/N: RF1845924346 C/W: Enclosed Cab, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,228 Hr	5030	2016 (unverified) Gehl RT250 Two-Speed Compact Track Loader S/N: GHLRT250E00070434 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2016 US EPA Label, 18 in Track Belts, Manual Coupler, 78 in Bucket Usage: 1,252 Hr
5022	2018 Club Car Carryall 1500 Utility Cart S/N: RF1810855041 C/W: Enclosed Cab, 2 Passenger, Diesel Engine, Hitch Receiver, Manual Dump Bed Usage: 1,294 Hr	5031	2015 Wacker Neuson ST45 Compact Track Loader S/N: WNCS0404CPAL00318 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 17 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,582 Hr
5023	2018 Club Car Carryall 1500 4x4 Utility Vehicle S/N: RF1840/913190 C/W: Enclosed Cab, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,320 Hr	5032	2017 Wacker Neuson ST31 Compact Track Loader S/N: WNCS0506EPUM00562 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Control Pattern Changer, 2016 US EPA Label, Hydraulic Coupler, 66 in Bucket Usage: 1,388 Hr
5024	2018 Club Car Carryall 1500 Utility Cart S/N: RF1810854845 C/W: Enclosed Cab, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,385 Hr	5033	2016 Kubota SSV75 Two-Speed Skid Steer Loader S/N: JKUS0751C01S10186 C/W: Enclosed Cab, Joystick Steering, Aperture Tires, 9 Pin Electric Kit, Manual Coupler, 74 in Bucket Usage: 1,074 Hr
5025	2018 Club Car Carryall 1500 Utility Vehicle S/N: RF1810854875 C/W: Enclosed Cab, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 2,741 Hr	5034	2016 Kubota SSV75 Two-Speed Skid Steer Loader S/N: JKUS0751C01S11726 C/W: Enclosed Cab, Joystick Steering, Tier 4, Aperture Tires, Hydraulic Coupler, 66 in Bucket Usage: 1,106 Hr

Lot #	Details	Lot #	Details
5035	2016 Kubota SSV65 Two-Speed Skid Steer Loader S/N: 10293 C/W: Open Operator Station, Joystick Steering, Tier 4, Aperture Tires, Hydraulic Coupler, 65 in Bucket Usage: 1,069 Hr	5045	2017 Wacker Neuson SW16 Skid Steer Loader S/N: WNCS0501APUM00531 C/W: Enclosed Cab (Door missing), Joystick Steering, Control Pattern Changer, 2016 US EPA Label, Manual Coupler, Bucket Usage: 597 Hr
5036	2015 Gehl V270 Skid Steer Loader S/N: GHL00270F00023715 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2015 US EPA Label, Manual Coupler, 67 in Bucket Usage: 711 Hr	5046	2015 Gehl R150 Skid Steer Loader S/N: GHL0R150D00195383 C/W: Enclosed Cab, Air Ride Seat, 2015 US EPA Label, Foam-Filled Tires, Hydraulic Coupler, Bucket Usage: 843 Hr
5037	2017 Gehl R260 High Flow Skid Steer Loader S/N: GHL0R260B0D176701 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Joystick Steering, Tier 4, 2016 US EPA Label, Aperture Tires, Manual Coupler, 74 in Bucket Usage: 1,139 Hr	5047	2015 Xtreme XR1245 Telehandler S/N: XR1245021592583 C/W: Enclosed Cab, Air Ride Seat, Load Moment Indicator, 68 ft Max Lift Height, 12000 lb Max Lift Capacity, 2014 US EPA Label, 46 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 2,544 Hr
5038	2017 Gehl R220 Skid Steer Loader S/N: GHL0R220J0D175348 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Tier 4, US EPA Label, Foam-Filled Tires, 14 Pin Electric Kit, Manual Coupler, Bucket Usage: 733 Hr	5048	2015 JLG 8042 Telehandler S/N: 0160071669 C/W: Enclosed Cab, Air Ride Seat, 68 ft Max Lift Height, 8000 lb Max Lift Capacity, Forks, Tilt Carriage, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 3,768 Hr
5040	2015 Bobcat S630 Skid Steer Loader S/N: AHGL11886 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2015 US EPA Label, Aperture Tires, Manual Coupler Usage: 1,230 Hr	5049	2014 JLG 8042 Telehandler S/N: 0160060165 C/W: Enclosed Cab, Air Ride Seat, Load Moment Indicator, 68 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 46 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 3,261 Hr
5041	2017 Bobcat S590 Two-Speed Skid Steer Loader S/N: AR9R17501 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2016 US EPA Label, Solid Tires, 7 Pin Electric Kit, Manual Coupler, 70 in Bucket Usage: 3,694 Hr	5050	2006 Genie GTH-844 Telehandler S/N: GTH0806B-7254 C/W: Open Operator Station, 44 ft Max Lift Height, 8000 lb Max Lift Capacity, 2006 US EPA Label, 48 in Forks Usage: Not Available
5042	2018 Bobcat S550 Skid Steer Loader S/N: AHGM18067 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2018 US EPA Label, Aperture Tires, Manual Coupler, 66 in Bucket Usage: 4,469 Hr	5051	2015 Case 586H 6000 lb 4x4 Rough Terrain Forklift S/N: JJGN580HTFC728007 C/W: 3 Stage Mast, 264 in Max Lift Height, 127 in Lowered Mast Height, 72 in Forks, Side Shift, 2008 US EPA Label, FPT 4 Cylinder Diesel Engine Usage: 3,176 Hr
5043	2016 Gehl R190 Skid Steer Loader S/N: GHL0R190G0D173006 C/W: Enclosed Cab, Air Ride Seat, Joystick Steering, Aperture Tires, Manual Coupler, 70 in Bucket Usage: 1,253 Hr	5052	2016 Kubota R630 Wheel Loader S/N: 10564 Usage: 613 Hr
5044	2017 Wacker Neuson SW16 Two-Speed High Flow Skid Steer Loader S/N: WNCS0501CPUM00526 C/W: Open Operator Station, Joystick Steering, Solid Tires, Manual Coupler, 67 in Bucket Usage: 469 Hr	5053	2015 (unverified) Wacker Neuson 3001s 4x4 Swivel Dumper S/N: WNCD0305JPAL00863 C/W: Canopy, Hydrostatic Drive Usage: 1,239 Hr

Lot #	Details	Lot #	Details
5054	2014 Chicago Pneumatic AR120 Double Drum Roller S/N: 10000355H0A014169 C/W: Open Operator Station, US EPA Label, Kubota 3 Cylinder 1.7 L Diesel Engine, 47 in Drums, Water System Usage: 330 Hr	5064	2005 Broderson IC-200-3D 30000 lb 4x4 Carry Deck Crane S/N: 108859 C/W: Anti Two-Block, 4889 hrs Crane Operation, GM Vortec 4.3 L Dual Fuel Engine, 17 ft Minimum 73 ft Maximum Boom Length, 16 ft to 16 ft Swingaway Jib, 195 lb 10 ton Capacity Johnson 2 Sheave Hook Block Usage: 4,889 Hr
5055	2015 LBX 145X3 Tracked Excavator S/N: LBX145Q6NEHEX1386 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, 2014 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 23.5 in Track Shoes w/Rubber Pads, 36 in Bucket, Thumb Bracket Usage: 4,300 Hr	5065	2012 Maeda MC285CRME 6210 lb Compact Crane S/N: P01033 C/W: 2011 US EPA Label, Yanmar BYDXLO. 57v2 2 Cylinder 7.8 kW 0.5 L Diesel Engine, 8.3 ft Minimum 28.1 ft Maximum Boom Length, 66 lb 6144 lb Capacity 3 Sheave Hook Block Usage: 606 Hr
5056	2017 Case CX130D Tracked Excavator S/N: DAC130K7NHS7D1329 C/W: Air Conditioner, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 33.5 in Digging Bucket Usage: 6,334 Hr	5066	2015 JMG MC25 Compact Crane S/N: 85 C/W: Anti Two-Block, 7 ft Minimum Boom Length, 19 kg 2 ton Capacity 1 Sheave Hook Block Usage: Not Available
5057	2017 Takeuchi TB290 Tracked Excavator S/N: 185103917 C/W: Rear View Camera, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 22 in Digging Bucket, Hydraulic Thumb Usage: 4,160 Hr	5067	2013 JMG MC22 4800 lb Compact Crane S/N: 0105 C/W: Anti Two-Block, Load Moment Indicator, 21 ft Minimum 5 ft Maximum Boom Length Usage: Not Available
5060	2015 Kubota KX080-4 Mini Excavator S/N: 34816 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, Manual Quick Coupler, 31 in Digging Bucket, Hydraulic Thumb Usage: 2,610 Hr	5068	2014 Jekko MPK20W 4409 lb Compact Crane S/N: AMC1293 C/W: Anti Two-Block, Load Moment Indicator, 2 hrs Crane Operation, 6.5 ft Minimum 14 ft Maximum Boom Length, 1251 lb Capacity Hook Block Usage: Not Available
5061	2016 (unverified) Wacker Neuson ET65 Mini Excavator S/N: WNCE1401PPAL00377 C/W: Swing Boom, 6 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 2,221 Hr	5069	2013 Jekko MPK20W+ 4409 lb Compact Crane S/N: AMC1105 C/W: Load Moment Indicator, 206 hrs Crane Operation, 6 ft Minimum 14 ft Maximum Boom Length, 20 kg 2 ton Capacity ELD Hook Block Usage: 206 Hr
5062	2017 Kubota KX057-4 Mini Excavator S/N: 28276 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17 in Digging Bucket, Hydraulic Thumb Usage: 2,868 Hr	5070	2013 Jekko MPK20W+ 3960 lb Electric Compact Crane S/N: AMC1133 C/W: Load Moment Indicator, 6 ft Minimum 14 ft Maximum Boom Length, 30 lb Hook Block Usage: Not Available
5063	2017 Takeuchi TB210R Mini Excavator S/N: 211002016 C/W: Control Pattern Changer, Tier 4, 2017 US EPA Label, Swing Boom, 2 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 8 in Rubber Tracks, Expandable Width Tracks, 8 in Digging Bucket Usage: 851 Hr	5071	2011 Genie Z-135 Articulating Boom Lift S/N: Z13511-1571 C/W: 135 ft Max Lift Height, 600 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, 2011 US EPA Label, Deutz TD2011L04I 4 Cylinder 74 hp 3.1 L Diesel Engine Usage: 3,470 Hr
		5072	2007 Genie Z-135/70 Articulating Boom Lift S/N: Z13507-458 C/W: 135 ft Max Lift Height, 600 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, US EPA Label, Deutz BF4L 2011 4 Cylinder 78 hp 3.1 L Diesel Engine Usage: 4,484 Hr

Lot #	Details	Lot #	Details
5073	2008 JLG 1250 AJP Articulating Boom Lift S/N: 0300136330 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, 2008 US EPA Label, Deutz TD2011L04 4 Cylinder 75 hp Diesel Engine Usage: 721 Hr	5081	2007 JLG 800AJ 4WD Diesel 80 ft Articulating Boom Lift S/N: 0300105721 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2006 US EPA Label, Deutz 4 Cylinder 65 hp Diesel Engine Usage: 7,294 Hr
5074	2008 JLG 1250AJP 4WD Diesel 125 ft Articulating Boom Lift S/N: 300134415 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, 2008 US EPA Label, Deutz td2011l04 75 hp 3.6 L Diesel Engine Usage: 4,667 Hr	5082	2014 JLG 600AJ 4WD Diesel Telescopic Boom Lift S/N: 0300180690 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, US EPA Label, Deutz D2011 L04 4 Cylinder 49 hp 3.1 L Diesel Engine Usage: 3,469 Hr
5075	2006 JLG 1250AJP 4WD Diesel 125 ft Articulating Boom Lift S/N: 300099883 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, Deutz 6dzx103. 1039 65 hp 3.1 L Diesel Engine Usage: 5,996 Hr	5083	2012 JLG 600AJ 4WD Diesel 60 ft Articulating Boom Lift S/N: 0300157695 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, US EPA Label, Deutz D2011L04 49 hp 3.1 L Diesel Engine Usage: 3,077 Hr
5076	2005 JLG 1250AJP Articulating Boom Lift S/N: 0300081067 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 5,210 Hr	5086	2005 Genie Z-60/34 4WD Diesel 60 ft Articulating Boom Lift S/N: Z6005-5338 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2004 US EPA Label, Deutz Diesel Engine Usage: 4,520 Hr
5077	2011 Genie Z-80/60 4WD Diesel 80 ft Articulating Boom Lift S/N: Z8011-002857 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 2010 US EPA Label, Deutz TD 2011 L 04 74 hp 3.6 L Diesel Engine Usage: 2,097 Hr	5087	2005 Genie Z-60/34 4WD Diesel Articulating Boom Lift S/N: Z6005-5319 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 2, US EPA Label, Deutz BF4L2011 Diesel Engine Usage: 5,306 Hr
5078	2013 JLG 800AJ 4WD Diesel 80 ft Articulating Boom Lift S/N: 0300169360 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 4 Cylinder 62 hp Diesel Engine Usage: 3,702 Hr	5088	2016 Snorkel A46JRT 4WD Diesel 46 ft 4 in Articulating Boom Lift S/N: A46JRT-04-000370 C/W: 500 lb Max Weight Capacity, Jib, Tier 4, 2015 US EPA Label, Kubota V1505-EF01 4 Cylinder 18.5 kW 1.5 L Diesel Engine Usage: 341 Hr
5079	2011 JLG 800AJ 4WD Diesel 80 ft Articulating Boom Lift S/N: 0300147471 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2011 US EPA Label, Deutz 4 Cylinder 62 hp Diesel Engine Usage: 2,798 Hr	5089	2014 Snorkel A46JRT 4WD Diesel Articulating Boom Lift S/N: A46JRT-04-000222 C/W: 46.4 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2014 US EPA Label, Kubota v1505 18.5 kW 1.5 L Diesel Engine, Foam-Filled Tires Usage: 1,814 Hr
5080	2008 JLG 800AJ 4WD Diesel 80 ft Articulating Boom Lift S/N: 0300131858 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2008 US EPA Label, Deutz 4 Cylinder 3.6 L Diesel Engine Usage: 5,477 Hr	5090	2007 Genie Z-45/25 Articulating Boom Lift S/N: Z452507-32504 C/W: 45 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2006 US EPA Label, Deutz Diesel Engine Usage: 487 Hr

Lot #	Details	Lot #	Details
5091	2007 Genie Z-45/25J 4WD Diesel 45 ft 6 in Articulating Boom Lift S/N: Z452507-33345 C/W: 45 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Jib, 2007 US EPA Label, Deutz D2011L03I 48.7 hp 2.3 L Diesel Engine Usage: 3,599 Hr	5099	2014 JLG E450AJ 2WD Electric Articulating Boom Lift S/N: 0300190218 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 306 Hr
5092	2007 Genie Z-45/25J 4WD Diesel 45 ft 6 in Articulating Boom Lift S/N: Z452507-33648 C/W: 45 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2007 US EPA Label, Deutz D2011L03I Diesel Engine Usage: 1,011 Hr	5100	2005 JLG E400AJPN Articulating Boom Lift S/N: 0300086114 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 1,970 Hr
5093	2005 Genie Z-45/25 4WD Diesel Articulating Boom Lift S/N: Z452505-25352 C/W: 45 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Tier 2, Deutz F3L2011 Diesel Engine Usage: 3,581 Hr	5101	2015 Snorkel A38E Articulating Boom Lift S/N: A38E-01-006623 C/W: 20 ft Max Lift Height, 475 lb Max Weight Capacity, Power to Platform Usage: 1,335 Hr
5094	2005 Genie Z45/25J 4WD Diesel Articulating Boom Lift S/N: Z452505-25854 C/W: 45 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2005 US EPA Label, Deutz F3L 2011 48 hp 2.3 L Diesel Engine Usage: 4,226 Hr	5102	2017 Snorkel TB126J 4WD Diesel Telescopic Boom Lift S/N: TB126J-04-170800146 C/W: 126 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, US EPA Label, Kubota V2403-M-T-ET05 44 kW 2.4 L Diesel Engine Usage: 1,229 Hr
5095	2014 JLG M600JP Articulating Boom Lift S/N: 0300186780 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Kubota 1 Cylinder 4.5 kW Diesel Engine, Generator, 48 Volt System Usage: 1,128 Hr	5103	2015 Snorkel TB126J 4WD Diesel Telescopic Boom Lift S/N: TB126J-04-000100 C/W: 126 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, 2014 US EPA Label, Kubota V2403-M-T-ET05 44 kW 2.4 L Diesel Engine Usage: 2,278 Hr
5096	2013 JLG M600JP 4WD Diesel 60 ft Articulating Boom Lift S/N: 0300172305 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, Tier 4, 2012 US EPA Label, Kubota OC60-ET01 4.5 kW 0.2 L Diesel Engine Usage: 1,191 Hr	5104	2015 Snorkel TB126J Telescopic Boom Lift S/N: TB126J-04-000017 C/W: 126 ft Max Lift Height, 600 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Diesel Engine Usage: 2,460 Hr
5097	2006 JLG M600JP 2WD 60 ft Hybrid Articulating Boom Lift S/N: 0300087432 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Yanmar 1 Cylinder Diesel Engine Usage: 1,937 Hr	5105	2010 Genie S-105 4WD Diesel 105 ft Telescopic Boom Lift S/N: S10510-833 C/W: 105 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Mitsubishi 62 kW Diesel Engine Usage: 2,098 Hr
5098	2006 JLG M600JP 4WD Electric Telescopic Boom Lift S/N: 300087001 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 36x14LL-22.5 Tires Usage: 1,614 Hr	5106	2007 Genie S-100 4WD Diesel 100 ft Telescopic Boom Lift S/N: S10007-461 C/W: 100 ft Max Lift Height, 750 lb Max Weight Capacity, Extendable Axles, Power to Platform, 2007 US EPA Label, Deutz BF4L 2011 3.1 L Diesel Engine Usage: 3,011 Hr
		5107	2007 Genie S-100 4WD Diesel Telescopic Boom Lift S/N: S10007-465 C/W: 100 ft Max Lift Height, 750 lb Max Weight Capacity, Extendable Axles, Power to Platform, Tier 2, US EPA Label, Deutz BF4L2011 Diesel Engine Usage: 3,360 Hr

Lot #	Details	Lot #	Details
5108	2007 Snorkel TB85J 4WD Diesel Telescopic Boom Lift S/N: JL07033RBLT C/W: 84 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2006 US EPA Label, Deutz F4L 2011 47.8 kW Diesel Engine Usage: 5,463 Hr	5116	2008 JLG 600S 4WD Diesel 60 ft Telescopic Boom Lift S/N: 0300131304 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2008 US EPA Label, Deutz D2011L04 50 hp 3.1 L Diesel Engine Usage: 8,173 Hr
5109	2007 Genie S-80 4x4 Diesel Telescopic Boom Lift S/N: S8007-5765 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Extendable Axles, Power to Platform, 2007 US EPA Label, Deutz SF4L2011 78 hp 3.1 L Diesel Engine Usage: 1,226 Hr	5117	2006 JLG 600S 4WD Diesel 60 ft Telescopic Boom Lift S/N: 0300091825 C/W: 1000 lb Max Weight Capacity, Power to Platform, 2005 US EPA Label, Deutz F4M 2011 4 Cylinder 65 hp 3.1 L Diesel Engine Usage: 680 Hr
5110	2007 Genie S-80 4WD Diesel 80 ft Telescopic Boom Lift S/N: S8007-5783 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Extendable Axles, Power to Platform, Deutz bf4l2011 58 kW 3.1 L Diesel Engine Usage: 6,174 Hr	5118	2006 Genie S-45 4WD Diesel 45 ft Telescopic Boom Lift S/N: S4506-11111 C/W: 45 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2006 US EPA Label, Deutz F3L2011 48 hp 2.3 L Diesel Engine Usage: Not Available
5111	2014 JLG 660SJ 4WD Diesel 66 ft Telescopic Boom Lift S/N: 300180000 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, US EPA Label, Deutz D2011L04 49 hp 3.1 L Diesel Engine Usage: 6,199 Hr	5120	2008 JLG 400S 4WD Diesel 40 ft Telescopic Boom Lift S/N: 0300125686 C/W: 1000 lb Max Weight Capacity, Power to Platform, Deutz D2011 L03 3 Cylinder 49 hp 2.3 L Diesel Engine Usage: 4,640 Hr
5112	2015 Skyjack SJ66T 66 ft Telescopic Boom Lift S/N: 97001426 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 2014 US EPA Label, Deutz TD2.9L4 67 hp 2.9 L Diesel Engine Usage: 3,469 Hr	5121	2007 JLG 400S 4WD Diesel Telescopic Boom Lift S/N: 0300108284 C/W: 40 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2007 US EPA Label, Deutz D2011L03 49 hp 2.3 L Diesel Engine Usage: 5,017 Hr
5113	2013 Skyjack SJ66T 4WD Diesel 66 ft Telescopic Boom Lift S/N: 97000825 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 2012 US EPA Label, Deutz D2011 I04 64 hp 3.1 L Diesel Engine Usage: 3,326 Hr	5122	2007 JLG 400S Telescopic Boom Lift S/N: 0300112637 C/W: 40 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2007 US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine Usage: 5,566 Hr
5114	2013 Genie S-60X 4WD Diesel 60 ft Telescopic Boom Lift S/N: S60X13-26504 C/W: 1000 lb Max Weight Capacity, Power to Platform, 2013 US EPA Label, Deutz D2.9L4 49 hp 2.9 L Diesel Engine Usage: 4,482 Hr	5123	2007 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S4007-12639 C/W: Power to Platform, 2006 US EPA Label, Deutz 6DZXL03.1041 3 Cylinder 3.0 L Diesel Engine Usage: 308 Hr
5115	2007 Genie S-60 4WD Diesel Telescopic Boom Lift S/N: S6007-15982 C/W: 60 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz D2011L03i 49 hp 2.3 L Diesel Engine Usage: 7,025 Hr	5124	2007 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: GS4007-12637 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2006 US EPA Label, Deutz F3L 2011 48 hp 2.3 L Diesel Engine Usage: 3,714 Hr

Lot #	Details	Lot #	Details
5125	2007 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S4007-13113 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Tier 2, US EPA Label, Deutz D2011L03i 49 hp 2.3 L Diesel Engine Usage: Not Available	5133	2019 Snorkel S3370RT Diesel Scissor Lift S/N: S3370RT-07-190300537 C/W: 33 ft 0 in Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Tier 4, 2018 US EPA Label, Kubota d902 3 Cylinder 18.9 kW Diesel Engine Usage: 424 Hr
5126	2005 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S4005-8272 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Tier 2, 2004 US EPA Label, Deutz F3L2011 48 hp 2.3 L Diesel Engine Usage: 5,799 Hr	5134	2015 Genie GS3384 RT Diesel 4x4 Scissor Lift S/N: GS8415-42327 C/W: 33 ft Max Lift Height, 2500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2014 US EPA Label, Deutz D2.9L4 49 hp 2.9 L Diesel Engine Usage: 1,968 Hr
5127	2013 ReachMaster Inc FS95 Electric 95 ft 3 Wheel Articulating Boom Lift S/N: 13022 C/W: 95 ft Max Lift Height, 440 lb Max Weight Capacity, Jib, Extendable Axles, Onboard Generator Usage: 745 Hr	5135	2006 Skyjack SJ6832 RT Dual Fuel 4x4 Scissor Lift S/N: 370303 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2006 US EPA Label, Kubota DF972-ES 962 cc Dual Fuel Engine Usage: 2,509 Hr
5128	2019 Snorkel TL49JDCANSI Towable Lift S/N: TL49J-01-190700207 C/W: 29 ft Max Lift Height, 425 lb Max Weight Capacity, Jib Usage: 88 Hr	5136	2018 (unverified) Snorkel S2770RT Diesel Scissor Lift S/N: S2770RT-07-180800517 C/W: 27 ft Max Lift Height, 1280 lb Max Weight Capacity, Power to Platform, Stabilizers, Solid Non-Marking Tires, Tier 4, 2018 US EPA Label, Kubota D902-EF01 3 Cylinder 18.2 kW .89 L Diesel Engine Usage: Not Available
5129	2013 MEC 5492RT Diesel 4x4 Scissor Lift S/N: 11900083 C/W: 54 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota V2403-M-T-ET05 44 kW 2.4 L Diesel Engine Usage: 2,131 Hr	5137	2018 Snorkel S2770RT Diesel 4x4 Scissor Lift S/N: S2770RT-07-180700514 C/W: 27 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Tier 4, 2018 US EPA Label, Kubota 3 Cylinder 18.2 kW Diesel Engine Usage: 471 Hr
5130	2008 Genie GS-5390 Dual Fuel 4x4 Scissor Lift S/N: GS9008-46036 C/W: 53 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2007 US EPA Label, Engine Distributors Inc dsq423 75 kW 2.3 L Dual Fuel Engine Usage: 3,532 Hr	5138	2017 Snorkel S2770RT Diesel Scissor Lift S/N: S2770RT-07-170500280 C/W: 26 ft 0 in Max Lift Height, 1280 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Tier 4, 2017 US EPA Label, Kubota d902 3 Cylinder 18.9 kW Diesel Engine Usage: 1,649 Hr
5131	2003 Genie GS-4390 Dual Fuel 4x4 Scissor Lift S/N: GS9003-41429 C/W: 43 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Onboard Generator, Upper Control Box, Ford LRG-425i-6007-z 4 Cylinder 2.5 L Dual Fuel Engine Usage: 3,947 Hr	5139	2017 Skyjack SJ6826 RT Diesel 4x4 Scissor Lift S/N: 37009156 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, Tier 4, 2016 US EPA Label, Kubota D902-EF01 19 kW .89 L Diesel Engine Usage: 1,129 Hr
5132	2018 Snorkel S3970RT Diesel 4x4 Scissor Lift S/N: S3970RT-07-180700505 C/W: 38 ft 8 in Max Lift Height, 772 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box, Tier 4, 2018 US EPA Label, Kubota D902-EF01 3 Cylinder 18.2 kW 0.89 L Diesel Engine Usage: 610 Hr	5140	2016 Genie GS-4069 DC Electric Scissor Lift S/N: GS6916F-9057 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box Usage: 489 Hr

Lot #	Details	Lot #	Details
5142	2015 JLG 4069LE Electric Scissor Lift S/N: 0200247855 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 472 Hr	5152	2013 MEC 3259ERT Electric Scissor Lift S/N: 13100107 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box Usage: 376 Hr
5143	2015 JLG 4069LE Electric Scissor Lift S/N: 0200242101 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 455 Hr	5153	2015 MEC 2659ERT Electric 4x4 Scissor Lift S/N: 13000297 C/W: 26 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 1,653 Hr
5144	2014 JLG 4069 LE Electric Scissor Lift S/N: 200233320 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box Usage: 582 Hr	5154	2015 (unverified) MEC 2659ERT Electric 4x4 Scissor Lift S/N: 13000324 C/W: 26 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 333 Hr
5145	2012 JLG M4069LE Electric Scissor Lift S/N: 200209787 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Onboard Generator, Upper Control Box, Tier 4, 2011 US EPA Label, Kubota oc60-et01 1 Cylinder 4.5 kW .27 L Diesel Engine Usage: 434 Hr	5155	2014 MEC 2659ERT Electric 4x4 Scissor Lift S/N: 13000216 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires Usage: 263 Hr
5147	2013 MEC 4069ERT Electric 4x4 Scissor Lift S/N: 13400030 C/W: 40 ft Max Lift Height, 600 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Non-Marking Tires, Upper Control Box Usage: 374 Hr	5157	2018 MEC 4555SE Electric Scissor Lift S/N: 16800683 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr
5148	2013 MEC 4069ERT Electric Scissor Lift S/N: 13400081 C/W: 40 ft Max Lift Height, 600 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires Usage: 388 Hr	5158	2017 MEC 4555SE Electric Scissor Lift S/N: 16800323 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 293 Hr
5149	2014 MEC 4069ERT Electric 4x4 Scissor Lift S/N: 13400085 C/W: 40 ft Max Lift Height, 600 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 524 Hr	5159	2016 MEC 4555SE Electric Scissor Lift S/N: 16800112 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 197 Hr
5150	2015 MEC 3259ERT Electric 4x4 Scissor Lift S/N: 13100277 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box Usage: 330 Hr	5160	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220600423 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 11 Hr
5151	2015 MEC 3259ERT Electric 4x4 Scissor Lift S/N: 13100278 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box Usage: 2,081 Hr	5161	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220500418 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 14 Hr

Lot #	Details	Lot #	Details
5162	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220600428 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 19 Hr	5171	2018 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-180902103 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 293 Hr
5163	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220600427 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 19 Hr	5172	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-171101596 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 176 Hr
5164	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220500420 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 21 Hr	5173	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-170301092 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 191 Hr
5165	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220500422 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 20 Hr	5174	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-170301064 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 234 Hr
5166	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220600426 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 23 Hr	5175	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-170301068 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 246 Hr
5167	2022 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-220600424 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 39 Hr	5176	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-170301067 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 304 Hr
5168	2021 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-210700163 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 64 Hr	5177	2016 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-000461 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 288 Hr
5169	2021 Snorkel S4740E Electric Scissor Lift S/N: S4740E-04-211100273 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 69 Hr	5178	2016 (unverified) Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-000494 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 321 Hr
5170	2015 Genie GS-4047 Electric Scissor Lift S/N: GS4715D-774 C/W: 39 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 508 Hr	5179	2016 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-000631 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 565 Hr

Lot #	Details	Lot #	Details
5180	2015 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-000212 C/W: 32 ft Max Lift Height, 770 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr	5189	2012 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70009625 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 446 Hr
5181	2015 Skyjack SJIII-4632 Electric Scissor Lift S/N: 70025768 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 212 Hr	5190	2012 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70009622 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 448 Hr
5182	2015 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70025790 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 315 Hr	5191	2011 Skyjack SJ4632 Electric Scissor Lift S/N: 70008818 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 408 Hr
5183	2014 Skyjack SJ4632 Electric Scissor Lift S/N: 70018165 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5192	2011 Skyjack SJ-4632 Electric Scissor Lift S/N: 70008816 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 434 Hr
5184	2013 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70015119 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 242 Hr	5193	2011 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70008819 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 462 Hr
5185	2013 Skyjack SJ4632 Electric Scissor Lift S/N: 70015815 C/W: 32 ft 0 in Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 275 Hr	5194	2008 Skyjack SJ4632 Electric Scissor Lift S/N: 70003550 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 488 Hr
5186	2013 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70015125 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 286 Hr	5195	2008 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70003487 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 528 Hr
5187	2013 Skyjack SJ4632 Electric Scissor Lift S/N: 70013378 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 320 Hr	5196	2008 Skyjack SJ4632 Electric Scissor Lift S/N: 70003442 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 571 Hr
5188	2012 Skyjack SJ4632 Electric Scissor Lift S/N: 70011250 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 287 Hr	5197	2007 Skyjack SJIII 4632 Electric Scissor Lift S/N: 718252 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 611 Hr

Lot #	Details	Lot #	Details
5198	2013 Genie GS-3246 Electric Scissor Lift S/N: GS4613A-115444 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 411 Hr	5207	2016 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-000102 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 303 Hr
5199	2013 Genie GS-3246 Electric Scissor Lift S/N: GS4613A-115850 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 555 Hr	5208	2016 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-000171 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 324 Hr
5200	2016 JLG 3246ES Electric Scissor Lift S/N: 0200258300 C/W: 31.75 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 59 Hr	5209	2013 Genie GS-2646 Electric Scissor Lift S/N: GS4613A-115453 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 394 Hr
5201	2018 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-181000981 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 194 Hr	5211	2015 Skyjack SJIII-4626 Electric Scissor Lift S/N: 70024519 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr
5202	2018 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-180800939 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 267 Hr	5212	2014 Skyjack SJ4626 Electric Scissor Lift S/N: 70020839 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 183 Hr
5203	2017 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-170300455 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 149 Hr	5213	2013 Skyjack SJIII-4626 Electric Scissor Lift S/N: 70016804 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 281 Hr
5204	2017 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-170300445 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: Not Available	5214	2013 Skyjack SJ4626 Electric Scissor Lift S/N: 70016805 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 340 Hr
5205	2017 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-170900629 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5216	2016 JLG 2632ES Electric Scissor Lift S/N: M200004081 C/W: 25 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 185 Hr
5206	2016 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-000167 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 249 Hr	5217	2017 Genie GS-2632 Electric Scissor Lift S/N: GS32P-150458 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 252 Hr

Lot #	Details	Lot #	Details
5218	2013 Genie GS-2632 Electric Scissor Lift S/N: GS3213A-116871 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 219 Hr	5228	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190801541 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 120 Hr
5219	2013 Genie GS-2632 Electric Scissor Lift S/N: GS3213A-117512 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 294 Hr	5229	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200934 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 132 Hr
5220	2013 Genie GS-2632 Electric Scissor Lift S/N: GS3213A-116655 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 427 Hr	5230	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-01-190600596 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 132 Hr
5221	2020 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-200102095 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 130 Hr	5231	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200946 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 146 Hr
5222	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190801503 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5232	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190501161 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 151 Hr
5223	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190501096 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5233	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190801519 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 155 Hr
5224	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200933 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 49 Hr	5234	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190701420 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 156 Hr
5226	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-01-190500542 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 97 Hr	5235	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190300950 C/W: 26 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 161 Hr
5227	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190701388 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 22 Hr	5236	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200937 C/W: 26 ft Max Lift Height, 5500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 179 Hr

Lot #	Details	Lot #	Details
5237	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190801548 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 198 Hr	5247	2015 Skyjack SJ3226 Electric Scissor Lift S/N: 27025130 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 147 Hr
5238	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190601196 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity Usage: 201 Hr	5248	2015 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27026094 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 187 Hr
5239	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200935 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 205 Hr	5249	2015 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27026647 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 216 Hr
5240	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-01-190500522 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 207 Hr	5250	2015 Skyjack SJIII-3226 Electric Scissor Lift S/N: 27026091 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 226 Hr
5241	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-190200947 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 250 Hr	5251	2015 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27026136 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 253 Hr
5242	2019 Snorkel S3226E Electric Scissor Lift S/N: S3226E-01-190500530 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 65,535 Hr	5253	2013 Skyjack SJIII-3226 Electric Scissor Lift S/N: 27016425 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 199 Hr
5243	2018 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-180900661 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 86 Hr	5254	2013 Skyjack SJ3226 Electric Scissor Lift S/N: 27016417 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 213 Hr
5244	2018 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-180900646 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 173 Hr	5255	2013 Skyjack SJ3226 Electric Scissor Lift S/N: 27016423 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 222 Hr
5245	2016 Snorkel S3226E Electric Scissor Lift S/N: S3226E-04-000167 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 31 Hr	5256	2013 Skyjack SJ3226 Electric Scissor Lift S/N: 27015987 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 274 Hr
5246	2017 Skyjack SJ3226 Electric Scissor Lift S/N: 27034277 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 179 Hr		

Lot #	Details	Lot #	Details
5257	2013 Skyjack SJ3226 Electric Scissor Lift S/N: 27015990 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 322 Hr	5267	2008 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27003502 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 457 Hr
5258	2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27010873 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 261 Hr	5268	2008 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27005130 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 473 Hr
5259	2012 Skyjack SJIII-3226 Electric Scissor Lift S/N: 27010869 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 283 Hr	5269	2005 Skyjack SJIII4620 Electric Scissor Lift S/N: 713404 C/W: 20 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 436 Hr
5260	2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27010872 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 364 Hr	5271	2014 Genie GS-2032 Electric Scissor Lift S/N: GS3214A-119938 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 230 Hr
5261	2009 Skyjack SJIII-3226 Electric Scissor Lift S/N: 27005031 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 289 Hr	5272	2014 Genie GS-2032 Electric Scissor Lift S/N: GS3214A-119974 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 252 Hr
5262	2009 Skyjack SJ3226 Electric Scissor Lift S/N: 27005399 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 341 Hr	5273	2014 Genie GS-2032 Electric Scissor Lift S/N: GS3214A-120005 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 273 Hr
5263	2009 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27005333 C/W: 26 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 363 Hr	5274	2014 Genie GS-2032 Electric Scissor Lift S/N: GS3214A-119940 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 297 Hr
5264	2009 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27005398 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 402 Hr	5276	2012 Genie GS-2032 Electric Scissor Lift S/N: GS3212A-112347 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 303 Hr
5266	2008 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27005028 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 402 Hr	5277	2012 Genie GS-2032 Electric Scissor Lift S/N: GS3212A-112335 C/W: 20 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 370 Hr

Lot #	Details	Lot #	Details
5278	2006 Genie GS-2032 Electric Scissor Lift S/N: GS3206-78774 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 569 Hr	5288	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305357 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 7 Hr
5279	2005 Genie GS2032 Electric Scissor Lift S/N: GS3206-78786 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 503 Hr	5289	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180505735 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 88 Hr
5280	Genie GS-2032 Electric Scissor Lift S/N: 78833 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 628 Hr	5290	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180605839 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 119 Hr
5281	2016 Skyjack SJIII-3220 Electric Scissor Lift S/N: 60005386 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 174 Hr	5291	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305359 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 145 Hr
5282	2016 Skyjack SJIII 3220 Electric Scissor Lift S/N: 60006367 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 208 Hr	5292	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180505729 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 157 Hr
5284	2006 Skyjack SJIII-3220 Electric Scissor Lift S/N: 619974 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 365 Hr	5293	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305337 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 187 Hr
5285	2006 Skyjack SJIII 3220 Electric Scissor Lift S/N: 619979 C/W: Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 325 Hr	5294	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180505733 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 194 Hr
5286	2006 Skyjack SJ3220 Electric Scissor Lift S/N: 619945 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 389 Hr	5295	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180605841 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 196 Hr
5287	2019 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-190908437 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 61 Hr	5296	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180605918 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 213 Hr
		5297	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305368 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 215 Hr

Lot #	Details	Lot #	Details
5298	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305364 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 227 Hr	5308	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170904354 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 213 Hr
5299	2018 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-180305339 C/W: 26 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 254 Hr	5309	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170904348 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 272 Hr
5300	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-171004668 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5310	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170603710 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Solid Non-Marking Tires Usage: 329 Hr
5301	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170904345 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: Not Available	5311	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001690 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 256 Hr
5302	Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170704030 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 20 Hr	5312	2016 (unverified) Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001702 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 848 Hr
5303	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170904358 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 51 Hr	5313	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001866 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 935 Hr
5304	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170303331 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 74 Hr	5314	2016 (unverified) Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001700 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,034 Hr
5305	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170303324 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 141 Hr	5315	2016 Snorkel S3219E Electric 4x4 Scissor Lift S/N: S3219E-04-001895 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,053 Hr
5306	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170403388 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 178 Hr	5316	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001582 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,314 Hr
5307	2017 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-170603713 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 182 Hr		

Lot #	Details	Lot #	Details
5317	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001651 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 2,633 Hr	5328	Skyjack SJIII 3219 Electric Scissor Lift S/N: 22046067 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 198 Hr
5320	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22078339 C/W: 19 ft 0 in Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 154 Hr	5329	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22045829 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 205 Hr
5321	2014 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22066294 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 150 Hr	5330	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22047499 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 206 Hr
5322	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22055584 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 153 Hr	5331	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22035791 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 417 Hr
5323	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22046032 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 163 Hr	5332	2012 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22035847 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 167 Hr
5324	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22045821 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 181 Hr	5333	2012 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22033042 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 258 Hr
5325	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22046027 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 183 Hr	5334	2012 Skyjack SJIII 3219 Electric Scissor Lift S/N: 22035795 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 253 Hr
5326	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22046005 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 186 Hr	5335	2012 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22035796 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 269 Hr
5327	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22046018 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 197 Hr	5336	2014 JLG 1932RS Electric Scissor Lift S/N: 200226821 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 268 Hr

Lot #	Details	Lot #	Details
5337	2014 JLG 1932RS Electric Scissor Lift S/N: 0200226832 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 312 Hr	5346	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-127456 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 349 Hr
5338	2014 JLG 1932RS Electric Scissor Lift S/N: 0200226828 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 395 Hr	5347	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-132940 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 313 Hr
5339	2014 JLG 1932RS Electric Scissor Lift S/N: 200226829 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 326 Hr	5348	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-137070 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 385 Hr
5340	2015 JLG 1930ES Electric Scissor Lift S/N: 0200250415 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 298 Hr	5349	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-134433 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 388 Hr
5341	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-127042 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 353 Hr	5350	2013 (unverified) Genie GS-1930 Electric Scissor Lift S/N: GS3014A-127461 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 354 Hr
5342	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-133189 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 392 Hr	5351	2013 (unverified) Genie GS-1930 Electric Scissor Lift S/N: GS3013A-125613 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 222 Hr
5343	2013 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-132767 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 447 Hr	5352	2013 Genie GS-1930 Electric Scissor Lift S/N: GS3013A-123751 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5344	2014 (unverified) Genie GS-1930 Electric Scissor Lift S/N: GS3014A-127453 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 349 Hr	5353	2013 Genie GS-1930 Electric Scissor Lift S/N: GS3013A-123729 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 491 Hr
5345	2014 Genie GS-1930 Electric Scissor Lift S/N: GS3014A-128217 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 351 Hr		

Lot #	Details	Lot #	Details
5354	2013 Genie GS-1930 Electric Scissor Lift S/N: GS3013A-126954 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 683 Hr	5363	2016 Hybrid HB1430 Electric Scissor Lift S/N: D02-13238 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5355	2013 Genie GS-1930 Electric Scissor Lift S/N: GS3013A-118503 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 808 Hr	5364	2016 Hybrid HB1430 Electric Scissor Lift S/N: D02-13159 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 139 Hr
5356	2012 Genie GS-1930 Electric Scissor Lift S/N: GS3012A-117395 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 124 Hr	5365	2016 Hybrid HB1430 Electric Scissor Lift S/N: D02-13353 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 94 Hr
5357	Snorkel S3215L Electric Scissor Lift S/N: S3215L-11-210400326 C/W: 15 ft 0 in Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 5 Hr	5366	2016 Hybrid HB1430 Electric Scissor Lift S/N: D02-13372 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 179 Hr
5358	2020 Snorkel S3215L Electric Scissor Lift S/N: S3215L-11-200100202 C/W: 15 ft Max Lift Height, 670 lb Max Weight Capacity, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 54 Hr	5367	2016 Hybrid HB1430 Electric Scissor Lift S/N: D02-13156 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 187 Hr
5359	2017 (unverified) Hybrid HB-1430 Electric Scissor Lift S/N: D02-14115 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 141 Hr	5368	Hybrid HB1430 Electric Scissor Lift S/N: Not Available C/W: 14 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 251 Hr
5360	2017 Hybrid HB1430 Electric Scissor Lift S/N: D02-13794 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 190 Hr	5369	2017 MEC 1330SE Electric Scissor Lift S/N: 16300503 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5361	2017 Hybrid HB1430 Electric Scissor Lift S/N: D02-14005 C/W: 14 ft Max Lift Height, 300 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 204 Hr	5370	2017 MEC 1330SE Electric Scissor Lift S/N: 16300964 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 4 Hr
5362	2017 Hybrid HB1430 Electric Scissor Lift S/N: D02-13991 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 238 Hr	5371	2016 MEC 1330SE Electric Scissor Lift S/N: 16300128 C/W: 13 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 153 Hr

Lot #	Details	Lot #	Details
5372	2016 MEC 1330SE Electric Scissor Lift S/N: 16300261 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5382	2013 Genie AWP-40S Vertical Mast Lift S/N: AWP13-78218 C/W: 40 ft 4 in Max Lift Height, 300 lb Max Weight Capacity, Power to Platform, Stabilizers Usage: Not Available
5373	2016 MEC 1330SE Electric Scissor Lift S/N: 16300148 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5384	2017 JLG 25AM Electric Vertical Mast Lift S/N: 0900037165 C/W: 25.2 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available
5374	2016 MEC 1330SE Electric Scissor Lift S/N: 16300170 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5386	2017 Snorkel MB20J Vertical Mast Lift S/N: MB20J-01-170200036 Usage: 74 Hr
5375	2016 Hybrid HB1030 Electric Scissor Lift S/N: D01-13050 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 159 Hr	5387	2017 JLG 20MVL Electric Vertical Mast Lift S/N: 0130030877 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 103 Hr
5376	2016 Hybrid HB1030 Electric Scissor Lift S/N: D01-13046 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 169 Hr	5388	2017 JLG 20MVL Electric Vertical Mast Lift S/N: 0130030049 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 126 Hr
5377	2005 Hybrid HB1030 Electric Scissor Lift S/N: 52780 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 24 Hr	5389	2017 JLG 20MVL Electric Vertical Mast Lift S/N: 0130030460 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 226 Hr
5378	2019 Snorkel S3010P Electric Scissor Lift S/N: S3010P-01-190602447 C/W: 10 ft Max Lift Height, 430 lb Max Weight Capacity, Non-Marking Tires, Upper Control Box Usage: Not Available	5390	2017 (unverified) JLG 20MVL Electric Vertical Mast Lift S/N: 0130030345 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 258 Hr
5379	2019 Snorkel S3008P Electric Scissor Lift S/N: S3008P-01-190600413 C/W: 8 ft 0 in Max Lift Height, 486 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	5391	2016 JLG 20MVL Electric Vertical Mast Lift S/N: 0130024156 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 24 Hr
5380	2017 Snorkel S3008P Electric Scissor Lift S/N: S3008P-11-170100044 C/W: 8 ft Max Lift Height, 500 lb Max Weight Capacity, Non-Marking Tires, Upper Control Box Usage: Not Available	5392	2016 JLG 20MVL Electric Vertical Mast Lift S/N: 0130025736 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires Usage: 40 Hr
5381	2016 Snorkel S3008P Electric Scissor Lift S/N: S3008P-11-161200041 C/W: 8.4 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	5393	2016 JLG 20MVL Electric Vertical Mast Lift S/N: 0130028458 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 235 Hr

Lot #	Details	Lot #	Details
5394	2016 JLG 20MVL Electric Vertical Mast Lift S/N: 0130028334 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 235 Hr	5404	2012 JLG 20MVL Electric Vertical Mast Lift S/N: 0130017412 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 482 Hr
5395	2016 JLG 20MVL Electric Vertical Mast Lift S/N: 0130026713 C/W: 19 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 242 Hr	5405	2012 JLG 20MVL Electric Vertical Mast Lift S/N: 0130017641 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Solid Non-Marking Tires Usage: 154 Hr
5396	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023257 C/W: 19 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 125 Hr	5406	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-45211 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 120 Hr
5397	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023095 C/W: 19 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr	5407	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-44704 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 160 Hr
5398	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023111 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 247 Hr	5408	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-44740 C/W: 19 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 199 Hr
5399	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023156 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 272 Hr	5409	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GR16P-45220 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 206 Hr
5400	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023115 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 320 Hr	5410	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-44718 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 219 Hr
5401	2015 JLG 20MVL Electric Vertical Mast Lift S/N: 0130023068 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5411	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GR16P-43423 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 245 Hr
5402	2014 JLG 20MVL Electric Vertical Mast Lift S/N: 0130020821 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5412	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-45018 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 333 Hr
5403	2012 JLG 20MVL Electric Vertical Mast Lift S/N: 0130017575 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 390 Hr		

Lot #	Details	Lot #	Details
5413	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GR16P-45206 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 362 Hr	5424	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GR12-22206 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 419 Hr
5415	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GR16P-41710 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 373 Hr	5425	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GR12-22221 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 447 Hr
5416	2016 Genie GR-20 Electric Vertical Mast Lift S/N: GRP-44907 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 430 Hr	5426	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GR12-22204 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 452 Hr
5418	2015 Genie GR-20 Electric Vertical Mast Lift S/N: GR15-38219 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 225 Hr	5427	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GR12-22210 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 500 Hr
5419	2015 Genie GR-20 Electric Vertical Mast Lift S/N: GR15-38643 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 269 Hr	5428	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GF12-22218 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5420	2014 Genie GR-20 Electric Vertical Mast Lift S/N: GR14-29285 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 312 Hr	5429	2010 Genie GR-20 Electric Vertical Mast Lift S/N: GR10-15122 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 417 Hr
5421	2013 Genie GR-20 Electric Vertical Mast Lift S/N: GR13-28152 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 72 Hr	5430	2009 Genie GR-20 Electric Vertical Mast Lift S/N: GR09-13542 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 474 Hr
5422	2013 Genie GR-20 Electric Vertical Mast Lift S/N: GR13-28295 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 382 Hr	5431	2009 Genie GR-20 Electric Vertical Mast Lift S/N: GR09-13541 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 496 Hr
5423	2012 Genie GR-20 Electric Vertical Mast Lift S/N: GR12-22220 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 59 Hr	5433	2009 Genie GR20 Electric Vertical Mast Lift S/N: GR09-13539 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 563 Hr
		5434	2008 Genie GR-20 Electric Vertical Mast Lift S/N: GR08-11595 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 469 Hr

Lot #	Details	Lot #	Details
5435	2008 Genie GR-20 Electric Vertical Mast Lift S/N: GR08-10615 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 568 Hr	5445	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004408 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 157 Hr
5436	2007 Genie GR-20 Electric Vertical Mast Lift S/N: GR07-10002 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 182 Hr	5446	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004443 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 181 Hr
5437	2007 Genie GR-20 Electric Vertical Mast Lift S/N: 10004 C/W: 19 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 544 Hr	5447	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004444 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 192 Hr
5438	Genie GR20 Electric Vertical Mast Lift S/N: Not Available C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 376 Hr	5448	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004419 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 218 Hr
5439	2009 Genie IWP-20S Vertical Mast Lift S/N: IWP09-8220 C/W: 20 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Upper Control Box Usage: Not Available	5449	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004399 C/W: 16 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires Usage: 240 Hr
5440	2021 Snorkel TM16E Electric Vertical Mast Lift S/N: TM16E-11-210100170 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 100 Hr	5450	2013 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14002448 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 210 Hr
5441	2020 Snorkel TM16E Electric Vertical Mast Lift S/N: TM16E-11-200500108 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 145 Hr	5451	2013 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14002524 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 293 Hr
5442	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008639 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 119 Hr	5452	2012 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14001701 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr
5443	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004409 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 20 Hr	5453	2012 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14001707 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 228 Hr
5444	2014 Skyjack SJ16 Electric Vertical Mast Lift S/N: 14004403 Usage: 154 Hr		

Lot #	Details	Lot #	Details
5454	Skyjack SJ16 Electric Vertical Mast Lift S/N: Not Available C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 219 Hr	5464	2019 Snorkel TM12E Electric Vertical Mast Lift S/N: TM12E-11-190700368 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 27 Hr
5455	Bravi Leonardo HD Electric Vertical Mast Lift S/N: Not Available C/W: 16 ft 6 in Max Lift Height, 180 kg Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5465	2019 Snorkel TM12E Electric Vertical Mast Lift S/N: TM12E-11-190700367 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 113 Hr
5456	2017 Genie GR-15 Electric Vertical Mast Lift S/N: GRP-49039 C/W: 14 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 209 Hr	5466	2019 Snorkel TM12E Electric Vertical Mast Lift S/N: TM12E-11-190700366 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 156 Hr
5457	2008 Genie GR-15 Electric Vertical Mast Lift S/N: GR08-10620 C/W: 15 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 437 Hr	5467	2019 Snorkel TM12E Electric Vertical Mast Lift S/N: TM12E-11-191100472 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 216 Hr
5458	2008 Genie GR-15 Electric Vertical Mast Lift S/N: GR08-10630 C/W: 15 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 487 Hr	5468	2018 Snorkel TM12 Electric Vertical Mast Lift S/N: TM12-01-180701974 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 238 Hr
5459	2008 Genie GR15 Electric Vertical Mast Lift S/N: GR08-11631 C/W: 14 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 533 Hr	5469	2015 Snorkel TM12 Electric Vertical Mast Lift S/N: TM12-01-060444 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 349 Hr
5460	2008 Genie GR-15 Electric Vertical Mast Lift S/N: GR08-10616 C/W: 15 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 546 Hr	5470	2015 Snorkel TM12 Electric Vertical Mast Lift S/N: TM12-01-060617 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 393 Hr
5461	2008 Genie GR-15 Electric Vertical Mast Lift S/N: GR08-10614 C/W: 15 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 563 Hr	5471	2015 Snorkel TM12 Electric Vertical Mast Lift S/N: TM12-01-060438 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires, Upper Control Box Usage: 444 Hr
5462	2008 Genie GR-15 Electric Vertical Mast Lift S/N: GR08-11630 C/W: 14 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 511 Hr	5472	2016 JLG 1230ES Electric Vertical Mast Lift S/N: 0130027615 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Upper Control Box Usage: 231 Hr
5463	2020 Snorkel TM12E Electric Vertical Mast Lift S/N: TM12E-11-200100500 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 27 Hr	5473	2016 JLG 1230ES Electric Vertical Mast Lift S/N: 0130026750 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 241 Hr

Lot #	Details	Lot #	Details
5474	2016 (unverified) JLG 1230ES Electric Vertical Mast Lift S/N: 0130028232 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 261 Hr	5485	2013 JLG 1230ES Electric Vertical Mast Lift S/N: 0200218644 C/W: 12 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 492 Hr
5476	2016 JLG 1230ES Electric Vertical Mast Lift S/N: 0130028233 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 358 Hr	5486	2012 JLG 1230ES Electric Vertical Mast Lift S/N: 0200206869 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 435 Hr
5477	2016 (unverified) JLG 1230ES Electric Vertical Mast Lift S/N: 0130028229 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 374 Hr	5487	2012 JLG 1230ES Electric Vertical Mast Lift S/N: 0200206170 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 534 Hr
5478	2016 JLG 1230ES Electric Vertical Mast Lift S/N: M130000279 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 377 Hr	5488	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008793 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 140 Hr
5479	2015 JLG 1230ES Electric Vertical Mast Lift S/N: '0200248987 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 136 Hr	5489	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008782 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 140 Hr
5480	2014 JLG 1230ES Electric Vertical Mast Lift S/N: 0200230260 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 96 Hr	5490	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008792 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 140 Hr
5481	2014 JLG 1230ES Electric Vertical Mast Lift S/N: '0200227104 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 263 Hr	5491	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008794 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 172 Hr
5482	2014 JLG 1230ES Electric Vertical Mast Lift S/N: 0200226997 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 444 Hr	5492	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008507 C/W: 12 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires Usage: 234 Hr
5483	2014 JLG 1230ES Electric Vertical Mast Lift S/N: 0200235027 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5493	2017 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008791 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5484	2013 JLG 1230ES Electric Vertical Mast Lift S/N: 0200221166 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 377 Hr	5494	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14007823 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available

Lot #	Details	Lot #	Details
5495	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14007821 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 142 Hr	5505	2015 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14006872 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 233 Hr
5497	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14007107 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 177 Hr	5506	2015 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14006867 C/W: 12 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires Usage: 284 Hr
5498	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14007043 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 193 Hr	5507	2013 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14002226 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 237 Hr
5499	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008606 C/W: 12 ft 0 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires Usage: 240 Hr	5508	2013 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14002229 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 239 Hr
5500	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14008516 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 258 Hr	5509	2012 Skyjack SJ12 Vertical Mast Lift S/N: 14001710 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 159 Hr
5501	2016 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14007039 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 263 Hr	5510	2012 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14001700 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 200 Hr
5502	2015 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14006375 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 149 Hr	5511	2012 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14001502 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 283 Hr
5503	2015 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14006377 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 186 Hr	5512	2012 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14001279 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Non-Marking Tires Usage: 424 Hr
5504	2015 Skyjack SJ12 Electric Vertical Mast Lift S/N: 14006379 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 199 Hr	5513	Skyjack SJ12 Electric Vertical Mast Lift S/N: Not Available C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available

Lot #	Details	Lot #	Details
5514	Skyjack SJ12 Electric Vertical Mast Lift S/N: Not Available C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 345 Hr	5523	2015 Toyota 8FGU25 3950 lb Cushion Tire Forklift S/N: 8FGU25-65131 C/W: 3 Stage Mast, 189 in Max Lift Height, 73 in Lowered Mast Height, 48 in Forks, Side Shift, Load Weigh System, 2015 US EPA Label, Toyota 4yECS 38 kW 2.2 L Gasoline Engine Usage: 3,352 Hr
5515	2014 Genie GR-12 Electric Vertical Mast Lift S/N: GR14-30300 C/W: 11 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 216 Hr	5524	2015 Toyota 8FGU25 3950 lb Cushion Tire Forklift S/N: 64898 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 72 in Forks, Side Shift, Load Weigh System, 2015 US EPA Label, Toyota 4yECS 38 kW 2.2 L Gasoline Engine Usage: 3,764 Hr
5516	2013 Genie GR-12 Electric Vertical Mast Lift S/N: GR13-25848 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5525	2013 Hyster H40FTS 3800 lb Cushion Tire Forklift S/N: F001V04670L C/W: 3 Stage Mast, Full Free Lift, 175.2 in Max Lift Height, 80 in Lowered Mast Height, 41 in Forks, Side Shift, 2012 US EPA Label, Yanmar 4 Cylinder Diesel Engine Usage: 29 Hr
5517	2009 Doosan G45S-5 8700 lb Cushion Tire Forklift S/N: NB-00240 C/W: 3 Stage Mast, 185 in Max Lift Height, 91 in Lowered Mast Height, 60 in Forks, Side Shift, US EPA Label, Vortec 4.3 L LPG Engine Usage: 1,750 Hr	5526	2013 Hyster H50FT 4500 lb Pneumatic Tire Forklift S/N: L177V14495L C/W: 240.2 in Max Lift Height, 87 in Lowered Mast Height, 42 in Forks, Side Shift, 2012 US EPA Label, Yanmar 4 Cylinder 2.6 L Diesel Engine Usage: 2,543 Hr
5519	2016 Hyster H50CT 4600 lb Cushion Tire Forklift S/N: B274V01959P C/W: 3 Stage Mast, 188 in Max Lift Height, 87 in Lowered Mast Height, 48 in Forks, Side Shift, Load Weigh System, 2016 US EPA Label, PSI 4 Cylinder 2.4 L Gasoline Engine Usage: Not Available	5527	2015 Toyota 8FGU25 3950 lb Pneumatic Tire Forklift S/N: 8FGU25-70892 C/W: 3 Stage Mast, 189 in Max Lift Height, 73 in Lowered Mast Height, 72 in Forks, Side Shift, Load Weigh System, 2015 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.2 L Gasoline Engine Usage: 3,297 Hr
5520	2013 Hyster H50FT 4500 lb Cushion Tire Forklift S/N: L177V14483L C/W: 4 Stage Mast, 240 in Max Lift Height, 81 in Lowered Mast Height, 42 in Forks, Side Shift, 2012 US EPA Label, Yanmar 4TNE92 2.6 L Diesel Engine Usage: 2,076 Hr	5528	2013 Hyster H40FTS 3800 lb Pneumatic Tire Forklift S/N: F001V04668L C/W: 3 Stage Mast, 175.2 in Max Lift Height, 80 in Lowered Mast Height, 48 in Forks, Side Shift, 2012 US EPA Label, Yanmar 4 Cylinder 2.6 L Diesel Engine Usage: 2,392 Hr
5521	2015 Toyota 8FGU25 3950 lb Cushion Tire Forklift S/N: 64926 C/W: 3 Stage Mast, 189 in Max Lift Height, 73 in Lowered Mast Height, 72 in Forks, Side Shift, Load Weigh System, 2015 US EPA Label, Toyota 4yECS 2.2 L Gasoline Engine Usage: 3,554 Hr	5529	2014 (unverified) Heli CPD25-FJ2 4292 lb Electric Cushion Tire Forklift S/N: 050250Q1958 C/W: 3 Stage Mast, 188 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift Usage: 1,224 Hr
5522	2015 Toyota 8FGU25 3950 lb Cushion Tire Forklift S/N: 65118 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, Forks, Side Shift, Load Weigh System, 2015 US EPA Label, Toyota 4yECS 38 kW 2.2 L Gasoline Engine Usage: 3,194 Hr	5530	2018 Ditch Witch SK800 Mini Compact Track Loader S/N: DWPSK800CJ0001039 C/W: Joystick Steering, Tier 4, 2018 US EPA Label, Positive Air Shutoff Usage: 1,131 Hr

Lot #	Details	Lot #	Details
5531	2018 Vermeer RTX130 Walk-Behind Trencher S/N: 1VR5071PXJ1000612 C/W: Hydrostatic Drive, 2018 US EPA Label, Honda 1 Cylinder 10 hp Gasoline Engine Usage: 82 Hr	5545	2017 (unverified) Tennant S-30 Ride-On Floor Sweeper S/N: S30-8413 C/W: 45 in Working Width, 12 Volt Operating System PSI 4 Cylinder 2.0 L LPG Engine Usage: 413 Hr
5532	2018 Ditch Witch C14 Walk-Behind Trencher S/N: DWPC14XXVJ0000372 C/W: Hydrostatic Drive, 2018 US EPA Label, Briggs & Stratton CR2100 1 Cylinder 420 cc Gasoline Engine, 4 in Wide x 42 in Long Usage: 270 Hr	5546	2017 Nilfisk SC8000 Ride-On Floor Scrubber S/N: 1000064456 C/W: 43 in Working Width, Water System, Rear Squeegee, Kubota 4 Cylinder LPG Engine Usage: 693 Hr
5535	2018 Felling FT-10 T-S 5080 lb 14 ft T/A Tilt Deck Trailer S/N: 5FTBE1923J1005652 C/W: 9980.0 lb GVWR, Lunette Ring Hitch, Surge Brakes, 79 in Deck Width, 225/75R15 Tires Usage: Not Available	5547	2018 Generac Magnum MMG75D 60 kW Mobile Generator Set S/N: 3003206960 C/W: 75 kVA/60 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 60 kVA,/60 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tier 4, 2018 US EPA Label, John Deere 4.5 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 5,306 Hr
5536	2018 Towmaster T-12HD Dump Utility Trailer S/N: 4KNUT1227JL160168 C/W: 15700 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, Honda GX270 Gasoline Engine Usage: Not Available	5548	2018 Generac Magnum MDG75 60 kW Mobile Generator Set S/N: 7FSPT1523JB509350 C/W: 60 kVA/60 kW Rated 3 Phase Output, 240 V / 208 V Rated Voltage, 75 kVA,/60 kW, Rated Single Phase Output, 208 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tier 4, 2018 US EPA Label, John Deere 4.5 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 5,727 Hr
5537	2017 Taylor B5-440-48 Electric Utility Cart S/N: 207839 C/W: Open Operator Station, 2 Passenger Usage: 734 Hr	5549	2018 (unverified) Generac MMG75D 62 kW Mobile Generator Set S/N: 7FSPG1321JB791933 C/W: 62 kVA/62 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 56 kVA,/56 kW, Rated Single Phase Output, 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, 2014 US EPA Label, CARB Compliant, John Deere 4045HFG92D 4 Cylinder 4.5 L Diesel Engine, T /A Trailer, Lunette Ring, Surge Brakes Usage: 8,305 Hr
5538	2015 Taylor B0-248-36 Electric Utility Cart S/N: 200605 C/W: Open Operator Station, 2 Passenger Usage: 1,096 Hr	5550	2017 Generac MMG75D 62 kW Mobile Generator Set S/N: 3001677041 C/W: 77 kVA/62 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 56 kVA,/56 kW, Rated Single Phase Output, 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, 2014 US EPA Label, CARB Compliant, John Deere 4045HFG92D 4 Cylinder 4.5 L Diesel Engine, T /A Trailer, Lunette Ring, Surge Brakes Usage: 7,087 Hr
5539	2015 Taylor B0-248-36 4x2 Utility Cart S/N: 200601 C/W: Open Operator Station, 2 Passenger Usage: 1,249 Hr		
5540	2015 Taylor B0-248-36 Utility Cart S/N: 199391 C/W: Open Operator Station, 2 Passenger Usage: 1,482 Hr		
5541	2015 Taylor B2-48 Utility Cart S/N: 199395 C/W: Open Operator Station, 2 Passenger Usage: 2,776 Hr		
5542	2014 Taylor B0-015-00 Electric Utility Cart S/N: 197202 C/W: Open Operator Station, 2 Passenger Usage: 356 Hr		
5543	2018 Taylor Dunn SS-025-36 Utility Cart (Inoperable) S/N: 209661 C/W: Open Operator Station Usage: Not Available		
5544	2019 Club Car Tempo 2+2 Electric Golf Cart S/N: 983926 C/W: 48 Volt Battery Charger, 4 Passenger, Canopy, Windshield Usage: Not Available		

Lot #	Details	Lot #	Details
5551	2017 Generac Magnum MMG75D 56 kW Mobile Generator Set S/N: 7FSPG1321HB882579 C/W: 77 kVA/62 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 56 kVA,/56 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tier 4, US EPA Label, John Deere Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 12,498 Hr	5557	2018 Magnum Pro MMG35DF4 27 kW Mobile Generator Set S/N: 3003082914 C/W: 29 kVA/29 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 27 kVA,/27 kW, Rated Single Phase Output, 240 V / 113 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tier 4, John Deere 3 Cylinder Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 9,733 Hr
5552	2017 Wacker Neuson G70 58 kW Mobile Generator Set S/N: 4TCSU185XHH190473 C/W: 72 kVA/58 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 44 kVA,/44 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Tier 4, 2014 US EPA Label, Cummins Diesel Engine, T /A Trailer, Lunette Ring Usage: 3,115 Hr	5558	2016 Atlas Copco QAS25 20 kW Mobile Generator Set S/N: 4500G1118GR121119 C/W: 25 kVA/20 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, 240 V / 120 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, 2018 US EPA Label, Isuzu BZ-4LE2T 19 kW 2.2 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 5,808 Hr
5553	2016 Multiquip DCA70SSIU4F 40 kW Mobile Generator Set S/N: 5SLBG1424GL019384 C/W: 70 kVA/56 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, Tier 4, 2016 US EPA Label, Isuzu BR-4JJ1X 71 kW 3.0 L Diesel Engine, Requires Diesel Exhaust Fluid, T/A Trailer, Lunette Ring, Electric Brakes Usage: 5,803 Hr	5559	2012 Atlas Copco XAS1800JD7 Mobile Air Compressor S/N: 4500B2022CR090541 C/W: 1600 psi Working Pressure, 2012 US EPA Label, John Deere 6135HFC095 6 Cylinder 560 kW 13.5 L Diesel Engine Usage: 4,167 Hr
5554	2018 Wacker Neuson G50 60 kVA Mobile Generator Set S/N: 4TCSU185XHH190392 C/W: 38 kVA/48 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 32 kVA,/32 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, Tier 4, 4LE2806 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 4,601 Hr	5560	2014 (unverified) Kaeser M122 400 cfm Mobile Air Compressor S/N: 1066 C/W: 100 psi Working Pressure, 2012 US EPA Label, Deutz 4 Cylinder Diesel Engine Usage: 1,505 Hr
5555	2018 Atlas Copco QAS45T4FNB 36 kW Mobile Generator Set S/N: 4500G1114JR121741 C/W: 45 kVA/36 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, 45 kVA,/36 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, 2017 US EPA Label, Isuzu BP-4LE2X 19 kW 2.2 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 11,354 Hr	5561	2016 Rotair D185-T4F 185 cfm Mobile Air Compressor S/N: 1F91A1216GC445108 C/W: 102 psi Working Pressure, 2016 US EPA Label, Kohler 1.8 L Diesel Engine Usage: 1,141 Hr
5556	2018 Generac MMG45IF4 38 kW Mobile Generator Set S/N: 7FSBG1320JB567188 C/W: 38 kVA/47 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 33 kVA,/33 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, 2018 US EPA Label, Isuzu BP-4LE2X 4 Cylinder 49 kW Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 8,361 Hr	5562	2014 Allmand Bros. Night-Lite Pro II 8 kW Light Tower S/N: 2343PRO214 C/W: Tier 4, 2013 US EPA Label, Kubota D1105 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,193 Hr
		5563	2014 Allmand Night-Lite Pro II 6 kW Light Tower S/N: 2348PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Lunette Ring Usage: 2,670 Hr
		5564	2014 Allmand Bros. Night-Lite Pro II 8 kW Light Tower S/N: 2342PRO214 C/W: Tier 4, 2013 US EPA Label, Kubota D1105 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,305 Hr

Lot #	Details	Lot #	Details
5565	2014 Allmand Bros. Night-Lite Pro II 8 kW Light Tower S/N: 2374PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 12.6 kW 1.1 L Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 7,009 Hr	5574	2014 Allmand Night-Lite Pro II Light Tower S/N: 2347PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 11,927 Hr
5566	2014 Allmand Bros. Night-Lite Pro II 8 kW Light Tower S/N: 2350PRO214 C/W: 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,680 Hr	5575	2013 Allmand Night-Lite Pro II 7.5 kW Light Tower S/N: 0466PRO213 C/W: Tier 4, 2012 US EPA Label, Kubota d1005-big-et02 10.8 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 3,531 Hr
5567	2014 Allmand Night-Lite Pro II 7.5 kW Light Tower S/N: 2466PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 8,028 Hr	5576	2013 Allmand Night-Lite Pro II 8 kW Light Tower S/N: 3070PRO213 C/W: 2013 US EPA Label, Kubota DKBXL01.0BCC 3 Cylinder 10.8 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,721 Hr
5568	2014 Allmand Night-Lite Pro II 8 kW Light Tower S/N: 2361PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Lunette Ring Usage: 8,489 Hr	5577	2013 Allmand Bros. Night-Lite Pro II 7.5 kVA Light Tower S/N: 0194PRO213 C/W: Tier 4, 2012 US EPA Label, Kubota D1005 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 10,350 Hr
5569	2014 Allmand Night-Lite Pro II Light Tower S/N: 2465PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 10,875 Hr	5578	2013 Allmand Night-Light Pro II Light Tower S/N: 0196PRO213 C/W: Tier 4, 2012 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 13,743 Hr
5570	2014 Allmand Night-Lite Pro II Light Tower S/N: 2382PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 10,963 Hr	5579	2012 Allmand Night-Lite Pro II Light Tower S/N: 2003PRO212 C/W: Tier 4, 2011 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 13,454 Hr
5571	2014 Allmand Night-Lite Pro II Light Tower S/N: 2332PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 11,231 Hr	5580	2016 Allmand Night-Lite NL5000 8 kW Light Tower S/N: 06-000024 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,171 Hr
5572	2014 Allmand Night-Lite Pro II 8 kW Light Tower S/N: 2327PRO214 C/W: Tier 4, 2013 US EPA Label, Kubota 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 11,542 Hr	5581	2015 Wanco WLT Light Tower S/N: 5F13D1411F1002156 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,284 Hr
5573	2014 Allmand Bros. Night-Lite Pro II 8 kW Light Tower S/N: 2372PRO214 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 11,882 Hr	5582	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1413F1003373 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,496 Hr

Lot #	Details	Lot #	Details
5583	2015 Wanco WLTC4K 6 kW Light Tower S/N: 5F13D1417F1003408 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 1,641 Hr	5593	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D141XF1003368 C/W: Tier 4, 2015 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer Usage: 2,191 Hr
5584	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1414F1003415 C/W: Tier 4, 2015 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,844 Hr	5594	2015 (unverified) Wanco WLT 6 kW Light Tower S/N: 5F13D1418F1000601 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,296 Hr
5585	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D1418F1003398 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,850 Hr	5595	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1412F1003395 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,384 Hr
5586	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D1413F1003390 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,854 Hr	5596	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D141XF1003399 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,489 Hr
5587	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1416F1003402 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,858 Hr	5597	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1410F1003363 C/W: Tier 4, 2015 US EPA Label, Kubota D1105-BG-EF02 Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Lunette Ring Usage: 2,549 Hr
5588	2015 Wanco WLT 6 kW Light Tower S/N: 5F13D1410F1003377 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,940 Hr	5598	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D141XF1002169 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 2,552 Hr
5589	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1412F1002151 C/W: Tier 4, US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, S/A Trailer Usage: 2,084 Hr	5599	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1416F1002167 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,779 Hr
5590	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1411F1002142 C/W: Tier 4, 2015 US EPA Label, Kubota Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 2,087 Hr	5600	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D1416F1002170 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,824 Hr
5591	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1414F1000594 C/W: Tier 4, 2015 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,090 Hr	5601	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D141XF1000597 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,882 Hr
5592	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1418F1003370 C/W: Tier 4, US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,101 Hr	5602	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1414F1002149 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 3,213 Hr

Lot #	Details	Lot #	Details
5603	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1419F1000624 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,610 Hr	5613	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1412F1002165 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,823 Hr
5604	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1412F1002179 C/W: Tier 4, 2015 US EPA Label, Kubota D1105- BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 3,682 Hr	5614	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D141XF1002141 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,092 Hr
5605	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1413F1002160 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 3,916 Hr	5615	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1413F1000599 C/W: Tier 4, 2015 US EPA Label, Kubota D1005- BG-EF02 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,172 Hr
5606	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1418F1000596 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 3,984 Hr	5616	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1410F1003413 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 5,214 Hr
5607	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1417F1003392 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,000 Hr	5617	2015 Wanco WLT Light Tower S/N: 5F13D1417F1000623 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 5,262 Hr
5608	2015 Wanco WLT 6 kW Light Tower S/N: 5F13D1410F1003394 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,131 Hr	5618	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1410F1000625 C/W: Tier 4, 2015 US EPA Label, Kubota Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 6,237 Hr
5609	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1418F1003403 C/W: 2015 US EPA Label, Kubota D1105-BG- EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 4,190 Hr	5619	2015 Wanco WLT 6 kW Light Tower S/N: 5F13D1416F1000614 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1 L Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 6,311 Hr
5610	2015 (unverified) Wanco WLT Light Tower S/N: 5F13D1415F1003360 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,248 Hr	5620	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1415F1002161 C/W: Tier 4, 2015 US EPA Label, Kubota D1105- BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer Usage: 7,055 Hr
5611	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1410F1003380 C/W: Tier 4, 2015 US EPA Label, Kubota D1105- BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,362 Hr	5621	2015 Wanco WLTC4K 6 kVA Light Tower S/N: 5F13D1413F1002157 C/W: Tier 4, 2015 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,486 Hr
5612	2015 Wanco WLT 6 kVA Light Tower S/N: 5F13D1419F1000610 C/W: Tier 4, 2015 US EPA Label, Kubota D1005- BG-EF02 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 4,512 Hr	5622	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1416E1004905 C/W: Tier 4, 2014 US EPA Label, Kubota 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 1,820 Hr

Lot #	Details	Lot #	Details
5623	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D1413E1004909 C/W: Tier 4, 2015 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,990 Hr	5633	2014 Wanco WLT Light Tower S/N: 5F13D1416E1004418 C/W: Tier 4, 2014 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 8,958 Hr
5624	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1417E1004931 C/W: Tier 4, 2014 US EPA Label, Kubota 3 Cylinder 12.8 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 2,368 Hr	5634	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1410E1004916 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 8,964 Hr
5625	2014 Wanco WLT Light Tower S/N: 5F13D1414E1004921 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-bg-ef01 3 Cylinder 12.6 hp 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,817 Hr	5635	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D1417E1004900 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 10,520 Hr
5626	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1417E1004928 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Lunette Ring Usage: 3,964 Hr	5636	2014 (unverified) Wanco WLT Light Tower S/N: 5F13D1412E1004948 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 10,917 Hr
5627	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1412E1004951 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,774 Hr	5637	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D1411E1004956 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 11,078 Hr
5628	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D141XE1004924 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,074 Hr	5638	2014 (unverified) Wanco WLT Light Tower S/N: 5F13D1414E1004918 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 21,730 Hr
5629	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D1412E1004920 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 6,821 Hr	5639	2018 Magnum Pro MLT 3060 6 kW Light Tower S/N: 7FSBL1418JB961829 C/W: Tier 4, 2017 US EPA Label, Mitsubishi L3E 8 kW Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Reversible Hitch Usage: 3,391 Hr
5630	2014 (unverified) Wanco WLT Light Tower S/N: 5F13D1412E1004934 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 6,860 Hr	5640	2018 Generac Magnum MLT3060MV 6 kW Light Tower S/N: 7FSBL1410JB329018 C/W: 2017 US EPA Label, Mitsubishi L3E 8 kW 1.0 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,869 Hr
5631	2014 Wanco WLT 6 kW Light Tower S/N: 5F13D1410E1004902 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 7,356 Hr	5641	Generac Magnum Pro MLT 3060 6 kW Light Tower S/N: 3001929979 C/W: 2017 US EPA Label, Mitsubishi L3E 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,654 Hr
5632	2014 Wanco WLT 6 kVA Light Tower S/N: 5F13D1414E1004899 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 8,519 Hr	5642	2017 Generac MLT3060M 6 kW Light Tower S/N: 7FSBL1413HB967841 C/W: 2014 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,927 Hr

Lot #	Details	Lot #	Details
5643	2017 Generac MLT3060M 6 kVA Light Tower S/N: 7FSBL1414HB818760 C/W: 2016 US EPA Label, Mitsubishi L3E 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,238 Hr	5654	2014 Terex RL4 6 kW Light Tower S/N: 4ZJSA1413E1011488 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,244 Hr
5644	2017 Generac MLT3060 6 kW Light Tower S/N: 7FSBL1410HB941519 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, Single Lamp, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,513 Hr	5655	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1419E1011592 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,893 Hr
5645	2017 Generac MLT6SM 6 kW Light Tower S/N: 3002091545 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 1,062 Hr	5656	2014 Terex RL4 6 kVA Light Tower S/N: 4ZJSA1416E1011582 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,370 Hr
5646	2017 Generac MLT6SM 6 kW Light Tower S/N: 7FSBL101XHB234644 C/W: 2022 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 1,769 Hr	5657	2014 Terex RL4 6 kW Light Tower S/N: 4ZJSA1418E1011583 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,788 Hr
5647	2017 Generac MLT6SM 6 kW Light Tower S/N: 7FSBL1017HB124098 C/W: Tier 4, 2022 US EPA Label, Mitsubishi L3E-W 3 Cylinder 1.0 L Diesel Engine, Positive Air Shutoff, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 7,142 Hr	5658	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1419E1011589 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, S/A Trailer, Lunette Ring Usage: 3,253 Hr
5648	2017 Magnum Pro MLT6SM 6 kW Light Tower S/N: 7FSBL1012HB942290 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 8 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 7,410 Hr	5659	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1418E1011521 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,100 Hr
5649	2017 Generac MLT6SK-STD 6 kW Light Tower S/N: 7FSBL1010HB784693 C/W: Tier 4, 2017 US EPA Label, Kubota 3 Cylinder 18.9 kW Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,706 Hr	5660	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1413E1011491 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,487 Hr
5650	2015 Magnum Pro MLT6SM 6 kW Light Tower S/N: 5AJLS1014FB507051 C/W: Tier 4, 2019 US EPA Label, Mitsubishi L3E 8 kW 1.0 L Diesel Engine, Positive Air Shutoff, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,602 Hr	5661	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1416E1011484 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 8,764 Hr
5652	2017 Terex RL4 6 kW Light Tower S/N: RL4J-5955 C/W: 2017 US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,236 Hr	5662	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA141XE1011486 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 9,627 Hr
5653	2014 Terex RL4 6 kVA Light Tower S/N: 4ZJSA1410E1011478 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,067 Hr		

Lot #	Details	Lot #	Details
5663	2014 Terex RL-4 6 kW Light Tower S/N: 4ZJSA1417E1011591 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Lunette Ring Usage: 9,807 Hr	5673	2017 (unverified) Wanco WTLMB Solar Message Board S/N: 5F12S1617H1002065 C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available
5664	2014 Terex RL4 6 kW Light Tower S/N: 4ZJSA141E1011595 C/W: Tier 4, 2014 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 9,945 Hr	5674	2017 Wanco WTLMB Solar Message Board S/N: 5F12S1612H1003091 C/W: Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5665	2013 Terex RL-4 6 kW Light Tower S/N: 4ZJSA141XD1006657 C/W: Tier 4, 2012 US EPA Label, Kubota D1105-BG-ET01 Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,581 Hr	5675	2017 Wanco WTMMB Solar Message Board S/N: 5F12S161XH1002187 C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5666	2017 Wacker Neuson LTV6K 6.0 kW Light Tower S/N: 5XFLVO414HN000529 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 Diesel Engine, 4 Lamps, LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Reversible Hitch Usage: 3,390 Hr	5676	2017 Wanco WTMMB-MTO Solar Message Board S/N: 5F12S1612H1001745 C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available
5667	2018 (unverified) Wanco WTMMB Solar Message Board S/N: 5F12S161XJ1001126 C/W: Solar Powered, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5677	2016 Wanco WTLMB Solar Message Board S/N: 5F12S161XG1010269 C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available
5668	2018 (unverified) Wanco WTMMB Solar Message Board S/N: 5F12S161XJ1003362 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	5678	2015 Wanco WTLMB Message Board S/N: 5F12S1617F1000197 C/W: LED Lighting, S/A Trailer, Lunette Ring Usage: Not Available
5669	2018 Wanco WTMMB-A Solar Message Board S/N: 5F12S1613J1002425 C/W: Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available	5679	2014 (unverified) Addco DH1000-ALS Solar Message Board S/N: 4SEPN1611EM4SE062 C/W: LED Lighting, Solar Powered, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5670	2018 Wanco WTMMB-A Solar Message Board S/N: 5F12S1617J1002640 C/W: S/A Trailer, Ball Hitch Usage: Not Available	5680	2014 (unverified) Addco DH1000-ALS Solar Message Board S/N: 591896 C/W: LED Lighting, Solar Powered, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5671	2017 (unverified) Wanco Solar Message Board S/N: 5F12S121XH1004222 C/W: Hydraulic Raise and Lower, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5681	2014 ADDCO DH1000-ALS Solar Message Board S/N: 4SEPN1615DM4SE015 C/W: LED Lighting, Solar Powered, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available
5672	2017 (unverified) Wanco WTLMB Solar Message Board S/N: 5F12S1610H1003946 C/W: Solar Powered, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5683	2017 Wacker Neuson HI1000 890000 BTU Space Heater S/N: 24408104 C/W: Diesel Fueled, Tier 4, 2016 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,533 Hr

Lot #	Details	Lot #	Details
5684	2017 Wacker Neuson HI1000 890000 BTU Mobile Space Heater S/N: 24408115 C/W: Multi-Fuel Fueled, Single and 3 Phase, 115 V / 230 V Input, Tier 4, 2017 US EPA Label, Kubota 10.8 kW 1.0 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 8,157 Hr	5692	2016 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 5AEBR1617GH000110 C/W: Diesel Fueled, 2015 US EPA Label, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 2,534 Hr
5685	2015 Wacker Neuson HI1000 890000 BTU Space Heater S/N: 24288199 C/W: Diesel Fueled, Tier 4, 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 6,559 Hr	5693	2016 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 5AEBR1617GH000107 C/W: Diesel Fueled, 2015 US EPA Label, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 3,979 Hr
5686	2015 Wacker Neuson HI1000 890000 BTU Space Heater S/N: 24283635 C/W: Diesel Fueled, Tier 4, 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 6,163 Hr	5694	2016 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 5AEBR1613GH000105 C/W: Diesel Fueled, 2015 US EPA Label, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 4,071 Hr
5687	2015 Wacker Neuson HI1000 890000 BTU Space Heater S/N: 24288204 C/W: Diesel Fueled, Tier 4, 2015 US EPA Label, Kubota 3 Cylinder Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5695	2016 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 5AEBR1611GH000104 C/W: Diesel Fueled, 2015 US EPA Label, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 4,402 Hr
5688	Frost Fighter IDF1000 1000000 BTU Ground Heater S/N: 12018100011021 C/W: Diesel Fueled, Tier 4, 2012 US EPA Label, Kubota D1305-BG-ET02 3 Cylinder 1.3 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 848 Hr	5696	2016 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 5AEBR1610GH000109 C/W: Diesel Fueled, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 5,296 Hr
5689	2012 Allmand Bros. Maxi-Heat MH1000 1000000 BTU Ground Heater S/N: 0737MXH12 C/W: Diesel Fueled, 2014 US EPA Label, Cat 3 Cylinder 1.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,092 Hr	5697	2015 Allmand Bros. MH500-iQ 1030000 BTU Ground Heater S/N: 0092MH16 C/W: Diesel Fueled, 2015 US EPA Label, Isuzu 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 2,914 Hr
5690	2015 Wacker Neuson HI770XHD 770000 BTU Ground Heater S/N: 5XFCA161XFN000806 C/W: Kerosene Fueled, Single Phase, 120 V Input, Tier 4, US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 5,810 Hr	5698	2015 Wacker Neuson E5000 860000 BTU Ground Heater S/N: 5XFCS1528FN004506 C/W: Diesel Fueled, 115 V / 230 V Input, Tier 4, 2014 US EPA Label, CARB Compliant, Kubota D1503-M-BG-EF01 18.5 kW 1.5 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 4,271 Hr
5691	2012 Allmand Bros. Maxi-Heat 500000 BTU Ground Heater S/N: 0701MXH12 C/W: Diesel Fueled, Single Phase, 120 V Input, 2012 US EPA Label, Cat 3 Cylinder Diesel Engine, S/A Trailer Usage: 7,383 Hr	5699	Heat King HK500 414000 BTU Ground Heater S/N: 2EP330303H1021594 C/W: Diesel Fueled, 2018 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 6,617 Hr

Lot #	Details	Lot #	Details
5700	2019 (unverified) Flagro FVO-1000TR 39000 BTU Ground Heater S/N: 2T9T2HB28JS149318 C/W: Diesel Fueled, Single Phase, 115 V Input, Tier 4, 2018 US EPA Label, Yanmar 3 Cylinder 10.7 kW Diesel Engine, Positive Air Shutoff, T/A Trailer, Electric Brakes Usage: 2,630 Hr	5708	2017 Wacker Neuson E3000P 385000 BTU Ground Heater S/N: 24416468 C/W: Diesel Fueled, Single Phase, 120 V / 240 V Input, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 6,468 Hr
5701	2019 (unverified) Flagro FVO-1000TR 390000 BTU Electric Ground Heater S/N: 2T9T2HB26JS149317 C/W: Diesel Fueled, Single Phase, 115 V Input, Tier 4, 2018 US EPA Label, Yanmar 3 Cylinder 10.6 kW 1.26 L Diesel Engine, Positive Air Shutoff, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,809 Hr	5709	2016 Wacker Neuson E3000 385000 BTU Ground Heater S/N: 24344385 C/W: Diesel Fueled, Single Phase, 120 V / 240 V Input, Tier 4, 2015 US EPA Label, Kubota 2 Cylinder Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,758 Hr
5702	2017 Flagro FVO-1000TR 325000 BTU Mobile Space Heater S/N: 217-1007 C/W: Multi-Fuel Fueled, Single and 3 Phase, 120 V / 240 V Input, Tier 4, 2015 US EPA Label, Kubota d1105 12.6 kW 1.5 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 8,226 Hr	5710	2017 Frost Fighter IHS700LP/NG HED 700000 BTU Space Heater S/N: 1201342297 C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 230 V Input Usage: Not Available
5703	2017 Flagro FVO-1100TR 390000 BTU Mobile Space Heater S/N: 2T9T2HB21HS149218 C/W: Diesel Fueled, 120 V / 240 V Input, Tier 4, 2013 US EPA Label, Kubota D1005-BG-EF01 12.6 kW 1.1 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 8,619 Hr	5711	2017 Frost Fighter IHS700LP/NG HED 700000 BTU Space Heater S/N: 1201742019 C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 230 V Input Usage: Not Available
5704	2018 Heat King HK300 273000 BTU Ground Heater S/N: 2EP330301J1021728 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input, 2007 US EPA Label, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 784 Hr	5712	2017 Heat Wagon VG1000 1000000 BTU Ground Heater S/N: M7085 C/W: Natural Gas Fueled, Single Phase, 120 V / 240 V Input Usage: Not Available
5705	2014 Heat King HK300 273000 BTU Ground Heater S/N: 2EP330305E1021012 C/W: Furnace oil Fueled, Single Phase, 115 V Input, 2014 US EPA Label, Kubota Z482-D2-EF04 2 Cylinder 9.2 kW .47 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 7,343 Hr	5713	2017 Frost Fighter IHS700LP/NG HED 680000 BTU Skid Mounted Space Heater S/N: 1201342290 C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 230 V Input Usage: Not Available
5706	2017 Wacker Neuson E3000 Ground Heater S/N: 5XFCS1521HN003703 C/W: Diesel Fueled, Single Phase, 120 V / 240 V Input, Kubota Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 4,545 Hr	5714	Ice Frost Fighter IHS700LP/NG HED 700000 BTU Ground Heater S/N: Not Available C/W: Multi-Fuel Fueled, Single and 3 Phase, 230 V / 460 V Input Usage: Not Available
5707	2016 Wacker Neuson E3000 385000 BTU Ground Heater S/N: 24344382 C/W: Multi-Fuel Fueled, Single and 3 Phase, 115 V Input, Tier 4, 2019 US EPA Label, Kubota Z482 2 Cylinder 9.1 kW .71 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 6,254 Hr	5715	Ice Frost Fighter IHS700LP/NG HED 700000 BTU Ground Heater S/N: Not Available C/W: Furnace oil Fueled, Single and 3 Phase, 230 V / 460 V Input Usage: Not Available
		5716	Ice Frost Fighter IHS700LP/NG HED 700000 BTU Ground Heater S/N: Not Available C/W: Multi-Fuel Fueled, Single and 3 Phase, 230 V / 460 V Input Usage: 1 Hr

Lot #	Details	Lot #	Details
5717	2018 Miller Big Blue 500 Pro 50 A Mobile Multi-Process Engine Driven Welder S/N: 14DSB0511JC000354 C/W: Welding Leads Not Included, /240 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, 120 V / 240 V Rated Voltage, Tier 4, 2017 US EPA Label, Kubota v2403 4 Cylinder 48.9 hp Diesel Engine, S/A Trailer, Reversible Hitch Usage: 4,428 Hr	5730	2015 JCB HDB84 Skid Steer Dozer S/N: 2035070 Usage: Not Available
5718	2017 Miller Big Blue 500 Pro Mobile Multi-Process Engine Driven Welder S/N: MH250342R C/W: Welding Leads Not Included, 120 V / 240 V Rated Voltage, Tier 4, 2017 US EPA Label, Kubota V2403 4 Cylinder 48.9 hp 2.4 L Diesel Engine, S/A Trailer, Reversible Hitch Usage: 3,026 Hr	5731	2019 Paladin LAF6874-0022 Power Rake S/N: 1919047 C/W: Hydraulic Gate, QT Plate, Skids Steer Mount Usage: Not Available
5719	2019 Multiquip DLW-400ESA4 400 A Mobile Multi-Process Engine Driven Welder S/N: 5834028 C/W: Welding Leads Not Included, /14 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, 120 V / 240 V Rated Voltage, Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 18.2 kW .89 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 4,077 Hr	5733	2018 Norton C2024SS Walk-Behind Saw S/N: 17121702 C/W: 24 in Max Blade Diameter, Water Hose Connection, Manual Blade Raise / Lower, 2017 US EPA Label, CARB Compliant, Honda 2 Cylinder 688 cid Gasoline Engine Usage: 250 Hr
5720	Fisher 10 ft 2 Way Snow Plow S/N: 13110520064997100 Usage: Not Available	5734	2015 Greenlee 6800 Ultra Tugger Cable Puller S/N: 9513JR Usage: Not Available
5721	2018 Epiroc EC 140T Hydraulic Breaker S/N: DEQ181382 Usage: Not Available	5735	Ridgid 1224 Pipe Threader S/N: EB509070416 C/W: Single Phase Motor Usage: Not Available
5722	2018 Epiroc EC140TCL Hydraulic Breaker S/N: DEQ180567 Usage: Not Available	5736	Blastrac BS-110 Walk-Behind Floor Scraper S/N: 17987B C/W: 10 in Working Width, 110 Volt Operating System Usage: Not Available
5723	2018 Epiroc EC 135T Hydraulic Breaker S/N: DEQ180688 Usage: Not Available	5737	Ekso 105813 Zero G Tool Holder Arm S/N: Not Available Usage: Not Available
5724	2018 B&D Fabricators SB552 Hydraulic Breaker S/N: B94332 Usage: Not Available	5738	2015 Dillon AWT05-506308 Dynamometer S/N: DEDR3200059 Usage: Not Available
5725	2017 Striker TNB-6M Hydraulic Breaker S/N: 10380 Usage: Not Available		
5726	Hydraulic Breaker S/N: Not Available Usage: Not Available		
5727	2016 Atlas Copco SB452 Backhoe Hydraulic Breaker S/N: BES059979 C/W: Quick Coupler Bracket Usage: Not Available		
5728	Furukawa Backhoe Hydraulic Breaker S/N: F97064 Usage: Not Available		
5729	Skyjack Material Handling Arm S/N: Not Available Usage: Not Available		