

Maltby, GBR - Oct 10, 2023

Lot #	Details	Lot #	Details
8000	1999 JCB 537-135 Telehandler S/N: SLP53700XE0773511 C/W: Enclosed Cab, Load Moment Indicator, 13.5 m Max Lift Height, 3700 kg Max Lift Capacity, 950 mm Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, Tires Usage: 2,347 Hr	8005	2017 Scania R730 8x4 Twin-Steer Topline T/A Sleeper Truck Tractor S/N: YS2R8X40005450221 C/W: V8 Diesel 730 hp Engine, Requires AdBlue, Euro 6, Retarder, Automatic Transmission, Double Differential Locks, Right Hand Drive, Air Ride Cab, 385/65R22.5 Front Tires, 315/80R22.5 Rear Tires, Air Assist Front Suspension, Air Ride Suspension, 5400 mm Wheelbase, PTO, Auto Lube, STGO 3, 150,000 kg GVWR, Front & Rear Air Suspension, Retarder, Hydraulic Tipping Gear, 3" Trailer Coupling, Positive Steer Lift Axle, 2 x 400L Behind Cab Mounted Fuel Tank (800L), Behind Cab Storage Lockers, Ventilated & Heated/Air Conditioned Driver Seat, Full Leather, Fridge & Freezer, Microwave, CB Radio, 2 Way Radio, Bunk Beds, Rear View Camera, Fire Extinguishers, Rear Pin Hitch, Kelsa Light Bar Usage: 340,410 Mi
8001	2007 JCB 536-60 Agri Super Telehandler S/N: JCB5TCRJA81510005 C/W: Enclosed Cab, Air Conditioner, Load Moment Indicator, 6 m Max Lift Height, 3600 kg Max Lift Capacity, 1060 mm Forks, Hydraulic Coupler, Auxiliary Hydraulic Plumbing, Tires, Q/C, forks, aux hyd, A/C cab, 460/70R24 Usage: 15,655 Hr	8006	2016 Faymonville 5 Axle Extendable Lowboy Trailer S/N: YAFTL5009F0017883 C/W: Air Ride Suspension, Air Brakes, Steering 1st- 2nd- 3rd- 4th- 5th- Axle, 3700 mm Upper Deck, 2700 mm Usable Deck Width, Deck Over Tires, Hydraulic Ramps, 245/70R17.5 Tires, 5 Axle Fully Power Steering Axles, In-Cab Steering Remote Controlled Steering System, Front Lift Axle, 9m Minimum - 15m Maximum Lower Bed Length, Hydraulic Flip-Toe Ramps, 3" Pin, 24v Anderson Leads, Outriggers, Air Ride Suspension, Air Brakes Usage: Not Available
8002	2021 JCB 531-70 Telehandler S/N: JCB5AANGTM3060396 C/W: Enclosed Cab, Load Moment Indicator, 7 m Max Lift Height, 3100 kg Max Lift Capacity, Requires AdBlue, 1060 mm Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, Tires Usage: 358 Hr	8007	2021 Cat 972M Wheel Loader S/N: CAT0972MELLSJ02996 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Requires AdBlue, 3200 mm Bucket, Auto Lube, Tires, Ogden Safety System Usage: 2,579 Hr
8003	2021 JCB 531-70 4X4X4 Telehandler S/N: JCB5AANGTM3010730 C/W: Enclosed Cab, Load Moment Indicator, 7 m Max Lift Height, 3100 kg Max Lift Capacity, Requires AdBlue, 1060 mm Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, 400/80-24 Tires Usage: 684 Hr	8008	2021 Cat 972M Wheel Loader S/N: CAT0972MCLLSJ03017 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Requires AdBlue, 3260 mm Bucket, Auto Lube, Tires Usage: 3,371 Hr
8004	2021 JCB 531-70 Telehandler S/N: JCB5AANGTM3008637 C/W: Enclosed Cab, Load Moment Indicator, 7 m Max Lift Height, 3100 kg Max Lift Capacity, Requires AdBlue, 1060 mm Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, Tires Usage: 804 Hr	8009	2021 Komatsu WA480-8E0 Wheel Loader S/N: KMTWA129EMHH53216 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Loadrite On-Board Scale, Requires AdBlue, 3100 mm Bucket, Auto Lube, Tires Usage: 4,116 Hr

Lot #	Details	Lot #	Details
8010	2014 Cat 966KXE Wheel Loader S/N: CAT0966KANGX00350 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Loadrite On-Board Scale, 3200 mm Bucket, Auto Lube, Tires Usage: 14,051 Hr	8020	2017 Volvo A25G Articulated Dump Truck S/N: VCE0A25GV00342021 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, Tier 4, Requires AdBlue, Tailgate, 23.5R25 Tires Usage: 7,943 Hr
8011	2014 Cat 966KXE Wheel Loader S/N: CAT0966KHNGX00349 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Loadrite. On-Board Scale, 3220 mm Bucket, Auto Lube, 26.5-25 Tires Usage: 14,320 Hr	8021	2017 Volvo A25G Articulated Dump Truck S/N: VCE0A25GC00342017 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, Tier 4, Requires AdBlue, Tailgate, Tires Usage: 7,247 Hr
8012	Volvo L220 Wheel Loader S/N: L220DV1607 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, loadmaster On-Board Scale, 2000 US EPA Label, Auxiliary Hydraulics, Manual Coupler, 3400 mm Bucket, Forks, Tires Usage: 15,102 Hr	8022	1995 Volvo A25C 6x6 Articulated Dump Truck S/N: 5350V9380 C/W: Rear View Camera, Tires Usage: 23,342 Hr
8013	1990 Volvo BM A25 6x6 Lube Truck S/N: 6131 Usage: 22,852 Hr	8023	2007 Cat 365CL Tracked Excavator S/N: CAT0365CCMCY00396 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Tier 3, 2014 US EPA Label, 3500 mm Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, 750 mm Double Grouser Track Shoes, Rock Guards, 1850 mm Digging Bucket Usage: 9,469 Hr
8014	2022 Komatsu HM400-5E0 Articulated Dump Truck S/N: KMTHM016TMD020124 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, Requires AdBlue, Heated Body, Tailgate, Tires Usage: 2,068 Hr	8024	2015 Volvo EC480EL Tracked Excavator S/N: VCEC480EK00310095 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Rear View Camera, Requires AdBlue, 2500 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, 1700 mm Digging Bucket, Auto Lube Usage: 8,527 Hr
8015	2022 Komatsu HM400-5E0 Articulated Dump Truck S/N: KMTHM016CMD020114 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, Requires AdBlue, Heated Body, Tailgate, 29.5R25 Tires Usage: 2,242 Hr	8025	2020 Cat 336 Tracked Excavator S/N: CAT00336VWFF10170 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Digging Bucket, Auto Lube Usage: 2,994 Hr
8016	2017 Cat 745C Articulated Dump Truck S/N: CAT0745CETFK01592 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, Requires AdBlue, Body Extensions, Tailgate, Fast Fuel Fill, 29.5R25 Tires Usage: 10,111 Hr	8026	2020 Cat 336 Tracked Excavator S/N: CAT00336AWFF10185 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Surround View Cameras, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 4,694 Hr
8017	2013 Volvo A40F Articulated Dump Truck S/N: VCE0A40FE00053429 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, Body Extensions, Tailgate, Fast Fuel Fill, 29.5R25 Tires Usage: 15,956 Hr	8027	2020 Cat 336 Tracked Excavator S/N: CAT00336PWFF10017 C/W: Air Conditioner, Air Ride Seat, Surround View Cameras, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Digging Bucket, Auto Lube Usage: 4,991 Hr
8018	2012 Volvo A40F Articulated Dump Truck S/N: VCE0A40FC00052807 C/W: Air Conditioner, Retarder, Engine Brake, Rear View Camera, Air Ride Seat, Tailgate, Fast Fuel Fill, 29.5R25 Tires Usage: 19,523 Hr		
8019	2009 Cat 735 Articulated Dump Truck S/N: CAT00735KB1N01239 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, Tailgate, Tires Usage: 18,283 Hr		

Lot #	Details	Lot #	Details
8028	2016 Cat 336FLXE Tracked Excavator S/N: CAT0336FLLTP00275 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Rear & Side View Cameras, 2016 US EPA Label, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Double Grouser Track Shoes, Hydraulic Quick Coupler, Auto Lube Usage: 11,361 Hr	8034	2016 Komatsu PC360LC-11 Tracked Excavator S/N: KMTPC256PGKK70047 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1460 mm Digging Bucket Usage: 10,933 Hr
8029	2016 Cat 336FL Tracked Excavator S/N: CAT0336FLNBS00335 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2016 US EPA Label, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1300 mm Digging Bucket, Auto Lube Usage: 12,197 Hr	8035	2016 Komatsu PC360LC-10 Tracked Excavator S/N: KMTPC242PFKK60339 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Rear & Side View Cameras, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 800 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 9,072 Hr
8030	2016 Cat 336FL Tracked Excavator S/N: CAT0336FJNBS00331 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2016 US EPA Label, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1600 mm Digging Bucket, Auto Lube Usage: 15,202 Hr	8036	2016 Liebherr R936LC Tracked Excavator S/N: WLHZ1490KZC042502 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2016 US EPA Label, Requires AdBlue, 2850 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, Auto Lube Usage: 8,476 Hr
8031	2017 Komatsu HB365LC-3 Hybrid Tracked Excavator S/N: KMTHB005VGC005123 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, Auto Lube Usage: 10,651 Hr	8037	2017 Cat 323FL Tracked Excavator S/N: CAT0323FHPLB10084 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Rear & Side View Cameras, 2017 US EPA Label, Requires AdBlue, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1400 mm Digging Bucket Usage: 5,302 Hr
8032	2017 Komatsu HB365LC-3 Hybrid Tracked Excavator S/N: KMTHB005AGC005124 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1700 mm Digging Bucket, Auto Lube Usage: 10,564 Hr	8038	2016 Cat 320EL Tracked Excavator S/N: CAT0320EKNAZ02518 C/W: Air Conditioner, Air Ride Seat, Cab Screens, Rear View Camera, 2900 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1600 mm Digging Bucket, Auto Lube Usage: 9,971 Hr
8033	2016 Komatsu PC360LC-11 Tracked Excavator S/N: KMTPC256HGKK70091 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Requires AdBlue, 3200 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 600 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, Auto Lube Usage: 10,632 Hr	8039	2015 Cat 313FLGC Tracked Excavator S/N: CAT0313FEGJD00295 C/W: Air Conditioner, Cab Screens, Rear View Camera, 2015 US EPA Label, 3000 mm Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 700 mm Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1800 mm Cleanup Bucket, Additional Digging Bucket Usage: 5,202 Hr

Lot #	Details	Lot #	Details
8040	2021 Tesab 800i Jaw Crushing Plant S/N: 2120281589 C/W: Vibratory Grizzly Feeder w/Hydraulic Fold Hopper Wings, Pre-Screen, 1000 mm Jaw Crusher, 650 mm Wide Left Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, 700 mm Cross Belt Magnet, Cable Remote Control, 2019 US EPA Label, Cat C9.3B 6 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 3,013 Hr	8045	2017 Metso Lokotrack LT106 Tracked Jaw Crushing Plant S/N: 79026 C/W: 1100 mm Vibratory Grizzly Feeder w /Hydraulic Fold Hopper Wings, Nordberg C106 1060 mm x 700 mm Jaw Crusher, 3000 mm x 1100 mm Single Deck Screen, 1000 mm Wide End Discharge Conveyor, 800 mm Cross Belt Magnet, Radio and Cable Remote Control, Auto Lube, Cat C9 6 Cylinder Diesel Engine, Requires AdBlue, Triple Grouser Track Shoes, AutoLube, CE Marked Usage: 12,615 Hr
8041	2018 McCloskey J45R Closed Circuit Jaw Crusher S/N: 74976 C/W: McCloskey 1060 mm x 4000 mm Vibratory Grizzly Feeder w/Hydraulic Fold Hopper Wings, 10 ft x 5 ft Single Deck Screen, 1200 mm Wide Fines Discharge Conveyor, 1000 mm Wide Under Crusher Conveyor, 500 mm Wide Left Discharge Conveyor, 650 mm Wide Right Discharge Conveyor, 800 mm Cross Belt Magnet, Cable Remote Control, Volvo 6 Cylinder 265 kW Diesel Engine, Requires AdBlue, 400 mm Triple Grouser Track Shoes, Independent Vibrating Pre-Screen Usage: 4,935 Hr	8046	2016 Metso Lokotrack LT106 Tracked Jaw Crushing Plant S/N: 78615 C/W: 1200 mm x 4400 mm 1000 mm x 600 mm Jaw Crusher, 1000 mm x 1000 mm Screen, 1000 mm Wide End Discharge Conveyor, 740 mm x 1950 mm Cross Belt Magnet, Radio and Cable Remote Control, Auto Lube, Cat C7.1 Engine, Requires AdBlue, 500 mm Triple Grouser Track Shoes Usage: 11,076 Hr
8042	2018 Powerscreen Premiertrak 400X Tracked Jaw Crushing Plant S/N: PIDPT40XL0MIB8642 C/W: 1050 mm x 4350 mm Vibratory Grizzly Feeder 1100 mm x 600 mm Jaw Crusher, 1000 mm Wide End Discharge Conveyor, 750 mm x 1850 mm Cross Belt Magnet, Radio and Cable Remote Control, 500 mm Triple Grouser Track Shoes Usage: 7,132 Hr	8047	2016 Metso Lokotrack LT106 Tracked Jaw Crushing Plant S/N: 78866 C/W: 1000 mm Vibratory Grizzly Feeder 1000 mm Jaw Crusher, 1000 mm Wide End Discharge Conveyor, 750 mm Cross Belt Magnet, Radio and Cable Remote Control, Auto Lube, 2016 US EPA Label, Cat 6 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes, CE Marked Usage: 11,507 Hr
8043	2018 Powerscreen Premiertrak 400X Tracked Jaw Crushing Plant S/N: PIDPT40XAOMI56952 C/W: 1050 mm x 4350 mm Vibratory Grizzly Feeder w/Hydraulic Fold Hopper Wings, 1100 mm x 600 mm Jaw Crusher, 1000 in Wide End Discharge Conveyor, 800 mm Cross Belt Magnet, Radio and Cable Remote Control, 5 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 7,361 Hr	8048	2008 Kleemann MC120Z Jaw Crushing Plant S/N: 4070831 C/W: Vibratory Grizzly Feeder Pre-Screen, Jaw Crusher, 1400 mm Wide End Discharge Conveyor, 620 mm Side Conveyor, Cable Remote Control, 6 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: Not Available
8044	2015 Metso Lototrack LT120 Tracked 34 X 48 in Crushing Plant S/N: 78416 C/W: 1200 mm Vibratory Grizzly Feeder w /Hydraulic Fold Hopper Wings, Nordberg C120 1200 mm x 870 mm Jaw Crusher, 1200 mm Wide End Discharge Conveyor, Radio and Cable Remote Control, Auto Lube, Cat C13 415 hp Diesel Engine, 500 mm Triple Grouser Track Shoes, Magnet Usage: 16,698 Hr	8049	2021 Metso Lokotrack LT1213 Tracked Impact Crusher Plant S/N: 181256 C/W: Vibratory Grizzly Feeder 500 mm Wide Fines Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, 750 mm x 2200 mm Cross Belt Magnet, Radio and Cable Remote Control, Cat Engine, Requires AdBlue, 500 mm Triple Grouser Track Shoes Usage: 3,626 Hr
		8050	2019 McCloskey V80 Vertical Shaft Tracked Impact Crusher S/N: 89922 C/W: Belt Feeder, Vertical Shaft Impact Crusher, 1100 mm Wide Feed Conveyor, 1100 mm Wide End Discharge Conveyor, Cable Remote Control, 2019 US EPA Label, 6 Cylinder Diesel Engine, Requires AdBlue, 500 mm Triple Grouser Track Shoes Usage: 4,710 Hr

Lot #	Details	Lot #	Details
8053	2018 Metso Lokotrack LT300HP Tracked Cone Crushing Plant S/N: 79514 C/W: Metso Nordberg HP300 Cone Crusher, Oil Cooler Package, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, US EPA Label, Cat C15 6 Cylinder 540 hp Diesel Engine, Requires AdBlue Usage: 9,446 Hr	8060	2014 Powerscreen 1150 Maxtrak Cone Crushing Plant S/N: PID11MXTCOME18132 C/W: 2250 mm Belt Feeder, w/Hydraulic Fold Hopper Wings, Terex CR023-P2 Cone Crusher, 1200 mm Wide Feed Conveyor, 1000 in Wide End Discharge Conveyor, 1400 mm Cross Belt Magnet, Cable Remote Control, Cat C13 Diesel Engine, Requires AdBlue, Triple Grouser Track Shoes Usage: 15,098 Hr
8054	2017 Metso Lokotrack LT200HP Tracked Cone Crushing Plant S/N: 79141 C/W: 2600 mm x 6500 mm Belt Feeder Cone Crusher, 1000 mm Wide Feed Conveyor, 800 mm Wide End Discharge Conveyor, Radio and Cable Remote Control, 2016 US EPA Label, Cat C13 Engine, Requires AdBlue, 500 mm Triple Grouser Track Shoes Usage: 9,172 Hr	8061	2006 Terex Pegson 1000 Maxtrak Tracked Cone Crushing Plant S/N: 100314DE C/W: 2500 mm Belt Feeder, Terex FC1000 Cone Crusher, 1000 mm Wide Feed Conveyor, 800 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C9 Diesel Engine, 400 mm Triple Grouser Track Shoes Usage: 8,008 Hr
8055	2014 Terex/Finlay C1545 Tracked Prescreen Cone Crushing Plant S/N: TRX1545COME58610 C/W: 1000 mm Belt Feeder, 1000mm Cone Crusher, 4 ft 0 in x 6 ft 1 in Single Deck Screen, 900 mm Wide End Discharge Conveyor, Cable Remote Control, 6 Cylinder Diesel Engine, Triple Grouser Track Shoes Usage: 1,293 Hr	8062	2018 Powerscreen Chieftain 2200 Tracked Incline Triple Deck Screen Plant S/N: PID00136TDGI15986 C/W: 1200 mm Belt Feeder, 6600 mm x 1550 mm Double Deck Screen, 1050 mm Wide Feed Conveyor, 650 mm Wide Left Discharge Conveyor, 750 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 3,768 Hr
8056	2017 Terex/Finlay C1540 Tracked Cone Crushing Plant S/N: TRX1540SJ0MH33912 C/W: 2350 mm x 6000 mm Belt Feeder, Terex 1000mm Cone Crusher, 1050 mm Wide Feed Conveyor, 900 mm Wide End Discharge Conveyor, Radio Remote Control, Diesel Engine, 400 mm Triple Grouser Track Shoes Usage: 8,351 Hr	8063	2016 Powerscreen Chieftain 2200 Tracked Incline Triple Deck Screen Plant S/N: PID00136KDGG72695 C/W: 1200 mm Belt Feeder, 6600 mm x 1550 mm Triple Deck Screen, 1050 in Wide Feed Conveyor, 750 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: Not Available
8057	2013 Terex/Finlay C1540 Tracked Cone Crushing Plant S/N: TRX1540CCOMD36512 C/W: Terex 1000 mm Cone Crusher, 900 mm Wide End Discharge Conveyor, Radio Remote Control, 6 Cylinder Diesel Engine, Requires AdBlue, 400 mm Track Shoes Usage: 5,566 Hr	8065	2016 Powerscreen Chieftain 2100X Tracked Incline Triple Deck Screen Plant S/N: PID00124CDGG21967 C/W: 1200 mm Belt Feeder, 6100 mm x 1530 mm Triple Deck Screen, 1050 mm Wide Feed Conveyor, 800 mm Wide Left Discharge Conveyor, 650 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, 650 mm Conveyor, Cable Remote Control, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 10,498 Hr
8058	2019 Tesab 1150 TCP Tracked Cone Crushing Plant S/N: 342701475 C/W: 1600 mm x 3300 mm Belt Feeder, Cone Crusher, 1030 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C13 6 Cylinder 328 kW Diesel Engine, 400 mm Triple Grouser Track Shoes Usage: 4,289 Hr		
8059	2013 Powerscreen 1150 Maxtrak Tracked Cone Crushing Plant S/N: PID11MXTJOMD57167 C/W: 1300 mm Belt Feeder, Cone Crusher, Single Deck Screen, 600 mm Wide Right Discharge Conveyor, 2016 US EPA Label, 6 Cylinder Diesel Engine, Triple Grouser Track Shoes Usage: 10,279 Hr		

Lot #	Details	Lot #	Details
8066	2014 Powerscreen Chieftain 2100X Tracked Incline Triple Deck Screen Plant S/N: PID00123ADGE18099 C/W: 1200 mm Belt Feeder, 6100 mm x 1530 mm Triple Deck Screen, 1050 in Wide Feed Conveyor, 650 mm Wide Left Discharge Conveyor, 800 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, 2013 US EPA Label, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 14,880 Hr	8071	2015 Sandvik QE441 Tracked Double Deck Screen Plant S/N: QE441000009 C/W: 5480 mm x 1750 mm Double Deck Screen, 1400 mm Wide Feed Conveyor, 1000 mm Wide Left Discharge Conveyor, 900 mm Wide Right Discharge Conveyor, 1600 mm Wide End Discharge Conveyor, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes, 8.5m ³ Hopper Capacity Usage: 13,138 Hr
8067	2015 Powerscreen Chieftain 2100X Tracked Incline Triple Deck Screen Plant S/N: PID00124ADGF19532 C/W: 1200 mm Belt Feeder, 6100 mm x 1530 mm Triple Deck Screen, 1050 mm Wide Feed Conveyor, 750 mm Wide Left Discharge Conveyor, 700 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, 700 mm Conveyor, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 10,195 Hr	8073	2015 Terex/Finlay 883+ Tracked Scalping Screen Plant S/N: TRX883STCDGF60551 C/W: Double Deck Screen, 800 mm Wide Fines Discharge Conveyor, 800 mm Wide Left Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat 4 Cylinder Engine, 500 mm Triple Grouser Track Shoes Usage: 9,045 Hr
8068	2015 Powerscreen Chieftain 2100X Tracked Incline Triple Deck Screen Plant S/N: PID00124VDGF19531 C/W: 1200 mm Belt Feeder, 6100 mm x 1530 mm Triple Deck Screen, 1050 mm Wide Feed Conveyor, 800 mm Wide Left Discharge Conveyor, 800 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C4.4 4 Cylinder Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 11,925 Hr	8074	2020 Roco T65 Stacker 65FT Tracked Conveyor S/N: 154-T65-515 C/W: Cat C2.2 Diesel Engine Usage: 3,512 Hr
8069	2018 Powerscreen Chieftain 1400 Tracked Incline Double Deck Screen Plant S/N: PID00066TDGI16058 C/W: 1050 mm Belt Feeder, 3500 mm x 1550 mm Double Deck Screen, 900 mm Wide Feed Conveyor, 640 mm Wide Left Discharge Conveyor, 640 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C4.4 Diesel Engine, 500 mm Triple Grouser Track Shoes Usage: 4,807 Hr	8075	2016 Tesab 8042T 80FT Tracked Conveyor S/N: 1255 C/W: Channel Frame, Hydraulic Raise, Control Panel, Deutz 4 Cylinder Diesel Engine, 23.50m Conveyor Length, 600+ T/Hour Operating Output Usage: 10,481 Hr
8070	2013 Powerscreen Warrior 1400X Tracked Double Deck Screen Plant S/N: P1D00133VDGD57020 C/W: 1300 mm Belt Feeder, 3600 mm x 1250 mm Double Deck Screen, 1200 mm Wide Under Screen Conveyor, 800 mm Wide Left Discharge Conveyor, 900 mm Wide Right Discharge Conveyor, 1200 mm Wide End Discharge Conveyor, Cable Remote Control, Cat C4.4 4 Cylinder Diesel Engine, 400 mm Triple Grouser Track Shoes Usage: 3,006 Hr	8076	2008 Tesab 6542 65FT Tracked Conveyor S/N: 1030 C/W: Channel Frame, Folding Head & End Sections, Hydraulic Raise, Deutz 4 Cylinder Diesel Engine Usage: 8,290 Hr