

Penske South Central and Southeast Event - Aug 14, 2024

Lot #	Details	Lot #	Details
1	2019 Ford Transit 250 4x2 Cargo Van S/N: 1FTYR1ZM7KKA29636 C/W: V6 3.7 L Gasoline Engine, 2019 US EPA Label, 806 Engine hrs, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 130 in Wheelbase, Curbside Door, Ball Hitch Usage: 31,038 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	4	2019 GMC Savana G2500 4x2 Cargo Van S/N: 1GTW7BFP7K1277974 C/W: V6 4.3 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, Aluminum Wheels, 245/75R16, Spring Suspension, 155 in Wheelbase, Curbside Door Usage: 85,253 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
3	2019 Ford Transit 250 4x2 Cargo Van S/N: 1FTYR2XM6KKA50681 C/W: Ford V6 3.7 L Gasoline Engine, 2019 US EPA Label, CARB Compliant, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 10 ft x 72 in Wide x 84 in High Body, Curbside Door Usage: 91,620 Mi Notes: LOCATED-IN-ATLANTA-GA	5 	2019 GMC Savana G3500 4x2 Moving Van Truck S/N: 7GZ37TCG9KN005418 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, 2906 Engine hrs, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16, Spring Suspension, 178 in Wheelbase, SUPREME 16 ft x 96 in Wide x 79 in High Body, Walk-Up Ramp Usage: 93,369 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
4A	S/N: 1FTYR2XMXJKA64081 C/W: V6 3.7 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16 Front Tires, 235/65R16 Rear Tires, Spring Suspension, 148 in Wheelbase, 12 ft x x Body Usage: 147,807 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 2019 GMC Savana G2500 4x2 Cargo Van	6	2018 Ford E-350 4x2 Van Truck S/N: 1FDWE3FSXJDC25134 C/W: V10 6.8 L Gasoline Engine, Automatic Transmission, 4050 lb Front Axle, 8500 lb Rears, 12500 lb GVWR, Dual Rear Wheel, 225 /75R16, Spring Suspension, 176 in Wheelbase, Morgan 16 ft x 96 in Wide x 78 in High Body Usage: 94,620 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
	S/N: 1GTW7BFP8K1279524 C/W: V6 4.3 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 156 in Wheelbase, Curbside Door Usage: 115,012 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	7	2012 Mercedes-Benz Sprinter 3500 4x2 Van Truck S/N: WDAPF3CC9C9523492 C/W: V6 3.0 L Diesel Engine, 2012 US EPA Label, Automatic Transmission, 4080 lb Front Axle, 7720 lb Rears, 11030 lb GVWR, 215 /85R16 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 144 in Wheelbase, 12 ft x 96 in Wide x 86 in High Body, Walk-Up Ramp Usage: 194,352 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details	
9	2019 Isuzu FTR 4x2 COE Moving Van Truck S/N: 54DK6S165KSG00282 C/W: Isuzu 4HK11C 4 Cylinder 3.0 L Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4339 Engine hrs, Exhaust Brake, 6-Speed Automatic Transmission, 12000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 226 in Wheelbase, Morgan 26 ft x 96 in Wide x 90 in High Body, Liftgate Usage: 166,096 Mi Notes: LOCATED-IN-NASHVILLE-TN 2020 Isuzu NPR HD 4x2 COE Moving Van Truck	13	2016 Freightliner M2 112 6x4 Van Truck S/N: 1FVHC5DV4GHHE2140 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 350 hp Engine, Requires Diesel Exhaust Fluid, 14345 Engine hrs, Engine Brake, Eaton Fuller FRO-13210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.73:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 28 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 690,339 Mi	
,	S/N: JALC4W168L7009272		Notes: LOCATED-IN-FORT-WORTH-TX	
	C/W: Isuzu Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 150 in Wheelbase, Supreme 16 ft x 96 in Wide x 103 in High Body, Liftgate Usage: 141,365 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	14	2015 Freightliner M2 106 6x4 Van Truck S/N: 3ALHCYCY1FDGT4144 C/W: Cummins ISL 300 6 Cylinder Ultra Low Sulfur Diesel 300 hp Engine, Requires Diesel Exhaust Fluid, 17116 Engine hrs, Eaton Fuller FRO-11210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.11:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Spring Suspension, 256 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body Usage: 533,091 Mi	
10	2019 Isuzu NPR 4x2 COE Moving Van Truck S/N: JALC4W168K7010596 C/W: ISUZU 4HK1TC 4 Cylinder 5.2 L Ultra Low		Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	
	Sulfur Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4695 Engine hrs, 6-Speed Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 180 in Wheelbase, AMH 20 ft x 102 in Wide x 84 in High Body Usage: 164,482 Mi Notes: LOCATED-IN-NASHVILLE-TN	16	S/N: 3ALAC4DV6LDMF0966 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Lov Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9109 Engine h Engine Brake, Allison 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, Aluminu	
11	2017 Isuzu NPRHD 4x2 COE Van Truck S/N: 54DC4W1B6HS804156 C/W: V8 6.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 6630 lb Front		x 103 in High Body, Liftgate Usage: 303,631 Mi	272 in Wheelbase, Morgan 28 ft x 102 in Wide x 103 in High Body, Liftgate
	Axle, 11020 lb Rears, 14500 lb GVWR, 225 /70R19.5, Spring Suspension, 176 in Wheelbase, Morgan 18 ft x 102 in Wide x 85 in High Body, Liftgate Usage: 133,704 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		16 2017 International 4300 4x2 Van Truck S/N: 3HAMMMML7HL181237 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Sulfur Diesel Engine, 2016 US EPA Label Requires Diesel Exhaust Fluid, 4945 Engi Automatic Transmission, 10000 lb Front 17500 lb Rears, 25999 lb GVWR, 11R22.9 Ride Suspension, 271 in Wheelbase, Sup	2017 International 4300 4x2 Van Truck
12	2017 Isuzu NPR 4x2 COE Moving Van Truck S/N: JALC4W165H7001198 C/W: ISUZU 4HK110 4 Cylinder Ultra Low Sulfur Diesel 210 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11720 Engine hrs, AISIN 6-Speed Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 162 in Wheelbase, Morgan 15 ft x 96 in Wide x 84 in High Body Usage: 314,761 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Usage: 245,051 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	

Lot #	Details	Lot #	Details
17	2020 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC2LDLJ0151 C/W: Cummins B6.7 250 6 Cylinder 6.7 L Diesel 250 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7325 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, SUPREME 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 368,338 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION	22	2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACXFC2JDJH5834 C/W: Cummins ISB 6 Cylinder 6.7 L 240 hp Engine, 7520 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 214,223 Mi Notes: LOCATED-IN-FORT-WORTH-TX 2018 Freightliner M2 106 4x2 Van Truck
18	2019 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC6KDKB8650 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 7079 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 6.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 268 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 214,455 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		S/N: 3ALACWFC1JDJK7269 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7177 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 217,099 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
20	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC0JDJY2392 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6187 Engine hrs, Eaton Fuller EDC0-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA- RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Walk-Up Ramp Usage: 202,699 Mi Notes: LOCATED-IN-ATLANTA-GA	24	2018 Freightliner M2 106 4x2 Extended Cab Moving Van Truck S/N: 3ALACWFC5JDKA3457 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6655 Engine hrs, Exhaust Brake, Allison 2500 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor Drive Axles, 4.88:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5 Front Tires, 255/70R22.5 Rear Tires, Airliner Air Ride Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 96 in Wide x 109 in High Body, Curbside Door, Walk-Up Ramp
21	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC8JDJK7138 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5933 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Walk-Up Ramp, Liftgate Usage: 211,555 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	25	Usage: 223,547 Mi Notes: LOCATED-IN-FORT-WORTH-TX 2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC7JDJH4396 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 8430 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 230,219 Mi Notes: LOCATED-IN-NASHVILLE-TN

Lot #	Details	Lot #	Details	
26	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC5JDKA6956 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 1148 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body Usage: 237,907 Mi Notes: LOCATED-IN-FORT-WORTH-TX	30	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC7JDJH5497 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9604 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 313,119 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER	
21	2018 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWFC4JDJR4674		SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	
	C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7430 Engine hrs, Allison 2100 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS 19.0-4 Drive Axles, 5.56:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 246,041 Mi Notes: LOCATED-IN-FORT-WORTH-TX	31	2017 Freightliner M2 106 4x2 Van Truck S/N: 3ALACXDTXHDHY3783 C/W: Cummins ISB6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6893 Engine hrs, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.10:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 109	
28			in High Body, Liftgate Usage: 115,205 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	
		32	2017 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT4HDHV3978 C/W: Cummins ISB Diesel Engine, 2016 US EPA Label, 8434.9 Engine hrs, Engine Brake, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 273 in Wheelbase, 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 200,161 Mi	
29	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFCXJDKA6984 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low	33A	SUPPLIED MAINTENANCE RECORD	ATTACHED IN THE DOCUMENT SECTION
	Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7164 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 102 in High Body, Walk-Up Ramp, Liftgate Usage: 290,719 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Truck S/N: 3ALACWDTXFDGT4149 C/W: Cummins ISB6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8367 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 kg Rears, Detroit DA-RS- 19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, MORGAN 26 ft x 102 in Wide x 91 in High Body, Front/Rear Vents, Liftgate Usage: 260,823 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	

	Details	I at #	Detaile		
Lot #	Details	Lot #	Details		
33	2016 Freightliner M2 106 4x2 Extended Cab Van Truck S/N: 3ALACWDT8GDGW3070 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 9933 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 295/75R22.5 Front Tires, 255/70R22.5 Rear Tires, Spring Suspension, 280 in Wheelbase, Kentucky Trailer 26 ft x 102 in Wide x 108 in High Body, Curbside Door Usage: 337,473 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	37	2019 International 4300 4x2 Moving Van Truck S/N: 1HTMMMMLXKH382496 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Coolant Heater, 4632 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Ball Hitch Usage: 201,278 Mi Notes: Please See Seller Supplied Maintenance Record Attached in the Documentation Section Below, LOCATED-IN-NASHVILLE-TN 2019 International 4300 4x2 Moving Van Truck		
34	2019 International 4300 4x2 Moving Van Truck S/N: 1HTMMMML3KH382386 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 3972 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 96 in High Body, Walk-Up Ramp Usage: 188,490 Mi Notes: Please See Seller Supplied Maintenance Record Attached in the Documentation Section		S/N: 1HTMMMML5KH515052 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Coolant Heater, 4503 Engine hrs, Eaton Fuller 6-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, 26 ft x x Body, Ball Hitch Usage: 203,425 Mi Notes: Please See Seller Supplied Maintenance Record Attached in the Documentation Section Below; LOCATED-IN-NASHVILLE-TN		
	Below; LOCATED-IN-NASHVILLE-TN	39	2019 International 4300 4x2 Van Truck		
35	2019 International 4300 4x2 Van Truck S/N: 3HAMMMML2KL382180 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4301 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Ball Hitch	39			S/N: 1HTMMMML2KH515459 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4525 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x x Body, Ball Hitch Usage: 205,893 Mi
	Usage: 194,850 Mi Notes: LOCATED-IN-ATLANTA-GA		Notes: Please See Seller Supplied Maintenance Record Attached in the Documentation Section Below, LOCATED-IN-FORT-WORTH-TX		
36	2019 International 4300 4x2 Van Truck S/N: 3HAMMMML8KL518683 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 4503 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.29:1 Axle Ratio, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, 26 ft x x Body, Ball Hitch Usage: 195,575 Mi Notes: LOCATED-IN-FORT-WORTH-TX	40	2019 International 4300 4x2 Moving Van Truck S/N: 1HTMMMML6KH512256 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4746 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Double Frame, Air Ride Suspension, 272 in Wheelbase, SUPREME 26 ft x 102 in Wide x 97 in High Body, Walk-Up Ramp, Ball Hitch Usage: 207,356 Mi Notes: LOCATED-IN-ATLANTA-GA		

		I		
Lot #	Details	Lot #	Details	
41	2019 International 4300 4x2 Van Truck S/N: 3HAMMMML8KL382040 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 4598 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14X-3DFL Drive Axles, 5.57:1 Axle Ratio, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 98 in High Body, Ball Hitch Usage: 208,757 Mi Notes: LOCATED-IN-FORT-WORTH-TX	45	S/N: 3HAEUMML4LL397799 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 8610 Engine h Exhaust Brake, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft 102 in Wide x 97 in High Body, Liftgate Usage: 303,976 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELL	S/N: 3HAEUMML4LL397799 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 8610 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 303,976 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD
42	2019 International 4300 SBA 4x2 Van Truck S/N: 3HAMMMML2KL245207		ATTACHED IN THE DOCUMENT SECTION BELOW	
	C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 2162 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 209,046 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	46	2018 Hino 338 4x2 Van Truck S/N: 5PVNV8JV2J4S57736 C/W: Hino Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6642 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 206,686 Mi Notes: LOCATED-IN-FORT-WORTH-TX	
43	2019 International 4300 4x2 Moving Van Truck	47	2019 Hino 268 4x2 Van Truck	
	S/N: 3HAMMMML5KL382884 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 4745 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 275 in Wheelbase, Morgan 26 ft x 102 in Wide x 96 in High Body, Walk-Up Ramp Usage: 197,137 Mi	47	S/N: 5PVNJ8JV2K4S70662 C/W: Hino J08EWU 6 Cylinder Ultra Low Sulfur Diesel 230 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4728 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Supreme 26 ft x 102 in Wide x 102 in High Body, Liftgate Usage: 178,853 Mi	
	Notes: LOCATED-IN-NASHVILLE-TN	4	Notes: LOCATED-IN-NASHVILLE-TN ; SELLER SUPPLIED MAINTENANCE RECORD	
44	2018 International 4300 4x2 Van Truck S/N: 3HAMMMMN5JL543279		ATTACHED IN THE DOCUMENT SECTION BELOW	
	C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label,	49	2018 Hino 268 4x2 Van Truck	
	Requires Diesel Exhaust Fluid, 7261 Engine hrs, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 209,451 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		S/N: 5PVNJ8JV6J4S67777 C/W: Hino Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7503 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft x 96 in Wide x 97 in High Body, Liftgate Usage: 186,851 Mi Notes: LOCATED-IN-FORT-WORTH-TX	

Lot #	Details	Lot #	Details
50	2016 Hino 268 4x2 Van Truck S/N: 5PVNJ8JV0G4S61725 C/W: 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 271 in Wheelbase, Supreme 26 ft x 102 in Wide x 103 in High Body, Walk-Up Ramp Usage: 163,718 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	54	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC2JDJY8212 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8976.4 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 230,578 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
51	2016 Hino 268 4x2 Van Truck		
	S/N: 5PVNJ8JV8G4S60399 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 361,074 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION	55	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACXFC7JDJM4177 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7378 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, 24 ft x 96 in Wide x 96 in High Body, Walk-Up Ramp Usage: 274,027 Mi Notes: LOCATED-IN-NASHVILLE-TN
	BELOW	56	2017 Hino 268 4x2 Van Truck
52	2019 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWFC2KDKS6216 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7247.8 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 4.78:1 Axle Ratio, 26000 lb GVWR, 255/70R22.5 Front Tires, 255/70R22.5 Rear Tires, Airliner Air Ride Suspension, 252 in Wheelbase, MORGAN 24 ft x 102 in Wide x 92 in High Body Usage: 277,701 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD		S/N: 5PVNJ8JVXH4S65508 C/W: 6 Cylinder 8 L Ultra Low Sulfur Diesel 260 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 6-Speed Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 255/70R22.5, Air Ride Suspension, 272 in Wheelbase, KT 24 ft x 96 in Wide x 96 mm High Body, Curbside Door, Liftgate Usage: 229,954 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
	ATTACHED IN THE DOCUMENT SECTION	57	2018 International 4300 SBA 4x2 Van Truck
53	2018 Freightliner M2 106 4x2 Van Truck S/N: 3ALACXFC7JDJM1960 C/W: Cummins B6.7 250 6 Cylinder 6.7 L Diesel 250 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4682 Engine hrs, Eaton Fuller EDCO-6F107A Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 252 in Wheelbase, SUPREME 24 ft x 102 in Wide x 97 in High Body, Liftgate Usage: 155,533 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		S/N: 3HAMMMML2JL652751 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 295/75R22.5, Air Ride Suspension, 216 in Wheelbase, Morgan 20 ft x 96 in Wide x 85 in High Body Usage: 349,514 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
58	2017 Freightliner M2 112 6x4 Refrigerated Truck	61	2017 Freightliner M2 106 4x2 Refrigerated Truck
	S/N: 3ALHC5DV0HDJC3362 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10647.3 Engine hrs, Engine Brake, Eaton Fuller FRO- 15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Thermo King T-880R whisper Reefer Unit, 10051 Reefer Engine Hours:, 10051 Reefer Total Hours:, Morgan 28 ft x 102 in Wide x 97 in High Body Usage: 422,445 Mi		S/N: 3ALACWDT7HDJE3792 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6257 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Air Ride Cab, Steel, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Thermo King Reefer Unit, 8187 Reefer Engine Hours:, Morgan 26 ft x 102 in Wide x 103 in High Body, Liftgate Usage: 142,921 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
	Notes: LOCATED-IN-ATLANTA-GA 2017 Freightliner M2 106 6x4 Refrigerated	62A	BELOW 2017 Freightliner M2 106 4x2 Refrigerated
	Truck S/N: 3ALHCYCY5HDJH0240 C/W: Cummins ISL9 6 Cylinder Ultra Low Sulfur Diesel 270 hp Engine, 10753 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.63:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 258 in Wheelbase, 2017 Thermo King Whisper Reefer Unit, Hackney 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 365,437 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Truck S/N: 3ALACWDT0HDJB7308 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7328.4 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-1080S whisper Reefer Unit, 15366 Reefer Engine Hours:, 15366 Reefer Total Hours:, Supreme 26 ft x 102 in Wide x 99 in High Body, Curbside Door, Liftgate Usage: 197,499 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER
60	2019 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWFCXKDKB8599	SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	
	C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 230 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6464 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880S Reefer Unit, 9458 Reefer Engine Hours:, Supreme 26 ft x 102 in Wide x 100 in High Body, Curbside Door, Liftgate Usage: 227,292 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	62	2017 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT8HDHV3482 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12520 Engine hrs, Allison 2200 6 Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King Reefer Unit, Supreme 26 ft x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 254,423 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
63	2017 International 4300 4x2 Refrigerated Truck S/N: 3HAMMML1HL473398 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 13334 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Thermo King T680S Reefer Unit, Supreme 26 ft x 102 in Wide x 90 in High Body, Curbside Door, Walk-Up Ramp Usage: 384,183 Mi	67	2017 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACWDT3HDJA5668 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9338 Engine hrs, Allison 2100 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS 19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 192 in Wheelbase, Thermo King T-680R Reefer Unit, 15481 Reefer Total Hours:, Morgan 15 ft x 102 in Wide x 91 in High Body, Walk-Up Ramp
64	2016 Hino 338 4x2 Refrigerated Truck S/N: 5PVNV8JV4G4S55690 C/W: HINO 6 Cylinder Ultra Low Sulfur Diesel		Usage: 234,731 Mi Notes: LOCATED-IN-BUTNER-NC
65	Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, Thermo King T-680R Whisper Reefer Unit, 05698 Reefer Engine Hours:, 05698 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 156,294 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	68	2019 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWFD6KDKN5095 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9554 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS- 19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 102 in Bed, Aluminum Frame Usage: 378,184 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
05	2016 Hino 338 4x2 Refrigerated Truck S/N: 5PVNV8JV1G4S55713 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel	70	BELOW 2018 Freightliner M2 106 4x2 Flatbed Truck
	Engine, 2015 ÚS EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, Thermo King T-680R Whisper Reefer Unit, 6122 Reefer Engine Hours:, 6122 Reefer Total Hours:, Morgan 26 ft x 102 in Wide x 91 in High Body, Liftgate Usage: 183,395 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION	70	S/N: 3ALACWFC8JDJX3861 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7339.3 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 98 in Bed Usage: 272,198 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER
66	BELOW 2018 Freightliner M2 106 4x2 Refrigerated Truck		SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
	S/N: 3ALACXFE5JDJT0635 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 300 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5485.9 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.91:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22. 5, Airliner Air Ride Suspension, 234 in Wheelbase, Thermo King T-880R Reefer Unit, 20915 Reefer Total Hours:, Morgan 22 ft x 102 in Wide x 97 in High Body Usage: 265,665 Mi Notes: LOCATED-IN-FORT-WORTH-TX	71	2017 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWDT1HDJC5515 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5821 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 255 in Wheelbase, 24 ft x 96 in Bed, Liftgate Usage: 187,940 Mi Notes: LOCATED-IN-NASHVILLE-TN

Lot #	Details	Lot #	Details
72	2017 Freightliner M2 106 4x2 Flatbed Truck S/N: 3ALACWDT0HDJB4120 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 557 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, 22 ft x 96 in Bed, Liftgate Usage: 251,862 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	75	2019 Freightliner M2 106 4x2 Cab and Chassis S/N: 3ALACWFC5KDKK1785 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6763.0 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 186 in Wheelbase, 119 in Cab to Axle, 235 in Cab to End of Frame Usage: 235,781 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD
73	2016 Freightliner M2 106 4x2 Flatbed Truck		ATTACHED IN THE DOCUMENT SECTION BELOW
	S/N: 3ALACWDT7GDGZ7484 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5576.7 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft x 98 in Bed, Liftgate Usage: 225,734 Mi Notes: LOCATED-IN-ATLANTA-GA	76	2018 International 4300 4x2 Cab and Chassis S/N: 1HTMMMML4JH350089 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7450 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 206 in Cab to Axle, 304 in Cab to End of Frame Usage: 262,036 Mi
74	2018 Hino 268 4x2 Flatbed Truck		Notes: LOCATED-IN-NASHVILLE-TN
	S/N: 5PVNJ8JT8J4S58450 C/W: Hino 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8527 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, 24 ft x 91 in Bed Usage: 235,291 Mi Notes: LOCATED-IN-FORT-WORTH-TX	3000 Automatic Transmission, 12000 lb Fro Axle, 24000 lb Rears, 36000 lb GVWR, 11R2 115 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 7,371 Hr Notes: LOCATED-IN-NASHVILLE-TN - SPECI MOBILE EQUIPMENT - NO TITLE AVAILABL SOLD WITH BILL OF SALE ONLY; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 78 2015 Utility 57 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS257XFM122501 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor, Roll-Up Docarrier 8600MT Refrigeration Unit, Aluminus Wheels, 295/75R22.5 Tires Usage: Not Available	S/N: 11VF813EXFA000466 C/W: Cummins 6 Cylinder 5.9 L Ultra Low Sulfur Diesel Engine, 7371 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 24000 lb Rears, 36000 lb GVWR, 11R22.5, 115 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 7,371 Hr
75A	2019 Freightliner M2 106 4x2 Cab and Chassis S/N: 3ALACXFE0KDLG2430 C/W: Cummins L9 6 Cylinder Ultra Low Sulfur Diesel 300 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 5558 5 Engine		
			Trailer S/N: 1UYVS257XFM122501 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor, Roll-Up Door, Carrier 8600MT Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires
	SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION	79	2017 Utility VS2RA 53 ft x 102 in T/A
	BELOW		Refrigerated Trailer S/N: 1UYVS2533H6073405 C/W: 65000 lb GVWR, Spring Suspension, Ducted Floor, Roll-Up Door, 2016 Thermo King Precedent C600 Refrigeration Unit, Serial Number 6002991299, 11R22.5 Tires Usage: 27,750 Hr Notes: LOCATED-IN-FORT-WORTH-TX

Lot #	Details	Lot #	Details
80	2017 Utility 53 ft x 102 in T/A Refrigerated Trailer	87	2012 Great Dane P01-1314-22053 53 ft x 102 in T/A Van Trailer
	S/N: 1UYVS2531H6073404 C/W: 65000 lb GVWR, Spring Suspension, Ducted Floor, Roll-Up Door, 2016 Thermo King Refrigeration Unit, Serial Number 6001221297, 11R22.5 Tires		S/N: 1GRAA0626CJ632662 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
	Usage: 28,602 Hr Notes: LOCATED-IN-FORT-WORTH-TX		Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
81	2017 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer	88	BELOW 2012 Great Dane PSE-1214-22053 53 ft x 102 in T/A Van Trailer
	S/N: 1UYVS253XH6073403 C/W: 65000 lb GVWR, Spring Suspension, Ducted Floor, Roll-Up Door, 2016 Thermo King Precedent C600 Refrigeration Unit, Serial Number 6001221300, 11R22.5 Tires Usage: 26,865 Hr Notes: LOCATED-IN-FORT-WORTH-TX		S/N: 1GRAA0624CJ632546 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
82	2017 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2538H6073402		Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
	C/W: 65000 lb GVWR, Spring Suspension, Ducted Floor, Roll-Up Door, 2016 Thermo King Precedent C600 Refrigeration Unit, Serial Number 6001221301, 11R22.5 Tires Usage: 31,275 Hr Notes: LOCATED-IN-FORT-WORTH-TX	89	2018 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGEDV4JSJH1883 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10692 Engine hrs, Engine Brake, Detroit DT12-OB-1450 Hd 12-Speed Automated
83	2017 Utility VS2RA 53 ft x 102 in T/A	-	
	Refrigerated Trailer S/N: 1UYVS2536H6073401 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, Ducted Floor, Roll-Up Door, 2016 Thermo King Precedent C600 Refrigeration Unit, Serial Number 6001221298, 11R22.5 Tires Usage: 29,788 Hr Notes: LOCATED-IN-FORT-WORTH-TX		Transmission, 12000 lb Front Axle, 23000 lb Rears, Detroit DA-RS-23.0-6 Drive Axles, 3.08:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 336,646 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
84	2014 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer	00	BELOW
	S/N: 1UYVS2538EM085511 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Swing Door, Thermo King Refrigeration Unit, Serial Number 6001153724, 11R22.5 Tires Usage: 27,052 Hr Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	90	2018 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV1JSJL0884 C/W: Detroit DD13 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 10930 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 349,470 Mi Notes: LOCATED-IN-FORT-WORTH-TX
86	2013 Great Dane 53 ft x 102 in T/A CSA-1214-	91	2018 Freightliner Cascadia 125 4x2 S/A Day
	O0053 Van Trailer S/N: 1GRAA0626DK229521 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Hardwood Floor, Swing Door, 11R22.5 Tires Usage: Not Available Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Cab Truck Tractor S/N: 3AKBGDDVXJSJL0883 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 11302 Engine hrs, Engine Brake, Detroit DT12- OB-1450 12-Speed Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.07:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 366,167 Mi Notes: LOCATED-IN-FORT-WORTH-TX

Lot #	Details	Lot #	Details
92	2018 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV3JSJZ6434 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11852 Engine hrs, Engine Brake, Detroit DT12-DB- 1450 HD 12-Speed Automated Transmission, 12000 kg Front Axle, 21000 lb Rears, Detroit DA-RS-23.0-6 Drive Axles, 2.41:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 604,792 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	95	2019 Volvo VNR300 4x2 S/A Day Cab Truck Tractor S/N: 4V4W39EG4KN226144 C/W: Volvo D13M405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT02612F 12-Speed Automated Transmission, 12350 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 35350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
93	2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGDDV8HLJF3578 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 14880 Engine hrs, Engine Brake, Detroit DT12- OB-1450 12-Speed Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.21:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 205,869 Mi Notes: LOCATED-IN-FORT-WORTH-TX	96	2020 Freightliner Cascadia 126 4x2 S/A Sleeper Truck Tractor S/N: 3AKBHHDR1LSME6789 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 14425 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automated Transmission, 13220 lb Front Axle, 21000 lb Rears, 3.08:1 Axle Ratio, 34220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 636,987 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD
	Cab Truck Tractor S/N: 3AKBGDDR4HSJA7978 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14037.45 Engine hrs, Engine Brake, Detroit DT12-OA- 1550HD 12-Speed Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS- 23-161 Drive Axles, 3.07:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22. 5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 511,621 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	97	ATTACHED IN THE DOCUMENT SECTION BELOW 2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 1FUJHLDV6LLLL6641 C/W: Detroit DD13 6 Cylinder 12.7 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 15985 Engine hrs, Engine Brake, Detroit Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 552,352 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
		98	2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDV5JSJT0924 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 9358 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 296,356 Mi

Notes: LOCATED-IN-FORT-WORTH-TX

Lot #	Details	Lot #	Details
99	2018 Freightliner Cascadia 126 6x4 T/A Day	102	2018 Freightliner Cascadia 125 6x4 T/A Day
	Cab Truck Tractor S/N: 3AKJHLDV4JSJX5255 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9947 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 HD 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 334,919 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Cab Truck Tractor S/N: 3AKJGEDV6JSJK4600 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8740 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 323,469 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
100	2019 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor	103	BELOW 2018 Freightliner Cascadia 125 6x4 T/A Day
	S/N: 3AKJGEDR3KSKW2602 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11748 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 666,591 Mi Notes: ADDITIONAL COMPONENTS AVAILABLE IN OFFICE - CPC; LOCATED-IN- FORT-WORTH-TX		Cab Truck Tractor S/N: 3AKJGEDV2JSJH2381 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10726 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 346,743 Mi
101	2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV9JSJK4591 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low		Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
	Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10197.54 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0- 4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 223,656 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	104	Cab Truck Tractor S/N: 3AKJGEDV6JSJK4547 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12049.09 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0- 4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 372,969 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

		_	
Lot #	Details	Lot #	Details
105	2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor	108	2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor
	S/N: 3AKJGEDV8JSJH2272 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10105 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 378,872 Mi		S/N: 3AKJGEDV7JDJH2302 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11678 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 421,050 Mi
	Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
106	Cab Truck Tractor S/N: 3AKJGEDV6JSJK0403 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11638.5 Engine hrs, Engine Brake, Eaton Fuller FRO- 15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 392,917 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	109	Cab Truck Tractor S/N: 3AKJGEDV5JSJH1953 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12926.45 Engine hrs, Engine Brake, Detroit DT12-H 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 527,423 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
107	2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV4JSJK4546 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11855.03 Engine hrs, Engine Brake, Detroit DT12-H 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 405,691 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	110	2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV2JSJH5877 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15439.27 Engine hrs, Engine Brake, Detroit DT12-H 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 726,996 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
111	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV9HDHY1411 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, 8219 Engine hrs, Engine Brake, Detroit DT12-OB-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 303,150 Mi Notes: LOCATED-IN-FORT-WORTH-TX	115	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDR9HDHT5466 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 13029 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 456,911 Mi
112	Cab Truck Tractor S/N: 3AKJGEDV3HSHX4305 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9173 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 308,234 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	116 2 C S C h E D A 44 33 A S W U N S A B C S L E 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV9HSHX6298 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12974 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 468,900 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV5HSJH0151 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11305 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 482,226 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
113	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV2HSJH0642 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10320 Engine hrs, Engine Brake, Detroit DT12-OB-1650 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 353,712 Mi Notes: LOCATED-IN-ATLANTA-GA		
114	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDVXHDHY1420 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10969 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 395,425 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		

			rage 10 01 24
Lot #	Details	Lot #	Details
118	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDR8HLHT5465 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15285.7 Engine hrs, Engine Brake, Eaton Fuller FRO- 16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 548,633 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD	121	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV1GDHN3326 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, US EPA Label, 11748 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 533,759 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
	ATTACHED IN THE DOCUMENT SECTION BELOW	122A	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor
119	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV1GDHK4313 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13632 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 415,998 Mi Notes: ADDITIONAL COMPONENTS AVAILABLE IN OFFICE - CPC; LOCATED-IN- FORT-WORTH-TX; SELLER SUPPLIED	122	S/N: 3AKJGEDV3HSJE2025 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14091 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 602,814 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
120	MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 2016 Freightliner Cascadia 125 6x4 T/A Day	122	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED52GSHT5431
	Cab Truck Tractor S/N: 3AKJGEDV7GSGZ5914 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 12527.24 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 507,749 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14945 Engine hrs, Engine Brake, Detroit DT12-OA-1750 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 645,648 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
123	2020 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH1LN260998 C/W: Volvo D13F435 6 Cylinder 12.8 L Diesel 435 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 14187 Engine hrs, Engine Brake, Volvo AT02612F Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 185 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 663,434 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	126	2018 International LT625 6x4 T/A Day Cab Truck Tractor S/N: 3HSDZTZR1JN213565 C/W: International A26 6 Cylinder 12.4 L Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9112 Engine hrs, Engine Brake, Eaton Fuller 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, IROS Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 375,677 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
124	2018 Volvo VNL 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH2JN996393 C/W: Volvo D13M-425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612F 12-Speed Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 11R22.5, Volvo Air Ride Suspension, 184 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 346,692 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION	128	2019 Freightliner Coronado 122SD 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGNDR2KDLG4697 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13589 Engine hrs, Engine Brake, Eaton Fuller FAOM- 16810C Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 263 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 244,103 Mi Notes: LOCATED-IN-FORT-WORTH-TX 2021 Freightliner Cascadia 126 6x4 T/A
125	2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH1GN955813 C/W: Volvo D13J435 6 Cylinder 12.8 L Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 317.3 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 184 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 266,280 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Sleeper Truck Tractor S/N: 3AKJHHDV6MSMS1238 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 9424 Engine hrs, Engine Brake, Detroit DT12-1650-OH ON 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 505,562 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
129	2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR8MSMS3110 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 15760 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0- 4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 715,006 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	132	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR6KSKE1365 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17182 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22. 5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 527,937 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
130	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 1FUJHHDR3LLME0628 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 9357.9 Engine hrs, Engine Brake, Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tri Pac Evolution Auxiliary Power Unit, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 516,956 Mi Notes: LOCATED-IN-FORT-WORTH-TX	 	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR8KSKU9553 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 21968.48 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22. 5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 603,375 Mi
131	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2KSKD7619 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14187.51 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 466,643 Mi Notes: LOCATED-IN-ATLANTA-GA		Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW 2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR7KSKE1598 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 48 in High Rise Sleeper Cab, Bunk Beds, 11R22. 5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: 623,267 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

		1	
Lot #	Details	Lot #	Details
135	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor	138	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor
	S/N: 3AKJHHDR2KSKK1778 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17057 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 692,971 Mi		S/N: 3AKJHHDR3JSJR1074 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18613 Engine hrs, Engine Brake, Detroit DT12-1650- OH1 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 543,826 Mi
	Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
136	2018 Freightliner Cascadia 126 6x4 T/A	139	2018 Freightliner Cascadia 126 6x4 T/A
	Sleeper Truck Tractor S/N: 3AKJHHDR6JSJW5553 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13237 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0- 4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 422,980 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		Sleeper Truck Tractor S/N: 3AKJHHDR8JSJR1331 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 20731 Engine hrs, Engine Brake, Detroit DT12-1650- OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 575,167 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
137	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2JSJW5551 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16388 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 519,037 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	140	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2JSJR0367 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18612 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 532230 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 600,813 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

1 - 4 //	Datatle	1	D.A.tl.
Lot #	Details 1919 1919 1919 1919 1919 1919 1919 19	Lot #	Details 100 C 47(4
141	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor	144	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor
	S/N: 3AKJHHDRXJSJY3618 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 25140 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 603,076 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION		S/N: 3AKJHHDRXJSJR1363 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 19232.54 Engine hrs, Engine Brake, Detroit DT12-H 12- Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 619,561 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION
	BELOW	1	BELOW
142	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR7JSJW4136 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 24.51 Engine hrs, Engine Brake, Detroit DT12 12- Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 609,746 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	145	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR8JSJR0521 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 18904 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 654,843 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
143	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR8JSJY3620 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 21663 Engine hrs, Engine Brake, Detroit DT12-1650- OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA- RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 616,716 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	_146	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR0JSJR1341 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 25845 Engine hrs, Engine Brake, Detroit DT12-V 12- Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0- 4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 976,970 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Details Lot # **Details** Lot # 147 2020 Freightliner Cascadia 125 6x4 T/A 151 2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor Sleeper Truck Tractor S/N: 3AKJGLDR4LSLP1060 S/N: 3AKJGLDR7KDKD5231 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Exhaust Fluid, 11385 Engine hrs, Engine Brake, Label, CARB Compliant, Requires Diesel Eaton Fuller RTLO-16913A 13-Speed Manual Exhaust Fluid, 14795 Engine hrs, Engine Brake, Transmission, 13300 lb Front Axle, 40000 lb Detroit DT12-1750-0H1 HD 12-Speed Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,234 Mi Usage: 316,819 Mi Notes: LOCATED-IN-ATLANTA-GA - MILEAGE CANNOT BE VERIFIED - ODOMETER WAS Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD REPAIRED NOT ABLE TO VERIFY MILES OR ATTACHED IN THE DOCUMENT SECTION HOURS, MILEAGE WILL BE EXEMPT ON THE **BELOW** TITLE - SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT 152 2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor SECTION BELOW S/N: 1FUJGLDR5JLJL3727 149 2019 Freightliner Cascadia 125 6x4 T/A C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 **Sleeper Truck Tractor** hp Engine, Requires Diesel Exhaust Fluid, 23602 Engine hrs, Engine Brake, Detroit DT12-DA-1750 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb S/N: 1FUJGLDR7KLKA6951 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2019 US EPA Rears, Meritor MT-40-14X Drive Axles, 2.28:1 Label, Requires Diesel Exhaust Fluid, 16051 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 Rear Tires, Airliner Air Ride Suspension, 230 in Ib GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Wheelbase, Air Sliding 5th Wheel, Dual Fuel Cab, Aluminum Wheels, 11R22.5, Airliner Air Tanks Ride Suspension, 210 in Wheelbase, Air Sliding Usage: 487,947 Mi 5th Wheel, Dual Fuel Tanks Notes: LOCATED-IN-ATLANTA-GA; SELLER Usage: 568,171 Mi SUPPLIED MAINTENANCE RECORD Notes: LOCATED-IN-NASHVILLE-TN ATTACHED IN THE DOCUMENT SECTION BELOW 150 2019 Freightliner Cascadia 125 6x4 T/A 153 2018 Freightliner Cascadia 125 6x4 T/A **Sleeper Truck Tractor** Sleeper Truck Tractor S/N: 1FUJGLDR8KLKD2992 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low S/N: 3AKJGLDR5JSJH2432 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 24861 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-Exhaust Fluid, 25674 Engine hrs, Engine Brake, Detroit DT12-OA-1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive 14X Drive Axles, 2.28:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, Ride Suspension, 230 in Wheelbase, Air Sliding 228 in Wheelbase, Air Sliding 5th Wheel, Dual 5th Wheel, Dual Fuel Tanks **Fuel Tanks** Usage: 614,369 Mi Usage: 571,566 Mi Notes: ADDITIONAL COMPONENTS Notes: LOCATED-IN-ATLANTA-GA; SELLER AVAILABLE IN OFFICE - CPC; LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION **BELOW**

DOCUMENT SECTION BELOW

Details Lot# **Details** Lot # 154 2018 Freightliner A075064 6x4 T/A Sleeper 157 2017 Freightliner Cascadia 125 6x4 T/A **Truck Tractor** Sleeper Truck Tractor S/N: 1FUJGLDR0JLJY4486 S/N: 3AKJGLDR2HDHU1713 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Exhaust Fluid, 21433 Engine hrs, Engine Brake, Label, Requires Diesel Exhaust Fluid, 16961 Detroit DT12-OA-1750 HD 12-Speed Automatic Engine hrs, Engine Brake, Detroit DT12-V 12-Transmission, 13220 lb Front Axle, 40000 lb Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Wheel, Dual Fuel Tanks Usage: 636,446 Mi Usage: 713.508 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION ATTACHED IN THE DOCUMENT SECTION **BELOW BELOW** 158 2017 Freightliner Cascadia 125 6x4 T/A 155 2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor Sleeper Truck Tractor S/N: 3AKJGLDR5HSJA6781 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 19691 Engine S/N: 1FUJGLDRXHLJJ6061 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10882 Engine hrs, Engine Brake, hrs, Engine Brake, Detroit DT12-OA-1650 HD 12-Eaton Fuller FAOM-16810C Automated Speed Automated Transmission, Differential Transmission, 13300 lb Front Axle, 40000 lb Lock, 13220 lb Front Axle, 40000 lb Rears, Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear /75R22.5, Airliner Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Lowboy Tires, Airliner Air Ride Suspension, 228 in Ramps, Dual Fuel Tanks Wheelbase, Air Sliding 5th Wheel, Dual Fuel Usage: 40,911 Mi **Tanks** Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD Usage: 794,773 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER ATTACHED IN THE DOCUMENT SECTION SUPPLIED MAINTENANCE RECORD **BELOW** ATTACHED IN THE DOCUMENT SECTION **BELOW** 156 2017 Freightliner Cascadia 125 6x4 T/A 159 2019 Volvo VNL760 6x4 T/A Sleeper Truck **Sleeper Truck Tractor** Tractor S/N: 1FUJGLDR8HLHD2243 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low S/N: 4V4NC9EH7KN213926 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Sulfur Diesel 455 hp Engine, 2016 US EPA Low Sulfur Diesel 455 hp Éngine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18299.4 Label, Requires Diesel Exhaust Fluid, 19076.48 Engine hrs, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, Engine hrs, Engine Brake, Volvo ATO2612F 12-12000 lb Front Axle, 40000 lb Rears, Meritor Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT40-MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise 14X*C Drive Axles, 2.64:1 Axle Ratio, 52500 lb Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 462,247 Mi Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 567,395 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER Notes: LOCATED-IN-FORT-WORTH-TX

SUPPLIED MAINTENANCE RECORD
ATTACHED IN THE DOCUMENT SECTION

BELOW

Lot #	Details	Lot #	Details
160	2019 Volvo VNL760 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH3KN902846 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Volvo I-Shift Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, 52500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Corporate Air Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 576,167 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	163	2020 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPRXLN802723 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 1128 Engine hrs, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 336,192 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
161	2019 Volvo VNL760 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH7KN902820 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8052.6 Engine hrs, Exhaust Brake, Volvo ATO2612F 12- Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, 52500 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Corporate Air Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 607,400 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	164	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR6KN333659 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 15861 Engine hrs, Engine Brake, Eaton Fuller 12- Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, Bunk Beds, 11R22. 5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 490,481 Mi Notes: LOCATED-IN-NASHVILLE-TN; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
162	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH5GN961839 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16630 Engine hrs, Engine Brake, Volvo ATO2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 543,666 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	165	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR7JN330638 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12205 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 398,739 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW

Lot #	Details	Lot #	Details
166	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR4JN330774 C/W: Cummins X15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13274 Engine hrs, Engine Brake, Eaton Fuller 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Heater, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 458,872 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	169 -170	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR1JN330912 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14998 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 540,817 Mi Notes: LOCATED-IN-FORT-WORTH-TX; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
167	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8JN330776 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13699 Engine hrs, Engine Brake, Eaton Fuller 12- Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 484,479 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW		2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR5JN330685 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16060 Engine hrs, Engine Brake, Eaton Fuller FAOM-16810C-EA3 10-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 73 in Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 554,047 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW
168	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR1JN330778 C/W: Cummins X15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13554 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 507,836 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW	-171	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR2JN330773 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15070 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 597,805 Mi Notes: LOCATED-IN-ATLANTA-GA; SELLER SUPPLIED MAINTENANCE RECORD ATTACHED IN THE DOCUMENT SECTION BELOW