



Calfrac Well Services Ltd, USA - Apr 19, 2023

Lot #	Details	Lot #	Details
5000	2006 Kenworth C500B 6x4 T/A Sleeper Truck Tractor S/N: 1XKCDB0X66R991496 C/W: Cat C15 6 Cylinder Diesel Engine, Engine Brake, Manual Transmission, Double Differential Locks, 4.56:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel Usage: 58,809 Mi	5003	2012 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDP9X1CJ319490 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 6656.2 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Differential Lock, 6496 kg Front Axle, 18144 kg Rears, Spicer DSH40 Drive Axles, 4.33:1 Axle Ratio, 24640 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 197 in Wheelbase, PTO, Wet Kit Usage: 32,708 Mi
5001	2012 Kenworth T800 Wide Hood 10x6 Heavy Haul T/A Day Cab Truck Tractor S/N: 1XKDP4TXCR326325 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 500 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4724.3 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 65334 lb Rears, 108001 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Neway Air Ride Suspension, 292 in Wheelbase, PTO, Wet Kit, Hydraulic System, Hydraulic Oil Cooler, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 15,578 Mi	5004	2012 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDP9X7CJ319042 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 4267 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 40000 lb Rears, Spicer RSH40 Drive Axles, 4.33:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 39,027 Mi
5001	2011 Stewart-Stevenson TT-100-XC Coiled Tubing Trailer S/N: 1S9DT5041BH787001 C/W: Injector, Quad/A Carrier Usage: Not Available	5005	2012 Peterbilt 388 6x4 T/A Sleeper Truck Tractor S/N: 1XPWD49X8CD137897 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 485 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 10266 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 167,316 Mi
5002	2012 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDP9X9CJ301903 C/W: Paccar 6 Cylinder 12.9 L Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 5787 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14320 lb Front Axle, 40000 lb Rears, 54320 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: 31,265 Mi	5006	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X3CD147922 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 11038 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 17,041 Mi

Lot #	Details	Lot #	Details
5007	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X4CD147945 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8316 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 23,919 Mi	5012	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X2CD161309 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9815 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 26,968 Mi
5008	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X3CD147919 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8730 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 25,374 Mi	5013	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X8CD161301 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8944 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 28,798 Mi
5009	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X7CD147941 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9500 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 25,935 Mi	5014	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X1CD147949 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9458 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 29,161 Mi
5010	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X5CD147940 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9391 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 26,819 Mi	5016	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X6CD147929 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 9442 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 29,587 Mi
5011	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79XXCD152793 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9088 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 26,826 Mi	5017	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X7CD147924 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 10505 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 30,127 Mi

Lot #	Details	Lot #	Details
5018	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X3CD147936 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8995 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension Usage: 30,747 Mi	5023	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X1CD147921 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8269 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 51,018 Mi
5019	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79XXCD147951 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9858 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 31,659 Mi	5024	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79XXCD147917 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: 89,883 Mi
5020	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79XXCD147920 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8587 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: 31,333 Mi	5025	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X8CD147916 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9832 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: 128,720 Mi
5021	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X9CD147939 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 1669 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 37,056 Mi	5026	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X8CD147947 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8140 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase Usage: 131,911 Mi
5022	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X5CD147923 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9585 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Dual Fuel Tanks Usage: 39,291 Mi	5027	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X6CD147946 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8873.5 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: 138,933 Mi

Lot #	Details	Lot #	Details
5028	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X9CD147925 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: Not Available	5033	2011 Peterbilt 367 6x2 T/A Sleeper Truck Tractor S/N: 1XPTD79X1BD133399 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 9645 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: 173,986 Mi
5029	2012 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X8CD147950 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: Not Available	5034	2011 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X5BD130618 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, PTO, Wet Kit Usage: Not Available
5030	2011 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X8BD130628 C/W: Cummins ISX 11.9 L Diesel 425 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8678 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Wet Kit, Dual Fuel Tanks Usage: 30,716 Mi	5035	2011 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79XXBD130629 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit Usage: Not Available
5031	2011 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X2BD130639 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8157 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 148,878 Mi	5036	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDP9X7DJ319365 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 13282 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Differential Lock, 6496 kg Front Axle, 18144 kg Rears, Spicer DSH40 Drive Axles, 4.33:1 Axle Ratio, 24640 kg GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 218 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 21,393 Mi
5032	2011 Peterbilt 367 6x4 T/A Sleeper Truck Tractor S/N: 1XPTD79X7BD130636 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 11667 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 153,499 Mi		

Lot #	Details	Lot #	Details
5037	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDP9X4DJ319355 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, Engine Coolant Heater, 8287 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 40000 lb Rears, Spicer DSH40 Drive Axles, 4.33:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 218 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 46,532 Mi	5041	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X97J933289 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 9514 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 12R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 107,586 Mi
5038	2011 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X7BJ287128 C/W: Cat 6 Cylinder Engine, 4979 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 49,244 Mi	5042	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD40X97R993017 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel Engine, 22039 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 4.30:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Neway Air Ride Suspension, 222 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 476,417 Mi
5039	2008 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD49X08J215319 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, US EPA Label, Positive Air Shutoff, 4034 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 217 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 42,043 Mi	5043	2006 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X46R985557 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 12710 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 6356 kg Front Axle, 18160 kg Rears, 24516 kg GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 226 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 55,347 Mi
5040	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X67R995749 C/W: Cat C15 6 Cylinder 14.6 L Diesel 475 hp Engine, 17562 Engine hrs, Engine Brake, Manual Transmission, Double Differential Locks, 4.30:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel Usage: 79,078 Mi	5044	2006 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X66R987147 C/W: Cat C15 6 Cylinder 14.6 L Ultra Low Sulfur Diesel Engine, Positive Air Shutoff, 27462 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Spicer R40-170D Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 235 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 89,023 Mi

Lot #	Details	Lot #	Details
5045	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9XX5R976114 C/W: Cat C12 6 Cylinder 12.0 L Diesel Engine, 1915 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 216 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 49,700 Mi	5049	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9X55R980589 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 18316 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 347,775 Mi
5046	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X55R976117 C/W: Cat C13 6 Cylinder 12.0 L Ultra Low Sulfur Diesel Engine, Positive Air Shutoff, 3303 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 141,134 Mi	5050	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9X55R980236 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 22241 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,965 Mi
5047	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9X15R980590 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 15435 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Double Differential Locks, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 149,732 Mi	5051	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9X75R980237 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 5079 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 5996 kg Front Axle, 18144 kg Rears, 4.30:1 Axle Ratio, 24140 kg GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 605,744 Mi
5048	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9X35R980235 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 15067 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 221,055 Mi	5052	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDB9XX5R980233 C/W: Cat C15 6 Cylinder 15.2 L Diesel 550 hp Engine, 2004 US EPA Label, Positive Air Shutoff, 23190 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
5053	2003 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X73R969859 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, 5815 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 28,737 Mi	5058	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X91R964448 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, 564 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 288,457 Mi
5054	2002 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X92R966296 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, Engine Brake, Manual Transmission, Double Differential Locks, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 128,840 Mi	5059	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X71J962180 C/W: Cat C12 6 Cylinder 11.9 L Diesel 455 hp Engine, 2000 US EPA Label, 6468 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 275/80R22.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 265,742 Mi
5055	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X91R963963 C/W: Cat C-12 6 Cylinder 12 L Diesel 430 hp Engine, 6223 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 209 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 3,734 Mi	5060	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X6YR959895 C/W: Cat C12 6 Cylinder 12.0 L Diesel Engine, Engine Brake, 10-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 203,736 Mi
5056	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X61R962810 C/W: Cat C12 6 Cylinder Diesel 395 hp Engine, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 4.33:1 Axle Ratio, 23977 kg GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 9,329 Mi	5061	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X1YR959660 C/W: Cat C-12 6 Cylinder 12.0 L Diesel 430 hp Engine, 2000 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 1231 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, Spicer RDS40 Drive Axles, 4.33:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 209 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 267,147 Mi
5057	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X01J962179 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 4.33:1 Axle Ratio, 23977 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 46,735 Mi	5062	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9XXYR959656 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 23977 kg GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 305,406 Mi

Lot #	Details	Lot #	Details
5063	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X4YR959894 C/W: Cat C-12 6 Cylinder 11.9 L Diesel 455 hp Engine, 1999 US EPA Label, Positive Air Shutoff, 9102 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 4.33:1 Axle Ratio, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 332,005 Mi	5068	2013 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALBGXDPBU3487 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2012 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 217 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 7,651 Mi
5064	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X0YR961724 C/W: Cat C12 6 Cylinder Diesel 430 hp Engine, Engine Brake, Manual Transmission, Double Differential Locks, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 346,984 Mi	5069	2009 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK39PAK2858 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2008 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 14320 lb Front Axle, 46000 lb Rears, 60320 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 69,270 Mi
5065	2000 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X2YR961725 C/W: Cat C-12 6 Cylinder 11.9 L Diesel 455 hp Engine, 2000 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 4320 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 4.33:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 426,111 Mi	5070	2007 Western Star 4900 SA 6x4 Heavy Haul T/A Sleeper Truck Tractor S/N: 5KJJALCK97PY60757 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 46,401 Mi
5066	1999 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD60X9XR955508 C/W: Cummins N14 6 Cylinder 14.0 L Diesel 460 hp Engine, 884 Engine hrs, Engine Brake, Eaton Fuller RTLO16718B 18-Speed Manual Transmission, Double Differential Locks, 4.30:1 Axle Ratio, 26698 kg GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 228 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 32,055 Mi	5071	2007 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK17PY60753 C/W: Detroit Series 60 6 Cylinder 14.0 L Ultra Low Sulfur Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 8866 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 223 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 59,269 Mi
5067	1998 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDR9X4WR952051 C/W: Detroit 60 Series 6 Cylinder 12.7 L Diesel Engine, Positive Air Shutoff, Engine Coolant Heater, 3045 Engine hrs, Engine Brake, Eaton Fuller RTO14915 15-Speed Manual Transmission, Differential Lock, 5443.20 kg Front Axle, Meritor RT40-145P Drive Axles, 4.63:1 Axle Ratio, 23587 kg GVWR, 38 in Flat Top Sleeper Cab, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 220 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 301,034 Mi		

Lot #	Details	Lot #	Details
5072	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK96PX19413 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 983 Mi	5076	2006 Western Star 4900 SA 6x4 Heavy Haul T /A Sleeper Truck Tractor S/N: 5KJJALCK86PX19418 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 60,179 Mi
5073	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK46PX19416 C/W: Detroit Series 60 6 Cylinder 14.0 L Ultra Low Sulfur Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 17830 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 223 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 4,015 Mi	5077	2006 Western Star 4900 SA 6x4 Heavy Haul T /A Sleeper Truck Tractor S/N: 5KJJALCK66PX19420 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 224 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 68,666 Mi
5074	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCKX6PX19422 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 46,581 Mi	5078	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK26PX19429 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel Usage: 249,130 Mi
5075	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK16PX19423 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 50,498 Mi	5079	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALCK06PX19428 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, 14649 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 223 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
		5080	2006 Western Star 4900 SA 6x4 Heavy Haul T /A Sleeper Truck Tractor S/N: 5KJJALCK66PX19417 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
5081	2002 Freightliner FL80 6x4 Crew Cab T/A Day Cab Truck Tractor S/N: 1FUJBXAK72HJ60879 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 330 hp Engine, 2001 US EPA Label, Eaton Fuller 8-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 197 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 132,116 Mi	5086	2011 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X3BD133384 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 3574 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Tail Roll Usage: 60,215 Mi
5082	2012 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X6CD147913 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 3620 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Double Frame, Tail Roll Usage: 50,781 Mi	5087	2011 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X5BD133385 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 4375 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Tail Roll Usage: 66,383 Mi
5083	2012 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X4CD147912 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4032 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Double Frame, Tail Roll Usage: 64,112 Mi	5088	2003 Kenworth T800 6x4 Sleeper Winch Truck S/N: 1XKDDU9X73R969862 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, 9298 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Tail Roll, DP Manufacturing 30BBX4L-1F 30000 lb Winch Usage: 259,855 Mi
5084	2012 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X9CD169744 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4569 Engine hrs, Eaton Fuller Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Double Frame, Tail Roll Usage: 104,528 Mi	5089	2009 Western Star 4900 SA 6x4 Winch Truck S/N: 5KKHALCK29PAK2862 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, Engine Brake, Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 224 in Wheelbase, PTO, Winch Usage: 57,744 Mi
5085	2012 Peterbilt 367 6x4 Winch Truck S/N: 1XPTD70X7CD169743 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4018 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, 60600 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, PTO, Wet Kit, Double Frame, Tail Roll Usage: 67,802 Mi	5090	2007 Western Star 4900 SA 6x4 Winch Truck S/N: 5KJJALCK67PY60764 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, 8612 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30: 1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/55R22.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 210 in Wheelbase, PTO, Double Frame, Tail Roll Usage: 177,801 Mi

Lot #	Details	Lot #	Details
5091	National Crane NBT50 50 ton Straight Boom on 2010 Peterbilt 367 10x4 Boom Truck S/N: 1NPXT4TX1AD105741 C/W: Cummins ISX 6 Cylinder Diesel 500 hp Engine, 3723.6 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 22000 lb Front Axle, 68040 lb Rears, 88000 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Air Lift Tag Axle, Dual Steering Boxes, Spring over Walking Beam Suspension, 274 in Wheelbase, PTO, Double Frame, 50 ton Capacity, Center Mounted, 31 ft - 102 ft 4 Section Boom, Johnson 3 Sheave 40 ton Capacity Hook Block, Anti-Two Block, Manitowoc Load Moment Indicator, Enclosed Cab, w/ Air Conditioner, Out and Down Outriggers, Rear Outriggers, Remote Control w /Cord, 19 ft x 96 in Bed, Aluminum/Steel Combination Frame, Pintle Hitch Usage: 32,436 Mi	5094	Manitex 2277T Straight Boom on 2012 Peterbilt 367 6x4 Boom Truck S/N: 1XPTD70X4CD169747 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4386.1 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Rubber Suspension, PTO, Double Frame, Center Mounted, 3 Section Boom, 219 lb Overhaul Ball 5 ton Capacity, Anti-Two Block, Dual Controls, A-Outriggers, Rear Outriggers, 7 ft 4 in x 102 in Bed, Air Sliding 5th Wheel Usage: 15,643 Mi
5092	National NBT50 50 ton Straight Boom on 2012 Peterbilt 365 8x6 Boom Truck S/N: 1NP SX7TXXCD142576 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 66000 lb Rears, 86000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 268 in Wheelbase, PTO, Double Frame, 50 ton Capacity, Center Mounted, 31 ft - 102 ft Boom, Anti-Two Block, Load Moment Indicator, Enclosed Cab, w/ Air Conditioner, Straight Down Outriggers, Rear Outriggers, 24 ft x 96 in Bed, Aluminum/Steel Combination Frame Usage: Not Available	5095	Manitex 2277T Straight Boom on 2012 Peterbilt 367 6x4 Boom Truck S/N: 1XPTD70X6CD169748 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 5211.9 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Rubber Suspension, PTO, Double Frame, Center Mounted, 3 Section Boom, 232 lb Overhaul Ball 7 ton Capacity, Anti-Two Block, Dual Controls, A-Outriggers, Rear Outriggers, 7 ft 4 in x 102 in Bed, Air Sliding 5th Wheel Usage: 19,072 Mi
5093	National NBT50 50 ton Straight Boom on 2012 Peterbilt 365 8x6 Boom Truck S/N: 1NP SX7TX1CD142577 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 1535.3 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 66000 lb Rears, 86000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 294 in Wheelbase, PTO, Double Frame, 50 ton Capacity, Center Mounted, 31 ft - 102 ft Boom, Johnson 588 lb 3 Sheave 40 ton Capacity Hook Block, Anti-Two Block, Manitowoc Load Moment Indicator, Enclosed Cab, w/ Air Conditioner, Out and Down Outriggers, 26 ft x 102 in Bed, Aluminum Frame Usage: 16,271 Mi	5096	Putzmeister Telebelt TB130 on 2015 Mack MRU613 TerraPro 8x4 Twin-Steer Concrete Conveyor Truck S/N: 1M2AV04C1FM013217 C/W: Mack MP7 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9475.7 Engine hrs, T310 10-Speed Manual Transmission, Differential Lock, 37480 lb Front Axle, 44000 lb Rears, Mack Drive Axles, 81480 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 331 in Wheelbase, Dual PTO, Double Frame Usage: 5,964 Mi
		5097	Putzmeister Telebelt TB130 on 2014 Mack MRU613 TerraPro 8x4 Twin-Steer Concrete Conveyor Truck S/N: 1M2AV04C9EM010676 C/W: Mack MP7 6 Cylinder Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, 14253.6 Engine hrs, T310 10-Speed Manual Transmission, Differential Lock, 37480 lb Front Axle, 44000 lb Rears, Mack Drive Axles, 81480 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 331 in Wheelbase, Dual PTO, Double Frame Usage: 8,498 Mi

Lot #	Details	Lot #	Details
5098	Putzmeister Telebelt TB130 on 2015 Mack MRU613 TerraPro 8x4 Twin-Steer Concrete Conveyor Truck S/N: 1M2AV04C3FM013218 C/W: Mack MP7 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8417.7 Engine hrs, T310 10-Speed Manual Transmission, Differential Lock, 37480 lb Front Axle, 44000 lb Rears, Mack Drive Axles, 81480 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 331 in Wheelbase, Dual PTO, Double Frame Usage: 2,122 Mi	5106	2001 Freightliner FL70 Data Control Van (Inoperable) S/N: 1FVABTAK01HJ14958 C/W: 2013 US EPA Label, Cat 3126 6 Cylinder 300 hp Diesel Engine, Crown Equipment Company STC-00013 Usage: Not Available
5099	2006 Kenworth C500 6x4 Sleeper Data Control Van S/N: 1XKCDB9X06R986670 C/W: Cat C15 Acert 6 Cylinder Diesel 475 hp Engine, 11169 Engine hrs, Engine Brake, 18-Speed Manual Transmission, Double Differential Locks, 7273 kg Front Axle, 18182 kg Rears, 25402 kg GVWR, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, PTO Usage: 4,003 Mi	5107	2012 Yantai Jereh Frac Blender S/N: LA9ST142XCYJRR039 C/W: Tier 3, 2011 US EPA Label, Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 12 in Sand Augers, Gorman-Rupp 12 in Suction Pump, Mission 12 in Discharge Pump, Open Top Mixing Tub, Stationary Cabin, T/A Carrier, Air Ride Usage: Not Available
5100	2007 Kenworth T800 Data Control Van S/N: 1NKDLU9X67R933387 C/W: Cat C13 Accert 6 Cylinder Diesel Engine, Enerflow LDV-432 Data Van Usage: 47,070 Mi	5108	2012 Yantai Jereh Frac Blender S/N: LA9ST1420CYJRR034 C/W: Tier 3, 2011 US EPA Label, Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 12 in Sand Augers, Mission 12 in Suction Pump, Gorman-Rupp 12 in Discharge Pump, Open Top Mixing Tub, Stationary Cabin, T/A Carrier, Air Ride Usage: Not Available
5101	2001 Kenworth T800 Data Control Van S/N: 1NKDLU9XX1J964454 C/W: Cat C-12 6 Cylinder 425 hp Diesel Engine, Crown Industries STC-00024 Data Van Usage: 8,780 Hr	5109	2007 Enerflow-Peerless BL100 Frac Blender S/N: 2PLC044368BC13721 C/W: Cat C13 Acert 6 Cylinder Diesel Engine, Stationary Cab, Tri/A Carrier, Air Ride Suspension, Hydraulic Leveling Usage: Not Available
5102	2006 Western Star 4900 Data Control Van S/N: 5KKHALCG66PX19195 C/W: 2006 US EPA Label, Detroit Series 60 8 Cylinder 455 hp 12.7 L Diesel Engine, Enerflow LDV-432 Data Van Usage: 33,301 Hr	5110	2006 Enerflow-Peerless BL100 Frac Blender S/N: 2PLC039246BH12508 C/W: 12 in Sand Augers, Rupp VGH6D51-B 12 in Suction Pump, Stationary Cabin, T/A Carrier, Air Ride, Hydraulic Leveling Usage: Not Available
5103	2006 Kenworth T300 Data Control Van S/N: 2NKMHD8X16M985695 C/W: Cat C7 6 Cylinder Engine, Crown Energy Technology STC 00016 Data Van Usage: 66,274 Mi	5111	2006 Enerflow-Peerless BL100 Frac Blender S/N: 2PLC044396BB12783 C/W: Detroit 6 Cylinder Diesel Engine, 12 in Sand Augers, Gorman-Rupp VGH8D31-B 12 in Discharge Pump, Capped Top Mixing Tub, Stationary Cabin, Tri/A Carrier, Air Ride, Hydraulic Leveling Usage: 12,832 Hr
5104	2004 Kenworth T300 Quality Control Data Control Van S/N: 2NKMHD8X44M972193 C/W: Cat 6 Cylinder Diesel Engine, Eaton Fuller 10 Speed Manual Usage: 153,216 Mi	5112	2006 Enerflow-Peerless BL100 Frac Blender S/N: 2PLC044376BB12782 C/W: Cat C13 Acert 6 Cylinder Diesel Engine, 12 in Sand Augers, Gorman-Rupp VGH8D31-B 12 in Suction Pump, Stationary Cabin, Tri/A Carrier, Air Ride Usage: 20,407 Hr
5105	2001 Freightliner FL70 4x2 Crew Cab Data Control Van S/N: 1FVABTAK31HJ46948 C/W: Cat 3126B 6 Cylinder Diesel 250 hp Engine, 2003 US EPA Label, 3235 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 191 in Wheelbase, Pintle Hitch Usage: 222,469 Mi	5113	2006 Enerflow-Peerless BL100 Frac Blender S/N: 2PLC044306BB12784 C/W: 2005 US EPA Label, Cat C13 Acert 12.8 L Diesel Engine, Stationary Cab, Tri/A Carrier, Air Ride, Hydraulic Leveling Usage: 13,079 Hr

Lot #	Details	Lot #	Details
5114	2008 Charlton & Hill - Peerless SBR-1701-125BBL Frac Blender S/N: 2PLC039268BK13886 C/W: Cat 6 Cylinder Diesel Engine, 12 in Sand Augers, Gardner Denver 12 in Suction Pump, National Oil Well Varco 10 in Discharge Pump, Open Top Mixing Tub, Stationary Cabin, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 10,801 Hr	5122	2011 Stewart-Stevenson CT-5 CAS Hydration Unit S/N: 1M91S4920BA211932 C/W: Tier 3, 2010 US EPA Label, Detroit Series 60 6 Cylinder 665 hp 14 L Diesel Engine, Continental 3CL4-SCR Liquid Additive Pumps, Liquid Storage Tank, Gorman-Rupp Pumps Discharge Pump, Hydraulic Mixing Agitators, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 564 Hr
5115	2007 Enerflow-Peerless BL125 Frac Blender S/N: 2PLC039207BJ13264 C/W: Cat C13 Diesel Engine, Stationary Cab, T/A Carrier, Air Ride, Hydraulic Leveling Usage: Not Available	5123	2011 Stewart-Stevenson CT-5 CAS Hydration Unit S/N: 1M91S49238A211691 C/W: Tier 3, 2010 US EPA Label, Detroit Series 60 6 Cylinder 665 hp 14 L Diesel Engine, SPX 018 U1 Rotary Gear Liquid Additive Pumps, Liquid Storage Tank, Gorman-Rupp Pumps Discharge Pump, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 14,705 Hr
5116	2003 Crown SRZ-00080 Frac Blender S/N: 2A9PF35353N125065 C/W: Cat 6 Cylinder Diesel Engine, 10 in Sand Augers, Stationary Cabin, Tri/A Carrier, Air Ride, 10 cu m (65 bbl) Usage: Not Available	5124	2011 Stewart-Stevenson CT-5 CAS / HYD Hydration Unit (Inoperable) S/N: 1M91S4922BA211933 C/W: Tier 3, 2010 US EPA Label, Detroit Series 60 6 Cylinder 665 hp 14 L Diesel Engine, On-Board Totes, Hydraulic Mixing Agitators, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 2,982 Hr
5117	2012 Wilco 561 cft Batch Mixing Unit S/N: 1W9TC412XCM257355 C/W: Cat 6 Cylinder Diesel Engine Usage: Not Available	5125	2011 Stewart-Stevenson CT-5 CAS / HYD Hydration Unit S/N: 1M91S4927BA211894 C/W: 2011 US EPA Label, Detroit Series 60 Diesel Engine, Gorman Rupp 12 in Suction Pump, Weco Gorman Rupp 10 in Discharge Pump, Open Top Mixing Tub, Open Top Control Station, T/A Carrier, Air Ride Usage: 1,500 Hr
5118	2012 Wilco 561 cft Batch Mixing Unit S/N: 1W9TC4121CM257356 C/W: Cat 6 Cylinder Diesel Engine Usage: Not Available	5126	2012 Serva-Peerless STF01-125 Hydration Unit (Inoperable) S/N: 2PLC04727CBB16152 C/W: Tier 3, 2012 US EPA Label, Cummins QSL 6 Cylinder 300 hp 8.9 L Diesel Engine, Gorman-rupp Pump Discharge Pump, Hydraulic Mixing Agitators, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 17,771 Hr
5119	2012 Wilco 561 cft Batch Mixing Unit S/N: 1W9AC4128CM257359 C/W: Cat 6 Cylinder Diesel Engine Usage: Not Available	5127	2009 Ty-Crop STF01-0125 Hydration Unit S/N: 2T9SASWB19D016387 C/W: 6 Cylinder Diesel Engine, Gorman-Rupp Pumps Discharge Pump, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 2,089 Hr
5120	2011 Stewart-Stevenson CT-5 CAS Hydration Unit S/N: 1M91S4928BA211905 C/W: Tier 3, 2011 US EPA Label, Detroit Series 60 6 Cylinder 665 hp 14 L Diesel Engine, Continental 2CL3-SSF Liquid Additive Pumps, Liquid Storage Tank, Gorman-Rupp Pump Discharge Pump, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 3,281 Hr	5128	2009 Ty-Crop STF01-0125 Hydration Unit (Inoperable) S/N: 2T9SASWB69D016384 C/W: Perkins 6 Cylinder Diesel Engine, Gorman Rupp Liquid Additive Pumps, Gorman Rupp Suction Pump, 200 bbl Open Top Mixing Tub, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: Not Available
5121	2011 Stewart-Stevenson CT-5 CAS Hydration Unit S/N: 1M91S4921BA211891 C/W: Tier 3, 2011 US EPA Label, Detroit Series 60 6 Cylinder 665 hp 14 L Diesel Engine, SPX 006 U2 Rotary Gear Liquid Additive Pumps, Liquid Storage Tank, Mission Magnum Sand Master Suction Pump, Gorman-Rupp Pumps Discharge Pump, Hydraulic Mixing Agitators, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: 9,196 Hr		

Lot #	Details	Lot #	Details
5129	2008 Enerflow-Peerless HU-60 Hydration Unit S/N: 2PLC049248BC13720 C/W: 2006 US EPA Label, Cat C13 6 Cylinder 520 hp 12.5 L Diesel Engine, Liquid Storage Tank, Open Top Control Station, T/A Carrier, Air Ride Usage: Not Available	5139	2011 Surefire 43 ft T/A Chemical Additive Float Trailer (Inoperable) S/N: 1C9FL4823CK883545 C/W: 70852 lb GVWR, Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
5130	2007 Homebuilt HU60 Hydration Unit S/N: 2AT71018274400542 C/W: Cat C13 6 Cylinder 520 hp Diesel Engine, SPC 030 U1 Rotary Gear Liquid Additive Pumps, Gardner-Denver Discharge Pump, Stationary Cabin, T/A Carrier, Air Ride Usage: 18,370 Hr	5140	2011 Surefire 43 ft T/A Chemical Additive Float Trailer S/N: 1C9FL4826BK883506 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: 17,229 Hr
5131	2007 Manac Hydration Unit (Inoperable) S/N: 2M513161471113822 C/W: Perkins 6 Cylinder Diesel Engine, Gardner Denver 12 in Centrifugal Liquid Additive Pumps, Siemens Metering Device, Gardner Denver 8 in Suction Pump, 200 bbl Open Top Mixing Tub, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling Usage: Not Available	5141	2006 Peerless CAT9600 67000 lb 47 ft Tri/A Chemical Additive Trailer (Inoperable) S/N: 2PLC046377BF13117 C/W: 86487 lb GVWR, Air Ride Suspension, Air Brakes, Storage Compartments, Deck Over Tires, Cat Diesel Powered Self Contained Hydraulic System, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5132	2007 Dragon 500 bbl Flat Top S/A Frac Tank S/N: 49630 C/W: V-Bottom, Manifold, 8 in Fill Line, 3 Hatches, Access Stairs, Spring Suspension, Air Brakes Usage: Not Available	5142	2007 Peerless CAT9600 67689 lb 47 ft Tri/A Chemical Additive Trailer (Inoperable) S/N: 2PLC046377BF13120 C/W: 86487 lb GVWR, Air Ride Suspension, Air Brakes, Deck Over Tires, Cat Diesel Powered Self Contained Hydraulic System, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5133	2007 Dragon 500 bbl Flat Top S/A Frac Tank S/N: 49029 C/W: V-Bottom, Manifold, 8 in Fill Line, 3 Hatches, Spring Suspension Usage: Not Available	5143	2006 Peerless LACT9600 48 ft Tri/A Chemical Additive Trailer S/N: 2PLC0463X6BB12871 C/W: 86862 lb GVWR, Air Ride Suspension, Surge Brakes, Storage Compartments, Deck Over Tires, Cat Diesel Powered Self Contained Hydraulic System, Aluminum Wheels, 9.5R17.5 Tires, Hose Reels Usage: Not Available
5134	2007 Dragon 500 bbl Flat Top S/A Frac Tank S/N: 48891 C/W: V-Bottom, Manifold, 8 in Fill Line, 3 Hatches, Spring Suspension Usage: Not Available	5144	2015 PJ Trailers 32 ft T/A Compass Chemical Additive Trailer S/N: 4P5C82420F1220793 C/W: Spring Suspension, Electric Brakes, Cummins Engine 235/80R16 Tires Usage: Not Available
5135	2007 Dragon 500 bbl Flat Top S/A Frac Tank S/N: 61130 C/W: V-Bottom, Manifold, 8 in Fill Line, 3 Hatches, Spring Suspension Usage: Not Available	5145	2008 Peerless CH-44-2A 42 ft T/A Iron Trailer S/N: 2PLC044248BH13884 C/W: 61729 lb GVWR, Air Ride Suspension, Air Brakes, Storage Compartments, Winch, Aluminum Wheels, 11R24.5 Tires, Furukawa 1504-F Hydraulic Boom, Hose Reels Usage: Not Available
5136	2009 Convey-All Unibelt 1800 36 in x 50 ft Portable Sand Conveyor Trailer S/N: 0311097740 C/W: Channel Frame, Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Kingpin, Cat 3054C 4 Cylinder Diesel Engine Usage: Not Available	5146	2007 Peerless CH-45-2A 45 ft T/A Iron Trailer S/N: 2PLC0452X7BJ13249 C/W: 84547 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Furukawa 15 ton Hydraulic Boom, Anti Two Block, Johnson Hook Block Usage: Not Available
5137	2012 Surefire 43 ft T/A Chemical Additive Float Trailer (Inoperable) S/N: 1C9FL4822CK883603 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available		
5138	2011 Surefire 43 ft T/A Chemical Additive Float Trailer (Inoperable) S/N: 1C9FL4824BK883505 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5147	2007 Ty-Crop 42 ft T/A Iron Trailer S/N: 2T9SASVB57D016133 C/W: Air Ride Suspension, Air Brakes, Storage Compartments, Aluminum Wheels, 11R24.5 Tires, Furukawa 15 ton Hydraulic Boom, LSI GS5550 LMI, Hose Reels Usage: Not Available	5156	2010 Worley Welding 5350 gal T/A Tanker Trailer S/N: 1W9PS4229AL216009 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, 2 Compartments, Catwalk, 11R24.5 Tires Usage: Not Available
5148	2009 Worley Welding 5000 gal T/A Acid Tanker Trailer S/N: 1W9TS39269L216012 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, 11R24.5 Tires Usage: Not Available	5157	2009 Worley Welding 5000 gal T/A Acid Tanker Trailer S/N: 1W9TS39289L216013 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, 11R24.5 Tires Usage: Not Available
5149	2006 Worley Welding 5000 gal T/A Acid Tanker Trailer S/N: 1W9TS39206L216003 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, 11R22.5 Tires Usage: Not Available	5158	2016 Beall BAPS-124-3 1240 cft T/A Pneumatic Bulk Trailer S/N: 10BDA9230GP003086 C/W: 64000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5150	2012 Keystone Oilfield Fabrication LGT-5000 5000 gal T/A Tanker Trailer S/N: 1K9K6FF26CW312153 C/W: 60000 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, forum Hydraulic Powered Pump, 11R22.5 Tires Usage: Not Available	5159	2016 Beall BAPS-124-3 1240 cft T/A Pneumatic Bulk Trailer S/N: 10BDA9236GP003089 C/W: 64000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Gardner Denver Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5151	2012 Worley Welding WD-N-WWF5336-240-LN 4000 gal T/A Tanker Trailer S/N: 1W9TN392XCL216013 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, double life Hydraulic Powered Pump, 11R22.5 Tires Usage: Not Available	5160	2016 Beall BAPS-124-3 1240 cft T/A Pneumatic Bulk Trailer S/N: 10BDA9232GP003090 C/W: 64000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5152	2012 Worley Welding WD-N-WWF5336-240-LN 4000 gal T/A Tanker Trailer S/N: 1W9TN3922CL216006 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, 2 Compartments, Catwalk w/Guardrails, double life Hydraulic Powered Pump, 11R22.5 Tires Usage: Not Available	5161	2016 Beall BAPS-124-3 1240 cft T/A Pneumatic Bulk Trailer S/N: 10BDA9234GP003088 C/W: 64000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Gardner Denver Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5153	2011 Worley Welding WD-N-WWF5336-240-LN 4000 gal T/A Tanker Trailer S/N: 1W9TN3926BL216007 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, double life Hydraulic Powered Pump, 11R22.5 Tires Usage: Not Available	5162	2016 Beall BAPS-124-3 1240 cft T/A Pneumatic Bulk Trailer S/N: 10BDA9232GP003087 C/W: 64000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, gardner denver Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5154	2011 Worley Welding 5350 gal T/A Tanker Trailer S/N: 1W9PS4225BL216008 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, 2 Compartments, 11R24.5 Tires Usage: Not Available	5163	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4228DA022644 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: 63,715 Mi
5155	2010 Worley Welding 5350 gal T/A Tanker Trailer S/N: 1W9PS4227AL216008 C/W: 50000 lb GVWR, Air Ride Suspension, Air Brakes, 2 Compartments, 11R24.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5164	2013 MAC TN1250APB T/A Pneumatic Bulk Trailer S/N: 5MATA4229DA023365 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Gardner Denver T5CDL9L Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	5171	2013 MAC TN1250APB T/A Pneumatic Bulk Trailer S/N: 5MATA4225DA023203 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5165	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4221DA022646 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: 46,623 Mi	5172	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4224DA022642 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5166	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4226DA022643 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, 11R22.5 Tires Usage: Not Available	5173	2013 MAC TN1250APB Pneumatic Bulk Trailer S/N: 5MATA422XDA022645 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5167	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4220DA022640 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5GDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	5174	2013 MAC TN1250APB T/A Pneumatic Bulk Trailer S/N: 5MATA4223DA023202 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
5168	2013 MAC TN1250APB T/A Pneumatic Bulk Trailer S/N: 5MATA4225DA023363 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	5175	2007 Trail King 1250 cft T/A Pneumatic Bulk Trailer S/N: 1TKH0442X7B097768 C/W: 71740 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available
5169	2013 MAC TN1250APB 1250 cft T/A Pneumatic Bulk Trailer S/N: 5MATA4222DA022641 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	5176	2007 Trail King 1250 cft T/A Pneumatic Bulk Trailer S/N: 1TKH044227B076767 C/W: 76060 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
5170	2013 MAC TN1250APB T/A Pneumatic Bulk Trailer S/N: 5MATA4225DA022648 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Gardner Denver T5CDL9L Hydraulic Blower, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	5177	2008 Advanced Engineered Products 33 m3 T/A Pneumatic Bulk Trailer S/N: 2AEBCEEE88R000333 C/W: 33000 kg GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Blower, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5178	2008 Advanced Engineered Products 33 m3 T /A Pneumatic Bulk Trailer S/N: 2AEBCEEE48R000331 C/W: 33000 kg GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 2 Compartments, Blower, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5187	2011 Convey-All Dualbelt-3000 30 in x 50 ft Portable Sand Conveyor Trailer (Inoperable) S/N: 1407108168 C/W: Channel Frame, Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Tier 3, 2017 US EPA Label, Perkins 4 Cylinder 4.4 L Diesel Engine, S/A Carrier Usage: Not Available
5179	2006 Advanced Engineered Products 33140 L T /A Pneumatic Bulk Trailer S/N: 2AEBCEEE66R000137 C/W: 72750 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 2 Compartments, Hydraulic Blower, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5188	2011 Appco MS-82-30 18 in x 40 ft Portable Transfer Dual Belt Sand Conveyor Trailer S/N: 1B9WS4925BT287179 C/W: Channel Frame, Control Panel, Cat C4 4 Cylinder Diesel Engine, T/A Carrier Usage: Not Available
5180	2006 Advanced Engineered Products 36800 L T /A Pneumatic Bulk Trailer S/N: 2AEBCEEH06R000314 C/W: 39000 kg GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Blower, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5189	2014 Putzmeister Telebelt TBS 130 18 in x 126 ft Portable Transfer Sand Conveyor Trailer S/N: 1P9DR4236ER330630 C/W: Lattice Frame, Hydraulic Raise, Control Panel, Kingpin, Deutz 6 Cylinder Diesel Engine, Tri/A Carrier Usage: 9,506 Hr
5181	2006 Advanced Engineered Products 33140 L T /A Pneumatic Bulk Trailer S/N: 2AEBCEEE86R000138 C/W: 72750 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 2 Compartments, Blower, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5190	2013 Putzmeister Telebelt TBS 130 18 in x 126 ft Portable Transfer Sand Conveyor Trailer S/N: 1P9DR4230DR330587 C/W: Channel Frame, Hydraulic Raise, Control Panel, Kingpin, 6 Cylinder Diesel Engine, Tri/A Carrier Usage: 13,578 Hr
5182	1998 Advanced-Crown 1300 cft T/A Pneumatic Bulk Trailer S/N: 2AEBCEEH7WR000469 C/W: Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5191	2012 Putzmeister Telebelt TBS 130 18 in x 126 ft Portable Transfer Sand Conveyor Trailer S/N: 1P9DR4235CR330549 C/W: Channel Frame, Hydraulic Raise, Control Panel, Kingpin, 6 Cylinder Diesel Engine, Tri/A Carrier Usage: 7,110 Hr
5183	2006 Aspen ICC 180K FATM Nitrogen Pump Trailer S/N: 2L9NS53D16H003483 C/W: Cat 6 Cylinder Diesel Engine, Control Cab, Tri/A Carrier, Air Ride Usage: Not Available	5192	2010 Appco MS8230 30 in x 45 ft Transfer Sand Conveyor Trailer (Inoperable) S/N: 1B9WS4927AT287179 C/W: Lattice Frame, Control Panel, Kingpin, Cat C4.4 4 Cylinder Diesel Engine, T/A Carrier Usage: Not Available
5184	1975 Lox Equipment T/A Nitrogen Bulk Trailer S/N: 7526 C/W: Air Ride Suspension, Air Brakes, Steel Tank, 275/80R22.5 Tires Usage: Not Available	5193	2009 Convey-All Unibelt 1800 36 in x 50 ft Portable Sand Conveyor Trailer (Inoperable) S/N: 3001097404 C/W: Channel Frame, Control Panel, Hydraulic Radial Drive, Kingpin, Cat 3054C 4 Cylinder Diesel Engine Usage: 9,813 Hr
5185	2007 Dragon 5460 gal T/A Tanker Trailer S/N: 1UNST42237L052042 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, 11R24.5 Tires Usage: Not Available	5194	2005 Stewart-Stevenson SSTSC18X30 18 in x 29 ft Portable Transfer Conveyor S/N: SSTSC18X30000004 C/W: Channel Frame, Hydraulic Raise, Control Panel, 2009 US EPA Label, Kohler 9LBDL1 2 Cylinder 1.2 L Diesel Engine, Ball Hitch Usage: 97 Hr
5186	2012 Convey-All Dualbelt 3000 30 in x 50 ft Portable Sand Conveyor Trailer (Inoperable) S/N: 3101129313 C/W: Channel Frame, Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Kingpin, Cat C4.4 4 Cylinder Diesel Engine Usage: Not Available		

Lot #	Details	Lot #	Details
5195	2003 Stewart-Stevenson SSTSC18X30 18 in x 30 ft Portable Sand Conveyor Trailer (Inoperable) S/N: 18X30W27336920007 C/W: Channel Frame, Hydraulic Raise, Control Panel, 2011 US EPA Label, Kohler 2 Cylinder 19 kW 0.95 L Diesel Engine, Transloader, Storage Tank Usage: Not Available	5202	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P287C1121294 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 3,621 Hr
5196	2002 Homemade 24 in x 39 ft Portable Transfer Conveyor S/N: ID0319691CO C/W: Lattice Frame, Hydraulic Raise, Tier 3, 2006 US EPA Label, Honda 24.9 V-Twin 2 Cylinder 671 cc Gasoline Engine Usage: Not Available	5203	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285C1121293 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 10,672 Hr
5197	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285C1121270 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 9,681 Hr	5204	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P281B1121264 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 11,365 Hr
5198	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285C1121298 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 1,821 Hr	5205	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P287B1121245 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 9,677 Hr
5199	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P281C1121282 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 1,968 Hr	5206	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P284B1121193 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 541 Hr
5200	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P28XC1121287 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 10,902 Hr	5207	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P28XB1121238 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 10,571 Hr
5201	2012 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P284C1121292 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 3,266 Hr	5208	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P289B1121196 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 4,008 Hr

Lot #	Details	Lot #	Details
5209	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P287B1121195 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 5,124 Hr	5216	2011 Stewart-Stevenson ET-26ACD S/A Data Control Van S/N: 1M9T6EA18BM898002 C/W: Tier 2, 2011 US EPA Label, John Deere 4024TF281B 4 Cylinder 2.4 L Diesel Engine, Generator Set - 111 Hours Usage: Not Available
5210	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P283B1121265 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 10,077 Hr	5217	2012 Stewart-Stevenson ET-26ACD S/A Data Control Van S/N: 1M9T6EA10BM898009 C/W: Tier 2, 2011 US EPA Label, John Deere 4024TF281B 4 Cylinder 2.4 L Diesel Engine, Generator Set - 3286 Hours Usage: Not Available
5211	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285B1121244 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 8,471 Hr	5218	2013 Featherlite 26 ft x 8 ft 6 in T/A Gooseneck Portable Laboratory S/N: 4FGB41828DC126386 C/W: Air Conditioner, 14000 lb GVWR, Torsion Axle, Electric Brakes, 235/85R16 Tires Usage: Not Available
5212	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P281B1121197 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 4,337 Hr	5219	2013 LGS Industries 21 ft x 8 ft 6 in Portable T/A Quality Control Lab Trailer S/N: 53BTP2120DA006547 C/W: Air Conditioner, 9900 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 225/75/R15 Tires Usage: Not Available
5213	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P282B1121239 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 12,091 Hr	5220	2011 Forest River Continental Cargo 26 ft x 8 ft 6 in Portable T/A Gooseneck Quality Control Lab Trailer S/N: 5NHUCCB2XBY014322 C/W: Air Conditioner, 12000 lb GVWR, Torsion Axle, Electric Brakes, 235/80R16 Tires Usage: Not Available
5214	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P288B1121240 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 12,341 Hr	5221	2012 TNT trailers TRA8514TA2 14 ft T/A Quality Control Trailer S/N: 5WBBE142XCW005407 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 205/75R14 Tires, Cummins Onan 6 kW Generator Usage: Not Available
5215	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P28XB1121269 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 5,755 Hr	5222	2013 Magnum SDT-1761 52 ft x 98 in T/A Manifold Trailer S/N: 2P9ST2MY1DA015053 C/W: 32000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Diesel Usage: 2,001 Hr
		5223	2013 Magnum SDT-1761 52 ft x 96 in T/A Manifold Trailer S/N: 2P9ST2MY5DA015069 C/W: 32000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Diesel Usage: 1,657 Hr
		5224	2010 Charlton & Hill SDT-1755 52 ft x 98 in T/A Model SDT-1755 Manifold Trailer S/N: 2PLC05123ABA14391 C/W: 49714 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Diesel, On Peerless Trailer Usage: 9,339 Hr

Lot #	Details	Lot #	Details
5225	2008 Ty-Crop SD8-1715 T/A Manifold Trailer S/N: 2T9SASYB28D016362 C/W: Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5236	2011 Gooseneck SD T/A Manifold Trailer S/N: 16GR85126BB033648 C/W: Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
5226	2006 Charlton & Hill - Peerless SD-1711 S/A Manifold Trailer S/N: 2PLC044126BA12846 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	5237	2004 Crown Energy Technologies SRJ-00038 S /A Manifold Trailer S/N: 2PLC037134BG11502 C/W: Air Brakes, Aluminum Wheels, 255 /70R22.5 Tires, No manifold system included*** Usage: Not Available
5227	2011 Magnum FMT-1701 S/A Manifold Trailer S/N: 2P9ST1MY1BA015917 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5238	2004 Crown Energy Technologies SRJ-00041 S /A Manifold Trailer S/N: 2C9FM012141173013 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available
5228	2011 Magnum FMT-1701 S/A Manifold Trailer S/N: 2P9ST1MY3BA015918 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5239	2002 Crown Energy Technologies SRJ-00041 S /A Manifold Trailer S/N: 2C9FM412821173028 C/W: 40124 lb GVWR, Air Ride Suspension, Air Brakes, 255/70R22.5 Tires Usage: Not Available
5229	2011 Magnum FMT-1701 S/A Manifold Trailer S/N: 2P9ST1MY0BA015911 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5240	2006 B & S Trailer Mfg - Kemper S/A Manifold Trailer S/N: 1B9FF30196M185080 C/W: 255/70R22.5 Tires Usage: Not Available
5230	2007 Ty-Crop SD8-1701 T/A Manifold Trailer S/N: 2T9SASYB27D016134 C/W: 31750 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	5241	2011 Crane Works 18SA 18 ft T/A Iron Trailer S/N: 4C9PF1827BH264001 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 255/70R22.5 Tires Usage: Not Available
5231	2007 Charlton & Hill - Peerless SD-1701 S/A Manifold Trailer S/N: 2PLC044177BH13271 C/W: 62567 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 225/70R22.5 Tires Usage: Not Available	5242	2003 Crown Energy Technologies SRK-00017 23 ft T/A Trailer S/N: 2C9PB423531173006 C/W: 50000 lb GVWR, Lunette Ring Hitch, Air Ride Suspension, Air Brakes, Deck Over Tires, 255/70R22.5 Tires Usage: Not Available
5232	2006 Charlton & Hill - Peerless SD-1701 S/A Manifold Trailer S/N: 2PLC044196BK12636 C/W: Air Ride Suspension, Air Brakes, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	5243	2012 PJ Trailers 40 ft T/A Gooseneck Equipment Trailer S/N: 4P5FD4026C3000942 C/W: 24000 lb GVWR, Spring Suspension, Electric Brakes, 34 ft 6 in Main Deck, 5 ft 6 in Fixed Dovetail, 97 in Usable Deck Width, Storage Compartments, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235 /80R16 Tires Usage: Not Available
5233	2012 Gooseneck SD T/A Manifold Trailer S/N: 16GR85127CB033675 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	5244	2014 PJ Trailers P824GN 24 ft T/A Gooseneck Equipment Trailer S/N: 4P5P82422E1216244 C/W: Spring Suspension, 24 ft Main Deck, 84 in Usable Deck Width, Storage Compartments, 235/80R16 Tires Usage: Not Available
5234	2012 Gooseneck T/A Manifold Trailer S/N: 16GR85120CB033694 C/W: 22362 kg GVWR, Air Ride Suspension, 11R22.5 Tires, Low pressure manifold is 8 in - 6 in with 4 in figure 207 ports Usage: Not Available		
5235	2011 Gooseneck SD T/A Manifold Trailer S/N: 16GR85124BB033633 C/W: Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5245	2014 PJ Trailers P824GN 24 ft T/A Gooseneck Equipment Trailer S/N: 4P5P82421E1215957 C/W: 14000 lb GVWR, Spring Suspension, Electric Brakes, 24 ft Rear Deck, 82 in Usable Deck Width, Storage Compartments, 235 /80R16 Tires, Pipe Rack Usage: Not Available	5254	2011 Forest River Limited Edition Value Hauler 20 ft T/A Enclosed Trailer S/N: 5NHULVV27BY013541 C/W: Spring Suspension, Electric Brakes, 225 /75R15 Tires Usage: Not Available
5246	2007 Dakota Trailers 25 ft T/A Gooseneck Equipment Trailer S/N: 1B9GF252271192213 C/W: Spring Suspension, Electric Brakes, Wood Flooring, 215/85R16 Tires Usage: Not Available	5255	2007 Great Dane Trailers 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA06227B710614 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Mezzanine Floor, Thermo King SB-210 Refrigeration Unit, 295 /75R22.5 Tires Usage: Not Available
5247	2007 Dakota Trailers 24 ft T/A Gooseneck Equipment Trailer S/N: 1B9GF252271192493 C/W: 20000 lb GVWR, Spring Suspension, Electric Brakes, 24 ft Main Deck, 96 in Usable Deck Width, Deck Over Tires, Wood Flooring, LT235/85R16 Tires Usage: Not Available	5256	2004 Great Dane 7311T 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96284B707054 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Curbside Door, 11R22.5 Tires Usage: Not Available
5248	2004 Temco 20 ft T/A Gooseneck Equipment Trailer S/N: 1T9G682094M737425 C/W: 14000 lb GVWR, Spring Suspension, Electric Brakes, 20 ft Main Deck, 97 in Usable Deck Width, Deck Over Tires, Wood Flooring, 235/80R16 Tires Usage: Not Available	5257	1988 Utility 48 ft x 102 in T/A Van Trailer S/N: 1UYVS2485JU886114 C/W: 65000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Sliding Suspension, Mezzanine Floor, Aluminum Outer Wheels, 11R22.5 Tires Usage: 44,300 Mi
5249	2011 PJ Trailers F8242 24 ft T/A Equipment Trailer S/N: 4P5F82424B1152747 C/W: Spring Suspension, Electric Brakes, 24 ft Main Deck, 97 in Usable Deck Width, Storage Compartments, Deck Over Tires, Manual Ramps, 235/80R16 Tires Usage: Not Available	5258	2015 Stellar S/A Booster Axle S/N: 29NSAB151FE065134 C/W: 15909 lb GVWR, Steerable, Air Ride Suspension, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available
5250	2011 Crane Works 18SA 18 ft T/A Iron Trailer S/N: 4C9PF1829BH264002 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 255/70R22.5 Tires Usage: Not Available	5259	Meridian Bulk Sand Storage Tank S/N: 35097 Usage: Not Available
5251	2011 Big Tex 14PI-18 18 ft T/A Utility Trailer S/N: 16VPX1828B2387320 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 235/85R16 Tires Usage: Not Available	5260	Meridian Bulk Sand Storage Tank S/N: 35069 Usage: Not Available
5252	2011 Big Tex 14PI-18 18 ft T/A Utility Trailer S/N: 16VPX1821B2397221 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 235/85R16 Tires Usage: Not Available	5261	Meridian Bulk Sand Storage Tank S/N: 35083 Usage: Not Available
5253	2004 Wilson Trailer 16 ft T/A Utility Trailer S/N: 5C3HH162241006700 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Wood Flooring, 205 /75R15 Tires Usage: Not Available	5262	Besser 400E Bulk Sand Storage Tank S/N: 3598100 Usage: Not Available
		5263	Besser 400E Bulk Sand Storage Tank S/N: 3598000 Usage: Not Available
		5264	Besser 400E Bulk Sand Storage Tank S/N: 3597900 Usage: Not Available
		5265	Besser 400E Bulk Sand Storage Tank S/N: 3598200 Usage: Not Available
		5266	2012 Wilco Machine & Fab 1200 cft Cement Silo S/N: CF0028 Usage: Not Available

Lot #	Details	Lot #	Details
5267	Peaceland Fab 1200 cft Field Cement Silo S/N: 407046 Usage: Not Available	5277	2012 MAC 750 Space Heater (Inoperable) S/N: 1M9BH1525CB618485 C/W: Diesel Fueled, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available
5268	Lake Oilfield Services RT-1100/15 Cement Silo S/N: 4914037 Usage: Not Available	5278	2012 MAC 750F 750000 BTU S/A Flameless Space Heater S/N: 1M9BH1523CB618484 C/W: Diesel Fueled, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 1,990 Hr
5269	2011 U. E. Manufacturing UEM180NFSKZII Skid Mounted Nitrogen Pump S/N: 180NFSKZII09-005 C/W: 2.5 in Intake, 2 in Discharge, Centrifugal Chemical Pump, Cat 3405 6 Cylinder 490 hp Diesel Engine Usage: Not Available	5279	2012 MAC 750F 750000 BTU S/A Flameless Space Heater (Inoperable) S/N: 1M9BH1527CB618486 C/W: Diesel Fueled, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available
5270	2012 Cips Trailer-Mounted Water Pump S/N: 120103 C/W: 4 in Intake, 4 in Discharge, Centrifugal Trash Pump, 2011 US EPA Label, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Surge Brakes Usage: 5,083 Hr	5280	2008 Therm Dynamics TD1200 S/A Flameless Space Heater (Inoperable) S/N: 1T9BH14128T499480 C/W: Diesel Fueled, Cat C6.6 6 Cylinder 6.6 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available
5271	2012 Cips Trailer-Mounted Water Pump S/N: 111005 C/W: 4 in Intake, 4 in Discharge, Centrifugal Trash Pump, US EPA Label, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Surge Brakes Usage: 342 Hr	5281	2008 Therm Dynamics TD1200 S/A Flameless Space Heater S/N: 1T9BH14168T499479 C/W: Diesel Fueled, Cat C6.6 6 Cylinder 6.6 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available
5272	Dragon AUC 8 in Centrifugal Pump (Inoperable) S/N: Not Available C/W: To Fit Gardner Denver, 2005 US EPA Label, Deutz BF6L914C 6 Cylinder Diesel Engine Usage: 2,055 Hr	5282	2008 Therm Dynamics TD1200 S/A Flameless Space Heater S/N: 1T9BH14138T499469 C/W: Diesel Fueled, Cat C6.6 6 Cylinder 6.6 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,433 Hr
5273	2010 S & B Trailers DV200C Trailer-Mounted Water Pump S/N: 51FDP131XAG001361 C/W: 8 in Intake, 8 in Discharge, Self Priming Centrifugal Water Pump, 2010 US EPA Label, Perkins 6 Cylinder 129.6 kW 6.6 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 1,633 Hr	5283	2008 Therm Dynamics TD1200 S/A Flameless Space Heater S/N: 1T9BH14168T499496 C/W: Cat C6.6 6 Cylinder Diesel Engine Usage: Not Available
5274	2010 S & B Trailers DV200C Trailer-Mounted Water Pump (Inoperable) S/N: 51FDP1313AG001363 C/W: 8 in Intake, 8 in Discharge, Self Priming Centrifugal Water Pump, 2010 US EPA Label, Perkins 6 Cylinder 129.6 kW 6.6 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,176 Hr	5284	2012 Therm Dynamics TD500 S/A Flameless Space Heater S/N: 022812BTU500 C/W: Kubota 4 Cylinder Diesel Engine Usage: Not Available
5275	2009 Sullair 185DUQJD 185 cfm Skid-Mounted Air Compressor S/N: 200903030025 C/W: John Deere 4024TF270A 4 Cylinder 2.4 L Diesel Engine Usage: 4,479 Hr	5285	2011 Therm Dynamics TD500-200A S/A Flameless Space Heater (Inoperable) S/N: 113611BTU500 C/W: Kubota V3800-T 4 Cylinder Diesel Engine, Ball Hitch Usage: Not Available
5276	2007 Baldor Pow'R Lite 6 kW Light Tower S/N: K01071908 C/W: Tier 2, 2006 US EPA Label, Kubota D905-BG-ES01 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,618 Hr	5286	Therm Dynamics TD500 S/A Flameless Space Heater (Inoperable) S/N: 090100BTU500 C/W: Diesel Fueled, Kubota V3800-T 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available

Lot #	Details	Lot #	Details
5287	2011 Therm Dynamics TD500 500000 BTU S/A Flameless Space Heater S/N: 083111BTU500 C/W: Diesel Fueled, Kubota V3800T 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 11,226 Hr	5293	2003 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDU9X53R967138 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, Air Ride Cab, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5288	2011 U. E. Manufacturing 3000 gal Skid Mounted Steel Liquid Nitrogen Tank S/N: 1765-1-2-A Usage: Not Available	5294	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDU9X51R963877 C/W: Cat C12 6 Cylinder 11.9 L Diesel 505 hp Engine, 2000 US EPA Label, 3865 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 460,216 Mi
5289	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49X8DJ954805 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 219 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	5295	2000 Kenworth T800 6x4 Sleeper Winch Truck (Inoperable) S/N: 1XKDDU9X8YR959655 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 4.33:1 Axle Ratio, 23977 kg GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Tail Roll, DP Manufacturing 30BBX4L1F 30000 lb Winch Usage: 260,500 Mi
5290	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X96R990236 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller Manual Transmission, Double Differential Locks, Paccar Drive Axles, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	5296	1999 Kenworth T800 6x4 Sleeper Winch Truck (Inoperable) S/N: 1XKDDU9XXXR955511 C/W: Cat C12 6 Cylinder 12.0 L Diesel Engine, 2715 Engine hrs, Engine Brake, Manual Transmission, Differential Lock, Air Ride Cab, Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, PTO, Tail Roll, Tulsa Winch Usage: 313,993 Mi
5291	2005 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X75R978830 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 9937 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 4.30:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Low Air Leaf Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	5297	1998 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDR9X2WR952050 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel Engine, 1997 US EPA Label, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, Air Ride Cab, 40 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5292	2004 Kenworth T800 6x4 Sleeper Winch Truck (Inoperable) S/N: 1XKDDU9X94R972165 C/W: Cat C12 6 Cylinder 12.0 L Diesel 430 hp Engine, 6250 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 211 in Wheelbase, PTO, Wet Kit, Tail Roll Usage: 255,426 Mi		

Lot #	Details	Lot #	Details
5298	2012 Kenworth T800 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 1XKDDP9X9CJ319527 C/W: Paccar 6 Cylinder 12.9 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14320 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit Usage: Not Available	5302	2006 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 5KJJALCK26PX19415 C/W: Detroit Series 60 6 Cylinder 14.0 L Ultra Low Sulfur Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 9114 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 223 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 14,303 Mi
5299	2012 Kenworth T800 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 1XKDDP9X6CJ319534 C/W: Paccar 6 Cylinder 12.9 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14320 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 4.33:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit Usage: Not Available	5303	2007 Western Star 4900 SA 6x4 Heavy Haul T/A Sleeper Truck Tractor (Inoperable) S/N: 5KJJALCKX7PY60752 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 224 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 70,102 Mi
5300	2006 Kenworth C500 6x4 Heavy Haul T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKCDB9X46R986672 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 19922 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 4.30:1 Axle Ratio, 56000 lb GVWR, Air Ride Cab, 42 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 148,059 Mi	5304	2007 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 5KJJALCK87PY60751 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 223 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5301	2006 Kenworth C500 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKCDB9X26R986671 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2005 US EPA Label, 18932 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 4.30:1 Axle Ratio, 25402 kg GVWR, Air Ride Cab, 42 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 319,174 Mi		