



Calfrac Well Services Ltd, CAN - Apr 18, 2023

Lot #	Details	Lot #	Details
1	2007 International 7500 6x4 Extended Cab Flatbed Truck S/N: 1HTWNAZT77J346357 C/W: International HT570 6 Cylinder 9.3 L Diesel Engine, Positive Air Shutoff, 7166 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 263 in Wheelbase, Double Frame, 21 ft 6 in x 101 in Bed Usage: 84,377 Mi	5	2010 Kenworth C500 6x6 Heavy Haul T/A Day Cab Truck Tractor (Unused) S/N: 1XKCP40X6AR944156 C/W: Cummins ISXe450 6 Cylinder 15.0 L Diesel 450 hp Engine, 16.9 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 8999 kg Front Axle, 21792 kg Rears, Sisu FR2P-26-S Planetary Drive Axles, 6.36:1 Axle Ratio, 30790 kg GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, Fabco TC-142 Transfer Case Usage: 32 Mi
2	2005 Kenworth T300 4x2 Sleeper Flatbed Truck S/N: 2NKMHD8XX5M978470 C/W: Cat C7 Acert 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 25825 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13198 lb Front Axle, 22994 lb Rears, 36190 lb GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Hendrickson Air Ride Suspension, 240 in Wheelbase, 21 ft x 102 in Bed, Aluminum Frame, Oil Tank with Pump and Hose Reel Usage: 213,440 Mi	6	2006 Kenworth C500B 6x4 Heavy Haul T/A Sleeper Truck Tractor S/N: 1XKCDB0X56R991490 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.56:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 205 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 82,048 Mi
3	2005 Kenworth T800B 8x6 Tri/A Sleeper Truck Tractor S/N: 1XKDPBEX85R985170 C/W: Cat C15 Acert 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 25168 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 14600 lb Front Axle, 58000 lb Rears, Spicer TDS583P Drive Axles, 4.33:1 Axle Ratio, 72600 lb GVWR, Air Ride Cab, Flat Top Sleeper Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 12 Bag Air Ride Suspension, 265 in Wheelbase, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Sleeper Usage: 74,105 Mi	7	2007 Kenworth C500 6x4 T/A Sleeper Truck Tractor S/N: 1XKCDB0X97R992532 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 21173 Engine hrs, Engine Brake, Eaton Fuller 15-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, 62000 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 260,468 Mi
4	2005 Kenworth T800B 8x6 Tri/A Sleeper Truck Tractor S/N: 1XKDPBEXX5R985171 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 24793 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 14600 lb Front Axle, 58000 lb Rears, Eaton TDS583P Drive Axles, 4.33:1 Axle Ratio, 72600 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 12 Bag Air Ride Suspension, 250 in Wheelbase, Wet Kit, Double Frame, Air Sliding 5th Wheel Usage: Not Available		

Lot #	Details	Lot #	Details
8	2006 Kenworth C500B 6x4 T/A Sleeper Truck Tractor S/N: 1XKCDB0X86R988146 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 16827 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.56:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Primaax EX Air Ride Suspension, 201 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 164,521 Mi	13	2012 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD49X5CJ951391 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 10098 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 50,387 Mi
9	2006 Kenworth C500B 6x4 T/A Sleeper Truck Tractor S/N: 1XKCDB0X86R991466 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 13721 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.56:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 206 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 145,644 Mi	14	2011 Western Star 4900 SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALBG2BPAY5386 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2010 US EPA Label, Positive Air Shutoff, 11174 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13320 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.10:1 Axle Ratio, 53320 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 97,159 Mi
10	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD49X9DJ954795 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 16410 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 220 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 374,391 Mi	15	2011 Western Star 4900SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALBG6BPAY5388 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2011 US EPA Label, Positive Air Shutoff, 11527 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13320 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.10:1 Axle Ratio, 53320 lb GVWR, Air Ride Cab, 34 in Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, PTO, Wet Kit, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 80,583 Mi
11	2013 Western Star 4900SA 6x4 T/A Sleeper Truck Tractor S/N: 5KJJALBG6DPBU3485 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 12085 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Primaax EX Air Ride Suspension, 217 in Wheelbase, Wet Kit, Hydraulic Oil Cooler, Air Sliding 5th Wheel Usage: 260,936 Mi	16	2009 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD49X59J941923 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, Positive Air Shutoff, 6463 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Primaax EX Air Ride Suspension, 216 in Wheelbase, Wet Kit, Hydraulic Oil Cooler, Air Sliding 5th Wheel Usage: 63,459 Mi

Lot #	Details	Lot #	Details
17	2008 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X78R933956 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2007 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 15757 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 216 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 330,027 Mi	21	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X97R995390 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 17711 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 209,227 Mi
18	2008 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD49X18R934421 C/W: Cummins ISX 450 6 Cylinder 15.0 L Diesel 450 hp Engine, Positive Air Shutoff, 8527 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Spicer D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 162,758 Mi	22	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X77J930116 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 8250 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 242 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 52,790 Mi
19	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X77R995386 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 18627 Engine hrs, Engine Brake, Eaton Fuller RTLO-18718B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 221 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 37,471 Mi	23	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD40X27J931215 C/W: Cummins ISX 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 13502 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 5987 kg Front Axle, 20864 kg Rears, Dana D46-170H Drive Axles, 4.30:1 Axle Ratio, 26853 kg GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Neway Air Ride Suspension, 224 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 258,963 Mi
20	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1NKDLU9X27R997250 C/W: Cat C13 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 16960 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 220 in Wheelbase, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 136,794 Mi	24	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X87R993744 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 21769 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 40 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Primaax EX Air Ride Suspension, 216 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 326,562 Mi

Lot #	Details	Lot #	Details
25	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X57R998898 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, 20113 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Primaax EX Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 349,688 Mi	29	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD40X27R932754 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 11065 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, RT46-164EH Drive Axles, 4.30:1 Axle Ratio, 60600 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 240 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 136,815 Mi
26	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X17R995741 C/W: Cat C15 Acert 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 17864 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 215 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Sleeper Usage: 357,576 Mi	30	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X67R995735 C/W: Cat C15 Acert 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 24308 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Primaax EX Air Ride Suspension, 215 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 26 in Mid Roof Sleeper Cab Usage: 297,203 Mi
27	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X76R991014 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 23035 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 40 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Primaax EX Air Ride Suspension, 216 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 372,116 Mi	31	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X37R998897 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 12 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 216 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 381,084 Mi
28	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD40X27R993005 C/W: Cummins ISX 6 Cylinder Diesel 565 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 10469 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 5987 kg Front Axle, 20864 kg Rears, Dana D46-170H Drive Axles, 4.30:1 Axle Ratio, 26583 kg GVWR, 62 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Neway Air Ride Suspension, 222 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 486,467 Mi	32	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X47R998892 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 20804 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, Enerflow Hydraulic Rack Usage: 381,064 Mi

Lot #	Details	Lot #	Details
33	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X97R995387 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 23140 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Hydraulic System, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 409,011 Mi	37	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X86R987148 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 2387 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 132,345 Mi
34	2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9XX7R993745 C/W: Cat C15 Acert 6 Cylinder 15.2 L Diesel 475 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 21971 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 215 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Sleeper Usage: 362,380 Mi	38	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X86R985805 C/W: Cat C15 Acert 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 18987 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 287,259 Mi
35	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X67R998893 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, 18472 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 218 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24in Cab Usage: 331,065 Mi	39	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X56R991013 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2005 US EPA Label, Positive Air Shutoff, 22411 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Hydraulic System, Air Sliding 5th Wheel, Dual Fuel Tanks, Enerflow Hydraulic Rack Usage: 388,144 Mi
37A	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9XX6R985806 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Positive Air Shutoff, 2414 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Dual Steering Boxes, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 278,594 Mi	40	2006 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X36R991012 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 21826 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 394,758 Mi

Lot #	Details	Lot #	Details
41	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X56R988385 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 9498 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 523,353 Mi	45	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X26R988389 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, 16127 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 210 in Wheelbase, Wet Kit, Hydraulic Oil Cooler, Air Sliding 5th Wheel Usage: 326,181 Mi
42	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X06R988388 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 38583 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 616,312 Mi	46	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X06R985801 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, 3049 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 68,266 Mi
43	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X66R985804 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 7718 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 6,567 Hr	47	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X85R976939 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Engine Coolant Heater, 14140 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 244 in Wheelbase, PTO, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks, Control Conversion Sleeper Usage: 153,129 Mi
44	2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X66R985771 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 13639 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 4,338 Mi	48	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X25R980226 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 14795 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.10:1 Axle Ratio, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 211 in Wheelbase, Air Sliding 5th Wheel Usage: 195,867 Mi

Lot #	Details	Lot #	Details
49	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X55R976705 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 3171 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 224 in Wheelbase, Triple PTO, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 42,510 Mi	53	2004 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDU9X54R972163 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, Positive Air Shutoff, 8497 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, DSS40 Drive Axles, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 314,186 Mi
50	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X15R980234 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 16292 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 253,255 Mi	54	2003 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDU9XX3R969855 C/W: Cat C12 6 Cylinder Diesel Engine, Positive Air Shutoff, 5261 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks, 24 in Mid Roof Sleeper Cab Usage: 99,051 Mi
51	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X25R985202 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, 20771 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 273,573 Mi	55	2003 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDU9X53R969861 C/W: Cat C12 6 Cylinder 11.9 L Diesel Engine, 2002 US EPA Label, Positive Air Shutoff, 4121 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, DSS40 Drive Axles, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 331,315 Mi
52	2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDB9X05R976708 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, 1612 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 211 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 6,621 Mi	56	2002 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDU9X92R964905 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2001 US EPA Label, Positive Air Shutoff, 3121 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: 343,542 Mi
		57	2002 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDDU9X72R964904 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, Positive Air Shutoff, 6612 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 18144 kg Rears, 23977 kg GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 356,795 Mi

Lot #	Details	Lot #	Details
58	2001 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X51R964446 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2001 US EPA Label, Positive Air Shutoff, 8172 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, DSS40 Drive Axles, 4.33:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 277,647 Mi	62	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X01R964452 C/W: Cat C12 6 Cylinder 11.9 L Diesel Engine, 2001 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 8310 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 18144 kg Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 23977 kg GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 79,255 Mi
59	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X91J962181 C/W: Cat C12 6 Cylinder 11.9 L 430 hp Engine, 2000 US EPA Label, Positive Air Shutoff, 2636 Engine hrs, Engine Brake, Eaton Fuller RTO16915 15-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, DSS40 Drive Axles, 4.33:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 24 in Mid Roof Sleeper Cab Usage: 350,776 Mi	63	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X91J962178 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2000 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 7312 Engine hrs, Engine Brake, Eaton Fuller RTO16915P 15-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 18144 kg Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 23977 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 463,133 Mi
60	2001 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X11J963440 C/W: Cat C12 6 Cylinder Diesel 430 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 3767 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Triple Differential Locks, 12860 lb Front Axle, 40000 lb Rears, 52860 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 396,818 Mi	64	2001 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X81R963873 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2000 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 7461 Engine hrs, Engine Brake, Eaton Fuller RTO16915 15-Speed Manual Transmission, Double Differential Locks, DSS40 Drive Axles, 4.33:1 Axle Ratio, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 218 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 464,138 Mi
61	2001 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X71R964450 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2001 US EPA Label, Positive Air Shutoff, 9037 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 18144 kg Rears, 23977 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, 24 in Mid Roof Sleeper Cab Usage: 400,667 Mi	65	2001 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9XX1R963874 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 2000 US EPA Label, Positive Air Shutoff, 9608 Engine hrs, Engine Brake, Eaton Fuller RTO16915 15-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, DSS40 Drive Axles, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 24 in Mid Roof Sleeper Cab Usage: 473,524 Mi

Lot #	Details	Lot #	Details
66	2000 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDDU9X5YR959659 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 1999 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 6626 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12800 lb Front Axle, 40000 lb Rears, DSS40 Drive Axles, 4.33:1 Axle Ratio, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 218 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 304,867 Mi	70	Manitex 2277 22 ton Straight Boom on 2013 Kenworth T800 8x6 Sleeper Boom Truck S/N: 1NKDX4EX7DJ962935 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, Engine Coolant Heater, 3166 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, T69-170HP Drive Axles, 4.30:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 293 in Wheelbase, PTO, Double Frame, 22 ton Capacity, Rear Mounted, 29 ft - 77 ft 3 Section Boom, McKissick 251 lb 1 Sheave 15 ton Capacity Hook Block, Anti-Two Block, PAT DS85 Load Moment Indicator, Out and Down Outriggers, Rear Outriggers, 22 ft x 99 in Bed Usage: 16,103 Mi
67	1999 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD69X4XR955466 C/W: Cummins N14 6 Cylinder Diesel 460 hp Engine, Positive Air Shutoff, 20222 Engine hrs, Engine Brake, Eaton Fuller RTLO16718B 18-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, RT46-164EH Drive Axles, 4.30:1 Axle Ratio, 23977 kg GVWR, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 121,963 Mi	71	QMC 5370R 22 ton Straight Boom on 2006 Kenworth T800B 8x6 Boom Truck S/N: 1NKDXBEX96R987084 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 17159 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, Spicer TDS583P Drive Axles, 4.33:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 265 in Wheelbase, PTO, Double Frame, 22 ton Capacity, Rear Mounted, 30 ft - 70 ft 3 Section Boom, Johnson 447 lb 3 Sheave 22 ton Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Out and Down Outriggers, Rear Outriggers, 24 ft x 102 in Bed Usage: 108,348 Mi
68	1999 Kenworth T800B 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD60X7XR955670 C/W: Cummins N14 14 L Diesel 460 hp Engine, Positive Air Shutoff, 9491 Engine hrs, Engine Brake, Eaton Fuller RTLO16718B 18-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 20864 kg Rears, RT46-164EH Drive Axles, 4.30:1 Axle Ratio, 26698 kg GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel Usage: 340,963 Mi	72	QMC 5370R 22 ton Straight Boom on 2006 Kenworth T800B 8x6 Sleeper Boom Truck S/N: 1NKDXBEX96R992530 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 22725 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, Spicer TDS583P Drive Axles, 4.33:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 270 in Wheelbase, PTO, Double Frame, 22 ton Capacity, Rear Mounted, 30 ft - 70 ft 3 Section Boom, Johnson 447 lb 3 Sheave 22 ton Capacity Hook Block, Out and Down Outriggers, Rear Outriggers, 25 ft x 102 in Bed, 28 in Flat Top Sleeper Cab Usage: 127,573 Mi
69	Manitex 5096 50 ton Straight Boom on 2013 Kenworth T-800 8x6 Sleeper Boom Truck S/N: 1NKDX4EXXDJ361650 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 1663 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, Dana T69-170HP Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Primaax EX Air Ride Suspension, 318 in Wheelbase, PTO, Double Frame, 50 ton Capacity, Center Mounted, 31 ft - 96 ft 4 Section Boom, 3 Sheave Hook Block, Anti-Two Block, Enclosed Cab, Out and Down Outriggers, Rear Outriggers Usage: 9,238 Mi		

Lot #	Details	Lot #	Details
73	<p>QMC 5370R 22 ton Straight Boom on 2006 Kenworth T800B 8x6 Boom Truck S/N: 1NKDXBEX26R992529 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Positive Air Shutoff, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, 20000 lb Front Axle, 58000 lb Rears, Spicer TDS583P Drive Axles, 4.33:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 267 in Wheelbase, PTO, Double Frame, 44000 lb Capacity, Rear Mounted, 24 ft - 70 ft 3 Section Boom, Johnson 447 lb 3 Sheave 22 ton Capacity Hook Block, Anti-Two Block, Out and Down Outriggers, Rear Outriggers, 18 ft 6 in x 102 in Bed Usage: Not Available</p>	76	<p>2005 Hiab 144E-4CL 2400 kg Knuckle Boom on 2006 Kenworth T800B Wide Hood 8x6 Crew Cab Boom Truck S/N: 1NKDXBEX16R987192 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 10784 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Triple Differential Locks, 18000 lb Front Axle, 58000 lb Rears, Dana TD69-170P Drive Axles, 4.56:1 Axle Ratio, 76000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Neway AD Series Air Ride Suspension, 285 in Wheelbase, PTO, Double Frame, 2400 kg Capacity, Center Mounted, 15 ft 5 in - 41 ft 4 in 5 Section Boom, Dual Controls, Out and Down Outriggers, Cordless Remote Control, 20 ft 6 in x 102 in Bed, Pintle Hitch Usage: 155,784 Mi</p>
74	<p>QMC 5370R 22 ton Straight Boom on 2006 Kenworth T800B 8x6 Sleeper Boom Truck S/N: 1NKDXBEX26R991851 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, 25840 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 267 in Wheelbase, PTO, Double Frame, 22 ton Capacity, Rear Mounted, 30 ft - 70 ft 3 Section Boom, Johnson 447 lb 3 Sheave 22 ton Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Out and Down Outriggers, Rear Outriggers, 23 ft x 100 in Bed Usage: 143,187 Mi</p>	77	<p>Unic UR504-A2RR 10000 lb Straight Boom on 2001 Kenworth T800 6x4 Sleeper Boom Truck S/N: 1NKDLU9X61J964533 C/W: Cat C12 6 Cylinder 11.9 L Diesel 410 hp Engine, 2001 US EPA Label, Positive Air Shutoff, 3598 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 40000 lb Rears, Dana DSS40 Drive Axles, 4.33:1 Axle Ratio, 56000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 315 in Wheelbase, PTO, 10000 lb Capacity, Rear Mounted, 10 ft - 34 ft 4 Section Boom, 2 Sheave 10000 lb Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Dual Controls, Out and Down Outriggers, 21 ft 7 in x 101 in Bed, 26 in Mid Roof Sleeper Cab Usage: 269,705 Mi</p>
75	<p>National 400B 10 ton Straight Boom on 2006 Kenworth T800 8x6 Sleeper Boom Truck S/N: 1XKDPBEX36J991202 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 15784 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, Dana T69-170HP Drive Axles, 4.30:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 315 in Wheelbase, PTO, Double Frame, 10 ton Capacity, Rear Mounted, 22 ft - 56 ft 3 Section Boom, Johnson 182 lb 1 Sheave 12.5 ton Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Dual Controls, A-Outriggers, 24 ft x 102 in Bed, 26 in Mid Roof Sleeper Cab Usage: 107,851 Mi</p>	78	<p>Tadano TM-ZF505 2930 kg Straight Boom on 2003 Kenworth T800B 6x4 Sleeper Boom Truck S/N: 1NKDLU9XX3R969867 C/W: Cat C12 6 Cylinder 11.9 L Diesel Engine, 2002 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 891 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13100 lb Front Axle, 40000 lb Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 53100 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 317 in Wheelbase, PTO, 2930 kg Capacity, Rear Mounted, 7 m - 16 m 5 Section Boom, 2 Sheave 7000 lb Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Hydraulic Tool Circuit, Dual Controls, Out and Down Outriggers, 21 ft x 102 in Bed, 26 Mid Roof Sleeper Cab Usage: 385,599 Mi</p>

Lot #	Details	Lot #	Details
79	<p>Furukawa UR504A2 5 ton Straight Boom on 2000 Kenworth T800B 6x4 Sleeper Boom Truck S/N: 1NKDLU9X7YR959661 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, 1999 US EPA Label, Positive Air Shutoff, 2639 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 5833 kg Front Axle, 18144 kg Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 23977 kg GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 310 in Wheelbase, PTO, 5 ton Capacity, Rear Mounted, 7 ft - 34 ft Boom, 2 Sheave 10000 lb Capacity Hook Block, Anti-Two Block, Cranesmart Load Moment Indicator, Dual Controls, Out and Down Outriggers, 21 ft x 99 in Bed, Pintle Hitch, 26 in Mid Roof Sleeper Cab Usage: 377,485 Mi</p>	83	<p>2006 Kenworth T800 Wide Hood 8x6 Heavy Haul Tri/A Day Cab Truck Tractor S/N: 1XKDPBEX06R986413 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 8459 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, Dana T69-170HP Drive Axles, 4.30:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 445/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 264 in Wheelbase, PTO, Hydraulic Oil Cooler, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, Hydra Rig 450D010 Power Unit, Transmission Driven Hydraulic Pump Usage: 10,577 Mi</p>
80	<p>Furukawa UR504-A2R 10000 lb Straight Boom on 2007 Western Star 4900SA 6x4 Sleeper Pipe Handling Boom Truck S/N: 5KKHALDE27PY09023 C/W: Cat C13 6 Cylinder 12.5 L Diesel 430 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 9547 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 60600 lb GVWR, Air Ride Cab, 34 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 315 in Wheelbase, PTO, Double Frame, 10000 lb Capacity, Rear Mounted, 11 ft - 34 ft 7 in 4 Section Boom, 2 Sheave Hook Block, Anti-Two Block, Dual Controls, Out and Down Outriggers, Rear Outriggers, 28 ft x 102 in Bed, Pintle Hitch Usage: 131,449 Mi</p>	83	<p>2006 Hydra Rig NOV 4500D001 Masted Coil Tubing Reel Trailer S/N: 2PLC053306BF12299 C/W: 160055 lb GVWR, Air Ride Suspension, Aluminum Outer Wheels, 255/70R22.5 Tires, Peerless CH-53-24W 24-Wheel Carrier, NOV 450D100 Enclosed Operator Station w/Heater, NOV 450D200 68 ft 4 in 40000 lbs Capacity Hydraulic Raise Mast, Hydraulic Levelling, Hydraulic Lift Rear Platform, Stewart & Stevenson Injector w/ Collapsible Gooseneck, Rig Smart Crown Saver, Pullmaster M25-7-129-2-714 Hydraulic Winch, Plumbed for Booster Usage: Not Available</p>
		83	<p>2014 Stewart & Stevenson Services Inc. Coiled Tubing Reel S/N: Not Available Usage: Not Available</p>
		83	<p>2011 Stewart-Stevenson M100S Coil Tubing Injector Head S/N: Not Available Usage: Not Available</p>
82	<p>2008 Hiab 166B-3CXL 10802 lb Knuckle Boom on 2006 Kenworth T300 6x4 Crew Cab Boom Truck S/N: 2NKMLD9X16M993020 C/W: Cat C7 6 Cylinder Diesel 330 hp Engine, Positive Air Shutoff, 21325 Engine hrs, Engine Brake, Eaton Fuller FRO-11210B 10-Speed Manual Transmission, Differential Lock, 14596 lb Front Axle, 39990 lb Rears, 54586 lb GVWR, Aluminum Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 227 in Wheelbase, PTO, 10802 lb Capacity, Rear Mounted, 9 ft 10 in - 34 ft 3 Section Boom, Dual Controls, Out and Down Outriggers, 12 ft x 96 in Bed Usage: 5,917 Mi</p>	84	<p>2005 Peterbilt 378 8x6 Tri/A Sleeper Truck Tractor S/N: 1XPFPB0XX5D856869 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 6522 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 54000 lb Rears, 70000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 276 in Wheelbase, Dual PTO, Hydraulic Oil Cooler, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, Sleeper Control Station Conversion, Control Panel Usage: 38,089 Mi</p>
		84	<p>2005 Stewart-Stevenson S800 Coil Tubing Injector Head S/N: 80005006970010300 Usage: Not Available</p>

Lot #	Details	Lot #	Details
84	2006 Crown Energy Technologies TCM 04525 Masted Coil Tubing Reel Trailer S/N: 2PLC053356BD12213 C/W: 2016 US EPA Label, Kubota D1503-M-BG-EF01 25 hp 1.5 L Diesel Engine, 125663 lb GVWR, Air Ride Suspension, Aluminum Outer Wheels, 275/70R22.5 Tires, Peerless CH-53-24A 24-Wheel Carrier, Hydraulic Levelling, Crown Hydraulic Driven Reel, Crown 60 ft 40000 lb Mast w/Hydraulic Raise, Stewart & Stevenson Series 800 Injector w/Gooseneck, Hydraulic Lift Rear Catwalk, Pullmaster M25-7150-2 Hydraulic Winch, Rigsmart Crown Saver Usage: Not Available	86	2003 Kenworth T800B 8x6 Heavy Haul Tri/A Sleeper Truck Tractor S/N: 1XKDPBEX43R970467 C/W: Cat C15 6 Cylinder 14.6 L Diesel 550 hp Engine, 2002 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 26895 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Triple Differential Locks, 18741 lb Front Axle, 58000 lb Rears, Spicer TDS583P Drive Axles, 4.88:1 Axle Ratio, 76740 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, 12 Bag Air Ride Suspension, 300 in Wheelbase, Wet Kit, Hydraulic Oil Cooler, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, High Voltage Output Generator/Alternator, Converted Sleeper Control Centre Usage: Not Available
84	2005 Crown Energy Technologies Coiled Tubing Reel S/N: 8044A REEL 2 Usage: Not Available	86	2003 Stewart-Stevenson 800 Coil Tubing Injector Head S/N: Not Available Usage: Not Available
85	2006 Peterbilt 378 8x6 Tri/A Sleeper Truck Tractor S/N: 1XPFPB0X16N874432 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 23139 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 53550 lb Rears, 69550 lb GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 276 in Wheelbase, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, Black Diamond Sleeper Control Station Conversion, PTO and Transmission Driven Hydraulic Pumps, Young Wind Reader, BOP Control Panel Usage: 103,113 Mi	86	2003 Crown Energy Technologies TCM-04525 Masted Coil Tubing Reel Trailer S/N: 2C9SM034031173001 C/W: 54431 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Tri Axle Carrier, Rigsmart Crown Saver System, Hydraulic Outriggers, 60 ft Mast, 40000 lb Hook Load, 2003 Stewart and Stevenson 800 Injector, Ram Winch Usage: Not Available
85	2007 Crown Energy Technologies TCM-04525 Masted Coil Tubing Reel Trailer S/N: 2PLC053307BF13163 C/W: 123017 lb GVWR, Air Ride Suspension, Aluminum Outer Wheels, 275/70R22.5 Tires, Peerless CH-53-24W 24-Wheel Carrier, Crown 60 ft 40000 lbs Capacity Hydraulic Raise Mast, Crown TCM04525 Hydraulic Driven Reel, Rigsmart Crown Saver System, 2007 Stewart & Stevenson S1100 Injector w/Collapsible Gooseneck, Ram Winch HW22-035110 22000 lbs Hydraulic Winch, Hydraulic-Levelling Usage: Not Available	86	2003 Peerless S/A Booster Axle S/N: 2PLH012143BA11233 C/W: Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, Pin on Adapter Head, Pin on Hitch Usage: Not Available
85	2006 Stewart-Stevenson S1100 Coil Tubing Injector Head S/N: Not Available Usage: Not Available	87	2005 Kenworth T800B 6x4 Blender Control Unit T/A Sleeper Truck Tractor S/N: 1XKDDDB9X45R976940 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2004 US EPA Label, Positive Air Shutoff, 6467 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Spicer D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 245 in Wheelbase, PTO, Air Sliding 5th Wheel, Sleeper Control Station Conversion Usage: 140,262 Mi
85	2005 Crown Energy Technologies Coiled Tubing Reel S/N: Not Available Usage: Not Available	87	2005 Crown Energy Technologies SRZ-01500 QST30 TD 1600LW 5.0 Frac Blender S/N: 2PLC041365BE11845 C/W: Cummins QST30 450 hp Diesel Engine, Tri /A Carrier, Triplex Mud Pump, 5 in Hydraulic Driven Fluid Pump, Twindisc TA90-8501 Transmission, Auto Lube, 12 in Sand Auger, Open Top Mixing Tub, Hydraulic Mixing Actuator Usage: 8,251 Hr

Lot #	Details	Lot #	Details
88	2005 Kenworth T800B 6x4 Blender Control Unit T/A Sleeper Truck Tractor S/N: 1XKDDDB9X85R977783 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2004 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 6977 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 250 in Wheelbase, PTO, Air Sliding 5th Wheel, 60 High Rise Sleeper Cab, Sleeper Control Station Conversion, Control Panel Usage: 135,479 Mi	91	2006 Kenworth T800B Wide Hood 6x4 Sleeper Truck w/ Enerflow BL-60 Frac Blender S/N: 1NKDLB0X96R988352 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, 5606 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, D46-170H Drive Axles, 4.30:1 Axle Ratio, 66000 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 272 in Wheelbase, PTO, Double Frame, 30 in Flat Top Sleeper Cab Usage: 164,048 Mi
88	2005 Crown Energy Technologies SRZ-01500 Calmixer Frac Blender S/N: 2PLC041375BF11890 C/W: Cummins QST30-C1500 12 Cylinder 30.0 L Diesel Engine, Twin Disc TA90-8501 9 Speed Transmission, 12 in Sand Augers, 8 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Tri/A Carrier, Air Ride Usage: 7,865 Hr	92	2009 Enerflow BL100 Frac Blender S/N: 2PLC044379BH14120 C/W: 2008 US EPA Label, (2) Cat C13 6 Cylinder 12.5 L Diesel Engine, 12 in Sand Augers, Gorman Rupp VGH8D31-B 10 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, Tri/A Carrier, Air Ride Usage: 64,420 Mi
89	2007 Kenworth T800B Wide Hood 6x4 Sleeper Truck w/ Enerflow BL-60 Frac Blender S/N: 1NKDLB0X57R993341 C/W: Cat C15 6 Cylinder Diesel 550 hp Engine, Positive Air Shutoff, 2860 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 46000 lb Rears, D46-170H Drive Axles, 4.30:1 Axle Ratio, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 270 in Wheelbase, PTO, Double Frame, 30 in Flat Top Sleeper Cab Usage: 120,829 Mi	93	2008 Charlton & Hill BCR-1701-100BBL 10.0m3 TRL Closed Frac Blender S/N: 2PLC039288BF13822 C/W: 12 in Sand Augers, Gardner Denver 9 in Suction Pump, Stationary Cabin, Air Conditioning, T/A Carrier, Air Ride, (2) Cummins ISX15 6 Cylinder 15.0 L Diesel Engines Usage: Not Available
90	2006 Kenworth T800B Wide Hood 6x4 Sleeper Truck w/ Enerflow BL-60 Frac Blender S/N: 1NKDLB0X06R990992 C/W: Cat C15 475 hp Engine, Positive Air Shutoff, 10337 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 46000 lb Rears, D46-170H Drive Axles, 4.30:1 Axle Ratio, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 270 in Wheelbase, PTO, Double Frame, 30 in Flat Top Sleeper Cab, 12 in Sand Augers, Open-top Mixing Tub, Hydraulic Mixing Agitators, 6 in Hyd Driven Suction Pump, (9) 4 in hose Usage: 181,546 Mi	94	2008 Charlton & Hill BCR-1701-100BBL Frac Blender S/N: 2PLC039268BF13821 C/W: 2007 US EPA Label, 12 in Sand Augers, Gardner Denver 8 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, Tri/A Carrier, Air Ride, (2) Cummins QSX15 535 hp 15.0 L Engines, Positive Air Shutoff Usage: Not Available
		95	2006 Enerflow BL-125 Frac Blender S/N: 2PLC039256BA12741 C/W: 14 in Sand Augers, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, T/A Carrier, Air Ride, (2) Cat C13 6 Cylinder 520 hp Diesel Engine Usage: Not Available
		96	2006 Enerflow BL100 Frac Blender S/N: 2PLC044346BM12700 C/W: (2) Cat C13 6 Cylinder 520 hp 12.5 L Diesel Engine, 12 in Sand Augers, Gorman Rupp VGH8D31-B 8 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, Tri/A Carrier, Air Ride Usage: 16,125 Mi

Lot #	Details	Lot #	Details
97	2006 Enerflow BL75 Frac Blender S/N: 2PLC039226BA12745 C/W: Cat C13 Diesel Engine, 12 in Sand Augers, Gorman Rupp 6 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, T/A Carrier, Air Ride Usage: Not Available	104	2007 Kenworth C500B 6x4 Acid Pumper S/N: 1NKCL49XX7R930777 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 10783 Engine hrs, Engine Brake, Allison 4700 Automatic Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.56:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 36 in Sleeper Cab, Bunk Heater, Aluminum Wheels, 385 /65R22.5, Hendrickson Air Ride Suspension, 265 in Wheelbase, Enclosed Operator Station, Serva Triplex Pump with 4 in Suction and 2 in Discharge Usage: 50,549 Mi
98	2006 Enerflow BL100 Frac Blender S/N: 2PLC039266BH12509 C/W: 12 in Sand Augers, 8 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, T /A Carrier, Air Ride, Hydraulic Leveling, (2) Cat C13 Diesel Engine Usage: Not Available	105	2007 Kenworth C500B 8x6 Sleeper Truck w/ 2007 Serva Acid Frac Pump S/N: 1NKCX4EX97R930084 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 7703 Engine hrs, Engine Brake, Allison 4700 Automatic Transmission, Triple Differential Locks, 20000 lb Front Axle, 58000 lb Rears, Dana T69-170HP Drive Axles, 5.57:1 Axle Ratio, 78000 lb GVWR, Aluminum Wheels, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 281 in Wheelbase, PTO, Double Frame, 36 in Flat Top Sleeper Cab, 3.5 in Gardner Denver Triplex Pump, (2) Compartment, Hydraulic Driven Augers, Mission Pump Usage: 52,578 Mi
99	2005 Enerflow BL75 Frac Blender S/N: 2PLC044305BC12186 C/W: 12 in Sand Augers, Gorman Rupp 6 in Suction Pump, Open Top Mixing Tub, Hydraulic Mixing Agitators, Stationary Cabin, Air Conditioning, Tri/A Carrier, Air Ride, Hydraulic Leveling, (2) Cat C13 520 hp Diesel Engine Usage: Not Available	106	2007 Kenworth C500B 6x4 Sleeper Truck w/ 2008 Charlton & Hill ACD-1701 Acid Frac Pump S/N: 1NKCL40X37R994723 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 21118 Engine hrs, Engine Brake, Allison 4700 Automatic Transmission, Double Differential Locks, D46-170H Drive Axles, 4.56: 1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 266 in Wheelbase, PTO, 30 in Flat Top Sleeper Cab, Serva TPD600 3.5 in Triplex Pump, Enclosed Control Station, Mission 4 in Transfer Pump, Live and PTO Hydraulics Usage: 67,700 Mi
100	2005 Enerflow BL100 10.0m3 TRL Closed Frac Blender S/N: 2PLC044345BB12172 C/W: 12 in Sand Augers, Gorman Rupp VGH8D31-B 8 in Suction Pump, Stationary Cabin, Tri/A Carrier, Air Ride, (2) Cat C12 500 hp 12.0 L Diesel Engine, 2004 US EPA Label Usage: Not Available		
101	2005 Crown Energy Technologies SRZ-01500 QST30 TD 1600LW 3.75 Frac Blender S/N: 2PLC041345BE11844 C/W: Cummins QST30 12 Cylinder 450 hp Diesel Engine, 12 in Sand Augers, Tri/A Carrier, Air Ride, Triplex Mud Pump, 5 in Hydraulic Driven Fluid Pump, Twindisc TA90-8501 Transmission, Auto Lube, Open Top Mixing Tub, Hydraulic Mixing Actuator Usage: Not Available		
102	2004 Crown Energy Technologies SRZ-00070 Blend Van Frac Blender S/N: 2PLC045364BC11735 C/W: 12 in Sand Augers, Waukesha 1 in Rotary Gear Liquid Additive Pumps, ERAD KLU2900 Metering Device, Mission 10X8X14 8 in Suction Pump, Open Top Mixing Tub, Stationary Cabin, Tri/A Carrier, Air Ride, (2) Cat C12 12.0L Engines, (7) Digital Flow Meters, Yanmar 3 Cylinder 11.5 KVA Diesel Generator Usage: Not Available		
103	2001 Crown Energy Technologies SRZ-00070 Blend Van Frac Blender S/N: 1A9LB43301L448120 C/W: 12 in Sand Augers, Waukesha Rotary Gear Liquid Additive Pumps, Erad KLU2900 Metering Device, National Oilwell 8 in Suction Pump, Open Top Mixing Tub, Stationary Cabin, Tri/A Carrier, Air Ride, (2) Cat 3196 455 hp 12.0 L Diesel Engine, Heater Usage: Not Available		

Lot #	Details	Lot #	Details
107	2007 Kenworth C500B 6x4 Sleeper w/ Charlton & Hill SAT1701 Frac Acid Pump S/N: 1NKCLB0X37R995732 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 21365 Engine hrs, Engine Brake, Allison 4700 Automatic Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170HP Drive Axles, 4.78:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 258 in Wheelbase, Double Frame, Enclosed Operator Station, MSI FEA0003X 3.5 in 11020 PSI Triplex Pump, PTO and Live Hydraulics, 24 in Mid Roof Sleeper Cab, Hydraulic Mixing Augers, (2) Compartment Mixing Tank, Auto Lube, Mission 4X3X13 4 in Fluid Pump Usage: 113,847 Mi	111	2009 Enerflow FP1500 Triplex Frac Pumping Unit S/N: 2PLC037209SA14257 C/W: 1600 hp Power Rating, 8 in Stroke, Dragon 860-4520 Fluid End, 3.75 in Plungers, Cummins QST30-C1500 12 Cylinder 30.0 L Diesel Engine, Twin Disc TA90-8501 9 Speed Transmission, T/A Carrier, Air Ride Usage: Not Available
		112	2009 Enerflow FP1500 Triplex Frac Pumping Unit S/N: 2PLC037299SA14256 C/W: 1600 hp Power Rating, 8 in Stroke, Dragon 860-4520 Fluid End, 3.75 in Plungers, Cummins QST30-C1500 12 Cylinder 30.0 L Diesel Engine, Twin Disc TA90-8501 9 Speed Transmission, T/A Carrier, Air Ride Usage: Not Available
108	1998 Kenworth C500B 6x4 Sleeper Truck w /1998 Core Acid Frac Pump S/N: 1NKCLR0X8WR952057 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Positive Air Shutoff, 22976 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, RT46-160 Drive Axles, 4.10:1 Axle Ratio, 42 in Flat Top Sleeper Cab, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 256 in Wheelbase, PTO, Double Frame, 4 in Load Pump Intake, Discharge, 6 in Tank Isolation Intake, 3.5 in SPM TWS600S Triplex Pump Usage: 226,306 Mi	113	2005 Enerflow FP1500 Triplex Frac Pumping Unit S/N: 2PLC037255BD11843 C/W: 1600 hp Power Rating, 8 in Stroke, Dragon 860-4520 Fluid End, 3.75 in Plungers, Cummins QST30-C1500 12 Cylinder 30.0 L Diesel Engine, Twin Disc TA90-8501 9 Speed Transmission, T/A Carrier, Air Ride Usage: 8,399 Hr
		114	2005 Enerflow FP1500 Triplex Frac Pumping Unit S/N: 2PLC040295BH11954 C/W: 1600 hp Power Rating, 8 in Stroke, Dragon 860-4520 Fluid End, 3.75 in Plungers, Cummins QST30-C1500 12 Cylinder 30.0 L Diesel Engine, Twin Disc TA90-8501 9 Speed Transmission, T/A Carrier, Air Ride Usage: Not Available
109	1998 Kenworth C500B 6x4 Acid Pumper S/N: 1NKCLR0XXWR952058 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Positive Air Shutoff, 8596 Engine hrs, Allison HT755DR 5-Speed Automatic Transmission, Differential Lock, 8500 kg Front Axle, 20864 kg Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 29366 kg GVWR, 42 in Sleeper Cab, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson HAS Air Ride Suspension, 255 in Wheelbase, PTO, Weir SPM TWS600S Triplex Pump Usage: 267,780 Mi	115	1998 Core FP-2250 Quintuplex Frac Pumping Unit S/N: 70001A0698 C/W: 2500 hp Power Rating, 8 in Stroke, SPM QWS 2500 Fluid End, Detroit 16V149 16 2250 hp 39.1 L Diesel Engine, Tri/A Carrier, Air Ride Usage: Not Available
110	2001 Kenworth C500 6x4 Sleeper CO2 Pumper Winch Truck S/N: 1XKCDU0X01S962542 C/W: Cat C12 6 Cylinder Diesel 410 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 3512 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, DS463P Drive Axles, 3.90:1 Axle Ratio, 28458 kg GVWR, 24 in Flat Top Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 236 in Wheelbase, PTO, Tail Roll, DP 30BBX4L2F 30000 lb Winch, Lowboy Ramps , Crown OTP-00410 Triplex C02 Pump Usage: 8,195 Mi	116	2013 Serva PSTLR-92B Twin Fluid Pumper Unit S/N: 53UC04533DPE16236 C/W: Cat C18 6 Cylinder 800 hp Diesel Engine, Tri/A Trailer, Air Brakes, Twin Serva Model QPA1000 Quint Pumps MAWP 99.7MPA 3 in Plungers, Webasto Heaters, Positive Air Shutoff, Air Ride Suspension, 275/70R22.5 Tires, Transtore Stainless Steel Tanks Usage: Not Available
		117	2006 Crown Energy ORP-01005 Fluid Pumper Unit S/N: 2DEHBFZ2461018873 C/W: 3 in Intake, 3 in Discharge, Detroit R1238K39 V12 Diesel Engine, Tri/A Trailer, Air Brakes, MSI FEA0011X Quintuplex Fluid Pump with 3.5 in Plungers, MWP 11020 PSI. Unic UR504A2R 10000 lb Rear Mounted Picker, Hose Reels Usage: 3,116 Hr

Lot #	Details	Lot #	Details
118	2006 Crown Energy Technologies ORP-01005 48 ft Tri/A Quintuplex CO2 Pumper Trailer S/N: 2DEHBFZ2661018874 C/W: 35000 kg GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, UNIC UR504A2R 4 Stage 10000 lbs Capacity Crane, Doepker Carrier, MTU 12 Cylinder Diesel Engine, MSI QI-1000-S-3.5-L1-002 3.5 in 10400 PSI Quintuplex Pump, 4 in Hydraulic Driven Fluid Transfer Pump, (5) Hose Reels Usage: 3,431 Hr	123	2009 CS&P TCU240K/600 Combination Nitrogen Pump Trailer S/N: 2A9PF35369N125133 C/W: Cat C13 6 Cylinder Diesel Engine, Alison Transmission, 9945 L Liquid Nitrogen Tank, CS&P 3-ICP-200 Triplex Nitrogen Pump, Flameless Vaporizer, Working Pressure 10000 psi, Flow Rate 240000 scfh, Control Cab, Tri/A Carrier, Air Ride Usage: 9,256 Mi
119	2006 Crown Energy Technologies ORP-01005 48 ft Tri/A Quintuplex CO2 Pumper Trailer S/N: 2DEHBFZ2261018872 C/W: 87673 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, UNIC UR504A2R 4 Stage 10000 lbs Capacity Crane, Doepker Carrier, MTU Diesel Engine, MSI QI-1000-S-3.5-L1-002 3.5 in 10400 PSI Quintuplex Pump, 4 in Hydraulic Driven Fluid Transfer Pump, (5) Hose Reels Usage: 3,820 Hr	124	2007 Enerflow NP-300 Fired Nitrogen Pump Trailer S/N: 2PLC044397EF13122 C/W: 2005 US EPA Label, Cummins QSK23-C 6 Cylinder 15.0 L Diesel Engine, Alison S8610 Transmission, 11338 L Liquid Nitrogen Tank, CS&P Triplex Nitrogen Pump, Working Pressure 10000 psi, Tri/A Carrier, Air Ride, w/ 2007 Enerflow NP300 Nitrogen Pump, 2006 UHB International 11338 L Steel Liquid Nitrogen Tank Usage: Not Available
121	2007 Kenworth T800 Wide Hood 6x4 Nitrogen Control Unit T/A Sleeper Truck Tractor S/N: 1XKDDDB9X47R992588 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 14615 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, 265 in Wheelbase, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks, Pump Control Center, Fabco PTO-170 Drop Box Usage: 144,146 Mi	125	2006 Kenworth T800B Wide Hood 6x4 Sleeper Truck w/ 2007 Enerflow HU60 Hydration Unit S/N: 1NKDLB0X77R993342 C/W: Cat C15 6 Cylinder 15.2 L Diesel 550 hp Engine, 2006 US EPA Label, Positive Air Shutoff, 5310 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.30:1 Axle Ratio, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 270 in Wheelbase, PTO, Double Frame, 30 in Flat Top Sleeper Cab, 6 in Hydraulic Suction Pump, Dry Hopper Storage Tank Usage: 39,036 Mi
121	2007 CS&P Technologies ICC 850K DFTM Nitrogen Pump Trailer S/N: 2T9SASUC07D016079 C/W: 2006 US EPA Label, Cat C18 6 Cylinder 923 hp 18.1 L Diesel Engine, 12132 L Liquid Nitrogen Tank, CS&P 5-ICP1500 Quintuplex Nitrogen Pump, Tri/A Carrier, Air Ride Usage: Not Available	128	2007 Charlton & Hill Hydration Unit S/N: 2M513161271113821 C/W: 6 Cylinder Diesel Engine, Liquid Storage Tank, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling, 29M3 (180BBL) BUFFER/HYD Usage: Not Available
122	2009 CS & P Combination Nitrogen Pump Trailer S/N: 2A9PF35349N125132 C/W: Control Cab, Tri/A Carrier, Air Ride, 2009 CS&P 240000K Vaporizer, Serva TPD600 3.5 in 10400 PSI Triplex Pump, (2) Mission 4X3 Fluid Pumps (2) Cat C13 6 Cylinder 520 hp Diesel Engines, Positive Air Shutoff, Auxiliary Power Unit, Aspen Carrier, Auto Lube, Chart TC-341 9945 L Steel Tank Usage: Not Available	129	2007 Enerflow HU60 Hydration Unit S/N: 2PLC043227EK13265 C/W: Cat C-9 350 hp Engine, Liquid Storage Tank, Gardner Denver 8 in Suction Pump, Telescoping Cabin, Air Conditioning, T/A Carrier, Air Ride, Hydraulic Leveling, 9.5M3 (60BPM) 29M3 (180BBL) Usage: Not Available
		130	2006 Enerflow HU60 Hydration Unit S/N: 2PLC0432X6BJ12586 C/W: Cat C16 6 Cylinder 660 hp Diesel Engine, Gorman Rupp 8 in Suction Pump, Goulds 3410 3 in Discharge Pump, Hydraulic Mixing Agitators, Telescoping Cabin, Air Conditioning, T/A Carrier, Air Ride, Hydraulic Leveling Usage: Not Available

Lot #	Details	Lot #	Details
131	1980 Enerflow HU60 Hydration Unit S/N: 2AT706078AM201517 C/W: Cat C11 450 hp Engine, Gardner Denver 8.5 in Suction Pump, Hydraulic Mixing Agitators, Open Top Control Station, T/A Carrier, Air Ride, Hydraulic Leveling, 9.5M3 (60BPM) Tear Drop Usage: Not Available	136	2005 Kenworth T800B 6x4 Sleeper Enerflow LDV432 Data Van S/N: 1NKDLU9X65R985213 C/W: Cat C13 6 Cylinder Diesel Engine, Positive Air Shutoff, 28149 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 276 in Wheelbase, PTO, Intercontinental 25 ft Long Body, 32 in Mid Roof Sleeper Cab, Generator, Satellite Dish, (12) Monitors, Magnum Power Inverter Usage: 210,005 Mi
132	1974 Enerflow HU60 Hydration Unit S/N: DXS535706 C/W: Cat C11 Acert 6 Cylinder 450 hp Diesel Engine, Gardner Denver 8.5 in Suction Pump, Hydraulic Mixing Agitators, Open Top Control Station, T/A Carrier, Air Ride Usage: Not Available	137	2004 Kenworth T800B 6x4 Sleeper Crown Energy Technologies STC-00024 Data Van S/N: 1NKDLU9X54R972340 C/W: Cat C12 6 Cylinder Diesel Engine, 2003 US EPA Label, Positive Air Shutoff, 6506 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana DSS40 Drive Axles, 4.33:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 275 in Wheelbase, PTO, Crown 25 ft Long Body, 24 in Mid Roof Sleeper, Monitors, Satellite Dish Usage: 78,197 Mi
133	2009 Kenworth T800 6x4 Sleeper Enerflow LDV-432 Data Van S/N: 1NKDLU9X79J941354 C/W: Cat C13 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 8819 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 12R24.5, Hendrickson Air Ride Suspension, 275 in Wheelbase, PTO, Wet Kit, 25 ft Long x 9 ft 6 in High Body, Hydraulic Powered Generator, Spools of Data Cables, A/C and Heated Van, Neovo Monitors, 2000W Power Inverter, Smart Dish Usage: 56,748 Mi	138	2000 Kenworth T800B 6x4 Sleeper Crown Energy Technologies STC-00024 Data Van S/N: 1NKDLU9X9YR960102 C/W: Cat C12 6 Cylinder 11.9 L Diesel 410 hp Engine, Positive Air Shutoff, 9217 Engine hrs, Engine Brake, Eaton Fuller RTO-16915 15-Speed Manual Transmission, Double Differential Locks, 12860 lb Front Axle, 40000 lb Rears, Dana DSS40 Drive Axles, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 275 in Wheelbase, PTO, Intercontinental Truck Body 25 ft Long Body, Dish, (11) Monitors, Magnum Inverter Usage: 452,072 Mi
134	2007 Kenworth T800B 6x4 Sleeper Enerflow LDV432 Data Van S/N: 1NKDLU9X87R995423 C/W: Cat C13 6 Cylinder 12.5 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, 25072 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 272 in Wheelbase, PTO, Intercontinental 25 ft Long Body, Generator, Satellite Dish, (12) Monitors Usage: 89,681 Mi	139	2000 Kenworth T800B 6x4 Sleeper Core STC-00024 Data Van S/N: 1NKDLU9X9YR959662 C/W: Cat C12 6 Cylinder Diesel 410 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 9969 Engine hrs, Engine Brake, Eaton Fuller RTO16915 15-Speed Manual Transmission, Double Differential Locks, DSS40 Drive Axles, 4.33:1 Axle Ratio, 52860 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 272 in Wheelbase, PTO, 25 ft 2 in Long Body, Generator, (10) Monitors, Satellite Dish Usage: 464,532 Mi
135	2007 Kenworth T800 6x4 Sleeper Enerflow LDV-432 Data Van S/N: 1NKDLU9X87R994630 C/W: Cat C13 6 Cylinder Diesel 430 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 20979 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 16000 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 56000 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Primaax EX Air Ride Suspension, 272 in Wheelbase, PTO, 26 ft x 101 in ITB Van, , Stamford 18 kW Generator Set, Monitors Usage: 94,960 Mi		

Lot #	Details	Lot #	Details
140	1998 Kenworth T300 4x2 Core STC-00013 Data Van S/N: 3BKMHD7X0WF952176 C/W: Cat 3126 6 Cylinder Diesel 210 hp Engine, Positive Air Shutoff, 13356 Engine hrs, Engine Brake, Eaton Fuller RT8709B 9-Speed Manual Transmission, 21060S Drive Axles, 3.70:1 Axle Ratio, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase, 21 ft 6 in Long x 6 ft 5 in High Body, 10 kw Hydraulic Driven Generator Set Usage: 321,052 Mi	147	1990 Great Dane 48 ft x 102 in T/A Heated Van Trailer S/N: 1GRAA9627LW020512 C/W: 29484 kg GVWR, Spring Suspension, Air Brakes, Curbside Door, Thermo King HK-400 HO Heating Unit, 11R22.5 Tires Usage: Not Available
141	2006 Utility Trailer 53 ft x 102 in Tri/A Refrigerated Trailer S/N: 1UYVS35366U778505 C/W: 36300 kg GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Curbside Door, Ducted Floor, Thermo King 210 Refrigeration Unit, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available	148	2003 Peerless CH-46-3A 48 ft Tri/A Chemical Van S/N: 2PLC046353BH11107 C/W: 39400 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 275/70R22.5 Tires, Curbside Door, Chemical Hose Reels, Tote Stands, Control Center, Hydraulic System, Work Bench, Thermo King HK-III Usage: Not Available
142	2003 Great Dane 7811Z-1A 53 ft Tri/A Refrigerated Trailer S/N: 1GRAA06383W047402 C/W: 80000 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor, Thermo King SB-III Refrigeration Unit, 11R22.5 Tires Usage: Not Available	149	2005 Crown Energy Technologies SRB-00046 47 ft Tri/A Chemical Van S/N: 2PLC046395BE11847 C/W: Air Ride Suspension, Air Brakes, Deck Over Tires, Pickup Throat, Aluminum Wheels, 275/70R22.5 Tires, Waukesha and Eagle Rotary Gear Liquid Additive Pumps, Thermo King Heating Unit Usage: Not Available
143	2002 Utility 53 ft x 102 in Tri/A Refrigerated Trailer S/N: 1UYVS25302U853008 C/W: 29500 kg GVWR, Air Ride Suspension, Air Brakes, Curbside Door, Ducted Floor, Thermo King SB210 Refrigeration Unit, 11R22.5 Tires Usage: Not Available	150	2005 Crown Energy Technologies SRB-00046 Chemical Van S/N: 2PLC046375BL12084 C/W: 39400 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 275/70R22.5 Tires, Chemical Pump Control Center, Hose Reels Usage: 18,215 Hr
144	2006 Great Dane 48 ft x 102 in T/A Heated Van Trailer S/N: 1GRAA96246W702039 C/W: 30840 kg GVWR, Air Ride Suspension, Air Brakes, Curbside Door, Thermo King HK 430 HO Heating Unit, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available	151	2005 Crown Energy Technologies SRB-00046 47 ft Tri/A Chemical Van S/N: 2PLC046305BE11848 C/W: 86862 lb GVWR, Air Ride Suspension, Air Brakes, Pickup Throat, Aluminum Wheels, 275 /70R22.5 Tires, Thermo King Heating Unit, Hose Reels Usage: 96,651 Mi
145	1999 Great Dane T/A Heated Van Trailer S/N: 1GRAA9624XW005102 C/W: 30840 kg GVWR, Air Ride Suspension, Air Brakes, Curbside Door, Thermo King HK-400 Heating Unit, 11R24.5 Tires Usage: 14,114 Hr	152	2005 Crown Energy Technologies SRB-00046 48 ft Tri/A Chemical Van S/N: 2PLC046375BE11846 C/W: 39400 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 275/70R22.5 Tires, Control Center, Hose Reels, Vanair Compressor w/ 308 hrs, Curbside Door, Thermo King HK-430 HO Heating Unit, Usage: Not Available
146	1999 Great Dane 48 ft T/A Heated Van Trailer (Inoperable) S/N: 1GRAA9626XW005103 C/W: 30840 kg GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Curbside Door, Thermo King HK-430 Heating Unit, Aluminum Wheels, 285/75R24.5 Tires Usage: Not Available	153	1998 Core 48 ft T/A Chemical Van Trailer S/N: C70001F093098 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires, Curbside Door, 4 Cylinder Kubota w/ 12 kW Generator, Hose Reels, Heater and AC Unit, Work Bench Usage: 5,145 Hr
		154	2000 Wilson 48 ft T/A Flatbed Trailer S/N: 4WWBGB6N4YN604117 C/W: 40483 kg GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 97 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
155	2008 Oasis HBP 20 ft Tri/A Flatbed Trailer S/N: 2SLFC637I8R001898 C/W: 10970 kg GVWR, Lunette Ring Hitch, Spring Suspension, 96 in Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available	163	2002 Crown Energy Technologies SRT-00050 30 ft Tri/A Sand End Dump Trailer S/N: 2C9TB433321173016 C/W: 75000 lb GVWR, Air Ride Suspension, 30 ft Body, Aluminum Body, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
156	2018 Lode King HGF45-3 45 ft Tri/A Hopper Bottom Grain Trailer S/N: 2LDHG4532JF064879 C/W: 38000 kg GVWR, Air Ride Suspension, Air Brakes, Steel Sides & Aluminum Slopes Box, Open Ended, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	164	2001 Trojan 30 ft Tri/A Sand End Dump Trailer S/N: 2T9CAGDE01E008499 C/W: Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
157	1988 Custom 36 ft Tri/A Sand End Dump Trailer S/N: 2C9D1A384J1053452 C/W: 44679 lb GVWR, Spring Suspension, Air Brakes, 36 ft Body, 64 in Side Walls, Aluminum Body, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	165	1999 Trojan 30 ft Tri/A Sand End Dump Trailer S/N: 2T9CAFDE3XE008419 C/W: Air Ride Suspension, 30 ft Body, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
158	2004 Stargate 34 ft Tri/A Sand End Dump Trailer S/N: 2S9DA53584M115299 C/W: 52500 kg GVWR, Air Ride Suspension, 34 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R22.5 Tires, Hydraulic Outriggers Usage: Not Available	166	1999 Trojan 30 ft Tri/A Sand End Dump Trailer S/N: 2T9CAFDE1XE008421 C/W: Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
159	2007 Peerless CH-38-3A 30 ft Tri/A Sand End Dump Trailer S/N: 2PLC038367BK12844 C/W: 73854 lb GVWR, Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Charlton & Hill Body, Hydraulic Outriggers Usage: Not Available	167	1999 Trojan 30 ft Tri/A Sand End Dump Trailer S/N: 2T9CAFDEXXE008420 C/W: Air Ride Suspension, 31 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
160	2007 Peerless CH-38-3A 30 ft Tri/A Sand End Dump Trailer S/N: 2PLC038347BG12842 C/W: 73854 lb GVWR, Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Enerflow Body, Hydraulic Outriggers Usage: Not Available	168	2005 Hydra Rig NOV 28 ft Tri/A Sand End Dump Trailer S/N: 2T9SHS3P25E165018 C/W: 39268 kg GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
161	2007 Peerless CH-38-3A 30 ft Tri/A Sand End Dump Trailer S/N: 2PLC038367BM13272 C/W: 73854 lb GVWR, Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Charlton-Hill Body, Hydraulic Outriggers Usage: Not Available	169	2005 Hydra Rig NOV 28 ft Tri/A Sand End Dump Trailer S/N: 2T9SHS3P05E165020 C/W: 86493 lb GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available
162	2004 Hydra Rig 30 ft Tri/A Sand End Dump Trailer S/N: 2T9SHS3P64E165005 C/W: Air Ride Suspension, 30 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	170	2007 Peerless CH-38-3A 28 ft Tri/A Sand End Dump Trailer S/N: 2PLC038327BH12843 C/W: 73854 lb GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: 99,377 Mi
		171	2007 Charlton & Hill 28 ft Tri/A Sand End Dump Trailer S/N: 2PLC038337BK13188 C/W: 73854 lb GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available

Lot #	Details	Lot #	Details
172	2007 Charlton & Hill 28 ft Tri/A Sand End Dump Trailer S/N: 2PLC0383X7BM13274 C/W: 73854 lb GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	179	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P286B1121172 C/W: 3600 cft Capacity, 33112 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 2900/2200 Engine, Webasto Heater, Hydraulic System, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,550 Hr
173	2007 Charlton & Hill 28 ft Tri/A Sand End Dump Trailer S/N: 2PLC038367BH12845 C/W: 73854 lb GVWR, Air Ride Suspension, Air Brakes, 28 ft Body, 52 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	180	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285B1121171 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 L Engine, Hydraulic Levelling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 2,097 Hr
174	2006 Peerless CH-38-3A 27 ft Tri/A Sand End Dump Trailer S/N: 2PLC038316BE12239 C/W: 33500 kg GVWR, Air Ride Suspension, Air Brakes, 27 ft Body, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	181	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P283B1121167 C/W: 3600 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4L w/Webasto Coolant Heater, Hydraulic leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,917 Hr
175	2005 Hydra Rig NOV 27 ft Tri/A Sand End Dump Trailer S/N: 2T9SHS3P45E165019 C/W: 39268 kg GVWR, Air Ride Suspension, Air Brakes, 27 ft Body, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	182	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285B1121168 C/W: 3600 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4L w/Webasto Engine Coolant Heater, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 5,054 Hr
176	2000 Trojan 27 ft Tri/A Sand End Dump Trailer S/N: 2T9CAGDE6YE008468 C/W: Air Ride Suspension, Air Brakes, 27 ft Body, Aluminum Body, Aluminum Wheels, 11R24.5 Tires, Hydraulic Outriggers Usage: Not Available	184	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P287A1121146 C/W: 3600 cft Capacity, 35000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartment, Perkins 4.4 L Diesel Engine, Engine Heater, PASS, Hydraulic Controls, Hydraulic Landing Gear, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,925 Hr
177	2011 Charlton & Hill Sandhogg SH40-5701 Bulk Sand Storage Trailer S/N: 2C951P286B1121169 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Hydraulic Outriggers, Cat C4.4 Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 4,381 Hr	185	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P28XA1121142 C/W: 3600 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Engine, Positive Air Shutoff, Outriggers, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,707 Hr
178	2011 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P283B1121170 C/W: 3600 cft Capacity, 73000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 L w /Positive Air Shutoff, Webasto Coolant Engine Heater, Hydraulic Levelling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 3,345 Hr		

Lot #	Details	Lot #	Details
186	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P285A1121162 C/W: 3600 cft Capacity, 35000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 1104D 4.4 L Engine, Hydraulic System, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 4,445 Hr	192	2012 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116358 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Cat C4.4 w/Positive Air Shutoff, Webasto Engine Coolant Heater, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 11,854 Mi
187	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P282A1121143 C/W: 3600 cft Capacity, 35000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 L Engine, Webasto Heater, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,514 Hr	193	2012 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116356 C/W: 3466 cft Capacity, Spring Suspension, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Hydraulic Outriggers, Cat C4.4 Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 7,164 Hr
188	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P286A1121145 C/W: 3600 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 L w/Webasto Engine Coolant Heater, Hydraulic Leveling, 26 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,880 Hr	194	2012 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116357 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Perkins 4 Cylinder Engine w/Positive Air Shutoff, Hydraulic Levelling Usage: 4,532 Mi
189	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P289A1121147 C/W: 3600 cft Capacity, 35000 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 2900/2200 4.4 L Engine, Webasto Heater, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,446 Hr	195	2012 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116359 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Hydraulic System, Perkins 2177 /2200 4 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Heater, Hydraulic Levelling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 21,629 Mi
190	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P281A1121165 C/W: 3600 cft Capacity, Air Ride Suspension, Electric Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 Engine w/Positive Air Shutoff, Hydraulic Leveling, 30 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,355 Hr	196	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116355 C/W: 3466 cft Capacity, Spring Suspension, Electric Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Hydraulic Outriggers, Cat C4.4 Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: Not Available
191	2010 Charlton & Hill SH40 Bulk Sand Storage Trailer S/N: 2C951P284A1121144 C/W: 3600 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Perkins 4.4 Engine w/Positive Air Shutoff, Hydraulic Leveling, 30 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,603 Hr	197	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116351 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Cat C4.4 w/Webasto Coolant Heater, Hydraulic Levelling, Positive Air Shutoff Usage: 5,870 Hr

Lot #	Details	Lot #	Details
198	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116350 C/W: 3466 cft Capacity, Spring Suspension, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Hydraulic Outriggers, Cat C4.4 Diesel Engine, Positive Air Shutoff, Wabasto Engine Coolant Heater, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 4,389 Hr	204	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 1009086057 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (6) Compartments, Cat 3054C Engine, Hydraulic Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 396 Hr
199	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116353 C/W: 3466 cft Capacity, Walking Beam Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Cat C4.4 w /Webasto Engine Coolant Heater, Hydraulic Leveling, 30 in Feed Conveyor, 36 in Discharge Conveyor, Positive Air Shutoff Usage: 4,114 Hr	205	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2104086036 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (6) Compartments, 4 Cylinder Engine, Hydraulic Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: Not Available
200	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116352 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Cat C4.4 w/Positive Air Shutoff, Webasto Engine Coolant Heater, Hydraulic Leveling, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 5,448 Hr	206	2007 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 0803076025 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Deutz BF4M 131 hp Engine, Hydraulic Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 2,538 Hr
201	2011 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2010116354 C/W: 3466 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (5) Compartments, Cat C4.4 w/Webasto Engine Coolant Heater, Positive Air Shutoff, Hydraulic Leveling, 30 in Feed Conveyor, 36 in Discharge Conveyor Usage: 6,176 Hr	207	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2104086035 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (6) Compartments, Cat 4 Cylinder Engine, Hydraulic Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: Not Available
202	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 103086029 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, 11R22.5 Tires, (5) Compartments, Cat 4.4 L Diesel Engine, Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 2,567 Hr	208	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 2104086037 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (6) Compartments, Hydraulic System, Perkins 2177 /2200 4.4 L 4 Cylinder Diesel engine, Positive Air Shutoff, Webasto Heater, Hydraulic Outriggers, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 1,000 Hr
203	2008 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 1009086058 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, (6) Compartments, Cat 3054C Engine, Hydraulic System, Hydraulic Leveling, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 529 Hr	209	2007 Convey-All Industries SK4000 Bulk Sand Storage Trailer S/N: 0803076024 C/W: 3851 cft Capacity, Spring Suspension, Air Brakes, Aluminum Outer Wheels, 11R22.5 Tires, (5) Compartment, Deutz 4 Cylinder Diesel Engine, Hydraulic Controls, Hydraulic Landing Gear, 28 in Feed Conveyor, 28 in Discharge Conveyor Usage: 2,859 Hr

Lot #	Details	Lot #	Details
211	2008 Charlton & Hill SS33TB Bulk Sand Storage Trailer S/N: 2C951P26481121122 C/W: 2970 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (7) Compartment, 4 Cylinder Engine w/Positive Air Shutoff, Hydraulic Leveling, 32 in Feed Conveyor, 36 in Discharge Conveyor Usage: 6,588 Hr	218	2008 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542281109207 C/W: 3008 cft Capacity, 66000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, Detroit Engine, Outriggers, Ramsey Winch, 24 in Conveyor Usage: Not Available
212	2008 Charlton & Hill SS33TB Bulk Sand Storage Trailer S/N: 2C951P26981121125 C/W: 2970 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (7) Compartments, Engine, Outriggers, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 6,229 Hr	219	2006 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542461109027 C/W: 3008 cft Capacity, Spring Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, Diesel Engine, Outriggers, 24 in Conveyor Usage: Not Available
213	2008 Charlton & Hill SS33TB Bulk Sand Storage Trailer S/N: 2C951P26281121121 C/W: 2970 cft Capacity, 77000 lb GVWR, Air Ride Suspension, 11R24.5 Tires, (7) Compartment, Engine, Positive Air Shutoff, Hydraulic Outriggers, 32 in Feed Conveyor, 36 in Discharge Conveyor Usage: 8,364 Hr	220	2006 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542761109023 C/W: 2707 cft Capacity, 52000 lb GVWR, Walking Beam Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, 6 Cylinder Engine, Hydraulic Outriggers, 24 in Conveyor Usage: Not Available
214	2008 Charlton & Hill SS33TB Bulk Sand Storage Trailer S/N: 2C951P26781121124 C/W: 2970 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (7) Compartments, Engine, Outriggers, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: 8,277 Hr	221	2006 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542861109077 C/W: 2707 cft Capacity, 52000 lb GVWR, Walking Beam Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, 6 Cylinder Engine, Hydraulic Outriggers, 24 in Conveyor Usage: Not Available
215	2008 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542181109201 C/W: 2707 cft Capacity, 52000 lb GVWR, Walking Beam Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, 6 Cylinder Engine, Hydraulic Outriggers, 24 in Discharge Conveyor Usage: Not Available	222	2007 Charlton & Hill SM30 Bulk Sand Storage Trailer S/N: 2C951P26771121106 C/W: 2700 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (7) Compartment, Perkins 4.4 L Engine, Positive Air Shutoff, Hydraulic Outriggers, 32 in Feed Conveyor, 36 in Discharge Conveyor Usage: 7,470 Hr
216	2008 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542781109204 C/W: 2707 cft Capacity, 52000 lb GVWR, Walking Beam Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, 6 Cylinder Engine, Hydraulic Outriggers, 24 in Discharge Conveyor Usage: Not Available	223	2006 Charlton & Hill SM30 Bulk Sand Storage Trailer S/N: 2C951P26261121083 C/W: 2700 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (7) Compartment, Engine, Hydraulic Outriggers Usage: 3,290 Hr
217	2008 Cambelt CF3000 Bulk Sand Storage Trailer S/N: 1C9SV542081109206 C/W: 2707 cft Capacity, 52000 lb GVWR, Walking Beam Suspension, Air Brakes, 11R22.5 Tires, (4) Compartments, 6 Cylinder Engine, Hydraulic Outriggers, 24 in Discharge Conveyor Usage: Not Available	224	2005 Charlton & Hill SM25 Bulk Sand Storage Trailer S/N: 2C951K26751121073 C/W: 77000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (6) Compartment, Perkins 4.4 L Diesel Engine, Positive Air Shutoff, Outriggers, 24 in Feed Conveyor, 36 in Discharge Conveyor Usage: Not Available

Lot #	Details	Lot #	Details
225	2005 Charlton & Hill SM25 Bulk Sand Storage Trailer S/N: 2C951K26451121071 C/W: 2250 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartment, 4 Cylinder Diesel Engine w/Webasto Engine Coolant Heater, Hydraulic Outriggers, 32 in Conveyor Usage: 7,890 Hr	233	2008 Cryogenic Vessel Alternatives CVA-15K-325 56775 L Tri/A CO2 Tanker Trailer S/N: 1C9SC533X8M810785 C/W: 74000 lb GVWR, Air Ride Suspension, Steel Tank, TC331 Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
226	2006 Charlton & Hill SM25 Bulk Sand Storage Trailer S/N: 2C951K26561121087 C/W: 2250 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (6) Compartment, Engine, Hydraulic Outriggers, 36 in Discharge Conveyor Usage: 7,237 Hr	234	2009 Maxfield Inc. 24756 L Tri/A CO2 Tanker Trailer S/N: 2W9GR4U1492013590 C/W: 37600 kg GVWR, Air Ride Suspension, Insulated Tank, TC331/MC331 Code Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
227	2005 Charlton & Hill Sandmaster Bulk Sand Storage Trailer S/N: 2C951K26551121072 C/W: 2250 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (6) Compartment, Engine, Hydraulic Outriggers, 36 in Discharge Conveyor Usage: 5,991 Hr	235	2006 Maxfield Inc. 24756 L Tri/A CO2 Tanker Trailer S/N: 2W9GR3U1X62013454 C/W: 82225 lb GVWR, Air Ride Suspension, Insulated Tank, TC331/MC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
228	2005 Charlton & Hill Sandmaster Bulk Sand Storage Trailer S/N: 2C951K26651121069 C/W: 2250 cft Capacity, 77000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (6) Compartment, Engine, Hydraulic Outriggers, 36 in Discharge Conveyor Usage: 8,620 Hr	236	2009 Cryogenic Vessel Alternatives 56775 L Tri /A CO2 Tanker Trailer S/N: 1C9SC53369M810798 C/W: 74000 lb GVWR, Air Ride Suspension, Steel Tank, MC331 Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
229	2006 Maxfield Inc. 2205 cft T/A CO2 Tanker Trailer S/N: 2W9GT7T1362013452 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	237	2009 Cryogenic Vessel Alternatives 56775 L Tri /A CO2 Tanker Trailer S/N: 1C9SC53309M810800 C/W: 33565 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
230	2009 Cryogenic Vessel Alternatives 56775 L Tri /A CO2 Tanker Trailer S/N: 1C9SC53349M810797 C/W: 74000 lb GVWR, Air Ride Suspension, Steel Tank, TC331 Code, Aluminum Wheels, 11R24.5 Tires, Manual Levelling Jacks Usage: Not Available	238	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U652013403 C/W: 43600 kg GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
231	2009 Cryogenic Vessel Alternatives 56775 L Tri /A CO2 Tanker Trailer S/N: 1C9SC53389M810799 C/W: 74000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	239	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U152013406 C/W: 96121 lb GVWR, Air Ride Suspension, Insulated Tank, TC331/MC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
232	2008 Cryogenic Vessel Alternatives CVA-15K-325 56775 L Tri/A CO2 Tanker Trailer S/N: 1C9SC533X9M810786 C/W: 74000 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, TC-331 Code, Aluminum Wheels, 11R24.5 Tires, Manual Levelling Jacks Usage: Not Available	240	2005 Maxfield Inc. 30283 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U352013410 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
241	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U752013409 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	249	2000 RNG Pro-Tech Inc 21527 L Tri/A CO2 Tanker Trailer S/N: 2W9NAD2U9Y2013272 C/W: Air Ride Suspension, Insulated Tank, TCMC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
242	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U552013408 C/W: 96121 lb GVWR, Air Ride Suspension, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	250	2000 RNG Pro-Tech Inc Tri/A CO2 Tanker Trailer S/N: 2W9NAD2U5Y2013253 C/W: 68784 lb GVWR, Air Ride Suspension, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
243	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2UX52013405 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	251	2000 RNG Pro-Tech Inc 2215 cft T/A CO2 Tanker Trailer S/N: 2W9SHP1T9Y2013250 C/W: 20800 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
244	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U852013404 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	252	2008 Westmor Industries LLC 16250 16250 gal T/A CO2 Tanker Trailer S/N: 1W9PS51258M350382 C/W: 70000 lb GVWR, Air Ride Suspension, Non Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
245	2005 Maxfield Inc. 30280 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U352013407 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	253	2006 Maxfield Inc. 16500 gal T/A CO2 Tanker Trailer S/N: 2W9GT6T1662013455 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires, Manual Levelling Jacks Usage: Not Available
246	2004 Maxfield Inc. 30283 L Tri/A CO2 Tanker Trailer S/N: 2W9PLF2U742013390 C/W: 96121 lb GVWR, Air Ride Suspension, Steel Tank, MC331/TC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	254	2006 Maxfield Inc. 16500 gal T/A CO2 Tanker Trailer S/N: 2W9GT7T1162013451 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: 15,948 Mi
247	2001 RNG Pro-Tech Inc 24450 L Tri/A CO2 Tanker Trailer S/N: 37922A C/W: Air Ride Suspension, Air Brakes, Steel Tank, MC/TC331 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	255	2006 Maxfield Inc. 24756 L Tri/A CO2 Tanker Trailer S/N: 2W9GR3U1862013453 C/W: 37297 kg GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
248	2000 RNG Pro-Tech Inc 21575 L Tri/A CO2 Tanker Trailer S/N: 2W9NAD2U7Y2013254 C/W: Air Ride Suspension, Insulated Tank, TCMC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	256	2005 Maxfield Inc. 16500 gal T/A CO2 Tanker Trailer S/N: 2W9SHP2T852013394 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
		257	2005 Maxfield Inc. 2205 cft T/A CO2 Tanker Trailer S/N: 2W9SHP2T652013393 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
258	2004 Maxfield Inc. 16500 gal T/A CO2 Tanker Trailer S/N: 2W9SHP2T342013382 C/W: 29200 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	267	2000 RNG Pro-Tech Inc 2215 cft T/A CO2 Tanker Trailer S/N: 2W9SHP1T2Y2013252 C/W: 20800 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
259	2004 Maxfield Inc. 24750 L Tri/A CO2 Tanker Trailer S/N: 2W9NLD2U142013383 C/W: Air Ride Suspension, Steel Tank, TC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	268	2000 RNG Pro-Tech Inc 2215 cft T/A CO2 Tanker Trailer S/N: 2W9SHP1T0Y2013251 C/W: 20800 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
260	2004 Maxfield Inc. 24750 L Tri/A CO2 Tanker Trailer S/N: 2W9NLD2U342013384 C/W: 39600 kg GVWR, Air Ride Suspension, Steel Tank, TC331/MC331 Code, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	269	2000 RNG Pro-Tech Inc 2215 cft T/A CO2 Tanker Trailer S/N: 2W9SHP1T4Y2013270 C/W: 70800 lb GVWR, Air Ride Suspension, 11R24.5 Tires Usage: Not Available
261	2009 Westmor Industries LLC 16250 16250 gal T/A CO2 Tanker Trailer S/N: 1W9PS51249M350388 C/W: 31751 kg GVWR, Air Ride Suspension, Air Brakes, Steel Tank, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	270	2002 OSDW CATCH TANK T/A Tanker Trailer S/N: OSCT001 C/W: Lunette Ring Hitch, Torsion Axle, Steel Tank, 235/85R16 Tires Usage: Not Available
262	2009 Westmor Industries LLC 61513 L T/A CO2 Tanker Trailer S/N: 1W9PS51229M350387 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: 13,078 Mi	271	2006 AMKO 9700 36877 L Tri/A Nitrogen Bulk Trailer S/N: 1A9SN48T06D181204 C/W: 102513 lb GVWR, Air Ride Suspension, Air Brakes, Stainless Steel Tank, TC341 /CGA341 Code, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
263	2008 Westmor Industries LLC 61512 L T/A CO2 Tanker Trailer S/N: 1W9PS51238M350381 C/W: 31752 kg GVWR, Air Ride Suspension, Non Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	272	2006 Cryogenic Vessel Alternatives 36260 L Tri /A Nitrogen Bulk Trailer S/N: 1C9SC45366M810321 C/W: 39546 kg GVWR, Air Ride Suspension, Air Brakes, Stainless Steel Tank, TC341/CGA341 Code, Aluminum Wheels, 275/70R22.5 Tires, 4 Cylinder Engine Usage: Not Available
264	2008 Westmor Industries LLC 16250 gal T/A CO2 Tanker Trailer S/N: 1W9PS51278M350383 C/W: 70000 lb GVWR, Air Ride Suspension, Steel Tank, Non Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	273	2005 Cryogenic Vessel Alternatives 9600 36688 L Tri/A Nitrogen Bulk Trailer S/N: 1C9SC44315M810145 C/W: 85858 lb GVWR, Air Ride Suspension, Air Brakes, Steel Tank, TC341 CGA341 Code, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
265	2008 Westmor Industries LLC 16250 gal T/A CO2 Tanker Trailer S/N: 1W9PS51298M350384 C/W: 70000 lb GVWR, Air Ride Suspension, Non Code, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	274	2006 Cryogenic Vessel Alternatives 36260 L Tri /A Nitrogen Bulk Trailer S/N: 1C9SC44346M810349 C/W: 84873 lb GVWR, Air Ride Suspension, Steel Tank, TC 341 and CGA 341 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
266	2000 RNG Pro-Tech Inc 21527 L Tri/A CO2 Tanker Trailer S/N: 2W9NAD2U7Y2013271 C/W: Air Ride Suspension, Steel Tank, Blackmer Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	275	2000 RNG Pro-Tech Inc 34825 L Tri/A Nitrogen Bulk Trailer S/N: 2W9RJG3U9Y2013273 C/W: Air Ride Suspension, Steel Tank, TC341 Code, Hydraulic Powered Pump, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
276	2011 Convey-All Dualbelt-3000 30 in x 48 ft Portable Sand Conveyor Trailer S/N: 2605118838 C/W: Hydraulic Raise, Control Panel, Kingpin, John Deere 4045TF280 4 Cylinder 4.5 L Diesel Engine, Dual Belts, Twin Engines, Webasto Heaters, 11R22.5 Tires, Spring Suspension, Air Brakes Usage: 6,607 Hr	285	2010 Convey-All 48 in x 34 ft Portable Sand Conveyor Trailer S/N: 2SHD1228S C/W: Pintle Ring, US EPA Label, Yanmar 3NND4 Engine Usage: 2,231 Hr
277	2011 Convey-All Dualbelt-3000 30 in x 50 ft Portable Sand Conveyor Trailer S/N: 2605118837 C/W: Channel Frame, Kingpin, (2) John Deere 4 Cylinder Diesel Engines Usage: Not Available	286	2012 Charlton & Hill SDT-1761 T/A 10x15Kx2-4in SI & C Pump Manifold Trailer S/N: 53UC05126CLF15383 C/W: 22550 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Cummins QSM11 10.8 L 375 hp Diesel Engine Usage: Not Available
278	2011 Convey-All Unibelt-1800 36 in x 50 ft Portable Sand Sand Conveyor Trailer S/N: 1401118490 C/W: Hydraulic Raise, Kingpin, 2011 US EPA Label, Cat C4.4 4 Cylinder 60.5 kW Diesel Engine, Webasto Heater Usage: 5,926 Hr	287	2012 Charlton & Hill SDT-1761 T/A Manifold Trailer S/N: 53UC05124CLG15384 C/W: 49714 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, (2) Electric Hoists, Cummins QSM11 6 Cylinder 375 hp 10.8 L Diesel Engine, 2011 US EPA Compliant, Gorman-Rupp VGHBD31-B 8i n Centrifugal Pump Usage: Not Available
279	2011 Convey-All Unibelt-1800 36 in x 50 ft Portable Sand Sand Conveyor Trailer S/N: 1401118492 C/W: Hydraulic Raise, Kingpin, 2011 US EPA Label, Cat C4.4 4 Cylinder 60.5 kW Diesel Engine Usage: Not Available	288	2012 Charlton & Hill SDT-1761 T/A Manifold Trailer S/N: 53UC05126CLG15385 C/W: 49714 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, Cummins QSM11 375 hp Diesel Engine, 2006 US EPA Compliant, Positive Air Shutoff, VGH 8in Fluid Transfer Pump, (2) Electric Hoists Usage: Not Available
280	2011 Appco MS-82-30 30 in x 45 ft Portable Sand Conveyor Trailer S/N: 1B9WS4923BT287178 C/W: Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Kingpin, Cat C4.4 4 Cylinder Diesel Engine, Positive Air Shutoff, Hydraulic Outriggers Usage: Not Available	289	2010 Charlton & Hill SDT 1701 T/A Manifold Trailer S/N: 2PLC05322ABJ14329 C/W: 22550 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Cummins QSM11 375HP Diesel Engine, Linde Hydraulic Pump, Hydraulic Driven Fluid Pump, Hydraulic Cooler, Webasto Engine Heater Usage: 2,645 Hr
281	2007 Wilson Manufacturing 28 in x 42 ft Portable Articulating Loadout Sand Conveyor Trailer S/N: 6072428251 C/W: Hydraulic Raise, 2006 US EPA Label, Cummins A2300T 4 Cylinder 60 hp 2.3 L Diesel Engine Usage: 1,185 Hr	290	2010 Charlton & Hill SDT 1701 T/A Manifold Trailer S/N: 2PLC0533XABJ14328 C/W: 49714 lb GVWR, Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires, Gorman-Rupp VGH8D31-B 8 in Centrifugal Pump, Peerless CH-53-2A Carrier, Cummins QSM11 6 Cylinder 10.8 L 375 hp Diesel Engine, Complies To 2010 US EPA Usage: Not Available
282	2008 Convey-All Unibelt-1800 36 in x Portable Sand Conveyor Trailer S/N: 1902086913 C/W: Control Panel, Kingpin, Cat Engine Usage: Not Available	291	2009 Charlton & Hill SDT 1701 T/A Fluid Pump Manifold Trailer S/N: 2PLC053279BL14232 C/W: 22850 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, Cummins QSM11 375 HP Diesel Engine, Linde Hydraulic Pump, Hydraulic Driven Fluid Pump, Hydraulic Cooler, Webasto Engine Heater Usage: 3,239 Hr
283	2002 Crown Energy Technologies SRB-00052 36 in x 50 ft Portable Sand Sand Conveyor Trailer S/N: 2C9DM012421173026 C/W: Hydraulic Raise, Kingpin, Perkins 6 Cylinder Diesel Engine Usage: 3,652 Hr		
284	2010 Convey-All 48 in x 34 ft Portable Sand Conveyor Trailer S/N: 1SHD1228S C/W: Pintle Ring, US EPA Label, Yanmar 3NND4 36.4 kW 2.19 L Engine Usage: Not Available		

Lot #	Details	Lot #	Details
292	2008 SPM BBB F40-25-1 S/A Manifold Trailer S/N: 1B9FF40178M185104 C/W: 13620 kg GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	302	2007 Travelaire NT269 24 ft 7 in x 8 ft 2 Person Portable T/A Wellsite S/N: 2TTNT26977R070484 C/W: (1) Offices, (1) Kitchens, (1) Bedrooms w/(2) Beds, (1) Bathrooms, Air Conditioner, Ball Hitch, Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available
293	2008 Charlton & Hill SD10-1701 S/A Manifold Trailer S/N: 2PLC0451X8BE13675 C/W: 28363 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires, 4 in Suctions, 4 in Fig 207 Threaded Unions, Hydraulic Landing Gear, Electric Winch, Suction Hose Storage Racks Usage: Not Available	303	2007 Travelaire NT269 24 ft x 8 ft T/A Wellsite S/N: 2TTNT26967R070489 C/W: (1) Offices, (1) Kitchens, (1) Bedrooms w/(2) Beds, (1) Bathrooms, Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available
294	2004 P & S S/A Manifold Trailer S/N: 6140482104 C/W: Electric Brakes, 235/85R16 Tires Usage: Not Available	304	2008 Transtank T68 68000 L Skid Mounted Steel Diesel Fuel Tank S/N: TNTK401653 C/W: 230 V Transfer Pump, 25 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Double Wall Usage: Not Available
295	2004 P & S S/A Gooseneck Manifold Trailer S/N: 6140482204 C/W: Electric Brakes, 235/85R16 Tires Usage: Not Available	305	2007 Transtank T68 68000 L Skid Mounted Steel Diesel Fuel Tank S/N: TNTK401386 C/W: 240 V Transfer Pump, 25 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Double Wall Usage: Not Available
296	2003 Dynamic T/A 14 ft Pipe Handling Trailer S/N: 2D9DH18B43M056226 C/W: Lunette Ring Hitch, Torsion Axle, Electric Brakes, 235/85R16 Tires Usage: Not Available	306	2007 Transtank T68 68000 L Skid Mounted Diesel Fuel Tank S/N: TNTK401389 C/W: Double Wall Usage: Not Available
297	2015 Stellar T/A Heavy-Haul Jeep S/N: 2N9TJ4024FE065166 C/W: 40000 kg GVWR, Sliding 5th Wheel, Fold-Up Dolly Legs, Tail Roller, Air Ride Suspension, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available	307	2008 Transtank T30 30000 L Skid Mounted Steel Diesel Fuel Tank S/N: TNTK401707 C/W: 230 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Double Wall Usage: Not Available
298	2013 EMI CA022947J T/A Heavy-Haul Jeep S/N: 1A9L42823DA245933 C/W: Air Ride Suspension, Aluminum Wheels, 275/70R22.5 Tires, 40000 lb GVWR, Sliding 5th Wheel Usage: Not Available	308	2008 Transtank T30 30000 L Skid Mounted Steel Diesel Fuel Tank S/N: TNTK401859 C/W: 230 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Double Wall Usage: Not Available
299	2013 Stellar T/A Heavy-Haul Jeep S/N: 2N9TJ4026DE065456 C/W: 40000 kg GVWR, Sliding 5th Wheel, Fold-Up Dolly Legs, Tail Roller, Air Ride Suspension, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available	309	2005 NWP Industries 400 bbl Skid Mounted Steel Tank S/N: 4001015 Usage: Not Available
300	2013 EMI CA022947D S/A Booster Axle S/N: 1A9L11313DA245934 C/W: 20000 lb GVWR, Air Ride Suspension, Pin-On Booster Axle Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available	310	2004 DaPaJo Skid Mounted Steel Sand Storage Tank S/N: CWA130S Usage: Not Available
301	2007 Travelaire NT269 28 ft x 8 ft 2 Person T/A Wellsite S/N: 2TTNT26917R070500 C/W: (1) Offices, (1) Kitchens, (1) Bedrooms w/(2) Beds, (1) Bathrooms, Air Conditioner, Ball Hitch, Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available	311	2013 Hydra Rig NOV HR680 Coil Tubing Injector Head S/N: 303134 C/W: 95000 lb Lifting Weight Capacity, Lifting Cage Usage: Not Available

Lot #	Details	Lot #	Details
312	2008 Hydra Rig NOV HR680 Coil Tubing Injector Head S/N: 302415 C/W: Lifting Cage Usage: Not Available	324	Nexus 22.5K Double Blowout Preventer S/N: 092817NX01 Usage: Not Available
313	2008 Hydra Rig NOV HR660 Coil Tubing Injector Head S/N: CC302188 C/W: Lifting Cage Usage: Not Available	325	Vanoil 5K Double Blowout Preventer S/N: P00237 Usage: Not Available
314	2012 Coil Solutions 80K Coil Tubing Injector Head S/N: M1005349000027706 C/W: Lifting Cage Usage: Not Available	326	2013 Forum Energy Technologies 4 1/16 in 15K Single Blowout Preventer S/N: P12234 Usage: Not Available
315	2005 Coil Solutions Inc 100K Coil Tubing Injector Head S/N: M1005028315060505 C/W: Lifting Cage Usage: Not Available	327	2007 Vanoil 5000 PSI 2 7/8 in Dual Blowout Preventer S/N: P061709 C/W: Stand Usage: Not Available
316	2011 Nexus 5-1/8in 10K Quad Blowout Preventer S/N: 012411NX08 C/W: Stand Usage: Not Available	328	2007 Vanoil AY 4587-1 5000 PSI 2 7/8 in Dual Blowout Preventer S/N: P061306 C/W: Stand Usage: Not Available
317	2008 Lee Specialties Quad Blowout Preventer S/N: Not Available C/W: Stand Usage: Not Available	329	2007 Vanoil AY4712-2 5000 PSI - 2 7/8 in Dual Blowout Preventer S/N: P07578 C/W: Stand Usage: Not Available
318	2009 Forum Energy Technologies P506QBX1 5 in 10K Quad Blowout Preventer S/N: P09600 Usage: Not Available	330	2007 Vanoil AY4712-1 5000 PSI 2 7/8 in Dual Blowout Preventer S/N: P07482 C/W: Stand Usage: Not Available
319	2007 Lee Specialties Quad 4 1/16 in 10K CTU Blowout Preventer S/N: Not Available C/W: Stand Usage: Not Available	331	2006 Hydra Rig NOV CD000536 Blowout Preventer Skid S/N: 3571 Usage: Not Available
320	2014 Nexus Engineering & Machine NE-080-A24 Tandem 5-1/8 in 10K Combi CTU Blowout Preventer S/N: 043014NX03 C/W: Stand Usage: Not Available	332	2005 Vanoil 5000 PSI 2 in Dual Blowout Preventer S/N: P05047 C/W: Stand Usage: Not Available
321	2013 Nexus Engineering & Machine NE-080-A88 Tandem 7 1/16 in 10K CTU Blowout Preventer S/N: 062713NX01 Usage: Not Available	333	2013 Forum 4 1/16 in Quad Assembly Blowout Preventer S/N: P13383 C/W: BX-155 Flange, 2 in Tubing, H2S Service, 15000 PSI MWP Usage: Not Available
322	2007 Lee Specialties Tandem Combi Tandem Combi 4 1/16 in 10K CTU Blowout Preventer S/N: Not Available C/W: Stand Usage: Not Available	334	2014 Stewart & Stevenson Services Inc. Coiled Tubing Reel S/N: 27129583-0455C-2014 C/W: 2 7/8 in Coil Tubing, Flange Diameter 13 ft 4 in, Drum Diameter 8 ft 6 in, Reel Width 7 ft 4 in, Drum Width 6 ft 10 in Usage: Not Available
323	2007 Vanoil Tri Modular 5 1/8 in 5K CTU Blowout Preventer S/N: P98074 C/W: Stand Usage: Not Available	335	2006 Crown Energy Technologies TCM04525 Hydraulic Coiled Tubing Reel S/N: 0007A REEL 1S C/W: 2 in Tubing, Flange Diameter 12 ft 5 in, Drum Diameter 8 ft 10 in, Reel Width 7 ft 3 in, Drum Width 6 ft 9 in Usage: Not Available

Lot #	Details	Lot #	Details
336	2014 Stewart & Stevenson Services Inc. Reel 105in Coiled Tubing Reel S/N: 27129583-0455B-2014 C/W: Flange Diameter 13 ft 4 in, Drum Diameter 8 ft 8 in, Reel Width 7 ft 4 in, Drum Width 6 ft 10 in Usage: Not Available	348	2003 Crown Energy Technologies TCM04525 Coiled Tubing Reel S/N: TCM045253981C2003 C/W: Flange Diameter 12 ft, Drum Diameter 9 ft, Drum Width 5 ft 6 in, Reel Width 6 ft 2 in Usage: Not Available
337	2014 Stewart & Stevenson Services Inc. 27130050 Coiled Tubing Reel S/N: Not Available Usage: Not Available	349	2007 NOV Hydra Rig Hydraulic Coiled Tubing Reel S/N: Not Available C/W: Flange Diameter 11 ft 6 in, Drum Diameter 7 ft, Reel Width 6 ft 2 in, Drum Width 5 ft 10 in Usage: Not Available
338	2013 Hydra Rig Coiled Tubing Reel S/N: CD402413 C/W: Flange Diameter 13 ft, Drum Diameter 6 ft 6 in, Reel Width 6 ft 2 in, Drum Width 5 ft 9 in Usage: Not Available	350	2006 Crown Energy Technologies TCM 04525 Hydraulic Coiled Tubing Reel S/N: 0007B REEL 3S C/W: Flange Diameter 12 ft 5 in, Drum Diameter 8 ft 8 in, Reel Width 7 ft 3 in, Drum Width 6 ft 9 in Usage: Not Available
339	2013 Hydra Rig Coiled Tubing Reel S/N: CD402350 C/W: Flange Diameter 12 ft 6 in, Drum Diameter 6 ft 8 in, Reel Width 7 ft 10 in, Drum Width 7 ft 4 in Usage: Not Available	351	2018 Dragon 860-4520 SPMX1600 Triplex Frac Pump (Unused) S/N: DPTSN375004 C/W: Triplex , 3.75 in Bore, 20372 Kpa Rating Usage: Not Available
340	Hydra Rig Coiled Tubing Reel S/N: Not Available C/W: Flange Diameter 14 ft, Drum Diameter 8 ft, Reel Width 7 ft 6 in, Drum Width 7 ft Usage: Not Available	352	2018 Dragon 860-4520 SPMX1600 Triplex Frac Pump (Unused) S/N: DPTSN375005 C/W: Triplex , 3.75 in Bore, 20372 Kpa Rating Usage: Not Available
341	2008 Enerflow 2-7/8 X 4200 Coiled Tubing Reel S/N: E051287C338002R02 C/W: Flange Diameter 12 ft 2 in, Drum Diameter 9 ft 2 in, Drum Width 5 ft, Reel Width 5 ft 7 in Usage: Not Available	353	2017 Dragon 860-4520 SPMX1600 Triplex Frac Pump (Unused) S/N: DPTV375005 C/W: Triplex , 3.75 in Bore, 20372 Kpa Rating Usage: Not Available
342	2009 DA Manufacturing Coiled Tubing Reel S/N: CWS607047 C/W: Flange Diameter 13 ft 2 in, Drum Diameter 92 in, Drum Width 80 in, Reel Width 8 ft 7 in Usage: Not Available	354	CS&P 5-ICP1500 Qunituplex Nitrogen Pump (Unused) S/N: Not Available Usage: Not Available
343	2008 Calfrac Well Services Coiled Tubing Reel S/N: RE-002 C/W: Flange Diameter 13 ft 2 in, Drum Diameter 10 ft 6 in, Reel Width 7 ft 4 in, Drum Width 6 ft 10 in Usage: Not Available	355	2014 Cryocanada Nitrogen Pump S/N: 220813 C/W: Triplex Usage: Not Available
344	2008 Calfrac Well Services Aluminum Coiled Tubing Reel S/N: RE-003 C/W: Flange Diameter 13 ft 2 in, Drum Diameter 10 ft 6 in, Reel Width 7 ft 4 in, Drum Width 6 ft 10 in Usage: Not Available	356	2010 Cryocanada Nitrogen Pump S/N: 221044 C/W: Triplex Usage: Not Available
345	2007 Oil Systems Hydraulic Coiled Tubing Reel S/N: 111111362A C/W: Flange Diameter 8 ft 8 in, Drum Diameter 5 ft, Reel Width 4 ft 6 in, Drum Width 4 ft Usage: Not Available	357	Quantity of (2) Centrifugal Pump Volute (Unused) S/N: Not Available C/W: 10x12 Gardner Denver, 10x8 Mission Usage: Not Available
346	2007 National Hydraulic Coiled Tubing Reel S/N: 50002 C/W: Flange Diameter 9 in, Drum Diameter 5 ft 6 in, Reel Width 5 ft 2 in, Drum Width 4 ft 5 in Usage: Not Available	358	Quantity of (4) Mission Magnum Sandmaster Pumps S/N: Not Available C/W: 10 in Intake, 8 in Discharge, Centrifugal , (3) 10x8, (1) 4x3 Usage: Not Available

Lot #	Details	Lot #	Details
359	Quantity of (5) Wear Plates S/N: Not Available C/W: 30 in OD Usage: Not Available	366	Quantity of (6) 2013 Forum Energy Technologies 4 1/16 in 15K BX-155 Lubricators Sticks S/N: Not Available C/W: (5) 8 ft, (1) 4 ft Usage: Not Available
360	Quantity of (4) Blender Tub Wear Plates (Unused) S/N: Not Available Usage: Not Available	367	Quantity of (6) 4 1/16 10K Lubricators Sticks S/N: Not Available C/W: (4) 6 ft, (2) 4 ft Usage: Not Available
361	Quantity of (2) Endress+Hauser Promass 83F25 Coriolis Flow Meters (Unused) S/N: Not Available C/W: (2) 1 in Flow Meters, (2) Hannay Reels Usage: Not Available	368	Quantity of (4) 2013 Forum Energy Technologies 4 1/16 in 15K BX-155, 4FT Lubricator Sticks S/N: T34489-38 C/W: 2013 Forum Energy Technologies 4 1/16 in 15K BX-155, 8FT Lubricator - s/n T35109-3, 2018 Forum Energy Technologies 4 1/16 in 15K BX-155, 8FT Lubricator - s/n CB23A-1, 2018 Forum Energy Technologies 4 1/16 in 15K BX-155, 8FT Lubricator - s/n CB23B-1 Usage: Not Available
362	Quantity of (19) Lubricators Sticks S/N: R061487 C/W: 2010 Vanoil 5 1/8 in x 2 ft Lubricator - s/n R061487, 2009 Vanoil 5 1/8 in x 5 ft 5K Lubricator - s/n 2009 Vanoil 5 1/8 in x 5 ft 5K Lubricator, 2010 Vanoil 5 1/8 in x 10 ft 5K Lubricator - s/n R07428, 2010 Vanoil 5 1/8 in x 3 ft 5K Lubricator - s/n R06868, 2010 Vanoil 5 1/8 in x 3 ft 5K Lubricator - s/n R07316, 2010 Vanoil 5 1/8 in x 2 ft 5K Lubricator - s/n R07317, 2010 Vanoil 5 1/8 in x 5 ft 5K Lubricator - s/n R06865, 2010 Vanoil 5 1/8 in x 5 ft 5K Lubricator - s/n R07315, 2010 Vanoil 5 1/8 in x 10 ft 5K Lubricator - s/n R061652, 2010 Vanoil 5 1/8 in x 10 ft 5K Lubricator - s/n R061653, 2010 Vanoil 5 1/8 in x 10 ft 5K Lubricator - s/n R07429, 2010 Vanoil 5 1/8 in x 2 ft Lubricator - s/n R061276, 2007 Vanoil 5 1/8 in x 3 ft 5K Lubricator - s/n R07542, 2007 Vanoil 5 1/8 in x 2 ft 5K Lubricator - s/n R07543, 2009 Vanoil 5 1/8 in x 5 ft 5K Lubricator - s/n R061276 Usage: Not Available	369	Quantity of (3) 2013 Forum Energy Technologies 4 1/16 in 15K BX-155, 4FT Lubricator Sticks S/N: V11899-4 Usage: Not Available
363	Quantity of (15) Lubricators Sticks S/N: Not Available C/W: 2009 Vanoil 7 1/16 in x 4 ft 5k Lubricator, 2006 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n R061098, 2006 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n R061099, 2006 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n R061100, 2010 Vanoil 7 1/16 in x 2ft 5K Lubricator - s/n 07090766CF02, 2010 Vanoil 7 1/16 in x 2 ft 5K Lubricator - s/n R062912, 2010 Vanoil 7 1/16 in x 6 ft 5K Lubricator - s/n R03085, 2010 Vanoil 7 1/16 in x 6 ft 5K Lubricator - s/n R03086, 2010 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n 092407NX01, 2006 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n R061101, 2006 Vanoil 7 1/16 in x 7 ft 5K Lubricator - s/n R061102 Usage: Not Available	370	Quantity of (3) 4-1/16 in x 6 ft 10K Lubricator Sticks S/N: 150408NX-01 Usage: Not Available
364	Quantity of (10) 7 1/16 in 10K Lubricators Sticks S/N: Not Available C/W: (4) 6 ft, (5) 4 ft, (1) 2 ft Usage: Not Available	371	Quantity of (5) 5 1/8 in 10K Lubricator Sticks S/N: 111909NX-03 Usage: Not Available
365	Quantity of (25) 5 1/8 in 10K Lubricators S/N: Not Available C/W: (16) 4 ft, (5) 2 ft Usage: Not Available	372	5 1/8 in 10K Lubricator Sticks S/N: 011513NX-03 Usage: Not Available
		373	Quantity of (6) 5 1/8" 10K Lubricator Sticks S/N: 011513NX-05 C/W: (5) 4 ft Lubricators, (1) 2 ft Lubricator Usage: Not Available
		374	Quantity of 2010 Vanoil 5 1/8 in x 6 ft Lubricator Sticks S/N: R09072 Usage: Not Available
		375	Quantity of (5) 2010 Vanoil 5 1/8 in 10K Lubricator Sticks S/N: R08875 Usage: Not Available
		376	Quantity of 4 ft Lubricator Sticks S/N: Not Available Usage: Not Available
		377	Crown Blender Tub S/N: 2004BT0071 Usage: Not Available
		378	Crown Blender Tub S/N: 2004BT0014 Usage: Not Available

Lot #	Details	Lot #	Details
379	Crown Blender Tub S/N: 2004BT0088 Usage: Not Available	393	Quantity of (8) 10K Rotating Joints S/N: N08717 Usage: Not Available
380	Quantity of Blender Tub Parts S/N: Not Available Usage: Not Available	394	Quantity of Flange Valves S/N: Not Available C/W: (3) Damcos Actuators Usage: Not Available
381	Quantity of (2) Blender Impellers S/N: Not Available Usage: Not Available	395	2010 Vanoil R503BS21 5 1/8 in BWN 5K x 4 1/2 in 8RND Flow Tee S/N: R08848 C/W: 2010 Industrial Rubber, Inc. 5 1/8 in x 5 1/2 in Swage - s/n R06391, 2010 Vanoil 5 1/8 in BWN 5K x 4 1/2 in 8 Rnd Flow Tee - s/n R08648, 2012 Nexus Engineering & Machine 7 in (M) Bowen x 5 1/8 in (F) Bowen Flange - s/n 082310NX-02, 2012 Nexus Engineering & Machine 5 1/8 in BWN 5K x 5 1/2 in Rnd Flow Tee - s/n R01970, 2013 Vanoil 4 1/2 in 8RND PIN x 5 1/2 in 8RND BOX Flange- s/n N061089, 2010 Vanoil 5 in x 7 in 5K Lubricator - s/n N071168, 2013 Vanoil 5 1/2 in X 4 1/2 in 8RND Crossover - s/n 042611CF01, 2013 Vanoil 5 1/8 in BWN X 5 1/2 in 8RND Tee - s/n R061149 Usage: Not Available
382	Fig 1002 10K Ball Launching Iron S/N: Not Available C/W: Dan Foss Valve, (8) 10 ft Joints, (10) Connectors Usage: Not Available	396	2011 Nexus Engineering & Machine 5 1/8in 10 K Flo 5 1/8 in 10K BX-169 Flange Spool S/N: 021011NX-01 C/W: 2012 Nexus Engineering & Machine 5 1/8 in 10K BX169 x R46 Spool s/n 050112NX-02, 2012 Nexus Engineering & Machine BX-169 10K x BX-156 10K Spool s/n 080212NX-04, 2012 Nexus Engineering & Machine 4 1/16 in M xR46 Flange w/Bowen s/n 081512NX-01 Usage: Not Available
383	Quantity of Lee Specialties Blowout Preventer Parts S/N: Not Available C/W: Qty of Lee Specialties 4 1/16 Coil Tubing BOP Ram Blocks, Ram Fronts and Misc BOP Parts, 2 Crates Usage: Not Available	397A	Quantity of (3) 2017 Nexus Engineering & Machine NE-035-0007 5 1/8 in Bowen Quick Test Sub S/N: 090117NX-01 Usage: Not Available
384	Quantity of (2) Nexus Engineering & Machine NE-070-A004 4 1/16 in 10K SD Stripper Packer S/N: 200508NX-01 C/W: 060512NX-16 Additional S/N Usage: Not Available	397	2018 Nexus Engineering & Machine NE-033-0085-A 5 in 15K BX169 X 4 in BX155 Spool S/N: 092818NX-01 C/W: (1) 5 in 15K BX169 X 4 in BX155 Spool, 2013 Forum Energy Technologies 4 1/16 in 15K BX-155 Flow Cross - s/n R12197 Usage: Not Available
385	2007 Vanoil M405SS00C 4 1/16 in 5K Sour SD Stripper Packer S/N: M07314 Usage: Not Available	398	Quantity of Valves S/N: Not Available C/W: 4 in Usage: Not Available
386	2005 Vanoil M406SS00 4 1/16 in 10K SD Stripper Packer S/N: M05016 Usage: Not Available	399	Quantity of Valves S/N: Not Available C/W: 4 in Pipe Usage: Not Available
387	Vanoil 5 1/8 in Side Door Stripper Packer S/N: M06955 C/W: 5000 PSI MWP, H2S service, 5 in Union, 3 1/4 in Pipe Usage: Not Available	400	Quantity of Pipe S/N: Not Available C/W: 4 in Valve Usage: Not Available
388	Quantity of (3) Guide Arches S/N: Not Available Usage: Not Available	401	Quantity of Pipe Stands S/N: Not Available C/W: 4 in Pipe Usage: Not Available
389	Quantity of (10) Crossover S/N: Not Available Usage: Not Available		
390	Quantity of (2) 2012 Forum Energy Technologies 4 1/16 in 15K BX-155 Flow Cross S/N: Not Available Usage: Not Available		
391	2011 Nexus Engineering & Machine 3in 10K BOWEN X 4 1/16 in 10K Changeover S/N: 082611NX-05 Usage: Not Available		
392	Quantity of (6) Rotator Connectors S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
402	2012 Charlton & Hill 25 ft Iron Storage Skid S/N: W1201800 Usage: Not Available	415	2012 Nexus Engineering & Machine 5 1/8 in 10K BX-169 x 7 1/16 in 5K Flange S/N: 092712NX-04 C/W: 2013 Nexus Engineering & Machine 5 1/8 in 10K BX169 x R46 Spool - s/n 111512NX-44, 2013 Nexus Engineering & Machine NE-033-0016 BX169 x R46 5K Flange - s/n 101912NX-17, 2013 Nexus Engineering & Machine NE-033-0016 5 1/8 in 10K BX169 X 7 1/16 in 5K Flange - s/n 121313NX-02 Usage: Not Available
403	2012 Charlton & Hill 25 ft Iron Storage Skid S/N: Not Available Usage: Not Available	416	2012 Vanoil BX-155 x BX-169 Flange S/N: R08878 C/W: 2014 Nexus Engineering & Machine NE-033-0064 5 1/8 in 10K BX169 x BX169 Flange - s/n 040914NX-04, 2013 Nexus Engineering & Machine BX-155 10K x BX-169 10K Flange - s/n 101912NX-11 Usage: Not Available
404	2010 Charlton & Hill 25 ft Iron Storage Skid S/N: W1043300 Usage: Not Available	417	2011 Nexus Engineering & Machine BX-155 10K x BX-169 10K Flange S/N: NEX0025 C/W: 2013 Nexus Engineering & Machine BX-169 10K X BX-156 10K Flange - s/n 09091812NX-09, 2812NX-02, 2013 Nexus Engineering & Machine BX-155 10K x BX-169 10K Flange - s/n, 2013 Nexus Engineering & Machine BX-169 10K X BX-156 10K Flange - s/n 040313NX-01 Usage: Not Available
405	Quantity of (2) Stands S/N: Not Available Usage: Not Available	418	2008 Convey-All TCGN-1045 Sand Transloader S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
406	2007 Surefire 2400-028 Hydraulic Yard Spooler S/N: SF-001033 Usage: Not Available	419	2004 Convey-All TC 1035 Sand Transloader S/N: Not Available C/W: Honda GX 390 Engine Usage: Not Available
407	2009 Enerflow CS-5 Chemical Monitoring Skid S/N: E081861A-1-183007 C/W: Hose and Reel Skid Usage: Not Available	420	2002 Convey-All TC 1035 Sand Transloader S/N: 1204023906 C/W: Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available
408	BOP Pressure Testing Safety Cage S/N: Not Available C/W: 10 ft 8 in x 10 ft 8 in x 10 ft Usage: Not Available	421	Batco Sand Auger 12 in x 32 ft Portable Transfer Sand Conveyor Trailer S/N: Not Available C/W: Channel Frame, Hydraulic Radial Drive, Pintle Ring Usage: Not Available
409	2014 Nexus Engineering & Machine BOP Pressure Testing Safety Cage S/N: Not Available Usage: Not Available	422	1997 Onan 50DGCA 50 kW Skid-Mounted Generator Set S/N: J970653727 C/W: Cummins 4BT3.9-G1 4 Cylinder 88 hp 3.9 L Diesel Engine, 62.5 kVA/50 kW Rated 3 Phase Output, 480 V Rated Voltage Usage: 1,184 Hr
410	2014 Nexus Engineering & Machine BOP Pressure Testing Safety Cage S/N: Not Available C/W: 6 ft Wide x 8 ft Long x 8 ft High Usage: Not Available	423	1997 Ingersoll Rand L6-4MH 6 kW Light Tower S/N: 269554UIH823 C/W: Kubota D905-E 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 7,910 Hr
411	Quantity of (7) Blowout Preventer Stands S/N: Not Available Usage: Not Available		
412	Quantity of (7) Blowout Preventer Stands S/N: Not Available Usage: Not Available		
413	Quantity of (32) Crossover Fittings and Flanges S/N: Not Available Usage: Not Available		
414	Quantity of Vanoil 7 1/16 in BWN 5K x 5 1/8 in 5K BWN Flange S/N: Not Available C/W: Vanoil R07538 WP3K Flange, Nexus Engineering R45 FL TO 5 1/8 in Bowen Flange, 2010 Industrial Rubber, Inc. 5-1/2in Double 5 1/8 in x 5 1/2 in Swage-s/n R06393, 2012 Nexus Engineering & Machine 10K BX 169 x 5K R46 Flange - s/n 021011NX-04, 2012 Nexus Engineering & Machine 10K BX156 x 10K BX169 Flange - s/n 021011NX-02, 2013 Vanoil 5 1/8 in BWN 5K x 5 1/2 in RND Flow Tee - s/n R061133, 2014 Nexus Engineering & Machine NE-033-0015 5 1/8 in 10K BX169 X 4 1/16 in 10K Flange - s/n 112113NX-04, 2011 Nexus Engineering & Machine 5 1/8 in 10K BX-169 x 7 1/16 in 10K Flange - s/n 021011NX-03 Usage: Not Available		

Lot #	Details	Lot #	Details
424	2007 Atlas Copco XAHS186DD C3 AS 371 cfm Skid-Mounted Air Compressor S/N: YA3-062481-70636209 C/W: 12 bar Working Pressure, Deutz TCD 2013 L04 2V 4 Cylinder 140 hp 4.7 L Diesel Engine, Positive Air Shutoff Usage: 87 Hr	437	2012 Mesabi Hydraulic Heat Exchanger Radiator (Unused) S/N: 213469-1 Usage: Not Available
425	Skid-Mounted Air Compressor S/N: Not Available C/W: Cummins 4 Cylinder 130 hp 3.9 L Engine, Positive Air Shutoff Usage: 1,162 Hr	438	2010 Mesabi Hydraulic Heat Exchanger Radiator (Unused) S/N: Y206766-4 Usage: Not Available
426	2014 Nilfisk Advance Warrior 28D Type E Walk-Behind Electric Floor Sweeper S/N: 2063623 C/W: 28 in Working Width, Rear Squeegee, 36 Volt Operating System Usage: Not Available	439	2012 Mesabi Hydraulic Heat Exchanger Radiator (Unused) S/N: 213469-2 Usage: Not Available
427	2014 DBI Sala Gantry Crane S/N: 1457554 Usage: Not Available	440	Pullmaster M25-8-150-2 Hydraulic Winch S/N: 102776 Usage: Not Available
428	Quantity of (8) Lockers S/N: Not Available Usage: Not Available	441	Pullmaster M25-7-150-2 Hydraulic Winch S/N: 102777 Usage: Not Available
429	Quantity of Parts S/N: Not Available C/W: (3) Accumulators, (1) Winch, (1) TWS2500 Packing Gland Usage: Not Available	442	Manitex 4596 Hydraulic Winch S/N: 1150992 Usage: Not Available
430	2007 Surefire 9000-0010 Hydraulic Power Pack Unit S/N: Not Available C/W: PowerFist 1 Cylinder 13 hp 389 cc Gasoline Engine Usage: Not Available	443	Quantity of (2) Cylinders Hydraulic Parts S/N: Not Available C/W: Manitex 4502T Boom Cylinder Usage: Not Available
431	General 12 ft x 96 in Service Body S/N: 6080-12 C/W: Steel Usage: Not Available	444	2002 Western Star 4900SA 8x4 Twin-Steer Coiled Tubing Rig (Inoperable) S/N: 2WLMALAV02KK13006 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 34000 lb Front Axle, 46000 lb Rears, RT46164PEH Drive Axles, 83480 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 301 in Wheelbase, PTO, Hydraulic Drive Winch, Control Panel, Injector Head, Amco Veba V811-3S 4200 kg Crane Usage: Not Available
432	Quantity of Aluminum Truck Fenders (Unused) S/N: Not Available Usage: Not Available	445	2007 Kenworth C500B 6x4 Sleeper Truck w/ 2007 Charlton & Hill Plug Loading Head Fluid Pumper Unit (Inoperable) S/N: 1NKCLB0X17R995731 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 25189 Engine hrs, Engine Brake, Allison 4700 Automatic Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, 4.78:1 Axle Ratio, 62000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 265 in Wheelbase, PTO, Double Frame, 24 in Flat Top Sleeper Cab, Live and PTO Hydraulics, 4 in Suction Pump, Hydraulic Tank Augers, Dual Compartment Tank, MSI 3.5 in Triplex Pump Usage: 144,333 Mi
433	36 x 60 x 12 Cabinet (Unused) S/N: Not Available Usage: Not Available		
434	Cat 3456 Engine S/N: 3LW00255 C/W: 6 Cylinder 600 hp Diesel Engine Usage: Not Available		
435	Eaton Fuller FRO-11210B Transmission - Fits Truck (Unused) S/N: 25011267 Usage: Not Available		
436	2010 Mesabi Hydraulic Heat Exchanger Radiator (Unused) S/N: Y206766-2 Usage: Not Available		

Lot #	Details	Lot #	Details
446	<p>2007 Kenworth C500B 6x4 Acid Pumper (Inoperable) S/N: 1NKCL49X87R930776 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 10869 Engine hrs, Allison 4700 Automatic Transmission, Double Differential Locks, 16000 lb Front Axle, 46000 lb Rears, Dana D46-170H Drive Axles, 4.56:1 Axle Ratio, 52000 lb GVWR, 38 in Sleeper Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Primaax EX Air Ride Suspension, 267 in Wheelbase, CanQuip STT00-0600 Acid Pumper Body, Serva Triplex Pump, Operator Cab Usage: 43,533 Mi</p>	449	<p>2007 Kenworth T800 8x6 Tri/A Sleeper Truck Tractor (Inoperable) S/N: 1NKDXUEX27J998875 C/W: Cat C13 6 Cylinder 12.5 L Diesel 430 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 16000 lb Front Axle, 58000 lb Rears, Dana T69-170HP Drive Axles, 4.30:1 Axle Ratio, 74000 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Air Ride Suspension, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available</p>
447	<p>1998 Kenworth C500B 6x4 Sleeper Truck w/ 9.5m3 BL Frac Blender (Inoperable) S/N: 1NKCLR0X3WR952225 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Positive Air Shutoff, 20579 Engine hrs, Engine Brake, Allison HT755DR Automatic Transmission, 18740 lb Front Axle, 46000 lb Rears, RT46-160 Drive Axles, 4.10:1 Axle Ratio, 29366 kg GVWR, 42 in Flat Top Sleeper Cab, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 288 in Wheelbase, PTO, Double Frame, National Oilwell 10x8x14 Hyd Driven Suction Pump, Cat Engine, Operator Cab Usage: 268,690 Mi</p>	450	<p>2005 Kenworth T800B 8x6 Tri/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDPBEX15R985172 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, 16739 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 6622 kg Front Axle, 26307 kg Rears, Spicer TDS583P Drive Axles, 4.33:1 Axle Ratio, 32931 kg GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 12 Bag Air Ride Suspension, 260 in Wheelbase, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 312,525 Mi</p>
448A	<p>2006 Hiab 144E-3CL 10582 lb Knuckle Boom on 2007 Peterbilt 335 6x4 Sleeper Boom Truck (Inoperable) S/N: 2NPLLD9X07M674120 C/W: Cat C7 6 Cylinder 7.2 L Diesel 330 hp Engine, 2006 US EPA Label, Positive Air Shutoff, Proheat Engine Coolant Heater, 17959 Engine hrs, Exhaust Brake, Eaton Fuller FRO-11210C 10-Speed Manual Transmission, Differential Lock, 15996 lb Front Axle, 39990 lb Rears, Dana DSP41 Drive Axles, 4.88:1 Axle Ratio, 55985 lb GVWR, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 268 in Wheelbase, PTO, Double Frame, 4800 kg Capacity, Rear Mounted, 2.4 m - 10.4 m 4 Section Boom, Dual Controls, Out and Down Outriggers, 21 ft x 102 in Bed, 24 in Flat Top Sleeper Cab Usage: 131,414 Mi</p>	451	<p>2004 Kenworth T800B 8x6 Tri/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDPBEX14R972100 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 24867 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 12860 lb Front Axle, 58000 lb Rears, TDS583P Drive Axles, 4.56:1 Axle Ratio, 70860 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 12 Bag Air Ride Suspension, 260 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 469,404 Mi</p>
448	<p>2005 Hiab 122E-4CL Knuckle Boom on 2006 Kenworth T300 6x4 Crew Cab Boom Truck (Inoperable) S/N: 2NKMLD9X66M992333 C/W: 11000 Engine hrs, Engine Brake, Differential Lock, 14596 lb Front Axle, 39990 lb Rears, Spicer DSP41P Drive Axles, 4.63:1 Axle Ratio, 54586 lb GVWR, Aluminum Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 224 in Wheelbase, PTO, Rear Mounted, 2.4 m - 10.5 m 4 Section Boom, Out and Down Outriggers, 11 ft 6 in x 99 in Bed Usage: 49,557 Mi</p>	452	<p>2016 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49X5GJ977009 C/W: Cummins 6 Cylinder Diesel Engine, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 222 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: Not Available</p>

Lot #	Details	Lot #	Details
453	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49XXDJ954806 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 220 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: Not Available	458	2008 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X98R934073 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14800 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54800 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 Mid Roof Sleeper Cab Usage: Not Available
454	2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49X5DJ954762 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Positive Air Shutoff Usage: Not Available	459A	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9XX7R997469 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2006 US EPA Label, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 255,818 Mi
455	2011 Western Star 4900SA 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 5KJJALBG0BPAY5385 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13320 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.10:1 Axle Ratio, 53320 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 24 in Flat Top Sleeper Cab Usage: Not Available	459	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD40X57R993015 C/W: Cummins ISX 15.0 L Diesel 565 hp Engine, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, D46-170H Drive Axles, 4.30:1 Axle Ratio, 58098 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Neway Air Ride Suspension, 222 in Wheelbase, PTO, Double Frame, Air Sliding 5th Wheel, Lowboy Ramps, 48 in Mid Roof Sleeper Cab, 4 in Fluid Transfer Pump Usage: 193,841 Mi
456	2010 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49X9AJ942514 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 220 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: Not Available	460	2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X57R995743 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 215 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper CAB Usage: 288,115 Mi
457	2009 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDD49X19R940530 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, Positive Air Shutoff, 14356 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 216 in Wheelbase, PTO, Wet Kit, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 300,307 Mi		

Lot #	Details	Lot #	Details
461	<p>2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X87R995042 C/W: Cat C15 Acert 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 5997 kg Front Axle, 18144 kg Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 24141 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: Not Available</p>	467	<p>2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X55R985209 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Positive Air Shutoff, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 260,566 Mi</p>
462	<p>2007 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X17R993746 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 40000 lb Rears, D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 218 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available</p>	468	<p>2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X95R976707 C/W: Cat C15 Acert 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 11040 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 225 in Wheelbase, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab, Drop Box Driven Hydraulics Usage: 275,178 Mi</p>
464	<p>2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X06R987144 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 8206 Engine hrs, Engine Brake, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel Usage: 119,974 Mi</p>	469	<p>2004 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDU9X34R973599 C/W: Cat C12 6 Cylinder 11.9 L Diesel 430 hp Engine, Positive Air Shutoff, 8922 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 5987 kg Front Axle, 18144 kg Rears, Spicer DSS40 Drive Axles, 4.33:1 Axle Ratio, 24140 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 210 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, 26 in Mid Roof Sleeper Cab Usage: 234,098 Mi</p>
466	<p>2005 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X75R976706 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 1527 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 225 in Wheelbase, Hydraulic Oil Cooler, Air Sliding 5th Wheel, Dual Fuel Tanks, 26 in Mid Roof Sleeper Cab Usage: 9,478 Mi</p>	470	<p>2007 Kenworth T800 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X97J931199 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 14200 lb Front Axle, 40000 lb Rears, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 54800 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 212 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 806,944 Mi</p>

Lot #	Details	Lot #	Details
471	<p>2006 Kenworth T800B 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKDDDB9X36R985808 C/W: Cat C15 6 Cylinder Diesel Engine, Positive Air Shutoff, Webasto Engine Coolant Heater, 24088 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, Dana D40-170 Drive Axles, 4.30:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 24 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, 8 Bag Air Ride Suspension, 214 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 228,377 Mi</p>		
472	<p>2012 Tycrop Manufacturing Skid-Mounted Twin Frac Blender (Inoperable) S/N: 0142100C659017 C/W: 14 in Sand Augers, Open Top Mixing Tub, Hydraulic Mixing Agitators, (2) Cat 6 Cylinder Diesel Engines, Rosemount Flow Meters Usage: Not Available</p>		
473	<p>2006 Mirage 16 ft T/A Enclosed Trailer (Inoperable) S/N: 5M3BE162961019948 C/W: 7000 lb GVWR, Spring Suspension, Electric Brakes, 80 in Deck Width, Side Door 205/75R15 Tires, Shelving Usage: Not Available</p>		
474	<p>2011 Charlton & Hill SH40 Bulk Sand Storage Trailer (Inoperable) S/N: 2C951P281B1121166 C/W: 3600 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (5) Compartments, Perkins 4.4 Engine w/ Positive Air Shutoff, Hydraulic Leveling 30 in Feed Conveyor, 36 in Discharge Conveyor Usage: 4,126 Hr</p>		
475	<p>2008 Charlton & Hill SS33TB Bulk Sand Storage Trailer (Inoperable) S/N: 2C951P26581121123 C/W: 2970 cft Capacity, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires, (7) Compartments, Perkins 4.4 Engine w/ Positive Air Shutoff, Hydraulic Leveling, 32 in Feed Conveyor, 36 in Discharge Conveyor Usage: 8,041 Hr</p>		