



Alum Creek, WV, USA - Aug 25, 2023

Lot #	Details	Lot #	Details
1	2012 GMC Sierra 2500HD 4x4 Crew Cab Pickup S/N: 1GT120CG3CF196993 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, 9500.0 lb GVWR, 265 /70R17 Tires, 6 ft 6 in Bed Usage: 213,224 Mi	8	2000 International 4700 4x2 Flatbed Truck (Inoperable) S/N: 1HTSMABM2YH243974 C/W: International T444E V8 7.3 L Diesel 175 hp Engine, Automatic Transmission, 245 /70R19.5, Spring Suspension, 183 in Wheelbase, 14 ft x 96 in Bed Usage: 277,513 Mi
2	2010 GMC Sierra 2500HD SLE 4x4 Crew Cab Pickup (Inoperable) S/N: 1GT4K0BG7AF143905 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Rubber Mat Bed Liner, 9200.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: Not Available	10	2001 GMC C7500 4x2 Flatbed Truck (Inoperable) S/N: 1GDM7H1C61J504371 C/W: Caterpillar 3126 6 Cylinder 7.2 L Diesel 210 hp Engine, Spicer 7-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 193 in Wheelbase, PTO, 14 ft x 96 in Bed Usage: 76,343 Mi
3	2012 GMC Sierra 2500HD SLE 4x4 Crew Cab Pickup S/N: 1GT120CG4CF197294 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 9500.0 lb GVWR, 265 /70R17 Tires, 6 ft 7 in Bed Usage: 248,303 Mi	12	2007 Kenworth T800 6x4 T/A Blast Truck S/N: 2NKDLU0X97M194312 C/W: Cat C12 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 395 hp Engine, 2002 US EPA Label, 18107 Engine hrs, Engine Brake, Eaton Fuller RTO-14908LL 8LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Spring over Walking Beam Suspension, 220 in Wheelbase, PTO, Double Frame, Tread Corp 22 ft Long Body Usage: 1,068 Mi
4	2006 GMC Sierra 2500HD 4x4 Crew Cab Pickup (Inoperable) S/N: 1GTHK23U76F196970 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 285/75R16 Tires, 6 ft 6 in Bed Usage: Not Available	13	2006 Kenworth T800 T/A Blast Truck (Inoperable) S/N: 1NKDLB0X96J156928 Usage: Not Available
5	2006 GMC Sierra 2500HD SLT 4x4 Crew Cab Pickup (Inoperable) S/N: 1GTHK23U66F195776 C/W: 6.0 L V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Rubber Mat Bed Liner, 9200.0 lb GVWR, 285/75R16 Tires, 6 ft 6 in Bed Usage: Not Available	14	1984 Mack DM690S 6x4 Water Truck (Inoperable) S/N: 1M2B179C9EA001026 C/W: Mack 6 Cylinder 11 L Diesel Engine, 1094 Engine hrs, Maxitorque T2070 7-Speed Manual Transmission, Mack Drive Axles, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 205 in Wheelbase, PTO, Double Frame, Steel Tank, Hydraulic Driven Pump, Front Spray Usage: 69,569 Mi
6	2001 GMC Yukon 1500 SLT 4WD SUV (Inoperable) S/N: 1GKFK16T31J311109 C/W: V8 5.3 L Gasoline Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: Not Available		

Lot #	Details	Lot #	Details
15	1995 GMC C7000 4x2 Service Truck S/N: 1GDK7H1J2S1506495 C/W: Caterpillar 3116 6 Cylinder 6.8 L Diesel 200 hp Engine, 6-Speed Manual Transmission, 8100 lb Front Axle, 17850 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 157 in Wheelbase, PTO, 11 ft Body, Manual Stabilizers, 3 Section Hydraulic Crane, Miller Big Blue 500 D Generator Set, Ingersoll-Rand Gasoline Air Compressor, Miller Big Blue 500 D Welder Usage: 370,012 Mi	27	1991 Cat 992C Wheel Loader S/N: 49Z01776 C/W: Enclosed Cab, Air Conditioner, 185 in Bucket, 45/65-45 Tires Usage: 88,927 Hr
17	1997 Freightliner FLD 120 6x4 T/A Day Cab Truck Tractor S/N: 1FUVDZYB7VL755422 C/W: Detroit Series 60 6 Cylinder 12.7 L Ultra Low Sulfur Diesel 470 hp Engine, 1996 US EPA Label, Engine Brake, Retarder, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,064,992 Mi	28	1994 Cat 988F Wheel Loader S/N: 8YG00566 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Fusion Coupler, 148 in Bucket, Forks, 35/65R33 Tires Usage: 25,735 Hr
19	Sweepster AD32C8 Self-Propelled Broom (Inoperable) S/N: 9931055 C/W: Enclosed Cab, 8 ft Broom, 4 Cylinder Diesel Engine Usage: 5,322 Hr	30	1998 Cat 980G Wheel Loader S/N: 9CM00863 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 133 in Bucket, 29.5R25 Tires Usage: Not Available
21	2007 Cat 236B Skid Steer Loader S/N: CAT0236BCHEN06028 C/W: Enclosed Cab (Door missing), Joystick Steering, 8 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 1,165 Hr	31	1993 Cat 980F Wheel Loader S/N: 8CJ00758 C/W: Enclosed Cab, 132 in Bucket, 29.5R25 Tires Usage: 51,257 Hr
22	2004 Bobcat S185 Skid Steer Loader (Inoperable) S/N: 525014356 C/W: Open Operator Station, Foam-Filled Tires, Manual Coupler, Forks Usage: 5,703 Hr	32	1989 Cat 980C Wheel Loader S/N: 63X08622 C/W: Enclosed Cab, Air Conditioner, LoadRite On-Board Scale, 130 in Bucket, 26.5-25 Tires Usage: 77,918 Hr
23	2000 Cat 246 Skid Steer Loader (Inoperable) S/N: 5SZ01076 C/W: Open Operator Station, Joystick Steering, Foam-Filled Tires, Hydraulic Coupler Usage: Not Available	33	1989 Cat 980C Wheel Loader S/N: 63X09078 C/W: Enclosed Cab, Air Conditioner, On-Board Scale, 132 in Bucket, 29.5R25 Tires Usage: 47,442 Hr
24	2001 Cat 416C Backhoe Loader (Inoperable) S/N: 4ZN24103 C/W: Enclosed Cab, 22 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: Not Available	35	2000 Cat IT28G Wheel Loader S/N: 8CR02488 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Auxiliary Hydraulics, Hydraulic Coupler, 2.6 cyd 100 in Bucket, Forks, 20.5R25 Tires Usage: 44,985 Hr
25	2008 Cat TL 1055 Telehandler (Inoperable) S/N: TBM00764 C/W: Enclosed Cab, 56 ft 0 in Max Lift Height, 10000 lb Max Lift Capacity, Tier 3, 2014 US EPA Label, 48 in Forks, 95 in Bucket, Tilt Carriage, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: Not Available	37	2001 Cat IT14G Wheel Loader S/N: CATIT14GA1WN01866 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, Autoshift, Auxiliary Hydraulics, Hydraulic Coupler, 99 in Bucket, Forks, 17.5-25 Tires Usage: 16,956 Hr
		38	1984 Cat 910 Wheel Loader S/N: 41Y02242 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 15.5-25 Tires Usage: 10,379 Hr
		39	2001 Cat 992G Wheel Loader (Inoperable) S/N: CAT0992SKADZ00363 C/W: Open Operator Station, 183 in Bucket, 65 /45-45L-5 Tires Usage: Not Available
		40	2001 Cat 992G Wheel Loader (Inoperable) S/N: CAT0992GPADZ00359 C/W: Enclosed Cab, Joystick Steering Usage: Not Available

Lot #	Details	Lot #	Details
41	1998 Cat 992G Wheel Loader (Inoperable) S/N: 7HR00285 C/W: Enclosed Cab, Air Conditioner, Manual Coupler, 183 in Multi-Purpose Bucket, 45/65-45 Tires Usage: Not Available	53	2000 Cat 988F Wheel Loader (Inoperable) S/N: 2ZR02029 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Traction Control, Loadrite On-Board Scale w /Printer, 144 in Bucket, Fast Fuel System, 35 /65R33 Tires Usage: 52,651 Hr
42	1997 Cat 992G Wheel Loader (Inoperable) S/N: 7HR00160 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 184 in Bucket, 45/65R45 Tires Usage: Not Available	54	1998 Cat 988F Wheel Loader (Inoperable) S/N: 2ZR01308 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Traction Control, Ascocel On-Board Scale, Tier 1, 1999 US EPA Label, Fast Fuel System, 35 /65R33 Tires Usage: 43,365 Hr
43	1997 Cat 992D Wheel Loader (Inoperable) S/N: 7MJ00736 C/W: Enclosed Cab, Joystick Steering, 184 in Multi-Purpose Bucket, 45/65-45 Tires Usage: Not Available	55	1997 Cat 988F Wheel Loader (Inoperable) S/N: 2ZR00978 C/W: Enclosed Cab Usage: Not Available
44	1996 Cat 992D Wheel Loader (Inoperable) S/N: 7MJ00668 C/W: Enclosed Cab, Air Conditioner, 186 in Multi-Purpose Bucket, 45/65R45 Tires Usage: 51,060 Hr	56	1996 Cat 988F Wheel Loader (Inoperable) S/N: 2ZR00581 C/W: Enclosed Cab, 144 in Bucket, 35/65R33 Tires Usage: 71,714 Hr
45	1989 Cat 992C Wheel Loader (Inoperable) S/N: 49Z01437 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Autoshift, 182 in Bucket, 45/65-45 Tires Usage: Not Available	57	2009 Cat 980H Wheel Loader (Inoperable) S/N: CAT0980HCJMS05253 C/W: Enclosed Cab, 134 in Bucket Usage: Not Available
46	1987 Cat 992C Wheel Loader (Inoperable) S/N: 49Z01020 C/W: Enclosed Cab, 186 in Multi-Purpose Bucket, 45/65-45 Tires Usage: 1,662 Hr	58	1995 Cat 980F Wheel Loader (Inoperable) S/N: 8JN00330 C/W: Enclosed Cab, Air Conditioner, 129 in Bucket, 29.5-25 Tires Usage: 61,550 Hr
47	1987 Cat 992C Wheel Loader (Inoperable) S/N: 49Z00943 C/W: Enclosed Cab, 45/65-45 Tires Usage: 26,077 Hr	59	1981 Cat 980C Wheel Loader (Inoperable) S/N: 63X03952 C/W: Enclosed Cab, 29.5-25 Tires Usage: Not Available
48	1986 Cat 992C Wheel Loader (Inoperable) S/N: 49Z00959 C/W: Enclosed Cab, Air Conditioner, 45/65-45 Tires Usage: Not Available	60	1996 Komatsu WA500-1LC Wheel Loader (Inoperable) S/N: A60223 C/W: Enclosed Cab, 132 in, 29.5-25 Tires Usage: 39,780 Hr
49	1986 Cat 992C Wheel Loader (Inoperable) S/N: 49Z00915 C/W: Enclosed Cab, Air Conditioner, 180 in, 45 /65-45 Tires Usage: 71,446 Hr	61	2008 Cat 930H Wheel Loader (Inoperable) S/N: CAT0930HTDHC01143 C/W: Enclosed Cab, Auxiliary Hydraulics, Forks, 20.5R25 Tires Usage: Not Available
50	1981 Cat 992C Wheel Loader (Inoperable) S/N: 42X00951 C/W: Enclosed Cab, Air Conditioner, 186 in Bucket, 45/65-45 Tires Usage: 27,651 Hr	62	1997 Cat IT28G Wheel Loader (Inoperable) S/N: 8CR00685 C/W: Enclosed Cab, Auxiliary Hydraulics, Hydraulic Coupler, 92 in Bucket, Forks, 20.5R25 Tires Usage: Not Available
51	1980 Cat 992C Wheel Loader (Inoperable) S/N: 42X659 C/W: Enclosed Cab Usage: Not Available	63	1994 Cat 910F Wheel Loader (Inoperable) S/N: 1SF01437 C/W: Enclosed Cab, Air Conditioner, 89 in Bucket, 15.5x25 Tires Usage: 34,213 Hr
52	2003 Cat 988G High Lift Wheel Loader (Inoperable) S/N: CAT0988GT2TW00621 C/W: Enclosed Cab, Joystick Steering, On-Board Scale, 150 in Bucket, Fast Fuel System, 35/65R33 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
64	1991 Cat 910F Wheel Loader (Inoperable) S/N: 1SF00446 C/W: Enclosed Cab, Air Conditioner, 90 in Bucket, 15.5-25 Tires Usage: 32,253 Hr	79	1991 Cat D10N Crawler Dozer S/N: 2YD02053 C/W: Enclosed Cab, Powershift Transmission, 204 in Wide U-Blade w/ Single Tilt, 24 in Single Grouser Track Shoes Usage: 73,149 Hr
65	1985 Cat 910 Wheel Loader (Inoperable) S/N: 41Y02645 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 84 in, 15.5-25 Tires Usage: Not Available	80	1990 Cat D10N Crawler Dozer S/N: 2YD01354 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, 199 in Wide U-Blade w/ Single Tilt, 28 in Single Grouser Track Shoes, Counterweight, Drawbar Usage: 42,371 Hr
66	1977 Cat 16G Motor Grader S/N: 93U1217 C/W: Enclosed Cab, 16 ft / 4.88 m Moldboard, 23.5R25 Tires Usage: 20,332 Hr	81	1989 Cat D10N Crawler Dozer S/N: 2YD01015 C/W: Enclosed Cab, Powershift Transmission w/ Lever Steering, 204 in Wide U-Blade w/ Single Tilt, 28 in Single Grouser Track Shoes Usage: 52,445 Hr
67	1977 Cat 14G Motor Grader S/N: 96U2433 C/W: Enclosed Cab, 14 ft / 4.27 m Moldboard, 16.00 -24 Tires Usage: 11,096 Hr	82	1989 Cat D10N Crawler Dozer S/N: 2YD01017 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, 204 in Wide U-Blade w/ Single Tilt, 28 in Single Grouser Track Shoes Usage: 14 Hr
68	2005 Cat 16H Motor Grader (Inoperable) S/N: CAT0016HEATS00454 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, Push Block, Accumulators, Combination Ripper/Scarifier, Auto Lube, Fast Fuel System, 23.5R25 Tires Usage: Not Available	83	1985 Cat D9L Crawler Dozer S/N: 14Y03133 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, 192 in Wide Semi-U Blade w/ Single Tilt, 27 in Single Grouser Track Shoes, Counterweight Usage: 15,704 Hr
69	1992 Cat 16G Motor Grader (Inoperable) S/N: 93U03339 C/W: Enclosed Cab, Air Conditioner, Accumulators, Ripper, 23.5R25 Tires Usage: Not Available	88	2004 Cat D6R Series II LGP Crawler Dozer S/N: CAT00D6RJADE00409 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 152 in Wide Straight Blade w/ Single Tilt, 36 in Single Grouser Track Shoes, Winch Usage: 33,234 Hr
70	1978 Cat 16G Motor Grader (Inoperable) S/N: 93U1261 C/W: Enclosed Cab, Rear Scarifier, 23.5-25 Tires Usage: Not Available	90	2005 John Deere 850J Crawler Dozer S/N: JX112966 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 140 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, Winch Usage: Not Available
71	1977 Cat 14G Motor Grader (Inoperable) S/N: 96U02607 C/W: Enclosed Cab, 20.5-25 Tires Usage: Not Available	91	2001 John Deere 850C LGP Crawler Dozer S/N: T0850CX901228 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 152 in Wide Semi-U Blade w/ Single Tilt, 38 in Single Grouser Track Shoes, Drawbar Usage: 13,322 Hr
72	1986 Cat 120G Motor Grader (Inoperable) S/N: 87V08114 C/W: Enclosed Cab, 13.00-24 Tires Usage: Not Available	93	2004 Cat D11R Crawler Dozer Certified Rebuild 2012 (Inoperable) S/N: 7PZ75047 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Fingertip Steering, Fast Fuel System, 28 in Single Grouser Track Shoes Usage: Not Available
73	1993 Cat 637E Motor Scraper (Inoperable) S/N: 1FB00537 C/W: Enclosed Cab, Air Conditioner, Cushion Hitch, 37.25R35 Tires Usage: 14,766 Hr		
75	2011 Cat D10T Crawler Dozer S/N: RJG02604 C/W: Enclosed Cab, Powershift Transmission, 204 in Wide Semi-U Blade 24 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper Usage: 34,956 Hr		
77	1995 Cat D10N Crawler Dozer S/N: 3SK00855 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, 205 in Wide U-Blade 28 in Single Grouser Track Shoes Usage: 90,094 Hr		

Lot #	Details	Lot #	Details
94	2001 Cat D11R Crawler Dozer (Inoperable) S/N: 7PZ00379 C/W: Enclosed Cab, Powershift Transmission, Track Shoes, 1 Cylinder Single-Shank Ripper Usage: Not Available	103	1994 Cat D10N Crawler Dozer (Inoperable) S/N: 3SK00718 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 204 in Wide Semi-U Blade 28 in Single Grouser Track Shoes, Counterweight Usage: Not Available
95	2008 Cat D10T Crawler Dozer (Inoperable) S/N: RJG01344 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Fingertip Steering, Fast Fuel System, 202 in Wide Semi-U Blade w/ Dual Tilt, 28 in Single Grouser Track Shoes, Counterweight Usage: Not Available	104	1993 Cat D10N Crawler Dozer (Inoperable) S/N: 3SK00444 C/W: Enclosed Cab, Air Conditioner, 204 in Wide Semi-U Blade w/ Single Tilt, Single Grouser Track Shoes, Counterweight Usage: 82,849 Hr
96	2001 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR01639 C/W: Enclosed Cab, Powershift Transmission, 200 in Wide Semi-U Blade w/ Dual Tilt, 24 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper, Rear Auxiliary Hydraulics Usage: Not Available	105	1992 Cat D10N Crawler Dozer (Inoperable) S/N: 2YD02300 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 205 in Wide Semi-U Blade 28 in Double Grouser Track Shoes, Counterweight Usage: 95,351 Hr
97	2001 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR01836 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 24 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper w/Hydraulic Pin Puller Usage: Not Available	106	1989 Cat D10N Crawler Dozer (Inoperable) S/N: 2YD01014 C/W: Enclosed Cab, Powershift Transmission, 28 in Single Grouser Track Shoes Usage: Not Available
98	1999 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR01369 C/W: Enclosed Cab, Air Conditioner, Fire Suppression System, Powershift Transmission w/ Fingertip Steering, Fast Fuel System, 24 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper w/Hydraulic Pin Puller Usage: 6,313 Hr	107	1994 Cat D10N Crawler Dozer (Inoperable) S/N: 3SK00691 C/W: Enclosed Cab, Powershift Transmission Usage: Not Available
99	1998 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR01055 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 204 in Wide U-Blade 28 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper Usage: Not Available	109	2000 Cat D9R Crawler Dozer (Inoperable) S/N: 7TL01335 C/W: Enclosed Cab, Powershift Transmission, 178 in Wide Semi-U Blade w/ Single Tilt, 27 in Single Grouser Track Shoes, 4 Cylinder Ripper Usage: Not Available
100	1998 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR01206 C/W: Enclosed Cab, Air Conditioner, 204 in Wide Semi-U Blade w/ Dual Tilt, 28 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper w/Hydraulic Pin Puller Usage: Not Available	110	1984 Cat D9L Crawler Dozer (Inoperable) S/N: 14Y02802 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering Usage: 73,434 Hr
101	1997 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR00708 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 2003 US EPA Label, Fast Fuel System, 28 in Single Grouser Track Shoes, Counterweight, Drawbar, Rear Auxiliary Hydraulics Usage: Not Available	111	1990 Cat D8N Crawler Dozer (Inoperable) S/N: 9TC04317 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 152 in Wide Semi-U Blade w/ Dual Tilt, 24 in Single Grouser Track Shoes, Drawbar Usage: 62,154 Hr
102	1996 Cat D10R Crawler Dozer (Inoperable) S/N: 3KR00589 C/W: Enclosed Cab Usage: Not Available	112	1987 Cat D8N Crawler Dozer (Inoperable) S/N: 9TC01339 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering Usage: 69,031 Hr
		113	1998 Cat D6RLGP Crawler Dozer (Inoperable) S/N: 9PN01007 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, Straight Blade w/ Single Tilt, Single Grouser Track Shoes, Cat PA56 Winch Usage: 25,941 Hr
		114	2015 Cat D6TXWVP Crawler Dozer (Inoperable) S/N: CAT00D6TTWRN00427 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 160 in Wide PAT Blade, 28 in Single Grouser Track Shoes, Winch, Drawbar Usage: Not Available

Lot #	Details	Lot #	Details
115	2005 John Deere 850C Crawler Dozer (Inoperable) S/N: T0850CX943397 C/W: Enclosed Cab Usage: Not Available	126	2007 Volvo A30D Articulated Dump Truck (Inoperable) S/N: A30DV74434 C/W: Air Conditioner, 2007 US EPA Label, 23.5 R25 Tires Usage: Not Available
116	2001 John Deere 850C LGP Crawler Dozer (Inoperable) S/N: T0850CX901280 C/W: Enclosed Cab, 156 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, Drawbar Usage: 6,629 Hr	127	1999 Volvo A40 Articulated Dump Truck (Inoperable) S/N: A40V60382 C/W: Air Conditioner, Tailgate, 29.5R25 Tires Usage: Not Available
117	2006 Volvo A40D Articulated Dump Truck S/N: A40DV12651 C/W: Air Conditioner, Air Ride Seat, US EPA Label, Tailgate, 29.5R25 Tires Usage: 23,657 Hr	128	1999 Volvo A35C Articulated Dump Truck (Inoperable) S/N: A35CV5605 C/W: Air Conditioner, 23.5R25 Tires Usage: 26,839 Hr
118	2000 Volvo A40 Articulated Dump Truck S/N: A40V60451 C/W: Air Conditioner, Retarder, Tailgate, 29.5 R25 Tires Usage: 23,433 Hr	129	1998 Volvo A35C Articulated Dump Truck (Inoperable) S/N: A35CV60368 C/W: Air Conditioner, Tailgate Usage: 22,486 Hr
119	2014 Volvo A40G Articulated Dump Truck (Inoperable) S/N: VCE0A40GK00340140 C/W: Air Conditioner, Rear View Camera, 29.5 R25 Tires Usage: Not Available	132	1998 Cat 785B Haul Truck S/N: 6HK00984 C/W: Air Conditioner, Retarder, Air Ride Seat, 33.00R51 Tires Usage: 7,798 Hr
120	2014 Volvo A40G Articulated Dump Truck (Inoperable) S/N: VCE0A40GL00340050 C/W: Air Conditioner, Rear View Camera, Tailgate, 29.5R25 Tires Usage: Not Available	133	1996 Cat 785B Haul Truck S/N: 6HK00532 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 33.00R51 Tires Usage: 78,037 Hr
121	2014 Komatsu HM400-3 Articulated Dump Truck (Inoperable) S/N: KMTTHM012K29003579 C/W: Air Conditioner, 2013 US EPA Label, Heated Body, 29.5R25 Tires Usage: Not Available	134	1994 Cat 785B Haul Truck S/N: 6HK0321 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 33.00R51 Tires Usage: 13,480 Hr
122	2014 Komatsu HM400-3 Articulated Dump Truck (Inoperable) S/N: KMTTHM012T29003465 C/W: Air Conditioner, 29.5R25 Tires Usage: Not Available	135	2001 Cat 777D Haul Truck S/N: CAT0777DJAGC00841 C/W: Air Conditioner, Retarder, Air Ride Seat, Auto Lube, 27.00x49 Tires Usage: 43,584 Hr
123	2014 Komatsu HM400-3 Articulated Dump Truck (Inoperable) S/N: KMTTHM012C29003447 C/W: Air Conditioner, 29.5R25 Tires Usage: Not Available	136	2007 Cat 775F Haul Truck S/N: DLS00447 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00R35 Tires Usage: 36,534 Hr
124	2008 Volvo A35E Articulated Dump Truck (Inoperable) S/N: A35EV10155 C/W: Air Conditioner, 26.5R25 Tires Usage: Not Available	137	2007 Cat 775F Haul Truck S/N: DLS00449 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00x35 Tires Usage: 37,181 Hr
125	2002 Volvo A35D Articulated Dump Truck (Inoperable) S/N: A35DV61250 C/W: Air Conditioner, Retarder, Steel Body Liner, 26.5R25 Tires Usage: Not Available	138	2005 Cat 775E Haul Truck S/N: BEC00482 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00x35 Tires Usage: 43,016 Hr
		139	2005 Cat 775E Haul Truck S/N: BEC00480 C/W: Air Conditioner, Retarder, Steel Body Liner, 24.00R35 Tires Usage: 45,365 Hr

Lot #	Details	Lot #	Details
140	1997 Cat 773D Haul Truck S/N: 7ER00636 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00x35 Tires Usage: 38,257 Hr	153	1993 Cat 777C Haul Truck (Inoperable) S/N: 4XJ00219 C/W: 27.00x49 Tires Usage: Not Available
141	1996 Cat 773D Haul Truck S/N: 7ER00214 C/W: Air Conditioner, Retarder, Steel Body Liner, 24.00R35 Tires Usage: 7,010 Hr	154	2002 Cat 775E Haul Truck (Inoperable) S/N: CAT0775EKBEC00166 C/W: Air Conditioner, 24.00R35 Tires Usage: Not Available
142	1996 Cat 773D Haul Truck S/N: 7ER00133 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00R35 Tires Usage: 58,531 Hr	155	1999 Cat 773D Haul Truck (Inoperable) S/N: 7CS00077 C/W: Air Conditioner, 24.00R35 Tires Usage: Not Available
143	1996 Cat 773D Haul Truck S/N: 7ER00236 C/W: Air Conditioner, Retarder, 24.00R35 Tires Usage: 61,425 Hr	156	1998 Cat 773D Haul Truck (Inoperable) S/N: 7ER00747 C/W: Air Conditioner, 24.00R35 Tires Usage: 1,797 Hr
144	1996 Cat 773D Haul Truck S/N: 7ER00215 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00x35 Tires Usage: 64,755 Hr	157	1998 Cat 773D Haul Truck (Inoperable) S/N: 7ER00909 C/W: 24.00R35 Tires Usage: Not Available
145	1997 Cat 785B Haul Truck (Inoperable) S/N: 6HK00752 C/W: Air Conditioner, 33.00R51 Tires Usage: Not Available	158	1997 Cat 773D Haul Truck (Inoperable) S/N: 7ER00571 C/W: Air Conditioner, Retarder, Air Ride Seat, 24.00R35 Tires Usage: Not Available
146	1997 Cat 785B Haul Truck (Inoperable) S/N: 6HK00846 C/W: Air Conditioner, Retarder, Steel Body Liner, 33.00R51 Tires Usage: 61,921 Hr	159	1996 Cat 773D Haul Truck (Inoperable) S/N: 7ER00276 C/W: Air Conditioner, Retarder, Heated Body, Steel Body Liner, 24.00R35 Tires Usage: Not Available
147	1997 Cat 785B Haul Truck (Inoperable) S/N: 6HK00845 C/W: Retarder, Air Ride Seat, Fire Suppression System, 33.00R51 Tires Usage: 70,114 Hr	160	1996 Cat 773D Haul Truck (Inoperable) S/N: 7ER00169 C/W: Air Conditioner, 24.00R35 Tires Usage: Not Available
148	1998 Cat 785B Haul Truck (Inoperable) S/N: 6HK00953 Usage: Not Available	161	1996 Cat 773B Haul Truck (Inoperable) S/N: 63W03879 C/W: 24.00R35 Tires Usage: 519 Mi
149	2001 Cat 785C Haul Truck (Inoperable) S/N: CAT0785CAAPX00189 Usage: Not Available	162	1996 Cat 773B Haul Truck (Inoperable) S/N: 63W04657 C/W: 24.00R35 Tires Usage: Not Available
150	2001 Cat 777D Haul Truck (Inoperable) S/N: AGC00839 C/W: Air Conditioner, 27.00x49 Tires Usage: 43,152 Hr	163	1995 Cat 773B Haul Truck (Inoperable) S/N: 63W04395 C/W: Air Conditioner, Retarder, 24.00R35 Tires Usage: 60,129 Hr
151	1998 Cat 777D Haul Truck (Inoperable) S/N: 3PR00923 (MT4002) C/W: Air Conditioner, Retarder, Air Ride Seat, Heated Body, Steel Body Liner, Auto Lube, Fast Fuel Fill, 27.00x49 Tires Usage: Not Available	164	1995 Cat 773B Haul Truck (Inoperable) S/N: 63W04309 C/W: Air Conditioner, Retarder, 24.00R35 Tires Usage: 49,435 Hr
152	1993 Cat 777C Haul Truck (Inoperable) S/N: 4XJ00254 C/W: 27.00x49 Tires Usage: 3,326 Hr	165	1994 Cat 773B Haul Truck (Inoperable) S/N: 63W04258 C/W: Air Conditioner, Retarder, 24.00R35 Tires Usage: 70,344 Hr
		166	1989 Cat 773B Haul Truck (Inoperable) S/N: 63W02556 C/W: Air Conditioner, Retarder, 24.00R35 Tires Usage: 30,828 Hr

Lot #	Details	Lot #	Details
167	1989 Cat 773B Haul Truck (Inoperable) S/N: 63W02755 C/W: Air Conditioner, Retarder, Air Ride Seat, Tailgate, 24.00x35 Tires Usage: Not Available	179	2005 Komatsu PC220LC-7L Long Reach Tracked Excavator S/N: KMTPC054K54A86896 C/W: Air Conditioner, Cab Screens, 32 ft 2 in Boom, 24 ft 4 in Stick, 31.5 in Triple Grouser Track Shoes, Rock Guards, 41 in Cleanup Bucket Usage: 10,206 Hr
168	1989 Cat 773B Haul Truck (Inoperable) S/N: 63W02554 C/W: Air Conditioner Usage: 275,195 Mi	180	1990 Cat EL240B Long Reach Tracked Excavator S/N: 5WG00220 C/W: Air Conditioner, 31.5 in Triple Grouser Track Shoes, 45.5 in Cleanup Bucket Usage: 1,997 Hr
169	1989 Cat 773B Haul Truck (Inoperable) S/N: 63W02608 C/W: Air Conditioner, Retarder Usage: 49,030 Hr	184	2010 Cat 329DL Tracked Excavator S/N: CAT0329DKJJHJ00479 C/W: Air Conditioner, Cab Screens, 10 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 27.5 in Double Grouser Track Shoes Usage: 10,569 Hr
170	1986 Cat 773B Haul Truck (Inoperable) S/N: 63W01618 C/W: Air Conditioner, Retarder, Tailgate, 21.00 R35 Tires Usage: 267,869 Mi	185	2005 Hitachi ZX270LC Tracked Excavator S/N: ARV810311 C/W: Air Conditioner, 2005 US EPA Label, 12 ft 4 in Stick, 31.5 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 11,641 Hr
171	1985 Cat 773B Haul Truck (Inoperable) S/N: 63W01478 C/W: Air Conditioner Usage: Not Available	186	2006 Cat 325D L Tracked Excavator S/N: CAT0325DTPAL00332 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, 10 ft 5 in Stick, 31.5 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 11,891 Hr
172	1985 Cat 773B Haul Truck (Inoperable) S/N: 63W01475 C/W: Air Conditioner, 21.00x35 Tires Usage: 364,491 Mi	187	2011 Cat 312D L Tracked Excavator S/N: CAT0312DJXGK00327 C/W: Air Conditioner, 2011 US EPA Label, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 23.5 in Triple Grouser Track Shoes, 32 in Digging Bucket Usage: 88,243 Hr
173	1989 Cat 777B 4x4 Off-Highway Rigid Water Truck S/N: 4YC01019 C/W: Enclosed Cab, Air Conditioner, Water Cannon, Rear Spray, 27.00R49 Tires Usage: 345,986 Mi	189	2010 Hitachi EX1200C-6 Tracked Excavator (Inoperable) S/N: FF018J0001068 C/W: Air Conditioner, 36 mm Double Grouser Track Shoes, 90 in Digging Bucket Usage: 29,617 Hr
174	1981 Cat 769C Off-Highway Rigid Water Truck S/N: Not Available C/W: Air Conditioner, Retarder, Fast Fuel Fill Usage: 5,685 Hr	190	2006 Hitachi EX1200C-5 Tracked Excavator (Inoperable) S/N: HCM18E00T00002147 C/W: Air Conditioner, US EPA Label, 34 in Double Grouser Track Shoes, 90 in Digging Bucket, Catwalks Usage: 35,427 Hr
175	2006 Cat 735 7000 gal 6x6 Articulated Water Truck S/N: CAT00735JB1N00481 C/W: Enclosed Cab, Air Conditioner, Retarder, Emergency Steering, Air Ride Seat, Klein Tank, In-Cab Remote Controlled Water Cannon, Rear Spray, Side Spray, Hydraulic Driven Water Pump, 26.5-25 Tires Usage: 21,685 Hr	191	2005 Hitachi EX1200-5 Tracked Excavator (Inoperable) S/N: HCM18E00J00002055 C/W: Air Conditioner, Air Ride Seat, Catwalks Usage: Not Available
177	2011 Hitachi EX1200-6 Tracked Excavator S/N: HCM18J00L00001180 C/W: Air Conditioner, Air Ride Seat, 40 in Double Grouser Track Shoes, 205 in Digging Bucket, Catwalks Usage: 26,065 Hr	192	2005 Hitachi EX1200-5 Tracked Excavator (Inoperable) S/N: HCM18E00E00002095 Usage: Not Available
178	2002 Volvo EC240BLR Long Reach Tracked Excavator S/N: EC240LRC03259 C/W: Air Conditioner, 31.5 in Triple Grouser Track Shoes, 58 in Cleanup Bucket Usage: 25,703 Hr		

Lot #	Details	Lot #	Details
194	2003 Cat 385B L Tracked Excavator (Inoperable) S/N: CAT0385BKANS00316 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 0 ft 114 in Stick, 900 mm Double Grouser Track Shoes, 96 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 31,773 Hr	203	2008 Komatsu PC300LC-8 Tracked Excavator (Inoperable) S/N: KMTPC191C54A90178 C/W: Air Conditioner, 31.5 in Triple Grouser Track Shoes Usage: Not Available
195	2011 Komatsu PC450LC-8 Tracked Excavator (Inoperable) S/N: KMTPC192A10227 C/W: Air Conditioner, 11 ft 2 in Stick, 64 in Digging Bucket Usage: Not Available	204	2008 Komatsu PC300LC-8 Tracked Excavator (Inoperable) S/N: KMTPC191J54A90213 C/W: Air Conditioner, US EPA Label, 9 ft 6 in Stick, 32 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: Not Available
196	2007 Komatsu PC-400LC-7EO Tracked Excavator (Inoperable) S/N: KMTPC184C54A87602 C/W: 10 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 27 in Triple Grouser Track Shoes Usage: Not Available	205	2004 Volvo EC240B Tracked Excavator (Inoperable) S/N: EC240V11655 C/W: Air Conditioner, US EPA Label, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes Usage: 10,855 Hr
197	1999 Hitachi EX370-5 Tracked Excavator (Inoperable) S/N: 1H4P020867 C/W: 13 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 62 in Digging Bucket Usage: 22,069 Hr	206	2004 Komatsu PC160LC-7 Tracked Excavator (Inoperable) S/N: KMTPC047H55K40194 C/W: Air Conditioner, Straight Travel Pedal, Parallel Offset Boom, 8 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Manual Quick Coupler, 36 in Digging Bucket Usage: Not Available
198	2010 John Deere 350DLC Tracked Excavator (Inoperable) S/N: 1FF350DXVA0806963 C/W: Air Conditioner, Parallel Offset Boom, 13 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Manual Quick Coupler, 60 in Digging Bucket Usage: 10,824 Hr	207	2007 Cat 312C L Tracked Excavator (Inoperable) S/N: CAT0312CVCBA04277 C/W: Air Conditioner, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, 32 in Digging Bucket Usage: Not Available
199	2005 Cat 330C L Tracked Excavator (Inoperable) S/N: CAT0330CVKDD01485 Usage: Not Available	208	2004 Komatsu PC50MR-2 Mini Excavator S/N: KMTPC094H01005714 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 6 ft 6 in Stick, Backfill Blade, 16 in Track Shoes w/Rubber Pads, 24 in Digging Bucket Usage: 11,525 Hr
200	2005 Cat 330 CL Tracked Excavator (Inoperable) S/N: CAT0330CVDKY03599 C/W: Air Conditioner, Straight Travel Pedal, Tier 2, 31.5 in Triple Grouser Track Shoes, Rock Guards, 70 in Digging Bucket Usage: 28,547 Hr	209	Olympia Portable Coal Crusher S/N: OBL2 C/W: 8 ft x 16 ft Vibratory Grizzly Feeder 48 in Double Roll Crusher, 48 in Wide Under Crusher Conveyor, 48 in Wide Under Screen Conveyor, Cat 3306 6 Cylinder Diesel Engine, T/A Carrier, Spring Suspension Usage: Not Available
201	2001 Cat 330BL Tracked Excavator (Inoperable) S/N: 6DR04285 C/W: Air Conditioner, 12 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 27.5 in Single Grouser Track Shoes, Hydraulic Quick Coupler Usage: 25,705 Hr	210	Olympia 600 Portable Coal Crusher S/N: 10195 C/W: Olympia 8 ft x 16 ft Vibratory Grizzly Feeder 48 in Double Roll Crusher, 48 in Wide Under Crusher Conveyor, Cat 6 Cylinder Diesel Engine, T/A Carrier, Spring Suspension Usage: 3,962 Hr
202	1998 Cat 330BL Tracked Excavator (Inoperable) S/N: 6DR02175 C/W: 8 ft 4 in Stick, 33 in Triple Grouser Track Shoes, 56 in Digging Bucket Usage: 21,414 Hr	211	Jim Pyle Mighty Mite Portable Coal Crusher (Inoperable) S/N: 3395 C/W: 8 ft x 12 ft Apron Feeder 36 in Wide End Discharge Conveyor, S/A Carrier Usage: 98 Hr

Lot #	Details	Lot #	Details
212	Portable Coal Crusher (Inoperable) S/N: OBL3 C/W: 96 in x 20 ft 48 in Wide End Discharge Conveyor, Cat 3306 6 Cylinder Diesel Engine, T/A Carrier, Spring Suspension Usage: 8,345 Hr	220	2009 Sandvik 50ks Crawler Mounted Blasthole Drill S/N: 733444 C/W: Enclosed Cab, Air Conditioner, Cat C15 6 Cylinder 540 hp Diesel Engine Usage: Not Available
213	Olympia M-60 Concrete Crusher S/N: OBL Usage: 4,443 Hr	221	2001 Reedrill SKF Crawler Mounted Blasthole Drill S/N: 1R68Z59 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, 32 in Triple Grouser Track Shoes Usage: Not Available
214	2009 Komatsu BR380JG Tracked Jaw Crushing Plant S/N: KMBR023H02002560 C/W: Komatsu 2 ft 11 in x 10 ft 3 in Vibratory Pan Feeder Komatsu BR380JG-1E0 42 in x 24 in Jaw Crusher, 36 in Wide Under Crusher Conveyor, 18 in Wide Left Discharge Conveyor, 42 in Wide End Discharge Conveyor, Komatsu 6 Cylinder Diesel Engine, 20 in Triple Grouser Track Shoes Usage: Not Available	222	Reedrill SK50i Crawler Mounted Blasthole Drill S/N: 1G68P30 C/W: Enclosed Cab, Air Conditioner, Cat 3406 6 Cylinder Diesel Engine, Reedrill Boom, Rod Changer, Dust Collector, (2) 5 in Drill Rods, 33.5 in Triple Grouser Track Shoes Usage: 12,381 Hr
215	1997 Powerscreen STD/CHIEF Portable 1500 Screen Plant S/N: 50 12 212 C/W: 5 ft 5 in x 10 ft 6 in Single Deck Screen, 36 in Wide Fines Discharge Conveyor, 30 in Wide Under Crusher Conveyor, 30 in Wide Left Discharge Conveyor, 30 in Wide End Discharge Conveyor, T/A Carrier Usage: 3,416 Hr	223	Driltech D45K Crawler Mounted Blasthole Drill S/N: 1628 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, Rod Changer, Dust Collector, 32 in Triple Grouser Track Shoes Usage: 27,478 Hr
216	2017 Powerscreen Chieftain 2200 Tracked Screen Plant S/N: PID00136PDGH85108 C/W: 48 ft x 13 ft Belt Feeder w/Hydraulic Raise Grizzly 20 ft x 5 ft Double Deck Screen, 48 in Wide Feed Conveyor, 47 in Wide Under Screen Conveyor, 32 in Wide Left Discharge Conveyor, 32 in Wide Right Discharge Conveyor, Cat Diesel Engine, 20 in Triple Grouser Track Shoes Usage: 7,990 Hr	224	1991 Driltech D45K Crawler Mounted Blasthole Drill S/N: 731726 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, 32 in Triple Grouser Track Shoes Usage: 8,642 Hr
217	2007 Fintac 542 Tracked Screen Plant S/N: 2007542634 C/W: 4 ft x 13 ft Vibratory Grizzly Feeder 12 ft x 4 ft Double Deck Screen, 42 in Wide Under Crusher Conveyor, 42 mm x 26 ft Crusher to Screen Conveyor, 46 in Wide Under Screen Conveyor, 24 in Wide Left Discharge Conveyor, 24 in Wide Right Discharge Conveyor, Diesel Engine, Triple Grouser Track Shoes Usage: 6,301 Hr	225	2006 Drilltech C50K2L Blasthole Drill (Inoperable) S/N: 731278 C/W: Enclosed Cab, 34 ft Mast Usage: 14,410 Hr
218	2006 Drilltech D50KS Crawler Mounted Blasthole Drill S/N: 732889 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, 30 in Triple Grouser Track Shoes Usage: 20,640 Hr	226	1995 Driltech D50SK Crawler Mounted Blasthole Drill (Inoperable) S/N: 732051 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, 30 in Triple Grouser Track Shoes Usage: 1,526 Hr
219	2007 Driltech D50KS Crawler Mounted Blasthole Drill S/N: 732934 C/W: Enclosed Cab, Air Conditioner, Cat 6 Cylinder Diesel Engine, 30 in Triple Grouser Track Shoes Usage: 30,266 Hr	227	1998 Reedrill SK50i Crawler Mounted Blasthole Drill (Inoperable) S/N: 1G68P17 C/W: Enclosed Cab, Air Conditioner Usage: Not Available
		228	Reedrill/Terex SK45I Crawler Mounted Blasthole Drill (Inoperable) S/N: 1B68H73 C/W: Enclosed Cab, Air Conditioner, 42 ft Mast, Dust Collector Usage: 13,839 Hr
		229	1991 Drilltech D45 Crawler Mounted Blasthole Drill (Inoperable) S/N: 731766 C/W: Enclosed Cab, Air Conditioner, 35 ft Mast, 32 in Triple Grouser Track Shoes Usage: Not Available

Lot #	Details	Lot #	Details
230	1990 Drilltech D40K4L Crawler Mounted Blasthole Drill (Inoperable) S/N: 731633 C/W: Enclosed Cab, Air Conditioner, 35 ft Mast, 32 in Triple Grouser Track Shoes Usage: 16,604 Hr	239	Pioneer PP66 Skid-Mounted Water Pump (Inoperable) S/N: PPSK66S127 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz F4L914 4 Cylinder 75 hp 4.31 L Diesel Engine Usage: 9,310 Hr
231	Cat H8 Tracked Ride-On Hydraulic Superior Highwall Miner Power Unit S/N: Not Available C/W: To Fit Marelli Generators UK, 16 Diesel Engine Usage: Not Available	240	Thompson 4X4X14T-F18D8 Trailer-Mounted Water Pump (Inoperable) S/N: 159425 C/W: 4 in Intake, 4 in Discharge, Self Priming Centrifugal John Deere 104 kW 6.8 L Engine, T/A Trailer, Lunette Ring Usage: Not Available
232	2012 Genie S-60X 4WD Diesel Telescopic Boom Lift S/N: S60X1223006 C/W: 60 ft Max Lift Height, 100 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2011 US EPA Label, Deutz Diesel Engine Usage: 4,530 Hr	241	Godwin CD 150 Trailer-Mounted Water Pump (Inoperable) S/N: 0127625-86 C/W: 6 in Intake, 6 in Discharge, Centrifugal John Deere 60 kW 4.5 L Diesel Engine, S/A Trailer Usage: Not Available
233	1986 Clark GPS301 6000 lb Pneumatic Tire Forklift (Inoperable) S/N: GP138I-0058-6415FA C/W: 2 Stage Mast, 123 in Max Lift Height, 84 in Lowered Mast Height, 36 in Forks, Side Shift, Fork Positioner, 4 Cylinder LPG Engine Usage: 2,785 Hr	243	2003 Godwin HL6M Skid-Mounted Water Pump (Inoperable) S/N: 0436086/03 C/W: 6 in Intake, 5 in Discharge, Centrifugal 2004 US EPA Label, Cat 3126 6 Cylinder 225 hp 7.2 L Engine Usage: Not Available
234	2004 Cat NR400P 4000 lb Reach Truck (Inoperable) S/N: 6NR3350704 C/W: 3 Stage Mast, 270 in Max Lift Height, 120 in Lowered Mast Height, 42 in Forks, Side Shift, Block Forks, 36 V Usage: 3,592 Hr	244	Godwin CD150M Skid-Mounted Water Pump (Inoperable) S/N: 437002 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder Diesel Engine Usage: 83,366 Hr
235	1997 Cat NRR40 4000 lb Reach Truck (Inoperable) S/N: 2GL04354 C/W: 2 Stage Mast, Side Shift, Fork Positioner, 36 V Usage: Not Available	245	Godwin CD225 Water Pump (Inoperable) S/N: 00240793 C/W: 8 in Intake, 8 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder Diesel Engine Usage: 11,996 Hr
236	Cat 3456-XQ400 Generator Set (Inoperable) S/N: GHJ00357 C/W: Cat 6 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: Not Available	246	Godwin HL225M Centrifugal Pump (Inoperable) S/N: 1164301 C/W: Cat C9 Acert 6 Cylinder Diesel Engine Usage: Not Available
237	2005 American Pump Inc GP150M Water Pump (Inoperable) S/N: AP15110 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Cat 4 Cylinder Diesel Engine Usage: 5,898 Hr	247	Godwin Centrifugal Pump (Inoperable) S/N: RM4420 C/W: 2008 US EPA Label, John Deere 4 Cylinder Diesel Engine Usage: Not Available
238	American Pump Inc GP150M Skid-Mounted Water Pump (Inoperable) S/N: Not Available C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Cat 4 Cylinder Diesel Engine Usage: 6,357 Hr	248	2011 Sullair 185DPQCA3 185 cfm Mobile 185 Air Compressor (Inoperable) S/N: 201103190027 C/W: 125 psi Working Pressure, Cat 4 Cylinder 2.21 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 701 Hr
		249	2010 Magnum MLT3080M Light Tower S/N: 1008344 C/W: Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 8,238 Hr

Lot #	Details	Lot #	Details
250	2006 Magnum MLT3060MMH Light Tower S/N: 065840 C/W: 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 379 Hr		
251	2010 Allmand Night-Lite NL7.5 Light Tower S/N: 1072PR010 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 19 Hr		
252	2010 Allmand Night Lite Pro Light Tower S/N: 2250PR010 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer Usage: Not Available		
253	2010 Allmand Night-Lite NL7.5 Light Tower (Inoperable) S/N: 1058PR010 C/W: Tier 4, 2008 US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available		
254	2012 Wacker LTN6 Light Tower (Inoperable) S/N: 5XFLN0516CN001110 C/W: 2011 US EPA Label, Kohler 3 Cylinder Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 5,665 Hr		
255	2008 Allmand Night Lite Pro Light Tower (Inoperable) S/N: 2025PR008 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer Usage: 6,171 Hr		
256	NPK E225 Hydraulic Breaker S/N: 58678 Usage: Not Available		
258	100 in 9.18 cyd Digging Excavator Bucket - Fits Hitachi EX1200 S/N: 36387-01 C/W: 140 mm Stick Pin Diameter, 160 mm Link Pin Diameter, 863 mm Center of Pin Boss to Center of Pin Boss, 812 mm Inside to Inside Pin Boss Spacing Usage: Not Available		
259	90 in Excavator Bucket - Fits Hitachi EX1200 S/N: Not Available Usage: Not Available		
261	Cat BA25 90 in Broom Attachment - Fits Cat BA25 S/N: 7AW02246 C/W: Quick Coupler Bracket Usage: Not Available		