



## Yellow Corp Eastern Region Event, USA - Mar 5, 2024

Lot #	Details	Lot #	Details
5000	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015169 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5013	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017355 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
5001	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015247 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5014	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20015133 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5002	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015275 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5015	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015226 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5003	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015276 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5016	<b>2020 CIMC AD53-067B 53 ft High Cube Storage Container</b> S/N: XCSE20015314 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
5004	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015302 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5017	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015362 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5005	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015318 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5018	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20015392 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5006	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015331 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5019	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20015429 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available
5007	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015357 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5020	<b>2020 CIMC AD53-067B 53 ft High Cube Storage Container</b> S/N: XCSE20015473 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
5008	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20015405 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5021	<b>2020 CIMC Storage Container</b> S/N: XCSE20015474 Usage: Not Available
5009	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017124 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5022	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017138 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5010	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017137 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5023	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017201 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5011	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017263 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5024	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20017204 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
5012	<b>2020 CIMC AD53-067B 53 ft Storage Container</b> S/N: XCSE20017336 Usage: Not Available		

Lot #	Details	Lot #	Details
5025	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20017231 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5038	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005173 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5026	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017250 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available	5039	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005185 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
5027	<b>2020 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE20017258 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5040	<b>2019 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE19005206 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5028	<b>2020 CIMC AD53-067B 53 ft High Cube Storage Container</b> S/N: XCSE20017357 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available	5041	<b>2019 CIMC AD53-067 53 ft High Cube Storage Container</b> S/N: XCSE19005207 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
5029	<b>2020 CIMC 53 ft Storage Container</b> S/N: XCSE20017366 C/W: 8 ft Wide, 9 ft High Usage: Not Available	5042	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005241 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
5030	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19004992 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5043	<b>2019 CIMC Storage Container</b> S/N: XCSE19005281 Usage: Not Available
5031	<b>2019 CIMC AD53-067 53 ft High Cube Storage Container</b> S/N: XCSE19005092 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available	5044	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005299 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5032	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005102 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5045	<b>2019 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE19005301 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5033	<b>2019 CIMC AD53-067 53 ft High Cube Storage Container</b> S/N: XCSE19005105 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available	5046	<b>2019 CIMC Storage Container</b> S/N: XCSE19005352 Usage: Not Available
5034	<b>2019 CIMC Storage Container</b> S/N: XCSE19005138 Usage: Not Available	5047	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005389 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5035	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005144 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5048	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005433 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5036	<b>2019 CIMC AD53-067 53 ft High Cube Storage Container</b> S/N: XCSE19005150 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available	5049	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005465 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available
5037	<b>2019 CIMC AD53-067 53 ft High Cube Storage Container</b> S/N: XCSE19005157 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available	5050	<b>2019 CIMC AD53-067B 53 ft High Cube Storage Container</b> S/N: XCSE19005494 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
		5051	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005214 C/W: 8 ft 6 in Wide, 9 ft High Usage: Not Available

Lot #	Details	Lot #	Details
5052	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19004964 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5066	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49286 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Global 4 Cylinder 2.1 L Engine Usage: 356 Hr
5053	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005000 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5067	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F50295 Usage: 1,500 Hr
5054	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005017 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5068	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49597 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 48 in Forks, Side Shift, 2021 US EPA Label, GCT 4 Cylinder 2.1 L LPG Engine Usage: 2,163 Hr
5055	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005056 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5069	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49481 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 41 in Forks, Side Shift, Tier 2, 2021 US EPA Label, GCT 4 Cylinder 2.1 L LPG Engine Usage: 2,396 Hr
5056	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005104 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5070	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49557 C/W: 2 Stage Mast, 80 in Max Lift Height, 57.5 in Lowered Mast Height, 50 in Forks, Side Shift, Tier 2, 2021 US EPA Label, GCT GK21 4 Cylinder 2.1 L LPG Engine Usage: 2,577 Hr
5057	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005119 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5071	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F49738 Usage: 2,617 Hr
5058	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005164 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5072	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F49750 Usage: 2,651 Hr
5059	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005165 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5073	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F49650 Usage: 2,813 Hr
5060	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005275 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5074	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F49546 Usage: 3,079 Hr
5061	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005317 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5075	<b>2021 Mitsubishi FGC25N4 4750 lb Cushion Tire Forklift</b> S/N: AF82F49743 C/W: 3 Stage Mast, 188 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2021 US EPA Label, Global 4 Cylinder LPG Engine Usage: 3,329 Hr
5062	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005382 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	5076	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49508 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,390 Hr
5063	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005526 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available		
5064	<b>2019 CIMC 53 ft Storage Container</b> S/N: XCSE19005530 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available		
5065	<b>2019 CIMC 53 ft High Cube Storage Container</b> S/N: XCSE19005539 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available		

Lot #	Details	Lot #	Details
5077	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49541 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 39 in Forks, Side Shift, Tier 2, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,415 Hr	5085	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49364 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 58 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 4,069 Hr
5078	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49510 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 41 in Forks, Side Shift, Tier 2, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,480 Hr	5086	<b>2021 Mitsubishi FGC25N4 4750 lb Cushion Tire Forklift</b> S/N: AF82F49742 C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Global 4 Cylinder 2.1 L LPG Engine Usage: 4,097 Hr
5079	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift</b> S/N: AF82F49264 C/W: 2 Stage Mast, 58 in Lowered Mast Height, 64 in Forks, Side Shift, Tier 2, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,489 Hr	5087	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49483 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 44 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder LPG Engine Usage: 4,303 Hr
5080	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49540 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 53 in Forks, Side Shift, Tier 2, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,493 Hr	5088	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49538 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Mitsubishi GK21 4 Cylinder 2.1 L LPG Engine Usage: 4,422 Hr
5081	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49338 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 66 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder LPG Engine Usage: 3,579 Hr	5089	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49285 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 41 in Forks, Fork Rotation Usage: 4,447 Hr
5082	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49957 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 60 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,634 Hr	5090	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49590 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 52 in Forks, Side Shift, Load Weigh System, 2021 US EPA Label, 4 Cylinder LPG Engine Usage: 4,590 Hr
5083	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49292 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 54 in Forks, Side Shift, Tier 2, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,863 Hr	5091	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49265 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 4,931 Hr
5084	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49280 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 64 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 3,890 Hr	5092	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49689 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Mitsubishi GK21E 55 hp 2.1 L LPG Engine Usage: 5,007 Hr

Lot #	Details	Lot #	Details
5093	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49688 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 5,336 Hr	5101	<b>2007 Mitsubishi FGC25 5000 lb Cushion Tire Forklift</b> S/N: AF82F10503 C/W: 2 Stage Mast, 79 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, 2007 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 22,630 Hr
5094	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49751 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Mitsubishi GK21 4 Cylinder 2.1 L LPG Engine Usage: 5,742 Hr	5102	<b>2007 Mitsubishi FGC25 5000 lb Cushion Tire Forklift</b> S/N: AF82F10512 C/W: 2 Stage Mast, 79 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, 2007 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 23,866 Hr
5095	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49554 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 56 in Forks, Side Shift, Load Weigh System, 2021 US EPA Label, 4 Cylinder LPG Engine Usage: 6,829 Hr	5103	<b>2007 Mitsubishi FGC25 5000 lb Cushion Tire Forklift</b> S/N: AF82F10514 C/W: 2 Stage Mast, 79 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, Tier 2, 2007 US EPA Label, Nissan K21L 4 Cylinder LPG Engine Usage: 24,632 Hr
5096	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F50169 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 43 in Forks, Load Weigh System, Tier 2, 2021 US EPA Label, GCT 4 Cylinder 2.1 L LPG Engine Usage: Not Available	5104	<b>2016 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-75155 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 48 in Forks, Side Shift, Load Weigh System, 2016 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 27,019 Hr
5097	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49553 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 70 in Forks, Side Shift, 2021 US EPA Label, GCT GK21L 4 Cylinder 2.1 L LPG Engine Usage: Not Available	5105	<b>2016 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-75166 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 47 in Forks, Load Weigh System, 2016 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 32,084 Hr
5098	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49971 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 58 in Forks, Load Weigh System, 2021 US EPA Label, GCT 4 Cylinder 2.1 L LPG Engine Usage: Not Available	5106	<b>2014 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-64751 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 39 in Forks, Side Shift, Toyota 4Y-ECS 4 Cylinder 2.2 L LPG Engine Usage: 17,154 Hr
5099	<b>2021 Mitsubishi FGC25N4 5000 lb Cushion Tire Forklift</b> S/N: AF82F49645 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2021 US EPA Label, Mitsubishi GK21 4 Cylinder 2.1 L Engine Usage: Not Available	5107	<b>2014 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-64704 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 39 in Forks, Side Shift, Toyota 4Y-ECS 4 Cylinder 2.2 L LPG Engine Usage: 17,436 Hr
5100	<b>2007 Mitsubishi FGC25 5000 lb Cushion Tire Forklift</b> S/N: AF82F10502 C/W: 2 Stage Mast, 79 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, Tier 2, 2007 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 17,360 Hr	5108	<b>2014 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-64758 Usage: 17,578 Hr

Lot #	Details	Lot #	Details
5109	<b>2014 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-63731 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 18,701 Hr	5117	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50850 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 41 in Forks, Side Shift, Toyota 4Y-ECS 4 Cylinder 2.2 L LPG Engine Usage: 20,182 Hr
5110	<b>2014 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-64727 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L Dual Fuel Engine Usage: 21,865 Hr	5118	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-51222 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L Dual Fuel Engine Usage: 20,292 Hr
5111	<b>2014 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-64719 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: Not Available	5119	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50864 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 21,305 Hr
5112	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50834 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 39 in Forks, Side Shift, 2014 US EPA Label, Toyota 4Y-ECS 4 Cylinder 2.2 L Dual Fuel Engine Usage: 16,017 Hr	5120	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-51232 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 39 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 21,326 Hr
5113	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50838 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 39 in Forks, Side Shift, Toyota 4Y-ECS 4 Cylinder 2.2 L LPG Engine Usage: 17,145 Hr	5121	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50780 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 41 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 22,606 Hr
5114	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50868 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift, 2014 US EPA Label, Toyota 4Y ECS 2.2 L LPG Engine Usage: 19,553 Hr	5122	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35241 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 42 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 895 Hr
5115	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50866 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, Carton Clamp, 2014 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L Dual Fuel Engine Usage: 19,560 Hr	5123	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35338 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 56 in Forks, Side Shift, 2011 US EPA Label, Toyota 4y 4 Cylinder 2.2 L LPG Engine Usage: 3,636 Hr
5116	<b>2013 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-50842 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 40 in Forks, Side Shift Usage: 20,031 Hr	5124	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35654 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, 2011 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 19,711 Hr

Lot #	Details	Lot #	Details
5125	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-36187 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 21,391 Hr	5133	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 35830 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.23 L LPG Engine Usage: 34,069 Hr
5126	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-36170 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 71 in Forks, Side Shift, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 21,946 Hr	5134	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35604 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 36 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 34,410 Hr
5127	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-36172 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 41 in Forks, Side Shift, Tier 2, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 23,915 Hr	5135	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35299 C/W: 2 Stage Mast, 80 mm Max Lift Height, 56 in Lowered Mast Height, 40 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y 4 Cylinder 38 kW 2.2 L LPG Engine Usage: 34,583 Hr
5128	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-34657 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 39 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 15,685 Mi	5136	<b>2011 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-35341 Usage: 34,989 Hr
5129	<b>2011 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-34932 Usage: 25,562 Hr	5137	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35602 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 39 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 35,548 Hr
5130	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35239 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 31,055 Hr	5138	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35637 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 71 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.23 L LPG Engine Usage: 38,328 Hr
5131	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35566 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 37 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 32,035 Hr	5139	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-36258 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 39,282 Hr
5132	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35234 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 65 in Forks, Side Shift, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 34,007 Hr	5140	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35260 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 54 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 39,585 Hr

Lot #	Details	Lot #	Details
5141	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35360 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 62 in Forks, Side Shift, 2011 US EPA Label, Toyota 47ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 39,923 Hr	5149	<b>2008 Toyota 8FGCU25 4700 ton Cushion Tire Forklift</b> S/N: 8FGCU25-22960 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 41 in Forks, Side Shift, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 8,035 Hr
5142	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-36256 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 45 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 43,702 Hr	5150	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22075 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, Load Weigh System, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 24,362 Hr
5143	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35568 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 46 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 44,123 Hr	5151	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-21611 Usage: 28,061 Hr
5144	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35235 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 54 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 53,517 Hr	5152	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 21626 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, Load Weigh System, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 30,275 Hr
5145	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35418 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: Not Available	5153	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22829 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Load Weigh System, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 31,621 Hr
5146	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35393 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: Not Available	5154	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-22017 Usage: 31,857 Hr
5147	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35368 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 58 in Forks, Side Shift, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: Not Available	5155	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22045 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 43 in Forks, Side Shift, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 35,166 Hr
5148	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35419 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 56 in Forks, Load Weigh System, 2011 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: Not Available	5156	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22793 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 35,307 Hr
		5157	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-23001 Usage: 35,508 Hr



Lot #	Details	Lot #	Details
5158	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22827 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2008 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 38,175 Hr	5167	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-23009 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 95 in Forks, Side Shift, 2008 US EPA Label, Toyota 4y 4 Cylinder 2.1 L LPG Engine Usage: 41,166 Hr
5159	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-22979 Usage: 38,798 Hr	5168	<b>2008 Toyota 8FGCU25 4700 ton Cushion Tire Forklift</b> S/N: 8FGCU25-22959 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, Side Shift, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 41,207 Hr
5160	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 8FGCU25-22796 Usage: 38,934 Hr	5169	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22982 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 48 in Forks, Side Shift, Load Weigh System, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 45,713 Hr
5161	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22957 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, Toyota 4Y 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 39,814 Hr	5170	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22888 C/W: 2 Stage Mast, 80 in Max Lift Height, 80 in Lowered Mast Height, 42 in Forks, Side Shift, 2008 US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 45,820 Hr
5162	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22789 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 41 in Forks, Side Shift, 2008 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.23 L LPG Engine Usage: 39,963 Hr	5171	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22772 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 54 in Forks, Side Shift, Load Weigh System, 2008 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 46,238 Hr
5163	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22318 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, 2008 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 40,023 Hr	5172	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22997 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 47 in Forks, Side Shift, 2008 US EPA Label, Toyota 4y 4 Cylinder 2.1 L LPG Engine Usage: 46,650 Hr
5164	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22097 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 40,215 Hr	5173	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22768 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 46 in Forks, Side Shift, 2008 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.23 L LPG Engine Usage: 47,053 Hr
5165	<b>2008 Toyota 8FGCU25 Cushion Tire Forklift</b> S/N: 22739 C/W: 2 Stage Mast, 48 in Forks, 2008 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 40,223 Hr		
5166	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22284 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, 2008 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.23 L LPG Engine Usage: 40,428 Hr		

Lot #	Details	Lot #	Details
5174	<b>2008 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-22999 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 45 in Forks, Side Shift, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: Not Available	5182	<b>2005 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-94202 Usage: 9,165 Hr
5175	<b>2007 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-13728 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 48 in Forks, Side Shift, 2007 US EPA Label, Toyota 4Y 4 Cylinder 38 kW 2.2 L LPG Engine Usage: 41,752 Hr	5183	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 91092 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 12,830 Hr
5176	<b>2007 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-13987 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 45 in Forks, Side Shift, 2007 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 43,749 Hr	5184	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90734 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 58 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 33,609 Hr
5177	<b>2007 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-12969 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 46 in Forks, Side Shift, 2007 US EPA Label, Toyota 4Y 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 44,312 Hr	5185	<b>2005 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 88352 Usage: 37,877 Hr
5178	<b>2007 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 13853 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder 2.1 L LPG Engine Usage: Not Available	5186	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90686 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 42 in Forks, Side Shift, US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 40,661 Hr
5179	<b>2007 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-03003 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 58 in Forks, Side Shift, 2006 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 39,083 Hr	5187	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-89977 C/W: 2 Stage Mast, 80 in Max Lift Height, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 40,744 Hr
5180	<b>2007 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-03077 C/W: 2 Stage Mast, 80 in Max Lift Height, 38 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 40,303 Hr	5188	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-93743 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, Load Weigh System, Toyota 4 Cylinder LPG Engine Usage: 51,603 Hr
5181	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90503 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 72 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available	5189	<b>2005 Toyota 7FGCU25 4750 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90907 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 71 in Forks, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 53,140 Hr
		5190	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-88224 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 56 in Forks, Side Shift Usage: 54,235 Hr

Lot #	Details	Lot #	Details
5191	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-93908 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 55 in Forks, Side Shift, 2005 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 54,464 Hr	5200	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90160 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 65 in Forks, Side Shift, US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 60,241 Hr
5192	<b>2005 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-91336 Usage: 56,066 Hr	5201	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-88389 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 57 in Forks, Side Shift, 2004 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 60,964 Hr
5193	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-94167 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 56 in Forks, Side Shift, Toyota 4Y-ECS 4 Cylinder 2.2 L LPG Engine Usage: 56,850 Hr	5202	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90137 C/W: 2 Stage Mast, 58 in Lowered Mast Height, 64 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 64,080 Hr
5194	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-88225 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 65 in Forks, Side Shift, 2004 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 58,207 Hr	5203	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-89786 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 65 in Forks, Side Shift, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 65,127 Hr
5195	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90158 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 65 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 33 kW 2.23 L LPG Engine Usage: 58,992 Hr	5204	<b>2005 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-88429 C/W: 2 Stage Mast, 57.5 in Lowered Mast Height, 56 in Forks, Side Shift, 2004 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 68,477 Hr
5196	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-89760 C/W: 2 Stage Mast, 58 in Max Lift Height, 65 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 59,107 Hr	5205	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-90929 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 54 in Forks, Auxiliary Hydraulic Plumbing, 2005 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: Not Available
5197	<b>2005 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-89764 C/W: 2 Stage Mast, 67 mm Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 33 kW 2.23 L LPG Engine Usage: 59,117 Hr	5206	<b>2004 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-82794 C/W: 2 Stage Mast, 56 in Forks, Side Shift, 2003 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 57,585 Hr
5198	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-89765 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 45 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 59,840 Hr	5207	<b>2004 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-82769 Usage: 59,699 Hr
5199	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-88454 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 52 in Forks, Side Shift, Load Weigh System, 2004 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 60,011 Hr	5208	<b>2004 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-82796 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 50 in Forks, Side Shift, 2003 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 60,613 Hr

Lot #	Details	Lot #	Details
5209	<b>2004 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-82760 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, Side Shift, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: Not Available	5218	<b>2005 Komatsu FG20ST-14 Cushion Tire Forklift</b> S/N: 587843A Usage: 39,755 Hr
5210	<b>2003 Toyota 7FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 7FGCU25-80066 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, Forks, Side Shift, Fork Positioner Usage: 37,619 Hr	5219	<b>2005 Komatsu FG20ST-14 Cushion Tire Forklift</b> S/N: 587840A C/W: 80 in Max Lift Height, 57 in Lowered Mast Height, 36 in Forks, 2005 US EPA Label, Nissan 4 Cylinder 55.7 hp LPG Engine Usage: Not Available
5211	<b>2003 Toyota 7FGCU25 Cushion Tire Forklift</b> S/N: 7FGCU25-78073 Usage: 46,232 Hr	5220	<b>2004 Komatsu FG20ST-12 Cushion Tire Forklift</b> S/N: 581279A Usage: 22,956 Hr
5212	<b>2002 Toyota 7FGCU25 4700 kg Cushion Tire Forklift</b> S/N: 7FGCU25-74319 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, Side Shift, Toyota 4 Cylinder LPG Engine Usage: Not Available	5221	<b>2004 Komatsu FG20ST-12 3950 lb Cushion Tire Forklift</b> S/N: 568812A C/W: 2 Stage Mast, 82 in Max Lift Height, 62 in Lowered Mast Height, 54 in Forks, Nissan 4 Cylinder LPG Engine Usage: 28,311 Hr
5213	<b>2006 Toyota 7FGCU20 3800 lb Cushion Tire Forklift</b> S/N: 02987 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 60 in Forks, Side Shift, 2006 US EPA Label, Toyota 2.2 L LPG Engine Usage: 40,976 Hr	5222	<b>2004 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift</b> S/N: 568854A C/W: 2 Stage Mast, 82 in Max Lift Height, 62 in Lowered Mast Height, 42 in Forks, 2003 US EPA Label, Nissan H20 4 Cylinder 2.0 L LPG Engine Usage: 30,778 Hr
5214	<b>2006 Komatsu FG20ST-14R 4000 lb Cushion Tire Forklift</b> S/N: 592685A C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, 2006 US EPA Label, CARB Compliant, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 19,965 Hr	5223	<b>2004 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift</b> S/N: 568899A C/W: 2 Stage Mast, 82 in Max Lift Height, 63 in Lowered Mast Height, 58 in Forks, 2002 US EPA Label, Nissan H20 4 Cylinder 2.0 L LPG Engine Usage: 31,952 Hr
5215	<b>2006 Komatsu FG20ST-14R 4000 lb Cushion Tire Forklift</b> S/N: 592684A C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, Load Weigh System, 2006 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 632 Hr	5224	<b>2004 Komatsu FG20ST-12 Cushion Tire Forklift</b> S/N: 568388A Usage: 41,487 Hr
5216	<b>2005 Komatsu FG20ST-14R 3450 lb Cushion Tire Forklift</b> S/N: 587883A C/W: 2 Stage Mast, 56 in Lowered Mast Height, 47 in Forks Usage: 28,944 Hr	5225	<b>2004 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift</b> S/N: 568914A C/W: 2 Stage Mast, 82 in Max Lift Height, 62 in Lowered Mast Height, 52 in Forks, Nissan 4 Cylinder LPG Engine Usage: Not Available
5217	<b>2005 Komatsu FG20ST-14 4000 lb Cushion Tire Forklift</b> S/N: 585966A C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 54 in Forks, Nissan 4 Cylinder 55.7 hp 2.1 L LPG Engine Usage: 32,382 Hr	5226	<b>2003 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift</b> S/N: 563838A C/W: 2 Stage Mast, 80 in Max Lift Height, 63 in Lowered Mast Height, 44 in Forks, Auxiliary Hydraulic Plumbing, Nissan 4 Cylinder Engine Usage: 16,963 Hr
		5227	<b>2003 Komatsu FG20ST-12 Cushion Tire Forklift</b> S/N: 567548A C/W: 2 Stage Mast, 57 in Forks, 2003 US EPA Label, Nissan H20 4 Cylinder 2.0 L LPG Engine Usage: 29,916 Hr
		5228	<b>2003 Komatsu FG20ST-12 Cushion Tire Forklift</b> S/N: 563817A Usage: Not Available

Lot #	Details	Lot #	Details
5229	<b>2003 Nissan CPJ02A25 4000 lb Cushion Tire Forklift</b> S/N: 9W4643 C/W: 2 Stage Mast, 82 in Max Lift Height, 56 in Lowered Mast Height, 39 in Forks Usage: 18,973 Hr	5238	<b>2005 Toyota 7FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 7FGCU25-90133 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, Tier 1, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 62,252 Hr
5230	<b>1997 Mitsubishi 5000 lb Cushion Tire Forklift</b> S/N: AF82B005399 C/W: 3 Stage Mast, 189 in Max Lift Height, 83 in Lowered Mast Height, 41 in Forks, Mitsubishi 4 Cylinder LPG Engine Usage: 9,360 Hr	5239	<b>2004 Toyota 7FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 7FGCU25-83507 C/W: 2 Stage Mast, 80 in Max Lift Height, 59 in Lowered Mast Height, Load Weigh System, 2005 US EPA Label, CARB Compliant, 4 Cylinder 2.2 L LPG Engine Usage: Not Available
5231	<b>1996 Towmotor GC25 Cushion Tire Forklift</b> S/N: 4EM04570 Usage: 40,500 Hr	5240	<b>2007 Komatsu FG25ST-16 3750 lb Cushion Tire Forklift (Inoperable)</b> S/N: 213442A C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, Side Shift, 2007 US EPA Label, Nissan K21L 4 Cylinder 2.1 L Engine Usage: 26,781 Hr
5232	<b>2021 Mitsubishi FGC25N4 Cushion Tire Forklift (Inoperable)</b> S/N: AF82F49293 C/W: 2 Stage Mast, 59 in Lowered Mast Height, 67 in Forks, 2021 US EPA Label, 2.1 L LPG Engine Usage: Not Available	5241	<b>2004 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift (Inoperable)</b> S/N: 568365A C/W: 2 Stage Mast, 82 in Max Lift Height, 24 in Lowered Mast Height, 42 in Forks Usage: 29,246 Hr
5233	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 8FGCU25-34928 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2011 US EPA Label, Toyota 4YESC 4 Cylinder 2.23 L LPG Engine Usage: 25,093 Hr	5242	<b>2004 Komatsu FG20ST-12 3700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 580481A C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, Side Shift, 2004 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 13,325 Hr
5234	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 8FGCU25-34925 C/W: 2 Stage Mast, 80 in Max Lift Height, 59 in Lowered Mast Height, Load Weigh System, 4 Cylinder LPG Engine Usage: Not Available	5243	<b>2003 Komatsu FG20ST-12R 4000 lb Cushion Tire Forklift (Inoperable)</b> S/N: 566958A C/W: 2 Stage Mast, 82 in Max Lift Height, 62 in Lowered Mast Height, 40 in Forks, 2003 US EPA Label, Nissan 4 Cylinder LPG Engine Usage: 30,293 Hr
5235	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 8FGCU25-35864 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 66 in Forks, Load Weigh System, 2011 US EPA Label, CARB Compliant, Toyota 4YECS 4 Cylinder 38 kW 2.2 L LPG Engine Usage: Not Available	5244	<b>2003 Komatsu FG20ST-12 4000 lb Cushion Tire Forklift (Inoperable)</b> S/N: 566975A C/W: 2 Stage Mast Usage: 32,312 Hr
5236	<b>2011 Toyota 8FGCU25 4700 lb Cushion Tire Forklift</b> S/N: 8FGCU25-35257 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 71 in Forks, Side Shift, 2011 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 44,200 Hr	5245	<b>2022 Vanguard MaxCube 53 ft T/A Van Trailer</b> S/N: 5V8VA5328NM211117 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5237	<b>2007 Toyota 8FGCU25 4700 lb Cushion Tire Forklift (Inoperable)</b> S/N: 8FGCU25-13912 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, Side Shift, 2007 US EPA Label, Toyota 4Y ECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 38,647 Hr	5246	<b>2022 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA532XNT201226 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5247	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5327NT201233 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5256	<b>2022 Vanguard 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5323NM211204 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5248	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5321NM211072 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5257	<b>2022 Vanguard 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5324NT201237 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5249	<b>2022 Vanguard MaxCube 53 ft T/A Van Trailer</b> S/N: 5V8VA5321NM211038 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5258	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5320NT201221 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5250	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5321NM211167 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5259	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5322NT201222 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5251	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5328NM211151 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5260	<b>2022 Vanguard MaxCube 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5328NT201256 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5252	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5320NM211158 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5261	<b>2022 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5321NM211170 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5253	<b>2022 Vanguard 53 ft T/A Van Trailer</b> S/N: 5V8VA5327NM211075 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5262	<b>2022 Vanguard MaxCube 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5322NM211131 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5254	<b>2022 Vanguard 53 ft T/A Van Trailer</b> S/N: 5V8VA5325NM211088 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5263	<b>2022 Vanguard MaxCube 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5328NT201239 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5255	<b>2022 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5324NM211177 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5264	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5325NT201246 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		5265	<b>2022 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5328NM211005 C/W: Aluminum Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5266	<b>2021 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5321MM109205 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5275	<b>2020 Vanguard MaxCube 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5320LM005156 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5267	<b>2021 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA532XMM109199 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5276	<b>2020 Vanguard MaxCube 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VA5325LM009784 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5268	<b>2021 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5329MM109176 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5277	<b>2020 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA532XLM009781 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5269	<b>2021 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5329MM109303 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5278	<b>2020 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5323LM009766 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5270	<b>2021 Vanguard VXP 53 ft x 96 in T/A Van Trailer</b> S/N: 5V8VC5326MM109310 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5279	<b>2018 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5329JSA09293 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5271	<b>2021 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5328MM109311 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5280	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A5325JSA09310 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5272	<b>2021 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5320MM109321 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5281	<b>2018 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5323JSA09452 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5273	<b>2020 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5320LM009756 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5282	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328JSA09334 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5274	<b>2020 Vanguard MaxCube 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA5328LM009780 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5283	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A5322JSA09393 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door Usage: Not Available

Lot #	Details	Lot #	Details
5284	<b>2018 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5320JSA09389 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5293	<b>2018 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322JSA09426 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5285	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5327JSA09342 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5294	<b>2018 Stoughton ZGPVW535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5327JSA09339 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5286	<b>2018 Stoughton ZGPW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A532XJSA09366 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5295	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321JSA09305 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5287	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A5323JBA08852 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5296	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324JSA09413 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5288	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XJSA09349 C/W: 70000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5297	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5329HB704932 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5289	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5323JSA09323 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5298	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A532XHB720685 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5290	<b>2018 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321JSA09336 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/80R22.5 Tires Usage: Not Available	5299	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB720675 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires, Drum Brakes, Aluminum Roof, CTI, Roll-Up Door Usage: Not Available
5291	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326JSA09462 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5300	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5325HB720609 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5292	<b>2018 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324JSA09279 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor Usage: Not Available	5301	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320HB704897 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
5302	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322HB737027 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5311	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5323HB720656 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5303	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324HB720679 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5312	<b>2017 Stoughton ZGPVW535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5324HB704966 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5304	<b>2017 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5322HB720731 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5313	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5329HB720645 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5305	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5329HB737008 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5314	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XHB720606 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5306	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322HB720650 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5315	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XHB704857 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5307	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB704959 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5316	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320HB720694 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5308	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324HB704949 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5317	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB720627 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5309	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326HB720683 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5318	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328HB704923 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5310	<b>2017 Stoughton ZGPVW525T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321HB720669 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5319	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB704881 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		5320	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XHB704874 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5321	<b>2017 Stoughton 1DW1A5324HB704921 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5324HB704921 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5331	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5329HB720709 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5322	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB704805 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5332	<b>2017 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5320HS763433 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5323	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321HB704858 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5333	<b>2017 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5323HB737067 Usage: Not Available
5324	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320HB704821 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5334	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A5323HB737019 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5325	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HS763450 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	5335	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328HB737002 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5326	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB704802 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5336	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321HB737035 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5327	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326HB704810 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5337	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XHB737003 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5328	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5327HB720692 C/W: 70000 lb GVWR, Spring Suspension, Roll-Up Door, 275/70R22.5 Tires Usage: Not Available	5338	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322HB720728 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5329	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5323HS763426 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5339	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326HB737029 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5330	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320HS763447 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5340	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328HB737016 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5349	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320FB577775 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5341	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322HB737061 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5350	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327FB577501 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5342	<b>2017 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327HB737055 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5351	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5325FB577609 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5343	<b>2017 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5323HB704831 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5352	<b>2015 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5327FB577644 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5344	<b>2017 Hyundai VC2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C7HT881037 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5353	<b>2015 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328FB596347 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5345	<b>2017 Hyundai VC2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C1HT881048 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5354	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A532XFB577508 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5346	<b>2016 Hyundai VC2530152-JRS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C7GT673030 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5355	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321FB577526 C/W: 70000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5347	<b>2015 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D2FL833998 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5356	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320FB577694 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5348	<b>2015 Great Dane CCC-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0628FB709822 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5357	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321FB577705 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5358	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328FB577717 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5366	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322FB577650 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5359	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320FB577615 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5367	<b>2015 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326FB577716 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5360	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5320FB577517 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5368	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322FB577552 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5361	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5329FB577760 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5369	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327FB596324 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5362	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft T/A Van Trailer</b> S/N: 1DW1A5327FB577532 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5370	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5325FB577822 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5363	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5329FB577676 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5371	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324FB577827 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5364	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324FB577570 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5372	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5326FB577568 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5365	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5325FB577643 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5373	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5321FB577686 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		5374	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327FB596355 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5375	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5323FB577527 C/W: 70000 lb GVWR, Spring Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5384	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322FB577759 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5376	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5323FB577558 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires, Drum Brakes, Aluminum Roof, CTI, Roll-Up Door Usage: Not Available	5385	<b>2014 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327EB494942 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5377	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324FB577536 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5386	<b>2013 Wabash DVLSHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D3DL713432 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door Usage: Not Available
5378	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A5325FB577707 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5387	<b>2013 Wabash Unknown 53 ft T/A Van Trailer</b> S/N: 1JJV532D6DL712100 Usage: Not Available
5379	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327FB577790 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5388	<b>2013 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D8DL712129 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5380	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5328FB596350 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5389	<b>2013 Wabash DVLSHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D3DL711647 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5381	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5324FB577844 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5390	<b>2013 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D8DL755000 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5382	<b>2015 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5327FB596341 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5391	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L312900 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5383	<b>2015 Stoughton ZGPVW-535T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5321FB577753 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door Usage: Not Available	5392	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX9L312842 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5393	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L313142 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5401	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L312878 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5394	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W09L312882 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295 /75R22.5 Tires Usage: Not Available	5402	<b>2009 Wabash DVDBHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L312699 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts Usage: Not Available
5395	<b>2009 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W49L314523 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5403	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W69L312952 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5396	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W29L312687 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5404	<b>2009 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W69L313051 Usage: Not Available
5397	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX9L313005 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5405	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX9L313067 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5398	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L312704 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door Usage: Not Available	5406	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W29L312916 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5399	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W89L313102 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5407	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W99L313030 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5400	<b>2009 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532WX9L312940 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5408	<b>2009 Wabash 53 ft Van Trailer</b> S/N: 1JJV532W69L312885 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available
		5409	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W59L312859 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		5410	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W89L312872 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5411	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W59L312781 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor Usage: Not Available	5420	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W79L312734 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5412	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W49L312836 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5421	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W49L313002 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5413	<b>2009 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W79L312751 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available	5422	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W49L312917 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5414	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W09L313109 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5423	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W39L312682 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5415	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W69L312675 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5424	<b>2009 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W29L313130 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5416	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W79L313057 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5425	<b>2009 (unverified) Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532WX9L313120 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5417	<b>2009 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W59L312666 Usage: Not Available	5426	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W79L313088 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5418	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W49L312903 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5427	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W19L312812 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5419	<b>2009 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W19L312714 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5428	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP062X9T553717 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5436	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06279T553691 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available
5429	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06209T551796 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5437	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP062X9T551823 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available
5430	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06229T551816 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door Usage: Not Available	5438	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06289T553683 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes Usage: Not Available
5431	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06249T553728 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5439	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06209T553693 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5432	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06289T551836 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5440	<b>2009 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAP06239T553705 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5433	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06249T551865 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5441	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L111756 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available
5434	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP062X9T551868 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5442	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L111571 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5435	<b>2009 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06269T551835 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5443	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L111578 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
5444	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L178687 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5452	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W98L111514 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5445	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111701 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5453	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L112485 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
5446	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L111767 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5454	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W78L141823 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/80R22.5 Tires Usage: Not Available
5447	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L111788 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5455	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112442 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5448	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L112522 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5456	<b>2008 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532WX8L112445 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5449	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L112591 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5457	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L111859 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts Usage: Not Available
5450	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L112543 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5458	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112182 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5451	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L141856 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5459	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L141858 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5460	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L112561 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5468	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L111489 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available
5461	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L111497 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5469	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L112590 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5462	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L112603 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5470	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L112592 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5463	<b>2008 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W38L112125 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5471	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L141859 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5464	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L111272 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available	5472	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L112479 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5465	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W78L111480 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5473	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W38L112478 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5466	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L112190 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5474	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L111739 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5467	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L112247 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5475	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W78L112600 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5476	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L112164 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5485	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L111699 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5477	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L111714 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5486	<b>2008 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W68L111521 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5478	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L111591 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5487	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L111668 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5479	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111775 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5488	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L112424 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5480	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111467 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5489	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L111822 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5481	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111486 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5490	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L111920 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5482	<b>2008 Wabash Unknown 53 ft T/A Van Trailer</b> S/N: 1JJV532W58L111719 Usage: Not Available	5491	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112117 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5483	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L111803 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5492	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W78L112029 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5484	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L111528 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5493	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W78L112113 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5494	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L141637 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5502	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L112079 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5495	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L112530 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5503	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L141649 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5496	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L111273 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 275/70R22.5 Tires Usage: Not Available	5504	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L111903 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5497	<b>2008 Wabash DVDBHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L112035 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5505	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W78L112015 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5498	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W78L141644 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door Usage: Not Available	5506	<b>2008 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L098493 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
5499	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111357 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5507	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L112124 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available
5500	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L112188 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5508	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W48L111341 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5501	<b>2008 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L098492 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5509	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112165 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5517	<b>2008 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W88L111875 Usage: Not Available
5510	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L141608 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door Usage: Not Available	5518	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L111390 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5511	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111987 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5519	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111338 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5512	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111925 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts Usage: Not Available	5520	<b>2008 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W88L111343 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5513	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX8L112252 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door Usage: Not Available	5521	<b>2008 Wabash Unknown 53 ft T/A Van Trailer</b> S/N: 1JJV532W88L112055 Usage: Not Available
5514	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L111366 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5522	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L111488 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5515	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111291 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5523	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L141848 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5516	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L112041 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5524	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L111441 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		5525	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L111765 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
		5526	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111310 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door Usage: Not Available

Lot #	Details	Lot #	Details
5527	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L111445 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5536	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W38L112254 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5528	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L112076 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5537	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L111325 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5529	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L112413 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5538	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111372 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5530	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W88L141832 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	5539	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L111745 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5531	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W98L112520 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5540	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112232 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5532	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L112118 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5541	<b>2008 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W08L111966 Usage: Not Available
5533	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L112104 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5542	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W28L141843 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5534	<b>2008 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W18L111796 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5543	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W68L112457 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5535	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W58L112241 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5544	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L111779 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5545	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L111971 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5553	<b>2008 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53298E047421 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5546	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L111885 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5554	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53248E047441 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5547	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W08L112499 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5555	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft T/A Van Trailer</b> S/N: 1DW1A53278E047451 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5548	<b>2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W48L112201 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5556	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53238E047494 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5549	<b>2008 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53248E047438 C/W: 30000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5557	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53288E047460 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5550	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53258E047495 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available	5558	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A53228E047485 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5551	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53248E047410 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5559	<b>2008 Great Dane 5911TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP062X8T540609 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5552	<b>2008 Stoughton SEVW-535T-S-C-W 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53228E047454 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5560	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06278T542964 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5561	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06238T542895 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	5569	<b>2008 Great Dane CPL-3313-02053 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAP06298T542917 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 275/70R22.5 Tires Usage: Not Available
5562	<b>2008 Great Dane 5911TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06238T540631 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5570	<b>2008 Great Dane CPL-3313-02053 53 ft T/A Van Trailer</b> S/N: 1GRAP06278T542981 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5563	<b>2008 Great Dane 5911TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06228T540622 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5571	<b>2008 Great Dane CPL-3313-02053 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAP06268T542969 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5564	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06208T542899 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5572	<b>2008 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAP06298T542982 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5565	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06268T542938 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5573	<b>2008 Great Dane 53 ft Van Trailer</b> S/N: 1GRAP06278T542933 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available
5566	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06208T542935 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5574	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06278T543001 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5567	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06278T542978 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5575	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L051052 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5568	<b>2008 Great Dane CPL-3313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06268T542986 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	5576	<b>2007 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W37L051132 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
		5577	<b>2007 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W47L051401 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
5578	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L051164 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	5585	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W07L050634 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5579	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L050661 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5586	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L051206 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5580	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L050459 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5587	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W07L051153 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5581	<b>2007 Wabash DVDVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L050524 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5588	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W17L051307 Usage: Not Available
5582	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L050555 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5589	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L051147 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5583	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L043340 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5590	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L051148 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5584	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L050319 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5591	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L051414 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		5592	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L051121 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
		5593	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L051263 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5594	<b>2007 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W27L051283 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5602	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L051319 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5595	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L051191 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5603	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L051235 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5596	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W07L051234 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5604	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L051385 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5597	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W07L051248 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5605	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L043187 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5598	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L051117 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5606	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W47L051396 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5599	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L051174 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5607	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L050461 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5600	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L051254 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5608	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L043342 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5601	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W57L051293 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5609	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L050338 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5610	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W37L043211 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5618	<b>2007 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532WX7L043318 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5611	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W17L043238 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5619	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L043303 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5612	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532WX7L050365 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5620	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W17L050366 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5613	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L050686 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5621	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W37L050353 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5614	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W77L050470 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5622	<b>2007 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W47L050328 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80/225 Tires Usage: Not Available
5615	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L050421 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5623	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W27L050599 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5616	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L050313 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5624	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L043162 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5617	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W17L050352 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5625	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W57L050564 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5626	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W37L043273 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5635	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L050458 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5627	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L043300 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5636	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L043427 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5628	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W57L050595 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5637	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L051085 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5629	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W97L050356 Usage: Not Available	5638	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L043352 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5630	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W37L043337 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5639	<b>2007 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W57L043355 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door Usage: Not Available
5631	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L050591 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll- Up Door, 295/75R22.5 Tires Usage: Not Available	5640	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L051104 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5632	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L043347 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5641	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W07L043389 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5633	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L051510 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5642	<b>2007 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W37L051454 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5634	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L051558 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5643	<b>2007 Wabash DVDBHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W77L051120 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5644	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L043368 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5652	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L051513 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available
5645	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W87L051496 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5653	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L043416 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5646	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W27L051123 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5654	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L051563 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
5647	<b>2007 Wabash DVDBHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L051527 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5655	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W27L043362 Usage: Not Available
5648	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W27L051428 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5656	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L043351 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5649	<b>2007 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532W67L051531 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5657	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L050604 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5650	<b>2007 Wabash DVDBHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W47L046196 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5658	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L050583 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5651	<b>2007 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W17L051422 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5659	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L050475 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
		5660	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W17L050349 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5661	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W17L043305 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5670	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227K286190 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5662	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W37L050644 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5671	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227G341899 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5663	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L043139 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5672	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227K286187 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5664	<b>2007 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W57L050516 Usage: Not Available	5673	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227K286139 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5665	<b>2007 Wabash DVCVHPC 53 ft x 102 in Van Trailer</b> S/N: 1JJV532W97L050650 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5674	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207G341920 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5666	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX7L050608 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5675	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277G341963 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5667	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W97L050681 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5676	<b>2007 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06267K286306 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available
5668	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W67L050587 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5677	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207D425849 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5669	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237G341989 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5678	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277D425833 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5679	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277K286346 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5687	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7K286180 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5680	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247K286272 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	5688	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287K286131 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Aluminum Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5681	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257K286233 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5689	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7G341987 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5682	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267D422499 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5690	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7G341911 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5683	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297K286140 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5691	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267K286225 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5684	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217K286360 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5692	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7D422425 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5685	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G341941 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5693	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217D424029 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5686	<b>2007 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06297G341950 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5694	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7D425826 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		5695	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247D423960 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5696	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7K286339 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5705	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207D424071 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5697	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237D424016 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5706	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207D422482 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5698	<b>2007 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06267D424043 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5707	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287D425842 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5699	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207D425866 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5708	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D425882 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5700	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277K286377 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5709	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D423937 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5701	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237K286361 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5710	<b>2007 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06217D422443 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, Aluminum Wheels, 295/80R22.5 Tires Usage: Not Available
5702	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227D425853 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5711	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227D422449 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5703	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247D422517 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5712	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267D422423 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5704	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237D423951 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5713	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237K286375 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
5714	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257D422493 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door Usage: Not Available	5724	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7K286311 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5715	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217K286164 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5725	<b>2007 Great Dane 7411T-SSL 53 ft T/A Van Trailer</b> S/N: 1GRAA06237K286313 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5716	<b>2007 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06267D424009 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available	5726	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in Van Trailer</b> S/N: 1GRAA06227D422452 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5717	<b>2007 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06207D423938 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 275/70R22.5 Tires Usage: Not Available	5727	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207K286365 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5718	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217K286326 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5728	<b>2007 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06297D425803 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Roll-Up Door, Heating Unit, 295/75R22.5 Tires Usage: Not Available
5719	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06227K286397 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5729	<b>2007 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06207D424085 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5720	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D424036 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5730	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237K286411 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5721	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D423999 C/W: 69000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5731	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237K286327 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5722	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217D425830 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available		
5723	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217D425875 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5732	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297D422481 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5741	<b>2006 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W06L000749 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5733	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287K286405 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5742	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000663 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5734	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217D422457 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5743	<b>2006 Wabash DVCVHPC Van Trailer</b> S/N: 1JJV532W66L987535 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5735	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W46L000544 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5744	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000628 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5736	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W66L000299 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5745	<b>2006 Wabash Van Trailer</b> S/N: 1JJV532W06L000573 Usage: Not Available
5737	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W26L987631 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5746	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L987654 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
5738	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L987590 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5747	<b>2006 Wabash Van Trailer</b> S/N: 1JJV532W56L000584 Usage: Not Available
5739	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000371 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5748	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W46L000625 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5740	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W06L965949 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5749	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W06L000332 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
		5750	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W06L987479 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5751	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W96L987576 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	5760	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000340 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5752	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W86L987553 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5761	<b>2006 Wabash Van Trailer</b> S/N: 1JJV532W26L987645 Usage: Not Available
5753	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W46L987517 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5762	<b>2006 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W36L965976 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5754	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W06L987482 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Roll-Up Door Usage: Not Available	5763	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000680 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5755	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L987604 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5764	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W86L000420 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5756	<b>2006 Wabash Van Trailer</b> S/N: 1JJV532W36L987489 Usage: Not Available	5765	<b>2006 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W06L987594 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
5757	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W96L965979 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5766	<b>2006 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W46L000334 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5758	<b>2006 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532WX6L000449 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5767	<b>2006 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W26L000798 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5759	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W26L000753 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	5768	<b>2006 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W26L000445 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5769	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W96L000667 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5777	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000578 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5770	<b>2006 (unverified) Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W76L965981 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5778	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000775 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
5771	<b>2006 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W56L000763 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5779	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W66L000786 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5772	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W86L965973 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5780	<b>2006 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W46L987520 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5773	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W96L000796 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5781	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W26L000462 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes Usage: Not Available
5774	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W76L000666 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available	5782	<b>2006 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W86L000501 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available
5775	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000601 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	5783	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W56L000665 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
5776	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W76L000814 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5784	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000324 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
		5785	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000596 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5786	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L000664 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5794	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L965991 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5787	<b>2006 Wabash Van Trailer</b> S/N: 1JJV532W06L000685 Usage: Not Available	5795	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W76L987558 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5788	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L000471 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5796	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L000390 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5789	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W76L965978 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5797	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W86L987620 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5790	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000421 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5798	<b>2006 Great Dane 53 ft x 96 in Van Trailer</b> S/N: 1GRAA06236J612292 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5791	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W96L000393 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5799	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226D414138 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5792	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX6L000810 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5800	<b>2006 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06216D414227 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5793	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W16L000484 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5801	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226D414219 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
		5802	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286J612286 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor Usage: Not Available

Lot #	Details	Lot #	Details
5803	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266D414210 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5812	<b>2006 Great Dane 7411TSSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256T521898 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5804	<b>2006 Great Dane 7411TSSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266D414188 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5813	<b>2006 Great Dane Van Trailer</b> S/N: 1GRAA06256T521870 Usage: Not Available
5805	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06266D414224 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	5814	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276J610366 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5806	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286J612272 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door Usage: Not Available	5815	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276J610271 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5807	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D414192 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5816	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266T521442 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5808	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J610362 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5817	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6T521573 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5809	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206T521663 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5818	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6T521766 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5810	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216T521395 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5819	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T521496 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5811	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226T521325 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5820	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236T521737 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
		5821	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206T521856 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5822	<b>2006 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06266T521960 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5831	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06246J610115 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5823	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216T521431 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5832	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286J610151 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5824	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206J612508 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5833	<b>2006 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06226T521759 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5825	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T521465 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5834	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296J612619 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5826	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06266T521490 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5835	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246J610342 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5827	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J610251 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5836	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246J612656 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5828	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J610380 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5837	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296J610191 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5829	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246J610227 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5838	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236J612423 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 11R22.5 Tires Usage: Not Available
5830	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T521536 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, 11R22.5 Tires Usage: Not Available	5839	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06256J612553 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door Usage: Not Available
		5840	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J610121 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5841	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226J610145 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5850	<b>2006 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06286T521345 Usage: Not Available
5842	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256T521416 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5851	<b>2006 Great Dane 7411T-SSL 53 ft T/A Van Trailer</b> S/N: 1GRAA06216J612534 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor Usage: Not Available
5843	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256J612360 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5852	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J610068 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5844	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6J612371 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5853	<b>2006 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA062X6T521296 Usage: Not Available
5845	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J610301 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5854	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T521567 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5846	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286T521684 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5855	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J612464 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5847	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256J612343 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5856	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246J612642 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5848	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256J610396 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5857	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J610360 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5849	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236T521222 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5858	<b>2006 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06296T521421 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
		5859	<b>2006 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06246T521715 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door Usage: Not Available
		5860	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226J612493 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
5861	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276J612554 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5871	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236T521804 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5862	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276J610173 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5872	<b>2006 Great Dane 7411TSSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286T521975 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5863	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236T521821 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5873	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T521515 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5864	<b>2006 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06226T521938 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5874	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266T521537 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5865	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216T521588 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5875	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T521732 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5866	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06256T521691 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available	5876	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206T521758 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5867	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06216J612629 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5877	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T521790 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5868	<b>2006 Great Dane 7411T-SSL 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06266T521201 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5878	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T521231 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5869	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T521312 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5879	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J612551 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5870	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286T521376 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5880	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J612416 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5891	<b>2005 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W45L931138 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5881	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J610136 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5892	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W25L926441 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5882	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W45L926554 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5893	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W15L926527 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
5883	<b>2005 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W25L926469 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5894	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W25L931137 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5884	<b>2005 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W65L931142 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5895	<b>2005 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532WX5L931158 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5885	<b>2005 Wabash Van Trailer</b> S/N: 1JJV532W85L926377 Usage: Not Available	5896	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W95L926419 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
5886	<b>2005 Wabash Van Trailer</b> S/N: 1JJV532W35L926545 Usage: Not Available	5897	<b>2005 Great Dane 7711T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205D414654 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5887	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W45L926540 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5898	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255J610591 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5888	<b>2005 Wabash DVCVHPC 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W95L926534 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5899	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215J610412 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5889	<b>2005 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W25L931154 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5900	<b>2005 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06235J610556 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5890	<b>2005 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W55L926546 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5901	<b>2005 Great Dane 7711T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235D414664 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5911	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295J610562 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door Usage: Not Available
5902	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245J610646 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5912	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285D409881 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 11R22.5 Tires Usage: Not Available
5903	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235D409819 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5913	<b>2004 Stoughton ZPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53274S704101 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5904	<b>2005 Great Dane 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06225J610418 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5914	<b>2004 Stoughton ZPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53294S704326 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5905	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215D414663 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5915	<b>2004 Stoughton ZPVW-535-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53294S713303 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5906	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215J610488 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5916	<b>2004 Stoughton ZPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53214S704322 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5907	<b>2005 Great Dane 7411T-SSLX 53 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA06225D409777 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5917	<b>2004 Stoughton ZPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53274S704325 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5908	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295D414667 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	5918	<b>2004 Manac 53 ft x 96 in T/A Van Trailer</b> S/N: 2M592161X47093042 C/W: Spring Suspension, Swing Door, 295/75R22.5 Tires Usage: Not Available
5909	<b>2005 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06265J610616 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	5919	<b>2004 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161747093015 C/W: 73855 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5910	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295J610495 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5920	<b>2003 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592161337092992 C/W: 73855 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5929	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W13L835058 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5921	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W13L815618 C/W: Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5930	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W93L835051 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5922	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W53L815671 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5931	<b>2003 Wabash Van Trailer</b> S/N: 1JJV532W93L815639 Usage: Not Available
5923	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W53L835077 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	5932	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W13L835089 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available
5924	<b>2003 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W83L835137 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295 /75R22.5 Tires Usage: Not Available	5933	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W73L835131 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Aluminum Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available
5925	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W63L815467 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available	5934	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W43L835068 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Aluminum Floor, 295/75R22.5 Tires Usage: Not Available
5926	<b>2003 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W83L815552 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available	5935	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W93L815477 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available
5927	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W93L835020 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	5936	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W03L835066 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available
5928	<b>2003 Wabash Van Trailer</b> S/N: 1JJV532W73L835095 Usage: Not Available	5937	<b>2003 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W43L835054 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Aluminum Floor, Lift Gate, Swing Door, 295 /75R22.5 Tires Usage: Not Available
		5938	<b>2002 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W32L784208 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5939	<b>2002 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W32L784211 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5950	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W41L669812 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5940	<b>2002 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W62L815399 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5951	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX1L738518 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5941	<b>2002 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W42L815403 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Swing Door, 295/75R22.5 Tires Usage: Not Available	5952	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W41L669454 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5942	<b>2002 Wabash 53 ft x 96 in T/A Van Trailer</b> S/N: 1JJV532W02L815432 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5953	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W31L669588 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
5943	<b>2002 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592146527083319 C/W: Spring Suspension, Air Brakes, Side Skirts, Swing Door, 295/80R22.5 Tires Usage: Not Available	5954	<b>2001 Wabash DVCHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W61L738662 C/W: 60000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5944	<b>2002 Manac 53 ft x 102 in T/A Van Trailer</b> S/N: 2M592146327083366 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5955	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W91L738347 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5945	<b>2001 Wabash Unknown 53 ft T/A Van Trailer</b> S/N: 1JJV532W41L738465 Usage: Not Available	5956	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W61L737978 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5946	<b>2001 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W01L738429 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	5957	<b>2001 Wabash 53 ft T/A Van Trailer</b> S/N: 1JJV532W71L738220 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295/75R22.5 Tires Usage: Not Available
5947	<b>2001 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W21L738111 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295/75R22.5 Tires Usage: Not Available		
5948	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W81L669876 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available		
5949	<b>2001 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W11L669220 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5958	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532WX1L669572 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available	5966	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W21L669890 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5959	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W51L669480 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295 /75R22.5 Tires Usage: Not Available	5967	<b>2001 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W51L669608 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295 /75R22.5 Tires Usage: Not Available
5960	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W91L669160 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available	5968	<b>2001 Wabash Unknown 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W81L669554 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available
5961	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W51L669513 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door, 295 /75R22.5 Tires Usage: Not Available	5969	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W01L738317 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5962	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W91L669241 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	5970	<b>2001 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06241K235894 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
5963	<b>2001 Wabash Van Trailer</b> S/N: 1JJV532W61L669830 Usage: Not Available	5971	<b>2001 Great Dane 7411-TPS 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06271K239499 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
5964	<b>2001 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W81L738498 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	5972	<b>2001 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH119004398 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295 /75R22.5 Tires Usage: Not Available
5965	<b>2001 Wabash Van Trailer</b> S/N: 1JJV532W61L669696 Usage: Not Available	5973	<b>2001 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH018000994 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
		5974	<b>2000 Wabash DVCVHSA 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W4YL730487 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
5975	<b>2000 Great Dane 7311TP-S 53 ft x 96 in T/A Van Trailer</b> S/N: 1PNV532B5YG313725 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	5987	<b>2022 Vanguard MaxCube 48 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA4821NT201182 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5976	<b>2000 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2530YP395249 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Swing Door Usage: Not Available	5988	<b>2022 Vanguard MaxCube 48 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA4824NT201161 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5977	<b>2000 Vanco 53 ft x 102 in T/A Van Trailer</b> S/N: 1VVS5328YF013951 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5989	<b>2020 Vanguard MaxCube 48 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA4826LM005259 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
5978	<b>2000 Vanco Van Trailer</b> S/N: 1VVS5320YF013894 Usage: Not Available	5990	<b>2020 Vanguard MaxCube 48 ft x 102 in T/A Van Trailer</b> S/N: 5V8VA4822LM005257 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5979	<b>2000 Vanco 53 ft x 102 in T/A Van Trailer</b> S/N: 1VVS5329YF013800 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	5991	<b>2018 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XJBA08897 C/W: 70000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
5980	<b>2000 Dorsey 53 ft x 102 in T/A Van Trailer</b> S/N: 1DTV41Z2XYA278986 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/70R22.5 Tires Usage: Not Available	5992	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XHS763569 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5981	<b>2000 Dorsey 53 ft x 102 in T/A Van Trailer</b> S/N: 1DTV11Z29YA281791 C/W: 60000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	5993	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4827HS763609 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
5982	<b>2000 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH1Y6001044 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	5994	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4826HS763570 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5983	<b>2000 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH2Y6002705 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		
5984	<b>2000 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH0Y6006462 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		
5985	<b>1999 Lufkin Van Trailer</b> S/N: 1L01A5324X1140389 Usage: Not Available		
5986	<b>1998 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W9WL457124 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5995	<b>2017 Stoughton ZGPVW-485-T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4821HS763525 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6004	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XHS763586 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
5996	<b>2017 Stoughton 48 ft T/A Van Trailer</b> S/N: 1DW1A4825HS763530 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6005	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4829FB577955 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5997	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft T/A Van Trailer</b> S/N: 1DW1A4821HS763556 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6006	<b>2015 Stoughton Van Trailer</b> S/N: 1DW1A4820FB577908 Usage: Not Available
5998	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4829HS763577 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6007	<b>2015 Stoughton 48 ft T/A Van Trailer</b> S/N: 1DW1A4829FB577938 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
5999	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A4823HS763512 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6008	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XFB596479 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6000	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XHS763619 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6009	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4824FB596428 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6001	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A4822HS763517 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6010	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4827FB596522 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6002	<b>2017 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4820HS763533 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6011	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A4821FB596449 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6003	<b>2017 Stoughton Van Trailer</b> S/N: 1DW1A4826HS763536 Usage: Not Available	6012	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4822FB596542 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
6013	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A4829FB596425 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6023	<b>2008 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96298B702533 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6014	<b>2015 Stoughton 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4820FB596510 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6024	<b>2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96268B702554 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6015	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 96 in T/A Van Trailer</b> S/N: 1DW1A4820FB596538 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available	6025	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96287D424128 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6016	<b>2015 Stoughton ZGPVW-485T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4822FB577957 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6026	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96267D424094 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6017	<b>2015 Stoughton ZGPVW-485T-S-C 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4823FB577904 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6027	<b>2007 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96257D424183 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6018	<b>2015 Stoughton ZGPVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482XFB577947 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6028	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96227D425789 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Translucent Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6019	<b>2008 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W88L178721 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6029	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96297D424185 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6020	<b>2008 Wabash DVCVHPC Van Trailer</b> S/N: 1JJV482W48L178702 Usage: Not Available	6030	<b>2007 Great Dane 7411t-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96217D424214 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6021	<b>2008 Great Dane 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96288B702510 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6031	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96277D425769 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6022	<b>2008 Great Dane Van Trailer</b> S/N: 1GRAA96248B702567 Usage: Not Available		

Lot #	Details	Lot #	Details
6032	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96257D424233 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6041	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96237D425770 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6033	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96277D425688 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6042	<b>2007 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96207D424107 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6034	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96237D424098 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6043	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96297D424171 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6035	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96237D424232 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6044	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96297D425711 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available
6036	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962X7D424146 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6045	<b>2007 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96257D424099 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6037	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96207D424138 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 295 /75R22.5 Tires Usage: Not Available	6046	<b>2007 Great Dane 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96247D424160 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6038	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96297D425756 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6047	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96287D425733 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor Usage: Not Available
6039	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96237D425753 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6048	<b>2007 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962X7D425698 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6040	<b>2007 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96237D424120 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6049	<b>2007 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96217D425749 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6050	<b>2007 Great Dane 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96297D425787 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6060	<b>2005 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W85L905223 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6051	<b>2007 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96257D424250 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6061	<b>2005 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W15L905323 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6052	<b>2006 Wabash DVCVHPC 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482W66L989074 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6062	<b>2005 Wabash 48 ft T/A Van Trailer</b> S/N: 1JJV482W35L905307 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6053	<b>2006 Wabash Van Trailer</b> S/N: 1JJV482W46L988974 Usage: Not Available	6063	<b>2005 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W75L913815 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6054	<b>2006 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W16L988964 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6064	<b>2005 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W85L905335 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6055	<b>2006 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W26L989041 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6065	<b>2005 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W25L913818 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6056	<b>2006 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482WX6L988980 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6066	<b>2005 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W55L905227 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6057	<b>2006 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W06L989006 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6067	<b>2005 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W45L913819 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6058	<b>2006 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W36L988920 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	6068	<b>2005 Wabash DVCVHPC 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482W35L905291 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6059	<b>2006 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W46L989073 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6069	<b>2005 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962X5K263323 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6079	<b>2005 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96295K263202 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6070	<b>2005 Great Dane 7411T-SSL 48 ft T/A Van Trailer</b> S/N: 1GRAA962X5T513962 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, 11R22.5 Tires Usage: Not Available	6080	<b>2005 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96205K263234 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6071	<b>2005 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96235K263311 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6081	<b>2004 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96274K262208 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6072	<b>2005 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96245T513987 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 11R22.5 Tires Usage: Not Available	6082	<b>2004 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962X4K262347 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6073	<b>2005 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96205K263363 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6083	<b>2004 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96294K262338 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6074	<b>2005 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96265T513943 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	6084	<b>2004 Great Dane Van Trailer</b> S/N: 1GRAA96274T505591 Usage: Not Available
6075	<b>2005 (unverified) Great Dane 48 ft T/A Van Trailer</b> S/N: 1GRAA96295K263300 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6085	<b>2004 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962X4K262221 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6076	<b>2005 Great Dane 7411T-SSL 48 ft x 102 in Van Trailer</b> S/N: 1GRAA96215K263310 C/W: Spring Suspension, Air Brakes Usage: Not Available	6086	<b>2004 Great Dane 7411T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96214T505604 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6077	<b>2005 Great Dane 7411T-SSL 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96285K263319 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6087	<b>2004 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96294T505513 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6078	<b>2005 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96215K263159 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6088	<b>2004 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96204K262244 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6097	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W53L834625 C/W: 60000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6089	<b>2004 Great Dane 7411TO-S 48 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA96294K262226 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6098	<b>2003 Wabash DVCVHPC 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482W83L849698 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6090	<b>2004 Great Dane 7411TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96204K262342 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6099	<b>2003 Wabash DVDBHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W13L849591 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available
6091	<b>2004 Great Dane 7411TP-S 48 ft x 102 in Tri/A Van Trailer</b> S/N: 1GRAA96254K262322 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6100	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482WX3L849735 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6092	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W23L849583 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6101	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W43L849276 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6093	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W43L834650 C/W: Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	6102	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W83L849555 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6094	<b>2003 Wabash DVCVHPC 48 ft T/A Van Trailer</b> S/N: 1JJV482W53L834673 Usage: Not Available	6103	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W23L849647 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6095	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W03L849310 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6104	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W33L834798 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door Usage: Not Available
6096	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W23L834789 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6105	<b>2003 Wabash 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482W23L849566 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6106	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W73L849532 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6115	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W93L834787 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6107	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482WX3L849783 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6116	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W53L849528 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6108	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W23L834632 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6117	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W43L849374 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6109	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W83L849801 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6118	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W33L849429 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6110	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W73L849515 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6119	<b>2003 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W93L834773 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6111	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W63L834780 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6120	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W03L849808 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6112	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W43L849651 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6121	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482WX3L849444 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6113	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W73L849336 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6122	<b>2003 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W93L849340 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6114	<b>2003 Wabash 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482W63L849439 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6123	<b>2002 Strick 48 ft x 102 in T/A Van Trailer</b> S/N: 1S12E94832E491260 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6124	<b>2001 Strick 48 ft x 102 in T/A Van Trailer</b> S/N: 1S12E94861D466941 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6133	<b>2001 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96211K238286 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6125	<b>2001 Strick 48 ft x 102 in T/A Van Trailer</b> S/N: 1S12E94891D466965 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6134	<b>2001 Great Dane 48 ft T/A Van Trailer</b> S/N: 1GRAA96281K238284 Usage: Not Available
6126	<b>2001 Stoughton AVW-485T-S-C-AR 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A482X1S443206 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Swing Door, 295/75R22.5 Tires Usage: Not Available	6135	<b>2001 Great Dane 7311TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96271K238258 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6127	<b>2001 Fruehauf FBHLP 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482F61F728731 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6136	<b>2001 Great Dane 7311TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96271K237983 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6128	<b>2001 Great Dane 7311TP-S 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96231K237480 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6137	<b>2001 Trailmobile 48 ft T/A Van Trailer</b> S/N: 1PT01JPH618001302 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6129	<b>2001 Great Dane 48 ft T/A Van Trailer</b> S/N: 1GRAA96231K238273 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6138	<b>2000 Trailmobile 48 ft T/A Van Trailer</b> S/N: 1PT01JPH5Y8002368 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6130	<b>2001 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96241K237830 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6139	<b>2000 Dorsey AIDT-LS 48 ft x 102 in T/A Van Trailer</b> S/N: 1DTV41Z29YA278932 C/W: 67470 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6131	<b>2001 Great Dane 7311P 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96231K238208 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6140	<b>2000 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W6YL678263 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6132	<b>2001 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96241K237844 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6141	<b>2000 Wabash DVCVHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W7YL636801 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
		6142	<b>1999 Strick Van Trailer</b> S/N: 1S12E948XXD440450 Usage: Not Available

Lot #	Details	Lot #	Details
6143	<b>1999 Wabash DVDBHPC 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W4XL567970 C/W: Spring Suspension, Air Brakes, Roll-Up Door Usage: Not Available	6154	<b>1993 Wabash 48 ft T/A Van Trailer</b> S/N: 1JJV482Y1PL205743 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6144	<b>1998 Wabash FRP102 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482M9WL410237 C/W: Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	6155	<b>1993 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482M6PL182151 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6145	<b>1998 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482F2WF523611 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6156	<b>1991 Wabash Van Trailer</b> S/N: 1JJV482M8ML151334 Usage: Not Available
6146	<b>1998 Fruehauf 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482F1WF530467 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6157	<b>1989 Wabash Van Trailer</b> S/N: 1JJV482M9KL124785 Usage: Not Available
6147	<b>1998 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482F2WF530557 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	6158	<b>1987 Wabash 48 ft T/A Van Trailer</b> S/N: 1JJV482M1HL105513 Usage: Not Available
6148	<b>1997 Stoughton 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4825VS067617 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6159	<b>1987 Fruehauf 48 ft x 102 in T/A Van Trailer</b> S/N: 1H2V04829HH030637 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 11R24.5 Tires Usage: Not Available
6149	<b>1996 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482U1TL325159 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6160	<b>1987 Fruehauf Van Trailer</b> S/N: 1H2V04823HC002054 Usage: Not Available
6150	<b>1995 Wabash 48 ft T/A Van Trailer</b> S/N: 1JJV482U8SL227583 Usage: Not Available	6161	<b>1987 Fruehauf 48 ft x 102 in T/A Van Trailer</b> S/N: 1H2V04828HH008855 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6151	<b>1995 Strick Van Trailer</b> S/N: 1S12S8480SD395756 Usage: Not Available	6162	<b>1985 Fruehauf Van Trailer</b> S/N: 1H2V0482XFH043295 Usage: Not Available
6152	<b>1995 Trailmobile 48 ft x 102 in T/A Van Trailer</b> S/N: 1PTG1JAHXS9011267 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6163	<b>2016 Great Dane Van Trailer</b> S/N: 1GRAP9009GB702570 Usage: Not Available
6153	<b>1994 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482M9RL247349 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 11R22.5 Tires Usage: Not Available	6164	<b>2008 Wabash 45 ft x 96 in T/A Van Trailer</b> S/N: 1JJV452W28L132977 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
		6165	<b>2008 Wabash DVHDHPC 45 ft x 96 in T/A Van Trailer</b> S/N: 1JJV452W78L132991 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6166	<b>2006 Wabash DVHDHPC 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452W76L995206 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Roll-Up Door Usage: Not Available



Lot #	Details	Lot #	Details
6167	<b>2006 Wabash DVHDHPC 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452W46L995289 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6176	<b>1986 Wabash Van Trailer</b> S/N: 1JJV452C5GL105003 Usage: Not Available
6168	<b>2006 Wabash DVHDHPC 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452W26L995291 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6177	<b>2022 Vanguard VXP 40 ft x 102 in S/A Van Trailer</b> S/N: 5V8VC4015NM203265 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6169	<b>2005 Wabash 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452W05L924878 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6178	<b>2022 Vanguard VXP 40 ft x 102 in S/A Van Trailer</b> S/N: 5V8VC4019NM203267 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6170	<b>2003 Wabash DVCVHSA 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452W73L828789 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6179	<b>2022 Vanguard VXP 40 ft x 102 in S/A Van Trailer</b> S/N: 5V8VC4017NM203252 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Hardwood Floor, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6171	<b>2000 Strick 45 ft x 102 in T/A Van Trailer</b> S/N: 1S12S8459YD453314 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6180	<b>2022 Vanguard VXP 40 ft x 102 in S/A Van Trailer</b> S/N: 5V8VC4015NM203251 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6172	<b>2000 Dorsey AIDT-LSCG 45 ft x 102 in T/A Van Trailer</b> S/N: 1DTV41Z27YA279089 C/W: 67470 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6181	<b>2022 Vanguard VXP 40 ft x 102 in S/A Van Trailer</b> S/N: 5V8VC4017NM203266 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6173	<b>1999 Fruehauf FBHLP9 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452F7XF625972 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6182	<b>2018 Wabash DVCVHPC 40 ft x 102 in S/A Van Trailer</b> S/N: 1JJV401D2JL086947 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6174	<b>1999 Fruehauf 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452FXXF543220 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6183	<b>2018 Wabash 40 ft S/A Van Trailer</b> S/N: 1JJV401D0JL086946 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6175	<b>1999 Fruehauf 45 ft x 102 in T/A Van Trailer</b> S/N: 1JJV452F3XF543074 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	6184	<b>2018 Hyundai VC2400091-FJR 40 ft x 102 in S/A Van Trailer</b> S/N: 3H3V401C3JT868052 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6185	<b>2017 Stoughton ZGPVW-403T-S-C 40 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4029HS763705 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6194	<b>2006 Great Dane 40 ft Van Trailer</b> S/N: 1GRAA80206K278157 Usage: Not Available
6186	<b>2015 Stoughton ZGPVW-403T-S-C 40 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4027FS596208 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6195	<b>2006 Great Dane 40 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA802X6K278148 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes Usage: Not Available
6187	<b>2009 Wabash DVCVHPC 40 ft x 102 in S/A Van Trailer</b> S/N: 1JJV401WX9L285015 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6196	<b>2005 Great Dane 7411-SSLX 40 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA80145D410301 C/W: 40000 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6188	<b>2009 Wabash DVCVHPC 40 ft x 102 in S/A Van Trailer</b> S/N: 1JJV401W99L285104 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6197	<b>2005 Great Dane 40 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA80485D410361 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6189	<b>2009 Wabash 40 ft x 102 in S/A Van Trailer</b> S/N: 1JJV401W29L285106 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6198	<b>2005 Great Dane 7411-SSL 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80135D410287 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6190	<b>2008 Great Dane PSE-1213-02040 40 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA80268K296942 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6199	<b>2005 Great Dane 7411T-SSL 40 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA80465D410360 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Hardwood Floor, Lift Gate, 11R22.5 Tires Usage: Not Available
6191	<b>2006 Great Dane 7311TP-S 40 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA80246K278114 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6200	<b>2005 Great Dane 7411T-SSL 40 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA80485D410358 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6192	<b>2006 Great Dane 7311TP-S 40 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA80206K278109 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6201	<b>2005 Great Dane 7411-SSL 40 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA80185D410298 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6193	<b>2006 Great Dane 7311TP-S 40 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA80276K278110 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6202	<b>2005 Great Dane 40 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA80175D410311 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available
		6203	<b>2005 Great Dane Van Trailer</b> S/N: 1GRAA80435D410378 Usage: Not Available

Lot #	Details	Lot #	Details
6204	<b>2003 Wabash DVCVHPC 40 ft T/A Van Trailer</b> S/N: 1JJV402W93L843068 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6214	<b>2003 Great Dane 7411T-SSL100 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80293K247842 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, 11R22.5 Tires Usage: Not Available
6205	<b>2003 Wabash DVCVHPC 40 ft x 102 in T/A Van Trailer</b> S/N: 1JJV402W63L843058 C/W: Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6215	<b>2003 Great Dane 711T-SSL100 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80283K247816 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6206	<b>2003 Wabash DVCVHPC 40 ft T/A Van Trailer</b> S/N: 1JJV402W43L843057 Usage: Not Available	6216	<b>2001 Fruehauf 40 ft x 102 in T/A Van Trailer</b> S/N: 1JJV402F21F732079 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6207	<b>2003 Wabash DVCVHPC 40 ft x 102 in T/A Van Trailer</b> S/N: 1JJV402W93L843054 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6217	<b>1987 Fruehauf 40 ft x 96 in T/A Van Trailer</b> S/N: 1H2V0402XHH034501 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 11R24.5 Tires Usage: Not Available
6208	<b>2003 Wabash DVCVHPC 40 ft x 96 in T/A Van Trailer</b> S/N: 1JJV402W73L843053 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6218	<b>1966 Fruehauf 40 ft x 96 in T/A Van Trailer</b> S/N: FWG595223 C/W: Spring Suspension, Air Brakes Usage: Not Available
6209	<b>2003 Wabash 40 ft x 102 in T/A Van Trailer</b> S/N: 1JJV402W53L843066 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6219	<b>1965 Fruehauf 40 ft x 96 in T/A Van Trailer</b> S/N: FWF303319 C/W: Spring Suspension, Air Brakes Usage: Not Available
6210	<b>2003 Great Dane 7411T-SSL100 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80243K247828 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available	6220	<b>1965 Fruehauf SSVV9F240 40 ft T/A Van Trailer</b> S/N: FWF303305 C/W: Spring Suspension, Air Brakes, 10.00-22 Tires Usage: Not Available
6211	<b>2003 Great Dane 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80263K247894 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6221	<b>2019 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281D6KL091977 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, aluminum and hardwood combination., Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6212	<b>2003 Great Dane 40 ft Van Trailer</b> S/N: 1GRAA80233K247819 Usage: Not Available	6222	<b>2016 Wabash DVDBHPC 28 ft S/A Van Trailer</b> S/N: 1JJV281D0GL906276 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6213	<b>2003 Great Dane 7411T-SSL100 40 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA80293K247825 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, 275/80R22.5 Tires Usage: Not Available	6223	<b>2015 Stoughton 28 ft S/A Van Trailer</b> S/N: 1DW1A2814FS620741 Usage: Not Available
		6224	<b>2014 Stoughton 28 ft S/A Van Trailer</b> S/N: 1DW1A2810EB457665 Usage: Not Available

Lot #	Details	Lot #	Details
6225	<b>2014 Stoughton 28 ft S/A Van Trailer</b> S/N: 1DW1A2813EB457885 Usage: Not Available	6235	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W39L285992 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, 275 /80R22.5 Tires Usage: Not Available
6226	<b>2014 Stoughton 28 ft S/A Van Trailer</b> S/N: 1DW1A2816EB457668 Usage: Not Available	6236	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W19L285988 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6227	<b>2009 Great Dane CPL-3311-02023 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAP56109K208951 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	6237	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W39L286124 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
6228	<b>2009 Great Dane CPL-3311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAP56169K208940 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6238	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W69L286022 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6229	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W79L286255 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6239	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W09L285920 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
6230	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W69L286151 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6240	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W49L286049 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6231	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W89L286233 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6241	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W89L286250 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6232	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W59L286142 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6242	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX9L286072 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6233	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W59L286173 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6243	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W29L285966 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available
6234	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W49L286102 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6244	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W39L286169 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6253	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W39L285958 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6245	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W49L285872 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available	6254	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W29L286275 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6246	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W49L285905 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	6255	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W39L286110 C/W: Spring Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6247	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W99L285866 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6256	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W29L286244 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6248	<b>2009 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W89L285843 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6257	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W49L286116 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, 295 /75R22.5 Tires Usage: Not Available
6249	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W99L286242 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6258	<b>2009 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281W49L286245 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6250	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W99L286273 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6259	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W09L286193 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6251	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W89L286104 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6260	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W59L286237 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6252	<b>2009 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W29L285935 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6261	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L108877 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6262	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L108959 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6271	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L109349 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6263	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L108807 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6272	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109020 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 275/80R22.5 Tires Usage: Not Available
6264	<b>2008 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W08L108833 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6273	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L109841 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6265	<b>2008 Wabash 28 ft Van Trailer</b> S/N: 1JJV281W58L108780 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6274	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L109399 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6266	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L109045 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6275	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L108865 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6267	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W18L108999 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6276	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L108964 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6268	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W78L109090 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6277	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W78L109011 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6269	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L108806 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6278	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W58L109024 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6270	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L109049 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6279	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L109174 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6280	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109230 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6289	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L108963 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6281	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W58L109427 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6290	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L109018 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6282	<b>2008 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W68L109100 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6291	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L109089 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6283	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109145 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6292	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W58L108892 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6284	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L108935 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6293	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109227 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available
6285	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109415 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6294	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L109306 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6286	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L109434 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6295	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L108901 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6287	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L108869 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6296	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W38L109099 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6288	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L108884 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6297	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109379 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6306	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L109486 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood with Aluminum Strips, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6298	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109291 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6307	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W78L109543 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, Aluminum Roof, wood with aluminum, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6299	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109193 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6308	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L108978 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6300	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L109255 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6309	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109141 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6301	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109423 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6310	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W58L109735 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
6302	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109088 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6311	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W58L108777 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6303	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W28L109627 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6312	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L109528 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6304	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W38L109071 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6313	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109601 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
6305	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109513 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available		



Lot #	Details	Lot #	Details
6314	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L108967 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6323	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L109578 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6315	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109012 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6324	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W48L109872 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6316	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W98L109527 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6325	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W38L109894 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6317	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L109688 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6326	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L108840 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6318	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109924 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6327	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX8L109777 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6319	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109789 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6328	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W18L109604 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6320	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W18L109568 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6329	<b>2008 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281W28L109935 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6321	<b>2008 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W38L109460 C/W: Spring Suspension, Air Brakes, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6330	<b>2008 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109549 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6322	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W68L109615 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6331	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W38L109510 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6340	<b>2007 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281WX7L988535 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6332	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W88L109759 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6341	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L050780 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6333	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W08L109495 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6342	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W27L046091 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available
6334	<b>2008 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W18L109750 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6343	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L046100 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6335	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L046120 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6344	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L050720 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6336	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050953 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6345	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W97L046072 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6337	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988740 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6346	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L988438 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6338	<b>2007 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W27L050979 Usage: Not Available	6347	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W57L988605 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6339	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L988360 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6348	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988667 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6358	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988396 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6349	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988587 C/W: 40000 lb GVWR, Air Brakes, 275/80R22.5 Tires Usage: Not Available	6359	<b>2007 Wabash DVDBHPC 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281W07L988401 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6350	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988409 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6360	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988539 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6351	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W47L988613 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	6361	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L988356 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6352	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W47L988417 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6362	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L988259 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6353	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L988368 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6363	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L988503 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6354	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988636 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6364	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988556 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6355	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988430 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6365	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988429 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6356	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W47L988420 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available		
6357	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050869 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes Usage: Not Available		

Lot #	Details	Lot #	Details
6366	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W97L988655 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6375	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L050937 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, hardwood floor with steel insert, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6367	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L988324 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6376	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L988678 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6368	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988331 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6377	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L051009 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6369	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988382 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6378	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W47L988711 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6370	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W37L046150 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6379	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W97L050879 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6371	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W27L051002 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6380	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050919 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6372	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W27L988710 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6381	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L988715 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6373	<b>2007 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W87L050890 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6382	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W97L050929 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6374	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L051004 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6383	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988671 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6384	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L046019 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	6394	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L988468 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6385	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L050821 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6395	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988432 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6386	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W47L046061 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	6396	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050998 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6387	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L050802 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6397	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988300 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available
6388	<b>2007 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W17L046180 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6398	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988489 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6389	<b>2007 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W07L046140 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6399	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L988436 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6390	<b>2007 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W07L050740 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6400	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L988651 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6391	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L050809 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6401	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX7L988521 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available
6392	<b>2007 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W77L988461 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6402	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050872 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6393	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L988541 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6403	<b>2007 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W07L050883 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Ramp, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6411	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L050730 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6404	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W87L050808 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6412	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L045997 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6405	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L988642 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6413	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W97L050722 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6406	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W67L050788 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6414	<b>2007 Great Dane 7411-SSLW 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56157K291680 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6407	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L046039 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6415	<b>2006 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W59L286125 Usage: Not Available
6408	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W17L046115 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6416	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L986787 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6409	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W07L050723 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6417	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L965370 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6410	<b>2007 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W57L046036 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6418	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L986926 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6419	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L986832 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6420	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L965305 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6429	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L958076 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6421	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L986786 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6430	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L988046 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6422	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L987928 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6431	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L958172 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6423	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L986950 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	6432	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W46L987878 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6424	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L988105 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6433	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L987922 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6425	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L988239 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6434	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L987751 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6426	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L987890 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6435	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L958224 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6427	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958132 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6436	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L987753 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6428	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958261 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts Usage: Not Available	6437	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L988034 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
		6438	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L958091 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6439	<b>2006 Wabash DVDBHPC 28 ft x 102 in Van Trailer</b> S/N: 1JJV281W86L958206 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6448	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958292 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6440	<b>2006 Wabash DVCBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958258 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6449	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L987888 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6441	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L958116 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6450	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L988008 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6442	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L958251 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6451	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L988214 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6443	<b>2006 Wabash DVCBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L958303 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6452	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L987690 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6444	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L958351 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6453	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L987966 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6445	<b>2006 Wabash DVCBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L987829 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6454	<b>2006 Wabash DVCBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L958238 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6446	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L987887 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6455	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L958367 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6447	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L987904 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available		



Lot #	Details	Lot #	Details
6456	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L958108 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6465	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L988197 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6457	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L958215 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6466	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L988122 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6458	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958339 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6467	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L988204 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6459	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L987949 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6468	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L987664 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6460	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L987959 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6469	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L987672 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6461	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L987738 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6470	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L958154 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6462	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L987988 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6471	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L958342 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6463	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L988164 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6472	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L987695 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6464	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L988031 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6473	<b>2006 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W86L987883 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6474	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L988217 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6482	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L986944 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6475	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L958306 C/W: Aluminum Frame, Spring Suspension, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6483	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L986967 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6476	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L987948 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6484	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L987744 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6477	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L958081 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available	6485	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L987931 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6478	<b>2006 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281W26L958332 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6486	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L988074 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6479	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L987720 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6487	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L958094 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6480	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L987752 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6488	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L988010 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6481	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L988115 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6489	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L958066 C/W: 40000 lb GVWR, Air Ride Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
		6490	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L988009 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6491	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L988088 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6500	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L958293 C/W: Aluminum Frame, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available
6492	<b>2006 Wabash DVDBHPC 28 ft S/A Van Trailer</b> S/N: 1JJV281W26L958086 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6501	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L974310 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6493	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L958366 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6502	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L958097 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6494	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L986761 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6503	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L958240 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6495	<b>2006 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281WX6L974312 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6504	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L958209 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6496	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L987869 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6505	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L958383 C/W: 40000 lb GVWR, Lunette Ring Hitch, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6497	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L958328 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6506	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L987936 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6498	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L958145 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6507	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L988082 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6499	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L958120 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6508	<b>2006 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W66L958270 Usage: Not Available
		6509	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L987691 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6510	<b>2006 Wabash DVDBHPC 28 ft T/A Van Trailer</b> S/N: 1JJV281W96L987746 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6519	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L986851 C/W: 40000 lb GVWR, Aluminum Frame, Spring Suspension, 295/75R22.5 Tires Usage: Not Available
6511	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L988076 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6520	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L988133 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6512	<b>2006 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281W56L988201 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6521	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L987722 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6513	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L988234 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6522	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L987916 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6514	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L986850 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6523	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L988177 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6515	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W36L986852 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6524	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L986968 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6516	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W76L958357 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6525	<b>2006 Wabash DVDBHPC 28 ft x 102 in Van Trailer</b> S/N: 1JJV281W36L965287 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6517	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L987761 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6526	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L986877 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6518	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L958134 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6527	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L986917 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6536	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W26L965278 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6528	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W46L986827 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6537	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W56L965212 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6529	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W96L965259 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6538	<b>2006 Wabash 28 ft Van Trailer</b> S/N: 1JJV281W76L965311 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6530	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W66L965252 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6539	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L965401 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6531	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W06L986825 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor Usage: Not Available	6540	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W16L986817 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6532	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L986829 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6541	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W45L913651 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6533	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L965298 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6542	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W35L913124 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6534	<b>2006 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX6L986900 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6543	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W05L913520 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6535	<b>2006 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W86L965351 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6544	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W25L913003 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6545	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W35L912992 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6546	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W05L913128 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6556	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W95L913595 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6547	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W85L913085 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Side Skirts Usage: Not Available	6557	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L912906 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6548	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX5L913329 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6558	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W75L913062 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available
6549	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W15L913400 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6559	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W85L912907 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6550	<b>2005 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W05L913002 Usage: Not Available	6560	<b>2005 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W55L912945 Usage: Not Available
6551	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L913344 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6561	<b>2005 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W65L913148 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6552	<b>2005 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W25L913423 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor Usage: Not Available	6562	<b>2005 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W15L913168 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6553	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W55L913500 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6563	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L913294 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6554	<b>2005 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281WX5L913203 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available	6564	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W85L913345 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6555	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W35L913298 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6565	<b>2005 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281WX5L913461 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6574	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W55L913254 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6566	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX5L912987 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available	6575	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L912954 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6567	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W75L913014 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6576	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W75L913210 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6568	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W95L913628 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6577	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W05L913498 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6569	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W15L912943 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6578	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W85L912924 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6570	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W45L913018 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6579	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W75L913451 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6571	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L913005 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch Usage: Not Available	6580	<b>2005 (unverified) Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W85L913488 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6572	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L913361 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6581	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W95L913290 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6573	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W45L913021 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6582	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W35L912944 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6583	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W65L913067 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6592	<b>2005 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56195K270702 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6584	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX5L913587 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/80R22.5 Tires Usage: Not Available	6593	<b>2005 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56195K264141 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6585	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W85L913295 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6594	<b>2005 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56155K270700 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6586	<b>2005 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W25L913387 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6595	<b>2005 Great Dane 28 ft S/A Van Trailer</b> S/N: 1GRAA56185K270660 Usage: Not Available
6587	<b>2005 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W75L913112 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6596	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L870809 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6588	<b>2005 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56145K270686 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6597	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883375 C/W: Spring Suspension, Air Brakes, 295 /75R22.5 Tires Usage: Not Available
6589	<b>2005 Great Dane 7411P-SW 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56175K271007 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6598	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L870881 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6590	<b>2005 Great Dane 7411-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56135K264281 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 11R22.5 Tires Usage: Not Available	6599	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883487 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6591	<b>2005 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56185K270688 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6600	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L900448 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available
		6601	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L900431 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6602	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L883250 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
6603	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L887218 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available	6612	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L870851 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6604	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L887375 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6613	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L887092 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6605	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L887210 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Aluminum Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6614	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L887085 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6606	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L887165 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6615	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L887383 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6607	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L887322 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6616	<b>2004 Wabash DVDBHPC 28 ft x 102 in Van Trailer</b> S/N: 1JJV281W54L887107 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available
6608	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L887067 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, Aluminum Roof, Aluminum Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6617	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L860200 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6609	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L887186 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6618	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L887355 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Aluminum Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6610	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L887296 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6619	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L887205 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6611	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W04L887242 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6620	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L887358 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6621	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L887012 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6631	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L870730 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6622	<b>2004 Wabash 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W54L870775 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6632	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L870793 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6623	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W04L870697 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6633	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883473 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6624	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L870796 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6634	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883559 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6625	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L870715 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6635	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883304 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6626	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W04L883286 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6636	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L883334 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6627	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L900315 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6637	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281WX4L900465 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 41 in Forks, Side Shift, Load Weigh System, US EPA Label, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: Not Available
6628	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883562 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6638	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L870704 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6629	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L883544 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6639	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L883440 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6630	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W04L900345 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6640	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L883419 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6649	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W24L900444 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6641	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L860324 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6650	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L860295 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6642	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L883698 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6651	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L870797 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6643	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L860284 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6652	<b>2004 Wabash DVDBHPC 28 ft S/A Van Trailer</b> S/N: 1JJV281W54L860263 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available
6644	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L870728 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6653	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W94L883772 Usage: Not Available
6645	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L883424 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6654	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L900420 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6646	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883741 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6655	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L870886 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6647	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L900429 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6656	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W84L883679 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6648	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L860293 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6657	<b>2004 Wabash 28 ft T/A Van Trailer</b> S/N: 1JJV281WX4L883330 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6658	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L883818 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6659	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W04L883398 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6667	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L883469 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6660	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883716 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6668	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883828 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6661	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L900516 C/W: Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6669	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883626 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6662	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L870709 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6670	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L883839 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6663	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L883426 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6671	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L860294 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6664	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L860261 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6672	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L883728 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available
6665	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L870681 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6673	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W04L900491 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6666	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L883337 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, 295/75R22.5 Tires Usage: Not Available	6674	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L870887 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6675	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L883284 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
		6676	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L900414 C/W: 40000 lb GVWR, Spring Suspension, Translucent Roof, Wood with aluminum strips, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6677	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L883492 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available	6687	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L883590 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6678	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L870742 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6688	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W44L883243 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6679	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L870788 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6689	<b>2004 Wabash DVDBHPC 28 ft x 102 in Van Trailer</b> S/N: 1JJV281WX4L883747 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6680	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W74L883298 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available	6690	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L883414 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6681	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L883345 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6691	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L883817 C/W: Spring Suspension, Air Brakes, 295 /75R22.5 Tires Usage: Not Available
6682	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L870801 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6692	<b>2004 Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W44L883307 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available
6683	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L883308 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6693	<b>2004 Wabash Van Trailer</b> S/N: 1JJV281W54L900308 Usage: Not Available
6684	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX4L883313 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6694	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L883659 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door Usage: Not Available
6685	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W64L883549 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6695	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L883798 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6686	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L883314 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available	6696	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L900418 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6697	<b>2004 (unverified) Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L883822 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295 /75R22.5 Tires Usage: Not Available	6707	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L887106 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6698	<b>2004 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W14L870756 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Ringfeder, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6708	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W84L887179 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6699	<b>2004 (unverified) Wabash 28 ft S/A Van Trailer</b> S/N: 1JJV281W24L883421 C/W: 22000 lb GVWR, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6709	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56174K257414 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6700	<b>2004 Wabash DVDBHPC Van Trailer</b> S/N: 1JJV281W34L887204 Usage: Not Available	6710	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56154K257489 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6701	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W34L887378 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, aluminum and wood., Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6711	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56124K257837 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6702	<b>2004 (unverified) Wabash DVDBHPC 28 ft Van Trailer</b> S/N: 1JJV281W54L887317 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Aluminum Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6712	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257562 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6703	<b>2004 Wabash DVDBHPC Van Trailer</b> S/N: 1JJV281W14L887346 Usage: Not Available	6713	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56134K257734 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6704	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W24L887033 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6714	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257853 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6705	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W54L887124 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available	6715	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56164K257520 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6706	<b>2004 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W94L887384 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6716	<b>2004 Great Dane 28 ft S/A Van Trailer</b> S/N: 1GRAA561X4K257729 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6725	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA561X4K257438 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6717	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56194K257432 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6726	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56144K257774 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 275/80R22.5 Tires Usage: Not Available
6718	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1GRAA56104K257786 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6727	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56194K257639 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6719	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56174K257428 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6728	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56114K257666 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6720	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56154K257475 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6729	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257755 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6721	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56134K257698 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6730	<b>2004 Great Dane Van Trailer</b> S/N: 1GRAA56174K257381 Usage: Not Available
6722	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56174K257767 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6731	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257464 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6723	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257500 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6732	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257383 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6724	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA561X4K257827 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6733	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257318 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
		6734	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56114K257795 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
		6735	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56174K257574 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6736	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56104K257643 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6745	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56194K257690 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6737	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56184K257731 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6746	<b>2004 Great Dane 7411-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56184K255574 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6738	<b>2004 Great Dane 7411P-S 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56174K257378 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6747	<b>2004 Great Dane 7411-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56144K255538 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Lift Gate, Roll-Up Door, 11R22.5 Tires Usage: Not Available
6739	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56144K257273 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6748	<b>2004 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56163K246595 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6740	<b>2004 Great Dane 7411P-S 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56174K257526 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6749	<b>2004 Stoughton ZPVW-285S 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A28194S707998 C/W: 42000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6741	<b>2004 Great Dane 7411P-S 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56124K257773 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6750	<b>2004 Stoughton 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A28194S707970 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6742	<b>2004 Great Dane 7411P-S 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56134K257345 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80/R 22.5 Tires Usage: Not Available	6751	<b>2004 Stoughton Unknown 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A28164S707943 C/W: 42000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6743	<b>2004 Great Dane 7411P-S 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56104K257657 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available	6752	<b>2004 Stoughton ZPVW-285S 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A28144S707908 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6744	<b>2004 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56134K257510 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 275 /80R22.5 Tires Usage: Not Available	6753	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W23L834363 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
6754	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W53L860116 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6763	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W53L834552 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6755	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W23L860056 C/W: 40000 kg GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6764	<b>2003 Wabash DVDBHPC 28 ft S/A Van Trailer</b> S/N: 1JJV281W93L834277 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available
6756	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX3L834563 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6765	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W13L834287 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6757	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W63L834527 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6766	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W43L834302 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6758	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W83L834495 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6767	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W73L834553 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6759	<b>2003 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W83L834478 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6768	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W53L834387 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6760	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W63L834494 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6769	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W43L860060 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6761	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX3L834532 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6770	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W13L860114 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6762	<b>2003 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W13L834354 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6771	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX3L860080 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6772	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W63L860111 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6781	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56173K248226 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6773	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W03L860038 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6782	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56153K246569 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6774	<b>2003 Wabash 28 ft x 96 in Van Trailer</b> S/N: 1JJV281W53L834373 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6783	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56163K246497 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6775	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281W33L834565 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6784	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56143K246501 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6776	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W23L834587 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6785	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56163K248217 C/W: 34000 lb GVWR, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6777	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Lead Van Trailer</b> S/N: 1JJV281WX3L834420 C/W: Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6786	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56173K246637 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6778	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W43L834560 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6787	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56123K246576 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6779	<b>2003 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W93L834456 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6788	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56193K246722 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6780	<b>2003 Great Dane 7411P-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56103K246947 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6789	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56133K246506 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6790	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56103K246849 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6799	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56113K246505 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6791	<b>2003 Great Dane 7411P-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56153K246930 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6800	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56103K246575 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6792	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56183K248185 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6801	<b>2003 Great Dane 7411P-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56143K246952 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6793	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56103K246916 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6802	<b>2003 Great Dane 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1GRAA56193K248194 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6794	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56173K246783 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6803	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56173K246587 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6795	<b>2003 Great Dane 7311P 28 ft x 96 in S/A Van Trailer</b> S/N: 1GRAA56153K246832 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6804	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA561X3K246664 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6796	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56163K246791 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6805	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56183K246789 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6797	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56103K246835 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6806	<b>2003 Great Dane 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56113K246553 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6798	<b>2003 Great Dane 74311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56153K246815 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6807	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56193K246879 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
		6808	<b>2003 Great Dane 7411P-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56183K246968 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6809	<b>2003 Great Dane 7411P-SSL 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56143K246904 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6820	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F92F778757 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6810	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56113K246598 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6821	<b>2002 Fruehauf 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1JJV281F42F778715 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6811	<b>2003 Great Dane 7311P 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56153K246586 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6822	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F22F778969 C/W: 50000 lb GVWR, Spring Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6812	<b>2003 Great Dane 7311P 28 ft x 102 in S/A A-Train Lead Van Trailer</b> S/N: 1GRAA56163K248198 C/W: 34000 lb GVWR, Air Ride Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6823	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F42F778956 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6813	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F02F778775 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6824	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F42F779038 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6814	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281FX2F779027 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6825	<b>2002 Fruehauf 28 ft Van Trailer</b> S/N: 1JJV281FX2F779092 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Translucent Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6815	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281FX2F778735 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6826	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F32F778950 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available
6816	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F62F778991 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6827	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F52F779162 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6817	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F02F778839 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6828	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F32F778771 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6818	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F62F779090 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available	6829	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F62F778912 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6819	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F72F778921 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6830	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F92F779066 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6831	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F22F778910 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6841	<b>2001 Fruehauf 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281F41F770144 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6832	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F02F778694 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6842	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F91F770608 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6833	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F62F778862 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6843	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F71F770493 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6834	<b>2002 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F42F778875 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 275/80R22.5 Tires Usage: Not Available	6844	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F61F770484 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6835	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F11F770621 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6845	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F21F770577 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available
6836	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F71F770400 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6846	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281FX1F770357 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6837	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F41F770225 C/W: 50000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6847	<b>2001 Wabash DVCVHSA 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W61F731314 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6838	<b>2001 Fruehauf 28 ft Van Trailer</b> S/N: 1JJV281F51F770427 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6848	<b>2001 Wabash DVDVHSA 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W31F730959 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6839	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F71F770204 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6849	<b>2001 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W51F731403 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6840	<b>2001 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F51F770489 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6850	<b>2001 Wabash DVCVHSA 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W51F731062 C/W: 50000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
		6851	<b>2001 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W01L745811 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6852	<b>2001 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281WX1L745752 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6861	<b>1999 Wabash FBBLP 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F2XF541244 C/W: 35000 lb GVWR, Spring Suspension, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available
6853	<b>2000 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W7YL716204 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6862	<b>1999 (unverified) Fruehauf 28 ft Van Trailer</b> S/N: 1JJV281F3XF540877 C/W: 35000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6854	<b>2000 Wabash DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281W2YL632307 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6863	<b>1998 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F8WF456665 C/W: 35000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Translucent Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6855	<b>2000 Fruehauf FBBH 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F7YF704794 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6864	<b>1998 Fruehauf FBBLP 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F1WF456510 C/W: 35000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available
6856	<b>2000 Fruehauf FBBH 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F7YF704519 C/W: 50000 lb GVWR, Spring Suspension, Pintle Hitch, Aluminum Roof, Hardwood Floor, Side Skirts, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6865	<b>1998 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F4WF456386 C/W: 35000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 275/80R22.5 Tires Usage: Not Available
6857	<b>2000 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281FXF704272 C/W: 35000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6866	<b>1998 Wabash 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F5WF456526 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6858	<b>2000 Fruehauf FBBH 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F6YF704771 C/W: 50000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Roof, Hardwood Floor, Roll-Up Door, 295/75R22.5 Tires Usage: Not Available	6867	<b>1993 Pines Van Trailer</b> S/N: 1PNE281F6PKB49541 Usage: Not Available
6859	<b>2000 Fruehauf FBBH 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F7YF704469 C/W: 50000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Roof, Hardwood Floor, 295/75R22.5 Tires Usage: Not Available	6868	<b>1987 Pines DVDBHPC 28 ft x 102 in S/A Van Trailer</b> S/N: 1PND281S6HKA29555 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes Usage: Not Available
6860	<b>1999 Fruehauf FBBLP8 28 ft x 102 in S/A Van Trailer</b> S/N: 1JJV281F0XF540514 C/W: 35000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6869	<b>1978 Fruehauf 28 ft x 102 in S/A Van Trailer</b> S/N: MEZ560518 C/W: 38000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
		6870	<b>1978 Fruehauf 28 ft S/A Van Trailer</b> S/N: MEY545426 C/W: 38000 lb GVWR, Spring Suspension, Air Brakes, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6871	<b>1977 Trailmobile D71A-1AAP 27 ft x 96 in S/A Van Trailer</b> S/N: P95566 C/W: Spring Suspension, Air Brakes, 295 /75R22.5 Tires Usage: Not Available	6880	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759252 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5864.4 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, 177 in Wheelbase, Dual Fuel Tanks Usage: 5,864 Mi
6872	<b>1969 Fruehauf Van Trailer</b> S/N: MEK782182 Usage: Not Available	6881	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND758638 Usage: 51,763 Mi
6873	<b>2018 Stoughton 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1DW1A5326JSA09350 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6882	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9ND758627 Usage: 53,119 Mi
6874	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1JJV532W49L312688 C/W: Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6883	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND758600 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 65,335 Mi
6875	<b>2009 Wabash 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1JJV532W29L312950 C/W: Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6884	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND758649 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 347000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Trac Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 71,671 Mi
6876	<b>2007 Wabash 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1JJV532W17L051386 C/W: Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6885	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759245 Usage: 84,085 Mi
6877	<b>2006 Wabash 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1JJV532W56L987591 C/W: Spring Suspension, Air Brakes, 295 /75R22.5 Tires Usage: Not Available	6886	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759165 Usage: 86,550 Mi
6878	<b>2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer (Inoperable)</b> S/N: 1JJV532W86L000806 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6887	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759422 Usage: 88,718 Mi
6879	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4ND759104 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4873.5 Engine hrs, Engine Brake, Paccar PO16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS3316 Drive Axles, 260:1 Axle Ratio, 32700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Trac Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 4,873 Hr	6888	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND758611 Usage: 92,535 Mi
		6889	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759286 Usage: 99,929 Mi

Lot #	Details	Lot #	Details
6890	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9ND759423 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 26920 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 118,284 Mi	6904	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9ND759325 Usage: 160,051 Mi
6891	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4ND758602 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 3741 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 120,736 Mi	6905	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759238 Usage: 160,498 Mi
6892	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759358 Usage: 125,164 Mi	6906	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759419 C/W: Paccar MX-13 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 3548 Engine hrs, 295/75R22.5, Air Trac Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 161,189 Mi
6893	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759259 Usage: 137,958 Mi	6907	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759192 Usage: 161,700 Mi
6894	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759160 Usage: 139,817 Mi	6908	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759102 Usage: 163,111 Mi
6895	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759119 Usage: 140,290 Mi	6909	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759336 Usage: 164,506 Mi
6896	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759355 Usage: 141,889 Mi	6910	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759371 Usage: 164,902 Mi
6897	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759294 Usage: 144,822 Mi	6911	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759330 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, 6074.4 Engine hrs, Digital Mirrors, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 153 in Wheelbase Usage: 164,905 Mi
6898	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759284 Usage: 147,352 Mi	6912	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759394 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 3855 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 169,236 Mi
6899	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759218 Usage: 147,713 Mi	6913	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759320 Usage: 169,753 Mi
6900	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9ND759311 Usage: 147,918 Mi		
6901	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759354 Usage: 153,404 Mi		
6902	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759269 Usage: 158,425 Mi		
6903	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759126 Usage: 159,241 Mi		



Lot #	Details	Lot #	Details
6914	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759273 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 3919.6 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 169,873 Mi	6920	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759253 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, CARB Compliant, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 189,789 Mi
6915	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1ND759402 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 3869 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 173,658 Mi	6921	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759391 Usage: 196,331 Mi
6916	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759380 Usage: 174,447 Mi	6922	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759133 Usage: 197,095 Mi
6917	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759225 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 3950 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 179,660 Mi	6923	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759226 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5572.5 Engine hrs, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase Usage: 201,345 Mi
6918	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759276 Usage: 184,235 Mi	6924	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759283 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 206,721 Mi
6919	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759365 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4436.5 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 188,222 Mi	6925	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759249 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4805.5 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor Drive Axles, 2.60:1 Axle Ratio, 34700 lb GVWR, 295/75R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 211,688 Mi
		6926	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1ND759111 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4766.8 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 215,830 Mi

Lot #	Details	Lot #	Details
6927	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759251 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 35700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Trac Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 226,991 Mi	6932	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4ND759281 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5221 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 233,455 Mi
6928	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759399 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 5050 Engine hrs, 295/75R22.5, Air Trac Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 227,692 Mi	6933	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1ND759318 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5256 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 236,123 Mi
6929	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759265 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5099.2 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 227,922 Mi	6934	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759338 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 236,688 Mi
6930	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759107 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5269 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 228,684 Mi	6935	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759103 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5396.6 Engine hrs, Digital Mirrors, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor Drive Axles, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, Auxiliary Power Unit, 295/75R22.5, Air Trac Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 239,876 Mi
6931	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759324 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Trac Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 229,839 Mi	6936	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759188 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Air Conditioner, Cruise Control, Power Windows, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Trac Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 243,275 Mi

Lot #	Details	Lot #	Details
6937	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXND759110 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5373.2 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 245,685 Mi	6942	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759162 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5693.3 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Paccar Drive Axles, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 253,367 Mi
6938	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759296 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5549 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 247,644 Mi	6943	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759347 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5, Air Trac Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 261,616 Mi
6939	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4ND759183 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5554 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 248,510 Mi	6944	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5ND759127 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Paccar Drive Axles, 34700 lb GVWR, Air Ride Cab, 5821 Engine hrs, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 261,676 Mi
6940	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X6ND759203 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5666 Engine hrs, Engine Brake, Paccar PO16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 249,858 Mi	6945	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759100 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5662.4 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 261,793 Mi
6941	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759360 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Trac Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 252,456 Mi	6946	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1ND759108 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Digital Mirrors, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 262,472 Mi

Lot #	Details	Lot #	Details
6947	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8ND759123 C/W: Paccar MX-13 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5, Air Trac Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 271,815 Mi	6952	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7ND759128 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Air Conditioner, Cruise Control, Power Windows, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Trac Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: Not Available
6948	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0ND759097 C/W: 6 Cylinder 12.9 L Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6271.7 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 288,571 Mi	6953	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4ND759376 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Air Conditioner, Cruise Control, Power Windows, Engine Brake, Automated Transmission, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Trac Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: Not Available
6949	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759191 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4651.5 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, 295 /75R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 311,940 Mi	6954	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3ND759353 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5029.2 Engine hrs, Engine Brake, Eaton Fuller PO16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, Paccar Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: Not Available
6950	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9ND759289 C/W: Paccar MX-13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5256.6 Engine hrs, Engine Brake, Paccar PO16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS231 Drive Axles, 260:1 Axle Ratio, 32700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Trac Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 365,954 Mi	6955	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXMD759087 Usage: 56,999 Mi
6951	<b>2022 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2ND759246 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, Dual Fuel Tanks Usage: Not Available	6956	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0MD758983 Usage: 57,150 Mi
		6957	<b>2021 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0MD758997 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 4613 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 114,913 Mi
		6958	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8MD759007 Usage: 126,466 Mi
		6959	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3MD758976 Usage: 138,677 Mi

Lot #	Details	Lot #	Details
6960	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3MD759075 Usage: 145,028 Mi	6967	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0JD481635 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Paccar Drive Axles, 34700 lb GVWR, 275/80R22.5, Air Trac Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 413,702 Mi
6961	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7MD758558 Usage: 161,862 Mi	6968	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3JD484528 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10140.7 Engine hrs, Digital Mirrors, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 434,852 Mi
6962	<b>2021 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X4MD759022 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 4641 Engine hrs, Engine Brake, Paccar PO-16F112C 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 174,332 Mi	6969	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5JD484532 Usage: 461,558 Mi
6963	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1MD759012 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Paccar PO-16F112C Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Trac Air Ride Suspension, 177 in Wheelbase Usage: 214,779 Mi	6970	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X9JD486977 Usage: 470,391 Mi
6964	<b>2021 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8XXMD759073 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 5193.9 Engine hrs, Engine Brake, Paccar PO-16F112C Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 177 in Wheelbase Usage: 234,909 Mi	6971	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X3JD486991 Usage: 473,268 Mi
6965	<b>2021 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X7MD758995 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 253,173 Mi	6972	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8JD484525 Usage: 475,432 Mi
6966	<b>2021 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0MD759020 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 6118.5 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 280,556 Mi	6973	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1JD481627 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 486,932 Mi
		6974	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2JD484536 Usage: 487,019 Mi
		6975	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X0JD481649 Usage: 491,707 Mi
		6976	<b>2018 Peterbilt 579 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X5JD487012 Usage: 500,498 Mi

Lot #	Details	Lot #	Details
6977	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X2JD486996 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 503,278 Mi	6984	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X2JJ209881 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10492 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Hendrickson Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 465,509 Hr
6978	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X1JD481644 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12081.5 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 227000 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Trac Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 532,711 Mi	6985	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X3JJ207640 Usage: 473,461 Mi
6979	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBAP8X8JD481639 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810S-EP3 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 447,100 Mi	6986	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X7JJ207625 Usage: 479,813 Mi
6980	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X0JJ209880 C/W: Paccar 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10045.7 Engine hrs, 12-Speed Automated Transmission, 12350 lb Front Axle, 22700 lb Rears, 35050 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 433,210 Mi	6987	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X0JJ214321 Usage: 488,990 Mi
6981	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X9JJ214303 Usage: 437,430 Mi	6988	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X2JJ207628 C/W: Paccar 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 489,558 Mi
6982	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X3JJ214300 Usage: 446,521 Mi	6989	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X2JJ207631 Usage: 490,532 Mi
6983	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X7JJ214302 Usage: 448,045 Mi	6990	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X4JJ214323 C/W: Paccar 6 Cylinder 12.6 L Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, Air Ride Cab, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Hendrickson Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 518,532 Mi

Lot #	Details	Lot #	Details
6991	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X8JJ214325 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 11700 Engine hrs, Engine Brake, Eaton Fuller FAO-16810S-EP3 10-Speed Automated Transmission, 12350 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 519,315 Mi	6997	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2PN616883 C/W: Volvo DH13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 1383 Engine hrs, 295 /75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 37,684 Mi
6992	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X7JJ209861 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 22700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, 295/75R22.5, Hendrickson Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 531,959 Mi	6998	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXPN616890 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 40,275 Mi
6993	<b>2018 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X1JJ209869 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 11939 Engine hrs, Engine Brake, Eaton Fuller FAO-16810S-EP3 10-Speed Automated Transmission, 12350 lb Front Axle, 23700 lb Rears, 2.80:1 Axle Ratio, 35050 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 534,975 Mi	6999	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5PN616909 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 1092.1 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 41,724 Mi
6994	<b>2018 Kenworth T680 S/A Day Cab Truck Tractor</b> S/N: 1XKYAP8XXJJ207618 Usage: 561,775 Mi	7000	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9PN616895 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 1336.4 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 43,499 Mi
6995	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXPN616887 C/W: Volvo D13-405 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 13,439 Mi	7001	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3PN616892 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 1357.8 Engine hrs, Engine Brake, Volvo AT02612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, 295 /75R22.5, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 44,268 Mi
6996	<b>2023 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0PN621077 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/80R22.5, Air Ride Suspension, Dual Fuel Tanks Usage: 29,037 Mi	7002	<b>2023 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3PN616908 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 1525 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 51,970 Mi

Lot #	Details	Lot #	Details
7003	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7PN617012 C/W: Volvo D13N-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2022 US EPA Label, Engine Brake, AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 53,667 Hr	7011	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN285779 C/W: Volvo d13n-405 6 Cylinder 12.8 L Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 3303 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, steel, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 113,806 Mi
7004	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9PN616847 C/W: Volvo D13N 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 2006 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, Steel, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 65,078 Mi	7012	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN308516 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 2527 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 73,312 Mi
7005	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1PN616891 C/W: Volvo D13H425 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 1705 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 19000 lb Rears, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 66,108 Mi	7013	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285728 Usage: 75,906 Mi
7006	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4PN616884 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2022 US EPA Label, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 69,643 Mi	7014	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN607691 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5097.1 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 82,437 Mi
7007	<b>2023 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6PN616885 C/W: Volvo 13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2022 US EPA Label, 1735 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 69,796 Mi	7015	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN607692 Usage: 96,882 Mi
7008	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285918 Usage: 34,503 Mi	7016	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285960 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 2864 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 102,029 Mi
7009	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN308478 Usage: 43,283 Mi	7017	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN285927 Usage: 115,442 Mi
7010	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285993 Usage: 46,440 Mi	7018	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285789 Usage: 119,128 Mi
		7019	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285683 Usage: 123,994 Mi
		7020	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5NN285665 Usage: 138,014 Mi



Lot #	Details	Lot #	Details
7021	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285784 Usage: 141,372 Mi	7037	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5NN285777 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4650 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 181,579 Mi
7022	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285685 Usage: 151,118 Mi	7038	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN285393 Usage: 183,694 Mi
7023	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXNN285676 Usage: 157,098 Mi	7039	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285664 Usage: 185,120 Mi
7024	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285713 Usage: 157,927 Mi	7040	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXNN285578 Usage: 189,103 Mi
7025	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285639 Usage: 158,192 Mi	7041	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285638 Usage: 191,812 Mi
7026	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285749 Usage: 159,182 Mi	7042	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285733 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 4942 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 193,022 Mi
7027	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285706 Usage: 161,771 Mi	7043	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285635 Usage: 199,736 Mi
7028	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN607685 Usage: 166,035 Mi	7044	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285559 Usage: 205,759 Mi
7029	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285607 Usage: 166,683 Mi	7045	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN607676 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 206,953 Mi
7030	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EH2NN286197 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 4957 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 168,714 Mi	7046	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285646 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 5251 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 207,683 Mi
7031	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285652 Usage: 169,474 Mi		
7032	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285616 Usage: 171,407 Mi		
7033	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285688 Usage: 171,651 Mi		
7034	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285475 Usage: 176,119 Mi		
7035	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285392 Usage: 178,782 Mi		
7036	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285677 Usage: 180,848 Mi		

Lot #	Details	Lot #	Details
7047	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285761 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5201.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 209,287 Mi	7055	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285465 Usage: 233,319 Mi
7048	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285552 Usage: 209,562 Mi	7056	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285762 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6089.1 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 238,731 Mi
7049	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN607682 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5334 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 kg Rears, 32000 kg GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 215,796 Mi	7057	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285437 Usage: 240,834 Mi
7050	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285750 C/W: Volvo 6 Cylinder 12.8 L 405 hp Engine, 2021 US EPA Label, 6231.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 220,622 Mi	7058	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285414 Usage: 241,518 Mi
7051	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285558 Usage: 222,422 Mi	7059	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285609 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 6297.8 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 244,040 Mi
7052	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285434 Usage: 225,481 Mi	7060	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285711 C/W: Engine Brake, Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 244,393 Mi
7053	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285772 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5833 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 232,851 Mi	7061	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285689 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6006 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 246,156 Mi
7054	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5NN285648 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5968.0 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 233,280 Mi	7062	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285464 Usage: 249,262 Mi
		7063	<b>2022 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285454 Usage: 251,381 Mi

Lot #	Details	Lot #	Details
7064	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285768 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6295 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 251,997 Mi	7069	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285649 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6425.9 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 273,119 Mi
7065	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285708 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6478.1 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 257,060 Mi	7070	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285672 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 6721.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 96 in Wheelbase, Dual Fuel Tanks Usage: 274,714 Mi
7066	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285666 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 6290.4 Engine hrs, Engine Brake, Volvo AT2612F 13-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 257,116 Mi	7071	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285700 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 6724 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 283,376 Mi
7067	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285594 C/W: Volvo D13N 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6618 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 261,072 Mi	7072	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285525 C/W: Volvo 6 Cylinder 13 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7151.9 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 290,467 Mi
7068	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285630 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6561 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 267,085 Mi	7073	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285580 C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/70R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 296,277 Mi
		7074	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285640 C/W: Volvo D13N-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7239.3 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160/161 Drive Axles, 4.3:1 Axle Ratio, 22000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 299,608 Mi

Lot #	Details	Lot #	Details
7075	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285530 C/W: Volvo D13N-405 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7429 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 303,823 Mi	7080	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285471 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7685.1 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 312,560 Mi
7076	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285419 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7454.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 304,385 Mi	7081	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285429 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7395 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 313,516 Mi
7077	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7NN285571 C/W: Volvo D13N-405 6 Cylinder Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7451.8 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 306,829 Mi	7082	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5NN285441 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7827 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 319,800 Mi
7078	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6NN285433 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7276.8 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 307,794 Mi	7083	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN285463 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7970.6 Engine hrs, Digital Mirrors, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 330,868 Mi
7079	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285579 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7425 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 308,247 Mi	7084	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXNN285418 C/W: Volvo 6 Cylinder 13 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 7939.2 Engine hrs, Volvo 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 331,291 Mi
		7085	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285532 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 8035.4 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 332,557 Mi

Lot #	Details	Lot #	Details
7086	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285521 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 8231 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 335,934 Mi	7092	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN285443 C/W: Volvo D13F-405 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 8744.1 Engine hrs, Volvo AT2612F. 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor MS23-16 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 366,059 Mi
7087	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9NN285538 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8150 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 338,447 Mi	7093	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1NN285470 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8654 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 367,685 Mi
7088	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285413 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 8003.0 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 339,909 Mi	7094	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3NN285986 C/W: Volvo D13N-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 2465.6 Engine hrs, Digital Mirrors, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7089	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8NN285563 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8027 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 344,648 Mi	7095	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4NN607678 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 3425.2 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7090	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2NN285574 C/W: Volvo D13 405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 8474.1 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 358,970 Mi	7096	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1MN285354 Usage: 189,063 Mi
7091	<b>2022 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0NN285573 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 8572.7 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 362,233 Mi	7097	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7MN285388 Usage: 215,646 Mi
		7098	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7MN285357 Usage: 235,279 Mi

Lot #	Details	Lot #	Details
7099	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXMN285384 C/W: Volvo D13 6 Cylinder Diesel 405 hp Engine, Requires AdBlue, 6445.7 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Aluminum Rear Wheels, 275/80R22.5 Front Tires, 295 /75R22.5 Rear Tires, Air Ride Suspension, 96 in Wheelbase, Dual Fuel Tanks Usage: 253,280 Mi	7109	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8MN285366 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8888 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 369,520 Mi
7100	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1MN285371 Usage: 259,430 Mi	7110	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6MN285334 C/W: Volvo D13N 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 9160 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 295/80R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 384,229 Mi
7101	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6MN285267 Usage: 261,384 Mi		
7102	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2MN285346 Usage: 262,167 Mi		
7103	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1MN285340 Usage: 271,119 Mi		
7104	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5MN285325 C/W: Volvo D13N-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 6874.2 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 271,964 Mi	7111	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4MN285347 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 9796 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 409,713 Mi
7105	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6MN285348 Usage: 274,538 Mi	7112	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8KN907607 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17358.8 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks Usage: 17,359 Hr
7106	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0MN285328 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 7086.2 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 287,615 Mi	7113	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2KN907408 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 18,251 Hr
7107	<b>2021 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9MN285358 Usage: 293,797 Mi	7114	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907776 Usage: 320,361 Mi
7108	<b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1MN285306 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 8219.7 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 345,474 Mi	7115	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907424 Usage: 375,521 Mi
		7116	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907513 Usage: 457,679 Mi

Lot #	Details	Lot #	Details
7117	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN901971 C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 11826.0 Engine hrs, Digital Mirrors, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor MS23 -16 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 489,374 Mi	7129	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907609 Usage: 632,391 Mi
		7130	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN901977 Usage: 638,039 Mi
		7131	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN901943 Usage: 638,214 Mi
7118	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN901939 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11589 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 490,848 Mi	7132	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907680 Usage: 638,546 Mi
		7133	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907547 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 15447 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 640,955 Mi
7119	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8KN901872 Usage: 537,849 Mi		
7120	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907696 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17399.1 Engine hrs, Digital Mirrors, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor MS23-16 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 590,009 Mi	7134	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907724 Usage: 641,504 Mi
		7135	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8KN907493 Usage: 642,266 Mi
		7136	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN907451 Usage: 642,840 Mi
7121	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN901913 Usage: 590,374 Mi	7137	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907648 Usage: 644,322 Mi
7122	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907792 Usage: 590,744 Mi	7138	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907518 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18037.5 Engine hrs, Digital Mirrors, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 645,089 Mi
7123	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN907491 Usage: 596,033 Mi		
7124	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN907573 Usage: 620,867 Mi	7139	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907794 Usage: 646,197 Mi
7125	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2KN907621 Usage: 622,596 Mi		
7126	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907755 Usage: 628,755 Mi	7140	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN907510 Usage: 650,932 Mi
7127	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907517 Usage: 631,569 Mi	7141	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN907739 Usage: 653,713 Mi
7128	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN907482 Usage: 632,179 Mi	7142	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907416 Usage: 655,407 Mi

Lot #	Details	Lot #	Details
7143	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907519 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 136 in Wheelbase, Dual Fuel Tanks Usage: 658,580 Mi	7150	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN901974 C/W: Volvo D13-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16190.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 75 in Wheelbase, Dual Fuel Tanks Usage: 673,131 Mi
7144	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907559 Usage: 663,767 Mi	7151	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907771 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16122 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 674,969 Mi
7145	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN907434 C/W: Volvo D13M 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16087 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 668,301 Mi	7152	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN901858 Usage: 677,148 Mi
7146	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907386 Usage: 668,310 Mi	7153	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2KN907697 Usage: 680,352 Mi
7147	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN901833 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 15820 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 670,592 Mi	7154	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907575 C/W: Volvo D13M/405 6 Cylinder 13 L Diesel 405 hp Engine, 2018 US EPA Label, Volvo ATO2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160/161 Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, volvo Air Ride Suspension, 153 in Wheelbase Usage: 680,492 Mi
7148	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907656 Usage: 671,113 Mi	7155	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907700 Usage: 682,299 Mi
7149	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN901952 C/W: Volvo D13-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, 16354.3 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 671,671 Mi	7156	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907497 Usage: 683,502 Mi
		7157	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN902028 Usage: 686,211 Mi
		7158	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN907766 Usage: 686,752 Mi
		7159	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907665 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 16722 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 688,621 Mi



Lot #	Details	Lot #	Details
7160	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907486 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17449.6 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor MS23-16 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 691,574 Mi	7169	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN901972 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18927.9 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks Usage: 702,027 Mi
7161	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907694 C/W: Volvo D13 6 Cylinder 13 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16796.7 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 692,872 Mi	7170	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN907698 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16823 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 703,089 Mi
7162	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN902022 Usage: 693,009 Mi	7171	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN907692 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17001.0 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 703,663 Mi
7163	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN901906 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16543 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 694,231 Mi	7172	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN901845 Usage: 703,867 Mi
7164	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN901921 Usage: 694,787 Mi	7173	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907471 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16825.4 Engine hrs, Digital Mirrors, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor MS23-16 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 704,184 Mi
7165	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN901968 Usage: 695,116 Mi	7174	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN902037 Usage: 706,293 Mi
7166	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN907507 Usage: 696,530 Mi	7175	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907763 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8578.3 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 706,860 Mi
7167	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN901927 Usage: 697,883 Mi		
7168	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN901956 Usage: 701,556 Mi		

Lot #	Details	Lot #	Details
7176	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN901839 C/W: Volvo D13M-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18820 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 711,193 Mi	7182	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907679 C/W: Volvo D13M 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, 17817.6 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 731,187 Mi
7177	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907645 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17331 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 713,241 Mi	7183	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907757 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17446 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 731,252 Mi
7178	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2KN907750 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17644 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 715,212 Mi	7184	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN902027 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17183 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 732,780 Mi
7179	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN907556 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17247 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 716,255 Mi	7185	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN901923 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17620 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 737,698 Mi
7180	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907738 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17250.2 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 716,741 Mi	7186	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907789 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17931.9 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 742,473 Mi
7181	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907785 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17513 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 723,332 Mi	7187	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907391 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7355 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 742,646 Mi

Lot #	Details	Lot #	Details
7188	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907500 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17917.8 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 /161 Drive Axles, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 744,176 Mi	7193	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2KN907778 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18096 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 751,080 Mi
7189	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907626 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17716 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 746,753 Mi	7194	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN907801 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel 4005 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18273 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 752,327 Mi
7190	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN907590 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 295 /75R22.5 Rear Tires, Volvo Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 747,525 Mi	7195	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907786 C/W: Volvo d13m-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Sleeper Air Conditioner, 18272 Engine hrs, steel, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 165 in Wheelbase, Dual Fuel Tanks Usage: 755,510 Mi
7191	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN901895 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17703 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 747,664 Mi	7196	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN902007 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18000 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295 /75R22.5, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 757,468 Mi
7192	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7KN907730 C/W: Volvo D13M 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17937 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 749,664 Mi	7197	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN902016 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18064.9 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 757,496 Mi

Lot #	Details	Lot #	Details
7198	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3KN901861 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17963.5 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 kg GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 758,652 Mi	7204	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN901904 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18223 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 767,190 Mi
7199	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907681 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18193 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 761,678 Mi	7205	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN901903 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18790.7 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 773,457 Mi
7200	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907612 C/W: Volvo D13M 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18411.1 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 761,963 Mi	7206	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907589 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18705 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 776,074 Mi
7201	<b>2019 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0KN907715 Usage: 764,101 Mi	7207	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4KN901965 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, 18536.4 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 777,977 Mi
7202	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907452 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17999 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 764,677 Mi	7208	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN901850 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18315.7 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 778,795 Mi
7203	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907463 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18086 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 766,762 Mi		

Lot #	Details	Lot #	Details
7209	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG4KN901867                      C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 18916 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks                      Usage: 784,265 Mi</p>	7214	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG9KN901928                      C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18973.2 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: 798,860 Mi</p>
7210	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG1KN907481                      C/W: Volvo D13M-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18701.4 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: 785,200 Mi</p>	7215	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG0KN901901                      C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks                      Usage: 800,745 Mi</p>
7211	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG7KN907629                      C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18753.5 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50: 1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks                      Usage: 790,467 Mi</p>	7216	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG4KN901870                      C/W: Volvo D13M-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 19354.6 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: 811,581 Mi</p>
7212	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG4KN901836                      C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18909 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks                      Usage: 793,480 Mi</p>	7217	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG9KN902030                      C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 19454.7 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: 813,624 Mi</p>
7213	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG6KN907606                      C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18796 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks                      Usage: 794,842 Mi</p>	7218	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG1KN907531                      C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 19593 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks                      Usage: 821,454 Mi</p>

Lot #	Details	Lot #	Details
7219	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907432 C/W: Volvo D13-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17345.7 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 175 in Wheelbase Usage: 831,692 Mi	7225	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5KN907743 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17249.7 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7220	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG1KN907397 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7226	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5JN899352 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17438.1 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 17,438 Hr
7221	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6KN902017 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 20000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7227	<b>2018 Volvo VNR S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9JN901703 Usage: 612,944 Mi
7222	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG8KN907624 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18173.3 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7228	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXJN901726 C/W: Volvo d13m-405 6 Cylinder 12.8 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16468 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, steel, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 694,742 Mi
7223	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9KN907390 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7229	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG7JN901831 C/W: Volvo D13M-405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16258 Engine hrs, Engine Brake, Volvo ATQ2612F 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, RS23-160 Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 632,002 Mi
7224	<b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXKN907673 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, Volvo ATQ2612F 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7230	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5JN901830 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16626 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 638,531 Mi

Lot #	Details	Lot #	Details
7231	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3JN901793 C/W: Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 641,224 Mi	7237	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0JN901718 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 743,397 Mi
7232	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG3JN901826 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15645.6 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 646,118 Mi	7238	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9JN901751 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7233	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5JN901732 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16058.1 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 663,710 Mi	7239	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EGXJN901791 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18639.6 Engine hrs, Digital Mirrors, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7234	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG0JN901816 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, RS23-160 Drive Axles, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 694,392 Mi	7240	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG9JN901782 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7235	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG4JN901754 C/W: Volvo D13M 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16954 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 698,157 Mi	7241	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG2JN901784 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, 16298.1 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7236	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG5JN901763 Usage: 711,640 Mi		

Lot #	Details	Lot #	Details
7242	<b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4W19EG6JN901822 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17670.5 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7249	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG0JN887018 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17686 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 734,895 Mi
7243	<b>2018 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1JN887044 Usage: 582,134 Mi	7250	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG7JN895097 C/W: Volvo D13M-405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5651 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 738,189 Mi
7244	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG4JN895087 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, 15383.6 Engine hrs, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 587,495 Mi	7251	<b>2018 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1JN886976 Usage: 744,864 Mi
7245	<b>2018 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG4JN887037 Usage: 636,985 Mi	7252	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1JN895094 C/W: Volvo D13M-405 Diesel Engine, 2017 US EPA Label, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, 175 in Wheelbase Usage: 787,980 Mi
7246	<b>2018 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EGXJN895093 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 406 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, 153 in Wheelbase, Dual Fuel Tanks Usage: 642,630 Mi	7253	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG3JN887031 C/W: Volvo D13M-405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18552 Engine hrs, Engine Brake, Volvo AT2612F Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, VOLVO Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 802,299 Mi
7247	<b>2018 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG8JN886988 Usage: 679,254 Mi	7254	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG6JN886990 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 17133.1 Engine hrs, Digital Mirrors, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7248	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1JN887030 C/W: Volvo D13M405 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, Dual Fuel Tanks Usage: 723,654 Mi		



Lot #	Details	Lot #	Details
7255	<b>2018 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG9JN895084 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Digital Mirrors, Volvo AT2612F 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7265	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG9GN944762 Usage: 840,776 Mi
7256	<b>2017 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG5HN985150 Usage: 779,550 Mi	7266	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG6GN944685 Usage: 870,133 Mi
7257	<b>2017 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG4HN985155 Usage: 821,443 Mi	7267	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1GN944772 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16578.9 Engine hrs, Digital Mirrors, Volvo 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 875,745 Mi
7258	<b>2017 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG0HN985086 Usage: 839,616 Mi	7268	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG6GN944816 C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires AdBlue, 21839 Engine hrs, 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 kg Rears, 14515 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Dual Fuel Tanks Usage: 884,137 Mi
7259	<b>2017 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG2HN985140 Usage: 846,563 Mi	7269	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG5GN944676 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 375 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 23907 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 899,349 Mi
7260	<b>2017 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG8HN962901 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 1376.2 Engine hrs, Engine Brake, Volvo AT2612D Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 892,257 Mi	7270	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG0GN944763 Usage: 908,038 Mi
7261	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EGXGN944687 Usage: 699,123 Mi	7271	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EGXGN944740 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 404 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23030 Engine hrs, Engine Brake, Volvo ATO2612D 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 909,033 Mi
7262	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG7GN944629 Usage: 819,117 Mi	7272	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG6GN944699 Usage: 909,379 Mi
7263	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG9GN944793 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 22861 Engine hrs, Engine Brake, Volvo ATO2612D 12-Speed Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: 827,585 Mi		
7264	<b>2016 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG2GN944649 Usage: 828,030 Mi		

Lot #	Details	Lot #	Details
7273	<b>2016 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG0GN944651 C/W: Volvo D13J375 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 375 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 22136 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, VOLVO Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 941,273 Mi	7283	<b>2012 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG7CN555595 C/W: Volvo Diesel Engine, 2010 US EPA Label, Eaton Fuller Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, 175 in Wheelbase Usage: 966,066 Mi
7274	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19DG8FN187613 Usage: 313,355 Mi	7284	<b>2012 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG0CN555616 C/W: Volvo Diesel Engine, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires Usage: 1,077,326 Mi
7275	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19DG6FN187609 Usage: 331,956 Mi	7285	<b>2012 Volvo VNL S/A Day Cab Truck Tractor</b> S/N: 4V4N39EG2CN556460 Usage: 611,825 Mi
7276	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19DG2FN187610 Usage: 338,469 Mi	7286	<b>2012 Volvo VNL S/A Day Cab Truck Tractor</b> S/N: 4V4N39DFXC538622 Usage: 756,536 Mi
7277	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19DG6FN187612 Usage: 350,375 Mi	7287	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39DF5CN538608 C/W: Volvo D11 6 Cylinder 10.8 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 165 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7278	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19DG1FN187615 Usage: 352,661 Mi	7288	<b>2016 Freightliner Cascadia 113 S/A Day Cab Truck Tractor</b> S/N: 1FUBGADV9GLHB3544 Usage: 668,480 Mi
7279	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG5FN933210 Usage: 856,365 Mi	7289	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGADV0GDHC3503 C/W: Detroit 6 Cylinder Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16435 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Transmission, 12000 lb Front Axle, 23000 lb Rears, 2.50:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/70R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 710,520 Mi
7280	<b>2015 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EGXFN933218 C/W: Volvo D13J-375 6 Cylinder 12.8 L Diesel 375 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 25903 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, steel, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 940,503 Mi	7290	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGADV4GDHC3486 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 380 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Transmission, 12000 lb Front Axle, 23000 lb Rears, 33000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/70R22.5 Rear Tires, Airliner Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 863,049 Mi
7281	<b>2015 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG4FN933229 C/W: Volvo D13 6 Cylinder Diesel 375 hp Engine, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 960,850 Mi		
7282	<b>2015 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG1FN933219 Usage: 981,560 Mi		

Lot #	Details	Lot #	Details
7291	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGADV6GLHB3520 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 380 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 156 in Wheelbase, Dual Fuel Tanks Usage: Not Available	7298	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG39N263919 C/W: Volvo D13F485 6 Cylinder 12.8 L Diesel 338 hp Engine, 2009 US EPA Label, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,216,511 Mi
7292	<b>2005 Kenworth T300 S/A Day Cab Truck Tractor</b> S/N: 2XKMAZ7X65M086208 Usage: 398,042 Mi	7299	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG99N263925 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 375 hp Engine, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Volvo Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,246,874 Mi
7293	<b>2005 Kenworth T300 S/A Day Cab Truck Tractor</b> S/N: 2XKMAZ7X75M086198 Usage: 471,560 Mi	7300	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG89N263978 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 737,352 Mi
7294	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG89N263978 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 737,352 Mi	7301	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG99N263951 C/W: Volvo D13 6 Cylinder 13 L Diesel Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 968,744 Mi
7295	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EGX9N263951 C/W: Volvo D13 6 Cylinder 13 L Diesel Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 968,744 Mi	7302	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG79N263907 C/W: Volvo D13F V6 12.8 L Diesel Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 3200 lb GVWR, 295/75R22.5, Volvo Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 1,592,874 Mi
7296	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG99N263911 C/W: Volvo D13 6 Cylinder 13 L Diesel 375 hp Engine, 2016 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 992,435 Mi	7303	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GH27N449194 C/W: Volvo D12D435 6 Cylinder Diesel 435 hp Engine, 2006 US EPA Label, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Volvo Drive Axles, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 141 in Wheelbase, Dual Fuel Tanks Usage: 146,771 Mi
7297	<b>2009 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19EG79N263860 C/W: Volvo D13 6 Cylinder Diesel 375 hp Engine, 2008 US EPA Label, Eaton Fuller Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 1,091,290 Mi		

Lot #	Details	Lot #	Details
7304	<b>2007 Volvo VNM S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF37N451504 Usage: 1,719,823 Mi	7310	<b>2009 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 2HSCSAPN49C045681 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2008 US EPA Label, 4557 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 173 in Wheelbase, Dual Fuel Tanks Usage: 352,705 Mi
7305	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF17N406870 C/W: Volvo D12D365 6 Cylinder Ultra Low Sulfur Diesel Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: 1,745,557 Mi	7311	<b>2009 International 8600 SBA S/A Day Cab Truck Tractor</b> S/N: 1HSHWAHN69J674305 Usage: 501,598 Mi
7306	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF07N451475 C/W: Volvo D12D365 6 Cylinder 12 L Diesel 365 hp Engine, 2005 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,765,949 Mi	7312	<b>2009 International 8600 SBA S/A Day Cab Truck Tractor</b> S/N: 1HSHWAHN79J674295 Usage: 520,791 Mi
7307	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF07N451606 C/W: Volvo D12D365 6 Cylinder 12.1 L Diesel 365 hp Engine, 2006 US EPA Label, Eaton Fuller FR1321B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks Usage: Not Available	7313	<b>2005 International 9400i 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSCPSBN65N049237 C/W: Cat C13 6 Cylinder Diesel Engine, 8903 Engine hrs, Eaton Fuller 10-Speed Transmission, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 756,048 Mi
7308	<b>2008 Freightliner Columbia 120 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBA5CK38DAC5759 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 515 hp Engine, 2008 US EPA Label, 15363.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 170 in Wheelbase, Dual Fuel Tanks Usage: 307,853 Mi	7314	<b>2017 Ottawa T2 Spotter Truck</b> S/N: 346792 Usage: 79,169 Hr
7309	<b>2009 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 2HSCSAPN69C045679 C/W: Cummins ISX 400ST 6 Cylinder 15 L Diesel Engine, 2008 US EPA Label, 9634 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 345,677 Mi	7315	<b>2017 Ottawa T2 Spotter Truck</b> S/N: 346796 Usage: 80,623 Hr
		7316	<b>2018 Ottawa YT30 Spotter Truck</b> S/N: 347740 Usage: Not Available
		7317	<b>2018 Ottawa YT30 Spotter Truck</b> S/N: 347743 Usage: Not Available
		7318	<b>2018 Ottawa YT30 Spotter Truck</b> S/N: 347744 Usage: Not Available
		7319	<b>2008 Ottawa YT30 4x2 Spotter Truck</b> S/N: 320673 C/W: Cummins QSB 6.7 6 Cylinder 6.7 L Diesel 173 hp Engine, US EPA Label, Allison 3000 4 speed Automatic Transmission, 12000 kg Front Axle, 40000 lb Rears, 275/80R22.5, Spring Suspension, 112 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: 1,139 Hr
		7320	<b>2008 Ottawa YT30 4x2 Spotter Truck</b> S/N: 320671 C/W: Cummins QSB 6 Cylinder 6.7 L Diesel 231 kW Engine, 36000 Engine hrs, Automatic Transmission, 295/75R22.5, Spring Suspension, 111 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 18,914 Mi

Lot #	Details	Lot #	Details
7321	<b>2008 Ottawa YT30 Spotter Truck</b> S/N: 321971 Usage: 18,930 Hr	7331	<b>2006 Ottawa YT30 4x2 Spotter Truck</b> S/N: 314170 C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, 108 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: 1,096 Hr
7322	<b>2008 Ottawa YT30 4x2 Spotter Truck</b> S/N: 320669 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2008 US EPA Label, 56247 Engine hrs, Allison Automatic Transmission, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Double Frame, 109 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: 53,052 Hr	7332	<b>2006 Ottawa YT30 Spotter Truck</b> S/N: 314186 Usage: 19,769 Hr
7323	<b>2008 Ottawa YT30 Spotter Truck</b> S/N: 320672 Usage: 73,134 Hr	7333	<b>2006 Ottawa YT30 Spotter Truck</b> S/N: 314171 Usage: 27,416 Hr
7324	<b>2008 Ottawa YT30 4x2 Spotter Truck</b> S/N: 320674 C/W: Cummins 6 Cylinder 6.7 L Diesel 173 hp Engine, 2008 US EPA Label, 63423 Engine hrs, Allison Automatic Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Double Frame, 109 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: 87,948 Mi	7334	<b>2006 Ottawa YT30 4x2 Spotter Truck</b> S/N: 314182 C/W: Allison Automatic Transmission Usage: 30,092 Hr
7325	<b>2007 Ottawa YT30 4x2 Spotter Truck</b> S/N: 317276 C/W: 6 Cylinder Diesel Engine, 2010 US EPA Label, 3 Automated Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Double Frame, 109 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: Not Available	7335	<b>2006 Ottawa YT30 Spotter Truck</b> S/N: 314264 Usage: 40,205 Hr
7326	<b>2007 Ottawa YT30 4x2 Spotter Truck</b> S/N: 317017 C/W: Cummins 6 Cylinder 8.7 L Diesel Engine, 1000.5 Engine hrs, 3 Automatic Transmission, Meritor Drive Axles, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Double Frame, 109 in Wheelbase, PTO, Hydraulic System, Hydraulic Lift 5th Wheel Usage: 24,458 Hr	7336	<b>2006 Ottawa YT30 4x2 Spotter Truck</b> S/N: 313783 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 9382 Engine hrs, Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Double Frame, 110 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: Not Available
7327	<b>2007 Ottawa YT30 Spotter Truck</b> S/N: 317273 Usage: 28,777 Hr	7337	<b>2004 Ottawa YT30 Spotter Truck</b> S/N: 308060 Usage: 82,846 Hr
7328	<b>2007 Ottawa YT30 4x2 Spotter Truck</b> S/N: 317007 C/W: Cummins 6 Cylinder Diesel 160 hp Engine, 32474 Engine hrs, Allison Automatic Transmission, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, 108 in Wheelbase, PTO, Hydraulic Lift 5th Wheel Usage: 30,809 Hr	7338	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9ND777356 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 76,906 Mi
7329	<b>2007 Ottawa YT30 Spotter Truck</b> S/N: 317252 Usage: 47,641 Hr	7339	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X0ND777357 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 150,700 Mi
7330	<b>2007 Ottawa YT30 4x2 Spotter Truck</b> S/N: 317292 C/W: Cummins Diesel Engine, 2007 US EPA Label, Allison Automatic Transmission, 295 /75R22.5, Hydraulic Lift 5th Wheel Usage: 57,466 Hr		

Lot #	Details	Lot #	Details
7340	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X4ND777359 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 3583 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel Usage: 151,020 Mi	7346	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X6ND758795 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 5103 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 220,622 Mi
7341	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X8ND758796 Usage: 155,855 Mi	7347	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X2ND758793 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 4891 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 221,378 Mi
7342	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9ND758807 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Requires AdBlue, Engine Brake, Automated Transmission, Differential Lock, 5443 lb Front Axle, 23587 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 212 in Wheelbase, Dual Fuel Tanks Usage: 187,535 Mi	7348	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9XXND777320 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 5351 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 239,464 Mi
7343	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X2ND777358 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 4944 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275/80R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 218,977 Mi	7349	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X4ND758875 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5951 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.80:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 259,311 Mi
7344	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9ND777373 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 178,723 Mi	7350	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X8ND758880 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Spring Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 265,472 Mi
7345	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X7ND791840 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 4260.7 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 223 in Wheelbase Usage: 185,429 Mi		

Lot #	Details	Lot #	Details
7351	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X0ND758775 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 5458 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel Usage: 369,205 Mi	7356	<b>2021 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X0MD758709 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, 6954 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 299,839 Mi
7352	<b>2022 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9ND791872 C/W: Paccar MX-11 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, 3873 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 295/75R22.5 Front Tires, 275 /80R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,660,413 Mi	7357	<b>2019 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X8KD632546 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9301 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.80:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 326,456 Mi
7353	<b>2021 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X0MD758693 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 179 in Wheelbase, Dual Fuel Tanks Usage: 141,991 Mi	7358	<b>2019 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X3KD624659 Usage: 400,367 Mi
7354	<b>2021 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X6MD758682 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, 4289 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 163,552 Mi	7359	<b>2019 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X2KD624619 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 11214 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.80:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 470,055 Mi
7355	<b>2021 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9MD758711 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 179 in Wheelbase, Dual Fuel Tanks Usage: 240,650 Mi	7360	<b>2019 Peterbilt 579 6x2 T/A Day Cab Truck Tractor</b> S/N: 1XPBAK9X9KD624648 C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7589 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 512,519 Mi
		7361	<b>2022 Volvo VNR T/A Day Cab Truck Tractor</b> S/N: 4V4WC9EG9NN286067 Usage: 156,376 Mi
		7362	<b>2021 Volvo VNR T/A Day Cab Truck Tractor</b> S/N: 4V4WC9EG5MN286033 Usage: 174,871 Mi
		7363	<b>2021 Volvo VNR T/A Day Cab Truck Tractor</b> S/N: 4V4WC9EG3MN286032 Usage: 233,664 Mi

Lot #	Details	Lot #	Details
7364	<b>2021 Volvo VNR 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4WC9EGXMN286030 C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, 2020 US EPA Label, Requires AdBlue, 7837 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 58000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 213 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 292,430 Mi	7369	<b>2022 Freightliner Cascadia 126 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGHLDV1NLMZ4995 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2021 US EPA Label, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.85:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 296,087 Mi
7365	<b>2021 Volvo VNR 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4WC9EG7MN286048 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 8004.3 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7370	<b>2022 Freightliner Cascadia 126 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGHLDV5NLMZ5003 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7366	<b>2022 Freightliner Cascadia 126 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGHLDV0NLMZ4986 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2022 US EPA Label, Requires Diesel Exhaust Fluid, 6324 Engine hrs, Engine Brake, Detroit DT12 1550 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Detroit DA RS 20.0 Drive Axles, 2.85:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 251,743 Mi	7371	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV5JLJN6623 Usage: 489,021 Mi
7367	<b>2022 Freightliner Cascadia 126 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGHLDV5NLMZ4997 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 6875 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer DA-RS-20 Drive Axles, 2.85:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 269,181 Mi	7372	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV5JLJN6704 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 578,857 Mi
7368	<b>2022 Freightliner Cascadia 126 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGHLDV9NLMZ4985 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 293,495 Mi	7373	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV6JLJN6744 Usage: 580,550 Mi
		7374	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV1JLJN6683 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.5:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 583,591 Mi



Lot #	Details	Lot #	Details
7375	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV9JLJN6642 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Engine Brake, Automated Transmission, Differential Lock, 12 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 604,090 Mi	7380	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV7JLJN6655 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2018 US EPA Label, 18280 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 700,842 Mi
7376	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV0JLJN6674 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 624,130 Mi	7381	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDVXJLJN6729 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller DT-12-DB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 727,231 Mi
7377	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV3JLJN6622 Usage: 624,950 Mi	7382	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV8JLJN6728 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 275 /80R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 727,418 Mi
7378	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV5JLJN6699 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15270 Engine hrs, Engine Brake, Detroit DT12-DB-1550 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 652,374 Mi	7383	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV6JLJN6582 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 752,338 Mi
7379	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV1JLJN6618 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 665,294 Mi		

Lot #	Details	Lot #	Details
7384	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV6JLJN6727 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18629 Engine hrs, Engine Brake, Detroit DT12 DB 1550 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Detroit DA RS 20.6 Drive Axles, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel, 275/80R22.5 Front Tires, 295 /75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 769,229 Mi	7388	<b>2017 Freightliner Cascadia 125 4x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV2HLHS4016 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DB 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/70R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 718,678 Mi
7385	<b>2018 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDVXJLJN6584 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 19582 Engine hrs, Engine Brake, Detroit DT12 DB 1550 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Detroit DA RX 20.0-6 Drive Axles, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295 /75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 793,451 Mi	7389	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV3HLHS3800 Usage: 730,224 Mi
7386	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV0HLHS4015 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 420 hp Engine, 2017 US EPA Label, 17190 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 672,603 Mi	7390	<b>2017 Freightliner Cascadia 125 4x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV0HLHS4029 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DB 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /70R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 740,907 Mi
7387	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV5HLHS3961 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17176 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 712,983 Mi	7391	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV4HLHS3787 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19250 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 741,127 Mi
		7392	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV3HLHS3814 Usage: 741,155 Mi
		7393	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV7HLHS3802 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 20189 Engine hrs, Engine Brake, Detroit DT12-DB-1450 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, steel, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 764,926 Mi

Lot #	Details	Lot #	Details
7394	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV9HLHS3946 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2017 US EPA Label, 19503 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 769,389 Mi	7398	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV9HLHS4000 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, 19368 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 813,425 Mi
7395	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV8HLHS4036 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19130 Engine hrs, Engine Brake, Detroit DT12-DB-1450 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor MR-20-005 20K R-SRS Fuelite Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 781,149 Mi	7399	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV0HLHS4032 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20039.3 Engine hrs, Engine Brake, Detroit DT-12-DB-1450 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 821,776 Mi
7396	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV8HLHS3906 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20190 Engine hrs, Engine Brake, Detroit DT12-DB-1450 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 783,279 Mi	7400	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV6HLHS3936 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 22597 Engine hrs, Engine Brake, Eaton Fuller DT12-DB-1450 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor ME-20-165 / MR20-005 Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 822,681 Mi
7397	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV3HLHS4056 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DB 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor ME-20-165 Drive Axles, 2.50:1 Axle Ratio, 52000 kg GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 784,494 Mi	7401	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV2HLHS4047 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DB-1450 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.74:1 Axle Ratio, 52000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 824,572 Mi

Lot #	Details	Lot #	Details
7402	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDVXHLHS4006 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 830,228 Mi	7407	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV5HLHS3877 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 23526.1 Engine hrs, Detroit 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 904,373 Mi
7403	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV2HLHS3819 Usage: 841,048 Mi	7408	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV0GDHC4812 C/W: Detroit DD13 6 Cylinder 12.8 L 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19329.2 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 204,172 Mi
7404	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV8HLHS3999 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, US EPA Label, 19168 Engine hrs, Engine Brake, Detroit D12-DB-1450 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 853,120 Mi	7409	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5GDHC4904 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 1451.4 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 576,587 Mi
7405	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV4HLHS3952 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 182 in Wheelbase, Dual Fuel Tanks Usage: 860,167 Mi	7410	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2GDHC5041 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17872 Engine hrs, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 661,619 Mi
7406	<b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 1FUGGEDV8HLHS4005 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.5:1 Axle Ratio, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7411	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6GDHC4930 C/W: 6 Cylinder Diesel Engine, 17734 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, 275/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 684,336 Mi

Lot #	Details	Lot #	Details
7412	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5GDHC5048 Usage: 689,463 Mi	7420	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV4GDHC5039 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 470 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21355 Engine hrs, Engine Brake, Detroit DT12-DB-1450 HD Direct Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor MR-20-005 20K R-SRS Fuelite Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 773,422 Mi
7413	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV0GDHC4891 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 18351 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.5:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 696,496 Mi	7421	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV8GDHC4895 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, 20050 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 780,443 Mi
7414	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5GDHC5020 Usage: 712,714 Mi	7422	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV4GDHC4814 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 786,149 Mi
7415	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2GDHC4987 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, 19218.15 Engine hrs, Detroit Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 714,678 Mi	7423	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV4GDHC4876 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, 19987 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 790,308 Mi
7416	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6GDHC5043 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B Automated Transmission, Differential Lock, 12000 lb Front Axle, 23000 lb Rears, Meritor Drive Axles, 2.67:1 Axle Ratio, 58000 lb GVWR, 275/80R22.5, Airliner Air Ride Suspension Usage: 726,215 Mi	7424	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9GDHC4999 Usage: 795,586 Mi
7417	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDVXGDHM6403 Usage: 732,573 Mi		
7418	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6GDHC4992 Usage: 762,323 Mi		
7419	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV8GDHC5030 Usage: 764,049 Mi		

Lot #	Details	Lot #	Details
7425	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV8GDHC5013 C/W: Detroit DD13 6 Cylinder 12.8 L 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 806,795 Mi	7430	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV0GDHC4857 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, 24893 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7426	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2GDHC4861 C/W: Detroit DD13 6 Cylinder Diesel 410 hp Engine, 2016 US EPA Label, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MR-20-005 Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 900,925 Mi	7431	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGK3556 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, 14922 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, Dual Fuel Tanks Usage: 14,922 Mi
7427	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6GDHC4832 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23396 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.74:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 909,600 Mi	7432	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5FSGK3487 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 19959.4 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 72,977 Mi
7428	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV4GDHC4926 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 911,322 Mi	7433	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV8FSGM5287 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 15239.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 566,834 Mi
7429	<b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDVXGDHC4896 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires AdBlue, 22790 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 162 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 951,287 Mi	7434	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV3FSGK3567 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 1822 Engine hrs, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 695,026 Hr

Lot #	Details	Lot #	Details
7435	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3644 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 715,357 Mi	7441	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2FSGK3429 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10911 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MR-20-165 Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: 763,691 Mi
7436	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2FSGK3379 Usage: 743,078 Mi	7442	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGK3489 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, 20677 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 774,196 Mi
7437	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV3FSGK3486 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel Engine, 1444.9 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.5:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Spring Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 746,262 Mi	7443	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGK3654 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 56000 lb GVWR, Air Ride Cab, 20027 Engine hrs, 295/75R22.5 Front Tires, 275 /80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 807,529 Mi
7438	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV7FSGK3636 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 748,831 Mi	7444	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV1FSGK3521 Usage: 804,290 Mi
7439	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV7FSGK3345 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 1312 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor ME 20 165 Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 757,006 Mi	7445	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV0FSGK3574 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 21406 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 1200 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 821,546 Mi
7440	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV0FSGK3378 C/W: Detroit 6 Cylinder 12.8 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 21130 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 769,012 Mi	7446	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDVXFSGK3517 Usage: 831,519 Mi

Lot #	Details	Lot #	Details
7447	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5FSGM5277 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, US EPA Label, 21001 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase Usage: 837,505 Mi	7453	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5FSGK3571 C/W: Detroit DD13 6 Cylinder Ultra Low Sulfur Diesel Engine, 20522 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 2.5:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 883,540 Mi
7448	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV1FSGK3454 Usage: 838,664 Mi	7454	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3532 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 22563.8 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 889,769 Mi
7449	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV3FSGM5200 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, 21445 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 843,434 Mi	7455	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3479 Usage: 914,662 Mi
7450	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3529 Usage: 864,177 Mi	7456	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGK3315 Usage: 919,264 Mi
7451	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV5FSGK3540 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 21935 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 877,231 Mi	7457	<b>2015 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3305 Usage: 943,123 Mi
7452	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV3FSGK3326 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 22367 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 882,068 Mi	7458	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGK3606 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23141 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 946,902 Mi
		7459	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV9FSGM5198 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 23746.5 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MR-20-005 Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 954,537 Mi



Lot #	Details	Lot #	Details
7460	<b>2015 Freightliner Cascadia 125 4x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV8FSGK3306 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24402 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 977,273 Mi	7464	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV1FSGM5244 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 22229.5 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor ME20-165 20K Drive Axles, 250:1 Axle Ratio, 52000 kg GVWR, Air Ride Cab, 275 /80R22.5, Airliner Air Ride Suspension, 176 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7461	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV2FSGK3298 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 24929.2 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,000,381 Mi	7465	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV7FSGK3619 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23852 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 889,736 Mi
7462	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDV6FSGK3577 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24963.8 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 976,367 Mi	7466	<b>2013 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV5DSBZ2329 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 44000 lb Rears, Dana Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase Usage: 425,893 Mi
7463	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor</b> S/N: 3AKGGEDVXFSGK3632 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7467	<b>2013 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDR1DSBX5708 Usage: 632,431 Mi
		7468	<b>2013 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDVXDSBZ1726 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, US EPA Label, 20233 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 810,367 Mi
		7469	<b>2012 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV2CSBD2874 Usage: 588,623 Mi

Lot #	Details	Lot #	Details
7470	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV5CSBK2697 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, US EPA Label, 20512.1 Engine hrs, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12009 lb Front Axle, 40000 lb Rears, Dana DS404 Drive Axles, 370:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 596,846 Mi	7476	<b>2014 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 3ALXA7A89EDFP8323 C/W: Cummins ISM-425 6 Cylinder Ultra Low Sulfur Diesel 425 hp Engine, 22847 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.93:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 887,111 Mi
7471	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV4CSBD2861 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 19672.1 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Dana DS404 Drive Axles, 3.70:1 Axle Ratio, 52350 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Dual Fuel Tanks Usage: 647,520 Hr	7477	<b>2014 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 3ALXA7A89EDFP8337 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 135.4 Engine hrs, Eaton Fuller 7-Speed Manual Transmission, Differential Lock, Steel, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 916,433 Mi
7472	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV1CSBD3434 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 20680 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52350 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 719,549 Mi	7478	<b>2014 Freightliner Columbia 120 T/A Day Cab Truck Tractor (Glider Kit)</b> S/N: 3ALXA7A85EDFP8321 Usage: 1,064,970 Mi
7473	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDR3CSBK2555 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 15529.4 Engine hrs, Engine Brake, Eaton Fuller FRO-12210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7479	<b>2012 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG3CN555684 C/W: Volvo D13H/375 6 Cylinder 12.8 L Diesel 375 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 22224 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 195,859 Mi
7474	<b>2011 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV0BSAZ0966 Usage: 652,201 Mi	7480	<b>2012 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EGXCN555682 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 375 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 15982.8 Engine hrs, Digital Mirrors, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37578 lb Rears, Meritor Drive Axles, 2.64:1 Axle Ratio, 49478 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 419,054 Hr
7475	<b>2014 Freightliner Columbia 120 T/A Day Cab Truck Tractor (Glider Kit)</b> S/N: 3ALXA7A88EDFP8331 Usage: 724,074 Mi	7481	<b>2012 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG3CN555636 Usage: 1,027,911 Mi

Lot #	Details	Lot #	Details
7482	<b>2012 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG2CN555689 C/W: Volvo D13H375 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 375 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 275/70R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,154,066 Mi	7488	<b>2006 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR86C190017 Usage: 1,451,733 Mi
7483	<b>2012 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG6CN555663 C/W: Volvo D13H375 6 Cylinder 12.8 L Diesel 375 hp Engine, 2011 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 180 in Wheelbase, Air Sliding 5th Wheel Usage: 1,250,441 Mi	7489	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR46C190077 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2018 US EPA Label, 38827 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,501,420 Mi
7484	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPRX6C190066 C/W: Cummins ISX 6 Cylinder Diesel Engine, 39043 Engine hrs, Eaton Fuller 10-Speed Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 39,043 Hr	7490	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR86C189966 C/W: Cummins ISX 6 Cylinder Ultra Low Sulfur Diesel Engine, US EPA Label, 8903 Engine hrs, Eaton Fuller 10-Speed Transmission, Differential Lock, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,533,976 Mi
7485	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR26C189994 C/W: Cummins ISX 6 Cylinder Ultra Low Sulfur Diesel Engine, 2005 US EPA Label, 1367 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, Steel, 11R22.5 Front Tires, 11R22.5 Rear Tires, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 256,480 Mi	7491	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPRX6C190049 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Spicer Drive Axles, 3.70:1 Axle Ratio, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,538,134 Mi
7486	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR26C190076 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2014 US EPA Label, 15397 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 334,192 Mi	7492	<b>2006 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR76C190137 Usage: 1,585,680 Mi
7487	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR56C189942 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2020 US EPA Label, 1714 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,364,617 Mi	7493	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR86C189997 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2020 US EPA Label, 39137 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,610,526 Mi
7487	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR56C189942 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2020 US EPA Label, 1714 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,364,617 Mi	7494	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR86C190177 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 3.70:1 Axle Ratio, 11R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,612,604 Mi

Lot #	Details	Lot #	Details
7495	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR56C189990 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2005 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 1,638,890 Mi	7501	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR35C039701 C/W: Cummins ISX 6 Cylinder Ultra Low Sulfur Diesel Engine, 2004 US EPA Label, 8448 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, Steel, 11R22.5 Front Tires, 11R22.5 Rear Tires, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 164,420 Mi
7496	<b>2006 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR76C189957 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7502	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR45C046303 C/W: Cummins ISX 6 Cylinder Diesel 450 hp Engine, 2006 US EPA Label, 96678 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: 259,815 Mi
7497	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR05C046184 C/W: Cummins ISX 6 Cylinder Diesel 450 hp Engine, 2015 US EPA Label, 6856 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: 6,856 Hr	7503	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR35C046082 C/W: Cummins ISX 6 Cylinder 6.7 L Diesel 450 hp Engine, 2018 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 188 in Wheelbase, Dual Fuel Tanks Usage: 1,212,099 Mi
7498	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR25C178881 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2010 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 23,113 Hr	7504	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR05C178927 Usage: 1,332,571 Mi
7499	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR95C046233 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2014 US EPA Label, 37573 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 37,573 Hr	7505	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPRX5C046323 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, 36476 Engine hrs, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, 162 in Wheelbase, Dual Fuel Tanks Usage: 1,409,937 Mi
7500	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPRX5C046130 C/W: Cummins ISX 6 Cylinder Diesel Engine, 2004 US EPA Label, Engine Coolant Heater, 42928 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 42,928 Hr	7506	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR65C046237 Usage: 1,422,264 Mi
		7507	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR05C046198 Usage: 1,464,135 Mi
		7508	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPRX5C046158 Usage: 1,472,962 Mi
		7509	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR35C178887 Usage: 1,514,474 Mi

Lot #	Details	Lot #	Details
7510	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR75C046084 C/W: Cummins 6 Cylinder Diesel 400 hp Engine, 2004 US EPA Label, 39594 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 165 in Wheelbase, Dual Fuel Tanks Usage: 1,528,361 Hr	7517	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR15C046291 C/W: Cummins ISX 6 Cylinder Diesel 450 hp Engine, 2006 US EPA Label, 49012 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,655,939 Mi
7511	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR95C039718 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 39494 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer RS404 Drive Axles, 3.70:1 Axle Ratio, 52000 kg GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,541,008 Mi	7518	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR45C046124 C/W: Cummins ISX 6 Cylinder Diesel Engine, 40887 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,758,602 Mi
7512	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR75C178889 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 38155 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 11R22.5, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 1,573,088 Mi	7519	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR95C178926 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2005 US EPA Label, 37637 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7513	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR45C046317 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2004 US EPA Label, 39710 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,577,788 Mi	7520	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR75C046196 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7514	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR75C046182 Usage: 1,589,219 Mi	7521	<b>2010 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9TG6AN292109 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, 52500.0 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel Usage: 569,089 Mi
7515	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR25C178895 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2005 US EPA Label, 40106 Engine hrs, Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, 162 in Wheelbase, Dual Fuel Tanks Usage: 1,630,279 Mi		
7516	<b>2005 International 9400i T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR55C178910 Usage: 1,630,805 Mi		

Lot #	Details	Lot #	Details
7522	<b>2010 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9TG5AN292117 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 18604 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, steel, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel Usage: 649,005 Mi	7527	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EGX9N263782 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2008 US EPA Label, Digital Mirrors, Exhaust Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37478 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,089,826 Mi
7523	<b>2010 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9TG2AN292107 C/W: Cummins ISX 6 Cylinder Diesel 400 hp Engine, 22224 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5, Volvo Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel Usage: 732,818 Mi	7528	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG79N283651 C/W: Volvo Diesel Engine, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires Usage: 1,098,966 Mi
7524	<b>2010 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9TG6AN292093 C/W: Cummins ISX 6 Cylinder 15 L Diesel Engine, 2018 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7529	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG39N263770 C/W: Volvo D13H500 6 Cylinder Ultra Low Sulfur Diesel Engine, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 264:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
7525	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG29N283640 C/W: Volvo D13 6 Cylinder 13 L Ultra Low Sulfur Diesel 375 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,069,531 Mi	7530	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG59N283681 C/W: Volvo D13 6 Cylinder Diesel 375 hp Engine, 2008 US EPA Label, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 1,162,938 Mi
7526	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG99N263711 C/W: Volvo D13 6 Cylinder Diesel 375 hp Engine, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 1,081,187 Mi	7531	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG89N283657 Usage: 1,153,895 Mi
		7532	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG19N263766 Usage: 1,155,212 Mi
		7533	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EGX9N263636 Usage: 1,157,056 Mi

Lot #	Details	Lot #	Details
7534	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG99N283604 C/W: Volvo D13F375 6 Cylinder 12.8 L Diesel 500 hp Engine, 2007 US EPA Label, Exhaust Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, Meritor RT-40-145 Drive Axles, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,202,891 Mi	7541	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG09N263578 C/W: Volvo 6 Cylinder Diesel Engine, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 49478 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7535	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG09N283670 C/W: Volvo D13 6 Cylinder Diesel 375 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,216,925 Mi	7542	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG98N498284 C/W: Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 901,090 Mi
7536	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG79N283617 Usage: 1,219,231 Mi	7543	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG68N262742 C/W: Volvo D13F 6 Cylinder 12.8 L Diesel 375 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 948,871 Mi
7537	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EGX9N283675 C/W: Volvo D13F375 6 Cylinder 22.8 L Ultra Low Sulfur Diesel 375 hp Engine, US EPA Label, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT40-145 Drive Axles, 264:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, volvo Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,254,182 Mi	7544	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG38N262763 C/W: Volvo D13F375 6 Cylinder 12.8 cid Ultra Low Sulfur Diesel 375 hp Engine, 2007 US EPA Label, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 264:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5, Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 990,813 Mi
7538	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG69N263603 Usage: 1,259,910 Mi	7545	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG18N498280 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 375 hp Engine, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, VOLVO Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,130,239 Mi
7539	<b>2009 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG19N283662 Usage: 1,285,011 Mi	7546	<b>2008 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG98N263514 Usage: 1,227,316 Mi
7540	<b>2009 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG29N263789 C/W: Volvo D13 6 Cylinder 13 L Diesel 375 hp Engine, 2018 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, 49487 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,332,688 Mi	7547	<b>2008 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG88N498339 Usage: 1,228,591 Mi

Lot #	Details	Lot #	Details
7548	<b>2008 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG88N262774 Usage: 1,314,732 Mi	7556	<b>2007 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF47N449495 Usage: 1,443,151 Mi
7549	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9EG98N263495 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 375 hp Engine, 2007 US EPA Label, Engine Brake, Exhaust Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 49478 lb GVWR, Air Ride Cab, Steel, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,501,382 Mi	7557	<b>2007 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF37N451920 Usage: 1,459,548 Mi
7550	<b>2008 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GG38N461972 Usage: 1,523,420 Mi	7558	<b>2007 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF27N449639 C/W: Volvo D12D365 6 Cylinder Ultra Low Sulfur Diesel 365 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,478,222 Mi
7551	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GG98N461958 C/W: Volvo D12D365 6 Cylinder 12.1 L Diesel 365 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, Meritor RT-44-145 Drive Axles, 49478 lb GVWR, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,530,160 Mi	7559	<b>2007 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF87N449659 C/W: Volvo VE D12-365 6 Cylinder 365 hp Engine, Engine Brake, Eaton Fuller FR-13210B 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,616,415 Mi
7552	<b>2008 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GG98N461992 C/W: Volvo 6 Cylinder 12.1 L Diesel 365 hp Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 49478 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, volvo Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	7560	<b>2006 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF26N405915 C/W: Volvo D12D365 6 Cylinder 12.1 L Diesel Engine, Engine Brake, Eaton Fuller FR-13210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37478 lb Rears, Meritor RT-40-145 Drive Axles, 49478 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 165 mm Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,503,944 Mi
7553	<b>2007 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF97N451789 Usage: 1,186,551 Mi	7561	<b>2006 Volvo VNM 6x2 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF46N439662 Usage: 1,581,242 Mi
7554	<b>2007 Volvo VNM T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF37N461914 Usage: 1,349,415 Mi	7562	<b>2006 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF26N439644 C/W: Volvo 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 385 hp Engine, US EPA Label, Engine Brake, Eaton Fuller FR13210B 10-Speed Manual Transmission, 12000 lb Front Axle, 18739 lb Rears, 49478 lb GVWR, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7555	<b>2007 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GF27N449656 C/W: Volvo D12D365 6 Cylinder Diesel 365 hp Engine, 2006 US EPA Label, Eaton Fuller FR-13210B 10-Speed Manual Transmission, 12000 lb Front Axle, 37478 lb Rears, 2.93:1 Axle Ratio, 49478 lb GVWR, 295/75R22.5, Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,393,020 Mi		



Lot #	Details	Lot #	Details
7563	<b>2007 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK57LX69757 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, 24479 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, Dual Fuel Tanks Usage: 24,479 Mi	7571	<b>2006 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK76LW32074 C/W: Detroit Series 60 6 Cylinder 14 L Ultra Low Sulfur Diesel 455 hp Engine, 23359 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 171 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 805,375 Mi
7564	<b>2007 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CG57LX26564 Usage: 122,043 Mi	7572	<b>2006 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CG76LV43214 C/W: Detroit Series 60 6 Cylinder Diesel Engine, 3280.3 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 200000 lb Rears, 52000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 925,891 Hr
7565	<b>2007 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK17LX41311 Usage: 782,432 Mi	7573	<b>2005 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK15LU12962 Usage: 429,160 Mi
7566	<b>2007 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK17LV99557 C/W: Detroit Series 60 6 Cylinder 14 L Ultra Low Sulfur Diesel Engine, 991 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 849,637 Mi	7574	<b>2005 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CG05PV19814 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 445 hp Engine, 8498 Engine hrs, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 3.73:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 971,543 Mi
7567	<b>2007 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK67LY67843 C/W: Detroit Series 60 6 Cylinder 14.0 L Ultra Low Sulfur Diesel 515 hp Engine, 2006 US EPA Label, 32904 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 850,374 Mi	7575	<b>2022 Peterbilt 579 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPBAP8X6ND759122 Usage: 135,168 Mi
7568	<b>2007 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK37DX77513 Usage: 985,770 Mi	7576	<b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPBAP8XXJD481643 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7569	<b>2007 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK77LX77228 Usage: 1,036,164 Mi		
7570	<b>2006 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CKX6LV98809 Usage: 76,925 Mi		

Lot #	Details	Lot #	Details
7577	<p><b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1XPBAP8X2JD487002                      C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: Not Available</p>	7583	<p><b>2021 Peterbilt 579 6x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1XPBAK9X4MD758731                      C/W: Paccar 6 Cylinder Ultra Low Sulfur Diesel Engine, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 165 in Wheelbase, Dual Fuel Tanks                      Usage: 177,081 Mi</p>
7578	<p><b>2018 Peterbilt 579 4x2 S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1XPBAP8X2JD486979                      C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase, Dual Fuel Tanks                      Usage: Not Available</p>	7584	<p><b>2017 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1FUGGEDVXHLHS3843                      C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: 714,063 Mi</p>
7579	<p><b>2021 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG0MN285362                      C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks                      Usage: Not Available</p>	7585	<p><b>2016 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 3AKGGEDV2GDHC4844                      C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Engine Brake, Eaton Fuller FR-14210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: 150,167 Mi</p>
7580	<p><b>2019 Volvo VNR S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 4V4W19EG9KN907499                      Usage: 638,091 Mi</p>	7586	<p><b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 3AKGGEDV4FSGK3299                      C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: 898,723 Mi</p>
7581	<p><b>2019 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG2KN907585                      C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks                      Usage: Not Available</p>	7587	<p><b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 3AKGGEDV3FSGK3522                      C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Requires AdBlue, 12000 lb Front Axle, 40000 lb Rears, 2.50:1 Axle Ratio, 52000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, Lowboy Ramps, Dual Fuel Tanks                      Usage: Not Available</p>
7582	<p><b>2018 Volvo VNR 4x2 S/A Day Cab Truck Tractor</b>                      S/N: 4V4W19EG6JN901724                      C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks                      Usage: Not Available</p>		

Lot #	Details	Lot #	Details
7588	<b>2015 Freightliner Cascadia 125 6x2 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3AKGGEDV0FSGK3302 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Dual Fuel Tanks Usage: Not Available	7595	<b>2019 Peterbilt 337 4x2 Van Truck</b> S/N: 2NP2HM7X7KM497042 C/W: Paccar PX-7 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7724 Engine hrs, Engine Brake, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 277 in Wheelbase, Wabash 26 ft x 102 in Wide x 96 in High Body, Liftgate Usage: 113,783 Mi
7589	<b>2012 Volvo VNM 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4MC9EG8CN555678 C/W: Volvo 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, CARB Compliant, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 1,037,532 Mi	7596	<b>2018 Peterbilt 337 4x2 Moving Van Truck</b> S/N: 2NP2HM7X4JM491939 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7469 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 6.17:1 Axle Ratio, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 273 in Wheelbase, Wabash 26 ft x 102 in Wide x 99 in High Body, Liftgate Usage: 111,470 Mi
7590	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2HSCNAPR95C046359 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Dual Fuel Tanks Usage: 1,525,633 Mi	7597	<b>2018 Peterbilt 337 4x2 Van Truck</b> S/N: 2NP2HM7X2JM491938 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6207 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 6.17:1 Axle Ratio, 32000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 273 in Wheelbase, Wabash 26 ft x 102 in Wide x 99 in High Body, Liftgate Usage: 108,388 Mi
7591	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2HSCNAPR15C046243 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2004 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 163 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,551,440 Mi	7598	<b>2018 Peterbilt 337 Van Truck</b> S/N: 2NP2HM7X3JM491947 Usage: 118,386 Mi
7592	<b>2005 International 9400i 6x2 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2HSCNAPR35C046227 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Aluminum Wheels, 11R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,602,563 Mi	7599	<b>2018 Peterbilt 337 Van Truck</b> S/N: 2NP2HM7X1JM491946 Usage: 155,014 Mi
7593	<b>2006 Freightliner Columbia 120 6x2 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJA6CK66LV99519 C/W: Detroit 6 Cylinder Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, Dual Fuel Tanks Usage: 1,000,111 Mi	7600	<b>2018 Peterbilt 337 4x2 Van Truck</b> S/N: 2NP2HM7X0JM491940 C/W: Paccar PX-7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9047 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 6.17:1 Axle Ratio, 32000 lb GVWR, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Spring Suspension, 273 in Wheelbase, Wabash 26 ft x 102 in Wide x 99 in High Body, Liftgate Usage: 168,798 Mi
7594	<b>1995 International 4900 2500 L 6x4 Fuel Truck</b> S/N: 1HTSHAAR0SH659644 C/W: International A175 6 Cylinder Diesel 175 hp Engine, 1994 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 11R22.5, Spring Suspension, 205 in Wheelbase, 1994 New Young's A-698 2500 gal Aluminum Tank, 8 Compartments, 3 Reels w/ Mechanical Register Usage: 26,489 Mi	7601	<b>2014 Hino 268 Van Truck</b> S/N: 5PVNJ8JV8E4S55944 Usage: 257,757 Mi

Lot #	Details	Lot #	Details
7602	<b>2013 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT4DHBZ1181 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 9593 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 275/80R22.5, Airliner Air Ride Suspension, 271 in Wheelbase, 26 ft x 96 in Wide x 103 in High Body, Liftgate Usage: 288,638 Mi	7610	<b>2003 Ford F-250 XL 4x2 Flatbed Truck</b> S/N: 1FTNF20P63EC71276 C/W: Ford V8 6.0 L Diesel Engine, 2003 US EPA Label, Automatic Transmission, 4250 lb Front Axle, 6084 lb Rears, 8800 lb GVWR, 245/75R16, Spring Suspension, 137 in Wheelbase, 8 ft 7 in x 83 in Bed Usage: 85,300 Mi
7603	<b>2012 Freightliner M2 106 Van Truck</b> S/N: 1FVACXDTXCDBU9514 Usage: 164,428 Mi	7611	<b>1995 Dodge Ram 2500 ST 4x2 Pickup</b> S/N: 1B7KC26C1SS302174 C/W: 5.9 L 6 Cylinder Diesel Engine, 1995 US EPA Label, 5 Speed Manual Transmission, Air Conditioner, Drop-In Bed Liner, 8800 lb GVWR, 245/70R16 Tires, 8 ft Bed Usage: Not Available
7604	<b>2012 Freightliner M2 106 Van Truck</b> S/N: 1FVACWDT0CDBF2136 Usage: 235,231 Mi	7612	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL305083 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7605	<b>2012 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDT9CDBU9522 C/W: Cummins ISB 6 Cylinder Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 12234 Engine hrs, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, Morgan 26 ft x 102 in Wide x 99 in High Body, Liftgate Usage: 242,805 Mi	7613	<b>2022 Wabash Dolly</b> S/N: 1JJD061X4NL318975 Usage: Not Available
7606	<b>2005 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDC95HU72350 C/W: Cat C7 6 Cylinder Diesel Engine, 13540 Engine hrs, Eaton Fuller 7-Speed Transmission, 12000 kg Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 271 in Wheelbase, Morgan 26 ft x 96 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 278,997 Mi	7614	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X7NL304875 C/W: 20000 lb GVWR, 295/75R22.5 Tires Usage: Not Available
7607	<b>2006 International 4300 Van Truck (Inoperable)</b> S/N: 1HTMMAAN76H192021 C/W: International 6 Cylinder Ultra Low Sulfur Diesel Engine, Automatic Transmission, Air Ride Cab, Aluminum Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, 28 ft x 96 in Wide x Body, Liftgate Usage: 468,560 Mi	7615	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0NL305348 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7608	<b>2006 International 4300 4x2 Van Truck</b> S/N: 1HTMMAAN56H192020 C/W: International 6 Cylinder Diesel Engine, 23488 Engine hrs, 7-Speed Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 276 in Wheelbase, 25 ft x 90 in Wide x 96 in High Body, Liftgate Usage: 506,144 Mi	7616	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0NL304989 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7609	<b>2002 International 4400 4x2 Moving Van Truck</b> S/N: 1HTMKAAN82H527092 C/W: International 6 Cylinder Diesel Engine, 29444 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 253 in Wheelbase, Morgan 28 ft x 96 in Wide x 96 in High Body, Liftgate Usage: 593,368 Hr	7617	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL305243 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
		7618	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL305240 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
		7619	<b>2022 Wabash Dolly</b> S/N: 1JJD061X0NL305334 Usage: Not Available
		7620	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X4NL305188 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
		7621	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X9NL318972 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
		7622	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X5NL319018 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
7623	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X1NL304774 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7637	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3NL305084 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7624	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X4NL319088 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7638	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL305193 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7625	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL305042 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7639	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X7NL319084 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7626	<b>2022 Wabash Dolly</b> S/N: 1JJD061XXNL305129 Usage: Not Available	7640	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL305248 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7627	<b>2022 Wabash Dolly</b> S/N: 1JJD061X8NL305050 Usage: Not Available	7641	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL305018 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7628	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL305092 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7642	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3NL304937 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7629	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X4NL304803 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7643	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL305216 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7630	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X0NL319055 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7644	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL305331 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7631	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X0NL304961 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7645	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6NL305046 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7632	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL318965 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7646	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL304847 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7633	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061XXNL304790 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7647	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6NL305130 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7634	<b>2022 Wabash Dolly</b> S/N: 1JJD061X7NL305122 Usage: Not Available	7648	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL305217 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7635	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL305119 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7649	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X7NL319067 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7636	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6NL305242 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7650	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL305301 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
7651	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X5NL304843 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7666	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL304907 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7652	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL319071 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7667	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL305011 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7653	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL305016 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7668	<b>2022 Wabash Dolly</b> S/N: 1JJD061X2NL304959 Usage: Not Available
7654	<b>2022 Wabash Dolly</b> S/N: 1JJD061X6NL305161 Usage: Not Available	7669	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3NL304906 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7655	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL305114 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7670	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X9NL304988 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7656	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X6NL305225 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7671	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL304802 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7657	<b>2022 Wabash Dolly</b> S/N: 1JJD061X8NL305047 Usage: Not Available	7672	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL305228 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7658	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL304805 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7673	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL304942 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7659	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X4NL305059 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7674	<b>2022 Wabash Dolly</b> S/N: 1JJD061X0NL305186 Usage: Not Available
7660	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL304982 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7675	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X3NL319082 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7661	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6NL305113 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7676	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X1NL305214 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7662	<b>2022 Wabash Dolly</b> S/N: 1JJD061X7NL304889 Usage: Not Available	7677	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X9NL304960 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7663	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL304926 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7678	<b>2022 Wabash Dolly</b> S/N: 1JJD061X7NL305279 Usage: Not Available
7664	<b>2022 Wabash Dolly</b> S/N: 1JJD061X4NL304901 Usage: Not Available	7679	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL305295 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7665	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL304910 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
7680	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X6NL305354 C/W: 20000 lb GVWR, Air Ride Suspension, 295 /75R22.5 Tires Usage: Not Available	7694	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3NL305330 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7681	<b>2022 Wabash Dolly</b> S/N: 1JJD061X5NL305006 Usage: Not Available	7695	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL304859 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7682	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL305111 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7696	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL304833 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7683	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL305089 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7697	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8NL305386 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7684	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL305383 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7698	<b>2022 Wabash Dolly</b> S/N: 1JJD061X9NL319054 Usage: Not Available
7685	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5NL305040 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7699	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL304905 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7686	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X9NL305350 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7700	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061XXNL305177 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7687	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X1NL305021 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7701	<b>2022 Wabash S/A Dolly</b> S/N: 1JJD061X8NL304934 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7688	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6NL305144 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7702	<b>2021 Wabash S/A Dolly</b> S/N: 1JJD061X3ML304760 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7689	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061XXNL305373 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7703	<b>2021 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3ML304757 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7690	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7NL304911 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7704	<b>2021 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7ML228461 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7691	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2NL319073 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7705	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6LL222424 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7692	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3NL318966 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7706	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3LL222607 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7693	<b>2022 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0NL305303 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7707	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X7LL222447 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
7708	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2LL222436 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7722	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7LL222495 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7709	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3LL228374 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7723	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X6LL222553 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7710	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X7LL222433 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7724	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X7LL222500 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7711	<b>2020 Wabash Dolly</b> S/N: 1JJD061X6LL222455 Usage: Not Available	7725	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X6LL228370 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7712	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2LL222422 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7726	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X1LL228387 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7713	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0LL228378 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7727	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8LL222473 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7714	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061XXLL222538 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7728	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X2LL222551 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7715	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0LL222497 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7729	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X1LL222430 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7716	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5LL228361 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7730	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5LL228392 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7717	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X9LL228413 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7731	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8LL222490 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7718	<b>2020 Wabash Dolly</b> S/N: 1JJD061X0LL222435 Usage: Not Available	7732	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X2LL228379 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7719	<b>2020 Wabash Dolly</b> S/N: 1JJD061X6LL222519 Usage: Not Available	7733	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X6LL228384 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7720	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X6LL228353 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7734	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0LL222483 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7721	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X3LL222493 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available		



Lot #	Details	Lot #	Details
7735	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X8LL222439 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7749	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S3LT913028 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available
7736	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X5LL222558 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7750	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S4LT913023 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available
7737	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0LL222595 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7751	<b>2020 Hyundai S/A Dolly</b> S/N: 3H3J061S3LT913045 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7738	<b>2020 Wabash CDH S/A Dolly</b> S/N: 1JJD061X0LL222600 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7752	<b>2020 Hyundai S/A Dolly</b> S/N: 3H3J061S1LT913075 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7739	<b>2020 Wabash S/A Dolly</b> S/N: 1JJD061X7LL222559 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7753	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S2LT913036 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available
7740	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S6LT913010 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7754	<b>2020 Hyundai Dolly</b> S/N: 3H3J061S0LT913049 Usage: Not Available
7741	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S5LT913001 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7755	<b>2006 Silver Eagle S/A Dolly</b> S/N: 1U3JE78146BJ00990 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7742	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061SXLT913074 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7756	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W16L987403 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7743	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S4LT913071 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7757	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W16L987434 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7744	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S1LT913044 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7758	<b>2006 Wabash Dolly</b> S/N: 1JJD101W06L987456 Usage: Not Available
7745	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S9LT913020 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7759	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W96L987455 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7746	<b>2020 Hyundai S/A Dolly</b> S/N: 3H3J061S4LT913085 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7760	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W06L987473 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7747	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061SXLT913012 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7761	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W26L987443 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7748	<b>2020 Hyundai CD21 S/A Dolly</b> S/N: 3H3J061S8LT913025 C/W: 22400 lb GVWR, Spring Suspension Usage: Not Available	7762	<b>2006 (unverified) Wabash S/A Dolly</b> S/N: 1JJD101W46L987444 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
7763	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101W36L987449 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7777	<b>2005 Wabash CD1AH S/A Dolly</b> S/N: 1JJD101W75L936857 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7764	<b>2006 Wabash CD1AH S/A Dolly</b> S/N: 1JJD101WX6L987433 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7778	<b>2005 Wabash CG-96 S/A Dolly</b> S/N: 1JJD101W55L942608 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7765	<b>2006 Wabash S/A Dolly</b> S/N: 1JJD101WX6L987447 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7779	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W55L942656 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7766	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W35L942610 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7780	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W35L936807 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7767	<b>2005 Wabash DOLLYCG-96 S/A Dolly</b> S/N: 1JJD101WX5L936822 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7781	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W45L936878 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7768	<b>2005 Wabash CONVECDH S/A Dolly</b> S/N: 1JJD101W95L942630 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7782	<b>2005 Wabash CDH S/A Dolly</b> S/N: 1JJD101W95L942692 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7769	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W05L942631 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7783	<b>2005 Silver Eagle S/A Dolly</b> S/N: 1U3JR78115BJ00403 C/W: 20000 lb GVWR, Spring Suspension, 11R22.5 Tires Usage: Not Available
7770	<b>2005 Wabash DOLLYCG-96 S/A Dolly</b> S/N: 1JJD101W25L936815 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7784	<b>2005 Silver Eagle S/A Dolly</b> S/N: 1U3JE81165BJ00510 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7771	<b>2005 Wabash CD1AH S/A Dolly</b> S/N: 1JJD101W95L936861 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7785	<b>2005 Silver Eagle S/A Dolly</b> S/N: 1U3JE81155BJ00515 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7772	<b>2005 Wabash CONVECDH S/A Dolly</b> S/N: 1JJD101W45L942664 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7786	<b>2005 Silver Eagle S/A Dolly</b> S/N: 1U3JR78105BJ00408 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7773	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W05L942693 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7787	<b>2005 Silver Eagle S/A Dolly</b> S/N: 1U3JE811X5BJ00543 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7774	<b>2005 Wabash S/A Dolly</b> S/N: 1JJD101W95L942627 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7788	<b>2004 Silver Eagle S/A Dolly</b> S/N: 1U3JE78194BJ00403 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7775	<b>2005 Wabash CG-96 S/A Dolly</b> S/N: 1JJD101W45L936850 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7789	<b>2004 Great Dane Dolly</b> S/N: 1GRER13124M701357 Usage: Not Available
7776	<b>2005 Wabash CG-96 S/A Dolly</b> S/N: 1JJD101W45L942616 C/W: 20000 kg GVWR, Spring Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
7790	<b>2003 Wabash CD1AH S/A Dolly</b> S/N: 1JJD101W53L835412 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7805	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09108SK069184 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7791	<b>2003 Wabash DOLLY CD1AH S/A Dolly</b> S/N: 1JJD101W03L835429 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7806	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09103SK061607 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7792	<b>2003 Wabash S/A Dolly</b> S/N: 1JJD101W33L835442 C/W: 295/75R22.5 Tires Usage: Not Available	7807	<b>1995 Pines Dolly</b> S/N: 1PNA09105SK061527 Usage: Not Available
7793	<b>2003 Wabash CD1AH S/A Dolly</b> S/N: 1JJD101W23L835397 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7808	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09104SK061468 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7794	<b>2000 Silver Eagle S/A Dolly</b> S/N: 1U3JR7819YBK00060 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7809	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK061547 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7795	<b>1998 Wabash DOLLYCG-96 S/A Dolly</b> S/N: 1JJD101W9WL458197 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7810	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK061421 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7796	<b>1998 Wabash DOLLYCG-96 S/A Dolly</b> S/N: 1JJD101W2WL458199 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7811	<b>1995 Pines S/A Dolly</b> S/N: 1PNA0910XSK069090 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7797	<b>1998 Wabash Dolly</b> S/N: 1JJD101W8WL458160 Usage: Not Available	7812	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09105SK061608 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7798	<b>1998 Wabash S/A Dolly</b> S/N: 1JJD101W0WL458167 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7813	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09101SK061427 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7799	<b>1998 Wabash S/A Dolly</b> S/N: 1JJD101WXWL458208 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7814	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09109SK069176 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7800	<b>1998 Alloy S/A Dolly</b> S/N: 1ALCA2167WS980282 C/W: Spring Suspension, 11R24.5 Tires Usage: Not Available	7815	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK069163 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7801	<b>1996 Alloy S/A Dolly</b> S/N: 1ALCA216XTS961365 C/W: Spring Suspension, 11R24.5 Tires Usage: Not Available	7816	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09102SK061646 C/W: 68000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7802	<b>1996 Alloy S/A Dolly</b> S/N: 1ALCA2165TS961399 C/W: Spring Suspension, 11R22.5 Tires Usage: Not Available	7817	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK061497 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7803	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09108SK069217 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7818	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09104SK069098 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7804	<b>1995 Pines Dolly</b> S/N: 1PNA09105SK069109 Usage: Not Available		

Lot #	Details	Lot #	Details
7819	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09104SK061521 C/W: 68000 kg GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7832	<b>1994 Pines S/A Dolly</b> S/N: 1PNA09100RK056486 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7820	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09103SK061445 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7833	<b>1994 Pines S/A Dolly</b> S/N: 1PNA0910XRK056432 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7821	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09108SK061599 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7834	<b>1993 Pines S/A Dolly</b> S/N: 1PNA0910XPK052457 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7822	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09109SK061627 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7835	<b>1993 Pines Dolly</b> S/N: 1PNA09101PK052458 Usage: Not Available
7823	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK069096 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7836	<b>1993 Pines S/A Dolly</b> S/N: 1PNA09109PK052370 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7824	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09100SK061418 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7837	<b>1993 Pines S/A Dolly</b> S/N: 1PNA09109PK052420 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7825	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09108SK061490 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7838	<b>1993 Strick S/A Dolly</b> S/N: 1S11CD107PG677589 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7826	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09105SK061446 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7839	<b>1993 Strick S/A Dolly</b> S/N: 1S11CD102PG677614 C/W: 20000 lb GVWR, 275/80R22.5 Tires Usage: Not Available
7827	<b>1995 Pines S/A Dolly</b> S/N: 1PNA09101SK061587 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7840	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09102NK044687 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7828	<b>1994 Pines S/A Dolly</b> S/N: 1PNA09104RK056457 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7841	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09103NK044732 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7829	<b>1994 Pines S/A Dolly</b> S/N: 1PNA09103RK056384 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7842	<b>1992 Pines S/A Dolly</b> S/N: 1PNA0910XNK044839 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7830	<b>1994 Pines S/A Dolly</b> S/N: 1PNA09105RK056452 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7843	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09109NK044847 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7831	<b>1994 Pines S/A Dolly</b> S/N: 1PNA09106RK056427 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7844	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09105NK044814 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
		7845	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09106NK044580 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
7846	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09109NK044587 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7860	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09108NK044841 C/W: 68000 lb GVWR, Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7847	<b>1992 Pines Dolly</b> S/N: 1PNA09105NK044389 Usage: Not Available	7861	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09109NK044654 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7848	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09107NK044622 C/W: 34000 lb GVWR, Spring Suspension, 295/80R22.5 Tires Usage: Not Available	7862	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09108NK044337 C/W: 34000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7849	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09108NK044712 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available	7863	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09109NK044623 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7850	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09106NK044725 C/W: 68000 lb GVWR, Spring Suspension, 275/80R22.5 Tires Usage: Not Available	7864	<b>1992 Pines S/A Dolly</b> S/N: 1PNA0910XNK044615 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available
7851	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09100NK044493 C/W: 34000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7865	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09100NK044476 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7852	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09108NK044631 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7866	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09102NK044723 C/W: 295/75R22.5 Tires Usage: Not Available
7853	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09105NK044800 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7867	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09105NK044683 C/W: 34000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7854	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09109NK044413 C/W: 34000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7868	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09102NK044401 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available
7855	<b>1992 Pines S/A Dolly</b> S/N: 1PNA0910XNK044811 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7869	<b>1990 Comet S/A Dolly</b> S/N: 1C0C10019LS037738 C/W: Spring Suspension, 11R22.5 Tires Usage: Not Available
7856	<b>1992 Pines Dolly</b> S/N: 1PNA09100NK044333 Usage: Not Available	7870	<b>1990 Road Systems Dolly</b> S/N: 1RZ3AE1G3L1000488 Usage: Not Available
7857	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09108NK044788 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7871	<b>1990 Pace S/A Dolly</b> S/N: 89019 C/W: Spring Suspension Usage: Not Available
7858	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09104NK044545 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7872	<b>1990 Monon CD100A96 Dolly</b> S/N: 1NNJ00914LM139708 Usage: Not Available
7859	<b>1992 Pines S/A Dolly</b> S/N: 1PNA09102NK044625 C/W: 34000 lb GVWR, Spring Suspension Usage: Not Available	7873	<b>1990 North Cutt S/A Dolly</b> S/N: 1N9CD0011LW060042 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
7874	<b>1990 North Cutt NCD1 Dolly</b> S/N: 1N9CD0017LW060014 Usage: Not Available	7889	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00812LH019648 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7875	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00811LH019673 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7890	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00816LH019409 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7876	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00818LH019508 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7891	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00814LH019411 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7877	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00813LH019478 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7892	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00816LH019734 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7878	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00815LH019658 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7893	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0081XLH019705 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7879	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00811LH019429 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7894	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00815LH019739 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7880	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00818LH019573 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7895	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0081XLH019722 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7881	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0081XLH019462 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7896	<b>1990 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00812LH019715 Usage: Not Available
7882	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00814LH019702 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7897	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00819LH019436 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7883	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00810LH019647 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7898	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00819LH019680 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7884	<b>1990 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00816LH019524 Usage: Not Available	7899	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00813LH019528 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
7885	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00817LH019452 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7900	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00810LH019681 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7886	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00818LH019475 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7901	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00810LH019454 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7887	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00811LH019477 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7902	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617KH045096 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7888	<b>1990 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00814LH019604 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
7903	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610KH028740 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7917	<b>1989 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00617KH028671 C/W: 34000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7904	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614KH031625 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7918	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617KE013640 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7905	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00817GA019465 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7919	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616KE013631 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7906	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618KE013629 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7920	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614KH045136 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7907	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613KH045077 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7921	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617KH045163 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7908	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619KH028834 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7922	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618KH028744 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7909	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612KH031655 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7923	<b>1989 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00618KH045057 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7910	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XKH028826 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7924	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612KH028660 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7911	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614KH031673 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7925	<b>1989 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00610KH045067 C/W: 20000 lb GVWR, Spring Suspension, 275 /70R22.5 Tires Usage: Not Available
7912	<b>1989 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00613KH028831 Usage: Not Available	7926	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619KH028607 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7913	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614KH028739 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7927	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617KH028802 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7914	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612KH028674 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available	7928	<b>1989 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00617KH045115 Usage: Not Available
7915	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613KH045113 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7929	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613KH028621 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7916	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610KH045148 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
7930	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614KH028692 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7944	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614JE030927 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7931	<b>1989 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00611KH028715 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7945	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613JE030983 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7932	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611KH028794 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7946	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613JH058474 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7933	<b>1989 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00612KH031624 Usage: Not Available	7947	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610JE030911 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7934	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612KH028710 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7948	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618JH058485 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7935	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611KH045028 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7949	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614JH058452 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7936	<b>1989 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615KH031648 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7950	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615JE030936 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7937	<b>1989 North Cutt NCD1 S/A Dolly</b> S/N: 1N9CD0011KW060055 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7951	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616JH058470 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7938	<b>1989 North Cutt NCD1 S/A Dolly</b> S/N: 1N9CD0018KW060117 C/W: Spring Suspension Usage: Not Available	7952	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619JE030969 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7939	<b>1989 North Cutt NCD1 S/A Dolly</b> S/N: 1N9CD0016KW060133 C/W: Spring Suspension Usage: Not Available	7953	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612JE030988 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7940	<b>1989 North Cutt NCD1 S/A Dolly</b> S/N: 1N9CD0016KW060052 C/W: Spring Suspension Usage: Not Available	7954	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611JH058439 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7941	<b>1989 North Cutt NCD1 S/A Dolly</b> S/N: 1N9CD0011KW060153 C/W: Spring Suspension Usage: Not Available	7955	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614JH058435 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7942	<b>1989 North Cutt S/A Dolly</b> S/N: 1N9CD0010KW060077 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7956	<b>1988 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611JE030917 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7943	<b>1989 North Cutt S/A Dolly</b> S/N: 1N9CD0016KW060150 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	7957	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HH031348 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
7958	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616HC007848 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7972	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618HH031748 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7959	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614HH031326 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	7973	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611HH031509 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
7960	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610HH031937 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7974	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618HH031779 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7961	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610HH031744 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7975	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HH031575 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7962	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618HH031507 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7976	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610HC007859 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7963	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HH031589 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7977	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611HC007823 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7964	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HC007919 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7978	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615HH031481 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7965	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614HH031472 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7979	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619HH031323 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7966	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617HC007812 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7980	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617HC007891 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7967	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HH031804 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7981	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615HH031450 C/W: Air Ride Suspension, 295/75R22.5 Tires Usage: Not Available
7968	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612HH031583 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	7982	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HC007810 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7969	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HC007869 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7983	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610HH031372 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7970	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613HH031320 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7984	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615HH031951 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7971	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610HH031629 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	7985	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612HH031647 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
7986	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616HH031666 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	8000	<b>1986 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00816GA019540 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7987	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617HC007969 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	8001	<b>1986 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E0081XGA019363 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7988	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612HH031650 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8002	<b>1986 Fruehauf ELF1 S/A Dolly</b> S/N: 1H2E00818GA019474 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7989	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616HH031876 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8003	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00813GA019446 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7990	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616HH031926 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8004	<b>1986 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00615GH032239 Usage: Not Available
7991	<b>1987 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615HH031805 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8005	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XGH051384 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7992	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618GH051304 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available	8006	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610GH031919 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7993	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617GH031934 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8007	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617GH031951 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7994	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00810GA019517 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8008	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612GH032201 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7995	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00817GA019353 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8009	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615GH051308 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7996	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616GH032072 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8010	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610GH032066 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
7997	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00812GA019471 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8011	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00813GA019401 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7998	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00812GA019390 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8012	<b>1986 Fruehauf EL-FI S/A Dolly</b> S/N: 1H2E0081XGA019461 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
7999	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618GH032221 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		

Lot #	Details	Lot #	Details
8013	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614GH032135 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8028	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612FE013924 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8014	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614GH051333 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8029	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XFE013945 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8015	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00818GA019491 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8030	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XFE014027 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8016	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00812GA019499 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8031	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612FE013972 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8017	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615GH031947 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8032	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616FH068729 C/W: Spring Suspension, 275/80R22.5 Tires Usage: Not Available
8018	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00811GA019350 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8033	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615FM041130 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8019	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0081XGA019430 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8034	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E0061XFM041205 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8020	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614GH031986 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8035	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612FH033217 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8021	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00811GA019428 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8036	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00618FM041204 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8022	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612GH051394 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8037	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00613FM041241 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8023	<b>1986 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00616GH051379 Usage: Not Available	8038	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616FH068780 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8024	<b>1986 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614GH031910 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8039	<b>1985 Fruehauf ELF-1 Dolly</b> S/N: 1H2E00615FH068723 Usage: Not Available
8025	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616FE013943 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8040	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614FE014086 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8026	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611FE013946 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8041	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H4E00617FJ006501 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8027	<b>1985 Fruehauf ELF-1 Dolly</b> S/N: 1H2E0061XFH068704 Usage: Not Available	8042	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616FH033348 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
8043	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610FH033264 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8057	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00612EN018414 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8044	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00611FM041125 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8058	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00613EE019004 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
8045	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612FH033377 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8059	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H5E00619EN018121 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8046	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612FH033301 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8060	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616EE018834 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8047	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00617FM041212 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8061	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XE074161 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8048	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613FH068705 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8062	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612EE018703 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8049	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617FH068755 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8063	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H5E00619EN018040 Usage: Not Available
8050	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614FH068759 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8064	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00611EN021546 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8051	<b>1985 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00616FH033351 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8065	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615EH074231 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8052	<b>1985 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00619FH033327 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8066	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H2E00613EE025627 Usage: Not Available
8053	<b>1985 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610FH068709 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8067	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00618EN016117 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8054	<b>1985 Hobbs ELF-1 S/A Dolly</b> S/N: 1H5E0061XFM041155 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	8068	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618EE925008 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8055	<b>1985 Comet S/A Dolly</b> S/N: 1C0C10011FS033333 C/W: Spring Suspension Usage: Not Available	8069	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EE025109 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8056	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EE013902 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8070	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615EN018424 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
		8071	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EH074082 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
8072	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00611EN016203 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8086	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615EH074309 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8073	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EH074104 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8087	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00617EE018602 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
8074	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611EH074162 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8088	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00610EE018621 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8075	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612EH074350 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8089	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00616EE018722 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
8076	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617EH078202 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8090	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00612EH074025 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8077	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610EE021616 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8091	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00610EE019042 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
8078	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00616EE025038 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8092	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EE021632 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8079	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00610EH074119 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8093	<b>1984 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H5E00613EN017921 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8080	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H2E00610EH081815 Usage: Not Available	8094	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H5E00615EN021601 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
8081	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00616EE018929 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8095	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00610EH074041 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8082	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE025625 C/W: 20000 lb GVWR, Spring Suspension, 235 /75R17.5 Tires Usage: Not Available	8096	<b>1984 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00619EH074233 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
8083	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H2E00614EE018847 Usage: Not Available	8097	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00615EH078246 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8084	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611EH074131 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8098	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614EE018542 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8085	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E00615EE025225. C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8099	<b>1984 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00619EH081828 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8113	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00610EN018332 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8100	<b>1984 Hobbs EL-F1 S/A Dolly</b> S/N: 1H2E00611EE018501 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available	8114	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E0061XEN021609 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8101	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00614EE025149 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8115	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615EN018214 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8102	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615EN016141 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8116	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00619EN018443 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8103	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618EH074126 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8117	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE025608 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8104	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00611EN018338 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8118	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612EE025215 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8105	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617EE025114 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8119	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00618EH074045 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8106	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615EN016124 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8120	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612EE025184 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8107	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EE018908 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8121	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EE025336 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8108	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE019016 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8122	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EH081730 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8109	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00612EN016226 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8123	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00618EN021625 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8110	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EH074202 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8124	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616EH081821 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8111	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H5E0061XEN017950 Usage: Not Available	8125	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE019047 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8112	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00617EN018330 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8126	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00616EE025203 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
		8127	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00617EH074327 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
8128	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H2E00614EE018668 Usage: Not Available	8142	<b>1984 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H2E00616EE025637 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8129	<b>1984 Hobbs ELF-1 Dolly</b> S/N: 1H2E00613EE021643 Usage: Not Available	8143	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00610EN018122 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8130	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00612EE018555 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8144	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EE025403 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8131	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615EH074312 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8145	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00618EN021642 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8132	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EE018553 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8146	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00619EH074006 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8133	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE028562 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8147	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E0061XEE025513 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8134	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00610EN018024 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8148	<b>1983 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00817DH038987 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8135	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00616EN016102 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8149	<b>1983 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00619DN012849 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8136	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00613EE025014 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8150	<b>1983 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00617DN012803 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8137	<b>1984 (unverified) Fruehauf EL-FI S/A Dolly</b> S/N: 1H2E00615EE025208 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8151	<b>1983 Fruehauf EL-FI S/A Dolly</b> S/N: 1H5E00616DN012842 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8138	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00611EE018613 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8152	<b>1983 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00614DN012824 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8139	<b>1984 Hobbs ELF-1 S/A Dolly</b> S/N: 1H5E00618EN017901 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	8153	<b>1983 Fruehauf ELF-1 Dolly</b> S/N: 1H5E00619DN012804 Usage: Not Available
8140	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00613EN016249 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8154	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00610CN000264 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available
8141	<b>1984 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H2E00615EE018601 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available	8155	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00613CN000128 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available

Lot #	Details	Lot #	Details
8156	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00614CN000168 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8157	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E0061XCN000224 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8158	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00615CN000194 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8159	<b>1982 Hobbs DSU-1074 S/A Dolly</b> S/N: 1H5E00612CN000329 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available		
8160	<b>1982 Fruehauf EL-F1 S/A Dolly</b> S/N: 1H5E00614CN000297 C/W: 20000 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available		
8161	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00618CN000383 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8162	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00619CN000263 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8163	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00610CN000118 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8164	<b>1982 Fruehauf ELF-1 S/A Dolly</b> S/N: 1H5E00619CN000358 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8165	<b>1982 Hobbs DSU-1074 S/A Dolly</b> S/N: 1H5E00610CN000202 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available		
8166	<b>1982 Hobbs DSU-1074 S/A Dolly</b> S/N: 1H5E00618CN000190 C/W: 275/80R22.5 Tires Usage: Not Available		
8167	<b>1978 Fruehauf ELF-1 S/A Dolly</b> S/N: MEY546189 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8168	<b>1975 Fruehauf ELF-1 S/A Dolly</b> S/N: BLS513452 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		
8169	<b>1975 Fruehauf ELF-1 S/A Dolly</b> S/N: BLS513160 C/W: 20000 lb GVWR, Spring Suspension Usage: Not Available		