



Southeast Regional Event, USA - Jun 15, 2023

Lot #	Details	Lot #	Details
1	2020 Kubota RTV-X1140 4x4 Utility Vehicle S/N: A5KD2GDBKLG036746 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 1,663 Hr	9A	2016 Club Car Carryall 1700 4x4 Utility Vehicle S/N: SD1633666109 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,687 Hr
2	2020 Kubota RTV-X1140 4x4 Utility Vehicle S/N: A5KD2GDBTLG038638 C/W: Canopy, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 1,826 Hr	10	2017 Club Car Carryall 1500 4x4 Utility Vehicle S/N: RF1715811904 C/W: Open Operator Station, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Manual Dump Bed Usage: 1,924 Hr
3	2018 Kubota RTVX1140 4x4 Utility Vehicle S/N: A5KD2GDBHJG023291 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Hydraulic Dump Bed Usage: 1,638 Hr	11A	2019 Polaris Ranger 500 4x2 Utility Vehicle S/N: 3NSRM250XKE381042 C/W: Open Operator Station, 2 Passenger, 500 cc Gasoline Engine, Manual Dump Bed Usage: 3,587 Hr
4	2018 Kubota RTV-X1140 4x4 Utility Vehicle S/N: A5KD2GDBEJG024300 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Locking Front Differential, Brush Guard, Hydraulic Dump Bed Usage: 983 Hr	11	2011 Club Car 4x4 Utility Vehicle S/N: RT1104169940 C/W: Enclosed Cab, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: 1,976 Hr
5	2018 Kubota RTVX900 4x4 Utility Vehicle S/N: A5KB2FDBVJG053372 C/W: Open Operator Station, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Hitch Receiver, Hydraulic Dump Bed Usage: 622 Hr	12A	Ranger 4x4 Utility Vehicle S/N: Not Available C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: 4,874 Mi
6	2018 Kubota RTVX900 4x4 Utility Vehicle S/N: A5KB2FDBCJG052558 C/W: Canopy, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Hydraulic Dump Bed Usage: 784 Hr	12	2003 Kawasaki 3010 4x4 Utility Vehicle S/N: JK1AFCH1X3B500770 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Locking Front Differential, Winch, Manual Dump Bed Usage: Not Available
7A	2018 Polaris Ranger 4x4 Utility Vehicle S/N: 4XARVAD10J8053602 C/W: 4 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,611 Hr	13	2017 Lay-Mor SM300 Self-Propelled Broom S/N: 38395 C/W: Open Operator Station, 7 ft 10 in Broom, Water System, Kubota D1005 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 595 Hr
7	2012 Kawasaki 4010 4x4 Utility Vehicle S/N: JK1AFDG17CB507330 C/W: Open Operator Station, 4 Passenger, Rear Screen, 953 cc Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,331 Hr	14	2017 Lay-Mor SM300 Self-Propelled Broom S/N: 37412 C/W: Open Operator Station, 7 ft 10 in Broom, Water System Usage: 753 Hr
8	2017 Polaris Ranger 4x4 Utility Vehicle S/N: 4XARVAD16H7745198 C/W: Canopy, 4 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: 1,478 Hr	15	2007 Lay-Mor 8HC Self-Propelled Broom S/N: 31983 C/W: Open Operator Station, 94 in Broom, Water System, Kubota V1505-ES01 4 Cylinder 26.5 kW 1.5 L Diesel Engine Usage: 2,425 Hr

Lot #	Details	Lot #	Details
16	1998 Broce RC350 Self-Propelled Broom S/N: 88777 C/W: Enclosed Cab, Air Conditioner, 8 ft Broom, Water System, Cummins B3.9-C 4 Cylinder 3.9 L Diesel Engine Usage: 6,336 Hr	23	2019 Kubota BX23S 4WD Utility Tractor S/N: NONE C/W: Hydrostatic Drive, Tier 4, 15.9 kW Engine, US EPA Label, Kubota Loader w/Joystick, 47 in Multi-Purpose Bucket, Kubota 11 in Backhoe Attachment, 18x8.50 Front Tires, 26x12.00 Rear Tires Usage: 879 Hr
17A	2021 John Deere 5075E 4WD Tractor S/N: 1PY5075EEMM414401 C/W: Enclosed Cab, Air Conditioner, 9 Forward 3 Reverse, Forward/ Reverse Shuttle, Tier 4, 75 hp Engine, John Deere 520M Loader w /Joystick, Quick Coupler, 74 in Bucket, 2 Mid-Mount Remotes, 1 Rear Remotes, 3-Point Hitch, 12.5/80/18 Front Tires, 16.9-24 Rear Tires Usage: 32 Hr	24	2019 Kubota BX23S 4WD Utility Tractor S/N: KBUC1DHRCKGE32797 C/W: Hydrostatic Drive, Tier 4, 15 kW Engine, 2019 US EPA Label, Kubota LA340 Loader w /Joystick, Quick Coupler, 47 in Bucket, Kubota 12 in Backhoe Attachment, 17-14-00786 Front Tires, 26X12.00-12 NHS Rear Tires Usage: 1,196 Hr
17	1993 Waldon Sweep Master B Self-Propelled Broom S/N: 22600 C/W: Open Operator Station, 8 ft Broom, Water System, Cat 4 Cylinder Diesel Engine Usage: Not Available	30	2019 Kubota BX23SLB-R 4WD Utility Tractor S/N: KBUC1DHRCKGG34575 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 23 hp Engine, 2019 US EPA Label, Kubota LA340 Loader w/Joystick, 47 in Bucket, Kubota BT603 12 in Backhoe Attachment, 17-14-00786 Front Tires, 26X12.00-12 NHS Rear Tires Usage: 746 Hr
18	2018 Kubota L4701 4WD Utility Tractor S/N: L4701D62344 C/W: Differential Lock, Reverse Drive Mode, 4 Forward 4 Reverse, Manual Transmission, Forward/ Reverse Shuttle, Creeper, Tier 4, 47.3 hp Engine, 2018 US EPA Label, Front Weights, HID Lights, 3-Point Hitch, Drawbar, 8.3-16 Front Tires, 14.9x24 Rear Tires Usage: 830 Hr	43	2014 Case IH Steiger 620HD Scraper Tractor S/N: ZEF301295 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 16 Forward 2 Reverse, Power Shift, Cab Suspension, Tier 4, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5 Rear Remotes, Auxiliary Hydraulics, Load Sensing, Air Brake System, Exterior 3-Point Hitch Controls, w/ Quick Hitch, Scraper, Dual 710/70R42 Front Tires, Dual 710/70R42 Rear Tires Usage: 5,082 Hr
19	2018 Yanmar SA24 4WD Utility Tractor S/N: YMJS0026AJF400482 C/W: 2 Forward 2 Reverse, Hydrostatic Drive, Yanmar YL210 Loader, Quick Coupler, 52 in Bucket, 2 Mid-Mount Remotes, Auxiliary Hydraulics, 540 PTO, Yanmar B65 Backhoe Attachment, 23x8.50-12 Front Tires, 350/70-17.5 Rear Tires Usage: 575 Hr	44	2016 John Deere CP690 6 Row Cotton Picker S/N: 1N0C690PKG4060056 C/W: Air Conditioner, Air Ride Seat, 24 in Spacing, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 520/85R42 Dual Front Tires, 580 /80/34 Rear Tires Usage: 2,638 Hr
20	2018 Yanmar SA24 4WD Utility Tractor S/N: YMJS0026EJF400664 C/W: Hydrostatic Drive, 23.9 hp Engine, 2018 US EPA Label, Yanmar YL210 Loader w /Joystick, Yanmar B65 12 in Backhoe Attachment, 23x8.50-12 Front Tires Usage: 788 Hr	45	2022 Bobcat T870 Two-Speed Compact Track Loader S/N: B47C19426 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 7 Pin Electric Kit, Hydraulic Coupler, Disc Mulcher Usage: 104 Hr
21	2018 Yanmar YL210 4WD Utility Tractor S/N: YMJS0026AJF400773 C/W: Hydrostatic Drive, 24 hp Engine, 2018 US EPA Label, Yanmar YL210 Loader w/Joystick, 53 in Bucket, Yanmar B65 12 in Backhoe Attachment, 205/65-12 Front Tires, 350/70-17.5 Rear Tires Usage: 973 Hr	46	2018 Cat 299D2 Two-Speed High Flow Compact Track Loader S/N: CAT0299DEFD203924 C/W: Enclosed Cab, Air Ride Seat, Joystick Steering, US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 76 in Bucket Usage: 3,385 Hr
22	2019 Kubota BX23S 4WD Utility Tractor S/N: KBUC1DHRCKGE32824 C/W: 2 Forward 2 Reverse, Hydrostatic Drive, Tier 4, 2019 US EPA Label, Kubota LA340 Loader, Kubota 48 in Bucket, 2 Mid-Mount Remotes, Auxiliary Hydraulics, 540 PTO, Kubota BT603 Backhoe Attachment, 18x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 747 Hr		

Lot #	Details	Lot #	Details
47	2017 Cat 299D2 Two-Speed Compact Track Loader S/N: CAT0299DTFD201853 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 9 Pin Electric Kit, Electric Coupler Usage: 3,011 Hr	58	2017 John Deere 331G Two-Speed Compact Track Loader S/N: 1T0331GKVHF318102 C/W: Open Operator Station, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,613 Hr
48	2011 Cat 299C Two-Speed High Flow XPS Compact Track Loader S/N: CAT0299CKJSP01915 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, 17.5 in Track Belts, 8 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket, Forks Usage: 4,712 Hr	59	2018 Bobcat T770 Two-Speed High Flow Compact Track Loader S/N: AT6315891 C/W: Enclosed Cab (Door missing), Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 7 Pin Electric Kit, Manual Coupler, Bucket Usage: 3,027 Hr
49	2013 Cat 289C2 Two-Speed Compact Track Loader S/N: CAT0289CKRTD01159 C/W: Enclosed Cab (Door missing), Air Conditioner, Air Ride Seat, Joystick Steering, Self Leveling, 17.5 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 7,169 Hr	60	2013 Bobcat T750 Compact Track Loader S/N: ATF612360 C/W: Open Operator Station, Joystick Steering, 17.5 in Track Belts, Manual Coupler, 80 in Bucket Usage: 3,419 Hr
51	2016 Takeuchi TL12 Compact Track Loader S/N: 201202383 C/W: Open Operator Station, Joystick Steering, 17 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 72 in Bucket Usage: 1,961 Hr	62	2017 Kubota SVL75-2 Two-Speed Compact Track Loader S/N: 30288 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 12.5 in Track Belts, Manual Coupler, 68 in Bucket Usage: 1,697 Hr
52	2015 Takeuchi TL12 Compact Track Loader S/N: 201201441 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2014 US EPA Label, 17.5 in Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 74 in Bucket Usage: 2,500 Hr	63	2016 Kubota SVL75-2W Compact Track Loader S/N: Not Available C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 12.5 in Track Belts, Manual Coupler Usage: 2,549 Hr
55	2017 John Deere 331G Two-Speed Compact Track Loader S/N: 1T0331GKPHF314612 C/W: Open Operator Station, Joystick Steering, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,001 Hr	64	2019 Cat 279D Two-Speed Compact Track Loader S/N: CAT0279DCGTL06743 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 78 in Bucket Usage: 1,487 Hr
56	2017 John Deere 331G Two-Speed Compact Track Loader S/N: 1T0331GKVHF314101 C/W: Open Operator Station, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,132 Hr	65	2017 Cat 279D Two-Speed Compact Track Loader S/N: CAT0279DCGTL04305 C/W: Joystick Steering, Tier 4, 2017 US EPA Label, 18 in Track Belts, 78 in Multi-Purpose Bucket Usage: 2,450 Hr
57	2017 John Deere 331G Two-Speed Compact Track Loader S/N: 1T0331GKLHF318085 C/W: Open Operator Station, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,420 Hr	66	2017 Cat 259D Compact Track Loader S/N: CAT0259DPFTL14234 C/W: Open Operator Station, Joystick Steering, 13 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,439 Hr
		67	2016 Cat 259D Two-Speed Compact Track Loader S/N: Not Available C/W: Open Operator Station, Joystick Steering, Tier 4, 2020 US EPA Label, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: 1,629 Hr

Lot #	Details	Lot #	Details
68	2016 Cat 259D Two-Speed High Flow Compact Track Loader S/N: CAT0259DHFTL07889 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, Tier 4, 2015 US EPA Label, 16 in Track Belts, 72 in Multi-Purpose Bucket, Counterweight Kit Usage: 7,137 Hr	76	2012 Bobcat T650 Two-Speed Compact Track Loader S/N: A3P013770 C/W: Open Operator Station, Joystick Steering, Tier 4, 2012 US EPA Label, 12.5 in Track Belts, Hydraulic Coupler, 74 in Bucket Usage: 5,898 Hr
69	2017 Cat 259D Two-Speed Compact Track Loader S/N: CAT0259DCFTL13162 C/W: Open Operator Station, Joystick Steering, US EPA Label, 16 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 72 in Bucket Usage: 2,102 Hr	77	2019 Takeuchi TL8 Compact Track Loader S/N: 200808839 C/W: Open Operator Station, Joystick Steering, Tier 4, 2019 US EPA Label, 15.5 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 1,724 Hr
70	2015 Cat 259D Two-Speed Compact Track Loader S/N: CAT0259DLFTL05512 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Tier 4, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16 in Track Belts, Manual Coupler, 72 in Bucket Usage: 4,770 Hr	78	2016 Takeuchi TL8 High Flow Compact Track Loader S/N: 200803000 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 12 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 80 in Bucket Usage: 1,455 Hr
71	2014 Cat 259D Two-Speed Compact Track Loader S/N: Not Available C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Tier 4, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 9 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 3,238 Hr	79	2016 Takeuchi TL8 Compact Track Loader S/N: 200802960 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 12 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 67 in Bucket Usage: 1,917 Hr
72	2014 Cat 259D Two-Speed Compact Track Loader S/N: CAT0259DPFTL01077 C/W: Open Operator Station, Joystick Steering, Tier 4, 2013 US EPA Label, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,742 Hr	80	2016 Takeuchi TL8RN Compact Track Loader S/N: 200803002 C/W: Open Operator Station, 13 in Track Belts, Manual Coupler, 68 in Bucket Usage: 2,470 Hr
73	2013 Cat 259B3 Two-Speed Compact Track Loader S/N: CAT0259BHYYZ04982 C/W: Open Operator Station, Joystick Steering, 8 Pin Electric Kit, Manual Coupler, 60 in Bucket Usage: 4,305 Hr	81	2016 Takeuchi TL8 Compact Track Loader S/N: 200803063 C/W: Open Operator Station, 2015 US EPA Label, 13 in Track Belts, Manual Coupler Usage: 2,401 Hr
74	2011 Cat 259B3 Two-Speed Compact Track Loader S/N: YYZ01585 C/W: Open Operator Station, Joystick Steering, 12 in Track Belts, Manual Coupler, 74 in Bucket Usage: 9,413 Hr	82	2014 Cat 257D Compact Track Loader S/N: CAT0257DPEZW00325 C/W: Open Operator Station, Joystick Steering, 15 in Track Belts, Manual Coupler, 67 in Bucket Usage: 2,989 Hr
75	2014 Bobcat T650 Two-Speed Compact Track Loader S/N: ALJG11371 C/W: Enclosed Cab, Joystick Steering, 2014 US EPA Label, 13 in Track Belts, Manual Coupler, 73 in Bucket Usage: 5,278 Hr	83A	2017 Mustang 1650RT Two-Speed Compact Track Loader S/N: MMC1650TB0D305041 C/W: Enclosed Cab (Door missing), Joystick Steering, Tier 4, 2017 US EPA Label, 13 in Track Belts, Hydraulic Coupler, 73 in Bucket Usage: 1,058 Hr
		83	2017 Bobcat T630 Two-Speed Compact Track Loader S/N: AJDT15393 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2017 US EPA Label, 12.5 in Track Belts, Manual Coupler, 80 in Bucket Usage: 1,507 Hr
		84	2017 Bobcat T590 Compact Track Loader S/N: ALJU22951 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 13 in Track Belts, Manual Coupler, 66 in Bucket Usage: 2,256 Hr

Lot #	Details	Lot #	Details
85	2016 Bobcat T550 Two-Speed Compact Track Loader S/N: AJZV16377 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 12.5 in Track Belts, Manual Coupler, 72 in Bucket Usage: 1,893 Hr	96	2017 Case SR160 Skid Steer Loader S/N: JAFSR160THM431983 C/W: Open Operator Station, Aperture Tires, Manual Coupler, 66 in Bucket Usage: 2,413 Hr
86	2016 John Deere 323E Two-Speed Compact Track Loader S/N: 1T0323EJCGJ300041 C/W: Open Operator Station, Joystick Steering, 16 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,187 Hr	97	2017 Case SR160 Skid Steer Loader S/N: JAFSR160JHM430501 C/W: Open Operator Station, Aperture Tires, Manual Coupler Usage: 77 Hr
87	2016 John Deere 323E Two-Speed Compact Track Loader S/N: 1T0323EJLGJ299834 C/W: Open Operator Station, Joystick Steering, 16 in Track Belts, Manual Coupler, 84 in Bucket Usage: 4,169 Hr	104	2002 Bobcat S250 Skid Steer Loader S/N: 521311826 C/W: Open Operator Station, 2002 US EPA Label, Manual Coupler Usage: 3,641 Hr
88	2005 Bobcat T300 Compact Track Loader S/N: 525416214 C/W: Enclosed Cab, Joystick Steering, Self Leveling, Tier 4, 18 in Track Belts, Manual Coupler Usage: 5,284 Hr	105	2017 Magni TH6.20 Telehandler S/N: 00001071 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 63 ft Max Lift Height, 13200 lb Max Lift Capacity, 2016 US EPA Label, 72 in Forks, Hydraulic Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 445/65R22.5 Tires Usage: 1,037 Hr
89A	2015 Terex R190T Compact Track Loader S/N: ASVR190TJ5WS00374 C/W: Enclosed Cab (Door missing), Joystick Steering, Tier 3, 2015 US EPA Label, 16 in Track Belts, Hydraulic Coupler, 74 in Bucket Usage: 1,076 Hr	106	2012 Cat TH514 Telehandler S/N: TBW00756 C/W: Enclosed Cab, Air Conditioner, 48 ft Max Lift Height, 4000 lb Max Lift Capacity, 2012 US EPA Label, 71 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 TG Foam Filled Tires Usage: 2,623 Hr
89	2004 Bobcat T300 Two-Speed High Flow Compact Track Loader S/N: 525411257 C/W: Open Operator Station, Joystick Steering, 2002 US EPA Label, 18 in Track Belts, Manual Coupler, 80 in Bucket Usage: 1,954 Hr	108	2013 JCB 550-170 Telehandler S/N: JCB5AMXGH02177874 C/W: Enclosed Cab, Air Conditioner, 54 ft 9 in Max Lift Height, 10000 lb Max Lift Capacity, 2013 US EPA Label, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Foam Filled Tires Usage: 6,991 Hr
91	2016 Kubota SSV75 Two-Speed Skid Steer Loader S/N: 20506 C/W: Open Operator Station, Tier 4, 2016 US EPA Label, Manual Coupler, 72 in Bucket Usage: 3,276 Hr	109	2015 SkyTrak 8042 Telehandler S/N: 0160065148 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Manual Coupler, 370 /75-28 Tires Usage: 2,595 Hr
92	2012 New Holland L225 Skid Steer Loader S/N: NCM446339 C/W: Enclosed Cab (Door missing), Air Conditioner, Joystick Steering, Manual Coupler, Forks Usage: 3,452 Hr	110	2004 JCB 508C Telehandler S/N: SLP508C04E0587846 C/W: Open Operator Station, 41 ft 6 in Max Lift Height, 8000 lb Max Lift Capacity, 2004 US EPA Label, 60 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, 13.00-24 Aperture Tires Usage: 4,810 Hr
93	2017 John Deere 324E Skid Steer Loader S/N: 1T0324EAVHJ318466 C/W: Enclosed Cab, Air Conditioner, Aperture Tires, Manual Coupler Usage: 776 Hr	111	2015 Gehl RS6-42 Telehandler S/N: RS642CH15237 C/W: Open Operator Station, 42 ft Max Lift Height, 6600 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 48 in Forks, Manual Coupler, Frame Leveling, 13.00-24 Tires Usage: 2,239 Hr
95	2015 Bobcat S450 Two-Speed Skid Steer Loader S/N: AUVB12156 C/W: Open Operator Station, Joystick Steering, 2015 US EPA Label, Manual Coupler Usage: 1,298 Hr		

Lot #	Details	Lot #	Details
112	2014 JCB 506-36 Telehandler S/N: JCB5CDWGV02437018 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, 47 in Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, 13.00-24 Foam Filled Tires Usage: 1,923 Hr	120	2006 Cat 420D 4x4 Backhoe Loader S/N: CAT0420DCDFP26599 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, Manual Coupler, 89 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 4,283 Hr
113A	2015 Gehl RS6-34 Telehandler S/N: RS634DG22682 C/W: Open Operator Station, 34 ft Max Lift Height, 5000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Frame Leveling, 15-19.5 Tires Usage: 2,486 Hr	121	2002 Cat 416D 4x4 Backhoe Loader S/N: CAT0416DVBFP03252 C/W: Open Operator Station, Manual Coupler, 86 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 874 Hr
113	2014 JCB 506-36 Telehandler S/N: JCB5CDWGT02437013 C/W: Open Operator Station, 36 ft Max Lift Height, 6000 lb Max Lift Capacity, US EPA Label, 48 in Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, 13.00-24 Foam Filled Tires Usage: 2,207 Hr	123	2008 Case 590 Super M 4x4 Backhoe Loader S/N: N8C434746 C/W: Enclosed Cab, Backhoe Pilot Controls, Hydraulic Coupler, 99 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 14,182 Hr
114	2015 JCB 35DTCRMM Telehandler S/N: 2253164 C/W: Enclosed Cab, Air Conditioner, 14 ft 4 in Max Lift Height, 7716 lb Max Lift Capacity, 2015 US EPA Label, 46 in Forks, Manual Coupler Usage: 3,648 Hr	124	Case 580 Super M Series 2 4x4 Backhoe Loader S/N: N7C427336 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, Powershift Transmission, Tier 3, Manual Coupler, 81 in Loader Bucket, 23 in Backhoe Digging Bucket Usage: 7,456 Hr
115	2007 JCB TLT35D Telehandler S/N: JCBTLT35K71175971 C/W: Open Operator Station, 14 ft 4 in Max Lift Height, 7716 lb Max Lift Capacity, 46 in Forks, Bucket, Side Shift, Fork Positioner, Tilt Carriage, Hydraulic Coupler, Bucket 27X10-12 Solid Tires Usage: 3,283 Hr	125	1989 Case 580K 4x4 Backhoe Loader S/N: JJG0160188 C/W: Open Operator Station, 82 in Loader Bucket, 17 in Backhoe Digging Bucket Usage: 3,408 Hr
116	2013 Genie GTH-5519 Telehandler S/N: GTH5514B-209 C/W: Open Operator Station, 19 ft Max Lift Height, 4400 lb Max Lift Capacity, 2013 US EPA Label, 48 in Forks, Manual Coupler, 12-16.5 Tires Usage: 2,031 Hr	126	2017 JCB 3CX 4x4 Backhoe Loader S/N: GE03CXTTTH2496869 C/W: Open Operator Station, Powershift Transmission, 2020 US EPA Label, Manual Coupler, 88 in Loader Bucket, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,203 Hr
117	2011 Cat 430E IT 4x4 Backhoe Loader S/N: CAT0430ECMXB00354 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Backhoe Pilot Controls, Auxiliary Hydraulics, Hydraulic Coupler, 95 in Loader Bucket, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 8,242 Hr	127	2016 Morooka MST3000VD Crawler Carrier w/ Dump Body S/N: A3003011 C/W: Enclosed Cab, Air Conditioner, Requires Diesel Exhaust Fluid, Morooka 12 ft Long x 1 ft 10 in High Dump Body, 32 in Rubber Tracks Usage: 2,372 Hr
118	2021 Cat 420 4x4 Backhoe Loader S/N: CAT00420KH8T01692 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 2021 US EPA Label, 94 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 412 Hr	128	2011 Canycom S25A Rotating Crawler Carrier S/N: 9160624 C/W: Canopy, Tier 4, 2011 US EPA Label, Swivel Dump Body, 12.5 in Rubber Tracks Usage: 1,712 Hr
119	2006 Cat 420D 4x4 Backhoe Loader S/N: CAT0420DAFDP26726 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, Manual Coupler, 89 in Loader Bucket, 36 in Backhoe Digging Bucket Usage: 3,651 Hr	129	2011 Canycom S25A Rotating Crawler Carrier S/N: 9160625 C/W: Canopy, Tier 4, 2011 US EPA Label, Swivel Dump Body, 12.5 in Rubber Tracks Usage: 1,960 Hr
		130	2012 Canycom S25A Rotating Crawler Carrier S/N: 9160754 C/W: Canopy, 2012 US EPA Label, Swivel Dump Body, 12.5 in Rubber Tracks Usage: 2,669 Hr

Lot #	Details	Lot #	Details
131	2015 Komatsu WA500-7 Wheel Loader S/N: A94287 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, Traction Control, Ascocore On-Board Scale, Tier 4, 2015 US EPA Label, 8 cyd 133 in Bucket, 29.5R25 Tires Usage: Not Available	137	2015 Komatsu WA270-7 Wheel Loader S/N: KMTWA122V36A27136 C/W: Enclosed Cab, Rear View Camera, Air Ride Seat, Ride Control, Traction Control, Tier 4, 2014 US EPA Label, Hydraulic Coupler, 110 m3 103 in Bucket, Forks, 20.5R25 Tires Usage: 6,716 Hr
132	2020 Hyundai HL970A Wheel Loader S/N: HHKHWL70AL0000076 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 126 in Bucket, 26.5R25 Tires Usage: 4,913 Hr	138	2006 John Deere 744J Wheel Loader S/N: DW744JX604808 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, US EPA Label, Hydraulic Coupler, 5.5 cyd 120 in Bucket, Forks, 26.5-25 Tires Usage: 10,453 Hr
133	2020 Hyundai HL970A Wheel Loader S/N: HHKHWL70LL0000077 C/W: Enclosed Cab, Air Conditioner, On-Board Scale, Manual Coupler, 123 in Bucket, 26.5-25 Tires Usage: 6,058 Hr	140	2005 Cat 930G Wheel Loader S/N: CAT0930GCTWR00681 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 108 in Bucket, Forks, 20.5R25 Tires Usage: 15,932 Hr
134	2016 Komatsu WA380-8 Wheel Loader S/N: KMTWA130JFNA74168 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 128 in Bucket, 28L-26 Foam Filled Tires Usage: 5,024 Hr	141	2007 Case 721E Wheel Loader S/N: N7F200707 C/W: Enclosed Cab, Air Conditioner, Auxiliary Hydraulics, Hydraulic Coupler, Flip-Over Forks, 20.5-25 Tires Usage: 8,474 Hr
135	2016 Cat 938M Wheel Loader S/N: CAT0938MCJ3R02567 C/W: Enclosed Cab, Air Conditioner, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20.5 R25 Tires Usage: 6,197 Hr	142	2000 Cat 980G Wheel Loader S/N: 2KR03985 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Autoshift, Manual Coupler, 5.5 cyd 130 in Bucket, 29.5-25 Tires Usage: 26,779 Hr
136B	2015 Cat 930M Wheel Loader S/N: CAT0930MAKTG00991 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 101 in Bucket, 20.5R25 Tires Usage: 9,919 Hr	144	1975 Cat 930 Wheel Loader S/N: 41K5985 C/W: Enclosed Cab, Manual Coupler, 96 in Bucket, 17.5-25 Tires Usage: 9,480 Hr
136A	2017 Cat 930M Wheel Loader S/N: CAT0930MPKTG03382 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 101 in Bucket, 20.5R25 Tires Usage: 9,746 Hr	146	2006 Liebherr L542 Wheel Loader S/N: VATZ0435VZB019812 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Tier 4, 2007 US EPA Label, Hydraulic Coupler, 129 m3 102 in Bucket, 20.5 R25 Tires Usage: 22,360 Hr
136	2014 Cat 938K Wheel Loader S/N: CAT0938KHSWL02944 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 2014 US EPA Label, Hydraulic Coupler, 108 in Bucket, 20.5R25 Tires Usage: 10,398 Hr	147	2015 John Deere 1050K Crawler Dozer S/N: 1T01050KCFF287052 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, Requires Diesel Exhaust Fluid, Fast Fuel System, 158 in Wide Semi-U Blade w/ Dual Tilt, 26 in Single Grouser Track Shoes, 4 Cylinder Single-Shank Ripper Usage: 7,282 Hr
137A	2019 Hitachi ZW140-6 Wheel Loader S/N: RYUPT60KH8605240 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 100 in Bucket, Forks, 20.5R25 Tires Usage: 3,586 Hr	148	2014 Komatsu D155AX-7 Crawler Dozer S/N: KMT0D118V02090191 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Tier 4, 2013 US EPA Label, 160 in Wide Semi-U Blade w/ Dual Tilt, 24 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 8,951 Hr

Lot #	Details	Lot #	Details
149	2012 Cat D6T XL VP Crawler Dozer S/N: CAT00D6THDTD00226 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Fingertip Steering, Tier 4, 144 in Wide PAT Blade, 22 in Single Grouser Track Shoes Usage: 16,323 Hr	156	2015 John Deere 700K LGP Crawler Dozer S/N: 1T0700KXAFF284183 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Requires Diesel Exhaust Fluid, 131 in Wide PAT Blade, 30 in Single Grouser Track Shoes Usage: 6,079 Hr
150	2008 Cat D6T Crawler Dozer S/N: CAT00D6TCGCT00215 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 2007 US EPA Label, 122 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, SystemOne Undercarriage, 1 Cylinder Multi-Shank Ripper Usage: 11,474 Hr	157	2015 Komatsu D51PXi-22 Crawler Dozer S/N: KMT0D080HEBB14241 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 2015 US EPA Label, 132 in Wide PAT Blade, 28 in Single Grouser Track Shoes, Drawbar Usage: 6,620 Hr
151A	2015 Cat D6N LGP Crawler Dozer S/N: PBA02357 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Differential Steering, 156 in Wide PAT Blade, 34 in Single Grouser Track Shoes, Drawbar Usage: 11,707 Hr	158	2019 Komatsu D39PX-24 Crawler Dozer S/N: KMT0D130AKA096493 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Hydrostatic Drive, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 118 in Wide PAT Blade, 26 in Single Grouser Track Shoes, Drawbar Usage: 4,287 Hr
151	2016 Cat D6N LGP Crawler Dozer S/N: MG500704 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 2016 US EPA Label, 159 in Wide PAT Blade, 34 in Single Grouser Track Shoes, Drawbar Usage: 10,506 Hr	159	2013 Cat D5K2 LGP Crawler Dozer S/N: KYY777 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 126.5 in Wide Angle Blade w/ Dual Tilt, 26 in Single Grouser Track Shoes Usage: 9,401 Hr
152	2007 Cat D6N LGP Crawler Dozer S/N: CAT00D6NHDJY00199 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Differential Steering, Sweeps, 155 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 6,848 Hr	160	2013 Cat D5K2 LGP Crawler Dozer S/N: CAT0D5K2LKYY00759 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, Tier 4, 2012 US EPA Label, 126 in Wide PAT Blade, w/ Power Pitch, 26 in Single Grouser Track Shoes Usage: 9,872 Hr
153	2006 Cat D6N XL Crawler Dozer S/N: AKM02311 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Differential Steering, 2006 US EPA Label, 127 in Wide PAT Blade, 23.5 in Single Grouser Track Shoes, Drawbar Usage: 12,542 Hr	163	1987 John Deere 850B Crawler Dozer S/N: T0850BH733392 C/W: Open Operator Station, Hydrostatic Drive, 136 in Wide Straight Blade w/ Single Tilt, 24 in Single Grouser Track Shoes Usage: 2,651 Hr
154	2014 Komatsu D65EX-17 Crawler Dozer S/N: KMT0D117V01002348 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Fingertip Steering, Tier 4, 2013 US EPA Label, 140 in Wide PAT Blade, w/ Power Pitch, 22 in Single Grouser Track Shoes Usage: 9,831 Hr	164	2013 Cat 963D Crawler Loader S/N: CAT0963DLLCS01902 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 112 in Bucket, 21.5 in Double Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 17,899 Hr
155	2016 John Deere 700K LGP Crawler Dozer S/N: 1T0700KXJGF294449 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Requires Diesel Exhaust Fluid, 132 in Wide PAT Blade, 30 in Single Grouser Track Shoes Usage: 5,927 Hr	165A	1982 Cat 963 Crawler Loader S/N: 29S00960 C/W: Open Operator Station, Powershift Transmission w/ Lever Steering, 90 in Multi-Purpose Bucket, 18 in Single Grouser Track Shoes Usage: 2,070 Hr
		166	1978 Cat 955L Crawler Loader S/N: 57M0709 C/W: Open Operator Station, Powershift Transmission, 88 in Bucket, 17 in Single Grouser Track Shoes Usage: Not Available

Lot #	Details	Lot #	Details
167	1973 Cat 955L Crawler Loader S/N: 85J06381 C/W: Open Operator Station, Powershift Transmission, 84 in Bucket, 14.5 in Double Grouser Track Shoes Usage: Not Available	178	2019 John Deere 460E Articulated Dump Truck S/N: 1DW460ETHKF697723 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, Requires Diesel Exhaust Fluid, 29.5 R25 Tires Usage: 4,883 Hr
168	2012 John Deere 770GP Motor Grader S/N: 1DW770GPABE640533 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Differential Lock, 2011 US EPA Label, 14 ft / 4.27 m Moldboard, Push Block, 14.00 R24 Tires Usage: 9,137 Hr	179	2017 Volvo A45G Articulated Dump Truck S/N: VCE0A45GJ00342061 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 29.5R25 Tires Usage: 9,869 Hr
169	2011 Cat 140M2 Motor Grader S/N: CAT0140MHM9D00626 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Differential Lock, 14 ft / 4.27 m Moldboard, 14.00-24 Tires Usage: 24,781 Hr	180	2015 John Deere 410E Articulated Dump Truck S/N: 1DW410ETPEE664218 C/W: Air Conditioner, Engine Brake, Air Ride Seat, Tailgate, 29.5R25 Tires Usage: 9,423 Hr
170	2006 Cat 140H Motor Grader S/N: CAT0140HEAPM02713 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 14 ft / 4.27 m Moldboard, 14.00R24 Tires Usage: 23,980 Hr	181	2015 John Deere 410E Articulated Dump Truck S/N: 1DW410ETHEE664374 C/W: Air Conditioner, Engine Brake, Rear View Camera, Tailgate, 29.5R25 Tires Usage: 10,310 Hr
171	2008 Cat 12M Motor Grader S/N: CAT0012MKB9R00126 C/W: Air Ride Seat, Joystick Steering, Differential Lock, Pre-Wired for Grade Control, Tier 3, 12 ft / 3.66 m Moldboard w/ Extension, Accumulators, 14.00R24 Tires Usage: 13,020 Hr	182	2011 Volvo A40F Articulated Dump Truck S/N: VCE0A40FC00011139 C/W: Air Conditioner, Retarder, Engine Brake, Rear View Camera, Air Ride Seat, Tier 3, 2011 US EPA Label, 29.5R25 Tires Usage: Not Available
172	1990 John Deere 672B Motor Grader S/N: DW672BX528333 C/W: Enclosed Cab, Air Conditioner, 14 ft / 4.27 m Moldboard, Front Scarifier, 17.5-25 Tires Usage: 24,715 Hr	183	2010 Volvo A40E Articulated Dump Truck S/N: VCE0A40EP00012973 C/W: Air Conditioner, 2010 US EPA Label, 29.5 R25 Tires Usage: 18,010 Hr
173	1996 John Deere 762B Motor Scraper S/N: T0762DX817056 C/W: Enclosed Cab, 23.5R25 Tires Usage: 4,158 Hr	184	2004 Volvo A40D Articulated Dump Truck S/N: A40DV11267 C/W: Air Conditioner, 2004 US EPA Label, Tailgate, 29.5R25 Tires Usage: 25,180 Hr
174	2006 ICON 18D Hydraulic 4 Tire Pull Scraper S/N: 5427AS C/W: 18 cyd Capacity, Trail Scraper, 20.5x25 Tires Usage: Not Available	185	2006 Volvo A25D 5000 gal 6x6 Articulated Water Truck S/N: A25DV15491 C/W: Enclosed Cab, Air Conditioner, 2006 US EPA Label, Dolphin Fanker Tank, Water Cannon, Rear Spray, Side Spray, Hydraulic Driven Water Pump, Ground Fill Stand Pipe, 23.5R25 Tires Usage: 3 Hr
175	2005 ICON 18D Hydraulic 4 Tire Pull Scraper S/N: 5363A C/W: 18 cyd Capacity, 20.5x25 Tires Usage: Not Available	187	1995 Volvo A25C 10000 gal 6x6 Articulated Water Truck S/N: A25CV60490 C/W: Enclosed Cab, Air Conditioner, Traction Control, Tier 3, unknown Tank, Water Cannon, Front Spray, Rear Spray, Hydraulic Driven Water Pump, Ground Fill Stand Pipe, 23.5R25 Tires Usage: 57,234 Mi
176	2012 Cat 775G Haul Truck S/N: CAT0775GLMJS00300 C/W: Air Conditioner, Retarder, Rear View Camera, Air Ride Seat, 2011 US EPA Label, Auto Lube, 24.00R35 Tires Usage: 32,642 Hr		
177	2012 Cat 775G Haul Truck S/N: MJS00281 C/W: Air Conditioner, Air Ride Seat, Auto Lube, 24.00R35 Tires Usage: 17,254 Hr		

Lot #	Details	Lot #	Details
188	2009 International 4300 SBA 2000 gal 4x2 Water Truck S/N: 1HTMMAAM99H693102 C/W: International 6 Cylinder Diesel Engine, 7277 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500.0 lb GVWR, 11R22.5, Spring Suspension, 150 in Wheelbase, 2016 Ledwell LW2000 2000 gal Steel Tank, Berkeley PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray Usage: 197,677 Mi	194	2011 Ford F-750 XL 4x2 Service Truck S/N: 3FRWF7FJ8BV626989 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9410 Engine hrs, Allison Automated Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 176 in Wheelbase, PTO, Knapheide 6151DHR-60J 12 ft 7 in Body, Manual Stabilizers, 2006 Palfinger PSC 6000 6000 lb 3 Section Hydraulic Crane, Hydraulic Air Compressor, Air Hose Reel, Lincoln Ranger 8 8000 W 225 A Gasoline Welder Usage: 130,463 Mi
189	2005 Ford F-650 4x2 Fuel and Lube Truck S/N: 3FRNF65N75V101453 C/W: Cat C7 ACERT 6 Cylinder 7.2 L Diesel 210 hp Engine, 2004 US EPA Label, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, 14 ft Body, (2) Oil Tanks, (5) Hose Reels, Grease Barrel, Hydraulic Hose Reel, Northstar Gasoline Air Compressor, Air Hose Reel Usage: 84,627 Mi	195	2006 Ford F-750 XLT 4x2 Extended Cab Service Truck S/N: 3FRNX75G36V231090 C/W: Cummins ISB 245 6 Cylinder 5.9 L Ultra Low Sulfur Diesel 245 hp Engine, 2006 US EPA Label, 8587 Engine hrs, Exhaust Brake, Spicer 6-Speed Manual Transmission, 10000 lb Front Axle, 19760 lb Rears, 4.88:1 Axle Ratio, 25999.0 lb GVWR, 11R22.5, Spring Suspension, PTO, Wet Kit, Hydraulic System, 2005 Stellar 10 ft 4 in Body, Hydraulic Stabilizers, 2005 Stellar 10620 10000 lb 3 Section Hydraulic Crane, Stellar SRS-40 40 cfm PTO Air Compressor, Air Hose Reel Usage: 325,361 Mi
191A	2008 Freightliner 4x2 Service Truck S/N: 1FVACW88HZ81398 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 350 hp Engine, 2017 US EPA Label, 14203 Engine hrs, Exhaust Brake, Allison 3000 5-Speed Automated Transmission, 7280 lb Front Axle, 12500 lb Rears, Meritor RS-17-145 Drive Axles, 4.33:1 Axle Ratio, 19780.0 lb GVWR, 225/70R19.5, TufTrac Spring Suspension, 2007 Reading UR132ADW 13 ft 0 in Body, Gasoline Air Compressor, Air Hose Reel, Miller Bobcat 225 10000 W 225 A Gasoline Welder Usage: 465,909 Hr	196	2014 Ford F-550 4x4 Service Truck S/N: 1FDUF5HT6EEA94130 C/W: V8 6.7 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, PTO, IMT 13 ft Body, Hydraulic Stabilizers, 2014 IMT 6000-22 6000 lb Hydraulic Crane, IMT CAS40P PTO Air Compressor, Air Hose Reel Usage: 293,289 Mi
192	2006 Peterbilt 335 4x2 Service Truck S/N: 2NPLHD7X26M888724 C/W: Cat C7 6 Cylinder 7.2 L Diesel 330 hp Engine, 2004 US EPA Label, Exhaust Brake, Eaton Fuller RT8709B 9-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 189 in Wheelbase, PTO, Hydraulic System, Auto Crane 14 ft Body, Hydraulic Stabilizers, Auto Crane 10006H 6000 lb 3 Section Hydraulic Crane, Atlas Copco A C30 2.2 cfm Hydraulic Air Compressor, Air Hose Reel, Miller Bobcat 250 11 W 250 A Gasoline Welder Usage: 152,160 Mi	197	2014 Ford F-550 XL 4x2 Extended Cab Service Truck S/N: 1FD0X5GT5EEA38628 C/W: V8 6.7 L Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, 13 ft 2 in Body, Hydraulic Stabilizers, 2012 Stellar 5521 Crane, Hydraulic Air Compressor Usage: 359,156 Mi
193	2006 Sterling Acterra 4x2 Service Truck S/N: 2FZACFT96AW43936 C/W: Mercedes-Benz MBE 900 6 Cylinder 6.4 L Diesel 230 hp Engine, Allison 3000 Automated Transmission, 7280 lb Front Axle, 13660 lb Rears, Meritor RS-17-145 L-SERIES Drive Axles, 4.88:1 Axle Ratio, 20940.0 lb GVWR, 225 /70R19.5, Spring Suspension, 201 in Wheelbase, Omaha 9 ft Body, Manual Stabilizers, Liftmoore 5000W 5000 lb 3 Section Hydraulic Crane, Miller Bluestar 3 kW 200 A Gasoline Welder Usage: 48,540 Mi	198	2005 GMC C5500 4x2 Service Truck S/N: 1GDE5C1215F509118 C/W: V8 6.6 L Diesel 300 hp Engine, 2005 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 153 in Wheelbase, PTO, MCB 13 ft 4 in Body, Hydraulic Stabilizers, Hydraulic Lift Gate, Auto Crane 6406H 6400 lb Hydraulic Crane Usage: 137,405 Mi

Lot #	Details	Lot #	Details
199	2009 Ford F-450 XL 4x2 Utility Truck S/N: 1FDAF46YX9EA61987 C/W: V10 6.8 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 225 /70R19.5, Spring Suspension, 140 in Wheelbase, 2009 Knapheide 9 ft Body, Hydraulic Lift Gate Usage: 208,758 Mi	206	2016 International 4300 4x2 Utility Truck S/N: 1HTMMMMN9GH462753 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 3915 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, 2016 Adkins URD-147-P 12 ft 10 in Body Usage: 49,289 Mi
200	2005 Chevrolet C4500 Custom 4x2 Service Truck S/N: 1GBC4C12X5F530567 C/W: V8 6.6 L Diesel 300 hp Engine, Allison 1000 5-Speed Manual Transmission, 6250 lb Front Axle, 11000 lb Rears, Spicer DS463P Drive Axles, 5.13:1 Axle Ratio, 16000.0 lb GVWR, 225/70R19.5, Spring Suspension, 152 in Wheelbase, PTO, 1995 Fontain 11 ft 5 in Body, Boss 375 225 cfm PTO Air Compressor, Air Hose Reel Usage: 35,021 Mi	207	2016 International DuraStar 4300 4x2 Utility Truck S/N: 3HAMMMMMN2GL199046 C/W: Cummins ISB6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 2945 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 169 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 56,596 Mi
202	2019 International 4300 4x2 Utility Truck S/N: 1HTMMMMN1KH714567 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 260 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 2882 Engine hrs, Automated Transmission, Differential Lock, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 28,540 Mi	208	2016 International 4300 4x2 Utility Truck S/N: 3HAMMMMMN0GL199045 C/W: Cummins ISB6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5965 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 169 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 50,137 Mi
203	2018 International 4300 4x2 Utility Truck S/N: 1HTMMMMNXXJH633372 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 1453 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 24,137 Mi	209	2018 International 4300 4x2 Utility Truck S/N: 1HTMMMMNXXJH633369 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 2945 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-PO 12 ft 10 in Body Usage: 45,708 Mi
204	2018 International 4300 4x2 Utility Truck S/N: 1HTMMMMN6JH633367 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3322 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 37,798 Mi	210	2016 International 4300 4x2 Utility Truck S/N: 3HAMMMMMN9GL199030 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5161 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 169 in Wheelbase, Adkins URD-147-p 12 ft 10 in Body Usage: 43,650 Mi
205	2017 International 4300 4x2 Utility Truck S/N: 1HTMMMMN6HH470018 C/W: Cummins ISB6.7 240 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 3213 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 55,039 Mi	211	2016 International 4300 4x2 Utility Truck S/N: 1HTMMMMN2GH462755 C/W: Cummins ISB6.7 240 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 4568 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000.0 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 10 in Body Usage: 48,758 Mi

Lot #	Details	Lot #	Details
212	2004 Freightliner FL-70 4x2 Utility Truck S/N: 1FVABTAK84DM63555 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 250 hp Engine, 2003 US EPA Label, Allison Automated Transmission, Differential Lock, 12000 lb Front Axle, 17500 lb Rears, 29500.0 lb GVWR, 11R22.5, Spring Suspension, 126 in Wheelbase, Reading 9 ft Body Usage: 181,267 Mi	225	2014 Chevrolet Silverado 3500HD 4x4 Crew Cab Utility Truck S/N: 1GB4KZCG9EF147192 C/W: V8 6.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200.0 lb GVWR, 235 /80R17, Spring Suspension, 170 in Wheelbase, Reading 9 ft Body, Air Hose Reel Usage: 228,268 Mi
213	1997 GMC C7500 4x2 Utility Truck S/N: 1GBM7H1J3VJ106130 C/W: Cat 3116 6 Cylinder 6.6 L Diesel 185 hp Engine, 14821 Engine hrs, 5-Speed Manual Transmission, 9000 lb Front Axle, 21000 lb Rears, 11R22.5, Spring Suspension, 196 in Wheelbase, Dual PTO, Hydraulic System, Altec 13 ft Body, Manual Stabilizers Usage: 111,509 Mi	226	2012 Ford F-350 4x4 Crew Cab Utility Truck S/N: 1FD8W3HT1CEA22139 C/W: Ford 4V F-Series 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 245/75R17, Spring Suspension, 176 in Wheelbase, KNAPHEIDE 9 ft Body Usage: 183,247 Mi
214	2016 Ford F550 4x4 Lube Truck S/N: 1FDUF5HY0GEA73806 C/W: Ford 6.8 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, Gasoline Air Compressor Usage: 159,437 Mi	227	2012 Ford F-350 Super Duty 4x2 Utility Truck S/N: 1FDRF3GT4CEB55564 C/W: Ford Power Stroke V8 6.7 L Ultra Low Sulfur Diesel 450 hp Engine, 2012 US EPA Label, Ford 6-Speed Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, BC34-ED Drive Axles, 4.10:1 Axle Ratio, 245/75R17, Spring Suspension, 165 in Wheelbase, ETI SB-ATM0S-132AFD 10 ft Body Usage: 154,464 Mi
215	2015 Ford F-450 XL 4x2 Utility Truck S/N: 1FDUF4GT4FED34563 C/W: V8 6.7 L Diesel Engine, 196753 Engine hrs, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, Aluminum Wheels, 245/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft Body, Gasoline Air Compressor, Air Hose Reel Usage: 196,753 Mi	228	2009 Ford F-350 XL 4x2 Utility Truck S/N: 1FDSF30549EB09240 C/W: V8 5.4 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, 3800 lb Front Axle, 6300 lb Rears, 10000.0 lb GVWR, 275 /65R18, Spring Suspension, 137 in Wheelbase, Knapheide 8 ft 2 in Body, Schulz Gasoline Air Compressor, Air Hose Reel Usage: 189,697 Mi
216	2015 Ford F-550 4x2 Utility Truck S/N: 1FDUF5GT2FED31103 C/W: V8 6.7 L Diesel 300 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7907 Engine hrs, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Adkins URD-132-P 11 ft 8 in Body Usage: 112,638 Mi	229	2020 Chevrolet Silverado 2500HD 4x2 Crew Cab Utility Truck S/N: 1GB1WLE7XLF303819 C/W: GM 6.6 L Gasoline Engine, 2020 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 6390 lb Rears, 10000.0 lb GVWR, 265 /70R17, Spring Suspension, 172 in Wheelbase, 2020 Knapheide 9 ft Body Usage: 54,425 Mi
221	2003 GMC C4500 4x2 Utility Truck S/N: 1GDC4E1173F511143 C/W: V8 6.6 L Diesel Engine, Automatic Transmission, 6250 lb Front Axle, 11000 lb Rears, 16000.0 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Reading 11 ft Body Usage: 165,192 Hr	230	2013 GMC 2500 4x2 Extended Cab Utility Truck S/N: 1GD21ZCG0DZ176806 C/W: Vortec V8 6.0 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 6200 lb Rears, 9500.0 lb GVWR, 245 /75R17, Spring Suspension, 158 in Wheelbase, Knapheide 696J1 8 ft 1 in Body Usage: 172,233 Mi
224	2015 Chevrolet Silverado 3500HD 4x4 Crew Cab Utility Truck S/N: 1GB4KYCG6FF658872 C/W: Vortec V8 6.0 L Gasoline Engine, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200.0 lb GVWR, 235/80R17, Spring Suspension, 172 in Wheelbase, Knapheide 9 ft 9 in Body Usage: 184,211 Mi	231	2004 Bauer BG12H Foundation Drill S/N: 1108 C/W: Enclosed Cab, 2004 US EPA Label, Cat 3126 309 hp 7.2 L Diesel Engine, 24 in Triple Grouser Track Shoes Usage: 13,820 Hr

Lot #	Details	Lot #	Details
233A	2018 Hitachi ZX470LC-6 Tracked Excavator S/N: HCMJAGOJ00060559 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft Stick, 31.5 in Triple Grouser Track Shoes, 72 in Digging Bucket, Counterweight Removal System Usage: 9,362 Hr	240	2012 Volvo EC380DL Tracked Excavator S/N: VCEC380DT00210263 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 2012 US EPA Label, 10 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, 56 in Digging Bucket, Hydraulic Thumb Usage: 10,589 Hr
233	2018 Cat 330F L Long Reach Tracked Excavator S/N: CAT0330FAMBX20167 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 33 ft 11 in Boom, 25 ft 10.5 in Stick, 31.5 in Triple Grouser Track Shoes, 60 in Cleanup Bucket Usage: 9,618 Hr	242	2015 Cat 336F L Tracked Excavator S/N: CAT0336FERKB00912 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 31.5 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 6,682 Hr
234	2014 John Deere 470G LC Tracked Excavator S/N: 1FF470GXECE470608 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Tier 4, 11 ft Stick, 35.5 in Triple Grouser Track Shoes, 67 in Digging Bucket Usage: 12,067 Hr	243	2015 Cat 336F L Tracked Excavator S/N: CAT0336FHRKB01136 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 33.5 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 9,044 Hr
235	2014 John Deere 470G LC Tracked Excavator S/N: 1FF470GXPC470337 C/W: Air Conditioner, Air Ride Seat, 2012 US EPA Label, 12 ft 8 in Stick, 35 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 12,840 Hr	244	2012 Cat 336E Tracked Excavator S/N: CAT0336EHBZY01286 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 2011 US EPA Label, 12 ft 10 in Stick, 33.5 in Triple Grouser Track Shoes, 1.61 cyd Digging Bucket Usage: 10,640 Hr
236	2016 Komatsu PC490LC-11 Tracked Excavator S/N: KMTPC251KFWA41383 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, 36 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 8,604 Hr	245	2016 Komatsu PC360LCI-11 Hydraulic VG Tracked Excavator S/N: KMTPC256EGC090198 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Pre-Wired for Grade Control, Topcon GPS Grade Control, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 5 in Stick, 33 in Triple Grouser Track Shoes, Rock Guards, Digging Bucket Usage: 8,784 Hr
237	2013 Komatsu PC490 LC-10 Tracked Excavator S/N: KMTPC239A54A40131 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Pre-Wired for Grade Control, Topcon GPS Grade Control, Tier 4, 2011 US EPA Label, 14 ft 3 in Stick, 35.5 in Triple Grouser Track Shoes, Rock Guards, Hydraulic Quick Coupler, 64.5 in Digging Bucket Usage: 15,717 Hr	246	2015 Komatsu PC360 LC-10 Tracked Excavator S/N: KMTPC242J55K64083 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 12 ft 8 in Stick, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 38 in Digging Bucket Usage: 3,286 Hr
238	2015 Hitachi ZX470 LC-5 Tracked Excavator S/N: HCMJAA70T00030792 C/W: Air Conditioner, 2014 US EPA Label, 11 ft Stick, 36 in Triple Grouser Track Shoes, 72 in Digging Bucket, Catwalks Usage: 10,421 Hr	247	2015 John Deere 350G Tracked Excavator S/N: 1FF350GXLFF811051 C/W: Air Conditioner, 2015 US EPA Label, 13 ft 1 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 33.5 in Digging Bucket Usage: 4,148 Hr
239	2011 Cat 345D L Tracked Excavator S/N: CAT0345DTEEH1030 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 2010 US EPA Label, 11 ft Stick, 35.5 in Triple Grouser Track Shoes, 66 in Digging Bucket, Auto Lube Usage: 24,479 Hr	248	2011 Komatsu PC350HD-8 Tracked Excavator S/N: KMTPC191J54A00025 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, 2010 US EPA Label, 12 ft 8 in Stick, 36 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 5,268 Hr

Lot #	Details	Lot #	Details
249	2015 John Deere 300G LC Tracked Excavator S/N: 1FF300GXPFF730055 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 54 in Digging Bucket, Hydraulic Thumb Usage: 9,830 Hr	257	2012 Komatsu PC 228USLC-8 Tracked Excavator S/N: KMTPC226K02050791 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, 9 ft 8 in Stick, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 5,917 Hr
250	2015 Komatsu PC290LC-11 Hydraulic VG Tracked Excavator S/N: A27074 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Tier 4, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 168 in Stick, 31 in Triple Grouser Track Shoes, Rock Guards, Hydraulic Quick Coupler, 34 in Digging Bucket, Auto Lube Usage: 9,035 Hr	258	2014 Doosan DX225LC-3 Tracked Excavator S/N: DHKCEBA0LE0001661 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Cab Screens, Rear View Camera, 2014 US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 48 in Digging Bucket, Hydraulic Thumb Usage: 6,793 Hr
251	2014 Komatsu PC290LC-10 VG Tracked Excavator S/N: KMTPC241K54A25535 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 164 in Stick, 31 in Triple Grouser Track Shoes, Rock Guards, 46 in Digging Bucket, Hydraulic Thumb Usage: 6,427 Hr	259	2014 Doosan DX225LC-3 Tracked Excavator S/N: DHKCEBA0KE0001273 C/W: Air Conditioner, 2014 US EPA Label, 11 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 36 in Triple Grouser Track Shoes, Rock Guards, Manual Quick Coupler, 36 in Digging Bucket Usage: 8,157 Hr
252	2015 Cat 323F L Tracked Excavator S/N: CAT0323FTXCF00574 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 36 in Digging Bucket Usage: 4,452 Hr	260	2012 Cat 321D L CR Tracked Excavator S/N: CAT0321DLMPG00447 C/W: Air Conditioner, Straight Travel Pedal, US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, 35 in Digging Bucket Usage: 6,543 Hr
253	2014 John Deere 245G LC Tracked Excavator S/N: 1FF245GXTEE600406 C/W: Air Conditioner, Rear View Camera, 2014 US EPA Label, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 4,809 Hr	261	2012 Cat 320E Tracked Excavator S/N: CAT0320DKSPN00806 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, 35 in Digging Bucket Usage: 6,048 Hr
254	2011 John Deere 225D LC Tracked Excavator S/N: 1FF225DXABD501721 C/W: Air Conditioner, Straight Travel Pedal, Cab Screens, 2011 US EPA Label, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Manual Thumb Usage: 5,651 Hr	262	2011 Cat 320E Tracked Excavator S/N: CAT0320EHTFX00156 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 6,709 Hr
255	2018 Komatsu PC238USLC-11 Tracked Excavator S/N: KMTPC276EHC005228 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft Stick, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46.5 in Digging Bucket Usage: 4,656 Hr	263	2014 Kobelco SK210LC-9 Tracked Excavator S/N: YQ1310776 C/W: Air Conditioner, Rear View Camera, 2014 US EPA Label, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 48 in Digging Bucket, Hydraulic Thumb Usage: 3,697 Hr
256	2016 Komatsu PC228USLC-10 Tracked Excavator S/N: KMTPC250KGC002574 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, US EPA Label, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 6,309 Hr	264	2015 Case CX160D Tracked Excavator S/N: DAC160K7NFS7F1109 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 8 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Cleanup Bucket, Hydraulic Thumb Usage: 3,833 Hr

Lot #	Details	Lot #	Details
265	2021 Doosan DX140 LCR Tracked Excavator S/N: M0002904 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 23.5 in Triple Grouser Track Shoes, 36 in Digging Bucket, Manual Thumb Usage: 182 Hr	273	2015 Cat 314E L CR Tracked Excavator S/N: CAT0314ECZJT01123 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 19.5 in Triple Grouser Track Shoes w/Rubber Inserts, Hydraulic Quick Coupler, 35 in Digging Bucket Usage: 6,223 Hr
266	2018 Komatsu PC138US LC-11 Tracked Excavator S/N: KMTPC261LHA051267 C/W: Air Conditioner, Control Pattern Changer, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 8 in Stick, 23.75 in Triple Grouser Track Shoes, 22.5 in Digging Bucket Usage: 3,501 Hr	274	2015 Kobelco SK140SRLC-3 Tracked Excavator S/N: YH0709882 C/W: Air Conditioner, Rear View Camera, 9 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, 34 in Digging Bucket, Hydraulic Thumb Usage: 6,092 Hr
267	2016 Komatsu PC138USLC-11 Tracked Excavator S/N: KMTPC261KGA050272 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 3 in Stick, Backfill Blade, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 38 in Digging Bucket Usage: 3,409 Hr	276	2008 Cat 330D L Tracked Excavator S/N: CAT0330DLMWP02521 C/W: Air Conditioner, Straight Travel Pedal, Cab Screens, 2008 US EPA Label, 11 ft 3 in Stick, 31.5 in Triple Grouser Track Shoes, Shear Usage: 13,132 Hr
268	2016 Komatsu PC138USLC-11 Tracked Excavator S/N: KMTPC261EGA050590 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, US EPA Label, Requires Diesel Exhaust Fluid, 8 ft 2 in Stick, 20 in Rubber Tracks, 36 in Bucket Usage: 5,055 Hr	277	2008 Komatsu PC308USLC-3E0 Tracked Excavator S/N: KMTPC160A02030112 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Tier 3, 13 ft Stick, 33 in Triple Grouser Track Shoes, Rock Guards Usage: Not Available
269	2016 Komatsu PC138US LC-11 Tracked Excavator S/N: KMTPC261EGA050279 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft Stick, Stick Check Valve, 23.75 in Triple Grouser Track Shoes, 36 in Digging Bucket, Manual Thumb Usage: 6,820 Hr	278	2007 Cat 325D L Tracked Excavator S/N: CAT0325DCA3R00737 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, 2006 US EPA Label, 10 ft 6 in Stick, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Bucket, Catwalks Usage: 5,429 Hr
270	2012 Komatsu PC138 USLC -8 Tracked Excavator S/N: KMTPC189P01027155 C/W: Air Conditioner, Rear View Camera, 8 ft 3 in Stick, 23.5 in Triple Grouser Track Shoes, 36 in Digging Bucket Usage: 7,322 Hr	279	2007 Cat 325D L Tracked Excavator S/N: CAT0325DTA3R00618 C/W: Air Conditioner, Straight Travel Pedal, 10 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes Usage: 19,663 Hr
271	2017 Link-Belt 145X4-LC Tracked Excavator S/N: LBX145Q7NHHEX113 C/W: Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft Stick, 24 in Triple Grouser Track Shoes, Manual Quick Coupler, 36 in Digging Bucket, Hydraulic Thumb Usage: 54 Hr	280A	2006 Hitachi ZX225US Tracked Excavator S/N: FF01GFQ116730 C/W: Air Conditioner, Straight Travel Pedal, 10 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, 36 in Digging Bucket Usage: 7,918 Hr
272	2015 Cat 314E L CR Tracked Excavator S/N: CAT0314EKZJT01197 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 19.5 in Triple Grouser Track Shoes w/Rubber Inserts, 24 in Digging Bucket, Auto Lube Usage: 5,263 Hr	280	2006 Cat 325D L Tracked Excavator S/N: CAT0325DCA3R00360 C/W: Air Conditioner, Straight Travel Pedal, 10 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, 46 in Digging Bucket Usage: 21,270 Hr
		281	2005 Cat 315C L Tracked Excavator S/N: CAT315CLCJC02216 C/W: Air Conditioner, Control Pattern Changer, Tier 3, 2005 US EPA Label, 12 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Rock Guards, 48 in Digging Bucket, Additional 48 in Bucket, NPK H10XB Hydraulic Breaker Usage: 10,102 Hr

Lot #	Details	Lot #	Details
282	2008 Cat 311CU Tracked Excavator S/N: CAT0311CHCKE02014 C/W: Air Conditioner, 9 ft Stick, 20 in Track Shoes w/Rubber Pads, 24 in Digging Bucket Usage: 5,794 Hr	291	2013 John Deere 85G Tracked Excavator S/N: 1FF085GXADJ017036 C/W: Swing Boom, 7 ft Stick, Backfill Blade, 18 in Rubber Tracks, 24 in Digging Bucket Usage: 5,775 Hr
283	1995 Komatsu PC650-5 Tracked Excavator S/N: A25021 C/W: 13 ft 3 in Stick, 39.5 in Triple Grouser Track Shoes, Catwalks Usage: 14,427 Hr	292	2018 Cat 308E2 CR Mini Excavator S/N: CAT0308ETFJX10653 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Tier 4, 2017 US EPA Label, Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w/Rubber Inserts, Manual Quick Coupler, 28 in Digging Bucket Usage: 3,426 Hr
284	1996 Cat 350L Tracked Excavator S/N: 3ML00944 C/W: Air Conditioner, Straight Travel Pedal, 12 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 35 in Triple Grouser Track Shoes, Counterweight Removal System, Catwalks Usage: 4,398 Hr	293	2016 Cat 308E2 CR SB Tracked Excavator S/N: CAT0308EPFJX06376 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Tier 4, 2016 US EPA Label, Swing Boom, 7 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Triple Grouser Track Shoes w/Rubber Inserts, Hydraulic Quick Coupler, 30 in Digging Bucket Usage: 3,480 Hr
285	Case 9060B Tracked Excavator S/N: Not Available C/W: Straight Travel Pedal, Tier 1, US EPA Label, 13 ft 2 in Stick, 36 in Triple Grouser Track Shoes, Manual Quick Coupler, 70 in Digging Bucket Usage: 6,432 Hr	294	2016 Cat 308E2 CR Tracked Excavator S/N: CAT0308EKFJX06699 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Swing Boom, 7 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w/Rubber Inserts, 24 in Digging Bucket Usage: 3,900 Hr
286	1986 Link-Belt 3400A Tracked Excavator S/N: Not Available C/W: Straight Travel Pedal, 10 ft Stick, 31.5 in Triple Grouser Track Shoes, 50 in Digging Bucket Usage: 2,555 Hr	296	2019 Cat 307.5 Tracked Excavator S/N: CAT03075AGW701370 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 7 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w/Rubber Inserts, 18 in Digging Bucket Usage: 847 Hr
287	2015 Takeuchi TB290 Tracked Excavator S/N: 185101663 C/W: Air Conditioner, 2015 US EPA Label, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 3,583 Hr	297	2018 Kubota KX080-4SR3 Tracked Excavator S/N: JKUK0804K01H44151 C/W: Air Conditioner, Control Pattern Changer, Tier 4, 2018 US EPA Label, Swing Boom, 8 ft 9 in Stick, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket, Hydraulic Thumb Usage: 1,877 Hr
288	2018 Komatsu PC88MR-10 Tracked Excavator S/N: KMTPC249AHA008233 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 2017 US EPA Label, Swing Boom, 0 ft 103 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Digging Bucket Usage: 2,996 Hr	298	2017 Kubota KX080-4S Tracked Excavator S/N: 41299 C/W: Air Conditioner, 2017 US EPA Label, 6 ft 10 in Stick, Backfill Blade, 17 in Rubber Tracks, Hydraulic Quick Coupler, 23 in Digging Bucket Usage: 2,384 Hr
289	2017 Komatsu PC88MR-10 Tracked Excavator S/N: KMTPC249VHA008070 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 2017 US EPA Label, 8 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, 35 in Digging Bucket Usage: 3,536 Hr	299	2016 Kubota KX080-4 Tracked Excavator S/N: 36134 C/W: 2017 US EPA Label, 7 ft Stick, Backfill Blade, 17 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb, Auto Lube Usage: 3,198 Hr
290	2010 Komatsu PC88MR-8 Tracked Excavator S/N: KMTPC205H01005391 C/W: Air Conditioner, Straight Travel Pedal, 2009 US EPA Label, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17 in Rubber Tracks, 24 in Digging Bucket Usage: 6,740 Hr		

Lot #	Details	Lot #	Details
300A	2015 IHI 60V4-F Mini Excavator S/N: WZ020024 C/W: Tier 4, 2015 US EPA Label, Swing Boom, 6 ft 2 in Stick, Backfill Blade, 16 in Rubber Tracks, 24 in Digging Bucket Usage: 1,875 Hr	308	2015 Takeuchi TB240 Mini Excavator S/N: 124000822 C/W: Straight Travel Pedal, 2015 US EPA Label, Swing Boom, 5 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 2,273 Hr
300	2015 IHI 60V4 Tracked Excavator S/N: WZ020025 C/W: Tier 4, 2014 US EPA Label, 7 ft 8 in Stick, Backfill Blade, Track Shoes, 24 in Bucket Usage: 1,881 Hr	309	2015 Takeuchi TB240R Mini Excavator S/N: 124000623 C/W: 2016 US EPA Label, 5 ft 3 in Stick, Backfill Blade, 14 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 2,381 Hr
301	2018 Takeuchi TB260 Mini Excavator S/N: 126103584 C/W: Enclosed Cab, Air Conditioner, Straight Travel Pedal, 2018 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, 24 in Digging Bucket, Hydraulic Thumb Usage: 2,774 Hr	310	2015 Kubota U35-4 Mini Excavator S/N: JKUU0354E01H11617 C/W: Enclosed Cab, Air Conditioner, 2015 US EPA Label, Swing Boom, 4 ft 5 in Stick, Power Angle Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 3,813 Hr
302	2023 Agrotk NT45 Mini Excavator (Unused) S/N: NT4523031401E C/W: Enclosed Cab, 2022 US EPA Label, 3 ft 5 in Stick, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket Usage: Not Available	311	2016 Bobcat E35I Mini Excavator S/N: AUYM13501 C/W: Tier 4, 2016 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 25 in Digging Bucket Usage: 2,266 Hr
303	2018 Cat 305.5E2 CR Mini Excavator S/N: CAT3055ELCR504196 C/W: Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Cleanup Bucket Usage: 521 Hr	312	2016 Bobcat E35 Mini Excavator S/N: AR1K12405 C/W: 2015 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 2,885 Hr
304	2012 Cat 305.5E CR Mini Excavator S/N: CAT3055EEFKY00593 C/W: Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 5,425 Hr	313	2015 John Deere 35G Mini Excavator S/N: 1FF035GXPFK272936 C/W: Swing Boom, 4 ft 4 in Stick, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: Not Available
306	2016 Takeuchi TB240 Mini Excavator S/N: 124001526 C/W: Control Pattern Changer, Tier 4, 2015 US EPA Label, 6 ft 7 in Stick, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 7 in Digging Bucket, Hydraulic Thumb Usage: 1,285 Hr	314	2012 John Deere 35D Mini Excavator S/N: 1FF035DXPCG270610 C/W: 2012 US EPA Label, Swing Boom, 5 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 5,779 Hr
307A	2016 Takeuchi TB240 Mini Excavator S/N: 124001410 C/W: 2015 US EPA Label, Swing Boom, 5 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 2,150 Hr	315	2011 John Deere 35D Mini Excavator S/N: 1FF035DXEBG267166 C/W: 2011 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 5,078 Hr
307	2016 Takeuchi TB240 Mini Excavator S/N: 124001557 C/W: 2015 US EPA Label, Swing Boom, 5 ft 3 in Stick, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket, Hydraulic Thumb Usage: 1,674 Hr	316	2011 John Deere 35D Mini Excavator S/N: 1FF035DXABG267163 C/W: 2011 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 5,388 Hr

Lot #	Details	Lot #	Details
317	2016 IHI 35N-4 Mini Excavator S/N: WM004017 C/W: 2016 US EPA Label, 4 ft 3 in Stick, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 25 in Digging Bucket, Hydraulic Thumb Usage: 1,819 Hr	326	2013 IHI 30V4 Mini Excavator S/N: WS020051 C/W: 2013 US EPA Label, Swing Boom, 4 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 24 in Digging Bucket Usage: 1,978 Hr
318	2015 IHI 35V4 Mini Excavator S/N: WF020053 C/W: Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 16 in Cleanup Bucket Usage: 2,130 Hr	328	2014 John Deere 27D Mini Excavator S/N: 1FF027DXLDG258580 C/W: 2013 US EPA Label, Swing Boom, 3 ft 10 in Stick, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Hydraulic Thumb Usage: Not Available
319	2013 IHI 35VX3 Mini Excavator S/N: WF004278 C/W: Control Pattern Changer, Swing Boom, 6 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 11 in Digging Bucket Usage: 2,666 Hr	329	2014 John Deere 27D Mini Excavator S/N: 1FF027DXKEG259447 C/W: Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 4,478 Hr
320	2013 Cat 303.5E CR Mini Excavator S/N: CAT3035ECRKY01592 C/W: 2013 US EPA Label, Swing Boom, 5 ft Stick, Backfill Blade, 12 in Rubber Tracks, 18 in Digging Bucket, Hydraulic Thumb Usage: Not Available	330	2014 John Deere 27D Mini Excavator S/N: 1FF027DXADG258402 C/W: 2013 US EPA Label, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 13 in Digging Bucket Usage: 4,160 Hr
321	2007 Cat 303C CR Mini Excavator S/N: CAT0303CEBXT02602 C/W: 2007 US EPA Label, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 24 in Digging Bucket Usage: 6,386 Hr	331	2013 John Deere 27D Mini Excavator S/N: 1FF027DXECG257463 C/W: 2012 US EPA Label, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: 4,692 Hr
322	2018 Takeuchi TB235-2 Mini Excavator S/N: 123600854 C/W: Enclosed Cab, Air Conditioner, Straight Travel Pedal, 2018 US EPA Label, Swing Boom, 4 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 24 in Digging Bucket, Hydraulic Thumb Usage: 1,334 Hr	332	2008 John Deere 27D Mini Excavator S/N: FF027DX250051 C/W: 2008 US EPA Label, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 3,062 Hr
323	2023 Agrotk NT30 Mini Excavator (Unused) S/N: NT3023031401E C/W: Enclosed Cab, 2022 US EPA Label, 41 in Stick, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket Usage: Not Available	335	2018 Kubota U17VR1 Mini Excavator S/N: JKUU0173V01H45530 C/W: Swing Boom, 3 ft 1 in Stick, Backfill Blade, 9 in Rubber Tracks, 18 in Digging Bucket Usage: 1,887 Hr
324	2017 John Deere 30G Mini Excavator S/N: 1FF030GXKHK265119 C/W: Swing Boom, 3 ft 10 in Stick, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 4,526 Hr	336	2018 Kubota U17 Mini Excavator S/N: JKUU0173T01H45715 C/W: Swing Boom, 3 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,374 Hr
325	2001 Neuson G3703 RD Mini Excavator S/N: AB00859 C/W: Enclosed Cab, US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Digging Bucket, Manual Thumb Usage: 4,898 Hr	339A	2017 Kubota U17 Mini Excavator S/N: JKUU0173K01H44888 C/W: Control Pattern Changer, Tier 3, Swing Boom, 4 ft Stick, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 18 in Digging Bucket Usage: 1,711 Hr

Lot #	Details	Lot #	Details
339	2017 Kubota U17 Mini Excavator S/N: 44384 C/W: Tier 4, 2017 US EPA Label, 3 ft 2 in Stick, Backfill Blade, 9 in Rubber Tracks, 18 in Digging Bucket Usage: 1,855 Hr	349	1985 Extec 6000 Portable Screen Plant S/N: Not Available C/W: XTEC 5 ft x 8 ft Vibratory Grizzly Feeder Pre-Screen, EXTEC 6000 Gyratory Crusher, 8 ft x 5 ft Double Deck Trommel Screen, 39 in Wide Feed Conveyor, 39 in Wide Under Crusher Conveyor, 39 in Wide Under Screen Conveyor, 39 in Wide End Discharge Conveyor, Tier 1, Deutz F4L913 4 Cylinder 54 kW 249 cid Diesel Engine, S/A Carrier Usage: Not Available
340	2018 Wacker EZ17 Mini Excavator S/N: WNCE1301APAL02874 C/W: Swing Boom, 3 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: 1,014 Hr	350	1997 Link-Belt HTC-8670 70 ton 8x4 Hydraulic Truck Crane S/N: F2177036 C/W: Air Conditioner, Manual Transmission, 2512.5 hrs Carrier Engine, 1997 US EPA Label, Detroit Series 60 6 Cylinder 11.1 L Diesel Carrier Engine, Air Conditioner, Load Moment Indicator, 1997 US EPA Label, 38 ft Minimum 115 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 36 ft to 61 ft Bifold Jib, 720 lb 40 ton Capacity Johnson 4 Sheave Hook Block, 150 lb 8.5 ton Capacity Overhaul Ball, 16000 lb Counterweight, Michelin and Bridgestone 425 /65R22.5 Front, 12R22.5 Rear Tires Usage: 29,081 Mi
342	2017 Gehl M08 Mini Excavator S/N: YMRM08Y1KHB00534 C/W: 2017 US EPA Label, Swing Boom, 2 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, 12 in Digging Bucket Usage: 921 Hr	351	Broderon IC200 30000 lb 4x2 Carry Deck Crane S/N: 69816 C/W: 6425 hrs Crane Operation, 6 Cylinder Dual Fuel Engine, 6 ft Minimum 51 ft Maximum Boom Length, 15 ft Swingaway Jib, 15 ton Capacity Johnson 2 Sheave Hook Block, 385 /65R22.5 Tires Usage: 6,426 Hr
343	2017 Gehl M08 Mini Excavator S/N: YMRM08Y1EHB00530 C/W: 2017 US EPA Label, 2 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,202 Hr	352	2000 Shuttlelift 5540 30000 lb 4x4x4 Carry Deck Crane S/N: 11961000 C/W: 2327 hrs Crane Operation, US EPA Label, Mitsubishi 4M50 4 Cylinder Dual Fuel Engine, 6 ft Minimum 36.5 ft Maximum Boom Length, 15 ft Swingaway Offset Jib, 204 lb 15 ton Capacity Johnson 2 Sheave Hook Block, 385/65D22.5 Tires Usage: 2,327 Hr
345	2017 Yanmar M08 Mini Excavator S/N: YMRM08Y1PHB00533 C/W: US EPA Label, Swing Boom, 2 ft 4 in Stick, Backfill Blade, 7 in Rubber Tracks, 12 in Digging Bucket Usage: 1,350 Hr	353	2007 Broderon IC-80-3G 18000 lb 4x2 Carry Deck Crane S/N: 576091 C/W: Greer MG586 Load Moment Indicator, Kem 6-430-DF-BROP 4 Cylinder Dual Fuel Engine, 13 ft Minimum 30 ft Maximum Boom Length, 10 ft to 40 ft Swingaway Jib, 90 lb 3 ton Capacity CNV Hook Block, Denman 10.00-15 Tires Usage: 2,822 Hr
346	2017 Yanmar M08 Mini Excavator S/N: YMRM08Y1CHB00531 C/W: 2017 US EPA Label, Swing Boom, 2 ft 4 in Stick, Backfill Blade, 7 in Rubber Tracks, 12 in Digging Bucket Usage: 10,009 Hr		
347	2021 Terex/Finlay J-1170 Jaw Crusher S/N: TRX1170AJ0MM45082 C/W: Finlay 7 ft 10 in x 14 ft Vibratory Grizzly Feeder w/Hydraulic Fold Hopper Wings, Finlay 44 in x 28 in Jaw Crusher, 26 in Wide Fines Discharge Conveyor, 40 in Wide End Discharge Conveyor, Terex 30 in x 6 ft 3 in Cross Belt Magnet, Radio Remote Control, 2021 US EPA Label, Scania 5 Cylinder 9.3 L Diesel Engine, Requires Diesel Exhaust Fluid, 20 in Triple Grouser Track Shoes Usage: 691 Hr		
348	2008 Terex Pegson XA400 Tracked Jaw Crusher S/N: 400401FBXA C/W: Teresa Vibratory Grizzly Feeder w /Hydraulic Fold Hopper Wings, 41 in Wide End Discharge Conveyor, 30 in x 6 ft 10 in Cross Belt Magnet, Cable Remote Control, Cat C9 6 Cylinder Diesel Engine, 10.5 in Triple Grouser Track Shoes Usage: 4,787 Hr		

Lot #	Details	Lot #	Details
354	National 1400H 66000 lb Straight Boom on 2018 Peterbilt 567 8x6 Boom Truck S/N: 1NPCX7TX9JD452445 C/W: Cummins ISX 6 Cylinder 12 L Ultra Low Sulfur Diesel 500 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 842 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 60999 lb Rears, 81000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 308 in Wheelbase, PTO, Hydraulic System, Double Frame, 66000 lb Capacity, Front Mounted, 31 ft - 127 ft 5 Section Boom, Manitowoc 375 lb 1 Sheave 13.6 ton Capacity Hook Block, 168 lb Overhaul Ball 7 ton Capacity, 30 ft Swingaway Offset Jib, Anti-Two Block, PAT DS160 Load Moment Indicator, Dual Controls, Out and Down Outriggers, Rear Outriggers, Cordless Remote Control, 21 ft 8 in x 96 in Bed Usage: 11,932 Mi	361	2011 Wirtgen W2100 Tracked Cold Planer S/N: 9210472 C/W: Canopy, Tier 3, 2012 US EPA Label, 7 ft 3 in Cutting Width, 12 in Milling Depth, 39 in Discharge Conveyor, Air Compressor, 13 mm Rubber Tracks Usage: 6,627 Hr
358	National Series 200 10700 lb Straight Boom on 1993 Chevrolet Kodiak 4x2 Boom Truck S/N: 1GBL7H1M3PJ103561 C/W: V8 7.0 L Gasoline Engine, 1993 US EPA Label, 4327 Engine hrs, 5-Speed Manual Transmission, 11000 lb Front Axle, 21000 lb Rears, 32000.0 lb GVWR, 11R22.5, Spring Suspension, 173 in Wheelbase, PTO, 10700 lb Capacity, Center Mounted, 2 Section Boom, National 100 lb 1 Sheave 9 ton Capacity Hook Block, 12 ft Swingaway Jib, Dual Controls, Straight Down Outriggers, 11 ft x 92 in Bed, Pintle Hitch Usage: 99,668 Mi	362	2003 Roadtec RX500-3 Tracked Cold Planer S/N: 75103 C/W: 6 ft 1 in Cutting Width, Water System, 32 in Discharge Conveyor, Grade Control System, 14 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 6,788 Hr
		363	2011 Roadtec RX400 Tracked Cold Planer S/N: RX4004133 C/W: Canopy, 5 ft 4 in Cutting Width, 25 in Milling Depth, 24 in Discharge Conveyor, 10.5 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 1,275 Hr
359	1988 National 666B 28000 lb Straight Boom on 1989 International F-2554 6x2 Boom Truck S/N: 1HTZLNZ3R6KH635335 C/W: International DT466 6 Cylinder 7.6 L Diesel 230 hp Engine, 1988 US EPA Label, 3500.7 Engine hrs, Spicer 1372A 7-Speed Manual Transmission, 16420 lb Front Axle, 40000 lb Rears, Spicer DS463P Drive Axles, 56420.0 lb GVWR, 285/65 22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, Double Frame, 32 ft - 115 ft 3 Section Boom, McKissick 100 lb 1 Sheave 15 ton Capacity Hook Block, Anti-Two Block, Dual Controls, Out and Down Outriggers, 24 ft 4 in x 102 in Bed Usage: 142,727 Mi	364	2014 Wirtgen W150I Tracked Cold Planer S/N: 06130081 C/W: Canopy, 5 ft Cutting Width, 12 in Milling Depth, 24 in Discharge Conveyor, Triple Grouser Track Shoes w/Rubber Inserts Usage: 7,284 Hr
		365	2017 Weiler P385B Track Asphalt Paver S/N: 2149 C/W: Dual Controls, Requires Diesel Exhaust Fluid, Electric Heated 8 ft 2 in - 15 ft 6 in Screed, Emulsion Tank, Ultrasonic Sensors, 14.5 in Single Grouser Track Shoes w/Rubber Pads Usage: 3,590 Hr
360	2016 Roadtec SB-2500E Wheel Asphalt Transfer Machine S/N: 4078 C/W: 2016 US EPA Label, Cummins 6 Cylinder 8.9 L Diesel Engine, Requires Diesel Exhaust Fluid, Hydrostatic Drive, Remix Auger, 28 in Discharge Conveyor Usage: 5,799 Hr	366	2015 LeeBoy 8500C Track Asphalt Paver S/N: 127302 C/W: Dual Controls, 2012 US EPA Label, Propane Heated 8 ft - 15 ft Screed, Emulsion Tank, 11.5 in Single Grouser Track Shoes Usage: 2,493 Hr
		367	2015 Cat AP1000F Wheel Asphalt Paver S/N: CATAP100VAC400134 C/W: Canopy, Dual Controls, Tier 4, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Caterpillar Electric Heated 9 ft 10 in - 19 ft 6 in Screed, On Board Generator Usage: 10,410 Hr
		368	2005 Ingersoll Rand PF-3200 Wheel Asphalt Paver S/N: 182695 C/W: Dual Controls, Electric Heated 10 ft - 18 ft Screed, Truck Hitch Usage: Not Available
		369	LeeBoy 1000E8 Track Asphalt Paver S/N: Not Available C/W: LeeBoy Diesel Heated 8 ft - 8 ft Screed, 13 in Track Shoes Usage: 32,483 Hr

Lot #	Details	Lot #	Details
370	Etnyre Cent 11 20000 gal on 2015 Freightliner M2 106 4x2 Asphalt Distributor Truck S/N: 3ALACXC2FDGD7349 C/W: Cummins ISL 6 Cylinder 8.9 L Diesel 260 hp Engine, Requires Diesel Exhaust Fluid, 13337 Engine hrs, Allison 3000 Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 4.88:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 196 in Wheelbase, 12 ft Folding Spray Bar, Double Flue w/ Electric Heated, In-Cab Controls, Automated Bar Controls, Washdown System, Hydraulic Driven Pump Usage: 124,517 Mi	378	2016 Wacker RD12 Double Drum Roller S/N: 24299276 C/W: Open Operator Station, 2016 US EPA Label, Honda GX360 2 Cylinder 13 hp 359 cc Gasoline Engine, 36 in Drums, Water System Usage: 539 Hr
371	2017 Etnyre 2000 gal on 2018 International 7300 4x2 Asphalt Distributor Truck S/N: 1HTZZMMNXJH542285 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 260 hp Engine, 2017 US EPA Label, 6467 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 11R22.5, Spring Suspension, 187 in Wheelbase, PTO, 16 ft Folding Spray Bar, LPG Burners, In-Cab Controls, Hand Spray Wand, Washdown System, PTO Driven Pump Usage: 41,059 Mi	379	2016 Wacker RD12A Double Drum Roller S/N: 24305423 C/W: Open Operator Station, 2015 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Split Drums, Water System Usage: 667 Hr
372	2010 Hamm HD90 Double Drum Roller S/N: H1811174 C/W: Open Operator Station, Deutz 4 Cylinder Diesel Engine, 66 in Drums, Water System Usage: 1,997 Hr	380	2016 Wacker RD12A Double Drum Roller S/N: 24342847 C/W: Open Operator Station, 2015 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Split Drums, Water System Usage: 2,101 Hr
373	2016 Cat CB34B Double Drum Roller S/N: XB400306 C/W: Open Operator Station, 2015 US EPA Label, Cat NSD02217 4 Cylinder 36.4 kW 2.22 L Diesel Engine, 51 in Drums Usage: 180 Hr	382	2016 Bomag BW177PDH-5 Padfoot Drum Compactor S/N: 101586051052 C/W: Open Operator Station, E-Stops, Tier 4, 2015 US EPA Label, Kubota V3307-CR-EF04 4 Cylinder 54.6 kW 3.3 L Diesel Engine, 66 in Drum Usage: 1,772 Hr
374	1998 Hypac C747B Double Drum Roller S/N: 1011170513115 C/W: Open Operator Station, Deutz 2 Cylinder Diesel Engine, 47 in Drums, Water System, Edge Cutter Usage: 1,090 Hr	383	2007 Cat CP-433E Padfoot Drum Compactor S/N: CATCP433PASN00718 C/W: Open Operator Station, 2006 US EPA Label, Cat 3054C 4 Cylinder 4.4 L Diesel Engine, 66 in Drum, Leveling Blade Usage: 800 Hr
375	2009 Cat CB14 Double Drum Roller S/N: CAT0CB14LDTT00461 C/W: Open Operator Station, Cat Diesel Engine, 32 in Drums, Water System Usage: 564 Hr	384	2007 Bomag BW177PDH3 Padfoot Drum Compactor S/N: 901581551189 C/W: Open Operator Station, 2005 US EPA Label, Cummins QSB-110C 4 Cylinder 4.5 L Diesel Engine, 66 in Drum Usage: 2,506 Hr
376	2018 Wacker RD12A Double Drum Roller S/N: 24432527 C/W: Open Operator Station, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Split Drums, Water System Usage: 388 Hr	385	2018 Hamm H10i Smooth Drum Compactor S/N: H2350527 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, Deutz TDC 3.6L 4 Cylinder 114 hp 3.6 L Diesel Engine, Requires Diesel Exhaust Fluid, 84 in Drum Usage: 1,469 Hr
377	2016 Wacker RD12A Double Drum Roller S/N: 24304667 C/W: Open Operator Station, 2015 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Split Drums, Water System Usage: 2,476 Hr	386	1997 Cat CS563C Smooth Drum Compactor S/N: 4KN00908 C/W: Open Operator Station, 1997 US EPA Label, Cat 6 Cylinder 170 hp Diesel Engine, 84 in Drum Usage: 10,007 Hr
		387	1996 Cat CS563C Smooth Drum Compactor S/N: 4KN00521 C/W: Open Operator Station, Cat 3116 6 Cylinder 138 hp Diesel Engine, 84 in Drum Usage: 9,578 Hr
		388	2007 John Deere 843J Wheel Feller Buncher S/N: DW843JX612083 C/W: Air Conditioner, Joystick Steering, US EPA Label, 30.5L-32 Foam Filled Tires, 52 in Feller Buncher Usage: 12,626 Hr

Lot #	Details	Lot #	Details
389A	2011 Altec D3060A T r on 2012 International 7400 6x2 Digger Derrick Truck S/N: 1HTWJAAT4CJ536764 C/W: International A300 6 Cylinder Ultra Low Sulfur Diesel 300 hp Engine, 2011 US EPA Label, 3943 Engine hrs, Engine Brake, Allison 5-Speed Automatic Transmission, Double Differential Locks, 9071 lb Front Axle, 20000 lb Rears, Meritor RP20145N Drive Axles, 5.86:1 Axle Ratio, 56000.0 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Navistar Spring over Walking Beam Suspension, 252 in Wheelbase, Hydraulic System, Double Frame, 59 ft Sheave Height, 30000 lb Capacity, Rear Mounted, 50 ft Reach, 24 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, Altec 18 ft Body, A-Outriggers, Rear Outriggers, Hydraulic Hose Reel Usage: 39,465 Mi	396	Altec AT37G 37 ft on 2013 Ford F-550 XL 4x2 Bucket Truck S/N: 1FDUF5GT4DEB64322 C/W: Ford V8 6.7 L Diesel 300 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 18000.0 lb GVWR, 255/70R19.5, Spring Suspension, 141 in Wheelbase, Hydraulic System, 400 lb Capacity, Front Mounted, Insulated One-Person Articulated Boom, Utility Body, 9 ft x 94 in Bed, Ball hitch Usage: 190,665 Mi
389	2016 John Deere 648L 4x4 Skidder S/N: 1DW648LXLFF673607 C/W: Joystick Steering, Two-Position Station, Requires Diesel Exhaust Fluid, Blade, Double Arch, John Deere Single Drum Winch, 30.5L32 Tires Usage: 14,193 Hr	397	Altec AT200A 30 ft on 2011 Ford F-450 4x2 Cable Placer Bucket Truck S/N: 1FDUF4GT3BEC86998 C/W: 4V F-Series V8 6.7 L Diesel 300 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 10187 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 225/70R19.5, Spring Suspension, 140 in Wheelbase, PTO, 300 lb Capacity, Center Mounted, One-Person Telescopic Boom, Utility Body, 9 ft x 94 in Bed Usage: 154,320 Mi
390	2009 International 4300 4x2 Digger Derrick Truck S/N: 1HTMMAAN69H105908 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 255 hp Engine, 2008 US EPA Label, 15627 Engine hrs, Allison Automated Transmission, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, Warner W144MFC 16 ft Body, Hydraulic Stabilizers, Altec DM47T 23790 lb 2 Section Hydraulic Crane Usage: 122,319 Mi	398	Altec AT200A 30 ft on 2016 Ford F-350 XL 4x2 Bucket Truck S/N: 1FDRF3G6XGEB54127 C/W: V8 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4550 lb Front Axle, 9750 lb Rears, 13700.0 lb GVWR, 245 /75R17, Spring Suspension, 141 in Wheelbase, Hydraulic System, 350 lb Capacity, Front Mounted, One-Person Boom, Utility Body, Remote Control w/Cord, Pintle Hitch Usage: 109,155 Mi
392	2009 Altec TA40 41 ft on 2010 International 4300 4x2 Bucket Truck S/N: 1HTMMAAL4AH189360 C/W: International MaxxForce DT 6 Cylinder 9.3 L Ultra Low Sulfur Diesel 300 hp Engine, 2009 US EPA Label, 22846 Engine hrs, Engine Brake, Allison 3000 5-Speed Automated Transmission, Differential Lock, 8618 lb Front Axle, 19000 lb Rears, Spicer DS463P Drive Axles, 25999.0 lb GVWR, 11R22.5, International Spring Suspension, 160 in Wheelbase, PTO, 340 lb Capacity, Center Mounted, One-Person Articulating-Telescopic Boom, Utility Body, 11 ft 8 in x 94 in Bed Usage: 216,959 Mi	403	2007 Ford F-750 XL 4x2 Chipper Truck S/N: 3FRWF75FX7V509239 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 20999.0 lb GVWR, 10R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 174 in Wheelbase, PTO, 14 ft 3 in Long x 96 in Wide x 72 in High Body, Pintle Hitch Usage: 104,117 Mi
395	2007 Lift-All LSS-55-1S 55 ft on 2007 Ford F-750 4x2 Forestry Bucket Truck S/N: 3FRNF75E57V507806 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, Hydraulic System, 400 lb Capacity, Front Mounted, Insulated One-Person Articulated Boom, Lower Boom Fiberglass Insert, Chip Body, A-Outriggers, 11 ft x 96 in Bed, Ringfeder Usage: 154,748 Mi	405	2003 Isuzu NPR 4x2 COE Landscape Truck S/N: 4KLB4B1R33J801641 C/W: GM L31 V6 6.7 L Gasoline Engine, 2002 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 7950 lb Rears, 12000.0 lb GVWR, 215/85R16, Spring Suspension, 132 in Wheelbase, 16 ft x 96 in Bed Usage: 174,782 Mi

Lot #	Details	Lot #	Details
406	2009 International 7600 SBA 6x4 Vacuum Tanker Truck S/N: 1HTWYAHT99J057251 C/W: Cummins 6 Cylinder Diesel Engine, 7918 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 18000 lb Front Axle, 46000 lb Rears, 64000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 385/65R22.5 Front Tires, 12R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, Double Frame, Steel Debris Tank, Hoist, Vibrator, Full Open Tailgate, Hydraulic Tailgate Locks, Trinado Hydraulic Driven Pump Usage: 36,496 Mi	418	2015 E-Z-Go TXTPDS Golf Cart S/N: 3147636 C/W: 48 Volt 4 Passenger Usage: Not Available
407	2013 Ditch Witch FX25 500 gal T/A Vacuum Excavation Unit S/N: 1DSB122C4D1702505 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Ditch Witch Steel Debris Tank, 175 gal Fresh Water Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Tuthill Engine Driven Pump, Vanguard 2 Cylinder Engine Usage: 1,235 Hr	420	2009 Ford E-350 4x2 Ambulance S/N: 1FDWE35P29DA61032 C/W: Automatic Transmission, 5000 lb Front Axle, 8500 lb Rears, 12500 lb GVWR, V8 6.0 L Diesel Engine, 2008 US EPA Label, 225/75R16, Spring Suspension, 158 in Wheelbase, Deters Ambulance 13 ft Body Usage: 113,976 Mi
409	2007 Ford F-750 4x2 Mud Mixing Truck S/N: 3FRXF75S77V521530 C/W: Cat C7 6 Cylinder 7.2 L Diesel Engine, 6-Speed Manual Transmission, 12350 lb Front Axle, 21000 lb Rears, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, Hydraulic System, (1), 14 ft Bed, Pintle Hitch, Cat V7 6 Cylinder 7.2 L Diesel Engine, Ditch Witch FM13V Mud Mixing System Usage: 68,778 Mi	421	2021 Ram Promaster Cargo Van S/N: 3C6LRVDG9ME523187 C/W: 3.8L V6 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, 225-75-16, Spring Suspension, 11 ft 6 in Long x 72 in Wide x 78 in High Body Usage: 82,498 Mi
410	1997 Ford F800 4x2 Mud Mixing Truck S/N: 1FDXF80C2VVA29639 C/W: Cummins B 6 Cylinder 5.9 L Diesel Engine, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, 16 ft x 96 in Bed, Pintle Hitch, Vermeer Mud Mixing System Usage: 78,080 Mi	422	2020 Ram Promaster Cargo Van S/N: 3C6TRVDG4LE101441 C/W: 3.6L V6 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, 225-75-16, Spring Suspension, 158 in Wheelbase, 11 ft 6 in Long x 72 in Wide x 78 in High Body Usage: 74,280 Mi
411	2007 Gomaco TC600 Texture Cure Machine S/N: 914400-101 C/W: US EPA Label, 12 in Rubber Tracks Usage: 251 Hr	424	2010 Chevrolet 4x2 Van S/N: 1GCZ6FBA7A1144345 C/W: GM 4.8 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600.0 lb GVWR, 245 /75R16, Spring Suspension, 136 in Wheelbase, 9 ft Long x 75 in Wide x 54 in High Body Usage: 188,069 Mi
412	2017 Taylor Dunn B5-440-48 Utility Cart S/N: 206834 C/W: Open Operator Station, 2 Passenger Usage: Not Available	425	2010 Chevrolet 4x2 Van S/N: 1GCZGFBA1A1135978 C/W: GM 4.8 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600.0 lb GVWR, 245 /75R16, Spring Suspension, 136 in Wheelbase, 9 ft Long x 75 in Wide x 54 in High Body Usage: 249,213 Mi
413	2014 Taylor Dunn B2-48 Utility Cart S/N: 194465 C/W: Open Operator Station, 2 Passenger Usage: 182 Hr	426	2014 Ford F59 4x2 Step Van S/N: 1F66F5KY2E0A01332 C/W: V8 6.8 L Gasoline Engine, 2013 US EPA Label, 3160 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 15000 lb Rears, 22000.0 lb GVWR, 245/70R19.5, Spring Suspension, 210 in Wheelbase, Morgan/Olson 23 ft Long x 96 in Wide x 96 in High Body Usage: 98,965 Mi
414	2012 Taylor Dunn B2-10 Utility Cart S/N: 189629 C/W: Open Operator Station, 2 Passenger Usage: 2,787 Hr	427	2013 Freightliner M2 106 4x2 Curtain Side Truck S/N: 3ALACWDT8DDFF5359 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 15187.2 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14X Drive Axles, 5.86:1 Axle Ratio, 26000.0 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 257 in Wheelbase, Supreme 25 ft Long x 96 in Wide x 102 in High Body, Liftgate Usage: 511,035 Mi
417	2022 Tao Motors Electric Golf Cart S/N: L9NAC5KW48VP00213 C/W: 48 Volt Battery Charger, 4 Passenger, Windshield Usage: 2 Mi		

Lot #	Details	Lot #	Details
429	2017 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT7HDJF9538 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 10701 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000.0 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 10R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft 5 in Long x 108 in Wide x 106 in High Body, Liftgate Usage: 336,739 Mi	434	2015 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT7FDGC1242 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8375 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 108 in High Body, Liftgate Usage: 283,193 Mi
430	2017 Freightliner M2 106 4x2 Van Truck S/N: 1FVACWDT2HHHV9255 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7691 Engine hrs, Allison 2100 Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 6.14:1 Axle Ratio, 25500.0 lb GVWR, 11R22.5, Spring Suspension, 271 in Wheelbase, 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 277,406 Mi	435A	2014 Freightliner M2 106 4x2 Van Truck S/N: 3ALACXDT0EDFN7960 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 5763 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.88:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 86 in High Body, Curbside Door, Liftgate Usage: 151,296 Mi
431	2016 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDT5GDHD8397 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7245 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.22:1 Axle Ratio, 26000.0 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 25 ft 6 in Long x 102 in Wide x 106 in High Body, Mezzanine Floor, Curbside Door, Liftgate Usage: 241,608 Mi	435	2015 Freightliner M2 106 4x2 Van Truck S/N: 3ALACWDTXFDGJ9487 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5902 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.13:1 Axle Ratio, 26000.0 lb GVWR, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft Long x 98 in Wide x 96 in High Body, Liftgate Usage: 424,964 Mi
432	2015 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACXDTXFDGA9236 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12564 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000.0 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 425,140 Mi	436	2014 Freightliner M2 106 4x2 Van Truck S/N: 1FVACWDT3EHFS6044 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 10311 Engine hrs, Allison 2100 Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 5.13:1 Axle Ratio, 25500.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft Long x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 343,430 Mi
433	2015 Freightliner M2 106 4x2 Moving Van Truck S/N: 3ALACWDT9FDGT0772 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 260 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8402 Engine hrs, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 10000 lb Front Axle, 17500 lb Rears, 3.91:1 Axle Ratio, 26000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 108 in High Body, Liftgate Usage: 243,077 Mi	437	2013 Freightliner M2 106 4x2 Moving Van Truck S/N: 1FVACWDT5DHBZ3022 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 210 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 10092 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.55:1 Axle Ratio, 26000.0 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 25 ft Long x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 351,930 Mi

Lot #	Details	Lot #	Details
438	2013 Freightliner M2 106 4x2 Moving Van Truck S/N: 1FVACWDT8DHB3973 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 12173 Engine hrs, Eaton Fuller FO-5406B-DN Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor Drive Axles, 26000.0 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 104 in High Body, Curbside Door, Liftgate Usage: 400,828 Mi	447	2017 International 4300 4x2 Moving Van Truck S/N: 3HAMMMML3HL459745 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7307 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 320,008 Mi
439	2008 Freightliner M2 106 4x2 Moving Van Truck S/N: 1FVACWDT18HZ25603 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 13178 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.57:1 Axle Ratio, 26000.0 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 23 ft 10 in Long x 102 in Wide x 97 in High Body, Liftgate Usage: 349,369 Mi	449	2015 International Durastar 4300 4x2 Moving Van Truck S/N: 1HTMMML8FH748221 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6056 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 274 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 103 in High Body, Curbside Door, Liftgate Usage: 235,609 Mi
442	2018 International 4300 4x2 Moving Van Truck S/N: 1HTMMML4JH446451 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4706 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 103 in High Body Usage: 182,323 Mi	450	2015 International Durastar 4300 4x2 Moving Van Truck S/N: 3HAMMMMXFL181786 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6033 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, Air Ride Cab, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Utilimaster 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 236,224 Mi
443	2018 International 4300 SBA 4X2 4x2 Van Truck S/N: 3HAMMMML9JL448173 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4343 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 98 in High Body, Liftgate Usage: 191,875 Mi	451	2015 International 4300 4x2 Moving Van Truck S/N: 1HTMMML0FH710742 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8390 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 274 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 108 in High Body, Curbside Door, Liftgate Usage: 314,913 Mi
446	2017 International 4300 SBA 4x2 Moving Van Truck S/N: 3HAMMMML9HL458440 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5785 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 257,182 Mi	452	2013 International Durastar 4300 4x2 Moving Van Truck S/N: 1HTMMAAM8DH103965 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, 2012 US EPA Label, 9722 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Spring Suspension, 272 in Wheelbase, Supreme 26 ft Long x 96 in Wide x 97 in High Body, Ball hitch Usage: 443,138 Mi

Lot #	Details	Lot #	Details
453	2007 International 4300 4x2 Crew Cab Moving Van Truck S/N: 1HTMMAALX7H425759 C/W: International DT466 6 Cylinder 7.6 L Diesel 220 hp Engine, 2006 US EPA Label, 9930 Engine hrs, Automatic Transmission, 11R22.5, Spring Suspension, 292 in Wheelbase, Smyrna Cargo 26 ft Long x 102 in Wide x 102 in High Body, Curbside Door, Liftgate Usage: 287,469 Mi	459A	2017 Ford F-650 4x2 Moving Van Truck S/N: 1FDNF6AY9HDB01095 C/W: V10 6.8 L Gasoline Engine, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 96 in High Body Usage: 229,351 Mi
454	2017 Hino 268 4x2 Moving Van Truck S/N: 5PVNJ8JV6H4S63335 C/W: Hino J08E-WI V6 7.6 L Diesel 230 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.57:1 Axle Ratio, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 271 in Wheelbase, Smyrna 28 ft Long x 103 in Wide x 108 in High Body, Liftgate Usage: 305,656 Hr	459	2004 GMC C7500 Van Truck S/N: 1GDJ7C1C14F901449 Usage: Not Available
456A	2008 Hino 238 4x2 Moving Van Truck S/N: 5PVND8JT282S50552 C/W: Hino J08E-TV 6 Cylinder 7.6 L Diesel 220 hp Engine, 2007 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 23000.0 lb GVWR, 295/75R22.5, 252 in Wheelbase, Duraplate 24 ft Long x 102 in Wide x 106 in High Body, Liftgate Usage: 262,704 Mi	460	2019 GMC Savana 4x2 Van Truck S/N: 7GZ37TCG4KN009957 C/W: 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 225/75R16, Spring Suspension, 178 in Wheelbase, Morgan 17 ft Long x 96 in Wide x 79 in High Body, ball hitch Usage: 104,872 Mi
456	2009 Hino 238 4x2 Moving Van Truck S/N: 5PVND8JVV94S50077 C/W: HINO J08E-TV 6 Cylinder 7.6 L Diesel 220 hp Engine, 2008 US EPA Label, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 245/70R19.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft Long x 98 in Wide x 108 in High Body, Curbside Door, Liftgate Usage: 195,958 Mi	461	2019 GMC G33903 4x2 Moving Van Truck S/N: 7GZ37TCG7KN008592 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4600 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, 178 in Wheelbase, Morgan 16 ft 6 in Long x 96 in Wide x 79 in High Body Usage: 104,375 Mi
457	2009 Hino 185 4x2 Moving Van Truck S/N: 5PVNC6JM694S50544 C/W: Hino J05D-TF 4 Cylinder 289 cid Diesel 175 hp Engine, 2008 US EPA Label, Engine Coolant Heater, Automatic Transmission, 6250 lb Front Axle, 13000 lb Rears, 18000.0 lb GVWR, 225/70R19.5, Spring Suspension, 220 in Wheelbase, Utilimaster 19 ft 6 in Long x 96 in Wide x 96 in High Body, Liftgate Usage: 198,155 Hr	462	2019 GMC G33903 4x2 Moving Van Truck S/N: 7GZ37TCG2KN007298 C/W: Vortec V8 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, Supreme 16 ft Long x 96 in Wide x 92 in High Body Usage: 128,717 Mi
458	2013 Ford F-750 4x2 Van Truck S/N: 3FRNF7FA0DV035649 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 26000.0 lb GVWR, 225/75R22.5, Spring Suspension, 281 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 215,933 Mi	463	2019 GMC G33903 4x2 Moving Van Truck S/N: 7GZ67VCG3KN014320 C/W: GM Vortec V8 6.0 L Gasoline Engine, 3401 Engine hrs, Automatic Transmission, 4600 lb Front Axle, 9600 lb Rears, 14200.0 lb GVWR, 225/75R16, Spring Suspension, 178 in Wheelbase, Supreme 16 ft 7 in Long x 96 in Wide x 92 in High Body Usage: 134,428 Mi
		464	2018 GMC Savana 4x2 Moving Van Truck S/N: 7GZ37TCG7JN901621 C/W: V8 6.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 225/75R16, Spring Suspension, 178 in Wheelbase, Supreme 17 ft Long x 96 in Wide x 81 in High Body, Ball Hitch Usage: 100,457 Mi
		465	2018 GMC G33903 4x2 Moving Van Truck S/N: 7GZ37TCG7JN901036 C/W: GM Vortec V8 6.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300.0 lb GVWR, 225/75R16, Spring Suspension, 176 in Wheelbase, Morgan 17 ft Long x 96 in Wide x 94 in High Body, Ball hitch Usage: 119,595 Mi

Lot #	Details	Lot #	Details
466	2003 Chevrolet Express G3500 4x2 Van Truck S/N: 1GBJG31UX31118014 C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 235/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 160 in Wheelbase, Grumman/Olson 13 ft 6 in Long x 96 in Wide Body Usage: 81,293 Mi	476	2007 Sterling LT9500 6x4 Cab and Chassis S/N: 2FZHAZDE07AX71280 C/W: Cat C13 6 Cylinder 12.5 L Diesel 380 hp Engine, Engine Brake, Eaton Fuller RTO14908LL 8LL Manual Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 58000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 225 in Wheelbase, 162 in Cab to Axle, 270 in Cab to End of Frame Usage: Not Available
468	2017 Hino 155 4x2 COE Moving Van Truck S/N: JHHYDM1H4HK003547 C/W: HINO J05E-TP 4 Cylinder 5.1 L Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5950 lb Front Axle, 9880 lb Rears, 225/70R19.5 Front Tires, 215/75R17.5 Rear Tires, Spring Suspension, 150 in Wheelbase, Supreme 16 ft Long x 96 in Wide x 96 in High Body, Liftgate Usage: 116,540 Mi	477	1998 Mack RD600 6x4 Cab and Chassis S/N: 1M3P114K2WM001768 C/W: Mack E7 6 Cylinder Diesel 350 hp Engine, 9322 Engine hrs, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, Mack Drive Axles, Air Ride Cab, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 270 in Wheelbase, 192 in Cab to Axle, 244 in Cab to End of Frame Usage: 301,411 Mi
469	2018 Isuzu NPR 4x2 COE Moving Van Truck S/N: JALC4W162J7008034 C/W: Isuzu 4HK1TC 4 Cylinder 5.2 L Diesel 210 hp Engine, 2017 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500.0 lb GVWR, 225/70R19.5 Front Tires, 245/70R19.5 Rear Tires, Spring Suspension, 150 in Wheelbase, Supreme 18 m Long x 102 in Wide x 90 in High Body, Liftgate Usage: 199,999 Mi	478	2016 Ram 3500 4x2 Cab and Chassis S/N: 3C7WRSBL9GG132105 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 9850 lb Rears, 235/80R17, Spring Suspension, 168 in Wheelbase, 86 in Cab to Axle, 137 in Cab to End of Frame Usage: 199,147 Mi
471	2018 Chevrolet 4500 4x2 COE Crew Cab Van Truck S/N: 54DCDJ1B8JS803177 C/W: 6.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 91 in High Body Usage: 132,263 Mi	479	2015 Chevrolet Silverado 3500HD 4x2 Cab and Chassis S/N: 1GB3CYCG6FF514103 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 235/80R17 Front Tires, 235/80R17 Rear Tires, Spring Suspension, 162 in Wheelbase, 86 in Cab to Axle, 134 in Cab to End of Frame Usage: 156,078 Mi
472	2017 Freightliner M2 106 4x2 Refrigerated Truck S/N: 3ALACXDT5HDJF0603 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10280 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Air Ride Cab, 11R22.5, Spring Suspension, Thermo King T1080 Reefer Unit, Standby Power, Morgan 26 ft Long x 102 in Wide x 125 in High Body, Liftgate Usage: 323,700 Mi	481	2017 Ford F-650 4x2 Extended Cab Rollback Truck S/N: 1FDWX6DC4HDB09090 C/W: 6.7LD 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 245/70R19.5, Hendrickson Air Ride Suspension, 239 in Wheelbase, PTO, Hydraulic System, JLG INDUSTRIES 22SRR6T-W-LP, 22 ft x 101 in Bed, Ramsey D2 R121795 5000 lb Winch, Hydraulic Wheel Lift Usage: 423,523 Mi
475	2010 Freightliner M2 106 6x4 Cab and Chassis S/N: 1FVHCYBS2ADAR3371 C/W: Cummins ISC300 6 Cylinder 8.3 L Diesel 300 hp Engine, 2009 US EPA Label, 11533 Engine hrs, Eaton Fuller FR-12210B 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.91:1 Axle Ratio, 58000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Double Frame, 170 in Cab to Axle, 290 in Cab to End of Frame Usage: 245,260 Mi	482B	1982 International F-2275 6x2 Attenuator Truck S/N: 1HTDF2272CGB13598 C/W: Cummins Fleet 270 6 Cylinder 850 cid Diesel 270 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11560 lb Front Axle, 34000 lb Rears, 45600.0 lb GVWR, 11R24.5, International Spring Suspension, 120 in Wheelbase, PTO, Wet Kit, Folding Attenuator Usage: 46,322 Mi

Lot #	Details	Lot #	Details
482A	1982 International F2275 6x2 F-2275 Attenuator Truck S/N: 1HTDF2274CGB13585 C/W: Cummins Fleet 270 6 Cylinder 855 cid Diesel 270 hp Engine, 1982 US EPA Label, Eaton Fuller Road Ranger Manual Transmission, Differential Lock, 11570 lb Front Axle, 45560 lb Rears, 45560.0 lb GVWR, Steel, 11R24.5 Front Tires, 11R24.5 Rear Tires, International Spring Suspension, 120 in Wheelbase, PTO, Hydraulic System, Folding Attenuator Usage: 588,247 Mi	485	1994 Tymco 600 on 1995 International 4000 Sweeper Truck S/N: 1HTSCABMXSH659426 C/W: International T444 4 Cylinder 7.3 L Diesel Engine, Automatic Transmission, 9.00R20 Front Tires, 10.00R20 Rear Tires, Spring Suspension, 150 in Wheelbase, Hydraulic System, John Deere Auxiliary Engine, Vacuum Sweeper, Dual Controls, Front Spray Bar, 29 in Under Body Broom, Gutter Brooms, Water System, Hydraulic Dump Usage: 36,539 Mi
482	2013 Ford F-550 XL 4x2 Rollback Truck S/N: 1FDUF5GY2DEA25141 C/W: V10 6.8 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 200 in Wheelbase, PTO, Hydraulic System, Jerr-Dan SD-UNI, 19 ft x 96 in Bed, Ramsey HD234 R 121795 8000 lb Winch, Hydraulic Wheel Lift Usage: 148,322 Mi	486	2007 Mack CT713 6x4 Mixer Truck S/N: 1M2AL02C77M005875 C/W: Mack 6 Cylinder Diesel Engine, 22897 Engine hrs, T310M 10-Speed Manual Transmission, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 215 in Wheelbase, PTO, Double Frame, 10.5 cyd Mixer Unit Usage: 211,984 Mi
483	2005 Mack CV713 6x4 Roll-Off Truck S/N: 1M2AG11C05M034711 C/W: Mack AMI 6 Cylinder 12.0 L Diesel 427 hp Engine, 16189 Engine hrs, Engine Brake, T310M 10-Speed Manual Transmission, Differential Lock, Aluminum Front Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 266 in Wheelbase, PTO, Hydraulic System, Double Frame, 2005 Apex ARU-75-22-XT Roll-Off Body, 22 ft 4 in Hoist Usage: 319,007 Mi	487	2007 Ford F-750 XL 4x2 Flatbed Dump Truck S/N: 3FRXF75S67V521552 C/W: Cat 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 12350 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, OX Bodies 14 ft Long x 2 ft High Steel Body, Flat Bed, Pintle Hitch Usage: 71,666 Mi
484A	2004 GMC T7500 4x2 COE Extended Cab Roll-Off Truck S/N: 1GDJ7F1334F515004 C/W: Isuzu 6HK1X 6 Cylinder 7.8 L Diesel Engine, 2004 US EPA Label, Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 211 in Wheelbase, PTO, 2004 Utilimaster Roll-Off Body, 20 ft Hoist, Warrior 175s812 17500 lb Winch, none Usage: 250,252 Mi	488	2006 Ford F-750 XL 4x2 Flatbed Dump Truck S/N: 3FRXF75P36V243719 C/W: Cat C7 6 Cylinder 7.2 L Diesel 210 hp Engine, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, OX Bodies 14 ft Long x 2 ft High Steel Body, Pintle Hitch Usage: 127,189 Mi
484	2012 International Durastar 4300 4x2 Roll-Off Truck S/N: 1HTMMAAN6CJ614817 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 11000 lb Front Axle, 21900 lb Rears, 32900.0 lb GVWR, 5006 Engine hrs, 11R22.5, Spring Suspension, 272 in Wheelbase, PTO, Hydraulic System, 2017 Omaha Standard ART-30-22 Roll-Off Body, 22 ft 5 in Hoist Usage: 109,445 Mi	489	1991 BMY M925A2 6x6 Flatbed Truck S/N: 2501481 C/W: Cummings 6 Cylinder Diesel Engine, 928 Engine hrs, Automatic Transmission, Differential Lock, 12500 lb Front Axle, 14.00 R20, Spring Suspension, 182 in Wheelbase, PTO, 14 ft x 92 in Bed, Winch, Ringfeder Usage: 26,770 Mi
		490	2001 International 4900 6x4 Flatbed Truck S/N: 1HTSHAAR11H346889 C/W: International DT466E 6 Cylinder 7.6 L Diesel 250 hp Engine, 13152 Engine hrs, Spicer PS86-10V 10-Speed Manual Transmission, Differential Lock, 11R22.5, Hendrickson Spring Suspension, 256 in Wheelbase, Double Frame, 25 ft x 96 in Bed Usage: 271,718 Mi
		491	2017 Hino 268 4x2 Flatbed Truck S/N: 5PVNJ8JV8H4S66334 C/W: Hino 6 Cylinder 7.6 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, 24 ft x 96 in Bed Usage: 48,852 Mi

Lot #	Details	Lot #	Details
492	1992 GMC Top Kick C7 4x2 Flatbed Truck S/N: 1GDM7H1J4NJ517852 C/W: Cat 3116 6 Cylinder 6.6 L Diesel 160 kW Engine, 1991 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 21200 lb Rears, 31200.0 lb GVWR, 11R22.5, Spring Suspension, 261 in Wheelbase, Double Frame, 24 ft x 95 in Bed Usage: 262,570 Mi	499	2004 Ford F-550 4x2 Flatbed Truck S/N: 1FDAF56PX4ED20998 C/W: V8 6.0 L Diesel Engine, 2004 US EPA Label, 6-Speed Manual Transmission, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, 10 ft 6 in x 96 in Bed, Pintle Hitch Usage: 326,562 Mi
493	2015 Ford F-750 XL 4x2 Extended Cab Flatbed Truck S/N: 3FRWX7FJ6FV142807 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 203 in Wheelbase, 14 ft x 96 in Bed, Ball Hitch Usage: 147,726 Mi	500	2003 Ford F-550 4x2 Flatbed Truck S/N: 1FDAF56P73EB67561 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, Aluminum Wheels, 255/70R19.5, Spring Suspension, 141 in Wheelbase, 9 ft 6 in x 96 in Bed, Liftgate, Air compressor, Bed Boxes Usage: 595,307 Mi
494	2007 Ford F-750 4x2 Extended Cab Flatbed Truck S/N: 3FRWX75S77V543942 C/W: Cat C7 6 Cylinder 7.2 L Diesel 230 hp Engine, 2006 US EPA Label, Automated Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999.0 lb GVWR, 11R22.5, Spring Suspension, 203 in Wheelbase, 14 ft x 96 in Bed, Ball hitch Usage: 195,925 Mi	502	1999 Ford F-450 4x2 Flatbed Truck S/N: 1FDXF46F1XED24163 C/W: Power stroke V8 7.3 L Diesel Engine, Manual Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000.0 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 165 in Wheelbase, 11 ft x 96 in Bed Usage: 229,016 Mi
495	2002 Ford F-650 XL 4x2 S/A Dump Truck S/N: 3FDWF65822MA21714 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 10R22.5, Spring Suspension, 230 in Wheelbase, PTO, Pro*Formance 13 ft 8 in Long x 2 ft 3 in High Steel Body, Manual Roll Tarp Usage: 114,041 Hr	503	2016 Chevrolet Silverado 3500HD 4x4 Crew Cab Flatbed Truck S/N: 1GB4KYC83GF103274 C/W: V8 6.6 L Diesel Engine, 2016 US EPA Label, Allison Automatic Transmission, 235 /80R17, Spring Suspension, 170 in Wheelbase, 9 ft x 92 in Bed Usage: 156,889 Mi
496	2001 Ford F-650 XL 4x2 Crew Cab Flatbed Truck S/N: 3FDNW65211MA11312 C/W: Cat 3126 6 Cylinder 7.2 L Diesel Engine, 2000 US EPA Label, Automatic Transmission, 255/70R22.5, Spring Suspension, 194 in Wheelbase, 10 ft 6 in x 100 in Bed, Ball Hitch Usage: 166,615 Mi	504	2014 Ford F-350 XL 4x4 Crew Cab Flatbed Truck S/N: 1FD8W3HT9EEB30558 C/W: Ford 4V F-Series 6.7 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 92 in Bed, Lund CNV Fuel Tank /w Pump Usage: 88,435 Mi
497	2000 Ford F-650 4x2 Crew Cab Flatbed Truck S/N: 3FDNW6560YMA05062 C/W: V8 7.3 L Diesel Engine, Manual Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 196 in Wheelbase, 8 ft 0 in x 92 in Bed, Fuel Tank /w Pump Usage: 162,169 Mi	505	2014 Ford F-350 XL 4x4 Crew Cab Flatbed Truck S/N: 1FD8W3HT7EEB30560 C/W: Ford 4V F-Series V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 96 in Bed, Delta 100 Gal Fuel Tank /w Pump, Ball hitch Usage: 88,770 Mi
498	2017 Ford F-550 XL 4x2 Flatbed Truck S/N: 1FDUF5GT9HEB36957 C/W: V8 6.7 L Diesel 330 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 11 ft x 96 in Bed Usage: 170,431 Mi	506	2012 Ford F-350 4x2 Crew Cab Flatbed Truck S/N: 1FD8W3G69CEC11715 C/W: V8 6.2 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 13300 lb GVWR, 245 /75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 94 in Bed Usage: 145,920 Mi

Lot #	Details	Lot #	Details
507	2011 Ford F-350 4x2 Crew Cab Flatbed Truck S/N: 1FD8W3G68BEC21036 C/W: Ford V8 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 13300 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 89 in Bed, Fuel Tank /w Pump, Ball Hitch Usage: 165,098 Mi	513	2017 Mack GU713 12x4 Five Axle Dump Truck S/N: 1M2AX07CXHM034270 C/W: Mack MP8 6 Cylinder 13 L Diesel 445 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9592 Engine hrs, Engine Brake, Allison 4500 6-Speed Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 66000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 3 Air Lift Pusher Axles, Dual Steering Boxes, Camelback Spring Suspension, 238 in Wheelbase, PTO, Double Frame, Rogers 19 ft 6 in Long x 5 ft High Aluminium Body, 28 cyd, Capacity, Electric Roll Tarp Usage: 289,542 Mi
508	2011 Ford F-350 King Ranch 4x2 Crew Cab Flatbed Truck S/N: 1FD8W3G61BEC21038 C/W: Ford 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 89 in Bed, Delta 105 Gallon Fuel Tank /w Pump, Ball Hitch Usage: 183,027 Mi	514	2017 Mack GU713 12x4 Five Axle Dump Truck S/N: 1M2AX07C4HM034278 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5781 Engine hrs, Engine Brake, Allison 4500 6-Speed Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 66000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 3 Air Lift Pusher Axles, Dual Steering Boxes, Camelback Spring Suspension, 269 in Wheelbase, PTO, Wet Kit, Double Frame, Rogers 20 ft Long x 5 ft 6 in High Aluminium Body, 28 cyd, Capacity, Electric Roll Tarp Usage: 340,454 Mi
509	2010 Chevrolet 3500HD 4x4 Crew Cab Flatbed Truck S/N: 1GB7KZBK8AF144006 C/W: GM Vortec V8 Gasoline Engine, Automatic Transmission, 4500 lb Front Axle, 8200 lb Rears, 245/70R17, Spring Suspension, 167 in Wheelbase, 8 ft 6 in x 92 in Bed, DZ 91753X 108 Gallon Fuel Tank /w Pump Usage: 118,701 Mi	515	2017 Mack GU713 12x4 Five Axle Dump Truck S/N: 1M2AX07C2HM034277 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11483 Engine hrs, Engine Brake, Allison 4500 6-Speed Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 66000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 3 Air Lift Pusher Axles, Dual Steering Boxes, Camelback Spring Suspension, 269 in Wheelbase, PTO, Wet Kit, Double Frame, Rogers 20 ft 3 in Long x 5 ft High Aluminium Body, 28 cyd, Capacity, Electric Roll Tarp Usage: 395,049 Mi
510	2000 Ford F-350 4x4 Extended Cab Flatbed Truck S/N: 1FTWX33F2YEB10134 C/W: V8 7.3 L Diesel Engine, 5-Speed Manual Transmission, 5200 lb Front Axle, 8250 lb Rears, 11200.0 lb GVWR, 235/85R16, Spring Suspension, 8 ft 6 in x 96 in Bed Usage: 498,290 Mi	516	2017 Peterbilt 567 10x4 Quad/A Dump Truck S/N: 1NPCLPEX4HD422207 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12245 Engine hrs, Engine Brake, Eaton Fuller FO-16E-308LL-VCS 8-Speed Automated Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, 2 Air Lift Pusher Axles, Dual Steering Boxes, Air Assist Front Suspension, 265 in Wheelbase, Double Frame, Rogers 20 ft Long x 4 ft High Body Usage: 262,034 Mi
511	1999 Ford F-350 4x4 Flatbed Truck S/N: 1FDWF37F4XEE73672 C/W: V8 7.3 L Diesel Engine, Automatic Transmission, 5200 lb Front Axle, 9750 lb Rears, 12500.0 lb GVWR, 265/75R16, Spring Suspension, 165 in Wheelbase, 11 ft x 94 in Bed Usage: 263,918 Mi		
512	2017 GMC 2500HD 4x4 Crew Cab Flatbed Truck S/N: 1GD42VCG7HF169471 C/W: V8 6.0 L Gasoline Engine, 2017 US EPA Label, 3978 Engine hrs, 6-Speed Automatic Transmission, 3970 lb Front Axle, 9230 lb Rears, 13200.0 lb GVWR, 245/75R17, Spring Suspension, 175 in Wheelbase, 9 ft x 96 in Bed Usage: 76,658 Mi		

Lot #	Details	Lot #	Details
517	2017 Peterbilt 567 10x4 Quad/A Dump Truck S/N: 1NPCLPEX2HD422206 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12098 Engine hrs, Engine Brake, Paccar TX-12 12-Speed Automated Transmission, Differential Lock, 18740 lb Front Axle, 46000 lb Rears, 80000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, 2 Steerable Air Lift Pusher Axle, Dual Steering Boxes, Walking Beam Suspension, 267 in Wheelbase, PTO, Wet Kit, Double Frame, Rogers 20 ft Long x 5 mm High Aluminium Body, Electric Roll Tarp Usage: 267,497 Mi	522	2019 Volvo VHD84B200 10x4 Quad/A Dump Truck S/N: 4V5K99EH9KN873530 C/W: D13M455 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10173 Engine hrs, Engine Brake, ATO2612F 12-Speed Automated Transmission, Differential Lock, 18740 lb Front Axle, 56020 lb Rears, Meritor RT-46-160 Drive Axles, 3.73:1 Axle Ratio, 75760.0 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, 2 Steerable Air Lift Pusher Axle, 237 in Wheelbase, PTO, Rogers 20 ft Long x 5 ft 6 in High Aluminium Body, Flat Bed, Electric Roll Tarp Usage: 238,715 Mi
518	2017 Peterbilt 567 Quad/A Dump Truck S/N: 1NPCLP0X4HD411795 C/W: Paccar MX-13 6 Cylinder 13 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 47.3 Engine hrs, Engine Brake, Allison 4500 6-Speed Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 2 Air Lift Pusher Axles, Dual Steering Boxes, Chalmers Walking Beam Suspension, 250 in Wheelbase, PTO, Double Frame, Rogers 18 ft 9 in Long x 5 ft High Aluminium Body, 25 cyd, Capacity, Electric Roll Tarp Usage: 307,245 Mi	523	2017 Mack GU713 10x4 Quad/A Dump Truck S/N: 1M2AX07CXHM034057 C/W: Mack MP8 6 Cylinder 12.9 L Diesel 445 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Maxitorque 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 44000 lb Rears, mack Drive Axles, 3.91:1 Axle Ratio, 62000.0 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, 2 Air Lift Pusher Axles, Camelback Spring Suspension, 265 in Wheelbase, PTO, Double Frame, Tebco 19 ft Long x 5 ft 4 in High Aluminium Body, Electric Roll Tarp Usage: 382,661 Mi
519	2017 Peterbilt 567 10x4 Quad/A Dump Truck S/N: 1NPCLP0X8HD411797 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11454.3 Engine hrs, Engine Brake, Retarder, Allison 4500 6-Speed Automated Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 2 Air Lift Pusher Axles, Dual Steering Boxes, Chalmers Walking Beam Suspension, 250 in Wheelbase, PTO, Double Frame, Rogers 18 ft 9 in Long x 5 ft High Aluminium Body, 25 cyd, Capacity, Electric Roll Tarp Usage: 348,049 Mi	524	2016 Mack GU713 10x4 Quad/A Dump Truck S/N: 1M2AX04C6GM026346 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison 4500 6-Speed Automated Transmission, Differential Lock, 18000 lb Front Axle, 44000 lb Rears, 62000.0 lb GVWR, Aluminum Wheels, 11R22.5, Air Lift Pusher Axle, Air Lift Tag Axle, Camelback Spring Suspension, 232 in Wheelbase, PTO, Double Frame, Rogers 19 ft Long x 6 ft High Aluminium Body, Electric Roll Tarp Usage: 362,945 Mi
521	2019 Volvo VHD84B200 10x4 Quad/A Dump Truck S/N: 4V5K99EH0KN873531 C/W: D13M455 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9857 Engine hrs, Engine Brake, ATO2612F 13-Speed Automated Transmission, 18740 lb Front Axle, 57020 lb Rears, Meritor RT-46-160 Drive Axles, 3.73:1 Axle Ratio, 75760.0 lb GVWR, Aluminum Wheels, 315/80R22.5, 2 Steerable Air Lift Pusher Axle, 237 in Wheelbase, Rogers 20 ft Long x 5 ft 6 in High Aluminium Body, Electric Roll Tarp Usage: 215,660 Mi	525	2013 Cat CT660S-SBA 10x4 Quad/A Dump Truck S/N: 1HTJGKTXDJ197383 C/W: CT13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2012 US EPA Label, 13335 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, 18740 lb Front Axle, 46000 lb Rears, Dana Drive Axles, 3.91:1 Axle Ratio, 64740.0 lb GVWR, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, 2 Air Lift Pusher Axles, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, 244 in Wheelbase, PTO, Double Frame, 19 ft Long x 5 ft 10 in High Aluminium Body, Electric Roll Tarp Usage: 320,868 Mi

Lot #	Details	Lot #	Details
526	2022 Kenworth T880 8x4 Tri/A Dump Truck S/N: 1NKZX4TX9NJ122665 C/W: Cummins X15 6 Cylinder 15 L Diesel 525 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automated Transmission, Double Differential Locks, 20000 lb Front Axle, 68500 lb Rears, 88500.0 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Chalmers Suspension, 209 in Wheelbase, PTO, Double Frame, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 53,367 Mi	531	2017 Western Star 4700SF 8x2 Tri/A Dump Truck S/N: 5KKMAVDV0HLHZ8903 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10822.2 Engine hrs, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.30:1 Axle Ratio, 78350 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, TufTrac Spring Suspension, 228 in Wheelbase, PTO, Double Frame, OX Bodies 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 230,913 Mi
527	2022 Kenworth T880 8x4 Tri/A Dump Truck S/N: 1NKZX4TX4NJ107006 C/W: Cummins X15 15.0 L Diesel 500 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 8LL Transmission, Double Differential Locks, 20000 lb Front Axle, 67000 lb Rears, 87000.0 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Chalmers Suspension, 209 in Wheelbase, PTO, Double Frame, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 64,655 Mi	532	2019 Volvo VHD84B200 8x4 Tri/A Dump Truck S/N: 4V5K99EH4KN900441 C/W: D13M455 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9936 Engine hrs, Engine Brake, ATO2612F 13-Speed Automated Transmission, Differential Lock, 20000 lb Front Axle, 66000 lb Rears, Meritor RT-46-160 Drive Axles, 3.58:1 Axle Ratio, 86000.0 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 197 in Wheelbase, Rogers 16 ft Long x 5 ft 2 in High Steel Body, Electric Roll Tarp Usage: 239,492 Mi
528	2021 Peterbilt 567 8x4 Tri/A Dump Truck S/N: 1NPCX4EX2MD741232 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 485 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 4852 Engine hrs, Engine Brake, Allison Automated Transmission, Differential Lock, 20000 lb Front Axle, 60000 lb Rears, 80000.0 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R24.5 Rear Tires, Rubber over Walking Beam Suspension, 226 in Wheelbase, PTO, Rogers 16 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: 116,352 Mi	533	2019 Volvo VHD 8x6 Tri/A Dump Truck S/N: 4V5K99EHXKN900444 C/W: D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 11652 Engine hrs, Engine Brake, ATO2612F 13-Speed Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 86000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Spring Suspension, 252 in Wheelbase, PTO, Wet Kit, Double Frame, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 267,068 Mi
529	2016 Peterbilt 567 8x6 Tri/A Dump Truck S/N: 1NPCX4EX3GD350689 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 20000 lb Front Axle, 60000 lb Rears, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Haulmaax Suspension, 226 in Wheelbase, PTO, Double Frame, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp, High-Lift Tailgate Usage: 301,198 Mi	534	2019 Volvo VHD 8x4 Tri/A Dump Truck S/N: 4V5K99EH6KN900442 C/W: D13M455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10291 Engine hrs, Engine Brake, ATO2612F 13-Speed Automated Transmission, Differential Lock, 20000 lb Front Axle, 66000 lb Rears, Meritor RT-46-160 Drive Axles, 3.58:1 Axle Ratio, 86000.0 lb GVWR, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 196 in Wheelbase, PTO, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp, Rear Hydraulics Usage: 237,679 Mi
530	2016 Peterbilt 567 8x4 Tri/A Dump Truck S/N: 1NPCX4EX7GD359315 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16622 Engine hrs, Engine Brake, Eaton Fuller Ultra shift Plus Automated Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 80000.0 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 232 in Wheelbase, PTO, Double Frame, Rogers 16 ft Long x 5 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 350,896 Mi		

Lot #	Details	Lot #	Details
538	2006 Peterbilt 357 Dump Truck 6x6 Extended Cab Tri/A Dump Truck S/N: 1NPAL50X56N638142 C/W: Cummins ISL 6 Cylinder 8.9 L Diesel Engine, 26542 Engine hrs, Engine Brake, Allison Automated Transmission, Differential Lock, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Spring Suspension, 248 in Wheelbase, PTO, Load King 18 ft Long x 4 ft High Steel Body, Round Bottom, Electric Roll Tarp Usage: 254,654 Mi	543	2007 Mack CTP713 6x4 T/A Dump Truck S/N: 1M2AT04Y27M001984 C/W: Mack MP7 6 Cylinder 10.8 L Diesel Engine, 2625 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 218 in Wheelbase, PTO, OX Bodies 14 ft 5 in Long x 4 ft 1 in High Steel Body, 16 cyd, Capacity, Electric Roll Tarp, Pintle Hitch Usage: 450,986 Mi
539	2006 Freightliner Columbia 112 6x4 Tri/A Dump Truck S/N: 1FUJF0CV56LX16998 C/W: Mercedes-Benz MBE4000 6 Cylinder 12.8 L Diesel 450 hp Engine, 2005 US EPA Label, 23189 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.91:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 206 in Wheelbase, PTO, Hydraulic System, Double Frame, Universal 16 ft Long x 4 ft 9 in High Steel Body, Electric Roll Tarp, Swing Tailgate, Ringfeder Usage: 739,731 Mi	544	2000 Mack RD690S 6x4 T/A Dump Truck S/N: 1M2P264C4YM029887 C/W: Mack EM7 6 Cylinder 12.0 L Diesel 300 hp Engine, 1999 US EPA Label, 13844 Engine hrs, Engine Brake, Maxitorque 7-Speed Manual Transmission, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 210 in Wheelbase, PTO, OX Bodies 15 ft Long x 3 ft 9 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 230,490 Mi
540A	2016 Cat CT660S 6x4 T/A Dump Truck S/N: 3HTJGKT4GN209450 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 8954 Engine hrs, Engine Brake, Cat Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Chalmers Suspension, 207 in Wheelbase, OX Bodies 16 ft Long x 4 ft 6 in High Steel Body, 21 cyd, Capacity, Round Bottom, Electric Roll Tarp Usage: 47,475 Mi	545A	1976 Mack DM686 6x4 Roll-Off Truck S/N: DM685S32168 C/W: 6 Cylinder Diesel Engine, Manual Transmission, 315/80R22.5 Front Tires, 315/80R22.5 Rear Tires, Camelback Suspension, 238 in Wheelbase, PTO, Double Frame, 22 ft Hoist, C/W 22 ft Roll-Off Container Usage: 250,880 Mi
542	2007 Mack CV713 6x4 T/A Dump Truck S/N: 1M2AG11C77M053999 C/W: Mack AI 6 Cylinder 12.0 L Diesel 375 hp Engine, US EPA Label, 18763 Engine hrs, Engine Brake, Allison 4500 Automated Transmission, Differential Lock, Air Ride Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 214 in Wheelbase, PTO, Hydraulic System, Double Frame, OX Bodies 16 ft Long x 6 ft High Steel Body, 24 cyd, Capacity, Electric Roll Tarp Usage: 17,899 Mi	545	2008 International 7400 SFA 6x4 T/A Dump Truck S/N: 1HTWHAAR88J630010 C/W: International 6 Cylinder Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Hendrickson Spring over Walking Beam Suspension, 204 in Wheelbase, 14 ft 8 in Long x 4 ft High Steel Body, 11 cyd, Capacity, Electric Roll Tarp Usage: 201,088 Mi
		546	2015 Freightliner M2 106 4x2 S/A Dump Truck S/N: 1FVACXDU8FHGH3830 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 3525 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 150 in Wheelbase, PTO, Ledwell 10 ft Long x 2 ft 8 in High Steel Body, Pintle Hitch Usage: 34,512 Hr

Lot #	Details	Lot #	Details
547	2007 Kenworth T300 4x2 S/A Dump Truck S/N: 2NKMHZ7X67M174393 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 260 hp Engine, 17356 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.29:1 Axle Ratio, 33000.0 lb GVWR, Aluminum Outer Wheels, 11R22.5, Hendrickson Air Ride Suspension, 172 in Wheelbase, PTO, Hydraulic System, Paisano 12 ft Long x 3 ft High Steel Body, Electric Roll Tarp, Ringfeder Usage: 317,702 Mi	553	2020 Freightliner Columbia 120 6x4 Glider Kit T /A Day Cab Truck Tractor S/N: 3ALXA7000LCLR9805 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Air Conditioner, Cruise Control, Power Windows, Engine Brake, Eaton Fuller RTX-16710B 10-Speed Manual Transmission, Differential Lock, 3.42:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 128,269 Mi
548	2008 GMC C7500 4x2 S/A Dump Truck S/N: 1GDP7C1A88F408754 C/W: Cat C7 6 Cylinder Diesel Engine, 2007 US EPA Label, Automatic Transmission, 13220 lb Front Axle, 23000 lb Rears, 11R22.5, Spring Suspension, 150 in Wheelbase, PTO, Hydraulic System, 10 ft Long x 4 ft 8 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 117,586 Mi	556	2000 Mack CH613 6x4 T/A Day Cab Truck Tractor S/N: 1M2AA13Y3YW132411 C/W: Mack 6 Cylinder 12.0 L Diesel Engine, 15589 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Camelback Spring Suspension, 174 in Wheelbase, PTO, Hydraulic System, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 8,645 Mi
549	2015 Ford F-750 XL 4x2 S/A Dump Truck S/N: 3FRXF7FA9FV000314 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 156 in Wheelbase, PTO, Godwin 10 ft Long x 3 ft High Steel Body, Manual Roll Tarp Usage: 17,346 Mi	557	2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDR6HSJE7089 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 12693 Engine hrs, Engine Brake, Detroit DT12-OA-1650 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 628,480 Mi
551	1999 Ford F-800 4x2 S/A Dump Truck S/N: 3FENF80C9XMA20937 C/W: Cummins ISB 6 Cylinder 8.3 L Diesel Engine, Spicer 6-Speed Manual Transmission, 8500 lb Front Axle, 17500 lb Rears, Spicer DS463P Drive Axles, 4.11:1 Axle Ratio, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Spring Suspension, 113 in Wheelbase, Hydraulic System, Ledwell 123 in Long x 70 in High Steel Body, 9 cyd, Capacity, 2-Way Dump, Tailgate Chute, Pintle Hitch Usage: 51,830 Mi	560	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGED50GLHE2157 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16875.3 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 738,379 Mi
552A	2002 Chevrolet C6500 4x2 S/A Dump Truck S/N: 1GBJ7H1C72J516509 C/W: Caterpillar 3126 7.2 L Diesel 330 hp Engine, 2002 US EPA Label, 6-Speed Manual Transmission, 8100 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 188 in Wheelbase, PTO, 14 ft Long x 1 ft 7 in High Steel Body, Split Swing Tailgate, Pintle Hitch Usage: 99,693 Mi		
552	1990 GMC C7000 4x2 S/A Dump Truck S/N: 1GDM7D1Y7LV501902 C/W: Cat 3208 V10 10.4 L Diesel 215 hp Engine, Eaton Fuller 5-Speed Manual Transmission, 9000 lb Front Axle, 19040 lb Rears, 28040.0 lb GVWR, 11R22.5, Spring Suspension, 172 in Wheelbase, PTO, Hydraulic System, Double Frame, 15 ft Long x 5 ft High Steel Body Usage: 107,858 Mi		

Lot #	Details	Lot #	Details
561	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED56GDHK6011 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10614 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X4 Drive Axles, 3.70:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner 4-Bag Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 447,361 Mi	566	2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED50FSGH9791 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13909 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 526,341 Mi
562	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV6GSGV9261 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, DT12-OB-1550 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 624,170 Mi	569	2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV8FSGC7471 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 533,589 Mi
563	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV9GSHE5420 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14347 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Double Differential Locks, 12000 kg Front Axle, 40000 lb Rears, Meritor MT-40-14X4 Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 198 mm Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 613,780 Mi	570	2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEBG8FSGT5045 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 15438 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 551,627 Mi
565	2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV3FDGL3414 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12821 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MP-40-14X4 Drive Axles, 3.55:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 449,494 Mi	571	2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED65ESFX2957 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 14876 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 516,587 Mi

Lot #	Details	Lot #	Details
572	2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGED56ESFL2393 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18674 Engine hrs, Engine Brake, DT12-DA-1750 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 443,633 Mi	576	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV3JLJL5001 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 702,653 Mi
573	2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDV8ELFV3807 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 11394 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 455,240 Mi	577	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV0JLJL4999 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9793 Engine hrs, Engine Brake, Detroit DT12-OB-1550HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 582,967 Mi
574	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUGGBDV2JLJS8776 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8291 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C-EA 10-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 3.21:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 184 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 363,442 Mi	578	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV5JLJL5033 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19829 Engine hrs, Engine Brake, Detroit DT-12-OB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,607 Mi
575	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUGGBDV4JLJS8777 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAO-16810C-EA 10-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MR-20-005 Drive Axles, 3.21:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Central Tire Inflation System, Air Assist Front Suspension, Airliner Air Ride Suspension, 184 in Wheelbase, PTO, Air Sliding 5th Wheel Usage: 422,138 Mi	579	2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV7JLJL5051 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19252 Engine hrs, Engine Brake, Detroit DT-12-OB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 688,609 Mi

Lot #	Details	Lot #	Details
580	2017 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV5HLHJ3516 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18541 Engine hrs, Engine Brake, Detroit D12-OB-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 167 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 644,964 Mi	585	2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGBDV3ESGA2197 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2014 US EPA Label, Engine Coolant Heater, 10787 Engine hrs, Engine Brake, Allison 4000 6-Speed Automated Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.11:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner 4-Bag Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 359,165 Mi
581	2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGBDV5GLHP2385 C/W: Detroit DD13 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 15839 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 400,066 Mi	587	2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGBDV5ESFL5140 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 1714.2 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 511,117 Mi
582	2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGBDV5GSHT9875 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 380 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13010 Engine hrs, Engine Brake, DT12-DB-1450 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 445 /50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 376,760 Mi	588	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH2HN979364 C/W: Cummins ISX15 6 Cylinder Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X4 Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 585,561 Mi
583	2015 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor S/N: 1FUGGBDV7FLGN4881 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 12769 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor ME-20-165 Drive Axles, 2.50:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 189 in Wheelbase, Dual Fuel Tanks Usage: 526,103 Mi	589	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH9HN979295 C/W: Cummins ISX15 6 Cylinder Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 642,486 Mi

Lot #	Details	Lot #	Details
590	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH7HN979361 C/W: Cummins ISX15 6 Cylinder Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 667,369 Mi	594B	2016 Volvo VNM 6x4 T/A Day Cab Truck Tractor S/N: 4V4MC9EG4GN165232 C/W: Volvo D13J405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 3875 Engine hrs, Engine Brake, AT2612D Automatic Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50350.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Volvo Air Ride Suspension, 176 in Wheelbase Usage: 1,000,815 Mi
591	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH9HN979362 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 676,457 Mi	594A	2015 Volvo VNM 6x4 T/A Day Cab Truck Tractor S/N: 4V4MC9EG8FN165202 C/W: Volvo D13J405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 3374 Engine hrs, Engine Brake, AT02612D Automatic Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 50350.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Volvo Air Ride Suspension, 176 in Wheelbase Usage: 872,246 Mi
592	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH6HN979299 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 678,217 Mi	595	2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH1FN185322 C/W: D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12983 Engine hrs, AT2612D 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 491,176 Mi
593	2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9TH7HN979294 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350.0 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 684,749 Mi	597	2013 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH2DN131024 C/W: D13H425 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 14017 Engine hrs, AT02612D 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Volvo Air Ride Suspension, 192 in Wheelbase Usage: 510,130 Mi
		600	2017 International Prostar 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJAPRXHN674479 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13047 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 170 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 497,878 Mi

Lot #	Details	Lot #	Details
601C	2015 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJAPR3FN526784 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 20844 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 773,909 Mi	605	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR7BN346396 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2010 US EPA Label, 17013 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 295/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 661,575 Mi
601B	2015 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJAPR2FN070857 C/W: Cummins 6 Cylinder 15.0 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 21855 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 796,487 Mi	606	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR1BN346345 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 2216 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 685,292 Mi
601	2017 International Prostar 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJAPR3HN674582 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14566 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 171 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 508,491 Mi	607	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR7BN346334 C/W: Cummins ISX 6 Cylinder 15.0 L Compressed Natural Gas (CNG) 400 hp Engine, 2009 US EPA Label, Requires Diesel Exhaust Fluid, 14815 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 686,930 Mi
603	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR3BN346363 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 15143 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 73,313 Mi	608	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR6BN346437 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 22149 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 753,465 Mi
604	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR5BN346364 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 16786 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 455,178 Mi	609	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR5BN346428 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 18389 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/80R22.5 Rear Tires, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 839,337 Mi

Lot #	Details	Lot #	Details
610	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR4BN346422 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 852,141 Mi	615	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR4BN346338 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2010 US EPA Label, 11292 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 204 in Wheelbase, Dual Fuel Tanks Usage: 287,512 Mi
611	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR2BN346385 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 19897 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 860,740 Mi	616	2006 International 8600 6x4 T/A Day Cab Truck Tractor S/N: 1HSHXAHR46J316583 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel Engine, 13420 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 12R22.5 Rear Tires, Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 356,223 Mi
612	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR1BN346362 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 20768 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 862,735 Mi	617	2008 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDD49X98J231969 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 77312 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 4.11:1 Axle Ratio, 52000.0 lb GVWR, Aluminum Wheels, 285 /75R24.5, 8-Bag Air Ride Suspension, 190 in Wheelbase, PTO, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 693,523 Mi
613	2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR9BN346352 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 874,286 Mi	618	2005 Western Star 4900 6x4 T/A Day Cab Truck Tractor S/N: 5KJJAECK25PU45899 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 46000 lb Rears, 58000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 223 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 659,563 Mi
614	2011 International ProStar Premium 6x2 T/A Day Cab Truck Tractor S/N: 3HSCUAPR3BN346329 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, 22132 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 901,342 Mi	619A	2009 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 2HSCUAPR09C163756 C/W: Cummins ISX 435ST 6 Cylinder 15 L Diesel 435 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Auto Lube, Dual Fuel Tanks Usage: 1,049,199 Mi

Lot #	Details	Lot #	Details
620	2005 International 8600 6x4 T/A Day Cab Truck Tractor S/N: 1HSHXHR45J136227 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel Engine, 13544 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 328,456 Mi	626	2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBD49X6HD417890 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 19085 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, 68 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Assist Front Suspension, Paccar Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 556,692 Mi
621	1999 Sterling L9522 6x4 T/A Day Cab Truck Tractor S/N: 2FWYFXZB0XAB73310 C/W: Cat 3406 6 Cylinder 14.6 L Diesel 410 hp Engine, 20699 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 14600 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Spring Suspension, 197 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 409,431 Mi	627	2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X4HD348389 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17146 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TRI-PAC Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 681,065 Mi
622	2016 Western Star 5700 6x4 T/A Sleeper Truck Tractor S/N: 5KJJBHD13GLGY5027 C/W: Detroit DD16 6 Cylinder 15.6 L Diesel 600 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21881 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, Air Ride Cab, 82 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 632,962 Mi	629	2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X5GD341241 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, US EPA Label, 23858 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200:1 Axle Ratio, Air Ride Cab, 80 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel Usage: 603,290 Mi
624	2010 Peterbilt 386 6x4 T/A Sleeper Truck Tractor S/N: 1XPHD49X9AD104316 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 425 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 78 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Low Air Leaf Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 966,561 Mi	630	2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X7GD339247 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21866 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Air Ride Cab, 78 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Dual Fuel Tanks Usage: 757,531 Mi

Lot #	Details	Lot #	Details
631	2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBD49X6GD330487 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17793 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, Differential Lock, 12300 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.47:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 764,100 Mi	638	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X1HJ135854 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 17431 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Paccar Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 466,780 Mi
632	2010 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKAD48X5AJ227119 C/W: Cummins ISX 6 Cylinder 15 L Diesel Engine, 30342 Engine hrs, Engine Brake, Eaton Fuller RTOM-16910B-DM3 Automated Transmission, Differential Lock, 12350 lb Front Axle, 17000 lb Rears, 3.25:1 Axle Ratio, 46350.0 lb GVWR, Air Ride Cab, 75 in High Rise Sleeper Cab, Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 231 in Wheelbase, Dual Fuel Tanks Usage: 1,174,607 Mi	640	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X2HJ149472 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21339 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, ComfortPro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 641,254 Mi
633	2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X4LJ357425 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 11891 Engine hrs, Engine Brake, Eaton Fuller EEO-17F112C Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 2.79:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Carrier ComfortPro Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 362,898 Mi	641	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X8HJ132657 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24135 Engine hrs, Engine Brake, ADV Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 641,823 Mi
635	2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X6JJ193625 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14810 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, ComfortPro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 617,376 Mi	642	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49XXHJ163280 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17175 Engine hrs, Engine Brake, Eaton Fuller FO-18E313A MHP 13-Speed Automatic Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT40-14X3 Drive Axles, 3.08:1 Axle Ratio, 51200.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Carrier ComfortPro Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 717,757 Mi

Lot #	Details	Lot #	Details
645	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X4HJ134485 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10355 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 446,260 Mi	651	2015 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X2FJ434489 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2014 US EPA Label, 23051 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 53200.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, 8-Bag Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 936,192 Mi
647A	2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X5GJ491592 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19177 Engine hrs, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Dana D40-155H Drive Axles, 2.46:1 Axle Ratio, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 222 in Wheelbase, Dual Fuel Tanks Usage: 559,471 Mi	652	2014 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYAP9X1EJ386720 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 21551 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 17000 lb Rears, Dana S23-190 Drive Axles, 3.21:1 Axle Ratio, 47200.0 lb GVWR, Air Ride Cab, 75 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 224 in Wheelbase, Dual Fuel Tanks Usage: 722,861 Mi
647	2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X0GJ484213 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 488749 mi, 21270 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 159,592 Mi	653	2014 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X8EJ397771 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 17679 Engine hrs, Engine Brake, Eaton Fuller FO16E310C Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 75 in High Rise Sleeper Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 954,761 Mi
648	2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X3GJ112414 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, DSP-40 Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 780,562 Mi	654	2012 Kenworth T660 6x4 T/A Sleeper Truck Tractor S/N: 1XKADP8X0CJ307738 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 24558 Engine hrs, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 17000 kg Rears, 46000.0 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase Usage: 976,865 Mi

Lot #	Details	Lot #	Details
655	2014 Kenworth T600 6x4 T/A Sleeper Truck Tractor S/N: 1XKAD49X6EJ401462 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19235 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 230 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 594,398 Mi	660	2015 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW21Y7FM048082 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16710 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 805,061 Mi
657	2016 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW21Y5GM056540 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17834 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 619,881 Mi	661	2014 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW07Y0EM039301 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 24939 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks, Hydrive Hydraulic Cooler Usage: 787,709 Mi
658	2015 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW07Y6FM045217 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16648 Engine hrs, Engine Brake, T313 13-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,189 Mi	662	2011 Mack CHU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW07Y0BM014121 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 455 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 28158 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Auto Lube, Dual Fuel Tanks Usage: 903,125 Mi
659	2015 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW21Y0FM046903 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 214 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, 295 /75R22.5, Air Ride Suspension, 244 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 798,611 Mi	663	2010 Mack CXU613 6x4 T/A Sleeper Truck Tractor S/N: 1M1AW09Y7AM012829 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 338 hp Engine, 2009 US EPA Label, 15642 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 37200 lb Rears, 49200.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 687,177 Mi

Lot #	Details	Lot #	Details
664	2016 Freightliner Coronado 122 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGND6XGDHN5262 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17617 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 250 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 565,730 Mi	669	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDVXLST5865 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12334 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 688,640 Mi
666	2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV4MSMK2646 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 11913 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 662,038 Mi	670	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV0LSMC8339 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14072 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 751,556 Mi
667	2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV6MSMK2647 C/W: Detroit DD13 6 Cylinder 12.9 L Diesel 470 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 13595 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 729,007 Mi	671	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV7LSMC8340 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13532 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 762,298 Hr
668	2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR4MSMR8760 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 10674 Engine hrs, Engine Brake, Detroit DT12-1650-OHE 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4S Drive Axles, 2.85:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 275/80R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 322,960 Mi	672	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV5LSLT5904 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 470 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14386 Engine hrs, Engine Brake, Detroit DT-12-1650-OH HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 768,278 Mi

Lot #	Details	Lot #	Details
674	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV5LSMC8305 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 16020 Engine hrs, Engine Brake, Detroit DT-12-1650-OH1 HD 12-Speed Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 884,531 Mi	679	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2KSKP1788 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 16746 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.28:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 846,623 Mi
675	2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR2LSLT4972 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 16383 Engine hrs, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 919,182 Mi	681	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV8KSLH6845 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2018 US EPA Label, Engine Brake, Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 916,171 Mi
676	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV5KSLH6818 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13745 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 776,393 Mi	682	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDV2KSKG5966 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18643 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 243 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 973,113 Hr
678	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 1FUJHHDR1KLKW4892 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18260 Engine hrs, Engine Brake, Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 794,234 Mi	683A	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 1FUJHHDR3KLKK9920 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 17361 Engine hrs, Engine Brake, Detroit D12-1750-HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.28:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 231 in Wheelbase, Dual Fuel Tanks Usage: 728,918 Mi

Lot #	Details	Lot #	Details
683	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR5KSKC5853 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 15339 Engine hrs, Engine Brake, DT12-1750-DH 1 HD 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 627,591 Mi	691	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR1JSJT1147 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 1715 Engine hrs, Engine Brake, Detroit D12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 656,931 Mi
688	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR6JSJR0517 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18440 Engine hrs, Engine Brake, DT12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 610,195 Mi	692	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR8JSJR0499 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 20366 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,133 Mi
689	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR1JSJW4083 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18403 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 634,162 Mi	693	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR9JSJR1192 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 2506 Engine hrs, Engine Brake, Detroit DT12-12-1650-OH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 666,102 Mi
690	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR3JSJR1334 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 19424 Engine hrs, Engine Brake, Detroit DT-12-1650-OH1 HD 12-Speed Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 650,502 Mi	694	2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR0JSJJ0371 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1750-DH1 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 227 in Wheelbase, Dual Fuel Tanks Usage: 554,892 Mi

Lot #	Details	Lot #	Details
697	2020 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR0LSLJ2278 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12329 Engine hrs, Engine Brake, Detroit DT-12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Carrier COMFORT PRO Auxiliary Power Unit, 11R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 578,937 Mi	702	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR3JSJX9156 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11859 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 544,164 Mi
699	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR0JSKC4212 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12967 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C Fullerr 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 427,707 Mi	703	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR9JSKC4211 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12121 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 571,783 Mi
700	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR5JSJX9157 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10709 Engine hrs, Engine Brake, Eaton Fuller 16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 515,505 Mi	704	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR1JSJX9155 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12007 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 586,706 Mi
701	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR0JSKC4209 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15984 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 522,351 Mi	705	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR7JSKC4210 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13441 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 612,642 Mi

Lot #	Details	Lot #	Details
706	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR2JSKC4213 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16657 Engine hrs, Engine Brake, Eaton Fuller Eaton FA0-168-10C Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 620,487 Mi	710	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDV4JSJX7364 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16755 Engine hrs, Engine Brake, Detroit DT12-OB-1650 Hd 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 791,276 Mi
707	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDRXJSJX9154 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16027 Engine hrs, Engine Brake, Eaton Fuller 16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 622,491 Mi	711	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDVXJSJX7305 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16392 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 20000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 919,973 Mi
708	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR7JSJX9158 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15190 Engine hrs, Engine Brake, Eaton Fuller FA0-16810C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 700,531 Mi	714	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR9JSJM0720 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 23021 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 741,584 Mi
709	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR6JSJH2486 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 4456 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 711,792 Mi	715	2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDV0JSJX7345 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17227 Engine hrs, Engine Brake, DT12-OB-1650 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 954,890 Mi

Lot #	Details	Lot #	Details
716	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR7HDHU1643 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20951 Engine hrs, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 590,812 Mi	723	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR4HSJD3857 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 24077.4 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, Air Ride Cab, 48 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 760,240 Mi
717	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR7HSHU9544 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, Requires Diesel Exhaust Fluid, 16193 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 603,718 Mi	724	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR2HSHZ2429 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21722 Engine hrs, Engine Brake, Detroit DT12-OA-1750HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tri-PAC-Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 811,815 Mi
718	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR0HSHV9753 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16934 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 606,157 Mi	729	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR4HSJB1048 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21468 Engine hrs, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automatic Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 658,812 Mi
719	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDR1HLJB5313 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 18137 Engine hrs, Engine Brake, Detroit D12-DA-1650 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 625,889 Mi	730	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR7HSHF1208 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 17256 Engine hrs, Engine Brake, DT12-DA-1750 HD 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 704,184 Mi

Lot #	Details	Lot #	Details
731	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDR5HSHN9389 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1750 12-Speed Automatic Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 759,669 Mi	737	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD52GLHP5072 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15279 Engine hrs, 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 675,912 Mi
733	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD52GSHH5699 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16023.3 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Rear Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 569,282 Mi	740	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDRXGLGT8853 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16403 Engine hrs, Engine Brake, Detroit DT-12-DA-1750 HD 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 735,153 Mi
734	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD50GLHP8214 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 29165 Engine hrs, Engine Brake, Detroit D12-DA-1650 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 583,816 Mi	744	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD56GSHE9722 C/W: Detroit DD15AT 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 41736 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Rear Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 792,792 Mi
735	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD55GSHM9053 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 22721 Engine hrs, Engine Brake, Detroit DT12-DA-1650 HD 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 630,794 Mi	745	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD51GSGU8317 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-V 12-Speed Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 793,903 Mi

Lot #	Details	Lot #	Details
747	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD56GSGK9438 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19287 Engine hrs, Engine Brake, Detroit DT12-OA-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 225 in Wheelbase, Dual Fuel Tanks Usage: 556,405 Mi	757	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD52GSGS4527 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17718 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 854,259 Mi
748	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD58GLHC4204 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 1436 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 615,457 Mi	758	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD58FSG8673 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16516 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 401,106 Mi
751	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD51GSHS6207 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 664,564 Mi	759	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD68FSGC7869 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 48 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 561,654 Mi
754	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLBG8GSHM8502 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23980 Engine hrs, Engine Brake, Eaton Fuller FAOM15810S-EC 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275 /80R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 706,217 Mi	760	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUGGLDV5FLGF4167 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 27068 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, MERITOR Drive Axles, 2.50:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 650,466 Mi

Lot #	Details	Lot #	Details
762	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLBG1GSHP3550 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20983 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 720,225 Mi	766	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDV0FSGC0390 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRW-15210B 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 520,260 Mi
763	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD57FSGR3230 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 28753 Engine hrs, Engine Brake, Detroit DT12-DA-1750 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 825,543 Mi	767	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD58FSGC9466 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 27915 Engine hrs, Engine Brake, Detroit DT12-OA-1650 12-Speed Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,307,082 Mi
764	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD55FSGD2695 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 818,929 Mi	768	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD54ESFH3329 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 574,825 Mi
765	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD5XFSGD2773 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 21526 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 827,290 Mi	769	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD50ELFK2832 C/W: Engine Brake, Automatic Transmission, Differential Lock, 12350 lb Front Axle, 34000 lb Rears, Air Ride Cab, Bunk Beds, Aluminum Wheels, 233 in Wheelbase Usage: 635,833 Mi

Lot #	Details	Lot #	Details
771	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLD52ELFP8805 C/W: Detroit DD15AT 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 27070 Engine hrs, Engine Brake, Eaton Fuller RTOCM-16909A 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 694,487 Mi	783	2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDV2JSJJ2462 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 14604 Engine hrs, Engine Brake, Detroit D12-DA-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 391,057 Mi
773	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD69ESFS6147 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 21066 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 573,379 Mi	784	2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDVXJSJJ2502 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18530 Engine hrs, Engine Brake, DT12-DA-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 485,031 Mi
775	2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDV2DLBV6354 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 240 in Wheelbase, Blower, Dual Fuel Tanks Usage: 791,790 Mi	785	2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDV5JSJT1765 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 15711 Engine hrs, Engine Brake, Detroit DT12-DA-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 209 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 490,221 Mi
781	2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDV4JSJJ2513 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 11542 Engine hrs, Engine Brake, Detroit D12-DA-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 359,939 Mi	786	2018 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHDV4JSJT7881 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15788 Engine hrs, Engine Brake, DT12-DA-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 512,148 Mi

Lot #	Details	Lot #	Details
787	2018 Freightliner Cascadia 113 6x2 T/A Sleeper Truck Tractor S/N: 1FUGGHDV9JLJS9149 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 22599 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C-EA 10-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor ME-20-165 Drive Axles, 3.21:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 230 in Wheelbase, PTO, Hydraulic System, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 863,819 Mi	793	2016 Volvo VNL780 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH3GN926832 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 40498 Engine hrs, Engine Brake, ATO2612D Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50350.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 911,104 Mi
788	2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGHDV1GLGW3053 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 15854 Engine hrs, Engine Brake, Detroit D12-OB-1450 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 591,201 Mi	794	2017 Volvo VNL730 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH2HN970368 C/W: D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10156 Engine hrs, ATO2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Thermo King TRIPAC Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 561,531 Mi
789	2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGHDV5GLGW3055 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, 21411 Engine hrs, Engine Brake, Detroit D12-OB-1450 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, 11R22.5, Airliner Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 624,242 Mi	795	2017 Volvo VNL730 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ2HN985066 C/W: D13J500 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 20509 Engine hrs, Retarder, ATO2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 77 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 723,174 Mi
790	2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGHDV7GLGW3056 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20634 Engine hrs, Engine Brake, Detroit DT12-OB-1450 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, 11R22.5, Airliner Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 631,242 Mi	798	2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH9HN972358 C/W: D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14152 Engine hrs, ATO2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 601,229 Mi

Lot #	Details	Lot #	Details
799	2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EHXHN985832 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13266 Engine hrs, Engine Brake, AT2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 699,346 Mi	803	2016 Volvo VNL670 6x2 T/A Sleeper Truck Tractor S/N: 4V4N99EH8GN965088 C/W: D13H455 6 Cylinder Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15573 Engine hrs, Engine Brake, ATO2612D 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 220 in Wheelbase, Dual Fuel Tanks Usage: 682,464 Mi
800	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH4GN952761 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 22903 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Volvo Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 517,726 Mi	804	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH8GN923229 C/W: D13J425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16946 Engine hrs, Engine Brake, ATO2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 685,363 Mi
801	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH2GN938941 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5213 Engine hrs, Engine Brake, ATO2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 594,071 Mi	805	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH2GN947039 C/W: D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20357 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Volvo Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 692,128 Mi
802	2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH5GN958584 C/W: D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 30339 Engine hrs, Engine Brake, ATO2612D 10-Speed Automatic Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Volvo Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 606,410 Mi	807	2016 Volvo VNL630 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH7GN961017 C/W: D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24046 Engine hrs, ATO2612D 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Volvo Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 848,362 Mi

Lot #	Details	Lot #	Details
809	2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH6FN909263 C/W: D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23669 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 771,444 Mi	813A	2015 Volvo VNL 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH6FN926290 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23131 Engine hrs, Engine Brake, Eaton Fuller FRO-17210C 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 51200.0 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Carrier Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Volvo Air Ride Suspension, 241 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 865,102 Mi
810	2014 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ8EN151332 C/W: D13H475 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 19712 Engine hrs, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,627 Mi	813	2017 Volvo VNL630 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH3HN982884 C/W: D13J425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 25374 Engine hrs, Engine Brake, ATO2612D Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 688,972 Mi
811	2013 Volvo VNL64T 670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH7DN133299 C/W: D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 19195 Engine hrs, Engine Brake, ATO2612D Automated Transmission, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 703,193 Mi	814A	2016 International Lone Star 6x4 T/A Sleeper Truck Tractor S/N: 3HSCXAPR7GN750037 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 18000 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 250 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 551,764 Mi
812	2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9TH2DN541535 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 925,726 Mi	814	2016 International Lone Star 6x4 T/A Sleeper Truck Tractor S/N: 3HSCXAPR8GN361374 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Retarder, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Planetary Drive Axles, Air Ride Cab, 73 in High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 249 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 622,492 Mi

Lot #	Details	Lot #	Details
815	2019 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR5KN475484 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12979 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 224,501 Mi	819	2019 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR9KN315608 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12822 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 51 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 431,784 Mi
816	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPRXKN552723 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15402 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 396,074 Mi	820	2019 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR0KN474324 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13176 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 454,843 Mi
817	2019 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8KN670219 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12279 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 356,046 Mi	821	2018 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR6JN246097 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10713 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 271,137 Mi
818	2019 International LT612556HR 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPRXKN315648 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11742 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 401,219 Mi	822	2020 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR3LN396283 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6357 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 432,008 Mi

Lot #	Details	Lot #	Details
823	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR9KN671332 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12299 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 324,701 Mi	827	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR7KN670387 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 11106 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 413,262 Mi
824	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR9KN671346 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10026 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 372,423 Mi	830	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR6JN247007 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10291 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810S 10-Speed Automated Transmission, Double Differential Locks, 51 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 300,732 Mi
825	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR0KN610290 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14463 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 383,336 Mi	832	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR6JN247069 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14376 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 375,907 Mi
826	2019 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8KN521261 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12444 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 392,899 Mi	833	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8JN249597 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13288 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 458,100 Mi

Lot #	Details	Lot #	Details
834	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR9JN496501 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13057 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 487,827 Mi	838	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR0JN417376 C/W: Cummins X15 6 Cylinder 15 L Diesel 400 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 23433 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 498,668 Mi
835	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR8JN694230 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19410 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 526,397 Mi	839	2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPR0GN289477 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15804 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 530,323 Mi
836	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR1JN694229 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 23709 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 553,637 Mi	840	2016 International Prostar LF627 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPRXGN403937 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20702 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 704,898 Mi
837	2018 International LT625 6x4 T/A Sleeper Truck Tractor S/N: 3HSDZAPR9JN094803 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7990 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275 /80R22.5, Air Ride Suspension, 238 in Wheelbase, Dual Fuel Tanks Usage: 382,927 Mi	841B	2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPR2FN587821 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18034 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 819,146 Mi

Lot #	Details	Lot #	Details
841A	2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPRXFN729199 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 20480 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 779,105 Mi	844	2014 International Prostar+ 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJSJR9EN789861 C/W: International MaxxForce 13 6 Cylinder 124 L Diesel 475 hp Engine, 2013 US EPA Label, 16743 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 503,088 Mi
841	2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPR7GN020974 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20823 Engine hrs, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 924,299 Mi	846	2013 International Prostar+ 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJSJR9DN321336 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2012 US EPA Label, 16214 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,641 Mi
842	2016 International Prostar+ 113 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPR0GN738611 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19946 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 709,626 Mi	847	2012 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJSJT5CN088985 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 475 hp Engine, 2011 US EPA Label, 9583 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 46000 lb Rears, 58350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Front Wheels, 11R22.5, Hendrickson Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 281,232 Mi
843	2015 International Prostar+ 6x4 T/A Sleeper Truck Tractor S/N: 3HSDJAPR2FN606822 C/W: Cummins ISX15 6 Cylinder 6 cid Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6587 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 621,995 Mi	849	2001 Peterbilt 379 6x4 T/A Sleeper Truck Tractor S/N: 1XP5DB9X21N560451 C/W: Cat C15 6 Cylinder 14.6 L Diesel 550 hp Engine, 2000 US EPA Label, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 285/75R24.5, Air Leaf Air Ride Suspension, 258 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,878,519 Mi
		850	2000 Peterbilt 379 6x4 T/A Sleeper Truck Tractor S/N: 1XP5DB9X7YN488334 C/W: Cat 3406 6 Cylinder 14.6 L Diesel Engine, Engine Brake, Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R22.5 Rear Tires, Air Leaf Suspension, 262 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 2,253,986 Mi

Lot #	Details	Lot #	Details
852	2000 Peterbilt 378 6x4 T/A Sleeper Truck Tractor S/N: 1XPFD9X5YN523577 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 500 hp Engine, Engine Brake, Manual Transmission, Differential Lock, 12000 lb Front Axle, 36000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 248 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 2,124,495 Mi	858	2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor S/N: 1FUJA6CK27LW28080 C/W: Detroit 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller Manual Transmission, 70 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, 11R22.5, Air Assist Front Suspension, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 884,060 Mi
854	2000 International 9400i 6x4 T/A Sleeper Truck Tractor S/N: 2HSCNAMR1YC052200 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, US EPA Label, 52832 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 514,977 Mi	860	2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor S/N: 1FUJA6CK97DX27540 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2006 US EPA Label, 29137 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 60 in Flat Top Sleeper Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 213 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 830,648 Mi
855	2000 International 9400i 6x4 T/A Sleeper Truck Tractor S/N: 2HSCNAMR2YC052190 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, US EPA Label, 46796 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 571,241 Mi	861	2007 Freightliner Century Class CST120 6x4 T/A Sleeper Truck Tractor S/N: 1FUJBBCK37PX36836 C/W: Detroit Series 60 6 Cylinder 14 L Diesel 455 hp Engine, 2888 Engine hrs, Engine Brake, Eaton Fuller RTOC-16909A 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,361,533 Mi
856	2006 Kenworth T600 6x4 T/A Sleeper Truck Tractor S/N: 1XKADB9X86J108488 C/W: Cat C15 6 Cylinder 15 L Diesel 475 hp Engine, Engine Brake, Eaton Fuller RTO16910CAS2 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 3.36:1 Axle Ratio, 50000.0 lb GVWR, Air Ride Cab, 76 in Mid Roof Sleeper Cab, Electric Sleeper Air Conditioner, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel Usage: 540,143 Mi	862A	2000 Freightliner FLD 120 6x4 T/A Sleeper Truck Tractor S/N: 1FUYDSYB6YLB05687 C/W: Cat 3406E 6 Cylinder Diesel 355 hp Engine, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 342:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 85,874 Mi
		862	2007 Freightliner Columbia 112 6x4 T/A Sleeper Truck Tractor S/N: 1FUJA6CKX7LZ38266 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,608,313 Mi

Lot #	Details	Lot #	Details
863	2004 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9GH34N365945 C/W: D12D465 6 Cylinder 12.1 L Diesel 465 hp Engine, 2003 US EPA Label, 38190 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Volvo Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,556,256 Mi	868	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48XXEJ355501 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 18516 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 846,502 Mi
864	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X0EJ355541 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19507 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 801,604 Mi	869	2013 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X4DJ355301 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 18939 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 836,422 Mi
865	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X0EJ355426 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19970 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 338,641 Mi	870	2013 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X1DJ355305 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 17282 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 752,417 Mi
866	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48XXEJ402431 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 20249 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,056,154 Mi	871	2013 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X3DJ355306 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 20826 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS U1 Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 542,530 Mi
867	2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor S/N: 1XKYA48X4EJ355428 C/W: Cummins ISX15 6 Cylinder 15 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Airglide 4-Bag Air Ride Suspension, 162 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 826,322 Mi		

Lot #	Details	Lot #	Details
872	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X5DJ355017 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8773 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS U1 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 391,758 Mi	877	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X1DJ355015 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 20698 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 927,415 Mi
873	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X3DJ355095 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19537 Engine hrs, Eaton Fuller Ultra Shift Plus Automated Transmission, 12000 lb Front Axle, 23700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 846,941 Mi	878	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X0DJ355040 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 21165 Engine hrs, Eaton Fuller Ultra shift Plus Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 985,450 Mi
874	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X0DJ355152 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 18732 Engine hrs, Eaton Fuller Ultra shift Plus Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 874,500 Mi	879	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X5DJ355096 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 18216 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, AG230 Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 811,092 Mi
875	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X5DJ355101 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Ultra shift Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 890,115 Mi	880	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X6DJ355043 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 22652 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,104,839 Mi
876	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X8DJ355173 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Ultra Shift Plus Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.67:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 902,498 Mi	881	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X7DJ355097 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Spicer DS463P Drive Axles, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airglide 4-Bag Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 819,139 Mi

Lot #	Details	Lot #	Details
882	2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X3DJ355159 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 20963 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 987,139 Mi	887	2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X8CJ312984 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4224 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,061,204 Mi
883	2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X3CJ312813 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 379 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, 4-Bag Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 767,950 Mi	888	2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGEDV2GLHC5798 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13706 Engine hrs, Eaton Fuller FM-14E310B-LAS Ultra Shift Automatic Transmission, Differential Lock, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 162 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 624,764 Mi
884	2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X5CJ312893 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 17570 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 779,896 Mi	889	2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGEDV0FLGH4817 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 2039 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B-LAS Ultrashift Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,037,496 Mi
885	2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X1CJ312812 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 3085 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 783,192 Mi	890	2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGEDV4FLGH4822 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 20016 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 929,735 Mi
886	2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAA48X0CJ312932 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 20553 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 933,686 Mi		

Lot #	Details	Lot #	Details
891	2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGEDV5FLGH4800 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 17856 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 816,003 Mi	897	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADVXGSHB2326 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 2296 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase Usage: 1,046,493 Mi
893	2012 Freightliner M2112 4x2 S/A Day Cab Truck Tractor S/N: 1FUBC4DV8CDBH5050 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 350 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 9739 Engine hrs, Engine Brake, Eaton Fuller RTO-14910B-DM 10-Speed Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-160 Drive Axles, 3.73:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 213,527 Mi	898	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADVXGSGU9345 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23614 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase Usage: 1,066,514 Mi
894	2017 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV0HSJD0556 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 21672 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase Usage: 1,024,579 Mi	899	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV4GSHB2418 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24957 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor Rs-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase Usage: 1,209,835 Mi
895	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV8GSGU9344 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 22965 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase Usage: 210,297 Mi	900	2015 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGAD42FLGN4802 C/W: Cummins ISX 6 Cylinder 12 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13276 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: 497,926 Mi
896	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV5GSGU9351 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23006 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase Usage: 995,636 Mi	901	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV1ESFY7282 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 19148 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 745,670 Mi

Lot #	Details	Lot #	Details
902	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV5ESFY7186 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 26272 Engine hrs, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Rear Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 1,258,301 Mi	908	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV9DSBN2783 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 19702 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000.0 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 791,361 Mi
903	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV0ELFL4137 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19922 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 171 in Wheelbase, Dual Fuel Tanks Usage: 714,927 Mi	909	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV8CLBL7167 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 28602 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 2.67:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 257,724 Mi
904	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGBDV2ELFL4138 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19512 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 171 in Wheelbase, Dual Fuel Tanks Usage: 791,251 Mi	910	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV5CSBM8617 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 4776 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 2.67:1 Axle Ratio, 35000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 899,586 Mi
906	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Glider Kit) S/N: 1FUBGBDV6ELFL4143 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 20808 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 170 in Wheelbase, Dual Fuel Tanks Usage: 841,200 Mi	911	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV1CLBL7267 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 23276 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 275/30/22.5 Rear Tires, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 918,064 Mi
907	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV6DSBN2515 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 29547 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 1,290,748 Mi	912	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV5CSBM8519 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 23162 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: 965,866 Mi

Lot #	Details	Lot #	Details
913	2011 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV9BSAV4772 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2010 US EPA Label, 2288 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 1,014,315 Mi	921	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG1DN133957 C/W: D13405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 23259.2 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 840,281 Mi
914	2010 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV7ASAU5373 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2009 US EPA Label, 27016 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 1,011,713 Mi	922	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG4DN133953 C/W: D13H425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 1225.2 Engine hrs, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 171 in Wheelbase, Dual Fuel Tanks Usage: 906,049 Mi
915	2010 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGADV9ASAU5441 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2009 US EPA Label, 28624 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 1,278,427 Mi	923	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG3DN133958 C/W: D13H 6 Cylinder 12.8 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 23338.1 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 907,905 Mi
916	2015 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N39EG4FN927929 C/W: D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 19815 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 162 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 806,874 Mi	924	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG5DN133962 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 26643 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 162 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 955,278 Mi
920	2014 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N39EG7EN155991 C/W: D13 6 Cylinder Diesel 405 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, 35050.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: 1,123,378 Mi	925	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG7DN133882 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 24390 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 989,350 Mi
		927	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG9CN547325 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 14756 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 515,241 Mi

Lot #	Details	Lot #	Details
928	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG3CN547241 C/W: D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, 21123.1 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, FOR01453329 Drive Axles, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 804,905 Mi	934	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG5CN547323 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 28243 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,124,159 Mi
929	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG9CN547292 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21320 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 863,487 Mi	935	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG6CN560825 C/W: D13H 6 Cylinder 12.8 cid Ultra Low Sulfur Diesel 405 hp Engine, 2020 US EPA Label, 28812.4 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS23160NFN2275 Drive Axles, 342:1 Axle Ratio, Air Ride Cab, 295/75R22.5, Volvo Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: 1,255,895 Mi
930	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EGXCN547317 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 22440 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 873,563 Mi	936	2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG8CN547316 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 28225 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,144,313 Mi
931	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG6CN547315 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21767 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12500 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 157 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 878,064 Mi	937	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG1CN547299 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: Not Available
932	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG8CN547297 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 20376 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 919,630 Mi	938	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG8CN560826 C/W: Volvo D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21923 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Spicer Drive Axles, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 852,977 Mi
933	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG9CN560835 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 2886 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 160 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,088,508 Mi		

Lot #	Details	Lot #	Details
940	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG5CN560881 C/W: D13H405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21621.4 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 982,527 Mi	947	2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X59J247632 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 634 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,072,741 Mi
942	2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EGXCN547219 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21165 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 3.42:1 Axle Ratio, 32350.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 677,544 Mi	948	2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X19J247532 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, Engine Coolant Heater, 2105 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810C 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Trac 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,109,276 Mi
943	2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG9CN547308 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 3438 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 1,198,791 Mi	949	2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X58J220509 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2007 US EPA Label, 535 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: 1,107,348 Mi
945	2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG1CN547321 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 2536 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 1,093,850 Mi	950	2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X98J220299 C/W: Cummins ISX 6 Cylinder 400 L Ultra Low Sulfur Diesel 400 hp Engine, 2714 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: 974,937 Mi
946	2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19EG6CN547248 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 3063 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,083,629 Mi	952	2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X98J220156 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 1740 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: 49,559 Mi

Lot #	Details	Lot #	Details
953	2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X18J220149 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 3135 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: 1,128,027 Mi	959A	1996 International 8100 4x2 S/A Day Cab Truck Tractor S/N: 1HSHBAUN4TH419443 C/W: Cummins L10 6 Cylinder 10.0 L Diesel Engine, 9-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Spring Suspension, 148 in Wheelbase, Dual Fuel Tanks Usage: 431,838 Mi
954	2009 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TGX9N278621 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 1,792,769 Mi	959	2009 International Prostar 4x2 S/A Day Cab Truck Tractor S/N: 2HSCSAPN19C050434 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2008 US EPA Label, 23778 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 kg Rears, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 151 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 992,623 Mi
955	2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG38N497337 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase, Dual Fuel Tanks Usage: 833,292 Mi	960	2004 Sterling L8500 4x2 S/A Day Cab Truck Tractor S/N: 2FWBAVAK64AM43234 C/W: Cat 3126 6 Cylinder 7.2 L Diesel Engine, 2003 US EPA Label, Eaton Fuller 7-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 11R24.5, Air Ride Suspension, 148 in Wheelbase, Dual Fuel Tanks Usage: 177,713 Mi
956	2007 Volvo VNL42T 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG47N462806 C/W: Cummins ISX 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 31541 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Volvo Air Ride Suspension, 150 in Wheelbase Usage: 1,439,917 Mi	962	2018 Freightliner Cascadia 125 4x2 S/A Sleeper Truck Tractor S/N: 3AKBGLDR2JSJU1339 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12047 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automated Transmission, 13220 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.42:1 Axle Ratio, 34220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 433,781 Mi
957	2007 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG97N465801 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2006 US EPA Label, 2638 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase Usage: 1,468,945 Mi	963	2015 Volvo VNL 4x2 S/A Sleeper Truck Tractor S/N: 4V4N19EHXFN909384 C/W: D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 23762 Engine hrs, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12500 lb Front Axle, 20000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Volvo Air Ride Suspension, 206 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,084,033 Mi
958	2006 Volvo VNL300 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG16N435707 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2005 US EPA Label, 2841 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 845,381 Mi	964	2014 Ottawa 4x2 Spotter Truck S/N: 337200 C/W: Cummins 6.7 Diesel Engine, 2014 US EPA Label, 3033 Engine hrs, Allison Automated Transmission, Differential Lock, 11R22.5, 124 in Wheelbase, PTO, Double Frame, Hydraulic Lift 5th Wheel Usage: 132,890 Mi

Lot #	Details	Lot #	Details
5000	Iron Horse 12.2 cfm 60 gal Air Compressor S/N: Not Available C/W: 150 psi Working Pressure, 6.5 hp Motor, 6 hp Engine Usage: Not Available	5016	Generac GP8000E 8 kW Mobile Generator Set (Unused) S/N: T125002100153727 C/W: Generac 1 Cylinder 420 cc Gasoline Engine, /10 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
5001	Eagle 18.5 cfm 30 gal Truck Mount Air Compressor S/N: Not Available C/W: 150 psi Working Pressure Usage: Not Available	5017	2018 Honda EB6500 6.5 kW Generator Set S/N: EBLC-1029382 C/W: 1 Cylinder Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available
5002	Eagle 18.5 cfm 30 gal Truck Mount Air Compressor S/N: Not Available C/W: 150 psi Working Pressure Usage: Not Available	5018	2008 Fermont MEP-802A 5kw Gen Set 5 kW Skid-Mounted Generator Set S/N: FZ08638 C/W: 2 Cylinder Diesel Engine, /5 kW Rated 3 Phase Output, 120 V / 208 V Rated Voltage, /5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 120 V Receptacles, 55 x 26 in storage box Usage: 890 Hr
5003	PowerTrain 18.5 cfm 30 gal 2 Stage Truck Mount Air Compressor S/N: Not Available C/W: 14 hp Engine Usage: Not Available	5019	Quantity of (4) Champion 4375 watt Generator Set S/N: Not Available C/W: Dual Fuel Engine Usage: Not Available
5004	PowerTrain 18.5 cfm 30 gal 2 Stage Truck Mount Air Compressor S/N: Not Available C/W: 14 hp Engine Usage: Not Available	5020	Quantity of (4) Champion 4375 watt Generator Set S/N: Not Available C/W: Dual Fuel Engine Usage: Not Available
5005	Eagle 12.5 cfm Mobile 10 gal Twin Tank Air Compressor S/N: Not Available C/W: 150 psi Working Pressure, Honda TT55G-ND Engine Usage: Not Available	5021	Quantity of (4) Champion 4375 kW Skid-Mounted Generator Set S/N: Not Available C/W: 224 cc Dual Fuel Engine, 4.3 kVA, /3.5 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
5006	Eagle 12.5 cfm Mobile 10 gal Twin Tank Air Compressor S/N: Not Available C/W: 150 psi Working Pressure, Honda TT55G-ND Engine Usage: Not Available	5022	Quantity of (1) Honda Gasoline Engine & (1) Skid-Mounted Water Pump S/N: 20236 C/W: 2 in Intake, 2 in Discharge, Honda GTX160 1 Cylinder Gasoline Engine, Separate Honda Gasoline Engine Only Usage: Not Available
5007	PowerTrain 11.2 cfm 10 gal Twin Tank Air Compressor S/N: Not Available C/W: 150 psi Working Pressure, 7 hp Engine Usage: Not Available	5023	2019 Wacker PDT3A Skid-Mounted Water Pump S/N: 24459535 C/W: 3 in Intake, 3 in Discharge, Diaphragm 2018 US EPA Label, Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available
5008	PowerTrain 11.2 cfm 10 gal Twin Tank Air Compressor S/N: Not Available C/W: 150 psi Working Pressure, 7 hp Engine Usage: Not Available	5024	2018 Wacker PDT3A Water Pump S/N: 24424766 C/W: 3 in Intake, 3 in Discharge, 2017 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
5009	PowerTrain PT10AC 4.2 cfm Mobile Electric 10 gal Air Compressor S/N: Not Available C/W: 110v, 2.5 hp Motor Usage: Not Available		
5011	Quantity of (2) Makita MAC5200 6.5 cfm Mobile 5.2 gal Air Compressor S/N: Not Available C/W: 90 psi Working Pressure, 3 hp Motor Usage: Not Available		

Lot #	Details	Lot #	Details
5025	2016 Rice DPH-3B Hydrostatic Test Pump S/N: Not Available C/W: 2016 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available	5043	2017 Edco TL9 Electric Concrete Grinder S/N: 170410125 Usage: Not Available
5026	Quantity of (2) Powermate PA0650201 2 in Water & Trash Pump Hose Kits (Unused) S/N: Not Available Usage: Not Available	5044	Quantity of (6) PowerTrain PT550 Engine S/N: Not Available C/W: 5.5 hp 163 cc Gasoline Engine Usage: Not Available
5027	Powermate PA0650206 3 in Water & Trash Pump Hose Kit (Unused) S/N: Not Available Usage: Not Available	5045	Quantity of (6) PowerTrain PT550 Engine S/N: Not Available C/W: 5.5 hp 163 cc Gasoline Engine Usage: Not Available
5028	Hilti DD200 Hand Held Core Drill S/N: Not Available Usage: Not Available	5046	Quantity of (4) PowerTrain PT1300E Engine S/N: Not Available C/W: 13 hp 389 cc Gasoline Engine Usage: Not Available
5029	Quantity of (4) Tripod Pipe Vises S/N: Not Available Usage: Not Available	5047	Quantity of (4) PowerTrain PT1300E Engine S/N: Not Available C/W: 13 hp 389 cc Gasoline Engine Usage: Not Available
5033	2023 VICSEC VCH13 Hydraulic Power Pack (Unused) S/N: HYP0016 C/W: Briggs & Stratton XR 1 Cylinder 13 hp Gasoline Engine Usage: Not Available	5048	Quantity of (6) PowerTrain PT650E Engine S/N: Not Available C/W: 6.5 hp Gasoline Engine Usage: Not Available
5034	Quantity of (6) Boxes of Bosun Saw Blades S/N: Not Available Usage: Not Available	5049	Quantity of (6) PowerTrain PT650E Engine S/N: Not Available C/W: 6.5 hp 212 cc Gasoline Engine Usage: Not Available
5035	2017 APT 160 Pneumatic Demolition Breaker S/N: 422600 Usage: Not Available	5050	Quantity of (2) Teran 7H1680 Grease Pumps (Unused) S/N: Not Available C/W: 20Kgs Capacity Includes 5 ft Long 1.5 Mts Steel-Wired Hose Couplings on both ends and 5 Grease Nipples Usage: Not Available
5036	2017 Hilti TE3000-AVR Electric Demolition Breaker S/N: 86697 Usage: Not Available	5051	Quantity of (10) Teran 8F9866 Grease Guns (Unused) S/N: Not Available C/W: With 6 in Pipe Usage: Not Available
5037	2016 Hilti TE3000-AVR Electric Demolition Breaker S/N: 079379 Usage: Not Available	5052	Quantity of (6) Schumacher 250 amp Battery Charger S/N: Not Available Usage: Not Available
5038	2018 Hilti TE 2000-AVR Electric Demolition Breaker S/N: 013882 Usage: Not Available	5053	Quantity of (6) Schumacher 250 amp Battery Charger S/N: Not Available Usage: Not Available
5039	2017 APT 133 Pneumatic Pneumatic Rivet Buster S/N: 1609028 Usage: Not Available	5054	Quantity of (6) Schumacher 250 amp Battery Charger S/N: Not Available Usage: Not Available
5040	2016 Hilti TE70-ATC Electric Rotary Hammer S/N: 061232 Usage: Not Available	5055	Battery Charger S/N: Not Available Usage: Not Available
5041	2019 Multiquip CV-2A Electric Concrete Vibrator S/N: ME4534732 Usage: Not Available	5056	(1) Pallet of Scuba Gear S/N: Not Available Usage: Not Available
5042	2016 Hilti DG150 Electric Concrete Grinder S/N: 097176 Usage: Not Available		

Lot #	Details	Lot #	Details
5057	Greatbear Double Leg Lifting 5/16 in 7 f. G80 Chain Slings (Unused) S/N: Not Available Usage: Not Available	5077	Quantity of Greatbear Chains & Binders S/N: Not Available Usage: Not Available
5058	Greatbear Double Leg Lifting 5/16 in 7 ft G80 Chain Slings (Unused) S/N: Not Available Usage: Not Available	5078	Quantity of Greatbear Chains & Binders S/N: Not Available Usage: Not Available
5059	Greatbear Double Leg Lifting 5/16 in 7 ft G80 Chain Slings (Unused) S/N: Not Available Usage: Not Available	5079	Quantity of Greatbear Chains & Binders S/N: Not Available Usage: Not Available
5060	Quantity of Greatbear Double Leg Lifting 5/16 in 7 ft G80 Chain Slings (Unused) S/N: Not Available Usage: Not Available	5080	Quantity of Great Double Chain Sling S/N: Not Available Usage: Not Available
5061	Quantity of Greatbear Double Leg Lifting 5/16 in 7 ft G80 Chain Slings S/N: Not Available Usage: Not Available	5081	Quantity of (38) Greatbear Screw Fin Anchor Shackles (Unused) S/N: Not Available Usage: Not Available
5068	Quantity of (5) 2023 SKLP SK001 Ratchet Binder 20 ft. Chain (Unused) S/N: 003-16 Usage: Not Available	5082	Quantity of Greatbear Webbing Slings (Unused) S/N: Not Available Usage: Not Available
5069	Quantity of (5) 2023 SKLP SK001 Ratchet Binder 20 ft Chain (Unused) S/N: 003-17 Usage: Not Available	5083	Quantity of (5) Wood Tuff Tow 1.5 in x 15 ft Ratchet Straps S/N: Not Available Usage: Not Available
5070	Quantity of Greatbear Ratchet Binders and Chains (Unused) S/N: Not Available Usage: Not Available	5084	Wood Tuff Tow (50) Piece Heavy Duty Ratchet Tie Downs w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available
5071	Greatbear (5) Ratchet Binders (10) Chains (Unused) S/N: Not Available Usage: Not Available	5085	Wood Tuff Tow (50) Piece Heavy Duty Ratchet Tie Downs w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available
5072	Greatbear (5) Ratchet Binders, (10) Chains (Unused) S/N: Not Available Usage: Not Available	5086	Quantity of (26) Greatbear Ratchet Tie Downs (Unused) S/N: Not Available Usage: Not Available
5073	Quantity of Greatbear (5) Ratchet Binders, (10) Chains (Unused) S/N: Not Available Usage: Not Available	5087	Greatbear (16) Piece Ratchet Tie Downs (Unused) S/N: Not Available Usage: Not Available
5074	Greatbear (5) Ratchet Binders, (10) Chains (Unused) S/N: Not Available Usage: Not Available	5088	Makita (25) Piece Power Tool Set w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available
5075	Greatbear (5) Ratchet Binders, (10) Chains (Unused) S/N: Not Available Usage: Not Available	5089	Makita (25) Piece Power Tool Set w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available
5076	Quantity of Greatbear Chains & Binders S/N: Not Available Usage: Not Available	5090	Makita (25) Piece Power Tool Set w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available
		5091	Wokin (158) Piece Standard & Metric Tool Set w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5092	Wokin 8pc Hydraulic Jack & Jack Stand Kit w Frontier 42 in Job Box Jack S/N: Not Available Usage: Not Available	5110	Osaki Electric Massage Chair S/N: Not Available Usage: Not Available
5093	Wokin (34) Piece Welding Grinding Kit w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available	5111	Quantity of Wokin 775904 4 1/2 in. Aluminum Grinding Discs S/N: Not Available C/W: (160) Pieces in Box Usage: Not Available
5094	Wokin (34) Piece Welding Grinding Kit w/ 42 in Frontier Job Box S/N: Not Available Usage: Not Available	5112	Quantity of (3) Hawk MJ7573 Tool Box (Unused) S/N: Not Available Usage: Not Available
5096	Wokin Standard & Metric Tool Set w/ 42 in Job Box S/N: Not Available Usage: Not Available	5113	Wood Power Mossy Oak Series 10000 lb Winch S/N: Not Available Usage: Not Available
5097	Makita (14) Piece Power Tool Kit S/N: Not Available Usage: Not Available	5114	Wood Power Mossy Oak Series 10000 lb Winch (Unused) S/N: Not Available Usage: Not Available
5098	Makita XSL06Z-B (14) Piece Power Tool Kit S/N: Not Available Usage: Not Available	5115	Quantity of (6) Wood Power Winch WWM010000BU 10000 lb Winch S/N: Not Available Usage: Not Available
5099	Quantity of (2) Boxes of Makita (14) Piece Power Tool Kit S/N: Not Available Usage: Not Available	5116	Quantity of (6) Wood Power Winch WWM010000BU 10000 lb Winch S/N: Not Available Usage: Not Available
5101	Makita XDT13 Impact Driver S/N: Not Available Usage: Not Available	5117	Quantity of (6) Wood Power Winch WWRT8000HW 8000 lb Winch S/N: Not Available Usage: Not Available
5102	2017 Hilti DD150-V Electric Hand Held Core Drill S/N: 3001853744 Usage: Not Available	5118	Greatbear 200 lbs Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available
5103	TMG TMG-CP23 Electric Chicken Plucker (Unused) S/N: Not Available Usage: Not Available	5119	Greatbear 200 lbs Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available
5104	2016 Edco CPM-8-5 Electric Concrete Planer S/N: 160610357 Usage: Not Available	5120	Quantity of (12) Goodyear Spring Driven Air Hose Reel S/N: Not Available Usage: Not Available
5105	2017 Tennant BR-2000-DC Walk-Behind Electric Floor Burnisher S/N: 900734-10833201 Usage: Not Available	5122	2016 Toolwell JH6 Gplus Hydraulic Toe Jack S/N: 0602387 Usage: Not Available
5106	2016 Clarke CFP20DS Walk-Behind Electric Floor Buffer S/N: 04604F Usage: Not Available	5123	2016 General EJ-B Pipe Cleaner S/N: EJ8M0505 Usage: Not Available
5107	Paint Sprayer S/N: Not Available Usage: Not Available	5124	2016 Hilti PR30-HVS Laser Level S/N: Not Available Usage: Not Available
5108	Rigid Wet Tile Saw S/N: Not Available Usage: Not Available	5125	Trimble Base w/ Tablet S/N: 5416K00704 Usage: Not Available
5109	Osaki Electric Massage Chair S/N: Not Available Usage: Not Available	5126	Trimble Base & Rover w/ Tablet S/N: 5251K55550 Usage: Not Available

Lot #	Details	Lot #	Details
5127	Trimble GCS900 Grade Control System S/N: Not Available C/W: Radio SNR920 sn: 1203J001SQ, CB460 sn: 3527J008SW, MS992 sn: 1572J539SP, MS992 sn: 1255J776SP Usage: Not Available	5140B	2023 Topcon RL-H5A Receiver, Tripod, & Grade Rod Laser Level (Unused) S/N: 1A065465 Usage: Not Available
5128	Trimble GCS900 Grade Control System S/N: Not Available C/W: LR410 sn: 0695J010SD, LR410 sn: 3166J502SD, CB450 sn: 2124J803SV, EM400 sn: 1385J506RY Usage: Not Available	5140A	2023 Geotop GL-5 Charger, Receiver, Tripod, & Grade Rod Laser Level (Unused) S/N: 449370 Usage: Not Available
5129	Trimble GCS900 Grade Control System S/N: Not Available C/W: Radio SNR920, CB460 sn: 2354J014SW, MS992 sn: 2660J523SP, MS992 sn: 0864J168SP Usage: Not Available	5140	2017 Vivax-Metrotech VM-880 Ferrous Metal Detector S/N: 20901120892 Usage: Not Available
5130	Trimble GCS900 Machine Target S/N: Not Available Usage: Not Available	5141	Armor 64 Gun Safe S/N: Not Available C/W: Fireproof 40 in Wide x 55 in High x 25 in Deep Usage: Not Available
5131	Trimble GCS900 Grade Control System S/N: 3605J064SW Usage: Not Available	5142	Armor 64 Gun Safe S/N: Not Available C/W: Fireproof 40 in Wide x 55 in High x 25 in Deep Usage: Not Available
5132	Leica ICG60 Grade Control System S/N: 2045562 Usage: Not Available	5143	Armor 64 Gun Safe S/N: Not Available C/W: Fireproof 40 in Wide x 55 in High x 25 in Deep Usage: Not Available
5133	Topcon Grade Control System S/N: 127-10519 C/W: 2D Display sn: 624-0958, Receiver Sn 101-6327, Mast Motor sn: 127-10519 Usage: Not Available	5144	Armor 40 Gun Safe S/N: Not Available C/W: Fireproof 29 in Wide x 58 in High x 20 in Deep Usage: Not Available
5134	Grade Control System S/N: Not Available C/W: CB460 sn: 0882J006SW, MS992 sn: 3384J802SP Usage: Not Available	5146	Armor 40 Gun Safe S/N: Not Available C/W: Fireproof 29 in Wide x 58 in High x 20 in Deep Usage: Not Available
5135	Grade Control System S/N: Not Available C/W: MS992 sn: 3384J765SP, MS992 sn: 1352J508SP, CB460 sn: 2932J005SW Usage: Not Available	5147	2014 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 6111457140 Usage: Not Available
5136	Leica Grade Control System S/N: Not Available C/W: Machine Control MCP80 sn: 164078, Mastless Dozer System Cables and Harness (included) Usage: Not Available	5148	2012 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 0312-1492 Usage: Not Available
5137	Leica Grade Control System S/N: Not Available Usage: Not Available	5149	2012 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 0408-198114 Usage: Not Available
5138	Leica ACG60 Grade Control System S/N: 2045130 Usage: Not Available	5150	2011 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 5083034140 Usage: Not Available
5139	Trimble Survey Kit S/N: Not Available Usage: Not Available	5151	2010 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 605121140 Usage: Not Available

Lot #	Details	Lot #	Details
5152	2009 MovinCool Classic Plus 14 Electric Air Conditioner S/N: 2910059 Usage: Not Available	5166	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231985 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5153	2018 MovinCool ClimatePro12 Electric Air Conditioner S/N: 06180421H12 Usage: Not Available	5167	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231981 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5154	2011 MovinCool CLASSIC 10 Electric Air Conditioner S/N: 6000243 Usage: Not Available	5168	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231983 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5155	Quantity of (2) Big Air Electric 42 in Commercial Barrell Fan S/N: Not Available Usage: Not Available	5169	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231982 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5156	Quantity of (2) Big Air Electric 42 in Commercial Barrell Fan S/N: Not Available Usage: Not Available	5170	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231979 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5157	Quantity of (2) 42 in Commercial Barrell Fan S/N: Not Available Usage: Not Available	5171	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231980 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
5158	Quantity of (2) Big Air 42 in Commercial Barrell Fan S/N: Not Available Usage: Not Available	5172	Quantity of (5) Simpson 61124R Pressure Washer S/N: Not Available C/W: 3400 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
5159	Quantity of (5) 24 in Tilt Base Barrel Fan S/N: Not Available Usage: Not Available	5173	Quantity of (5) Simpson 61124R Pressure Washer S/N: Not Available C/W: 3400 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
5160	Quantity of (5) 24 in Tilt Base Barrel Fan S/N: Not Available Usage: Not Available	5174	Quantity of (5) Simpson 61124R Pressure Washer S/N: Not Available C/W: 3400 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
5161	Quantity of (5) 24 in Tilt Base Barrel Fan S/N: Not Available Usage: Not Available		
5162	Quantity of (5) Maxx Air Electric 24 in Tilt Base Barrel Fan S/N: Not Available Usage: Not Available		
5163	2013 Vano 175 Fan S/N: 150094100 Usage: Not Available		
5164	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231986 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available		
5165	Easy-Kleen GS18 Magnum Gold 4000 Pressure Washer (Unused) S/N: 231984 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
5175	Seaflo Kayak (Unused) S/N: Not Available Usage: Not Available	5192	Quantity of (6) Homelite Leaf Blower S/N: Not Available C/W: 26 cc Gasoline Engine Usage: Not Available
5176	Seaflo Kayak (Unused) S/N: Not Available Usage: Not Available	5193	Quantity of (8) Ryobi 18 in Chain Saw S/N: Not Available Usage: Not Available
5177	Real Tree RTK100 Single Seat Go Cart S/N: Not Available Usage: Not Available	5194	Quantity of (8) Ryobi 18 in Chain Saw S/N: Not Available Usage: Not Available
5178	Real Tree RTK100 Single Seat Go Cart S/N: Not Available Usage: Not Available	5195	Quantity of (8) Ryobi 18 in Chain Saw S/N: Not Available Usage: Not Available
5179	Real Tree RTK200 Two Seat Go Cart S/N: Not Available Usage: Not Available	5196	2016 Stihl MS362C-M20 20 in Chain Saw S/N: 508486366 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
5180	Real Tree RTK200 Two Seat Go Cart S/N: Not Available Usage: Not Available	5197	Quantity of (2) Flowmaster 1101 Contractor Sprayer S/N: Not Available Usage: Not Available
5181	Real Tree RT200 Mini Bike S/N: Not Available Usage: Not Available	5198	Craftsman Walk-Behind 24 in Chipper Shredder Vacuum S/N: 1H16MK50121 C/W: Briggs & Stratton 1 Cylinder 163 cc Gasoline Engine Usage: Not Available
5182	Real Tree RT100 Mini Bike S/N: Not Available Usage: Not Available	5199	Troy-Bilt Walk-Behind 24 in Chipper Shredder Vacuum S/N: 1L210K50120 C/W: US EPA Label, 1 Cylinder 159 cc Gasoline Engine Usage: Not Available
5183	Real Tree RT100 Mini Bike S/N: L9NLTNYC7M1510816 Usage: Not Available	5200	Craftsman Walk-Behind 24 in Chipper Shredder Vacuum S/N: Not Available C/W: Briggs & Stratton 1 Cylinder 163 cc Gasoline Engine Usage: Not Available
5184	Real Tree RT100 Mini Bike S/N: Not Available Usage: Not Available	5201	Troy-Bilt Walk-Behind 24 in Chipper Shredder Vacuum (Unused) S/N: 1L210K50108 C/W: Troy-Bilt 1 Cylinder 159 cc Gasoline Engine Usage: Not Available
5185	Quantity of (6) Yard Force YF22-3N1SPF Walk-Behind Lawn Mower S/N: Not Available C/W: 22 in Mower, Briggs & Stratton Usage: Not Available	5206	Quantity of (4) Poulan T250L String Trimmer S/N: Not Available C/W: 25 cc Gasoline Engine Usage: Not Available
5186	Quantity of (6) Yard Force YF22-3N1SPVS-SC Walk-Behind Lawn Mower S/N: Not Available C/W: 22 in Mower, Briggs & Stratton 1 Cylinder Gasoline Engine Usage: Not Available	5207	Quantity of (24) Rhino Rugged Fiberglass Handle Landscaping Tools S/N: Not Available C/W: (3) # 12 Aluminum Scoop, (3) 16 in Drain Spade, (3) Post Hole Diggers, (3) Hoe, (3) D Handle SQ PT Shovel, (3) Round PT Shovel, (3) 16 Tine Rake, (3) Spade Fork Usage: Not Available
5187	Quantity of (2) Yard Force Walk-Behind Lawn Mower (Unused) S/N: Not Available C/W: 22 in Mower Usage: Not Available		
5189	Quantity of (6) Ryobi Walk-Behind Electric Lawn Mower S/N: Not Available C/W: 13 in Mower Usage: Not Available		
5190	Quantity of (6) Ryobi Walk-Behind Electric Lawn Mower S/N: Not Available C/W: 20 in Mower Usage: Not Available		

Lot #	Details	Lot #	Details
5208	Quantity of (24) Rhino Rugged Fiberglass Handle Landscaping Tools S/N: Not Available C/W: (3) # 12 Aluminum Scoop, (3) 16 in Drain Spade, (3) Post Hole Diggers, (3) Hoe, (3) D Handle SQ PT Shovel, (3) Round PT Shovel, (3) 16 Tine Rake, (3) Spade Fork Usage: Not Available	5217	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6276 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available
5209A	Brush Master CH4 Walk-Behind Wood Chipper S/N: Not Available C/W: Beast 1 Cylinder 15 hp 420 cc Gasoline Engine, 3 in Feed Opening, S/A Trailer Usage: Not Available	5218	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6265 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available
5209	2020 Craftsman 24A-424M793 Wood Chipper S/N: 1K030K40075 C/W: Briggs & Stratton 1 Cylinder Gasoline Engine, 3 in Feed Opening Usage: Not Available	5219	2018 Toyota 8HBE30 6000 lb Electric Pallet Jack S/N: 8HBE30-48568 C/W: 47 in Forks Usage: Not Available
5210A	Little Wonder Optimax Walk-Behind Leaf Blower S/N: Not Available C/W: Honda GX270 1 Cylinder 8.4 hp 270 cc Gasoline Engine Usage: Not Available	5220	2016 JET PTW-2748 6000 lb Pallet Jack S/N: 16040620 C/W: 2.87 in Lowered Mast Height Usage: Not Available
5210	2016 Ground Hog HD99-H S/A Power Auger S/N: 1116103 C/W: Honda 1 Cylinder Engine Usage: Not Available	5221	Quantity of (2) Water Pump S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
5211	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6277 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5222	Quantity of (2) Water Pump S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, Honda 1 Cylinder Gasoline Engine Usage: Not Available
5212	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6266 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5223	Quantity of (2) Skid-Mounted Water Pump S/N: Not Available C/W: (1) Wacker Nueson Pump PT2A, Honda Engine, (1) Multiquip, Honda Engine Usage: Not Available
5213	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6286 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5227	Quantity of Hydraulic Pumps and Rams S/N: Not Available Usage: Not Available
5214	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6287 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5228	Quantity of Extension Cords S/N: Not Available Usage: Not Available
5215	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6267 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5229	Quantity of Pallets of Extension Cords S/N: Not Available Usage: Not Available
5216	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6264 C/W: 7.41 in Max Lift Height, 45 in Forks, 48 V Usage: Not Available	5230	Palmer Tile Stripper S/N: Not Available Usage: Not Available
		5231	Quantity of Wrenches and Sockets S/N: Not Available Usage: Not Available
		5232	Quantity of (2) Pallets of Hand Tools S/N: Not Available Usage: Not Available
		5233	Billy Goat BC2600HH Brush Mower S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
		5234	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5235	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available	5252A	Quantity of Pneumatic Air Wrenches S/N: Not Available Usage: Not Available
5236	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available	5252	Quantity of Scaffolding S/N: Not Available Usage: Not Available
5237	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available	5253	2016 AES AES-100T 1200000 BTU Electric Air Handler S/N: AES161T2006 C/W: 3 Phase, 240 V / 480 V Input Usage: Not Available
5238	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available	5254	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5239	Flammable Material Storage Cabinet S/N: Not Available Usage: Not Available	5255	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5240	Knaack Job Site Box S/N: Not Available C/W: w/Tools and Contents Usage: Not Available	5256	2023 HOS HF1 19 ft 6 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5241	Knaack Job Site Box S/N: Not Available C/W: W/Tools and Contents Usage: Not Available	5257	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5242	Gang Box w/Tools and Contents S/N: Not Available Usage: Not Available	5258	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5243	Siemens Job Site Box S/N: Not Available C/W: w/Tools and Contents Usage: Not Available	5259	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5244	Job Site Box S/N: Not Available C/W: w/Tools and Contents Usage: Not Available	5260	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5245	Rock River Job Site Box S/N: Not Available C/W: W/ Contents Usage: Not Available	5261	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5246	Quantity of (3) Job Site Box S/N: Not Available C/W: W/ Tools and Contents Usage: Not Available	5262	2023 HOS HF1 19 ft 4 in x 8 ft Storage Building (Unused) S/N: Not Available Usage: Not Available
5247	Quantity of (4) Tool Box S/N: Not Available Usage: Not Available	5263	2023 HOS HF2L 19 ft 4 in x 20 ft 4 in Storage Building (Unused) S/N: Not Available Usage: Not Available
5248	Quantity of (9) Tool Box S/N: Not Available Usage: Not Available	5264	2023 HOS HF2L 19 ft 4 in x 20 ft 4 in Storage Building (Unused) S/N: Not Available Usage: Not Available
5249	Quantity of (6) Part Organizer S/N: Not Available Usage: Not Available		
5250	Quantity of Retractable Lifelines S/N: Not Available Usage: Not Available		
5251	Wire Rope Slings S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5265	Cincinnati Electric Press Brake S/N: Not Available C/W: Single Phase Motor Usage: Not Available	5277	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container S/N: MMPU1003891 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
5266	2017 EME 4400M 4400 lb Gantry Crane S/N: PRD44M05172 C/W: 7 ft Span Usage: Not Available	5278	Chery Industrial 4-side-door 40' HQ Container 40 ft High Cube Multi-Door Storage Container S/N: LYP0098339 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
5267	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container (Unused) S/N: MMPU1003850 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5279	Chery Industrial 4-side-door 40' HQ Container High Cube Multi-Door Storage Container S/N: LYP0098344 C/W: Lock Box Usage: Not Available
5268	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container (Unused) S/N: MMPU1003870 C/W: 9 ft 6 in High, Lock Box Usage: Not Available	5280	2023 Chery Industrial 40 ft High Cube Multi-Door Storage Container S/N: LYP0098323 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5269	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container (Unused) S/N: MMPU1003504 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5281	2023 Chery Industrial 40 ft High Cube Multi-Door Storage Container S/N: LYP0098318 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5270	2023 ZHW High Cube Multi-Door 40HQ Storage Container S/N: LYGU0091868 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5282	2023 20 ft Double-Ended Storage Container S/N: GMXU2006021 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
5271	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container S/N: MMPU1003865 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5283	20 ft One-Way Storage Container (Unused) S/N: ZENU2043922 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5272	2022 40 ft High Cube Double-Ended Storage Container S/N: GMXU3184199 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	5284	2022 SHANG 20 ft Storage Container S/N: WNGU2170190 C/W: 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5273	2023 ZHW 40 ft High Cube Multi-Door Storage Container S/N: HHXU3225030 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5285	20 ft Storage Container (Unused) S/N: ZENU2053134 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5274	2023 CTN 40HQ 40 ft High Cube Multi-Door Storage Container S/N: MMPU1003886 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	5286	2023 SHANG 20 ft Storage Container S/N: MCCU1042834 C/W: 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5275	2023 40 ft High Cube Multi-Door Storage Container S/N: JPCU2201491 C/W: Lock Box Usage: Not Available	5287	20 ft One-Way Storage Container (Unused) S/N: ZENU2057037 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5276	2023 ZHW 40 ft High Cube Multi-Door Storage Container S/N: HHXU3225019 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5288	20 ft Storage Container (Unused) S/N: ZENU3054428 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available

Lot #	Details	Lot #	Details
5289	20 ft Storage Container (Unused) S/N: ZENU3054520 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5303	Chery Industrial Multi-Door 9 Ft. Storage Container (Unused) S/N: Not Available C/W: Lock Box, Window, Fork Pockets Usage: Not Available
5290	20 ft One-Way Storage Container (Unused) S/N: ZENU2055646 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5304	Chery Industrial Multi-Door 9 ft. Storage Container (Unused) S/N: Not Available C/W: Lock Box, Window, Fork Pockets Usage: Not Available
5291	20 ft One-Way Storage Container (Unused) S/N: SPRU2002584 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5305	Chery Industrial 9 ft Storage Container S/N: LYP910757 C/W: 7 ft 4 in Wide, 8 ft 1 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
5292	20 ft Storage Container (Unused) S/N: ZENU2057166 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5306	Chery Industrial 8 ft Storage Container S/N: LYP810817 C/W: 6 ft 8 in Wide, 6 ft 4 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
5293	2023 SHANG 20 ft Storage Container S/N: MCCU1042840 C/W: 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5307	Chery Industrial 8 ft Storage Container S/N: LYP810782 C/W: 6 ft 8 in Wide, 6 ft 4 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
5294	20 ft One-Way Storage Container (Unused) S/N: ZENU2053005 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5308	2023 CTN 8FT 8 ft Multi-Door Storage Container (Unused) S/N: 1624112 C/W: Lock Box, Window, Fork Pockets Usage: Not Available
5295	2023 SHANG 20 ft Storage Container S/N: MCCU1042773 C/W: 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5309	2023 CTN 7FT 7 ft Multi-Door Storage Container (Unused) S/N: 1623796 C/W: Lock Box, Window, Fork Pockets Usage: Not Available
5296	20 ft One-Way Storage Container (Unused) S/N: ZENU2054763 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Fork Pockets Usage: Not Available	5310	2023 CTN 6FT 6 ft Storage Container (Unused) S/N: 1624071 C/W: Single Walk Door, Lock Box, Fork Pockets Usage: Not Available
5297	2023 20 ft Double-Ended Storage Container S/N: GMXU2005998 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	5311	Bastone 4 ft 2 in x 6 ft 9 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available C/W: (2) Bathrooms, 110 V/ 220 V Usage: Not Available
5300	2023 CTN 9FT Mini Storage Container (Unused) S/N: CTTN1624350 C/W: Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	5312	Bastone Portable Toilet (Unused) S/N: Not Available C/W: 110 V/220 V Usage: Not Available
5301	2023 CTN 10.2FT 10 ft Storage Container S/N: 1623477 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Lock Box, Window Usage: Not Available	5313	Bastone 110V Portable Toilets With Shower (Unused) S/N: Not Available C/W: 110 V/ 220 V Usage: Not Available
5302	Chery Industrial Multi-Door 9 Ft. Storage Container (Unused) S/N: Not Available C/W: Lock Box, Window, Fork Pockets Usage: Not Available	5314	18 ft Roll-Off Container (Unused) S/N: Not Available C/W: Bottom Hook, End Door Usage: Not Available

Lot #	Details	Lot #	Details
5315	16 ft 7 in Roll-Off Container (Unused) S/N: Not Available C/W: 16 ft 7 in Long x 6 ft 4 in Wide x 3 ft 4 in High , Bottom Hook, End Door Usage: Not Available	5332	2023 Landhonor HAG-12-24Q 7 ft Hale Bale Grappling Hook (Unused) S/N: HL00291 Usage: Not Available
5316	17 ft Roll-Off Container (Unused) S/N: Not Available C/W: Bottom Hook, End Door Usage: Not Available	5333	2023 Landhonor HAG-12-24Q 7 ft Hale Bale Grappling Hook (Unused) S/N: HL00289 Usage: Not Available
5317	17 ft Roll-Off Container (Unused) S/N: Not Available C/W: Bottom Hook, End Door Usage: Not Available	5334	2023 Landhonor HAG-12-24G 7 ft Hale Bale Grappling Hook (Unused) S/N: HL00290 Usage: Not Available
5318	Steelman 10FT-30DB Work Bench STAINLESS STEEL Work Bench (Unused) S/N: Not Available C/W: 30 Drawers Usage: Not Available	5335	2023 Wolverine ZW-BSH-1275D Hydraulic Bale Squeeze (Unused) S/N: ZW00009 Usage: Not Available
5319	Steelman 10FT-15D-2 Work Bench RED Work Bench (Unused) S/N: Not Available C/W: 15 Drawers Usage: Not Available	5336	2023 Wolverine BG-13-72W Bale Grapple (Unused) S/N: ZW00013 Usage: Not Available
5320	Steelman 10FT-18D-2B Work Bench STAINLESS STEEL Work Bench (Unused) S/N: Not Available C/W: 18 Drawers Usage: Not Available	5337	2023 Landhonor ABC-13-125A 42 in Articulating (W/Controller) Skid Steer Brush Cutter (Unused) S/N: HL00193 Usage: Not Available
5321	Steelman 7FT-10D Work Bench Stainless Steel Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available	5338	2023 Landhonor ABC-13-125A 42 in Articulating (W/Controller) Skid Steer Brush Cutter (Unused) S/N: HL00194 Usage: Not Available
5322	Steelman 7FT-10D Work Bench Stainless Steel Work Bench (Unused) S/N: Not Available C/W: 10 Drawers Usage: Not Available	5339	2023 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available
5323	Steelman 10FT-25D Tool Cabinet (Unused) S/N: Not Available Usage: Not Available	5340	2023 Wolverine BC-13-72W 72 in Skid Steer Brush Cutter (Unused) S/N: ZW00935 Usage: Not Available
5324	Frontier 62 in Heavy Duty Work Bench S/N: Not Available C/W: Peg Board and Power Station Usage: Not Available	5341	2023 Wolverine BC-13-72W 72 in Skid Steer Brush Cutter (Unused) S/N: ZW00936 Usage: Not Available
5325	Frontier 62 in Heavy Duty Work Bench S/N: Not Available C/W: Peg Board and Power Station Usage: Not Available	5342	2023 Wolverine BC-13-72W 72 in Skid Steer Brush Cutter (Unused) S/N: ZW00932 Usage: Not Available
5326	Frontier 62 in Heavy Duty Work Bench S/N: Not Available C/W: Peg Board and Power Station Usage: Not Available	5343	2023 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available
5327	Frontier 62 in Heavy Duty Work Bench S/N: Not Available C/W: Peg Board and Power Station Usage: Not Available	5344	2023 Wolverine DM-13-72W Disc Mulcher (Unused) S/N: ZW00011 Usage: Not Available

Lot #	Details	Lot #	Details
5345	2023 Wolverine ZW-TBM-1278W Skid Steer Mower (Unused) S/N: ZW00041 Usage: Not Available	5360	2023 Landhonor DCM-11-250G 48 in Skid Steer Concrete Mixer (Unused) S/N: HL00193 C/W: Double Discharge (W/Controller) Usage: Not Available
5346	2023 Wolverine ZW-TBM-1278W Skid Steer Mower (Unused) S/N: ZW00039 Usage: Not Available	5361	2023 Landhonor DCM-11-250G 48 in Double Discharge (W/Controller) Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available
5347	2023 Wolverine ZW-TBM-1278W Skid Steer Mower (Unused) S/N: ZW00043 Usage: Not Available	5362	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW-01083 C/W: 18 in, 12 in bits Usage: Not Available
5348	2023 Wolverine SBM-12-72W Skid Steer Sickle Bar Mower (W/Controller) (Unused) S/N: ZW00353 Usage: Not Available	5363	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW-01084 C/W: 18 in, 12 in bits Usage: Not Available
5349	2023 Wolverine ZW-SBM-0072W Skid Steer Sickle Bar Mower (W/Controller) (Unused) S/N: Not Available Usage: Not Available	5364	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW-01086 C/W: 18 in, 12 in bits Usage: Not Available
5350	2023 Wolverine CB-11-750F Skid Steer Breaker (Unused) S/N: ZW00135 Usage: Not Available	5365	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW-01085 C/W: 18 in, 12 in bits Usage: Not Available
5351	2023 Wolverine ZW-PD-0750R Skid Steer Post Driver (Unused) S/N: Not Available Usage: Not Available	5366	2023 Wolverine MAD-12-12D 12 in Skid Steer Auger (Unused) S/N: ZW00025 Usage: Not Available
5352	2023 Wolverine PD-12-08D Skid Steer Post Driver (Unused) S/N: Not Available Usage: Not Available	5367	2023 Wolverine MAD-12-12D 12 in Mini Skid Steer Auger (Unused) S/N: ZW00023 Usage: Not Available
5353	2023 Wolverine TCR-12-48H 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available	5368	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW01081 C/W: 12 in, 18 in Bits Usage: Not Available
5355	2023 Wolverine TCR-12-48H 48 in Skid Steer Trencher (Unused) S/N: ZW-00563 Usage: Not Available	5369	2023 Wolverine ADB-13-1218R Skid Steer Auger (Unused) S/N: ZW01082 C/W: 12 in, 18 in Bits Usage: Not Available
5356	2023 Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available	5370	2023 Wolverine VR-11-66W 66 in Skid Steer Vibratory Roller (Unused) S/N: ZW00166 Usage: Not Available
5357	2023 Wolverine ZW-CM-0250M 48 in (W /Controller) Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available	5371	2023 Landhonor LR-12-72W (W/Controller) Skid Steer Power Rake - Fits landhonor (Unused) S/N: HL00193 Usage: Not Available
5358	2023 Wolverine ZW-CM-0250M 48 in (W /Controller) Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available		
5359	2023 Wolverine ZW-CM-0250M 48 in (W /Controller) Skid Steer Concrete Mixer (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5372	2023 Landhonor LR-12-72W 72 in (W /Controller) Skid Steer Power Rake (Unused) S/N: HL00194 Usage: Not Available	5386	2023 Wolverine ZW-SWDB-1184W Skid Steer Dozer (Unused) S/N: ZW00026 Usage: Not Available
5373	2023 Landhonor HL-LDR-0072W 72 in (W /Controller) Skid Steer Power Rake (Unused) S/N: HL00193 Usage: Not Available	5387	2023 Wolverine SWDB-11-84W 84 in Skid Steer Dozer (Unused) S/N: ZW-00025 Usage: Not Available
5374	2023 Landhonor PR-12-72W 72 in (W /Controller) Skid Steer Power Rake (Unused) S/N: HL00194 Usage: Not Available	5388	2023 Landhonor GM-12-96W 96 in Hydraulic Skid Steer Grader (Unused) S/N: HL-00192 Usage: Not Available
5375	2023 Wolverine RCR-12-84W Rock Rake (Unused) S/N: ZW00010 Usage: Not Available	5389	2023 Landhonor GM-12-96W 96 in (W /Controller) Skid Steer Grader (Unused) S/N: HL00194 Usage: Not Available
5376	2023 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5390	2023 Wolverine ZW-VSB-1584W Skid Steer Snow Pusher (Unused) S/N: ZW00025 Usage: Not Available
5377	2023 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5391	2023 Wolverine VSB-15-84W 84 in Skid Steer Snow Pusher (Unused) S/N: ZW-00022 C/W: Controller Usage: Not Available
5378	2023 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5392	2023 Wolverine TF-12-60W Tree Fork (Unused) S/N: ZW00013 Usage: Not Available
5379	2023 Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused) S/N: Not Available Usage: Not Available	5393	2023 Landhonor TP-13-08D 8 in Skid Steer Post Puller (Unused) S/N: HL00194 Usage: Not Available
5380	2023 Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused) S/N: Not Available Usage: Not Available	5394	2023 Landhonor TP-13-08D 8 in Skid Steer Post Puller (Unused) S/N: HL00193 Usage: Not Available
5381	2023 Wolverine ZW-IAB-0072W 76 in Angle Skid Steer Boom (Unused) S/N: Not Available Usage: Not Available	5395	2023 Landhonor DGB-14-84D Digger Backhoe (Unused) S/N: HL00194 Usage: Not Available
5382	2023 Wolverine ZW-IAB-0072W 76 in Angle Skid Steer Boom (Unused) S/N: Not Available Usage: Not Available	5396	2023 Landhonor DGB-14-84D 14 in Skid Steer Backhoe (Unused) S/N: HL00193 Usage: Not Available
5383	2023 Wolverine MAB-11-48W Mini Hydraulic Angle Broom Attachment (Unused) S/N: ZW00020 Usage: Not Available	5397	2023 Landhonor HL-TB-6000LB Tree Boom (Unused) S/N: Not Available Usage: Not Available
5384	2023 Wolverine MAB-11-48W Hydraulic Angle Broom Attachment (Unused) S/N: ZW00019 Usage: Not Available	5398	2023 Wolverine ZW-SG-1308D Skid Steer Stump Grinder (Unused) S/N: ZW00030 Usage: Not Available
5385	2023 Wolverine MBS-1148W Broom Attachment (Unused) S/N: ZW00009 Usage: Not Available	5399	2023 Wolverine ZW-SGP-1346W Stump Grapple (Unused) S/N: ZW00024 Usage: Not Available

Lot #	Details	Lot #	Details
5400	2023 Wolverine ZW-SGP-1346W Stump Grapple (Unused) S/N: ZW00023 Usage: Not Available	5415	2023 Wolverine ZW-MCB-1148W 50 in Multi-Purpose Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
5401	2023 Wolverine MSG-11-44W Mini Skid Steer Grapple Bucket (Unused) S/N: ZW00018 Usage: Not Available	5416	2023 Landhonor RSB-14-80W 80 in Rock Screen Skid Steer Bucket (Unused) S/N: HL00029 Usage: Not Available
5402	2023 Wolverine MSG-11-44W 44 in Mini Skid Steer Grapple Bucket (Unused) S/N: ZW00023 Usage: Not Available	5417	2023 Wolverine ZW-PF-0048LH 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Side Shift Usage: Not Available
5403	2023 Wolverine TD-13-36R Tree Spade (Unused) S/N: ZW00019 Usage: Not Available	5418	2023 Wolverine PFA-11-3300G 48 in Skid Steer Forks (Unused) S/N: ZW-00349 C/W: Fork Positioner, Side Shift Usage: Not Available
5404	2023 Wolverine ZW-TD-1336R Stump Bucket (Unused) S/N: ZW00022 Usage: Not Available	5419	2023 Wolverine MPF-11-2500G Mini Pallet Fork Attachment (Unused) S/N: ZW00022 Usage: Not Available
5405	2023 Wolverine GB-11-72W 72 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	5420	2023 Wolverine MPF-11-2500G Mini Pallet Fork Attachment (Unused) S/N: ZW00024 Usage: Not Available
5406	2023 Wolverine GB-11-72W 72 in Skid Steer Grapple Bucket (Unused) S/N: ZW00441 Usage: Not Available	5421	2023 Landhonor HL-UAP-0025T 45 in (2) Pieces of Universal Adapter Plate 1/4 in (Unused) S/N: Not Available Usage: Not Available
5408	2023 Wolverine ZW-FGP-3500G Fork Grapple (Unused) S/N: ZW00011 Usage: Not Available	5422	2023 Landhonor 45 in Universal Mounting Plate S/N: Not Available Usage: Not Available
5409	2023 Landhonor RG-11-5000G Rotating Skid Steer Grapple (Unused) S/N: HL00031 Usage: Not Available	5423	2023 Landhonor RTR-12-72W 72 in Skid Steer Root Rake (Unused) S/N: HL00097 Usage: Not Available
5410	2023 Wolverine TDB-11-84W Skid Steer Bucket (Unused) S/N: ZW00007 Usage: Not Available	5424	2023 Landhonor UHA-16-3000G Utility Hitch Adapter 2 in Receive - Fits UHA-16-3000G (Unused) S/N: HL00193 Usage: Not Available
5411	2023 Wolverine TDB-11-78W Skid Steer Bucket (Unused) S/N: ZW00006 Usage: Not Available	5425	2023 Landhonor UHA-16-3000G Utility Hitch Adapter 2 in Receive Skid Steer Attachment Mounting Plate (Unused) S/N: HL00194 Usage: Not Available
5412	2023 Wolverine TDB-11-72W Skid Steer Bucket (Unused) S/N: ZW00010 Usage: Not Available	5426	2023 Landhonor VPC-11-72W 72 in Skid Steer Plate Compactor (Unused) S/N: HL00194 Usage: Not Available
5413	2023 Wolverine TDB-11-66W Skid Steer Bucket (Unused) S/N: ZW00008 Usage: Not Available	5427	2023 Landhonor VPC-11-72W 72 in Skid Steer Plate Compactor (Unused) S/N: HL00193 Usage: Not Available
5414	2023 Wolverine ZW-MCB-1148W 4 in 1 Bucket (Unused) S/N: ZW00024 Usage: Not Available		

Lot #	Details	Lot #	Details
5429	2023 Landhero BKT-31-C30530HD 30 in .22 cyd Digging Mini Excavator Bucket - Fits Cat 305/306 (Unused) S/N: HL00126 Usage: Not Available	5448	2023 Landhero RAKR-31-C31260 60 in Heavy Duty Mini Excavator Rake (Unused) S/N: Not Available Usage: Not Available
5430	2023 Landhero BKT-31-C30330HD 30 in .21 cyd Excavator Bucket - Fits Cat 303 (Unused) S/N: HL00126 Usage: Not Available	5449	2023 Landhero RAKR-31-C30748 48 in Mini Excavator Rake (Unused) S/N: HL00099 Usage: Not Available
5432	2023 Landhero BKT-31-C30524HD 24 in .17 cyd Digging Mini Excavator Bucket (Unused) S/N: HL00126 Usage: Not Available	5450	2023 Landhero RAKR-31-C30748 48 in Excavator Rake S/N: Not Available Usage: Not Available
5434	2023 Landhero BKT-31-C30718HD 18 in Mini Excavator Bucket - Fits Cat 307/308 (Unused) S/N: HL00126 Usage: Not Available	5451	2023 Landhero RAKR-31-C30748 48 in Mini Excavator Rake (Unused) S/N: HL00102 Usage: Not Available
5435	2023 Landhero BKT-31-C30518HD 18 in Mini Excavator Bucket - Fits Cat 305/306 (Unused) S/N: HL00126 Usage: Not Available	5452	2023 Landhero RAKS-31-C30544 44 in Excavator Rake S/N: Not Available Usage: Not Available
5438	2023 Landhero BKT-31-C30512HD 12 in .07 cyd Digging Excavator Bucket - Fits Cat 305 /306 (Unused) S/N: HL00126 Usage: Not Available	5454	2023 Landhero RIP-34-345D Excavator Ripper - Fits Cat 345D (Unused) S/N: Not Available C/W: Fits Cat 349 Usage: Not Available
5439	2023 Landhero BKT-31-C30312HD 12 in .06 cyd Digging Mini Excavator Bucket (Unused) S/N: HL00126 Usage: Not Available	5455	2023 Landhero RIP-34-336D Excavator Ripper - Fits Cat 324 (Unused) S/N: Not Available C/W: Fits Cat 329, 336 Usage: Not Available
5442	2023 Landhero HL-RAKS-31-32068 68 in Excavator Rake (Unused) S/N: HLMY10007 Usage: Not Available	5456	2023 Landhero RIP-33-312 15 in Excavator Ripper (Unused) S/N: HLDF10009 Usage: Not Available
5443	2023 Landhero RAKR-31-32065 65 in Excavator Rake - Fits Cat 320/323/325 (Unused) S/N: HL-MY-10006 Usage: Not Available	5457	2023 Landhero HL-RIP-31-320 Excavator Ripper S/N: Not Available Usage: Not Available
5444	2023 Landhero RAKR-31-325D65 65 in Excavator Rake - Fits Cat 324 (Unused) S/N: Not Available C/W: Cat 329 Usage: Not Available	5458	2023 Landhero RIP-31-C307/308 14 in Excavator Ripper - Fits Cat 307/308 (Unused) S/N: HL00102 Usage: Not Available
5445	2023 Landhero RAKR-34-336D65 65 in Excavator Rake - Fits Cat 330D (Unused) S/N: Not Available C/W: Cat 336D Usage: Not Available	5459	2023 Landhero RIP-31-C307/308 Heavy Duty Mini Excavator Ripper (Unused) S/N: Not Available Usage: Not Available
5446	2023 Landhero RAKS-32-31261 61 in Excavator Rake - Fits Cat 312 (Unused) S/N: Not Available C/W: Fits Cat 313 Usage: Not Available	5460	2023 Landhero RIP-31-C305/306 11 in Mini Excavator Ripper - Fits Cat 305/306 (Unused) S/N: HL00102 Usage: Not Available
5447	2023 Landhero RAKR-31-C31260 60 in Mini Excavator Rake (Unused) S/N: Not Available Usage: Not Available	5461	2023 Landhero RIP-31-C305/306 Heavy Duty Mini Excavator Ripper (Unused) S/N: HL00099 Usage: Not Available

Lot #	Details	Lot #	Details
5462	2023 Landhero RIP-31-C303 Heavy Duty Mini Excavator Ripper - Fits Cat 303ECR (Unused) S/N: Not Available C/W: Fits Cat 303.5ECR, 303.5E2CR, 304E2CR, 304.5E2XTC Usage: Not Available	5476	Quantity of (4) 2023 Landhero 80 mm x 550 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5463	2023 Landhero RIP-31-C303 10 in Mini Excavator Ripper - Fits Cat 303 (Unused) S/N: Not Available Usage: Not Available	5477	Quantity of (4) 2023 Landhero 70 mm x 475 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5464	2023 Landhero THUW-34-330D 29 in Excavator Thumb - Fits Cat 330D (Unused) S/N: Not Available Usage: Not Available	5478	Quantity of (4) 2023 Landhero 65 mm x 475 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5465	2023 Landhero THUW-34-345D 24 in Excavator Thumb - Fits Cat 345D (Unused) S/N: Not Available Usage: Not Available	5479	Quantity of (4) 2023 Landhero 60 mm x 425 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5466	2023 Landhero THUW-31-320 18 in Excavator Thumb (Unused) S/N: Not Available Usage: Not Available	5480	Quantity of (4) 2023 Landhero 55 mm x 400 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5467	2023 Landhero THUW-33-C312 14 in Excavator Thumb - Fits Cat 312 (Unused) S/N: Not Available Usage: Not Available	5481	Quantity of (4) 2023 Landhero 50 mm x 345 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5468	2023 Landhero GRA-34-C33045 45 in Excavator Grapple S/N: Not Available Usage: Not Available	5482	Quantity of (4) 2023 Landhero 45 mm x 330 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5469	2023 Landhero GRA-31-C32040 40 in Grapple S/N: HL00001 Usage: Not Available	5483	2023 Landhero 40 mm x 270 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5470	Landhero GRA-34-0336D 68 in Excavator Grapple S/N: Not Available Usage: Not Available	5484	Quantity of (6) 2023 Landhero 35 mm x 225 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5471	Landhero GRA-33-C31535 43 in Excavator Grapple S/N: Not Available Usage: Not Available	5485	Quantity of (6) 2023 Landhero 30 mm x 200 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5472	Landhero GRA-33-C31232 35 in Excavator Grapple S/N: HL-00001 Usage: Not Available	5486	Quantity of (6) 2023 Landhero 25 mm x 185 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available
5473	2023 Landhero GRA-33-C305C25 25 in Grapple S/N: Not Available Usage: Not Available	5488	2023 Landhonor FBS-22-96W 8 ft 19.6 lb Fixed Bar Box Scraper - Fits Landhonor FBS-22-96W (Unused) S/N: HL00030 Usage: Not Available
5474	Quantity of (2) 2023 Landhero 100 mm x 750 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available	5489	2023 Landhonor GS-22-96W 96 in Grading Scrapers (Unused) S/N: HL00029 Usage: Not Available
5475	Quantity of (4) 2023 Landhero 90 mm x 650 mm Universal Bucket Pin (Unused) S/N: Not Available Usage: Not Available	5490	2023 Landhonor GS-22-96W 96 in Grading Scrapers (Unused) S/N: HL00030 Usage: Not Available

Lot #	Details	Lot #	Details
5491	2023 Landhonor FBS-22-96W 8 ft .72 cyd Fixed Bar Box Scraper (Unused) S/N: HL00029 Usage: Not Available	5508	All-Star 84 in Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5492	2023 Landhonor HL-DH-22-73W Disc Harrow (Unused) S/N: HL-00001 Usage: Not Available	5509	All-Star 84 in Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5495	Quantity of (2) 2023 Wolverine ZW-EX-0825 Forks Extensions Fork Attachment (Unused) S/N: Not Available Usage: Not Available	5510	All-Star 78 in E-Series Root Rake Skid Steer Grapple S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5496	Quantity of (2) 2023 Wolverine ZW-EX-0825 Forks Extensions Fork Attachment (Unused) S/N: Not Available Usage: Not Available	5511	All-Star 74 in Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5497	All-Star 78 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5512	All-Star 72 in E-Series Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5498	All-Star 78 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5513	All-Star 72 in E-Series Root Rake Skid Steer Grapple S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5499	All-Star 72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5514	All-Star 66 in Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5501	All-Star 72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5515	All-Star 66 in E-Series Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5502	All-Star 72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5516	Mid-State 60 in E-Series Root Rake Skid Steer Grapple S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5503	All-Star 72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5517	Mid-State 48 in Root Rake Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5504	All-Star 66 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5518	77 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5505	All-Star 68 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5519	27 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5506	All-Star 72 in Skid Steer Broom (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
5507	All-Star 71 in Straight Skid Steer Dozer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5520	All-Star 72 in E-Series Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5533	Mid-State 72 in E-Series Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5521	68 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5534	All-Star 84 in Rock Skid Steer Bucket S/N: Not Available C/W: Teeth Usage: Not Available
5522	27 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5535	All-Star 67 in Rock Skid Steer Bucket S/N: Not Available C/W: Teeth Usage: Not Available
5523	All-Star 72 in E-Series Rock Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5536	Mid-State 84 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5524	All-Star 66 in E-Series Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5537	Mid-State 80 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5525	All-Star 82 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5538	All-Star 74 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5526	80 in Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5539	Mid-State 72 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5527	42 in Skeleton Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5540	Mid-State 68 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5528	72 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5541	Mid-State 80 in Low Profile Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5529	27 in Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5542	Mid-State 78 in Low Profile Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5530	All-Star 78 in E-Series Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5543	All-Star 78 in Low Pro Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available
5531	All-Star 78 in Skeleton Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5544	Mid-State 74 in Low Profile Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5532	All-Star 72 in Skeleton Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5545	Mid-State 72 in Low Profile Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5560	All-Star 44 in Stump Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5546	72 in Low Pro Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5561	All-Star 46 in Stump Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5547	Mid-State 68 in Low Profile Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5562	All-Star 44 ft Stump Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5549	All-Star 80 in Rock Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5563	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5550	All-Star 74 in Low Pro Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5564	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5551	72 in Low Pro Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5565	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5552	All-Star 66 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5566	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5553	All-Star 78 in Skeleton Rock Skid Steer Bucket S/N: Not Available Usage: Not Available	5567	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5554	All-Star 72 in Skeleton Rock Skid Steer Bucket S/N: Not Available Usage: Not Available	5568	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5555	All-Star 68 in Skeleton Rock Skid Steer Bucket S/N: Not Available Usage: Not Available	5569	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5556	All-Star 78 in Rock Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5570	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5557	All-Star 72 in Rock Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5571	All-Star 48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5558	All-Star 72 in Rock Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Teeth Usage: Not Available	5572	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5559	All-Star 41 in Stump Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5573	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5574	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5587	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5575	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5588	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5576	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5589	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5577	All-Star 46 in Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5590	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5578	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5591	All-Star Skid Steer Bale Spear S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5579	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5592	All-Star Skid Steer Bale Spear S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5580	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5593	All-Star Skid Steer Bale Spear S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5581	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5594	All-Star Reese Hitch S/N: Not Available Usage: Not Available
5582	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5595	All-Star Reese Hitch S/N: Not Available Usage: Not Available
5583	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5596	84 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5584	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5597	Mid-State 80 in Skid Steer Planer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5585	All-Star 48 in Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5598	All-Star Skid Steer Tree Shear S/N: Not Available Usage: Not Available
5586	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5599	All-Star Skid Steer Tree Shear S/N: Not Available Usage: Not Available
		5600	All-Star 24 in Skid Steer Backhoe S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5602	Greatbear 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5603	Greatbear 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	5619	72 in Skid Steer Vibratory Roller (Unused) S/N: Not Available Usage: Not Available
5604	Greatbear 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available	5620	Greatbear 86 in Skid Steer Dozer (Unused) S/N: Not Available Usage: Not Available
5605	Greatbear Skid Steer Auger (Unused) S/N: Not Available C/W: 18 in, 12 in and 10 in Auger Bits Usage: Not Available	5621	Greatbear 78 in Skid Steer Grapple (Unused) S/N: 001800737 Usage: Not Available
5606	Greatbear Skid Steer Auger (Unused) S/N: Not Available C/W: 18 in, 12 in and 10 in Auger Bits Usage: Not Available	5622	Greatbear Root Rake 78 in Skid Steer Grapple (Unused) S/N: 001800763 Usage: Not Available
5607	Greatbear Skid Steer Auger (Unused) S/N: Not Available C/W: 18 in, 12 in and 10 in Auger Bits Usage: Not Available	5623	Greatbear Root Rake 78 in Skid Steer Grapple (Unused) S/N: 001800774 Usage: Not Available
5608	Greatbear Skid Steer Auger (Unused) S/N: Not Available C/W: 18 in, 12 in and 10 in Auger Bits Usage: Not Available	5624	Greatbear Root Rake 78 in Skid Steer Grapple (Unused) S/N: 001800775 Usage: Not Available
5609	Greatbear Skid Steer Auger (Unused) S/N: 23HKNY353-(19) Usage: Not Available	5625	Greatbear Root Rake 78 in Skid Steer Grapple (Unused) S/N: 00400000010 Usage: Not Available
5610	Greatbear Skid Steer Auger (Unused) S/N: 23HKNY353-(20) C/W: Quick Coupler Bracket Usage: Not Available	5626	Greatbear Root Rake 78 in Skid Steer Grapple (Unused) S/N: 001800645 Usage: Not Available
5611	Greatbear Skid Steer Auger (Unused) S/N: 23HKNY353-(18) C/W: Quick Coupler Bracket Usage: Not Available	5627	Greatbear 72 in Rock Skid Steer Grapple Bucket (Unused) S/N: 001400583 Usage: Not Available
5612	Greatbear Skid Steer Trencher 60 in (Unused) S/N: Not Available Usage: Not Available	5629	Greatbear 72 in Skid Steer Grapple Bucket (Unused) S/N: 001400598 Usage: Not Available
5613	Greatbear 60 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available	5630	Greatbear 84 in Rock Bucket (Unused) S/N: Not Available Usage: Not Available
5614	Greatbear Cat 60 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available	5632	Greatbear 72 in Rock Bucket (Unused) S/N: Not Available Usage: Not Available
5615	Greatbear 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5633	Greatbear 66 Inch Rock Bucket . S/N: Not Available Usage: Not Available
5616	Greatbear 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5634	2023 Kit Containers 4Y-DH Debris Box (Unused) S/N: Not Available Usage: Not Available
5617	Greatbear 72 in Skid Steer Tiller (Unused) S/N: Not Available Usage: Not Available	5635	2023 Kit Containers 4Y-DH Debris Box S/N: Not Available Usage: Not Available
5618	Greatbear 72 in Skid Steer Rotary Cultivator (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5636	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5649	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available
5637	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5650	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available
5638	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5651	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available
5639	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5652	2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket S/N: Not Available Usage: Not Available
5640	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5653	2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket S/N: Not Available Usage: Not Available
5641	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper S/N: Not Available C/W: 3-Way Fork Pockets Usage: Not Available	5654	2023 Kit Containers QT-SB-L76-V3 76 in Skeleton Skid Steer Bucket S/N: Not Available Usage: Not Available
5642	2023 Kit Containers 2YFT-SST 2 cyd Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available	5655	2023 Kit Containers QT-RR-70 70 in Skid Steer Ripper Scarifier S/N: Not Available Usage: Not Available
5643	2023 Kit Containers 2YFT-SST 2 cyd Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available	5656	2023 Kit Containers QT-SNB-84 84 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available
5644	2023 Kit Containers QT-CB-075 .75 cyd Concrete Skid Steer Bucket S/N: Not Available Usage: Not Available	5657	2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket S/N: Not Available Usage: Not Available
5645	2023 Kit Containers QT-CB-075 .75 cyd Concrete Skid Steer Bucket S/N: Not Available Usage: Not Available	5658	2023 Kit Containers QT-DB-S78 0 ft 78 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available
5646	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available	5659	2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket S/N: Not Available Usage: Not Available
5647	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available	5660	2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket S/N: Not Available Usage: Not Available
5648	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket S/N: Not Available Usage: Not Available	5661	2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket S/N: Not Available Usage: Not Available
		5663	2023 Kit Containers QT-TS-40 40 in stump Skid Steer Bucket S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5665	2023 Kit Containers QT-TS-40 40 in Stump Skid Steer Bucket S/N: Not Available Usage: Not Available	5682	2022 Mower King ECSSCT72 Skid Steer Trencher S/N: ECSSCT7222121201D Usage: Not Available
5666	2023 Kit Containers 2 in Skid Steer Hitch Receiver (Unused) S/N: Not Available Usage: Not Available	5683	2022 Mower King SSECAGY Skid Steer Auger S/N: SSECAG-Y22121202B C/W: (1) 14 in Auger Bit Usage: Not Available
5667	2023 Kit Containers 2 in Skid Steer Hitch Receiver (Unused) S/N: Not Available Usage: Not Available	5684	30 in Auger Bit S/N: Not Available Usage: Not Available
5668	Quantity of (2) 2023 Kit Containers Steel 5 ft x 10 ft 3 in (.75 in Thick) Steel Plates S/N: Not Available Usage: Not Available	5685	2022 Mower King ECSSTR072 65 in Skid Steer Tiller S/N: ECSSTR07222121201B Usage: Not Available
5669	Quantity of (2) 2023 Kit Containers Steel 6 ft 1 in x 10 ft 1 in (.75 in Thick) Steel Plates S/N: Not Available Usage: Not Available	5686	2023 Handy HSSC72 72 in Soil Conditioner (Unused) S/N: SC202301390 Usage: Not Available
5670	Quantity of (3) 2023 Kit Containers Steel 5 ft x 10 ft (.5 in Thick) Steel Plates S/N: Not Available Usage: Not Available	5687	2023 Handy HVR76 76 in Skid Steer Vibratory Roller (Unused) S/N: VR202301136 Usage: Not Available
5671	Quantity of (2) 2023 Kit Containers Steel 5 ft x 10 ft (.62 in Thick) Steel Plates S/N: Not Available Usage: Not Available	5688	2023 Wolverine CM-11-250V 48 in Skid Steer Concrete Mixer (Unused) S/N: ZW00128 Usage: Not Available
5672	Quantity of (8) 2023 Kit Containers Steel 5 ft x 10 ft (.25 in Thick) Steel Plates S/N: Not Available Usage: Not Available	5689	Quantity of (2) 2022 Landhonor HL-DCM-0300M 4 ft Double Discharge Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5673	2023 Kit Containers Zinc Sheets S/N: Not Available Usage: Not Available	5690	Quantity of (2) 2022 Landhonor HL-DCM-0300M 4 ft Double Discharge Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5675	Fecon BH074SS3-FS-1V-333G 60 in Skid Steer Mulcher S/N: 00BH074013424 Usage: Not Available	5691	2020 Paladin LAF2576 46 in Preparator S/N: 2004135 Usage: Not Available
5676	2022 Top Cat BDRC 78 in Skid Steer Brush Cutter S/N: BDRC22121202B Usage: Not Available	5692	2020 Paladin 2158M-0022 47 in Sweeper Box S/N: 2004380 Usage: Not Available
5677	Xtreme HD 74 in Skid Steer Brush Cutter S/N: 1145986 Usage: Not Available	5693	Stout 69-3B 69 in Q/C Skeleton Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available
5678	Blue Diamond 103024 72 in Skid Steer Brush Cutter S/N: 103697 Usage: Not Available	5694	Stout 54-8 54 in Q/C Root Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available
5679	TMG TMG-HB53S Hydraulic Breaker S/N: 3260220330 C/W: Quick Coupler Bracket Usage: Not Available	5695	2018 L&N Supply 82 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available
5680	2018 FRD FX45ACP-QA Skid Steer Breaker S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5696	2018 Cat 78 in General Purpose Skid Steer Bucket S/N: A4183BK20642 Usage: Not Available	5712	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available
5697	2022 Landhonor HL-BS20 4 ft 1 in Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5713	All-Star 48 in Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5698	2022 Landhonor HL-BS20 4 ft 1 in Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5714	All-Star 48 in Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5699	2022 Mower King SA 48 in Skid Steer Forks S/N: SA22121203A Usage: Not Available	5715	2022 Landhonor HL-VPC-0072W 72 in Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available
5700	All-Star 46 in Skid Steer Fork Frame S/N: Not Available Usage: Not Available	5716	2023 Handy HSSG24X 43 in Skid Steer Stump Grinder (Unused) S/N: SG202301472 Usage: Not Available
5701	All-Star 46 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5717	2023 Wolverine SG-13-08D Skid Steer Stump Grinder S/N: ZW00029 Usage: Not Available
5702	All-Star 46 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5718	Eterra ET-22M020-A001-63 20 in Skid Steer Stump Grinder S/N: 22M020-A001-A2335 Usage: Not Available
5703	All-Star 48 in Skid Steer Fork Frame S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5719	2022 Landhonor HL-DGB-0084D Skid Steer Backhoe (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5704	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5720	2022 Landhonor HL-DGB-0084D Skid Steer Backhoe (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5705	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5721	All-Star 14 in Tree Boom Skid Steer Backhoe S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5706	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5722	Handy HRT43 43 in Rock & Tree Handler S/N: RTH220724166 Usage: Not Available
5707	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5723	2023 Landhero GRA-33-C30726 26 in Excavator Grapple S/N: HL00001 Usage: Not Available
5708	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5724	All-Star 36 in Skid Steer Post Puller S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5709	2022 Kit Containers Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available	5725	2022 Mower King SSBX42 Skid Steer Chipper S/N: SSBX42S22121202A Usage: Not Available
5710	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available		
5711	All-Star Skid Steer Attachment Mounting Plate S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5726	AGT Skid Steer Power Rake S/N: Not Available Usage: Not Available	5742	72 in Wheel Loader Forks S/N: Not Available C/W: Fork Positioner Usage: Not Available
5727	Wolverine 45 in Bear Claw Skid Steer Ripper Scarifier S/N: Not Available Usage: Not Available	5743	71.5 in Wheel Loader Forks S/N: Not Available C/W: Fork Positioner Usage: Not Available
5728	Dirt Dog HCLB78 78 in General Purpose Skid Steer Bucket S/N: 00051 Usage: Not Available	5744	60 in Wheel Loader Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5729	Wolverine Spreader S/N: Not Available Usage: Not Available	5745	102 in Wheel Loader Root Rake S/N: Not Available Usage: Not Available
5730	Dirt Dog HCLB78 78 in General Purpose Skid Steer Bucket S/N: 00047 Usage: Not Available	5746	98 in Wheel Loader Root Rake S/N: Not Available Usage: Not Available
5731	Dirt Dog HCLB78 78 in General Purpose Skid Steer Bucket S/N: 00050 Usage: Not Available	5748A	Tag Q/C Jib Boom S/N: Not Available Usage: Not Available
5732	Dirt Dog HCLB78 78 in General Purpose Skid Steer Bucket S/N: 00048 Usage: Not Available	5748	2011 JRB Q/C Jib Boom - Fits John Deere 544 /624/644K S/N: 1011-AKR17895 Usage: Not Available
5733	48 in Skeleton Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	5749	Teran BKT325D72CLN 72 in Cleanup Excavator Bucket - Fits Cat 325D (Unused) S/N: 6309 C/W: CB Linkage - 0.66m3 for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates and 7RC Tips Usage: Not Available
5734	91 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available	5750	Teran BKT32060CLN 60 in Cleanup Excavator Bucket - Fits Cat 320 (Unused) S/N: 8112 C/W: B Linkage - 0.54m3 for CAT 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
5735	72 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available	5751	Teran BKT31260CLN 60 in Cleanup Excavator Bucket - Fits Cat 312 (Unused) S/N: 9604 C/W: 312 Linkage - 0.38m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available
5736	68 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available	5752	Teran BKT30748CLN 48 in Cleanup Excavator Bucket - Fits Cat 307 (Unused) S/N: 3840 C/W: For Cat 307/308 0.23m3 Usage: Not Available
5737	67 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available	5753	Teran BKT30230CLN 30 in .12 cyd Cleanup Excavator Bucket - Fits Cat 302 (Unused) S/N: 9443 Usage: Not Available
5738	60 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available		
5739	Cat Cab - Fits Crawler Dozer S/N: Not Available C/W: To Fit Cat D8R, D9R Usage: Not Available		
5740	JRB 80 in Q/C Wheel Loader Forks S/N: 95923 Usage: Not Available		
5741	2012 Tag 72 in Q/C Wheel Loader Forks - Fits John Deere 624K S/N: 69753-01 C/W: Fork Positioner Usage: Not Available		

Lot #	Details	Lot #	Details
5754	Teran BKT30324 24 in Excavator Bucket - Fits Cat 303 (Unused) S/N: 6695 C/W: 0.11m3 with Side Cutters, Reinforcement Plates and 5HD Tips Usage: Not Available	5761	Quantity of (2) Teran 2357636 Bucket Pins - Fits Cat 345 (Unused) S/N: Not Available C/W: 110mm X 705mm (Long total W/Flange) TB Linkage Front for Cat 345,345C,336DL, 352FVG, 349DL, 330D, 349ELVG, 330DLN, 345DLVG, 349D2, 324D, 349DLVG, 336D2L, 349EL, 330DL, 345DL, 349FLXE, 336D2XE, 340FL, 340FLLRE, 336FLNXE, 336FL, 336DLN, 336ELN, 336D2LXE, 336FLN, 336D2, 349D2L, 336EL, 349D, 336E, 345D, 330CL, 336D, 345BII, 349E, 349FL, 345BII, 329DLN, 340D2L, 340DL, 336D2GC, 345BL, 352F2VG, 329DL, 336FLH, 330DMH, 324DL, 336FLXE, 352FXE, 336FXE, 336F, 349F, 352FXE, 340F Usage: Not Available
5755	Teran BKT41624 24 in Excavator Bucket - Fits Cat 416 (Unused) S/N: 5151 C/W: 0.21m3 for Cat 416,428 with Reinforcement Plates and 5HD Tips Usage: Not Available	5762	Quantity of (2) Teran 2512558 Bucket Pins - Fits Cat 336D (Unused) S/N: Not Available C/W: 90mm X 635mm (Long total W/Flange) DB Linkage Rear for Cat 336D,330D,324E, 336ELH, 325D, 329E, 336FL, 325DLOEM, 330FL, 329DLN, 336EL, 336EH, 336ELN, 336EHVGOEM, 330CL, 324DL, 340FLLRE, 325DL, 324EL, 336FLXE, 329ELN, 385COEM, 329EL, 324ELN, 329D2L, 326D2, 329DL, 326FL, 340D2L, 326D2L, 324DLN, 324D, 336FLN, 336E, 385C, 340DL, 385CL, 325DLN, 329FL, 340FL, 329D2, 336FLNXE, 330FLN, 329D, 326DL, 345CLVG, 336ELNH, 336EOEM, 326FLN, 336FLH, 340FUHD, 336FXE, 340F, 336F, 328DLCR Usage: Not Available
5756	Teran BKT30124 24 in Excavator Bucket - Fits Cat 301 (Unused) S/N: 7849 C/W: 0.07m3 with Side Cutters and 5HD Tips Usage: Not Available	5763	Quantity of (4) Teran 2299247 Bucket Pins - Fits Cat 301 (Unused) S/N: Not Available C/W: 30mm X 295mm for Cat 301, 301.5, 301.6, 301.6C, 301.7D, 301.8, 301.8C Usage: Not Available
5757	Teran BKT580K12 12 in Excavator Bucket - Fits Case 580K (Unused) S/N: 2895 C/W: 0.09m3 for Case 580K/L/M with Reinforcement Plates and 3HD Tips Usage: Not Available	5764	Quantity of (4) Teran 2303344 Bucket Pins - Fits Cat 302 (Unused) S/N: Not Available C/W: 35mm X 295mm for Cat 301, 302.5, 302.5 C Usage: Not Available
5758	Teran BKT32012HD 12 in Banana Excavator Bucket - Fits Cat 320 (Unused) S/N: 8089 C/W: B Linkage - 0.15m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Reinforcement Plates and 2HD Tips Usage: Not Available	5765	Quantity of (2) Teran 205-70-73270 Bucket Pins - Fits Komatsu PC200 (Unused) S/N: Not Available C/W: 80mm X 555mm Front & Rear for Komatsu PC200, PC210, PC220, PC228, PC230, PC240, PC250, PC270, PC290 Usage: Not Available
5759	Quantity of (2) Teran 2357642 Bucket Pins - Fits Cat 345 (Unused) S/N: Not Available C/W: 100mm X 695mm (Long total W/Flange) TB Linkage Rear for Cat 345,345C,336DL, 352FVG, 349DL, 330D, 349ELVG, 330DLN, 345DLVG, 349D2, 324D, 349DLVG, 336D2L, 349EL, 330DL, 345DL, 349FLXE, 336D2XE, 340FL, 340FLLRE, 336FLNXE, 336FL, 336DLN, 336ELN, 336D2LXE, 336FLN, 336D2, 349D2L, 336EL, 349D, 336E, 345D, 330CL, 336D, 345BII, 349E, 349FL, 345BII, 329DLN, 340D2L, 340DL, 336D2GC, 345BL, 352F2VG, 329DL, 336FLH, 330DMH, 324DL, 336FLXE, 352FXE, 336FXE, 336F, 349F, 352FXE, 340F Usage: Not Available	5766	Quantity of (4) Teran 1066878 Bucket Pins - Fits Cat 315 (Unused) S/N: Not Available C/W: 70mm X 508mm for Komatsu PC160 Front & Rear - 315 Linkage Usage: Not Available
5760	Quantity of (4) Teran 0875805 Bucket Pins - Fits Cat 320 (Unused) S/N: Not Available C/W: 80mm x 545mm - B Linkage Front & Rear Usage: Not Available	5767	Quantity of (2) Teran 7Y3549 Bucket Pins - Fits Cat 330 (Unused) S/N: Not Available C/W: 80mm X 630mm D Linkage - Rear Usage: Not Available

Lot #	Details	Lot #	Details
5768	Quantity of (2) Teran 7Y3550 Bucket Pins - Fits Cat 330 (Unused) S/N: Not Available C/W: 90mm X 650mm D Linkage - Front Usage: Not Available	5776	Teran THH2000B Hydraulic Breaker - Fits Cat 320 (Unused) S/N: CEN0482C52HZ C/W: B Linkage For all 18-25 Ton Excavators - With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available
5769	Quantity of (2) Teran 7Y9945 Bucket Pins - Fits Cat 375 (Unused) S/N: Not Available C/W: 130mm X 780mm - Rear Usage: Not Available	5777	Teran THH3000BJD Hydraulic Breaker - Fits Cat 330 (Unused) S/N: CGH0386C52HZ C/W: D Linkage - For Cat 330 , John Deere JD /EX270 and all 25-35 Ton Excavators - 150mm Tool With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available
5770	Quantity of (2) Teran 7Y9946 Bucket Pins - Fits Cat 375 (Unused) S/N: Not Available C/W: 100mm X 780mm - Front Usage: Not Available	5778	Teran THH800B Hydraulic Breaker - Fits Cat 312 (Unused) S/N: Not Available C/W: For Cat 311,312 and all 10-14 Ton Excavators with 65mm Pins- 100mm Tool With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available
5771	Quantity of (4) Teran 1066734 Bucket Pins - Fits Cat 307 (Unused) S/N: Not Available C/W: 45mm x 356mm for Cat 307,308 Usage: Not Available	5779	Teran THH400B-PC60/90 Hydraulic Breaker - Fits Komatsu PC60 (Unused) S/N: CAF9944A26HR C/W: For Mini Excavators Komatsu PC60/65 /70/75/78/80/88/90 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
5772	Quantity of (4) Teran 2969481 Bucket Pins - Fits Cat 307 (Unused) S/N: Not Available C/W: "50mm X 340mm for Cat 307,308 " Usage: Not Available	5780	Teran THH400B-CAT308 Hydraulic Breaker - Fits Cat 307 (Unused) S/N: CAN12022B54HR C/W: For Mini Excavators CAT 307/308 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
5773	Quantity of (2) Teran 2343931 Bucket Pins - Fits Cat 325D (Unused) S/N: Not Available C/W: "90mm X 575mm CB Linkage W/Flange for Cat 325D,328DLCL, 325DLN, 323DL, 320DLN, 330DL, 329DL, 320D2GC, 323EL, 329DLOEM, 320D, 320EL, 329D2L, 324E, 329D, 323D, 320DL, 320D2, 324DLNOEM, 324DL, 324D, 330D2L, 330FL, 329D2, 320D2L, 326D2L, 330CL, 323ELN, 336EL, 326FLN, 320DRR, 329EL, 320DLRR, 329FL, 320E, 329DLN, 329E, 324EL, 323ESA, 323D2L, 335FLCR, 324DLN, 326DL, 326FL, 324ELN, 330FLN, 329EOEM, 329ELN, 323DLN, 320DGC, 320ELN, 326D2, 336DL, 323DSA, 330D2LOEM, 326D2LOEM - 90MM X 575MM (Long total W/Flange) " Usage: Not Available		
5774	Quantity of (4) Teran 0860523 Bucket Pins - Fits Cat 311, 314 (Unused) S/N: Not Available C/W: 65mm x 410mm Usage: Not Available		
5775	Quantity of (2) Teran 2512552 Bucket Pins - Fits Cat 336D (Unused) S/N: Not Available C/W: 100mm X 640mm (Long total) DB LinkageFront W/Flange for Cat 336D,330D, 385CL, 336FLN, 340FL, 329DL, 324D, 325DL, 329EL, 336FLNXE, 324DL, 330FLN, 336EL, 330FL, 324ELN, 385COEM, 329D2L, 326D2, 326FL, 349ELVG, 336FLXE, 340D2L, 324DLN, 326D2L, 329DLN, 349EL, 325DLOEM, 336E, 385C, 336FL, 340DL, 325DLN, 329FL, 324EL, 329D2, 336ELH, 324E, 329E, 325D, 336EHVGOEM, 336EH, 336ELN, 329D, 326DL, 345CLVG, 336ELNH, 336EOEM, 329ELN, 326FLN, 336FLH, 340FLLRE, 340FUHD, 336FXE, 340F, 336F, 328DLCL Usage: Not Available		

Lot #	Details	Lot #	Details
5781	Teran THH400BH Hydraulic Breaker - Fits Cat 416 (Unused) S/N: CAN11724B54HR C/W: For Backhoe Loaders CAT 416, 428, 444 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	5785	Teran THH400B-JD410J/K Hydraulic Breaker - Fits John Deere JD410J/K (Unused) S/N: CAN12403B54HR C/W: For Backhoe John Deere JD310/410JK - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
5782	Teran THH400BH Hydraulic Breaker - Fits Cat 416 (Unused) S/N: CAA2798B54HR C/W: For Backhoe Loaders CAT 416, 428, 444 - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	5786	Teran THH400B-JD50 Hydraulic Breaker - Fits John Deere JD50 (Unused) S/N: CAM5781A54HR C/W: For Mini Excavators JD50/ Hitachi EX50U - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
5783	Teran THH400B-SSL Hydraulic Breaker - Fits Cat 226 (Unused) S/N: CAN11686B54HR C/W: For Skid Steer Loader Cat 226-299 With Mounting Plate included -68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	5787	Teran THH400B-580K/M Hydraulic Breaker - Fits Case 580K/L/M (Unused) S/N: CAF789B54HR C/W: For Backhoe Case 580K/L/M - 68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available
5784	Teran THH400B-SSL Hydraulic Breaker - Fits Cat 226 (Unused) S/N: CAN11898B54HR C/W: For Skid Steer Loader Cat 226-299 With Mounting Plate included -68mm Tool With Auto - Lubrication Pre-Disposition - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual Usage: Not Available	5788	Teran RIPPER345 Excavator Ripper - Fits Cat 345 (Unused) S/N: 4166 C/W: TB Linkage - for Cat 345, 349D, 349D2, 349E, 349F, 352F Usage: Not Available
		5789	Teran RIPPER325D Excavator Ripper - Fits Cat 325D (Unused) S/N: 4147 C/W: CB Linkage - for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F Usage: Not Available
		5790	Teran RIPPER325 Excavator Ripper - Fits Cat 325 (Unused) S/N: 0291 C/W: C Linkage Usage: Not Available
		5791	Teran RIPPER307 Excavator Ripper - Fits Cat 307 (Unused) S/N: 0894 C/W: For Cat 307/308 50mm Pin Usage: Not Available
		5792	Teran RIPPER305C Excavator Ripper - Fits Cat 305 (Unused) S/N: 0933 C/W: 45mm Pin Usage: Not Available

Lot #	Details	Lot #	Details
5793	Teran RIPPER304 Excavator Ripper - Fits Cat 304 (Unused) S/N: 7781 C/W: 40mm Pin Usage: Not Available	5806	2023 VICSEC VCH35 Hydraulic Breaker (Unused) S/N: Not Available Usage: Not Available
5794	Teran RIPPER303 Excavator Ripper - Fits Cat 303 (Unused) S/N: 3731 C/W: 40mm Pin Usage: Not Available	5807	2023 VICSEC VCH35 Hydraulic Breaker (Unused) S/N: 003-13 Usage: Not Available
5795	Teran RIPPER302 Excavator Ripper - Fits Cat (Unused) S/N: 7859 C/W: 35mm Pin Usage: Not Available	5808	Quantity of 2023 VICSEC Attachments (Unused) S/N: 003-18 Usage: Not Available
5796	Teran RIPPER301 Excavator Ripper - Fits Cat 301 (Unused) S/N: 1232 C/W: 30mm Pin Usage: Not Available	5809	Quantity of 2023 VICSEC Attachments (Unused) S/N: 003-19 Usage: Not Available
5797	Teran QCJD120 Hydraulic Quick Coupler - Fits John Deere JD120 (Unused) S/N: Not Available C/W: For John Deere JD120 / ZX120 - Manual Safety Locking Pin Usage: Not Available	5810A	Quantity of 2023 VICSEC (Unused) S/N: 003-15 Usage: Not Available
5798	Quantity of (4) Teran PIN40X295 Bucket Pins - Fits Cat 303 (Unused) S/N: Not Available C/W: 40mm X 295mm for CAT 303 Usage: Not Available	5810	Quantity of 2023 VICSEC Attachments (Unused) S/N: 003-20 Usage: Not Available
5799	All-Star 48 in Brush Cutter Attachment - Fits Excavator S/N: Not Available Usage: Not Available	5811	GT Geith 60 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
5800	2018 Connect CH165 9,000 lbs Hydraulic Breaker Hammer - Fits John Deere 350 S/N: Not Available Usage: Not Available	5812	Paw 54 in Digging Excavator Bucket - Fits Cat 330 (Unused) S/N: 23566 Usage: Not Available
5801	2018 Connect CH165 9,000 lbs Hydraulic Breaker Hammer - Fits John Deere 350 S/N: Not Available Usage: Not Available	5813	56 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
5802	Trojan 35CL Hydraulic Breaker (Unused) S/N: SB30YOM20226079 Usage: Not Available	5814	GT Geith 54 in Digging Excavator Bucket - Fits John Deere 330C S/N: Not Available Usage: Not Available
5803	Trojan 50CL Hydraulic Breaker (Unused) S/N: SB40YOM202260101 Usage: Not Available	5815	Paw 54 in Digging Excavator Bucket - Fits Cat 330 (Unused) S/N: Not Available Usage: Not Available
5804	Indeco 16000 Hydraulic Breaker S/N: Not Available C/W: Quick Coupler Bracket, Mounting Brackets for Komatsu PC490, PC800 & Kobelco Sk850K Usage: Not Available	5816	50 in Digging Excavator Bucket - Fits Cat 325 S/N: Not Available Usage: Not Available
5805	2015 Atlas Copco ES60 Hydraulic Breaker S/N: Not Available Usage: Not Available	5817	2023 GIYI CAT320 44 in Excavator Bucket (Unused) S/N: WD23001 Usage: Not Available
		5818	43 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
		5819	42 in Excavator Bucket S/N: Not Available Usage: Not Available
		5820	42 in Digging Excavator Bucket S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5821	36 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	5837	2023 GIYI CAT320 66 in Excavator Rake (Unused) S/N: Not Available Usage: Not Available
5822	Hendrix 36 in Excavator Bucket - Fits Cat 330B S/N: Not Available Usage: Not Available	5838	2023 GIYI CAT320 Excavator Ripper (Unused) S/N: STQ23001 Usage: Not Available
5823	Balderson 32 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available	5839	SOLESBEES 60 in Excavator Grapple - Fits Komatsu PC490 S/N: Not Available Usage: Not Available
5824	2012 24 in Digging Excavator Bucket - Fits Cat 304D S/N: MED2403 Usage: Not Available	5841	Felco 27 in Excavator Compaction Wheel - Fits Komatsu PC308 S/N: Not Available Usage: Not Available
5825	2017 22 in Digging Excavator Bucket - Fits Cat 304 S/N: HD10804718 Usage: Not Available	5842	Pemberton 24 in Excavator Compaction Wheel - Fits Cat 314E LCR S/N: CW102240315 Usage: Not Available
5826	2018 24 in Digging Excavator Bucket - Fits Cat 302.7D S/N: Not Available Usage: Not Available	5843	Pemberton 24 in Excavator Compaction Wheel - Fits Cat 314E LCR S/N: CW101240315 Usage: Not Available
5827	2021 Cat 18 in .07 cyd Digging Excavator Bucket - Fits Cat 302.7 S/N: EA2211400 Usage: Not Available	5844	Felco 15 in Excavator Compaction Wheel S/N: Not Available Usage: Not Available
5829	Montabert N2000 Hydraulic Breaker - Fits Cat 314ELCR S/N: X100A50282 Usage: Not Available	5845	Cat 336 Boom - Fits Cat 336 S/N: EA2161295 C/W: W/ Hoses, Pins Usage: Not Available
5830	Hydraulic Breaker - Fits Komatsu PC55 S/N: B89711 Usage: Not Available	5846	Hensley 36 in Digging Excavator Bucket - Fits Komatsu 200 S/N: Not Available Usage: Not Available
5831	Hydraulic Breaker - Fits Komatsu PC35 S/N: Not Available Usage: Not Available	5847	Hensley 36 in Digging Excavator Bucket - Fits John Deere 490 S/N: Not Available Usage: Not Available
5832	2015 TRAMAC Monabert SC 42 Hydraulic Breaker - Fits Cat 308E2CR S/N: 9C4500999 Usage: Not Available	5848	Felco 36 in Roller Compactor Excavator Bucket S/N: 02RLR3002952 Usage: Not Available
5833	2018 FRD FX45ACP-QA Hydraulic Breaker S/N: 08102 Usage: Not Available	5849	Geith 36 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
5834	80 mm Q/C Excavator Coupler - Fits Cat 320C /D/E/F S/N: Not Available Usage: Not Available	5850	Esco 36 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
5835	80 mm Q/C Excavator Coupler - Fits Cat 320C /D/E/F S/N: Not Available Usage: Not Available	5851	36 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
5836	2015 Kent HP35ME-FT Excavator Plate Compactor Attachment S/N: Not Available Usage: Not Available	5852	C & P 36 in Digging Excavator Bucket S/N: 16082836 Usage: Not Available
		5853	Wain-Roy 24 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5854	GP 24 in Excavator Bucket - Fits John Deere 490 S/N: Not Available Usage: Not Available	5869	Skid Mounted Steel Fuel Tank S/N: Not Available Usage: Not Available
5855	Hensley 24 in Excavator Bucket - Fits Komatsu 200 S/N: 17044 Usage: Not Available	5870	2023 Emiliana Serbatoi AM-TANK 2300N 2376 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79539 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE marked Usage: Not Available
5856	Wain-Roy 12 in Digging Backhoe Rear Bucket - Fits Cat 416 S/N: Not Available Usage: Not Available	5871	2023 4-Fuel.com 4F2330 Gal 2330 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 4F23001823 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
5857	Wain-Roy 12 in Q/C Digging Backhoe Rear Bucket - Fits Cat 416 S/N: Not Available Usage: Not Available	5872	2023 Emiliana Serbatoi AM-TANK 2300N 2376 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79540 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available
5858	2011 Cat 54 in Backhoe Forks S/N: Not Available Usage: Not Available	5873	2023 4-Fuel.com 4F2000 2000 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 4F20000523 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available
5859	72 in 3-Point Gravel Leveler S/N: Not Available Usage: Not Available	5874	2023 4-Fuel.com 4F1100 Gal 1100 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 4F11000823 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
5860	40 ft Jib S/N: 179914-2 Usage: Not Available	5875	2023 4-Fuel.com 4F838 Gal 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 4F83801723 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
5861	40 ft Jib S/N: A01022-2 Usage: Not Available	5876	2023 Emiliana Serbatoi AM-TANK 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79542 C/W: 12 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available
5862	Quantity of (3) Rigging Cable S/N: Not Available Usage: Not Available	5877	2023 Emiliana Serbatoi AM-TANK 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79541 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available
5863	Quantity of (2) Rigging Cable S/N: Not Available Usage: Not Available		
5864	Quantity of (3) Spool of Rigging Cable S/N: Not Available Usage: Not Available		
5865	Quantity of (3) Spool of Rigging Cable S/N: Not Available Usage: Not Available		
5866B	Quantity of (3) Crane Hook S/N: Not Available Usage: Not Available		
5866A	Quantity of (3) Crane Hook S/N: Not Available Usage: Not Available		
5866	Quantity of (2) Spool of Rigging Cable S/N: Not Available Usage: Not Available		
5867	Quantity of (2) Greatbear Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available		
5868	10000 gal Skid Mounted Steel Diesel Fuel Tank S/N: Not Available C/W: Fuel Meter Usage: Not Available		

Lot #	Details	Lot #	Details
5878	2023 Emiliana Serbatoi AM-TANK 600 655 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79543 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available	5887	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11608023 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available
5879	2023 Emiliana Serbatoi AM-TANK 600 655 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 79544 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, CE Marked Usage: Not Available	5888	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11608123 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
5880	2023 4-Fuel.com 4F300 Gal 300 gal Skid Mounted Stainless Steel Diesel Fuel Tank (Unused) S/N: 4F03002023 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	5889	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11608223 C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available
5881	2023 4-Fuel.com 4F300 Gal 300 gal Skid Mounted Steel Diesel Fuel Tank (Unused) S/N: 4F03002123 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	5890	2023 Emiliana Serbatoi AM-TANK 58 58 gal Portable Poly Fuel Tank (Unused) S/N: 55227A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available
5882	2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused) S/N: 51605L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5891	2023 Emiliana Serbatoi AM-TANK 58 58 gal Portable Poly Fuel Tank (Unused) S/N: 55229A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available
5883	2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused) S/N: 51604L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5892	2023 Emiliana Serbatoi AM-TANK 58 58 gal Portable Poly Fuel Tank (Unused) S/N: 55228A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
5884	2023 Emiliana Serbatoi AM-TANK 116 116 gal Portable Poly Fuel Tank (Unused) S/N: 51606L C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5893	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05809723 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available
5885	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11607823 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	5894	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05809823 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
5886	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11607923 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	5895	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05809923 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
		5896	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05810023 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available

Lot #	Details	Lot #	Details
5897	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05810123 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	5908	2018 Combilift CB6000 6000 lb Cushion Tire Forklift S/N: 42609 C/W: 3 Stage Mast, 157 in Max Lift Height, 86 in Lowered Mast Height, 40 in Forks, Side Shift, Fork Positioner, 4 Cylinder LPG Engine Usage: 6,661 Hr
5898	2023 4-Fuel.com 4F58 Gal 58 gal Portable Plastic Fuel Tank (Unused) S/N: 4F05810223 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	5909	2008 Toyota 8FGCU25 4250 lb Cushion Tire Forklift S/N: 8FGCU2521212 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, Side Shift, 2008 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 11,251 Hr
5899	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05810323 C/W: 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	5910	2012 Nissan MCP1F2A20LV Cushion Tire Forklift S/N: CP1F29P9377 C/W: 2 Stage Mast, Full Free Lift, 108 in Max Lift Height, 57 in Lowered Mast Height, 37 in Forks, Side Shift, Fork Positioner, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 14,637 Hr
5900	2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Fuel Tank (Unused) S/N: 4F05810423 C/W: 12 V Transfer Pump Usage: Not Available	5911	2014 Nissan MCP1F2A20LV 4000 lb Cushion Tire Forklift S/N: CP1F29W4891 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 36 in Forks, Side Shift, Fork Positioner, Tier 2, 2014 US EPA Label, GCT 4 Cylinder 2.1 L LPG Engine Usage: 16,498 Hr
5901	2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused) S/N: 13591E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5913	2012 Nissan CF40LP 4000 lb Cushion Tire Forklift S/N: CP1F2-9P9371 C/W: 2 Stage Mast, 80 in Max Lift Height, 61 in Lowered Mast Height, 39 in Forks, Side Shift, Fork Positioner, Tier 2, 2012 US EPA Label, Nissan K21L 4 Cylinder 2.1 L LPG Engine Usage: 9,228 Hr
5902	2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused) S/N: 13589E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5914	2012 Nissan CF40LP 4000 lb Cushion Tire Forklift S/N: CP1F2-9P9368 C/W: 2 Stage Mast, 80 in Max Lift Height, 61 in Lowered Mast Height, 39 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Nissan K21L 4 Cylinder 2.1 L LPG Engine Usage: 10,735 Hr
5903	2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused) S/N: 13588E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE Marked Usage: Not Available	5915	2012 Nissan CF40LP 4000 lb Cushion Tire Forklift S/N: CP1F2-9P9367 C/W: 2 Stage Mast, 80 in Max Lift Height, 61 in Lowered Mast Height, 38 in Forks, Side Shift, Fork Positioner, Tier 2, 2012 US EPA Label, Nissan K21 L 4 Cylinder 2.1 L LPG Engine Usage: 11,218 Hr
5904	2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Fuel Tank (Unused) S/N: 13590E C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE marked Usage: Not Available	5916	2012 Nissan CF40LP 4000 lb Cushion Tire Forklift S/N: CP1F2-9P9374 C/W: 2 Stage Mast, 80 in Max Lift Height, 61 in Lowered Mast Height, 40 in Forks, Side Shift, Fork Positioner, Tier 2, 2012 US EPA Label, Nissan K21 L 4 Cylinder 2.1 L LPG Engine Usage: 14,541 Hr
5906	2022 4-Fuel.com 4F26 26 gal Portable Poly Diesel Tank (Unused) S/N: 4F02608222 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle, CE marked Usage: Not Available		
5907	Industrial Washer S/N: 862765 C/W: Cummins 4 Cylinder Diesel Engine Usage: 1,082 Hr		

Lot #	Details	Lot #	Details
5918	2001 Yale GDP100 10000 lb Pneumatic Tire Forklift S/N: C813D03059Y C/W: 3 Stage Mast, 196 in Max Lift Height, 99 in Lowered Mast Height, 60 in Forks, Side Shift, Perkins 4 Cylinder Diesel Engine Usage: 9,718 Hr	5926	2014 Toyota 8FGU25 4000 lb Pneumatic Tire Forklift S/N: 63560 C/W: 4 Stage Mast, 240 in Max Lift Height, 81 in Lowered Mast Height, 42 in Forks, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 2,779 Hr
5919	2005 Toyota 7FDKU40 8200 lb Diesel Pneumatic Tire Forklift S/N: 61550 C/W: 3 Stage Mast, Full Free Lift, 187 in Max Lift Height, 89 in Lowered Mast Height, 47 in Forks, Side Shift, 2005 US EPA Label, Toyota 6 Cylinder 76 hp 4.6 L Diesel Engine Usage: 7,337 Hr	5927	2003 Komatsu FG25T-12 3750 lb Dual Fuel Cushion Tire Forklift S/N: 561528A C/W: 3 Stage Mast, 188 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2002 US EPA Label, Nissan 4 Cylinder Dual Fuel Engine Usage: 8,361 Hr
5920	2006 Toyota 7FGU30 5820 lb LPG Pneumatic Tire Forklift S/N: 68965 C/W: 2 Stage Mast, 131.5 in Max Lift Height, 83 in Lowered Mast Height, 42 in Forks, Side Shift, 2006 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 5,122 Hr	5928	2005 Toyota 7FBEU20 3450 lb Electric Forklift S/N: 12515 C/W: 3 Stage Mast, 189 in Max Lift Height, 83 in Lowered Mast Height, 48 in Forks, Side Shift, Fork Positioner, Battery Charger Usage: Not Available
5921	2018 Toyota 8FGU30 5620 lb LPG Cushion Tire Forklift S/N: C1674 C/W: 3 Stage Mast, 187 in Max Lift Height, 88 in Lowered Mast Height, 41 in Forks, Side Shift, 2020 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 2,732 Hr	5929	Greatbear / Chery Industrial 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available
5922	2012 Toyota 8FGU30 5820 lb LPG Pneumatic Tire Forklift S/N: 35362 C/W: 3 Stage Mast, Full Free Lift, 171 in Max Lift Height, 84 in Lowered Mast Height, 60 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L LPG Engine Usage: 3,253 Mi	5930	Greatbear / Chery Industrial 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available
5923	1994 Toyota 02-5FD30 5800 lb Diesel Pneumatic Tire Forklift S/N: 70016 C/W: 2 Stage Mast, 145 in Max Lift Height, 94 in Lowered Mast Height, 53 in Forks, Side Shift, Toyota 4 Cylinder Diesel Engine Usage: 3,255 Hr	5931	Greatbear / Chery Industrial 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available
5924	2014 Toyota 8FGU30 4900 lb Dual Fuel Pneumatic Tire Forklift S/N: 61093 C/W: 4 Stage Mast, Full Free Lift, 240 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2014 US EPA Label, Toyota 4Y ECS 4 Cylinder 2.2 L Dual Fuel Engine Usage: 1,974 Hr	5932	2013 Atlas Copco XAS750JDIT4 750 cfm Mobile Air Compressor S/N: HOP081061 C/W: 125 psi Working Pressure, John Deere 6 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 5,245 Hr
5925	2012 Toyota 8FGU25 4350 lb Dual Fuel Cushion Tire Forklift S/N: 8FGU2540919 C/W: 3 Stage Mast, 189 in Max Lift Height, 82 in Lowered Mast Height, 41 in Forks, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 2,834 Hr	5933	2016 Doosan P425/HP375WCUT4 425 cfm Mobile Air Compressor S/N: 476106UDAAF15 C/W: 150 psi Working Pressure, Cummins 4 Cylinder 134 hp 3.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available
		5935	2013 Doosan 375 cfm Mobile Air Compressor S/N: 446432UIWE81 C/W: 150 psi Working Pressure, Cummins QSB 4 Cylinder 130 hp 4.5 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,605 Hr
		5936	2012 Doosan XP375WCU 375 cfm Mobile Air Compressor S/N: 443909UGWE81 C/W: 150 psi Working Pressure, Cummins QSB 4 Cylinder 130 hp 4.5 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,434 Hr

Lot #	Details	Lot #	Details
5937	2012 Ingersoll Rand XP375AWIR 375 cfm Mobile Air Compressor S/N: 436036UBWC48 C/W: 150 psi Working Pressure, John Deere 4045HF285C 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,535 Hr	5946	2014 Atlas Copco XAS185CD7TBV 185 cfm Mobile Air Compressor S/N: 4500A1013ER044769 C/W: 123 psi Working Pressure, Cat C2.2 4 Cylinder 19 kW 2.2 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 82 Hr
5938	2012 Ingersoll Rand XP375AWIR 375 cfm Mobile Air Compressor S/N: 436035UBWC48 C/W: 150 psi Working Pressure, John Deere 4045HF285C 4 Cylinder Diesel Engine Usage: 31,636 Hr	5947	2013 MMD PDS185S-6C2 210 cfm Mobile Air Compressor S/N: 2651 C/W: 100 psi Working Pressure, Kubota 4 Cylinder 49 hp Diesel Engine, S/A Trailer, Lunette Ring Usage: 18,137 Hr
5939	2014 Airman PDS185S-6C2 185 cfm Mobile Air Compressor S/N: B4-6C23315 C/W: 145 psi Working Pressure, Yanmar 3 Cylinder 36.4 kW Diesel Engine, S/A Trailer, Ball Hitch Usage: 7,674 Hr	5948	2006 Atlas Copco XAS185 185 cfm Mobile Air Compressor S/N: 4500A101X6R016843 C/W: 123 psi Working Pressure, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,786 Hr
5940	2019 Doosan C185WDO-T4F 185 cfm Mobile Air Compressor S/N: 493250UDADG87 C/W: 125 psi Working Pressure, Doosan D18NAP 3 Cylinder 49 hp 1.8 L Diesel Engine, Positive Air Shutoff, S/A Trailer, Lunette Ring Usage: 2,707 Hr	5949	2017 Atlas Copco XAS110KDPE 110 cfm Mobile Air Compressor S/N: APP498429 C/W: 7 bar Working Pressure, Kubota 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 537 Hr
5941	2017 Atlas Copco XAS185KD7PRT4F 185 cfm Mobile Air Compressor S/N: HOP054872 C/W: 125 psi Working Pressure, Kubota D1803-CR-T1-EF02 3 Cylinder 36.5 kW 1.8 L Diesel Engine, Positive Air Shutoff, S/A Trailer, Lunette Ring Usage: 1,665 Hr	5950	Vanair Viper G80 Mobile Air Compressor S/N: 30-18B0472 C/W: Kohler ECH749 2 Cylinder Gasoline Engine Usage: 13 Hr
5942	2016 Doosan P185WDO 185 cfm Mobile Air Compressor S/N: 477181UFAAF63 C/W: 125 psi Working Pressure, Doosan D24NAP 4 Cylinder 30 kW 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,687 Hr	5951	Vanair Viper G80 Mobile Air Compressor S/N: 30-18B0473 C/W: Kohler ECH749 2 Cylinder Gasoline Engine Usage: 93 Hr
5943	2016 Doosan P185WDO 185 cfm Mobile Air Compressor S/N: 477189UFAAF63 C/W: 100 psi Working Pressure, Doosan D24NAP 4 Cylinder 19 kW Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 5,483 Hr	5952	Vanair Viper G80 Mobile Air Compressor S/N: 30-18C0063 C/W: Kohler ECH749 2 Cylinder Gasoline Engine Usage: 110 Hr
5944	2015 Sullair 185DPQ 185 cfm Mobile Air Compressor S/N: 201501230029 C/W: 125 psi Working Pressure, Cat C2.2 4 Cylinder 2.2 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 241 Hr	5953	2007 Multiquip DCA-300SS 240 kW Mobile Generator Set S/N: T1012032 C/W: Komatsu SAA6D125E-5 6 Cylinder 347 hp 11040 cc Diesel Engine, 300 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 3,886 Hr
5945	2015 Atlas Copco XAS 185 CD PE 123 cfm Mobile Air Compressor S/N: HOP050442 C/W: Air Dryer, Cat 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,399 Hr	5954	2012 MQ 70KW 56 kW Mobile Generator Set S/N: 5SLBG1423CL010962 C/W: US EPA Label, Isuzu BJ-4JJ1X 4 Cylinder 73 kW 2.9 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Electric Brakes Usage: 25,980 Hr

Lot #	Details	Lot #	Details
5955	30 kW Skid-Mounted Generator Set (Unused) S/N: Not Available C/W: Cummins 495 D1 4 Cylinder 33 kW Diesel Engine, /30 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank Usage: Not Available	5963	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13110 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5956	2016 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set S/N: 7151936 C/W: Isuzu 4 Cylinder 30 kW Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 3,091 Hr	5964	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13111 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5957A	Olympian Generator Set S/N: Not Available C/W: 6 Cylinder LPG Engine Usage: 100 Hr	5965	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13112 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5957	Generac Guardian 18 kW Skid-Mounted Generator Set S/N: 3010844612 C/W: Generac G Force 800 2 Cylinder 816 cc Natural Gas Engine, /14 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, Sound Attenuated Usage: Not Available	5966	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13118 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5958	2016 Solar Tech Solar Message Board S/N: 4GM1M0911G1471111 C/W: S/A Trailer, Ball Hitch Usage: Not Available	5967	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13117 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5959	2014 Solar Tech MB-1548 Solar Message Board S/N: 4GM2M1516E1412228 C/W: Solar Powered, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	5968	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13116 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5960	2023 VICSEC VC15 Mini Excavator (Unused) S/N: VC15111 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5969	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13109 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Digging Bucket, Manual Thumb Usage: Not Available
5961	2023 MMS MS13 Mini Excavator (Unused) S/N: WJ1T2303E C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5970	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13113 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
5962	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13119 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5971	2023 VICSEC VC13 Mini Excavator (Unused) S/N: VC13114 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
		5974	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C10 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available

Lot #	Details	Lot #	Details
5975	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C11 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5984	2023 FF FF-12 Mini Excavator (Unused) S/N: 422320533 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5976	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C08 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5985	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347599 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5977	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C09 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5986	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347598 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5978	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C12 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5987	2023 FF FF-12 Mini Excavator (Unused) S/N: 422320556 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5979	2023 VICSEC VC13C Mini Excavator (Unused) S/N: VC13C13 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5988	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347552 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5980	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347587 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	5989	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351623 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
5981	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351637 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	5990	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351632 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: 3 Hr
5982	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351631 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	5991	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347541 C/W: 2023 US EPA Label, 7 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: 1 Hr
5983	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351633 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	5993	2010 Genie S-85 4WD Diesel Telescopic Boom Lift S/N: S85108453 C/W: 85 ft 5 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2010 US EPA Label, Deutz 4 Cylinder 3.6 L Diesel Engine Usage: 5,025 Hr

Lot #	Details	Lot #	Details
5994	2015 JLG 800AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300202392 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, 15-625NHS Foam-Filled Tires Usage: 1,398 Hr	6002	1999 Skyjack SJB66TK 4WD Diesel Telescopic Boom Lift S/N: 93315 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, LRG-425 4 Cylinder 4.3 L Gasoline Engine, 15-19.5 Tires Usage: 2,971 Hr
5995	2013 JLG 800S 4WD Dual Fuel Telescopic Boom Lift S/N: 0300168728 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, 15-625NHS Foam-Filled Tires Usage: 1,045 Hr	6003	2007 Snorkel TB42DZ 4WD Diesel Telescopic Boom Lift S/N: JU07068RBLT C/W: 42 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz 3 Cylinder Diesel Engine, 12-16.5 Tires Usage: 5,110 Hr
5996	2012 JLG 800A 4WD Dual Fuel Articulating Boom Lift S/N: 0300156453 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, IN445 /55D19.5 Tires Usage: 1,635 Hr	6004	2006 Snorkel TB42DZ 4WD Diesel Telescopic Boom Lift S/N: JU06102RBLT C/W: 42 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz F3I2011 48 hp 2.33 L Diesel Engine, 12x16.5 Tires Usage: 5,559 Hr
5997	2008 JLG 800S 4WD Diesel Telescopic Boom Lift S/N: 0300134578 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2008 US EPA Label, Deutz D2011 L04 4 Cylinder 62 hp 3.61 L Diesel Engine, 15-625NHS Foam-Filled Tires Usage: 2,205 Hr	6005	2022 CMC 72HD Crawler Articulating Boom Lift S/N: S22A3823 C/W: 64 ft 3 in Max Lift Height, 507 lb Max Weight Capacity, Jib, Tier 4, 2022 US EPA Label, Kubota 2 Cylinder Diesel Engine, 10 in Rubber Tracks Usage: 513 Hr
5998	2007 JLG 600S 4WD Diesel Telescopic Boom Lift S/N: 0300105180 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2006 US EPA Label, Deutz 4 Cylinder 3.1 L Diesel Engine, 15-19.5 Tires Usage: 5,184 Hr	6006	2015 JLG 450AJ Series II 4WD Diesel Articulating Boom Lift S/N: 0300203375 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2015 US EPA Label, Deutz 4 Cylinder Diesel Engine, 12-16.5 NHS Foam-Filled Tires Usage: Not Available
5999	2007 Genie S-60 4WD Dual Fuel Telescopic Boom Lift S/N: S600715431 C/W: 60 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Ford 4 Cylinder Dual Fuel Engine, 355/55D625 Foam-Filled Tires Usage: 11,201 Hr	6007	2012 JLG 450AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300156333 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Dual Fuel Engine, 12-16-5 Tires Usage: 2,049 Hr
6000	2001 Genie S-60 4WD Diesel Telescopic Boom Lift S/N: 6789 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz 4 Cylinder Diesel Engine, 15-19.5NHS Tires Usage: 5,599 Hr	6008	2014 JLG E400AJPN Electric Articulating Boom Lift S/N: 0300190560 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 771 Hr
6001	2013 Genie Z-60/34 4WD Diesel Articulating Boom Lift S/N: Z6013-12166 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Deutz 3 Cylinder Diesel Engine, 355/55D625 Foam-Filled Tires Usage: 3,513 Hr	6009	2014 Snorkel A38E Electric Articulating Boom Lift S/N: A38E01006196 C/W: 37 ft 6 in Max Lift Height, 495 lb Max Weight Capacity, Power to Platform, 22x9x16 Solid Non-Marking Tires Usage: 511 Hr
		6010	2012 JLG E300AJP Electric Articulating Boom Lift S/N: '0300162774 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Solid Non-Marking Tires Usage: 896 Hr

Lot #	Details	Lot #	Details
6011	2016 JLG T500J Towable Lift S/N: 0030007396 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Honda 1 Cylinder Gasoline Engine Usage: 884 Hr	6020	2016 JLG 3248RS Electric Scissor Lift S/N: 0200256102 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 460 Hr
6012	2013 Skyjack SJ6832RT Diesel 4x4 Scissor Lift S/N: 37000998 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, Tier 4, 2013 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 2,111 Hr	6021	2016 JLG 3248RS Electric Scissor Lift S/N: 0200240385 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Upper Control Box Usage: 477 Hr
6013	2018 Airo X14 RTD Diesel 4x4 Scissor Lift S/N: SF227357 C/W: 39 ft Max Lift Height, 880 lb Max Weight Capacity, Platform Extension, Stabilizers, Foam Filled Tires, Upper Control Box, 2018 US EPA Label, Yanmar 3 Cylinder Diesel Engine Usage: 55 Hr	6022	2015 JLG 3248RS Electric Scissor Lift S/N: 0200238430 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 333 Hr
6014	2015 JLG 4069 LE Electric Scissor Lift S/N: 0200240466 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Foam Filled Tires, Upper Control Box Usage: 120 Hr	6023	2017 Snorkel S4732E Electric Scissor Lift S/N: S4732E-04-000904 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 515 Hr
6015	2020 LCMG AS4046E Electric 4x4 Scissor Lift S/N: L11300003 C/W: 40 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6024	2016 Snorkel S4732E Electric 4x4 Scissor Lift S/N: S4732E-04-000884 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6016	2020 LCMG AS4046E Electric 4x4 Scissor Lift S/N: K11300172 C/W: 40 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6025	2016 Snorkel S4732E Electric 4x4 Scissor Lift S/N: S4732E-04-000708 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6017	2020 LCMG AS4046E Electric 4x4 Scissor Lift S/N: K11300193 C/W: 40 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 206 Hr	6026	2016 Snorkel S4732E Electric Scissor Lift S/N: S4732E04000319 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 627 Hr
6018	2016 JLG 3248RS Electric Scissor Lift S/N: 0200253725 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 398 Hr	6027	2015 JLG 3246ES Electric Scissor Lift S/N: 0200248078 C/W: 31 ft 75 in Max Lift Height, 700 lb Max Weight Capacity, Upper Control Box Usage: 356 Hr
6019	2016 JLG 3248RS Electric Scissor Lift S/N: 0200241482 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 456 Hr	6028	2015 JLG 3246ES Electric Scissor Lift S/N: 0200248102 C/W: 31 ft 75 in Max Lift Height, 700 lb Max Weight Capacity, Upper Control Box Usage: 696 Hr
		6029	2015 JLG 3246ES Electric Scissor Lift S/N: 0200248035 C/W: 31 ft 9 in Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 380 Hr

Lot #	Details	Lot #	Details
6030	2014 Genie GS3246 Electric Scissor Lift S/N: GS4614A-116618 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6039	2013 MEC 3084ES Electric 4x4 Scissor Lift S/N: 11700049 C/W: 30 ft Max Lift Height, 1500 lb Max Weight Capacity, Power to Platform, Foam Filled Tires, Upper Control Box Usage: 253 Hr
6031	2015 Genie GS3246 Electric Scissor Lift S/N: GS4615A-135830 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 464 Hr	6040	2018 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27038296 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 205 Hr
6032	2016 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70027143 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 222 Hr	6041	2018 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27038295 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 216 Hr
6033	2015 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70023848 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 284 Hr	6042	2016 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27029156 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 160 Hr
6034	2015 Skyjack SJIII 4632 Electric Scissor Lift S/N: 70023851 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Upper Control Box Usage: 362 Hr	6043	2016 Skyjack SJ3226 Electric Scissor Lift S/N: 27027818 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 174 Hr
6035	2016 Skyjack SJ4632 Electric Scissor Lift S/N: 70027575 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6044	2017 Snorkel S4726E Electric Scissor Lift S/N: S4726E-04-171000671 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6036	2019 LCMG AS3246E Electric 4x4 Scissor Lift S/N: K11100002 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 72 Hr	6045	2017 Snorkel S4726E Electric Scissor Lift S/N: S4726E04171000674 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 145 Hr
6037	2016 Genie GS3232 Electric Scissor Lift S/N: GS3216P-147195 C/W: 22 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 293 Hr	6046	2015 Snorkel S4726E Electric Scissor Lift S/N: S4726E04000066 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 779 Hr
6038	2017 Genie GS3232 Electric Scissor Lift S/N: 155662 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 127 Hr	6047	2015 Snorkel S4726E Electric 4x4 Scissor Lift S/N: S4726E-04-000065 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available

Lot #	Details	Lot #	Details
6048	2015 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27027920 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 193 Hr	6059	2016 Genie GS-2632 Electric Scissor Lift S/N: GS32P149203 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 375 Hr
6049	2016 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27027910 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 242 Hr	6060	2018 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22120707 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 188 Hr
6050	2014 Skyjack SJIII 3226 Electric Scissor Lift S/N: 27020027 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 189 Hr	6061	2018 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22120645 C/W: 25 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 207 Hr
6051	2016 JLG 2632ES Electric Scissor Lift S/N: M200003224 C/W: 25.5 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 266 Hr	6062	2018 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22120696 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 223 Hr
6052	2016 JLG 2632ES Electric Scissor Lift S/N: M200001336 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity Usage: 343 Hr	6063	2018 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22121780 C/W: 19 ft Max Lift Height, 2580 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 250 Hr
6055	2015 JLG 2632ES Electric Scissor Lift S/N: 0200245562 C/W: 25 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 414 Hr	6064	2017 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22106613 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 252 Hr
6056	2014 Genie GS2632 Electric Scissor Lift S/N: GS3215A-136714 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 246 Hr	6065	2018 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22121778 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 279 Hr
6057	2015 Genie GS2632 Electric Scissor Lift S/N: GS3215A-138279 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 283 Hr	6066	2017 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22106593 C/W: 19 ft Max Lift Height, 2580 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: 334 Hr
6058	2015 Genie GS-2632 Electric Scissor Lift S/N: GS3215A138282 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6067	2017 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22106616 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 310 Hr

Lot #	Details	Lot #	Details
6068	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22092202 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr	6078	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22083635 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 150 Hr
6069	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22092058 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 145 Hr	6079	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22084385 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 156 Hr
6070	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096190 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 222 Hr	6080	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22087320 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 153 Hr
6071	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22095107 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 230 Hr	6081	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22087425 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 167 Hr
6072	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096187 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 254 Hr	6082	2015 Skyjack SJIII3219 Electric Scissor Lift S/N: 22088687 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 192 Hr
6073	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096196 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 268 Hr	6083	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: Not Available C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 204 Hr
6074	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096193 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 270 Hr	6084	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22084390 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 205 Hr
6075	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096203 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Upper Control Box Usage: 298 Hr	6085	2015 Skyjack SJIII3219 Electric Scissor Lift S/N: 22083989 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 213 Hr
6076	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096445 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 233 Hr	6086	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22078051 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 250 Hr
6077	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096455 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 273 Hr		

Lot #	Details	Lot #	Details
6087	2018 JLG 1932R Electric Scissor Lift S/N: M200012978 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 129 Hr	6096	2015 JLG 1932RS Electric Scissor Lift S/N: 0200243372 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 313 Hr
6088	2016 JLG 1932RS Electric Scissor Lift S/N: 0200257056 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 195 Hr	6097A	2014 JLG 1932RS Electric Scissor Lift S/N: 200222675 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 413 Hr
6089	2016 JLG 1932RS Electric Scissor Lift S/N: 0200258626 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 317 Hr	6097	2015 JLG 1932RS Electric Scissor Lift S/N: 0200242091 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 375 Hr
6090	2016 JLG 1932RS Electric Scissor Lift S/N: 0200256069 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 327 Hr	6099	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-002045 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6091	2016 JLG 1932RS Electric Scissor Lift S/N: 0200254342 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 322 Hr	6100	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001937 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 704 Hr
6092	2016 JLG 1932RS Electric Scissor Lift S/N: 0200258638 C/W: 19 ft Max Lift Height, 3446 lb Max Weight Capacity, Upper Control Box Usage: 326 Hr	6101	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001577 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,824 Hr
6093	2016 JLG 1932RS Electric Scissor Lift S/N: 0200258627 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 342 Hr	6102	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E04002050 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 478 Hr
6094	2016 JLG 1932RS Electric Scissor Lift S/N: 0200256093 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 344 Hr	6103	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001941 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6095	2016 JLG 1932RS Electric Scissor Lift S/N: 0200258617 C/W: 19 ft Max Lift Height, 3460 lb Max Weight Capacity Usage: 376 Hr	6104	2015 Snorkel S3219E Electric Scissor Lift S/N: S3219E-04-001378 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available

Lot #	Details	Lot #	Details
6105	2015 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001269 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 836 Hr	6113	2019 Genie AWP40S Vertical Mast Lift S/N: AWP94685 C/W: 40 ft Max Lift Height, 300 lb Max Weight Capacity, Power to Platform, Stabilizers, Solid Non-Marking Tires Usage: Not Available
6106	2016 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001331 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 767 Hr	6114	2016 Genie AWP-30S DC Vertical Mast Lift S/N: AWP16G-85696 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available
6107	2015 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001214 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 265 Hr	6115	2016 JLG 20MVL Vertical Mast Lift S/N: 0130025110 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available
6108A	2016 JLG 1930ES Electric Scissor Lift (Inoperable) S/N: M200000559 C/W: 18 ft 9 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 311 Hr	6116	2014 JLG 20MVL Vertical Mast Lift S/N: 0130021259 C/W: 19 ft 5 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 374 Hr
6108	2015 Snorkel S3219E Electric Scissor Lift S/N: S3219E04001282 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	6117	2017 Sumner 2124 Material Hoist S/N: 27945 Usage: Not Available
6109	2016 JLG 1930ES Electric Scissor Lift S/N: M200000604 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr	6118	2016 Sumner 2124 Material Hoist S/N: 26490 Usage: Not Available
6110	2016 JLG 1930ES Electric Scissor Lift S/N: 0200254173 C/W: 18 ft 7 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 281 Hr	6119	2016 Sumner R250 Material Hoist S/N: 19722 Usage: Not Available
6111	2006 JLG 1930ES Electric Scissor Lift S/N: 44143 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 238 Hr	6120	2019 Wanco WAL I 6k Light Tower S/N: 5F13D1015K1004928 C/W: Kubota D1005 3 Cylinder Diesel Engine, 2 Lamps, LED Lighting, Balloon Diffuser, S/A Trailer, Ball Hitch, Electric Brakes Usage: 441 Hr
6112	2018 Ballymore PLD-PLUS Electric Portable Loading Dock Scissor Lift S/N: 60180300730 C/W: 4 ft 9 in Max Lift Height, 1500 lb Max Weight Capacity Usage: Not Available	6121	2018 Magnum MLT6SK Light Tower S/N: 7FSXL101XJB396561 C/W: Kubota D1005 3 Cylinder 10.6 kW Diesel Engine, 4 Lamps, Ball Hitch Usage: 5,303 Hr
		6122	2018 Magnum Pro MLT 3060 Light Tower S/N: Not Available C/W: 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,450 Hr
		6123	2018 Magnum Pro MLT3060M Light Tower S/N: 3002789884 C/W: Tier 4, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: Not Available
		6124	2018 Magnum Pro MLT3060M 6 kW Light Tower S/N: 3003347932 C/W: Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 6,419 Hr

Lot #	Details	Lot #	Details
6125	2017 Magnum Pro MLT3060M 6 kW Light Tower S/N: 3001505134 C/W: 2016 US EPA Label, 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 6,234 Hr	6135	2018 Magnum MLT-6SK 6 kW Light Tower S/N: 7FSXL1015JB661919 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 1,116 Hr
6126	2017 Magnum Pro MLT3060 Light Tower S/N: 3001505135 C/W: US EPA Label, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,657 Hr	6136	2018 Magnum MLT-6SK Light Tower S/N: 7FSXL2014JB614185 C/W: 2018 US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 4,128 Hr
6127	2017 Magnum Pro MLT3060M Light Tower S/N: 3001748590 C/W: Tier 4, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, Lunette Ring Usage: Not Available	6137	2017 Magnum MLT-6SK 6 kW Light Tower S/N: 7FSXL1010HB853744 C/W: Tier 4, 2017 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,672 Hr
6128	2016 Magnum Pro MLT3060 Light Tower S/N: 1601638 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: Not Available	6138	2016 Magnum MLT-6SK Light Tower S/N: 5AJLS1011GB258578 C/W: 2015 US EPA Label, Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 1,644 Hr
6129	2016 Magnum Pro MLT3060M Light Tower S/N: 5AJLS1410GB605263 C/W: 2016 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,559 Hr	6139	2016 Magnum MLT-6SK 6 kW Light Tower S/N: 5AJLS1015GB601876 C/W: Tier 4, 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 2,646 Hr
6130	2017 Magnum Pro MLT6SK Light Tower S/N: 11HB524371 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,055 Hr	6140	2015 Magnum MLT-6SK 6 kW Light Tower S/N: 3001255312 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Ball Hitch, Electric Brakes Usage: 2,810 Hr
6131	2017 Magnum Pro MLT6SK Light Tower S/N: 3002192646 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,571 Hr	6141	2016 Magnum MLT-6SK 6 kW Light Tower S/N: 1602328 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,205 Hr
6132	2016 Magnum Pro MLT6SK Light Tower S/N: 1602401 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,406 Hr	6142	2016 Magnum MLT6SMD 6 kW Light Tower S/N: 5AJLS1015GB286254 C/W: 2016 US EPA Label, Mitsubishi LE3 3 Cylinder 8 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 73 Hr
6133	2017 Magnum Pro MLT6SM Light Tower S/N: 7FSBL1016HB131009 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,310 Hr	6143	2018 Magnum PLT240 2.4 kW Electric Light Tower S/N: 3003020036 C/W: 4 Lamps, LED Lighting, S/A Trailer Usage: Not Available
6134	2016 Magnum Pro MLT6SM Light Tower S/N: 1601464 C/W: 2015 US EPA Label, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,748 Hr	6144	2017 Magnum PLT240 2.4 kW Electric Light Tower S/N: 3001505978 C/W: 4 Lamps, LED Lighting, S/A Trailer Usage: Not Available

Lot #	Details	Lot #	Details
6145	2016 Generac PLT240 2.4 kW Light Tower S/N: Not Available C/W: 4 Lamps, LED Lighting Usage: Not Available	6155	2017 Generac PLT240 2.4 kW Electric Light Tower S/N: 3002056362 C/W: 4 Lamps, LED Lighting, Power Receptacles, Fork Pockets Usage: Not Available
6146	2016 Generac PLT240 2.4 kW Light Tower S/N: Not Available C/W: 4 Lamps, LED Lighting Usage: Not Available	6156	2017 Doosan LSCWKUB60HZ 4000 W Light Tower S/N: 482208UHABG23 C/W: Tier 4, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 2,979 Hr
6147	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1013JB661918 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,712 Hr	6157	2018 Doosan LSCWKUB60HZ 4000 W Light Tower S/N: 4FVLSACA0JU482838 C/W: Tier 4, Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 2,801 Hr
6148	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1017HB473977 C/W: Tier 4, 2017 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 2,043 Hr	6158	2017 Doosan LSCWKUB60HZ 4000 W Light Tower S/N: 482837UJABG23 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 3,212 Hr
6149	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1013JB367418 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Electric Brakes Usage: 4,344 Hr	6159	2017 Doosan LSCWKUB60HZ 4000 W Light Tower S/N: 4FVLSACA6HU482207 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,123 Hr
6150	2018 Generac MLT6SK Light Tower S/N: Not Available C/W: Tier 4, 2018 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 2,281 Hr	6160	2016 Doosan LSC-60HZ 4000 W Light Tower S/N: 4FVLSACA0GU476658 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 6,196 Hr
6151	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1012JB661909 C/W: Tier 4, 2018 US EPA Label, Kubota D100-BG-EF02 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 1,569 Hr	6161	2017 Wacker LTV6K Light Tower S/N: WNCLTV02JPUM01016 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine Usage: 8,546 Hr
6152	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1011HB477345 C/W: Tier 4, 2017 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 4,475 Hr	6162	2017 Wacker LTW8K Light Tower S/N: 24265689 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 2,397 Hr
6153	2018 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1010JB661911 C/W: Tier 4, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Electric Brakes Usage: 1,914 Hr	6163	2016 Wacker LTV6K Light Tower S/N: 5XFLV0410HN002391 C/W: Tier 4, 2016 US EPA Label, Kohler 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: 3,034 Hr
6154	2017 Generac MLT6SK 6 kW Light Tower S/N: 7FSXL1010HB124157 C/W: Tier 4, 2017 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Surge Brakes Usage: 3,961 Hr	6164	2016 Wacker Neuson LTN6K 6 kW Light Tower S/N: 5XFLN0516GN002926 C/W: US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,532 Hr
		6165	2016 Wacker Neuson LTN6L 6 kW Light Tower S/N: 5XFLN0517GN001316 C/W: Tier 4, Kohler 3 Cylinder 6 kW Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 7,149 Hr

Lot #	Details	Lot #	Details
6166	2015 Wacker LTN6 6 kW Light Tower S/N: 5XFLN0510FN003228 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,528 Hr	6177	2012 Lincoln K2712-1 400 A Skid-Mounted Stick Engine Driven Welder S/N: U1120605203 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 4,953 Hr
6168	2018 Trime X-Chain Light Tower S/N: 400180431 C/W: 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer Usage: Not Available	6178	2008 Lincoln K2712-1 400 A Skid-Mounted Stick Engine Driven Welder S/N: U1080606485 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 102 Hr
6169	2017 Genie RL4-E Light Tower S/N: RL4J-4398 C/W: 2016 US EPA Label, Kohler 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,319 Hr	6179	Lincoln Ranger 305D 300 A Stick Engine Driven Welder S/N: U1140911792 C/W: Kubota D722 3 Cylinder Diesel Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: 1,372 Hr
6170	2016 Atlas Copco Hilight V4 Light Tower S/N: WUX906294 C/W: Kubota 2 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 1,923 Hr	6180	1983 Lincoln 300HE 300 A Stick Engine Driven Welder S/N: C1141001914 C/W: Kubota D1503 3 Cylinder Diesel Engine, Welding Leads Not Included Usage: 3,707 Hr
6171	2015 Premier 4NNTLRP3CE1T Trailer-Mounted Water Pump S/N: 150411 C/W: 4 in Intake, 6 in Discharge, Centrifugal Trash Pump, 2014 US EPA Label, Isuzu 3KND4 3 Cylinder 1.6 L Diesel Engine Usage: 8,117 Hr	6181	2018 Miller Bobcat 250 LP 250 A Multi-Process Engine Driven Welder S/N: MJ120602R C/W: Kohler 2 Cylinder LPG Engine, Welding Leads Not Included, 120 V / 240 V Rated Voltage Usage: Not Available
6172	2013 Lincoln K3211-2 450 A Skid-Mounted Stick Engine Driven Welder S/N: U1130507409 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 6,372 Hr	6182	2011 Miller 907062071 750 A Skid-Mounted Multi-Process Engine Driven Welder S/N: MB360078E C/W: Deutz 4 Cylinder 63.4 hp Diesel Engine, Welding Leads Not Included, /26.4 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, Air Compressor Usage: 2,562 Hr
6173	2013 Lincoln K3211-1 450 A Skid-Mounted Stick Engine Driven Welder S/N: Not Available C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 1,450 Hr	6183	Lincoln Idealarc 250 95 A Mobile Stick Engine Driven Welder S/N: C1950800391 C/W: 3 Phase, 208 V / 460 V Input, Welding Leads, 208 V / 460 V Rated Voltage Usage: Not Available
6174	2012 Lincoln K3211-1 450 A Skid-Mounted Stick Engine Driven Welder S/N: U1120905375 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 2,915 Hr	6184	2016 Miller CST-280 Stick Electric Welder S/N: MG070197G C/W: 3 Phase, Single Phase, 220 V / 460 V Input, Welding Leads Not Included Usage: Not Available
6175	2012 Lincoln K2712-1 400 A Skid-Mounted Stick Engine Driven Welder S/N: U1120906618 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 3,385 Hr	6185	1983 Flexifloat U22 Double Drum Diesel Winch - Fits Flexifloat S70 Barge S/N: SPW12 Usage: Not Available
6176	2012 Lincoln K2712-1 400 A Skid-Mounted Stick Engine Driven Welder S/N: U1120905648 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: 3,194 Hr	6186	1982 Flexifloat U22 Double Drum Diesel Winch - Fits Flexifloat S70 Barge S/N: SPW8 Usage: Not Available

Lot #	Details	Lot #	Details
6187	Thermo King Reefer Unit S/N: Not Available C/W: Isuzu 4 Cylinder Diesel Engine, C/W Additional Compressor, 4 Cylinder Diesel Engine and Panels Usage: Not Available	6201	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1210917 Usage: Not Available
6188	Carrier 2100A Reefer Unit S/N: Not Available C/W: Kubota 4 Cylinder Diesel Engine Usage: Not Available	6202	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1236917 Usage: Not Available
6189	Reefer Unit S/N: Not Available Usage: Not Available	6203	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1238017 Usage: Not Available
6190	Carrier NDL93VN0-AM-0 Reefer Unit S/N: KAE90812769 C/W: 2005 US EPA Label, Kubota V2203-DI-ES 4 Cylinder 2.2 L Diesel Engine Usage: Not Available	6204	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1237217 Usage: Not Available
6191	Thermo King SB-210+ Reefer Unit S/N: Not Available C/W: Ingersoll Rand 4 Cylinder Diesel Engine Usage: Not Available	6205	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1236417 Usage: Not Available
6192	Quantity of (4) Firestone L-5 23.5-25 Tires S/N: Not Available C/W: To Fit Wheel Loader, All Tires with Wheels Usage: Not Available	6206	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1211317 Usage: Not Available
6193	Quantity of (4) Michelin XZL 14.00 R 20 Tires S/N: Not Available C/W: All Tires with Wheels, Mounted On Budd Wheels For Army Truck 6x6 Usage: Not Available	6207	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1238117 Usage: Not Available
6194	Quantity of (4) Michelin XL 14.00 R 20 Tires S/N: Not Available C/W: All Tires with Wheels, Mounted On Budd Wheels For Army Truck 6x6 Usage: Not Available	6208	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1237717 Usage: Not Available
6195	Quantity of (2) Goodyear 22/65R25 Tires (Unused) S/N: Not Available Usage: Not Available	6209	2016 Linkit LKS300-3.2 12 in x 10 ft Portable Conveyor S/N: 1194816 C/W: Channel Frame, Manual Raise Usage: Not Available
6196	2023 Paladin HL-SMS-2040E 2 Deck Screener (Unused) S/N: Not Available Usage: Not Available	6210	2016 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1130616 Usage: Not Available
6197	Portable Transfer Conveyor S/N: 43194 Usage: Not Available	6211	2015 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1082315 Usage: Not Available
6198	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1230117 Usage: Not Available	6212	2016 Link-It LKS300-3.2 12 in x 10 ft Portable Conveyor S/N: 1131016 C/W: Channel Frame Usage: Not Available
6199	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1181416 Usage: Not Available	6213	2023 Paladin ZW-SM-3206E Permanent Suspended Magnet (Unused) S/N: Not Available Usage: Not Available
6200	2017 Linkit LKS300-3.2 12 in x 10 ft Portable Transfer Conveyor S/N: 1181316 Usage: Not Available	6214	Bid-Well Catwalk S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6215	2016 Bomag BMP8500 Trench Compactor S/N: 101720124288 C/W: Tier 4, 2014 US EPA Label, Kubota D1005-EF06 3 Cylinder 14.5 kW 1.0 L Diesel Engine, Remote Control w/ Cord, Articulated Steering Usage: 269 Hr	6225	2019 Wacker BS504AS Jumping Jack Tamper S/N: 11048352 C/W: 2019 US EPA Label, Honda R120 1 Cylinder Gasoline Engine Usage: Not Available
6216	2018 Bomag BMP8500 Trench Compactor S/N: 101720128583 C/W: Tier 4, 2014 US EPA Label, Kubota 3 Cylinder Diesel Engine, Remote Control w/ Cord Usage: 324 Hr	6226	2018 Multiquip WBH-16F Concrete Buggy S/N: 180921 C/W: Hydrostatic Drive, Honda 1 Cylinder Gasoline Engine Usage: Not Available
6217	2017 Bomag BMP8500 Trench Compactor S/N: 101720126365 C/W: Tier 4, 2016 US EPA Label, Kubota D1005-EF06 3 Cylinder Diesel Engine, Remote Control w/ Cord Usage: 376 Hr	6227	Multiquip Whiteman Power Trowel S/N: Not Available Usage: Not Available
6218	2010 Wacker RT82-SC-2 Trench Compactor S/N: 5884288 C/W: Open Operator Station, 2011 US EPA Label, Kohler 3 Cylinder 19 kW 1.02 L Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: 1,475 Hr	6228	Power Trowel S/N: Not Available C/W: Honda 5 hp Gas Engine Usage: Not Available
6219	2009 Wacker RT Trench Compactor S/N: 5908275 C/W: Open Operator Station, 2008 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 32 in Drums, Remote Control w/ Cord, Articulated Steering Usage: Not Available	6229	2014 Metax JM30S-4 Batching Plant Mortar and Grout Mixer S/N: 0117 C/W: Mission Magnum 1 cu yd/h Pump Usage: 1,545 Hr
6220	2018 Multiquip Rammax 1575 Trench Compactor S/N: 5570745 C/W: Open Operator Station, Tier 4, 2019 US EPA Label, Yanmar 3 Cylinder Diesel Engine, 12 in Drums, Remote Control w/ Cord Usage: 482 Hr	6230	Garbo 454-R 2 yd Concrete Bucket S/N: Not Available Usage: Not Available
6221	2017 Wacker RTKX-SC3 Trench Compactor S/N: 4677 C/W: Tier 4, 2017 US EPA Label, Kubota D902-EF04 3 Cylinder 15.5 kW 898 L Diesel Engine, 23 in Drums, Cordless Remote Control Usage: 338 Hr	6231	Garbo 454-R 2 yd Concrete Bucket S/N: Not Available Usage: Not Available
6222	2016 Wacker RTKX-SC3 Trench Compactor S/N: 2568 C/W: Open Operator Station, Tier 4, US EPA Label, Kubota D902-EF04 15.5 kW 898 L Diesel Engine, 22 in / 325 in Drums, Cordless Remote Control, Articulated Steering Usage: 482 Hr	6232	Garbo 454-R 2 yd Concrete Bucket S/N: Not Available Usage: Not Available
6223	2015 Wacker Neuson RTSC3 Trench Compactor S/N: 24257111 C/W: Kubota 3 Cylinder 0.89 L Diesel Engine, 22 in / 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 687 Hr	6233	Quantity of (4) Concrete Bucket S/N: Not Available Usage: Not Available
6224	Mikasa MTX-70HD Jumping Jack Tamper S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	6234	Quantity of (3) Concrete Bucket S/N: Not Available Usage: Not Available
		6235	Razorback Concrete Screed S/N: Not Available C/W: 1 ft 6 in Screed, 37 ft 2 in Boom Length, Honda Gasoline Engine Usage: Not Available
		6236	2022 Crown Mortar and Grout Mixer (Unused) S/N: 3A9S23M14N1168063 C/W: 2021 US EPA Label, Lifan 1 Cylinder 7 hp 212 cc Gasoline Engine, S/A Trailer, Ball Hitch Usage: Not Available
		6237	2016 Quikspray Carrousel Pump Cement Pump S/N: T363013 Usage: Not Available
		6238	Greatbear 12 CY. Bedding Box (Unused) S/N: Not Available Usage: Not Available
		6240	Greatbear 9 CY. Bedding Box S/N: Not Available Usage: Not Available
		6242	Greatbear 7CY Bedding Box S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6243	4 ft x 10 ft Trash Pan S/N: Not Available Usage: Not Available	6251B	Quantity of (4) - 8" Solid Flight Auger (1) - 8" SFA Drill Bit S/N: Not Available Usage: Not Available
6244	Quantity of (8) 2022 Kit Containers Steel 3/8 in. 60 in x 96 in Steel Plates S/N: Not Available Usage: Not Available	6251A	Quantity of (10) - 4" Solid Flight Auger (1) - Auger Fork (1) 4" SFA Drill Bit S/N: Not Available Usage: Not Available
6245D	Quantity of (4) Spreader Bar S/N: Not Available Usage: Not Available	6251	2019 Vermeer MX240 Mud Mixing System S/N: 1VR6120P2KF004793 C/W: Centrifugal Pump, 2018 US EPA Label, Kohler 2 Cylinder Gasoline Engine Usage: 781 Hr
6245C	Quantity of (4) Spreader Bar S/N: Not Available Usage: Not Available	6252	2015 Vermeer RTX450 4x4 Trencher S/N: 1VR4080U0F1003339 C/W: Hydrostatic Drive, Deutz 4 Cylinder Diesel Engine, 2 in Wide x 60 in Long Rock Trencher Chain, Straight Blade, Side Shift Usage: 360 Hr
6245B	Quantity of (3) Spreader Bar S/N: Not Available Usage: Not Available	6254	2016 Vermeer RTX250 Walk-Behind Trencher S/N: 1VRD070D6G1000795 C/W: Hydrostatic Drive, 2015 US EPA Label, Kohler ECH740 2 Cylinder 747 cc Gasoline Engine, 2 in Wide x 48 in Long Rock Trencher Chain, 7 in Rubber Tracks Usage: 355 Hr
6245A	Quantity of (4) Spreader Bar S/N: Not Available Usage: Not Available	6259	Barreto Tracked Trencher S/N: RTK0994 C/W: Honda 2 Cylinder Gasoline Engine, 4 in Wide x 48 in Long 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 129 Hr
6245	Quantity of (6) 2022 Kit Containers Steel 3/8 in 60 in x 120 in Steel Plates S/N: Not Available Usage: Not Available	6260	2021 Toro 23214 Walk-Behind Stump Grinder S/N: 410396259 C/W: Hydrostatic Drive, 2021 US EPA Label, Kohler ECV980 2 Cylinder Gasoline Engine, 18 in Grinding Wheel, 6 in Rubber Tracks Usage: 49 Hr
6246C	Quantity of (2) Spreader Bar S/N: Not Available Usage: Not Available	6261	2017 Bobcat MT85 Mini Compact Track Loader S/N: B3TR13540 C/W: Open Operator Station, Tier 4, 2017 US EPA Label, 10 in Track Belts, Manual Coupler, 43.5 in Bucket Usage: 1,114 Hr
6246B	Quantity of (4) Spreader Bar S/N: Not Available Usage: Not Available	6262	Bobcat MT55 Mini Compact Track Loader S/N: Not Available C/W: Open Operator Station, Tier 4, 2016 US EPA Label, 10 in Track Belts, Manual Coupler, 42 in Grapple, Counterweight Kit Usage: 765 Hr
6246A	Quantity of (4) Spreader Bar S/N: Not Available Usage: Not Available	6263	2016 Toro TX525W Mini Compact Track Loader S/N: 316000244 C/W: Open Operator Station, Joystick Steering, Tier 4, 2015 US EPA Label, 10 in Track Belts, Manual Coupler, 34 in Bucket Usage: 1,379 Hr
6246	Quantity of (2) 2022 Kit Containers Steel 3/4 in 60 in x 120 in Steel Plates S/N: Not Available Usage: Not Available		
6247	2006 Mercury Verado 225 Boat Engine S/N: 8M0007831 C/W: 225 hp Gasoline Engine Usage: Not Available		
6248	2006 Mercury Verado 225 Boat Engine S/N: Not Available C/W: 225 hp Gasoline Engine Usage: Not Available		
6249	2006 Mercury Verado 225 Boat Engine S/N: Not Available C/W: 225 hp Gasoline Engine Usage: Not Available		
6250	2019 Vermeer MX240 Mud Mixing System S/N: 1VR6120P8KF004796 C/W: Centrifugal Pump, 2018 US EPA Label, Kohler 2 Cylinder Gasoline Engine Usage: 646 Hr		
6251C	Quantity of (14) - NQ2 Drilling inner Barrel 5' (17) - 3" Casing 5' (1) - Mud Pan S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6264	2023 SDLOOL SL380 Mini Skid Steer Loader (Unused) S/N: SL23017 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 45 in Bucket Usage: Not Available	6273	Quantity of (2) Briggs & Stratton Manhole Blower S/N: Not Available C/W: Briggs & Stratton 1 Cylinder 5 hp Gasoline Engine Usage: Not Available
6265	2023 SDLOOL SL380 Two-Speed Mini Skid Steer Loader (Unused) S/N: SL23015 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 45 in Bucket Usage: Not Available	6274	Finn B70 Straw Blower S/N: Not Available C/W: Yanmar Diesel Engine Usage: Not Available
6266	2023 SDLOOL SL380 Mini Skid Steer Loader (Unused) S/N: SL23020 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 45 in Bucket Usage: Not Available	6275	Chery Industrial 16.5FT*20FT Mobile House Storage Building (Unused) S/N: Not Available Usage: Not Available
6267	2023 SDLOOL SL380 Two-Speed Mini Skid Steer Loader (Unused) S/N: SL23016 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 45 in Bucket Usage: Not Available	6277	Bastone 15FT*20FT Storage Building (Unused) S/N: Not Available Usage: Not Available
6268	2021 Rayco RG37 4x4 Stump Grinder S/N: RG371110722 C/W: Hydrostatic Drive, 2021 US EPA Label, VANGUARD EFI 37 2 Cylinder Gasoline Engine, 16 in Grinding Wheel Usage: 15 Hr	6278	Bastone 15FT*20FT Mobile House Storage Building (Unused) S/N: Not Available Usage: Not Available
6269	2019 Toro 30 in Ride-On Aerator S/N: 404689805 C/W: 2019 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine Usage: 330 Hr	6279	Gold Mountain C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6270	2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused) S/N: LAM23022 C/W: 2022 US EPA Label, 21 in Mower Usage: Not Available	6280	Gold Mountain C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6271	2008 John Deere LA135 4x2 Ride-On Lawn Mower S/N: GXA135A060478 C/W: US EPA Label, 15x6.00-6 Front Tires, 20x10.00-8 Rear Tires, 42 in Mower Usage: 184 Hr	6281	Gold Mountain C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6272A	Exmark LHP4420KC 4x2 Ride-On Lawn Mower S/N: 472536 C/W: 13x5.00-6 Front Tires, 24x9.50-12 Rear Tires, 46 in Mower Usage: Not Available	6282	Gold Mountain S203012R 30 ft x 20 ft x 12 ft Dome Storage Canopy (Unused) S/N: Not Available Usage: Not Available
6272	2000 John Deere Scotts 2046H Ride-On Lawn Mower S/N: GX2046S033826 C/W: Hydrostatic Drive, 46 in Mower Usage: Not Available	6283	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
		6284	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench S/N: Not Available Usage: Not Available
		6285	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench S/N: Not Available Usage: Not Available
		6286	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench S/N: Not Available Usage: Not Available
		6287	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6288	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6301	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available
6289	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6302	Quantity of (20) 8 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available
6290	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6303	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available
6291	2023 Kit Containers WB-60-190 28 in X 60 in Work Bench S/N: Not Available Usage: Not Available	6304	Quantity of (20) 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available
6292	2023 Kit Containers WB-60-190 28 in X 60 in Work Bench S/N: Not Available Usage: Not Available	6305	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6293	2023 Kit Containers WB-60-190 28 in X 60 in Work Bench S/N: Not Available Usage: Not Available	6306	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6294	2023 Kit Containers WB-60-190 28 in X 60 in Work Bench S/N: Not Available Usage: Not Available	6307	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6295	2022 Kit Containers WB-60-190 28 in x 60 in Work Bench S/N: Not Available Usage: Not Available	6308	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6296	2022 Kit Containers WB-60-190 28 in x 60 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6309	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6297	2022 Kit Containers WB-60-190 28 in X 60 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6310	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6298	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available	6311	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6299	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available	6312	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6300	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 21 Fence Posts, Post Caps, Brackets & Screws Usage: Not Available	6313	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6314	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6328	Quantity of (30) 8 ft x 6 ft Powder Coated Temporary Site Fence (Unused) S/N: Not Available C/W: Feet & Connectors Usage: Not Available
6315	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6329	Quantity of (30) 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: c/w Feet and Connectors Usage: Not Available
6316	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6330	Quantity of (30) 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: c/w Feet and Connectors Usage: Not Available
6317	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6331	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6318	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6332	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6319	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6333	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
6320	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6335B	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing S/N: Not Available Usage: Not Available
6321	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6335A	Quantity of (20) 10 ft x 7 ft Powder Coated Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6322	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6336	Quantity of (250) Steelman Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6323	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6337	Quantity of (250) Steelman Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6324	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Fencing S/N: Not Available Usage: Not Available	6338	Quantity of (250) Steelman Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6325	Quantity of (45) 2023 FENS FES45 6 ft x 5 ft Powder Coated Fencing (Unused) S/N: 003-22 Usage: Not Available	6339	Quantity of (250) Steelman Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6326	Quantity of (20) 2023 FENS FES20 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6340	Quantity of (250) 2023 ROADAT Traffic Cones (Unused) S/N: 003-24 Usage: Not Available
6327	Quantity of (30) 8 ft x 6 ft Powder Coated Site Fence (Unused) S/N: Not Available C/W: Feet, Connectors Usage: Not Available	6341	Quantity of (6) Fuel Solutions Barrier S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6343	Quantity of Greatbear 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6388	2012 Ford Focus SEL Automobile S/N: 1FAHP3H24CL373847 C/W: 4 cyl 2.0 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 164,801 Hr
6344	Quantity of Greatbear 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6390	2011 Nissan Altima Automobile S/N: 1N4AL2AP8BN443592 C/W: 4 cyl 2.5 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 198,904 Mi
6348	Greatbear 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6391	2011 Chevrolet Cruze LTZ Automobile S/N: 1G1PH5S95B7301429 C/W: 4 cyl 1.4 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 166,935 Mi
6365	Bastone Portable Warehouse S/N: Not Available Usage: Not Available	6392	2010 Nissan Altima 2.5 S Automobile S/N: 1N4AL2AP9AC139875 C/W: 4 cyl 2.5 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 158,112 Mi
6368	25 ft Bridge S/N: Not Available Usage: Not Available	6394	2004 BMW 325i Automobile S/N: WBAET374X4NJ81430 C/W: 6 cyl Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 171,904 Mi
6369	25 ft Ramp S/N: Not Available Usage: Not Available	6395	2002 Mercedes-Benz C320 C320 Automobile S/N: WDBRF64JX2F187435 C/W: V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 138,615 Mi
6370	25 ft Ramp S/N: Not Available Usage: Not Available	6397	2007 Ford E-350 XLT 4x2 15 Passenger Van S/N: 1FBSS31L17DB12309 C/W: V8 5.4 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, 3400 lb Front Axle, 6084 lb Rears, 9100.0 lb GVWR, 245 /75R16, Spring Suspension, 138 in Wheelbase Usage: 56,901 Mi
6371	20 ft Ramp S/N: Not Available Usage: Not Available	6398	2006 Ford E-350 Econoline 4x2 14-Seat Crew Carrier Bus S/N: 1FDSE35L96HA44437 C/W: 5.4 L Engine, 2005 US EPA Label, Air Conditioner, Automatic Transmission, 245 /75R16, Spring Suspension, 138 in Wheelbase Usage: Not Available
6372	20 ft Ramp S/N: Not Available Usage: Not Available	6399	2018 Jeep Grand Cherokee Limited 4x4 SUV S/N: 1C4RJFBT5JC373596 C/W: V8 5.7 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 116,737 Mi
6373	25 ft Bridge S/N: Not Available Usage: Not Available	6400	2010 Buick Enclave CXL SUV S/N: 5GALRBED6AJ250687 C/W: V6 3.6 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row, Towing Hitch Usage: 198,312 Hr
6382	Norwood LumberPro HD36V2 Portable Sawmill S/N: 01086 C/W: Electric Powered, Single Axle Usage: Not Available		
6384A	2014 Nissan Altima 2.5SL Electric Automobile S/N: 1N4AL3AP3EN255895 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 127,650 Hr		
6384	2015 Nissan Sentra Automobile S/N: 3N1AB7AP2FY339413 C/W: 4 cyl 1.8 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 174,943 Mi		
6385	2014 Ford Focus SE Automobile S/N: 1FADP3F27EL214065 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 215,200 Mi		

Lot #	Details	Lot #	Details
6401	2014 Ford F-350 4x4 Crew Cab Pickup S/N: 1FT8W3BT2EEA10887 C/W: 6.7 L V8 Diesel Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 11200.0 lb GVWR, 245/75R17 Tires, 8 ft 2.5 in Bed Usage: 265,439 Mi	6413A	2007 Chevrolet 2500 LT 4x4 Extended Cab Pickup S/N: 1GCHK29K27E565439 C/W: 6.0 L V8 Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 9200.0 lb GVWR, 285/75R16 Tires, 7 ft Bed Usage: 187,248 Mi
6402	2002 Chevrolet 3500 4x4 Crew Cab Pickup S/N: 1GCJK33162F156810 C/W: 6.6 L V8 Diesel Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Dual Rear Wheel, 235/85R16 Tires, 8 ft 2 in Bed Usage: Not Available	6413	2013 Ford F-250 4x4 Extended Cab Pickup S/N: 1FT7X2BT3DEA04887 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, UWS Tool Box, 10000.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 238,605 Mi
6405	2016 Ram 2500 4x4 Crew Cab Pickup S/N: 3C6TR5HT5GG283376 C/W: 5.7 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft 2 in Bed Usage: 155,342 Mi	6414	2016 Chevrolet Silverado 2500 4x2 Crew Cab Pickup S/N: 1GCRCPEH4GZ362358 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 275/55R20 Tires, 7 ft Bed Usage: 212,617 Mi
6406	2015 Ford F-250 4x4 Crew Cab Pickup S/N: 1FT7W2B61FEC65919 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, UWS Tool Box, 10000.0 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 196,744 Mi	6415B	2008 Ford F-250 Lariat 4x2 Crew Cab Pickup S/N: 1FTSW205X8ED00349 C/W: 5.4 L V8 Diesel Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 9400.0 lb GVWR, 245/75R17 Tires, 8 ft 3 in Bed Usage: 281,748 Mi
6407	2015 Ford F-250 4x4 Crew Cab Pickup S/N: 1FT7W2B66FEA88199 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 10000.0 lb GVWR, 285/70R17 Tires, 8 ft Bed Usage: 196,044 Mi	6415	2015 Ford F-250 4x2 Crew Cab Pickup S/N: 1FT7W2A60FED06266 C/W: 6.2 L V8 Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Headache Rack, 10000.0 lb GVWR, 245/70R17 Tires, 7 ft Bed Usage: 156,686 Mi
6408	2014 Chevrolet Silverado 2500HD LS 4x4 Crew Cab Pickup S/N: 1GC1KVC85EF142619 C/W: 6.6 L V8 Diesel Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 10000.0 lb GVWR, 285/70R17 Tires, 7 ft Bed Usage: Not Available	6416	2012 Ford F-250 XL 4x2 Extended Cab Pickup S/N: 1FT7X2A63CEA43747 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Weather Guard Tool Box, Drop-In Bed Liner, 245/75R17 Tires, 6 ft 8 in Bed Usage: 134,988 Mi
6411	2015 Ford F-250 4x4 Extended Cab Pickup S/N: 1FT7X2B66FEB11509 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Winch, 265 /70R17 Tires, 7 ft Bed Usage: 207,844 Mi	6417A	2000 Ford F-250 Lariat 4x2 Extended Cab Pickup S/N: 1FTNX20F4YEB18763 C/W: 7.3 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 88000.0 lb GVWR, 265/85R16 Tires, 8 ft 2 in Bed Usage: 405,026 Mi
6412	2014 Ford F-250 4x4 Extended Cab Pickup S/N: 1FT7X2BT0EEA10888 C/W: 6.7 L V8 Diesel Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 177,513 Mi	6417	2008 Ford F-250 XL 4x2 Extended Cab Pickup S/N: 1FTSX20538EA82154 C/W: 5.4 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Husky Tool Box, Drop-In Bed Liner, 9200.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 354,927 Mi

Lot #	Details	Lot #	Details
6418	2014 Chevrolet 2500HD 4x2 Regular Cab Pickup S/N: 1GC0CVCG4EF137153 C/W: 6.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Adrian Steel Tool Box, Drop-In Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 188,714 Mi	6428	2017 Chevrolet Silverado 1500 LT 4x4 Crew Cab Pickup S/N: 3GCUKREC3HG219061 C/W: 5.3 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 7200.0 lb GVWR, 275/70R18 Tires, 6 ft Bed Usage: 177,291 Mi
6419	2012 Ford F-250 XL 4x2 Pickup S/N: 1FTBF2A63CEA90760 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 186,240 Mi	6429	2016 Dodge Ram 1500 4x4 Crew Cab Pickup S/N: 1C6RR7MT3GS416091 C/W: 5.7 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 6900.0 lb GVWR, 275/60R20 Tires, 67 in Bed Usage: 132,640 Mi
6422	2019 Chevrolet Silverado 1500 Z71 4x4 Crew Cab Pickup S/N: 1GCRYDED7KZ172236 C/W: 5.3 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 7000.0 lb GVWR, 275/65R18 Tires, 7 ft Bed Usage: 128,477 Mi	6430	2016 Chevrolet Silverado 1500 LTZ 4x4 Crew Cab Pickup S/N: 3GCUKSEC0GG267266 C/W: 5.3 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Sunroof, Spray-On Bed Liner, 7200.0 lb GVWR, 285/45R22 Tires, 6 ft Bed Usage: 199,246 Mi
6423	2019 Chevrolet Silverado 1500 4x4 Crew Cab Pickup S/N: 3GCUYAEF3KG242244 C/W: 5.3 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7100.0 lb GVWR, 255/70R17 Tires, 6 ft Bed Usage: 54,091 Mi	6431A	2009 Ford F-150 XL 4x4 Crew Cab Pickup S/N: 1FTPW14V29KC82359 C/W: 5.4 L V8 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7200.0 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 158,257 Mi
6424	2019 Dodge Ram 1500 Laramie 4x4 Crew Cab Pickup S/N: 1C6SRFJTXKN738637 C/W: 5.7 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 7100.0 lb GVWR, 275/70R18 Tires, 67 in Bed Usage: 135,690 Mi	6431	2014 GMC Sierra 1500 SLE 4x4 Crew Cab Pickup S/N: 1GTV2UEC9EZ197098 C/W: 5.3 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 275/65R18 Tires, 7 ft Bed Usage: 220,697 Mi
6426	2018 Chevrolet Silverado 1500 LTZ 4x4 Crew Cab Pickup S/N: 3GCUKSEC9JG363856 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, 7200.0 lb GVWR, 265/65R18 Tires, 79 in Bed Usage: 128,591 Mi	6433	2016 Ford F-150 XL 4x4 Extended Cab Pickup S/N: 1FTEX1E86GKE51308 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Rubber Mat Bed Liner, 6300.0 lb GVWR, 265/75R16 Tires, 6 ft 7 in Bed Usage: 203,307 Mi
6427	2018 Chevrolet Silverado 1500 4x4 Crew Cab Pickup S/N: 3GCUKNEH3JG228773 C/W: 4.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7100.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 112,325 Mi	6434	2013 Ford F-150 XL 4x4 Extended Cab Pickup S/N: 1FTFX1EF1DKE30199 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, Drop-In Bed Liner, 7350.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 266,021 Mi

Lot #	Details	Lot #	Details
6436	2016 Chevrolet Silverado 1500 4x2 Crew Cab Pickup S/N: 1GCRCEH0GZ361546 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6900.0 lb GVWR, 275/60R20 Tires, 7 ft Bed Usage: 151,259 Mi	6444	2016 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1C80GKD67200 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 6100.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 177,943 Mi
6437	2016 Ford F-150 XLT 4x2 Crew Cab Pickup S/N: 1FTEW1CP6GFB07788 C/W: 2.7 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Truck Cap, 6250.0 lb GVWR, 265/60R18 Tires, 6 ft Bed Usage: 168,040 Mi	6445	2016 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CF1GFA18019 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 7 ft Bed Usage: 170,336 Mi
6438B	2009 GMC Sierra 1500 4x2 Crew Cab Pickup S/N: 3GTEC13C89G193516 C/W: 4.8 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 5 ft 7 in Bed Usage: 333,511 Mi	6446	2016 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CF4GKD19732 C/W: 5 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, Rubber Bed Liner, 6900.0 lb GVWR, 245/70R17 Tires, 6 ft 7 in Bed Usage: 174,169 Mi
6438A	2014 Ram 1500 ST 4x2 Crew Cab Pickup S/N: 1C6RR6FT6ES188852 C/W: 5.7 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 255,106 Mi	6447	2016 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1C81GKD67187 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 245/70R17 Tires, 6 ft 6 in Bed Usage: 177,823 Mi
6438	2014 Ram 1500 4x2 Crew Cab Pickup S/N: 1C6RR6FG5ES429948 C/W: 3.6 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 159,067 Mi	6448	2013 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CF5DKF81503 C/W: 5 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, UWS Tool Box, 7300.0 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 110,099 Mi
6441	2016 Ram 1500 4x2 Crew Cab Pickup S/N: 1C6RR6FG3GS142207 C/W: 3.6 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 255/70R17 Tires, 6 ft Bed Usage: 186,704 Mi	6449	2013 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CF4DKF61890 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 7100.0 lb GVWR, 245/75R17 Tires, 7 ft Bed Usage: 112,570 Mi
6442	2016 Ford F-150 4x2 Extended Cab Pickup S/N: 1FTEX1C82GKD67182 C/W: 3.5 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 6100.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 154,859 Mi	6450	2013 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CF4DKE13075 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Weather Guard Tool Box, Spray-On Bed Liner, 7100.0 lb GVWR, 245/75R17 Tires, 7 ft Bed Usage: 146,263 Mi
6443	2016 Ford F-150 4x2 Extended Cab Pickup S/N: 1FTEX1C87GKE51286 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 6100.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: 156,780 Mi	6451	2013 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM4DFA80847 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 6700.0 lb GVWR, 235/75R17 Tires, 7 ft Bed Usage: 165,374 Mi

Lot #	Details	Lot #	Details
6452	2012 Chevrolet Silverado 1500 4x2 Extended Cab Pickup S/N: 1GCRCSE02CZ353505 C/W: 5.3 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 245/70R17 Tires, 7 ft Bed Usage: 214,873 Mi	6459	2017 Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT0HN759133 C/W: 2.5 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 4700.0 lb GVWR, 235 /75R15 Tires, 6 ft Bed Usage: 128,993 Mi
6453	2012 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM0CFC04014 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 6700.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 261,376 Mi	6460	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT4GN717272 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4100.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 84,450 Mi
6454A	2002 Ford F-150 4x2 Extended Cab Pickup S/N: 1FTRX17L92KC00245 C/W: 5.4 L V8 Gasoline Engine, 2002 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Seal-Tite Tool Box, Spray-On Bed Liner, 63000.0 lb GVWR, 235 /70R16 Tires, 6 ft 8 in Bed Usage: 442,005 Mi	6461	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT7GN730436 C/W: 2.5 L 4 Cylinder Gasoline Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 85,557 Mi
6455	2014 Ford F-150 XLT 4x2 Regular Cab Pickup S/N: 1FTNF1CF4EKG52884 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, UWS Tool Box, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 52,570 Mi	6462	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9GN768959 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Air Conditioner, Fiberglass Truck Cap, Rubber Mat Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 100,558 Mi
6456A	2001 Ford F-150 XL 4x2 Regular Cab Pickup S/N: 1FTRF17W21NA25055 C/W: 4.6 L V8 Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6050.0 lb GVWR, 135/70R16 Tires, 8 ft 2 in Bed Usage: Not Available	6464	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT7GN718139 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 4100.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 117,672 Mi
6456	2012 Ram 1500 4x2 Regular Cab Pickup S/N: 3C6JD6AT6CG280048 C/W: 5.7 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 275/60R20 Tires, 6 ft 3 in Bed Usage: 323,110 Mi	6465	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT8GN718120 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 118,776 Mi
6457	2017 Nissan Frontier XE 4x4 Extended Cab Pickup S/N: 1N6DD0CWXHN721525 C/W: 4.0 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 5690.0 lb GVWR, 265/70R16 Tires, 6 ft Bed Usage: 182,855 Mi	6466	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT8GN771108 C/W: 2.5 L 4 Cylinder Gasoline Engine, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 4700.0 lb GVWR, 235 /75R15 Tires, 6 ft Bed Usage: 127,623 Mi
6458	2014 Nissan Frontier XE 4x4 Extended Cab Pickup S/N: 1N6AD0CW8EN736944 C/W: 4.0 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, 265/70R16 Tires, 6 ft Bed Usage: 104,699 Mi	6467	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT1GN796478 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 119,562 Mi
		6468	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9GN798284 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, Rubber Mat Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 126,607 Mi

Lot #	Details	Lot #	Details
6469	2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT7GN731408 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 161,086 Mi	6478	2014 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CTXEN767218 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 119,108 Mi
6470	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT6FN764334 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 235/75R15 Tires, 6 ft Bed Usage: 72,231 Mi	6479	2013 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9DN756032 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 114,716 Mi
6471	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT5FN768455 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 119,987 Mi	6480	2013 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT6DN743884 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 125,695 Mi
6472	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT5FN761733 C/W: 2.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 115,712 Mi	6481	2013 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT1DN746658 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 2531.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 163,461 Mi
6473	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9FN769513 C/W: 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 117,373 Mi	6482	2013 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT5DN756447 C/W: 4 Cylinder Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 164,965 Mi
6474	2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT6FN764897 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 126,663 Mi	6484	2015 Trail King TK110HDG-533 Tri/A Removable Gooseneck Lowboy Trailer S/N: 1TKJ05335FM057666 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 26 ft 6 in Main Deck, 11 ft Rear Deck, 102 in Usable Deck Width, 275/70R22.5 Tires Usage: Not Available
6475	2014 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT6EN768205 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 85,909 Mi	6485	2007 Liddell 55 ton Quad/A 29 ft Extendable Removable Gooseneck Lowboy Trailer S/N: 1L9SL512271236399 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 29 ft Main Deck, 102 in Usable Deck Width, Honda Gas Powered Self Contained Hydraulic System, 275/70R22.5 Tires, 2 Booster Axles Usage: Not Available
6476	2014 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CTXEN768451 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft 1 in Bed Usage: 97,437 Mi	6486	2006 Trail King TK80MED-482 T/A Single Drop Removable Gooseneck Lowboy Trailer S/N: 1TKB048216B056296 C/W: Air Ride Suspension, Air Brakes, Mechanical Removable Gooseneck, S/A Pin-On Booster Axle, 9 ft 119 in Upper Deck, 29 ft Main Deck, 7 ft Rear Deck, Pickup Throat, 255/70R22.5 Tires Usage: Not Available
6477	2014 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT1EN766667 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 116,154 Mi		

Lot #	Details	Lot #	Details
6486	2006 Liddell S/A Booster Axle S/N: 1L9SM051961236366 C/W: Pin-On, Air Ride Suspension, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	6492	2014 Trail King TK80HT T/A Hydraulic Tail Trailer S/N: 1TKA04928EW072416 C/W: Air Ride Suspension, Air Brakes, 9 ft Upper Deck, 32 ft Main Deck, 8 ft Rear Deck, 3 ft 10 in Dovetail, 102 in Usable Deck Width, Winch, 235/75R17.5 Tires Usage: Not Available
6487	2010 XL Specialized XL70 T/A Double Drop Removable Gooseneck Lowboy Trailer S/N: 4U3J04821AL011001 C/W: Air Ride Suspension, Air Brakes, Plumbed for Booster Axle, 10 ft Upper Deck, 29 ft Main Deck, 9 ft Rear Deck, 102 in Usable Deck Width, 225/70R22.5 Tires Usage: Not Available	6493	2013 Ledwell LW48HT2-10-PB 48 ft T/A Hydraulic Tail Trailer S/N: 1L9GA72A8DL033207 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 7 ft Upper Deck, 30 ft Main Deck, 8 ft Rear Deck, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Winch, 255 /70R22.5 Tires Usage: Not Available
6488	2006 XL Specialized 40560 lb T/A Double Drop Removable Gooseneck Lowboy Trailer S/N: 4U3J048246L006091 C/W: 99950.0 lb GVWR, Air Ride Suspension, Air Brakes, Mechanical Removable Gooseneck, Flip-Up Neck Extension, 10 ft Upper Deck, 29 ft Main Deck, 7 ft 8 in Rear Deck, 97 in Usable Deck Width, Deck Over Tires, 225/70R22.5 Tires Usage: Not Available	6494	2014 Trail King TK80HT 31 ft T/A TK80HT Hydraulic Tail Trailer S/N: 1TKA0492XE072403 C/W: 97750 lb GVWR, Air Ride Suspension, Air Brakes, 6 ft 6 in Upper Deck, 31 ft 6 in Main Deck, 7 ft 8 in Rear Deck, 7 ft 8 in Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, 235/75R17.5 Tires Usage: Not Available
6488	2006 XL Specialized S/A Booster Axle S/N: 4U3S005186L007141 C/W: S/A Flip-Up Booster Axle 255/70R22.5 Tires Usage: Not Available	6495	2016 Utility FS2CDHA 53 ft T/A Single Drop Step Deck Trailer S/N: 1UYFS2538GA510721 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, 11 ft Upper Deck, 42 ft Main Deck, 102 in Usable Deck Width, Manual Ramps, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 225/70R22.5 Tires Usage: Not Available
6489	1980 Phelan WT-35K T/A Lowboy Trailer S/N: 8126 C/W: 54400 lb GVWR, Spring Suspension, Air Brakes, 22 ft 0 in Main Deck, 2 ft 0 in Fixed Dovetail, 96 in Usable Deck Width, 10.00R15TR Tires Usage: Not Available	6497	2014 Trail King Advantage 48 ft T/A Hydraulic Tail Trailer S/N: 1TKA04925EW072440 C/W: Air Ride Suspension, Air Brakes, 9 ft Upper Deck, 32 ft Main Deck, 8 ft Rear Deck, 3 ft 10 in Dovetail, 102 in Usable Deck Width, Hydraulic Ramps, Winch, 235/75R17.5 Tires Usage: Not Available
6490	2007 Ledwell 48 ft T/A Hydraulic Tail Trailer S/N: 1L9GA72A37L033121 C/W: Air Ride Suspension, Air Brakes, 9 ft 4 in Upper Deck, 30 ft 8 in Main Deck, 8 ft Rear Deck, 102 in Usable Deck Width, Hydraulic Ramps, Winch, 255/70R22.5 Tires Usage: Not Available	6499	2013 Utility FS2CHA 40000 lb 48 ft T/A Flatbed Trailer S/N: 1UYFS2489DA561217 C/W: Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available
6491A	2013 Trail King TK70HT-532 53 ft T/A Hydraulic Tail Trailer S/N: 1TKA05329DM078248 C/W: 90480.0 lb GVWR, Air Ride Suspension, Air Brakes, 9 ft 2 in Upper Deck, 43 ft 8 in Main Deck, 3 ft 10 in 2-Position Dovetail, 101 in Usable Deck Width, 101 in Widening Width, Deck Over Tires, Hydraulic Ramps, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	6500	2009 Utility FS2CHA 48 ft T/A Spread Axle Flatbed Trailer S/N: 1UYFS24899A626056 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available
6491	1999 Landoll 330 20000 lb 48 ft S/A Sliding Axle Trailer S/N: 1LH330UG6X1A10128 C/W: 26000.0 lb GVWR, Spring Suspension, 9 ft Upper Deck, 39 ft Main Deck, 102 in Usable Deck Width, Winch, Briggs & Stratton Gas Powered Self Contained Hydraulic System, 255 /70R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6501	2007 Fontaine EDFT-8048WSAWK 48 ft T/A Spread Axle Single Drop Step Deck Trailer S/N: 13N24830371539994 C/W: 69556.0 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 101 in Usable Deck Width, Deck Over Tires, Wood Flooring, 255/70R22.5 Tires Usage: Not Available	6509	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P04828RW075574 C/W: 91000 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
6502	2005 Great Dane T/A Flatbed Trailer S/N: 1GRDM96275M703023 C/W: Air Ride Suspension, Air Brakes, 98 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	6510	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P04820RW075553 C/W: 91000 lb GVWR, Air Ride Suspension, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
6503	2004 Utility FS2CHA 53 ft T/A Flatbed Trailer S/N: 1UYFS24814A219101 C/W: 80000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 96 in Deck Width, Bulkhead, Aluminum w/Wood Strips Flooring, 275/80R22.5 Tires Usage: Not Available	6512	1992 Fontaine FTW-5-8048WSA 48 ft T/A Spread Axle Flatbed Trailer S/N: 13N1483A9N1554291 C/W: 80625 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
6504	1997 Benson AF489650 48 ft T/A Spread Axle Flatbed Trailer S/N: 1NUFT28Z8VNBA0201 C/W: 80000.0 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 96 in Deck Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 295/75R24.5 Tires Usage: Not Available	6513	1992 Fontaine FTW-5-8048WSA 48 ft T/A Spread Axle Flatbed Trailer S/N: 13N1483A4N1554246 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
6505	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P04829RW075597 C/W: 91000 lb GVWR, Air Ride Suspension, Air Brakes, 20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	6514	1992 Fontaine 48 ft T/A Spread Axle Flatbed Trailer S/N: 13N1483A2N1554259 C/W: 80625 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
6506	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P04829RW075552 C/W: 91000 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	6517	2005 Trail King TK70ACS-482 48 ft T/A Spread Axle Step Deck Trailer S/N: 1TKB048215M129993 C/W: 80340.0 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Aluminum w/Wood Strips Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available
6507	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P04822RW075599 C/W: 91000 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	6518	2010 Manac 1Z245C00 46 ft Glass Trailer S/N: 2M5121385A6122687 C/W: 33300.0 lb Trailer GVWR, T/A 102 mm Usable Deck Width, 8 ft 6 in Front Deck, 25 ft Main Deck, 9 ft 6 in Rear Deck, Air Ride Suspension, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available
6508	1994 Fruehauf PBA-NT2-48N 48 ft T/A Flatbed Trailer S/N: 1H2P0482XRW075530 C/W: 91000 lb GVWR, Air Ride Suspension, Air Brakes, 20+20 ft - 40 ft - Container Pins, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	6530	2019 Pitts CV45 45 ft x 102 in T/A Open-Top Chip Trailer S/N: 5JYCV452XKEP13155 C/W: 66300.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6531	2019 Pitts CV45 45 ft x 102 in T/A Open-Top Chip Trailer S/N: 5JYCV4524KEP13149 C/W: 66300.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	6541	2020 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1JJV532B3LL112681 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, 2018 Thermo King S600 Refrigeration Unit, 4794 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 4,794 Hr
6532	2001 Peerless DDT 45 ft x 96 in T/A Open-Top Chip Trailer S/N: 1PLE045221PC52352 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	6542	2020 Utility VS2RA T/A Refrigerated Trailer S/N: 1UYVS2532L6787146 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Carrier 7500 X4 Refrigeration Unit, 7459 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
6533	2005 East 45 ft T/A Aluminum Moving Floor Trailer S/N: 1E1U1X2865RD36917 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	6543	2018 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2536J2244645 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Thermo King S-600 Refrigeration Unit, Serial Number R48631, 10597 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6534	1997 Lufkin T/A End Dump Trailer S/N: 1L01C3820V1128213 C/W: Spring Suspension, Air Brakes, 38 ft Body, 51 in Side Walls, Steel Body, Manual Roll Tarp, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	6544	2017 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2535HM762552 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier 18-00091-10 Refrigeration Unit, 12398 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available
6535	1994 Lufkin ULDII-38 38 ft T/A Frameless End Dump Trailer S/N: 1L01C3829R1111464 C/W: 60000.0 lb GVWR, Spring Suspension, Air Brakes, 38 ft Body, 48 in Side Walls, Steel Body, Manual Roll Tarp, 11R22.5 Tires Usage: Not Available	6545	2016 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2532GU617323 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 8916 Engine Run Hours, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: 13,969 Hr
6536	1976 Rave 28 ft T/A End Dump Trailer S/N: 7676776768 C/W: Aluminum Frame, Spring Suspension, Air Brakes, 28 ft Body, 57 in Side Walls, Aluminum Body, 11R22.5 Tires Usage: Not Available	6546	2016 Utility 53 ft x 102 in T/A VS2RA Refrigerated Trailer S/N: 1UYVS2534GM437809 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Front /Rear Vents, Thermo King SR4 Refrigeration Unit, Serial Number 6001167529, 19073 Engine Run Hours Usage: 19,073 Hr
6537	2006 MAC 35 ft Tri/A End Dump Trailer S/N: 5MADS353X6C011149 C/W: Spring Suspension, Air Brakes, 35 ft 0 in Body, 72 in Side Walls, Aluminum Body, Electric Roll Tarp, 11R24.5 Tires, Spring Suspension Lead Usage: Not Available	6547	2015 Utility VS2RA T/A Refrigerated Trailer S/N: 1UYVS2530FU280505 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King S-600 Refrigeration Unit, 19073 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 19,073 Hr
6538	1999 Polar 7000 gal T/A Tanker Trailer S/N: 1PMS34225X1021156 C/W: Spring Suspension, Air Brakes, Aluminum Wheels, 285/75R24.5 Tires Usage: Not Available		
6539	1999 Polar 7000 gal T/A Tanker Trailer S/N: 1PMS34223X1021155 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 285/75R24.5 Tires Usage: Not Available		
6540	2022 Vanguard/CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer S/N: 527SR5326NL027243 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6548	2015 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2536FM219661 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 2015 Carrier 18-00091-05 Refrigeration Unit, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available	6560	2013 Great Dane SUP-1119-32053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA062XDW700062 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Thermo King SR2 Refrigeration Unit, 26598 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available
6549	2015 Great Dane TF-1444-30053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA0620FE701326 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King SR4 Refrigeration Unit, 15328 Engine Run Hours, 295/75R22.5 Tires Usage: 15,328 Hr	6561	2013 Great Dane CML-1113-32053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA0628DB701654 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Thermo King SR2 Refrigeration Unit, Serial Number 6001112234, 18724 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available
6554	2013 Great Dane 53 ft Refrigerated Trailer S/N: 1GRAA0624DW700042 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, 2011 Thermo King TK486V Refrigeration Unit, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available	6562	2012 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2536CM200121 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 2010 Thermo King SYS SPEC SR2 30 Refrigeration Unit, 16684 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6555	2013 Great Dane 53 ft Refrigerated Trailer S/N: 1GRAA0620DB701633 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 2012 Thermo King Refrigeration Unit, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	6563	2012 Utility VS2RA T/A Refrigerated Trailer S/N: 1UYVS2534CU272709 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Thermo King SB-230 Refrigeration Unit, 15355 Engine Run Hours, 275/80R22.5 Tires Usage: Not Available
6556	2013 Great Dane 53 ft Refrigerated Trailer S/N: 1GRAA062XDB701557 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, 2012 Thermo King Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6564	2012 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS253XCU276618 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Thermo King SB-230 30 Refrigeration Unit, Serial Number 6001090341, 16284 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
6557	2013 Great Dane SUP-1119-32053 53 ft Refrigerated Trailer S/N: 1GRAA0628DW701095 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, 2012 Thermo King TK489V Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6565	2012 Great Dane SUP-1119-32053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA0621CW704791 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Thermo King SYS SPEC SR2 30 Refrigeration Unit, 16940 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6558	2013 Great Dane CMT-1113-32053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA0627DB701631 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 2012 Thermo King SYS SPEC SR2 30 Refrigeration Unit, 20090 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available	6566	2011 Utility 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS253XBM138818 C/W: 29500.0 lb GVWR, Air Ride Suspension, Air Brakes, 2011 Carrier 05GT641-A41 Refrigeration Unit, 28491 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available
6559	2013 Great Dane 53 ft Refrigerated Trailer S/N: 1GRAA0627DE700008 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 2012 Thermo King Refrigeration Unit, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
6567	2009 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS25329M638739 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier CNV no sticker was found Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available	6576	2008 Kidron 28 ft x 96 in S/A Refrigerated Trailer S/N: 1K911281581054336 C/W: 20000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Curbside Door, Thermo King SYS SPEC SR2 30 Refrigeration Unit, 22932 Engine Run Hours, 11R22.5 Tires Usage: Not Available
6568	2008 Wabash 53 ft T/A Refrigerated Trailer S/N: 1JJV532W68L121563 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 2007 Carrier NDL93SNO Refrigeration Unit, 19677 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6578	2023 Di-Mond 53 ft x 102 in T/A Van Trailer S/N: 2DM42JA47PS193441 C/W: 75020 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6571	2014 Utility 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2535EU830067 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, 2013 Thermo King SR4 Refrigeration Unit, 17232 Engine Run Hours, 275/80R22.5 Tires Usage: Not Available	6579	2023 Di-Mond 53 ft x 96 in T/A Van Trailer S/N: 2DM42JA42PS193444 C/W: 75020 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6572	2004 Utility VS2RA 48 ft x 96 in T/A Refrigerated Trailer S/N: 1UYVS24874M236401 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, 2003 Carrier NDL93MN0-AM-0 Refrigeration Unit, 33338 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available	6580	2023 Di-Mond 53 ft x 102 in T/A Van Trailer S/N: 2DM42JA49PS193442 C/W: 75020.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6573	2004 Utility VS2RA 48 ft x 96 in T/A Refrigerated Trailer S/N: 1UYVS24804M236403 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, Carrier Refrigeration Unit, 4024 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available	6581	2023 Di-Mond 53 ft x 102 in T/A Van Trailer S/N: 2DM42JA40PS193443 C/W: 75020 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
6574	2003 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS25363M028303 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Carrier 05GC041A70 Refrigeration Unit, Serial Number 0703J00797, 2140 Engine Run Hours, 295/75R22.5 Tires Usage: Not Available	6583	2023 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532D6PL359734 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6575	2014 Great Dane 48 ft x 96 in T/A Refrigerated Trailer S/N: 1GRAA9623EB701289 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, Thermo King SR2 Refrigeration Unit, Serial Number 6001135409, 17773 Engine Run Hours, 11R22.5 Tires Usage: Not Available	6585	2018 Utility VS2DX 53 ft x 102 in T/A Van Trailer S/N: 1UYVS2539J3267072 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
		6586	2018 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAP0623JJ110518 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		6588	2016 Utility VS2DX 53 ft x 102 in T/A Van Trailer S/N: 1UYVS2535GG398114 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6589	2015 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532D2FL840885 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	6601	2012 Stoughton ZGPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer S/N: 1DW1A5329CS339743 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, 275 /80R22.5 Tires Usage: Not Available
6590	2015 Wabash DVCVHPC T/A Van Trailer S/N: 1JJV532D3FL800069 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, Side Skirts, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6602	2012 Wabash 53 ft x 102 in T/A Van Trailer S/N: 1JJV532DXCL591165 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
6591	2014 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532D4EL820197 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	6603	2012 Hyundai VI2530152-JRSW T/A Van Trailer S/N: 3H3V532C3CT455015 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6592	2014 Wabash DVHDHPC T/A Van Trailer S/N: 1JJV532D3EL820546 C/W: Aluminum Frame, Spring Suspension, Sliding Suspension, Side Skirts, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available	6604	2012 Hyundai V12530152-JRS T/A Van Trailer S/N: 3H3V532C9CT017101 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
6593	2014 Great Dane CLA-1214-01053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA0621EB710164 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6632	2012 Hyundai V12530152-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C9CT015008 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
6594	2014 Stoughton ZGPVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer S/N: 1DW1A5328ES519928 C/W: 70000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6633	2011 Wabash DVCVHPC T/A Van Trailer S/N: 1JJV532DXBL524631 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6596	2013 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532D4DL769394 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 215/75R17.5 Tires Usage: Not Available	6634	2011 Wabash 53 ft Van Trailer S/N: 1JJV532D6BL366546 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Sliding Suspension, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available
6597	2013 Kentucky 40 ft x 102 in S/A Van Trailer S/N: 1KKVA4012DL233651 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6635	2011 Wabash 53 ft Van Trailer S/N: 1JJV532D9BL366606 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Sliding Suspension, Aluminum Wheels, 445/50R22.5 Tires Usage: Not Available
6599	2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA0626CT566893 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	6637	2010 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532DXAL361851 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: Not Available
		6638	2010 Wabash 53 ft x 102 in T/A Van Trailer S/N: 1JJV532D6AL361880 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6640	2009 Great Dane SSL-1313-02053 T/A Van Trailer S/N: 1GRAA062X9T548034 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6657	2008 Wabash Van Trailer 53 ft Van Trailer S/N: 1JJV532WX8L107231 C/W: 68000.0 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
6643	2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06208T545738 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6659	2008 Hyundai V12530152-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C28T141122 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6644	2008 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06248T546648 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6660	2008 Hyundai V12530152-JSR 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C18T250154 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6646	2008 Great Dane 53 R 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06268J627999 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6661	2008 Hyundai 53 ft x 102 in T/A Van Trailer S/N: 3H3V532CX8T249116 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6647	2008 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06208J628016 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6662	2008 Hyundai V12530152-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C28T141055 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6649	2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06228J627014 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6664	2008 Hyundai V12530152-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C18T141192 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Front/Rear Vents, 275/80R22.5 Tires Usage: Not Available
6651	2008 Great Dane SSL-1313-02053 T/A Van Trailer S/N: 1GRAA06278D432878 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6665	2007 Hyundai V00230152-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C97T361131 C/W: 65000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6652	2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06258T546917 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6667	2007 Vanguard VXP 53 ft x 102 in T/A Van Trailer S/N: 5V8VA53237M705100 C/W: Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6654	2008 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W68L149959 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 22.5 mixed Tires Usage: Not Available	6668	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06297G344718 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6656	2008 Wabash Van Trailer 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W58L127922 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6669	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06297J617756 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6670	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06297J618017 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6682	2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W77L947434 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6671	2007 Great Dane 7411TSSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06207T538481 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6683	2007 Wabash 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W97L056416 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6672	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06247J617910 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6687	2006 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W26L025023 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6673	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06207T541266 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6689	2006 Wabash Van Trailer S/N: 1JJV532W46L992796 C/W: Aluminum Frame, Air Ride Suspension, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6674	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA062X7T538441 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6690	2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06266J618460 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6675	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06297K293542 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6691	2006 Great Dane 7411T-SSL T/A Van Trailer S/N: 1GRAA06216T522174 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6676	2007 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06267G343364 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available	6692	2006 Great Dane 7411T-SSL T/A Van Trailer S/N: 1GRAA06216T522109 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6677	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA062X7G341147 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6693	2006 Great Dane 7411T-S6L 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06216T522367 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6680	2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06267T540655 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6698	2006 Great Dane 7411-SSL T/A Van Trailer S/N: 1GRAA06226J612140 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6681	2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer S/N: 1JJV532W37L084177 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6700	2006 Great Dane 7411-SSL 53 ft T/A Van Trailer S/N: 1GRAA06296D415545 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6702	2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06296J612121 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6716	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA062X5D413169 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6704	2006 Hyundai V12530162-JRS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C06T307022 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6717	2005 Great Dane 7411T-SSL T/A Van Trailer S/N: 1GRAA06295G332582 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6706	2006 Hendrickson 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06246G337917 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6718	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06285J609354 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6707	2006 Trailmobile 011A-1SX 53 ft x 102 in T/A Van Trailer S/N: 2MN01JAH061003743 C/W: 65000.0 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6719	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06265G336251 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
6710	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06295T519831 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6720	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06265D411919 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6711	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer (Unused) S/N: 1GRAA062X5T519577 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6721	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06225J609236 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6712	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06275G336355 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6722	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06275T512960 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
6713	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06225J609298 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6723	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06205G334611 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6714	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06225T512929 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6724	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06225J606143 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6715	2005 Great Dane 7411T-SSL T/A Van Trailer S/N: 1GRAA06225T515748 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6725	2005 Great Dane 7411T-SSL 53 ft T/A Van Trailer S/N: 1GRAA06255D408848 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6726	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06265G333107 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6741	2003 Hyundai V12530152-AJS 53 ft Van Trailer S/N: 3H3V532C53T148073 C/W: 65000.0 lb GVWR, Air Ride Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
6727	2005 Great Dane T/A Van Trailer S/N: 1GRAA06225G334674 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	6742	1999 Wabash T/A Van Trailer S/N: 1JJV452W4XL616728 C/W: Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available
6728	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06225D408936 C/W: 68000.0 lb GVWR, Spring Suspension, 275/80R22.5 Tires Usage: Not Available	6743	1998 Fruehauf FBHLP 53 ft x 102 in T/A Van Trailer S/N: 1JJV532F1WF447590 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6730	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06265T513162 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6744	2012 Great Dane SSL-1913-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA9625CK221185 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6731	2005 Great Dane 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06245D408968 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6745	2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96258G347752 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 275/80R22.5 Tires Usage: Not Available
6732	2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06255G334572 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	6746	2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96228G346882 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6737	2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06254G331377 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6748	2007 Great Dane 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96287G343144 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 275/80R22.5 Tires Usage: Not Available
6738	2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06274G331462 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6749	2007 Great Dane 7441TSSL 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96287G342513 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6739	2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer S/N: 1GRAA06264D408260 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6750	2007 Great Dane 7441T-SSL 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96277G343197 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available
6740	2004 Great Dane 7411T-SSL 53 ft T/A Van Trailer S/N: 1GRAA06204J604230 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	6751	2007 Great Dane T/A Van Trailer S/N: 1GRAA96237G342502 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6752	2007 Great Dane 7441T-SSL 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96237G343164 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 295 /75R22.5 Tires Usage: Not Available	6769	2012 Stoughton DVW-285S-C-WDC 28 ft x 102 in S/A Van Trailer S/N: 1DW1A281XCS308371 C/W: 18144 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6755	2007 Great Dane 7441T-SSL 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96287G342432 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6770	2010 Stoughton 7441-SSLW 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2814AS202950 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6758	1990 Fruehauf F100G9-F2-48 48 ft x 102 in T/A Van Trailer S/N: 1H2V04829LB043027 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6771	2010 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2815AS202973 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6760	1998 Strickland 29655 9802 45 ft x 102 in T/A Van Trailer S/N: 1S12E8458WD429655 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	6774	2010 Stoughton DVW-285S-C-WDC 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2819AS203138 C/W: 18144.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available
6763	2011 Kentucky 32 ft x 102 in S/A Van Trailer S/N: 1KKVA3212BL230320 C/W: Aluminum Frame, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6775	2010 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2812AS203272 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available
6764	2012 Kentucky 32 ft x 102 in S/A Van Trailer S/N: 1KKVA3216CL231598 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	6776	2010 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2813AS203068 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6765	2014 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5611EK238116 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	6778	2010 Stoughton DVW-285S-C-WDC 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2815AS203105 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6766	2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2812DS372843 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6779	2010 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2819AS203043 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6767	2012 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A2813CS308339 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6782	2010 Kentucky Trailer AVC-W 28 ft x 102 in S/A Van Trailer S/N: 1KKVA2811AL229143 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires, 0 ft Pup Trailer Length Usage: Not Available
6768	2012 Stoughton DVW-285S-C-WGC 28 ft x 102 in S/A Van Trailer S/N: 1DW1A281XCS308256 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6783	2010 Kentucky Trailer AVC-W SINGLE AX 28 ft x 102 in S/A Van Trailer S/N: 1KKVA2816AL229316 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6786	2010 Great Dane SSL-9319-02099 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5612AD437772 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6796	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5619AD437347 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6787	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5619AK210784 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6797	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5617AK210945 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available
6788	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5612AD437738 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6798	2009 Stoughton 28 PUPS 28 ft x 102 in S/A DVW-2853-C-WDG Van Trailer S/N: 1DW1A28159S133732 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6789	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5615AD437765 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6799	2009 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer S/N: 1DW1A28169S133738 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6790	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5612AK210710 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6801	2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56118K202012 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes Usage: Not Available
6791	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5615AD437703 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6802	2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA561X8D432619 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
6792	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5616AK210693 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6803	2008 Great Dane 28 R 28 ft x 102 in S/A SSL-L3LL-02028 Van Trailer S/N: 1GRAA56118K202060 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6794	2010 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA5610AD437320 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6804	2008 Great Dane 28 R 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56178D432741 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6795	2010 Great Dane PSL-1311-02028 28 ft x 102 in S/A SSL-9319-02099 Van Trailer S/N: 1GRAA5615AD437720 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6805	2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56128D432582 C/W: Air Ride Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6806	2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56138K201993 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6815	2007 Great Dane 7441-SSLW 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56137K289328 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6807	2008 Great Dane SSL-1311 S/A Van Trailer S/N: 1GRAA56118K201894 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6816	2007 Great Dane 7441SSLW 28 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56107K289321 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6808	2008 Great Dane 28 TRAIL 28 ft x 102 in S/A SSL-1311-02028 Van Trailer S/N: 1GRAA56158D432656 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6817	2007 Great Dane 7441SSLW 28 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56157K289444 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6809	2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56198D432580 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6818	2007 Great Dane 7441-SSLW S/A Van Trailer S/N: 1GRAA56107K289559 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available
6810	2008 Great Dane SSL-1311-02028 S/A Van Trailer S/N: 1GRAA56148D432695 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6820	2007 Great Dane 7441SSLW 28 28 ft x 102 in S/A Van Trailer S/N: 1GRAA561X7K289665 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6811	2008 Great Dane SSL-1311-0208 28 ft x 102 in S/A Van Trailer S/N: 1GRAA561X8D432541 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6822	2007 Great Dane 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56167K287458 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6812	2008 Great Dane 28 TRAIL 28 ft x 102 in S/A SSL-1311-02028 Van Trailer S/N: 1GRAA56118D432511 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6823	2007 Great Dane 7441SSLW 28 Ft 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56177K287520 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
6813	2007 Great Dane 7441-SSLW 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56177K289526 C/W: 34000 lb GVWR, Aluminum Frame, Spring Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6827	2007 Great Dane 7441SSLW 28 Ft 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56137K289278 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
6814	2007 Great Dane 7441SSLW 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56177K289395 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6828	2007 Great Dane 7441SSLW 28 Ft 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56177K287470 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6829	2007 Great Dane 7441-SSLA 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56107K290095 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 275/80R22.5 Tires Usage: Not Available	6845	2009 Silver Eagle V2ST20W Dolly S/N: 1U3JY80119BJ00143 C/W: 20000.0 lb GVWR Usage: Not Available
6830	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA56197K289981 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6846	2009 Silver Eagle V2ST20W Dolly S/N: 1U3JY80149BJ00153 C/W: 20000.0 lb GVWR Usage: Not Available
6831	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA56117K289828 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6847A	2009 Silver Eagle S/A Dolly S/N: 1U3JY80179BJ00163 C/W: 20000.0 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
6832	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA561X7K290041 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 285/70R19.5 Tires Usage: Not Available	6847	2009 Silver Eagle V2ST20W Dolly S/N: 1U3JY80169BJ00066 Usage: Not Available
6833	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA56167K289890 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6848	2007 Silver Eagle VAST20W S/A Dolly S/N: 1U3JX80167BJ15912 C/W: 20000.0 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
6834	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA56167K289808 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6851	2007 Silver Eagle VAST20W S/A Dolly S/N: 1U3JX80117BJ16014 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
6835	2007 Great Dane 7441TSSL 28 28 ft x 102 in S /A Van Trailer S/N: 1GRAA56157K293722 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6852	2007 Silver Eagle VAST-20W S/A Dolly S/N: 1U3JX80127BJ15776 C/W: 20000.0 lb GVWR, Spring Suspension, 275 /80R22.5 Tires Usage: Not Available
6838	2007 Great Dane 7441T-SSLW S/A Van Trailer S/N: 1GRAA56127K289840 C/W: 34000.0 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	6853	2007 Silver Eagle VAST-20W S/A Dolly S/N: 1U3JX80197BJ15726 C/W: 20000.0 lb GVWR, 235/75R17.5 Tires Usage: Not Available
6840	2007 Great Dane 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56117K289392 C/W: 34000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	6854	2007 Silver Eagle VAST20W Dolly S/N: 1U3JX80127BJ16023 C/W: 20000.0 lb GVWR Usage: Not Available
6842	2009 Silver Eagle V2ST20W S/A Dolly S/N: 1U3JY80189BJ00022 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	6855	2002 Silver Eagle VAST20 S/A Dolly S/N: 1U3JX74172BK02618 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available
		6856	1998 Trail King TK22FA-051 S/A Dolly S/N: 1TKS00510WM054130 C/W: 20280.0 lb GVWR, Air Ride Suspension, 225/70R22.5 Tires Usage: Not Available
		6857	1995 Silver Eagle CST20W S/A Dolly S/N: 1U3JE7613SAJ01884 C/W: 20000.0 lb GVWR, Spring Suspension, 295 /80R22.5 Tires Usage: Not Available
		6858	2013 Cottrell EZ4807 T/A Open Car Carrier Trailer S/N: 5E0AW1649DG389303 C/W: Air Ride Suspension, Air Brakes, Chain Tie Downs, 285/70R19.5 Tires Usage: 359,840 Mi

Lot #	Details	Lot #	Details
6860	2014 Kaufman Tri/A 5 Car Open Car Carrier Trailer S/N: 5VGFE4434EL003627 C/W: 25900.0 lb GVWR, Spring Suspension, Electric Brakes, 235/75R17.5 Tires Usage: Not Available	6873	2022 TCRW 18 ft T/A Equipment Trailer S/N: 1T9BU1826NL799792 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, 235-85-16 Tires Usage: Not Available
6863	2022 Gatormade 35-5 Elite 26500 lb 40 ft T/A Gooseneck Equipment Trailer S/N: 4Z1GF4027NS003928 C/W: 37500 lb GVWR, Spring Suspension, Electric Brakes, 35 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Wood Flooring, Aluminum Wheels, 215 /75R17.5 Tires Usage: Not Available	6874	2014 Superior 9500 lb T/A Equipment Trailer S/N: 4M8FS1620ED002222 C/W: Lunette Ring Hitch, Spring Suspension, 16 ft Main Deck, Manual Ramps, Wood Flooring, Aluminum Wheels, 225/75/R15 Tires Usage: Not Available
6864	2003 Delta Gooseneck 30 ft T/A Gooseneck Equipment Trailer S/N: 4MWFS30243N010697 C/W: 23400.0 lb GVWR, Spring Suspension, Electric Brakes, 100 in Usable Deck Width, Deck Over Tires, Wood Flooring, 245/75R16 Tires Usage: Not Available	6875A	2000 Belshe T-18 T/A Equipment Trailer S/N: 16JF01622Y1034087 C/W: Lunette Ring Hitch, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 83 in Usable Deck Width, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
6866	2016 Diamond T 10225DTF 25 ft T/A Equipment Trailer S/N: 5FWFP2521GR019618 C/W: 24000.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 5 ft Fixed Dovetail, 97 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	6875	2011 Bri-Mar AC 16.5 ft T/A Equipment Trailer S/N: 43YDC721DC098906 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 3 ft 6 in Fixed Dovetail, 67 in Usable Deck Width, Manual Ramps, 215/75R17.5 Tires Usage: Not Available
6868	2014 26 ft T/A Utility Trailer S/N: 4PRUS1825ET000092 C/W: 12000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 86 in Deck Width, Wood Flooring, 235/80-16.5 Tires Usage: Not Available	6876	2011 MMDI 15X6J 10 ft S/A Equipment Trailer S/N: 1M9DA13A6BM646564 C/W: 3490.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 7 ft Main Deck, 48 in Usable Deck Width, Manual Ramps, Steel Decking, 205/75R15 Tires Usage: Not Available
6870	2012 Better Built 21 ft T/A Equipment Trailer S/N: 4MNFB2024C1001686 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 21 ft Main Deck, 82 in Usable Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available	6877	2017 Better Built 12 ft S/A Equipment Trailer S/N: 4MNFB0818H1000896 C/W: 2990.0 lb GVWR, Ball Hitch, Spring Suspension, 8 ft Main Deck, 48 in Usable Deck Width, Steel Decking, 205/75R15 Tires Usage: Not Available
6871	2008 Wild West 8x20 T/A Equipment Trailer S/N: 1W9GF25288M439103 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 5 ft 3 in Fixed Dovetail, 96 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/75R17.5 Tires Usage: Not Available	6878	2008 Rayco 7 ft S/A Equipment Trailer S/N: 1R90509148W210070 C/W: 2500.0 lb GVWR, Ball Hitch, Steel Decking, ST185/80 Tires Usage: Not Available
6872	1997 Hooper Trailer 20 ft T/A Equipment Trailer S/N: 1H9FB202V10471051 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 4 ft Fixed Dovetail, 96 in Usable Deck Width, Manual Ramps, Wood Flooring, 7.50-16 Tires Usage: Not Available	6879	2017 Better Built 500 lb 9 ft S/A Equipment Trailer S/N: 4MNFB081XH1000897 C/W: 1500.0 lb GVWR, Ball Hitch, Spring Suspension, 0 ft Upper Deck, 5 ft 5 in Main Deck, 59.5 in Usable Deck Width, 205/75R14 Tires Usage: Not Available
		6882	2002 Superior 16 ft T/A Equipment Trailer S/N: 4M8FS16222D001228 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 14 ft Main Deck, 2 ft Fixed Dovetail, 82 in Usable Deck Width, Manual Ramps, Wood Flooring, 225/75/R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6883	2017 MMDI CP0510 7000 lb 21 ft T/A Equipment Trailer S/N: 5631F1728HM016909 C/W: 6990.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75/R15 Tires Usage: Not Available	6925	2022 Barreto E4X6TBT 6.6 ft S/A Stump Grinder Trailer S/N: 1B9UC0611NL280016 C/W: 1671 lb GVWR, Ball Hitch, Torsion Axle, 5.30-12 Tires Usage: Not Available
6887	2018 Pratt CP0407 10 ft S/A Equipment Trailer S/N: 1P9UT1412JN343369 C/W: 4400.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 7 ft Main Deck, 48 in Usable Deck Width, Manual Ramps, Wood Flooring, 205/75R15 Tires Usage: Not Available	6926	2020 Barreto E4X6TBT 6.6 ft S/A Stump Grinder Trailer S/N: 1B9UC0616LL280235 C/W: 1671.0 lb GVWR, Ball Hitch, Torsion Axle, 5.30-12 Tires Usage: Not Available
6908C	2011 Bad Boy Buggies Ambush Utility Cart (Inoperable) S/N: 8003503 C/W: Canopy, 4 Passenger, Windshield, Brush Guard, 48 Volt Battery Charger Usage: Not Available	6927	2020 Barreto 6 ft S/A Trencher Trailer S/N: 1B9UC0615LL280212 C/W: Ball Hitch, Spring Suspension, 5.30-12 Tires Usage: Not Available
6908B	Bad Boy Buggies Ambush Utility Cart (Inoperable) S/N: 7821 C/W: Canopy, 4 Passenger, Winch, Brush Guard, 48 Volt Battery Charger Usage: Not Available	6928	2018 Barreto E4X6TBT 11 ft S/A Stump Grinder Trailer S/N: 1B9UC0618JL280444 C/W: 2200.0 lb GVWR, Ball Hitch, Torsion Axle, 5.30-12 Tires Usage: Not Available
6912	2017 MMDI 510RCMPH 10 ft T/A Equipment Trailer S/N: 5631F1728HM016134 C/W: 6990 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 64 in Usable Deck Width, Steel Decking, 205/75R15 Tires Usage: Not Available	6929	2018 Barreto E4X6TBT 6 ft S/A Trencher Trailer S/N: 1B9UC0615JL280305 C/W: 2200.0 lb GVWR, Ball Hitch, Spring Suspension, 5.30-12 Tires Usage: Not Available
6913	2017 MMDI 510RCMPH 10 ft T/A Equipment Trailer S/N: 5631F1721HM016637 C/W: 8800 lb GVWR, Torsion Axle, Surge Brakes, 64 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75/R15 Tires Usage: Not Available	6930	2018 Barreto E4X6TBT 6 ft S/A Equipment Trailer S/N: 1B9UC0612JL280357 C/W: Ball Hitch, Torsion Axle, 6 ft 7 in Main Deck, 48 in Usable Deck Width, Wood Flooring, 5.30-12 Tires, tilt deck Usage: Not Available
6921	2017 MMDI 47RVX10 7 ft S/A Equipment Trailer S/N: 5631F1413HM016926 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 7 ft Main Deck, 52 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75 /R15 Tires Usage: Not Available	6933	2003 26 ft T/A Utility Trailer S/N: 4MNFB162931002568 C/W: 12000 lb GVWR, Ball Hitch, Spring Suspension, 82 in Deck Width, 235/80-16.5 Tires Usage: Not Available
6923	2018 Pratt CP0510 10 ft T/A Equipment Trailer S/N: 1P9UT1724JN343569 C/W: 6990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft 0 in Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	6935	2011 Circle M 20 ft T/A Utility Trailer S/N: 1C9US2021BM364104 C/W: Lunette Ring Hitch, Spring Suspension, 82 in Deck Width, Wood Flooring Usage: Not Available
6924	2018 Pratt CP0510 10 ft T/A Equipment Trailer S/N: 1P9UT1726JN343220 C/W: 6990.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available	6936	2021 Southern States Utility 16 ft T/A Utility Trailer S/N: 4S9BU1627MA595205 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available
		6937A	2022 Big Tex 14 ft T/A Utility Trailer S/N: 16V1U172XN3160631 C/W: 4600.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6937	2013 Lawrimore 16 ft T/A Utility Trailer S/N: 5WUBU162XDF027433 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, Wood Flooring, ST205/75R15 Tires Usage: Not Available	6955	2016 Demco AT6000P T/A 1 Car Open Car Carrier Trailer S/N: 15DP19207GA987767 C/W: Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available
6939	2021 Stryker 16 ft T/A Dump Utility Trailer S/N: 7HXB1DE2XMP013387 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Steel Decking, 235/80R16 Tires Usage: Not Available	6956	2016 Demco AT6000P T/A 1 Car Open Car Carrier Trailer S/N: 15DP19200GA987979 C/W: Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215-75-14 Tires Usage: Not Available
6942	2017 Felling FT10DTHDG 10 ft T/A Dump Utility Trailer S/N: 5FTBD1228H1001670 C/W: Lunette Ring Hitch, Torsion Axle, Surge Brakes, 225/75/R15 Tires Usage: Not Available	6957	2015 Demco AT6000P T/A 1 Car Open Car Carrier Trailer S/N: 15DP19204FA987479 C/W: 5980.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available
6948	2012 Duru 16 ft T/A Tool Carrier Utility Trailer S/N: 31844281383529 C/W: Lunette Ring Hitch, Spring Suspension, 225/75R15 Tires Usage: Not Available	6958	2015 Demco AT6000P T/A 1 Car Open Car Carrier Trailer S/N: 15DP19207FA987153 C/W: 5980.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available
6949	2018 Felling FT-12IT-I-G 17 ft T/A Tilt Deck Trailer S/N: 5FTCE232XJ2006066 C/W: 15200.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Surge Brakes, 81 in Deck Width, 235/80R16 Tires Usage: Not Available	6959	2015 Demco AT6000P T/A 1 Car Open Car Carrier Trailer S/N: 15DP19200FA987219 C/W: Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available
6950	2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer S/N: 15DPC1924HA988301 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	6962	2009 Cargo Craft Tri/A Enclosed Trailer S/N: 4D6EG52329A026492 Usage: Not Available
6951	2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer S/N: 15DPC1924HA988332 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75/R15 Tires Usage: Not Available	6963	2015 Cargo Craft EV-182 17.5 ft T/A Enclosed Trailer S/N: 4D6EB1825FA036001 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, 80 in Deck Width, Aluminum Wheels, 205/75R15 Tires Usage: Not Available
6952	2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer S/N: 15DPC1925HA988419 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75/R15 Tires Usage: Not Available	6964	2002 Lone Wolf LW510ENC 10 ft S/A Enclosed Trailer S/N: 2061424 C/W: Ball Hitch, Spring Suspension, 56 in Deck Width Usage: Not Available
6953	2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer S/N: 15DPC1925HA988629 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75/R15 Tires Usage: Not Available	6965	2023 Rock Solid 8.5 x 26 Enclosed Trailer S/N: 7H2BE2434PD049526 C/W: 21000.0 lb GVWR, Aluminum/Steel Combination Frame, Ball Hitch, Torsion Axle, Surge Brakes, 235/80R16 Tires Usage: Not Available
6954	2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer S/N: 15DPC1921HA988689 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75/R15 Tires Usage: Not Available	6966	2013 Brooks Brothers PTB 112-10KE Pole Trailer S/N: 1B9BS1120DM274457 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
6967	2007 Brooks Brothers PTB111-10K HDE Pole Trailer S/N: 1B9BS11117274057 C/W: 11700 lb GVWR, Lunette Ring Hitch, Electric Brakes, 4 Stanchions, 235/85R16 Tires Usage: Not Available	6977	2005 Manac 3244801 44 ft Glass Trailer S/N: 2M512134651101427 C/W: 73855 lb Trailer GVWR, T/A 102 in Usable Deck Width, 10 ft Front Deck, 25 ft Main Deck, 9 ft Rear Deck, Aluminum Wheels, 445/50R22.5 Tires Usage: Not Available
6968	2013 Butler BPHD1500 Pole Trailer S/N: 1BUP2510XD1006888 C/W: 15000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 255/70R22.5 Tires Usage: Not Available	6978	2005 Manac 44 ft Glass Trailer S/N: 2M512134351101398 C/W: 80000 lb Trailer GVWR, T/A 102 in Usable Deck Width, 10 ft Front Deck, 25 ft Main Deck, 9 ft Rear Deck, Air Ride Suspension, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: Not Available
6969	2015 TSE DPT-40B Puller S/N: 1T92C1526FS268171 C/W: US EPA Label, John Deere 2.4 L Diesel Engine, Lunette Ring Usage: Not Available	6980A	2014 Polaris 800 4x4 Utility Vehicle (Inoperable) S/N: 4XATH76A6E4322082 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Winch, Manual Dump Bed Usage: 429 Hr
6970	2007 TSE PTV-100-72 T/A Puller S/N: 07342601 C/W: John Deere PowerTech 6 Cylinder 6.8 L Diesel Engine, T/A Carrier, Lunette Ring Usage: 1,085 Hr	6980	2018 Kubota RTV-X1140 4x4 Utility Vehicle (Inoperable) S/N: A5KD2GDBPJG022938 C/W: Canopy, 4 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard, Manual Dump Bed Usage: 2,564 Hr
6971	2019 Greenlee UT10 Versi Boom Electric Cable Puller S/N: ANB00271 C/W: Single Phase Motor Usage: Not Available	6981B	2019 Kubota SVL95-2S High Flow Compact Track Loader (Inoperable) S/N: JKUC0953J01S45391 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, US EPA Label, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 1,796 Hr
6972	2016 Multiquip WT5C T/A Water Tank Trailer S/N: 4GNBM1225GB042329 C/W: Lunette Ring Hitch, Spring Suspension, Surge Brakes, 205/75R14 Tires Usage: Not Available	6981A	2016 Bobcat T740 Compact Track Loader (Inoperable) S/N: B3CA11778 C/W: Enclosed Cab (Door missing), 2016 US EPA Label, 17 in Track Belts, Manual Coupler Usage: 2,579 Hr
6973	2010 Timppte Super Hopper T/A Manual dump Grain Trailer S/N: 1TDH43023AB123940 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Manual Roll Tarp, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	6981	2016 Lay-Mor SM300 Self-Propelled Broom (Inoperable) S/N: 36824 C/W: Open Operator Station, 7 ft 8 in Broom, Water System, Kubota D1105 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 830 Hr
6974	2011 Manac 1Z242CZ0 42 ft Glass Trailer S/N: 2M5121284B6123932 C/W: 33500.0 lb Trailer GVWR, T/A 102 in Usable Deck Width, 8 ft 10 in Front Deck, 19 ft Main Deck, 8 ft 6 in Rear Deck, Air Ride Suspension, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	6982	2013 Bobcat S650 Skid Steer Loader (Inoperable) S/N: A3NV20930 C/W: Open Operator Station, Manual Coupler Usage: Not Available
6975	2005 Manac DD80 44 ft Glass Trailer S/N: 2M512134451101376 C/W: 80000.0 lb Trailer GVWR, T/A 102 in Usable Deck Width, 10 ft Front Deck, 25 ft Main Deck, 9 ft Rear Deck, Air Ride Suspension, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: Not Available	6983A	Mauldin 1450 Double Drum Roller (Inoperable) S/N: Not Available C/W: Open Operator Station, Kohler 2 Cylinder Gasoline Engine, 28 in Drums Usage: 531 Hr
6976	2005 Manac DD80 44 ft Glass Trailer S/N: 2M512134051101410 C/W: 80000 lb Trailer GVWR, T/A 102 in Usable Deck Width, 10 ft Front Deck, 24 ft Main Deck, 10 ft Rear Deck, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: Not Available	6983	2017 Gehl R150 Skid Steer Loader (Inoperable) S/N: GHLOR150B00195381 C/W: Open Operator Station, Joystick Steering Usage: Not Available

Lot #	Details	Lot #	Details
6984A	1995 Cat 970F Wheel Loader (Inoperable) S/N: 7SK00492 C/W: Enclosed Cab, 125 in Bucket, 26.5-25 Tires Usage: 42,286 Hr	6992	2014 Toyota 8FGU25 4900 lb Cushion Tire Forklift (Inoperable) S/N: Not Available C/W: 2 Stage Mast, 131 in Max Lift Height, 82 in Lowered Mast Height, 40 in Forks, Side Shift, 2014 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 12,033 Hr
6984	2013 Case 586H 6000 lb 4x2 Rough Terrain Forklift (Inoperable) S/N: JJGN580HPDC595246 C/W: 3 Stage Mast, 264 in Max Lift Height, 130 in Lowered Mast Height Usage: 2,300 Hr	6993	2019 Clark ESX15 2400 lb Electric Forklift (Inoperable) S/N: ESX25009569706 C/W: 3 Stage Mast, 214 in Max Lift Height, 94 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 36 V Usage: Not Available
6985	1993 Hitachi EX200LC-2 Tracked Excavator (Inoperable) S/N: 14772048 C/W: Straight Travel Pedal, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 7,146 Hr	6995	2017 Genie GS3232 Electric Scissor Lift (Inoperable) S/N: GS32P152451 C/W: 22 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
6986	2007 Case CX330 Tracked Excavator (Inoperable) S/N: DAC330K3N7SAP7248 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 2007 US EPA Label, 10 ft 10 in Stick, 32 in Triple Grouser Track Shoes Usage: 5,729 Hr	6996	2006 Skyjack SJ6832 Diesel 4x4 Scissor Lift S/N: 370392 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, Tier 2, 2006 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 3,265 Hr
6987	Case CX210B Tracked Excavator (Inoperable) S/N: KRN29093 C/W: Air Conditioner, 2011 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes Usage: 10,421 Hr	6997	2016 JLG 1930ES Electric Scissor Lift (Inoperable) S/N: M2000000601 C/W: 18 ft 9 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 15 Hr
6988	2013 John Deere 35D Mini Excavator (Inoperable) S/N: 1FF035DXJCG270609 C/W: Straight Travel Pedal, 2012 US EPA Label, Swing Boom, 5 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 12 in Rubber Tracks Usage: 60,697 Hr	6999	2015 Multiquip DCA-70SSIU4F Generator Set (Inoperable) S/N: 7353259 C/W: 2015 US EPA Label, Isuzu 4 Cylinder Diesel Engine, Lunette Ring Usage: 4,257 Hr
6989	2022 Vermeer BC700XL Tow-Behind Wood Chipper (Inoperable) S/N: 1VRA10AL3P1051278 C/W: 2022 US EPA Label, Kohler ECH740 2 Cylinder 747 cc Gasoline Engine, Swivel Discharge Chute, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available	7000	2013 Lincoln K3211-2 450 A Skid-Mounted Stick Engine Driven Welder (Inoperable) S/N: U1130507385 C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included Usage: Not Available
6990	2005 Toyota 7FDKU40 8200 lb Diesel Cushion Tire Forklift (Inoperable) S/N: 61546 C/W: 3 Stage Mast, 218 in Max Lift Height, 98 in Lowered Mast Height, 46 in Forks, Side Shift, 2005 US EPA Label, Toyota 6 Cylinder 4.6 L Diesel Engine Usage: 8,348 Hr	7001A	2013 Wacker Neuson LTN6K Light Tower (Inoperable) S/N: 5XFLN0516DN000038 C/W: 3 Cylinder Diesel Engine, 4 Lamps, Ball Hitch Usage: Not Available
6991	2012 Nissan CF40LP 4000 lb Cushion Tire Forklift (Inoperable) S/N: CP1F2-9P9376 C/W: 2 Stage Mast, 80 in Max Lift Height, 60 in Lowered Mast Height, 40 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Nissan K21L 4 Cylinder 2.1 L LPG Engine Usage: Not Available		

Lot #	Details	Lot #	Details
7001	2018 Trime EL125 Eco-Light Light Tower (Inoperable) S/N: 160180324 C/W: Tier 4, 2018 US EPA Label, Kubota Z482-D2-EF07e 2 Cylinder 4.5 kW 0.47 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	7009A	1988 Honda GL 1500 1500 cc Classic Bike (Inoperable) S/N: 1HFSC220XJA003465 C/W: 1500 cc Engine, Windscreen, Saddle Bags Usage: 17,840 Mi
7002C	Wacker Neuson Trench Compactor (Inoperable) S/N: Not Available C/W: Open Operator Station, Tier 4, Lombardini 3 Cylinder Diesel Engine, 32 in Drums, Cordless Remote Control Usage: Not Available	7009	2018 Wacker Neuson WP1550AW Vibratory Plate Compactor (Inoperable) S/N: Not Available C/W: 2017 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7002B	Wacker Neuson Trench Compactor (Inoperable) S/N: Not Available C/W: Open Operator Station, Kohler 3 Cylinder Diesel Engine, 32 in Drums Usage: Not Available	7011A	2016 Nissan Frontier 4x2 Extended Cab Pickup (Inoperable) S/N: 1N6BD0CT6GN720271 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, Drop-In Bed Liner, 4700.0 lb GVWR, 235/75R15 Tires, 6 ft Bed Usage: 110,665 Mi
7002A	2010 Wacker Neuson RT Trench Compactor (Inoperable) S/N: 5925425 C/W: Open Operator Station, Lombardini 3 Cylinder Diesel Engine, 32 in Drums Usage: Not Available	7011	2012 Chevrolet Cruze LS Automobile (Inoperable) S/N: 1G1PC5SH2C7283754 C/W: 4 cyl 1.8 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 77,745 Mi
7002	Wacker RT Trench Compactor (Inoperable) S/N: Not Available C/W: Open Operator Station, Lombardini 5LBDL1.37SF0 3 Cylinder 15.5 kW 1028 cc Diesel Engine, 32 in Split Drums, Remote Control w/ Cord, Articulated Steering Usage: Not Available	7013A	2008 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable) S/N: 1FTSW21588ED57440 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 9600.0 lb GVWR, 285/70R17 Tires, 8 ft Bed Usage: Not Available
7003	Soff-Cut X-4000 Prowler Walk-Behind Saw (Inoperable) S/N: Not Available C/W: 2 Cylinder Gasoline Engine Usage: Not Available	7013	2016 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable) S/N: 1FT7W2BT5GEB02195 C/W: 6.7 L V8 Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000.0 lb GVWR, 295/70R18 Tires, 8 ft Bed Usage: 227,940 Mi
7004	Soff-Cut GX 4000 Walk-Behind Saw (Inoperable) S/N: Not Available C/W: 2 Cylinder Gasoline Engine Usage: 282 Hr	7015D	2000 Ford F-550 4x2 Utility Truck (Inoperable) S/N: 1FDAF56F3YEC03082 C/W: Power Stroke V8 7.3 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, 225/70R19.5, Spring Suspension, 163 in Wheelbase, 10 ft 10 in Body, Northstar 13.7 cfm Gasoline Air Compressor Usage: 187,483 Mi
7005	Soff-Cut GX2000 Walk-Behind Saw (Inoperable) S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: 761 Hr	7015C	2000 Ford F-550 4x2 Utility Truck (Inoperable) S/N: 1FDAF56F9YEB34480 C/W: Power Stroke V8 7.3 L Diesel Engine, 6-Speed Manual Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, 225/70R19.5, Spring Suspension, 166 in Wheelbase, Knapheide 11 ft Body, Gasoline Air Compressor, Air Hose Reel Usage: 137,071 Mi
7006	Carrier 2100A Reefer Unit (Inoperable) S/N: Not Available C/W: Tier 4, 2012 US EPA Label, Kubota V2203L-DI-ET04e 4 Cylinder 22.6 kW 2.2 L Diesel Engine Usage: Not Available		
7007	Carrier NDL934L0-AB-A Reefer Unit (Inoperable) S/N: MAY91192773 C/W: Tier 4, 2011 US EPA Label, Kubota V2203L 4 Cylinder 22.6 kW 2.2 L Diesel Engine Usage: Not Available		

Lot #	Details	Lot #	Details
7015B	2000 Ford F-550 XL 4x2 Utility Truck (Inoperable) S/N: 1FDAF56F4YEC16570 C/W: V8 7.3 L Diesel Engine, 5-Speed Manual Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, Aluminum Wheels, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 163 in Wheelbase, Warner 11 ft Body Usage: 166,042 Hr	7021	2006 International 7600 6x4 Cab and Chassis (Inoperable) S/N: 1HTWYSAR96J197848 C/W: Cat C11 6 Cylinder 11.1 L Diesel Engine, 19180 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 202 in Wheelbase, 138 in Cab to Axle, 268 in Cab to End of Frame Usage: 448,229 Mi
7015A	2001 Ford F-550 XLT 4x2 Utility Truck (Inoperable) S/N: 1FDAF56F81EB65063 C/W: Powerstroke V8 7.3 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, 245/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft Body Usage: 298,304 Hr	7022	1999 Kenworth T800 6x4 Cab and Chassis (Inoperable) S/N: 1NKDL98X1XR817111 C/W: Cummins M11 6 Cylinder 11 L Diesel 330 hp Engine, Engine Brake, Eaton Fuller FRO13210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 34000 lb Rears, 4.11:1 Axle Ratio, 46000.0 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 315 /80R22.5 Rear Tires, 8-Bag Air Ride Suspension, 228 in Wheelbase, 156 in Cab to Axle, 256 in Cab to End of Frame Usage: 72,784 Mi
7015	2016 GMC Sierra 1500 4x2 Regular Cab Pickup (Inoperable) S/N: 1GTN1LEH3GZ357620 C/W: 4.3 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6500.0 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 264,258 Mi	7023	1999 Kenworth T800 6x4 Cab and Chassis (Inoperable) S/N: 1NKDL98XXXR817107 C/W: Cummins M11 6 Cylinder Diesel 330 hp Engine, Engine Brake, Eaton Fuller FRO13210B 10-Speed Manual Transmission, 12000 lb Front Axle, 34000 lb Rears, 46000.0 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 295 /75R22.5 Rear Tires, 8-Bag Air Ride Suspension, 228 in Wheelbase, 158 in Cab to Axle, 258 in Cab to End of Frame Usage: 112,908 Mi
7018	2020 Peterbilt 348 6x4 Cab and Chassis (Inoperable) S/N: 2NP3LJ0X6LM650863 C/W: Paccar PX-9 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Allison 3000 Automatic Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.88:1 Axle Ratio, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 216 in Wheelbase, Double Frame, 144 in Cab to Axle, 272 in Cab to End of Frame Usage: Not Available	7024A	2004 Chevrolet C4500 4x2 Service Truck (Inoperable) S/N: 1GBE4C1284F520854 C/W: Chevrolet Duramax V8 6.6 L Diesel Engine, 2004 US EPA Label, 4 Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 17500.0 lb GVWR, Aluminum Front Wheels, 225/70R19.5 Front Tires, 245/70R19.5 Rear Tires, Spring Suspension, 178 in Wheelbase, PTO, 2004 16 ft Body, Hydraulic Stabilizers, Jamacian Jomac 3 Section Hydraulic Crane Usage: 163,545 Mi
7019	2008 Peterbilt 335 4x2 Cab and Chassis (Inoperable) S/N: 2NPLHN7X78M768183 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 260 hp Engine, 2007 US EPA Label, 22941 Engine hrs, 10000 lb Front Axle, 23000 lb Rears, 3.91:1 Axle Ratio, 33000.0 lb GVWR, Aluminum Wheels, 11R22.5, Reyco Spring Suspension, 192 in Wheelbase, 120 in Cab to Axle, 238 in Cab to End of Frame Usage: 419,911 Mi	7024	2005 Isuzu NPR 4x2 COE Cab and Chassis (Inoperable) S/N: 4KLB4B1U55J803138 C/W: V8 Gasoline Engine, Automatic Transmission, 4700 lb Front Axle, 7950 lb Rears, 12000.0 lb GVWR, 215/85R16, Spring Suspension, 134 in Wheelbase, 116 in Cab to Axle, 159 in Cab to End of Frame Usage: Not Available
7020	2008 International 7400 6x4 Cab and Chassis (Inoperable) S/N: 1HTWGAAT08J552563 C/W: International HT466 6 Cylinder Diesel Engine, 2007 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 16540 lb Front Axle, 40000 lb Rears, 56540.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 12R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, 165 in Cab to Axle, 250 in Cab to End of Frame Usage: Not Available		

Lot #	Details	Lot #	Details
7025	2015 International 4300 SBA 4x2 Van Truck (Inoperable) S/N: 3HAMMMML8FL036351 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 9260 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 254 in Wheelbase, Morgan 25 ft Long x 102 in Wide x 108 in High Body, Liftgate Usage: 307,284 Mi	7031A	2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJGLDRXHLHV2885 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, Air Ride Cab, 60 in High Rise Sleeper Cab, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7027B	1992 GMC Vandura G3500 4x2 Van Truck (Inoperable) S/N: 2GDHG31K6N4521956 C/W: V8 5.7 L Gasoline Engine, Automatic Transmission, 215/85R16, Spring Suspension, 145 in Wheelbase, Morgan 13 ft Long x 92 in Wide x 76 in High Body, Front/Rear Vents Usage: 159,312 Mi	7031	2011 Mack CXU613 Pinnacle 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1M1AW02Y0BM014479 C/W: Mack MP7 6 Cylinder 10.8 L Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 37200 lb Rears, 60 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
7027A	2018 International 4300 4x2 Van Truck (Inoperable) S/N: 3HAMMMMN8JL534558 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 4867 Engine hrs, Automatic Transmission, 9000 lb Front Axle, 17000 lb Rears, 26000.0 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Smyrna 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 193,354 Mi	7034	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJGLD52ESFZ3907 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650 10-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 697,109 Mi
7029B	2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKYDP9X0HJ135831 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 13881 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.64:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 493,557 Mi	7035	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJGLD55ELFX0830 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-16E310C-LAS ULTRASHIFT 10-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 926,616 Mi
7030	2015 Mack CXU613 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1M1AW07Y0FM045116 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 13560 lb Front Axle, 40000 lb Rears, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 285/75R22.5, Air Ride Suspension, 222 in Wheelbase Usage: Not Available		

Lot #	Details	Lot #	Details
7036	2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJGLD51GLGZ8355 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 29928 Engine hrs, Engine Brake, Detroit DT12-OA-1750 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,064,749 Mi	7045	2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 3AKJGEDV0GSGW5945 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16546 Engine hrs, Engine Brake, DT12-OB1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 715,761 Mi
7037	2012 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUGGHDV6CSBH7750 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 4698 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 800,088 Mi	7046	2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 1FUJGBDV0GLGW3042 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 16601 Engine hrs, Engine Brake, DT12-OB-1450 Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 579,070 Mi
7038	2016 International Prostar+ 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3HSDJSNR8GN429073 C/W: International N13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20016 Engine hrs, Engine Brake, Automated Transmission, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 780,926 Mi	7047	2015 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV7FLGD8377 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 20139 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 800,447 Mi
7039	2016 Volvo VNL670 4x2 S/A Sleeper Truck Tractor (Inoperable) S/N: 4V4N39EH9GN953825 C/W: D13J425 12.8 L Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, AT2612D Automatic Transmission, 12350 lb Front Axle, 22700 lb Rears, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 208 in Wheelbase, Dual Fuel Tanks Usage: 557,836 Mi	7048A	2015 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 4V4N39EG1FN927872 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 13200 lb Front Axle, 22700 lb Rears, 33500.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 163 in Wheelbase, Dual Fuel Tanks Usage: Not Available
7041	2006 Volvo VNL 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 4V4NC9TH86N418731 C/W: Engine Brake, Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 50350.0 lb GVWR, Air Ride Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 455/55R22.5 SUPER SINGLES Rear Tires, Volvo Air Ride Suspension, 268 in Wheelbase, Dual Fuel Tanks Usage: 1,114,812 Mi	7048	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV2ELFL4141 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 17964 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 740,917 Mi

Lot #	Details	Lot #	Details
7049A	2013 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 4V4N19EG3DN133944 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, Auto Lube, Dual Fuel Tanks Usage: Not Available	7052	2010 Volvo VNL 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 4V4NC9EHXAN292409 C/W: D13F435 6 Cylinder 12.8 L Diesel 338 hp Engine, 2009 US EPA Label, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 11R22.5, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel Usage: 527,296 Mi
7049	2014 Volvo VNM 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 4V4MC9EG9EN146785 C/W: D13H375 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 375 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 11520 Engine hrs, ATO2612D 12-Speed Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 50000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 170 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 589,492 Mi	7053A	2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1XKDA48X08J220143 C/W: Cummins ISX 5 Cylinder 15 L Diesel 400 hp Engine, US EPA Label, 3617 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,025,291 Mi
7050A	2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 4V4N19EG1CN547268 C/W: D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21225 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 593,368 Mi	7053	2011 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1HSCRAPN6BJ363174 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 9760 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 969,414 Mi
7050	2012 Volvo VNL 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 4V4NC9EH9CN551779 C/W: D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 11189 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 408,284 Mi	7054A	2002 Mack RD688S 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 1M2P267Y72M064115 C/W: Mack 6 Cylinder 12.0 L Diesel Engine, Eaton Fuller 8LL Manual Transmission, Aluminum Wheels, 11R22.5, Camelback Spring Suspension, 188 in Wheelbase, PTO, Dual Fuel Tanks Usage: 35,449 Mi
7051	2010 Volvo VNL 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 4V4NC9EH6AN292391 C/W: D13F435 6 Cylinder 12.8 L Diesel 338 hp Engine, 2009 US EPA Label, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 11R22.5, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 513,220 Mi	7054	2011 International ProStar Premium 6x2 T/A Day Cab Truck Tractor (Inoperable) S/N: 3HSCUAPR1BN346426 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 20216 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 868,331 Mi
		7055	2016 Autocar 4x2 Spotter Truck (Inoperable) S/N: 516G4G4BXGH221022 C/W: Cummins QSB 6 Cylinder 6.7 L Diesel 185 hp Engine, US EPA Label, 16393 Engine hrs, Allison 3000 Automated Transmission, 14700 lb Front Axle, Meritor RS24-160 Drive Axles, 39200.0 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, 121 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 19,836 Mi

Lot #	Details	Lot #	Details
8000	2023 AGROTK 40 Ft High Cube 40 ft High Cube Storage Container (Unused) S/N: XHCU5530647 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8011	2021 1CC-03FE20C-16JS 20 ft Storage Container S/N: ZENU3054161 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8001	2023 AGROTK 40 ft High Cube Storage Container (Unused) S/N: XHCU5530816 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8012	2022 CIMC TJC2-36-01 20 ft Storage Container (Unused) S/N: SPRU3012421 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8002	2023 AGROTK 40 Ft High Cube 40 ft High Cube Multi-Door Storage Container (Unused) S/N: XHCU5530740 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8013	2023 20 ft Bulk Storage Container (Unused) S/N: HPCU2267590 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8003	2023 40 ft High Cube Multi-Door Storage Container (Unused) S/N: JPCU2201510 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	8014	2021 1CC-03FE20C-16JS 20 ft Storage Container (Unused) S/N: ZENU3054515 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8004	2023 40HQ 40 ft High Cube Multi-Door Storage Container (Unused) S/N: MMPU1004835 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8015	2023 Shanghai SP-20DV-A 20 ft High Cube Storage Container (Unused) S/N: HPCU2267650 C/W: 9 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8005	2023 40HQ 40 ft High Cube Multi-Door Storage Container (Unused) S/N: MMPU1004840 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	8016	20 ft Storage Container (Unused) S/N: OOLU1121107 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8006	2022 Guangdong M22G1-BC 20 ft Storage Container (Unused) S/N: SPRU2002624 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8019	Tag 78 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8007	2023 Shanghai SP-20DV-A 20 ft Storage Container (Unused) S/N: HPCU2267666 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8020	Hensley 68 in Excavator Bucket S/N: Not Available Usage: Not Available
8008	2022 T030BA/3-AA 20 ft Storage Container (Unused) S/N: DDDU2027785 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8021	Cat 66 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8009	2023 20 ft Bulk Storage Container (Unused) S/N: HPCU2267579 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	8022	Hensley 66 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8010	2022 T030BA/3-AA 20 ft Storage Container (Unused) S/N: DDDU2027759 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8023	Cat 62 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
		8024	Hensley 60 in Excavator Bucket S/N: Not Available Usage: Not Available
		8025A	60 in Excavator Bucket S/N: MZ1908163432 Usage: Not Available
		8025	Hensley 60 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
		8026	Hensley 56 in Excavator Bucket S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8027	Craig 54 in Excavator Bucket S/N: T201106997 Usage: Not Available	8042	Cat 32 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8028	TAC 48 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8043	Hensley 32 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8029	Craig 42 in Digging Excavator Bucket - Fits EC300 S/N: 2T21080717 C/W: Quick Coupler Bracket Usage: Not Available	8044	WB EX30HD24 30 in Excavator Bucket - Fits Volvo EC300E S/N: 3746321 Usage: Not Available
8030	Cat 40 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8045	Cat 28 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8031	Hensley 38 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8046	Cat 28 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8032	Cat 38 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8047	Hensley 28 in Excavator Bucket S/N: Not Available Usage: Not Available
8033	Cat 38 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8048	Cat 26 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8034	Nortrax 38 in Excavator Trench Bucket - Fits Deere 270 S/N: Not Available C/W: 2.25 cyd Usage: Not Available	8049	Cat 26 in Excavator Bucket S/N: Not Available Usage: Not Available
8035	Tag 36 in Excavator Bucket - Fits Deere 250G S/N: Not Available Usage: Not Available	8050	Cat 26 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8036	Hensley 36 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8051	Hensley 26 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8037	Cat 36 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8052	Cat 25 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8038	Hensley 36 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8053	Hensley 24 in Excavator Bucket S/N: Not Available Usage: Not Available
8039	Tag 36 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8054	C & P 24 in Excavator Bucket S/N: Not Available Usage: Not Available
8040A	34 in Excavator Bucket S/N: Not Available Usage: Not Available	8055	Hensley 24 in Excavator Bucket S/N: Not Available Usage: Not Available
8040	Hensley 36 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8056	Tag 24 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8041	Cat 32 in Digging Excavator Bucket S/N: Not Available Usage: Not Available	8057	Hensley 24 in Digging Excavator Bucket S/N: K117526 Usage: Not Available
		8058	Hensley 24 in Digging Excavator Bucket S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8059	Cat 24 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8075	Wacker Neuson 12 in Digging Excavator Bucket S/N: Not Available Usage: Not Available
8060	Hensley 24 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8076	Wacker Neuson 36 in Excavator Bucket S/N: Not Available Usage: Not Available
8061	Cat 24 in .68 cyd Digging Excavator Bucket - Fits Cat 324/329 S/N: Not Available Usage: Not Available	8077	Badger Excavator Grapple S/N: Not Available Usage: Not Available
8062A	24 in Excavator Bucket S/N: Not Available Usage: Not Available	8078A	2022 Agrotk EXFLM115 45 in Excavator Flail Mower S/N: EXFLM11522041502 Usage: Not Available
8062	Hensley 24 in Excavator Bucket S/N: Not Available Usage: Not Available	8078	1997 42 in Mulching Head S/N: Not Available Usage: Not Available
8063	Hensley 38 in Excavator Bucket S/N: Not Available Usage: Not Available	8079	2015 Vermeer BC700XL Tow-Behind Wood Chipper S/N: 1VRC101V9F1000568 C/W: Kohler 2 Cylinder Gasoline Engine, 8 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch Usage: 76 Hr
8064	2016 Kent F9FSPWR Hydraulic Breaker S/N: Not Available Usage: Not Available	8080	2007 Vermeer BC1500 Tow-Behind Wood Chipper S/N: 1VR2161V471000459 C/W: Tier 4, 2006 US EPA Label, John Deere 2659F 4 Cylinder 104 kW 4.5 L Diesel Engine, 36 in Feed Opening, Swivel Discharge Chute, Loading Winch, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available
8065	2018 FRD F9FSPWR 6 ft 6 in Hydraulic Breaker S/N: 08097 Usage: Not Available	8081	2017 Finn B40-12 Skid Mounted Straw Blower S/N: MU-2309 C/W: 1 cyd Hopper, Koehler 18 hp Gas Engine Usage: Not Available
8066	2015 Kent F9TLB Hydraulic Breaker S/N: F97212 Usage: Not Available	8082	2008 Tag 12 in Backhoe Loader Bucket - Fits John Deere 310 S/N: Not Available Usage: Not Available
8067	Indeco HP1100FS 6 ft Hydraulic Breaker S/N: MBJS0310J-C Usage: Not Available	8083	2017 Cat 60 in Backhoe Forks S/N: 3678 Usage: Not Available
8068	Indeco HP1250MB 6 ft Hydraulic Breaker S/N: MB01004150 Usage: Not Available	8084	2019 John Deere 48 in Backhoe Forks S/N: 15045 Usage: Not Available
8069	Wacker Neuson 30 in Digging Excavator Bucket S/N: 288128 Usage: Not Available	8085	2019 Arrow 48 in Backhoe Forks S/N: 15048 Usage: Not Available
8070	Wacker Neuson 30 in Excavator Bucket S/N: Not Available Usage: Not Available	8086	2023 Global Excotrans USA 16 ft Truck Dump Body (Unused) S/N: GLO202002 C/W: Oil Tank, Hinge, (3) Section Piston Usage: Not Available
8071	Wacker Neuson 24 in Excavator Bucket S/N: Not Available Usage: Not Available	8087	2023 Global Excotrans USA 16 ft Truck Dump Body (Unused) S/N: GLO202002 C/W: Oil Tank, Hinge, (3) Section Piston Usage: Not Available
8072	Wacker Neuson 12 in Excavator Bucket S/N: Not Available Usage: Not Available		
8073	Wacker Neuson 24 in 4.25 cyd Digging Excavator Bucket S/N: Not Available Usage: Not Available		
8074	Wacker Neuson 24 in Digging Excavator Bucket S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
8088	2023 Global Excotrans USA 14 ft Truck Dump Body (Unused) S/N: Not Available Usage: Not Available	8100	2017 Toro PT-36PP Power Trowel S/N: 400636625 C/W: 36 in, Honda 5 hp Gas Engine Usage: Not Available
8089	2023 Global Excotrans USA 2500 gal Water Truck Body (Unused) S/N: GLO202007 C/W: Side & Rear Spray Heads Usage: Not Available	8101	Morrison DB17 Walk-Behind Mini Concrete Buggy S/N: 703986 C/W: Hydrostatic Drive, 2019 US EPA Label, Honda GX390 1 Cylinder 11.7 hp 389 cc Gasoline Engine Usage: Not Available
8090	Electric Fifth Wheel Wrecker Boom - Fits Truck S/N: Not Available Usage: Not Available	8102	Quick Attach 72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8091	JLG 7301295 52 in 1117 lb Fork Attachment - Fits Telehandler S/N: 2022 199 08 C/W: Quick Coupler Bracket, Hydraulic Fork Positioner Usage: Not Available	8103	2015 Paladin CSS72 72 in Skid Steer Brush Cutter S/N: 405521 C/W: Quick Coupler Bracket Usage: Not Available
8092	Quantity of (4) 2021 SkyTrak 48 in Forklift Brick Fork - Fits SkyTrak/JLG Telehandlers S/N: 5857 C/W: 2.25 in Bar Usage: Not Available	8104	Quick Attach 72 in Skid Steer Brush Cutter S/N: Not Available Usage: Not Available
8093	Cat 54 in Wheel Loader Forks S/N: Not Available Usage: Not Available	8105	75 in Skid Steer Brush Cutter S/N: 2050618 C/W: Quick Coupler Bracket Usage: Not Available
8094	16 ft x 24 ft x 40 ft : Pole Barn Package Storage Building (Unused) S/N: Not Available C/W: C/W: 2 in x 6 in Wood Trusses, 16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	8106	PMI 72 in Skid Steer Brush Cutter S/N: Not Available Usage: Not Available
8095	24 ft x 40 ft x 16 ft : Pole Barn Package Storage Building (Unused) S/N: Not Available C/W: C/W: 2 in x 6 in Wood Trusses, 16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	8107	72 in Skid Steer Brush Cutter S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8096	16 ft x 32 ft x 40 ft : Pole Barn Package Storage Building (Unused) S/N: Not Available C/W: C/W: 2 in x 6 in Wood Trusses, 6 in x 6 in x16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	8108	Wildcat 72 in Skid Steer Brush Cutter S/N: 20474 Usage: Not Available
8097	16 ft x 32 ft x 40 ft : Pole Barn Package Storage Building (Unused) S/N: Not Available C/W: C/W: 2 in x 6 in Wood Trusses, 6 in x 6 in x16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	8109	Wildcat 84 in Skid Steer Broom S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8099	Gar-Bro Concrete Bucket S/N: 25597-B Usage: Not Available	8110	2016 Kent FX45CP-QA Skid Steer Breaker S/N: Not Available Usage: Not Available
		8111	2017 Paladin 22072MH-0022 6 ft Skid Steer Broom S/N: 1705050 Usage: Not Available
		8112	72 in Skid Steer Broom S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		8113	All-Star 72 in Rock Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available
		8114	Mustang Skid Steer Breaker S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8115	2018 Bobcat 72 in Skid Steer Broom S/N: Not Available Usage: Not Available	8128	All-Star 78 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8116	2015 Bobcat 18 in Skid Steer Planer S/N: Not Available Usage: Not Available	8129	All-Star 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8117	Cat 56 in Skid Steer Trencher S/N: JAJ03283 Usage: Not Available	8130	All-Star 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8118	Blue Diamond 116517 72 in Skid Steer Sweeper S/N: 139287 Usage: Not Available	8131	All-Star 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8119	2022 Top Cat SSFM81 64 in Skid Steer Mulcher (Unused) S/N: SSFM8122121901C C/W: Quick Coupler Bracket Usage: Not Available	8132	All-Star 70 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8120	2013 Star 110FF-ITA 48 in Skid Steer Forks S/N: 1722 C/W: Quick Coupler Bracket Usage: Not Available	8133	70 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8121	66 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available	8134	All-Star 68 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8122	Bobcat 18 in Skid Steer Planer S/N: Not Available Usage: Not Available	8135	All-Star 68 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8123	2020 Bobcat 18PLA Skid Steer Planer S/N: AKS204398 Usage: Not Available	8136	All-Star 72 in Skid Steer Broom (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8124B	2022 Mower King SSEFGC175 69 in Skid Steer Flail Mower S/N: SSEFGC17522041401 C/W: Quick Coupler Bracket Usage: Not Available	8137	All-Star 72 in Skid Steer Dozer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8124A	2022 Top Cat SSM72-S 72 in Skid Steer Mower S/N: SSM72S22120801D C/W: Quick Coupler Bracket Usage: Not Available	8138	All-Star 84 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8124	76 in Skid Steer Mulcher - Fits Gehl 7810 S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8139	All-Star 84 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8125	Stout 69-3B 5 ft 9 in Q/C Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8140	All-Star 74 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8126	Stout 72-8 6 ft Q/C Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available	8141	All-Star 78 in Grapple Skid Steer Root Rake S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8127	All-Star 78 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
8142	All-Star 72 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8155	All-Star 72 in E-Series Rock Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8143	All-Star 72 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8156	68 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8144	68 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8157	80 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8145	68 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8158	All-Star 72 in Rock Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8146	Mid-State 60 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8159	All-Star 78 in Skeleton Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8147	Mid-State 48 in Grapple Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8160	All-Star 72 in Skeleton Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8148	All-Star 78 in E-Series Root Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8161	48 in Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8149	78 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8162	72 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8150	72 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8163	68 in Rock Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8151	72 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8164	48 in Skeleton Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8152	60 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8165	Mid-State 80 in High Volume Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8153	60 in Brush Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8166	Mid-State 78 in High Volume Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8154	All-Star 80 in Rock Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8167	All-Star 74 in High Volume Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
8168	Mid-State 72 in High Volume Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8182	84 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8169	68 in High Volume Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8183	All-Star 80 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8170	78 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8184	All-Star 72 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8171	68 in Snow & Litter Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8185	68 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8172	All-Star 84 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8186	All-Star 78 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8173	All-Star 80 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8187	All-Star 70 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8174	All-Star 74 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8188	68 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8175	72 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8189	All-Star Stump Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8176	72 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8190	All-Star Stump Skid Steer Grapple (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8177	Mid-State 80 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8191	All-Star Stump Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8178	78 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8192	All-Star Stump Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
8179	Mid-State 74 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8193	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8180	Mid-State 72 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8194	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8181	Mid-State 68 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8195	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
8196	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8210	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8197	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8211	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available
8198	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8212	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available
8199	All-Star 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8213	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available
8200	48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available	8214	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available
8201	48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available	8215	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available
8202	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8216	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8203	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8217	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8204	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8218	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8205	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8219	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8206	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8220	Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8207	All-Star Skid Steer Fork Frame (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8221	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8208	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8222	All-Star Skid Steer Bale Spear (Unused) S/N: Not Available Usage: Not Available
8209	All-Star Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
8223	All-Star Skid Steer Bale Spear (Unused) S/N: Not Available Usage: Not Available	8238	2023 Mower King 72 in SSRC-72 Skid Steer Mower (Unused) S/N: SSRC23031401E Usage: Not Available
8224	All-Star Skid Steer Bale Spear (Unused) S/N: Not Available Usage: Not Available	8239	2023 Mower King BUSH HOG 72 in SSRC Skid Steer Mower (Unused) S/N: SSRC23031402E Usage: Not Available
8225	All-Star Skid Steer Reese Hitch (Unused) S/N: Not Available Usage: Not Available	8240	2023 Mower King BUSH HOG 72 in SSRC Skid Steer Mower (Unused) S/N: SSRC23031403E Usage: Not Available
8226	All-Star Skid Steer Reese Hitch (Unused) S/N: Not Available Usage: Not Available	8241	2023 Mower King BUSH HOG 72 in SSRC Skid Steer Mower (Unused) S/N: SSRC23031405E Usage: Not Available
8227	84 in Skid Steer Landscape Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8242	2023 Mower King BUSH HOG 72 in SSRC Skid Steer Mower (Unused) S/N: SSRC23031404E Usage: Not Available
8228	Mid-State 80 in Skid Steer Planer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8243	2023 Mower King SSRC 72 in Skid Steer Mower (Unused) S/N: SSRC23031401C Usage: Not Available
8229	All-Star Hydraulic Skid Steer Tree Shear (Unused) S/N: Not Available Usage: Not Available	8244	2023 Mower King SSRC 72 in Skid Steer Mower (Unused) S/N: SSRC23031402C Usage: Not Available
8230	Hydraulic Skid Steer Tree Shear (Unused) S/N: Not Available Usage: Not Available	8245	2023 Mower King SSRC 72 in Skid Steer Mower (Unused) S/N: SSRC23031403C Usage: Not Available
8231	14 in Skid Steer Backhoe (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8246	2023 Mower King SSRC 72 in Skid Steer Mower (Unused) S/N: SSRC23031404C Usage: Not Available
8232	2023 Top Cat SSFM81 64 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSFM8123031401D Usage: Not Available	8247	2023 Mower King SSRC 72 in Skid Steer Mower (Unused) S/N: SSRC23031405C Usage: Not Available
8233	2023 Top Cat SSFM81 64 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSFM8123031402D Usage: Not Available	8248	2023 Top Cat HFRC 66 in Skid Steer Mower (Unused) S/N: HFRC23031401D Usage: Not Available
8234	2023 Top Cat SSDFM60 77 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSDFM6023031401E Usage: Not Available	8249	2023 Top Cat SSM72-S 77 in Finishing Skid Steer Mower (Unused) S/N: SSM72-S23031401E Usage: Not Available
8235	2023 Top Cat SSDFM60 78 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSDFM6023031402E Usage: Not Available	8250	2023 Mower King SSEFGC175 72 in SSEFGC175 Skid Steer Mower (Unused) S/N: SSEFGC17523031402E Usage: Not Available
8236	2023 Top Cat HCRC 77 in Skid Steer Mower (Unused) S/N: HCRC23031401D Usage: Not Available	8251	2023 Mower King SSEFGC175 69 in SSEFGC175 Skid Steer Mower (Unused) S/N: SSEFGC17523031401E Usage: Not Available
8237	2023 Top Cat HDRC 77 in Skid Steer Mower (Unused) S/N: HDRC23031401D Usage: Not Available		

Lot #	Details	Lot #	Details
8252	2023 AGROTK EXFLM115 4 ft Rotary Mower (Unused) S/N: EXFLM11523031402C C/W: Hydraulic Driven Usage: Not Available	8266	2023 Mower King SSECAGY 46 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031406C Usage: Not Available
8253	2023 AGROTK EXFLM115 4 ft Rotary Mower (Unused) S/N: EXFLM11523031401C C/W: Hydraulic Driven Usage: Not Available	8267	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031401C Usage: Not Available
8254	2023 AGROTK EXRC54 4 ft 9 in Rotary Mower (Unused) S/N: EXRC5423031401C C/W: Hydraulic Driven Usage: Not Available	8268	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031403C Usage: Not Available
8255	2023 AGROTK EXRC54 4 ft 9 in Rotary Mower (Unused) S/N: EXRC5423031402C C/W: Hydraulic Driven Usage: Not Available	8269	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031402C Usage: Not Available
8256	2023 AGROTK SSHH680 47 in SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68023031401E Usage: Not Available	8270	2023 AGROTK SSECAG-Y 45 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031404C Usage: Not Available
8258	2023 AGROTK SSHH680 47 in Skid Steer Breaker (Unused) S/N: SSHH-68023031402C Usage: Not Available	8271	2023 Mower King SSECAGY 14 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031401D Usage: Not Available
8259	2023 AGROTK PD680-PZ 48 in Hydraulic Post Driver (Unused) S/N: PD680-PZ23031402D Usage: Not Available	8272	2023 Mower King SSECAGY 14 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031402D Usage: Not Available
8260	2023 AGROTK PD680-PZ 48 in Hydraulic Post Driver (Unused) S/N: PD680-PZ23031401D Usage: Not Available	8273	2023 Mower King ECSSTR072 69 in Rotary Skid Steer Tiller (Unused) S/N: ECSSTR07223031401E Usage: Not Available
8261	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223031401C Usage: Not Available	8274	2023 Top Cat SSSG72 72 in Skid Steer Grader (Unused) S/N: SSSG7223031401D Usage: Not Available
8262	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223031402C Usage: Not Available	8275	2023 Top Cat SSSG72 72 in Skid Steer Grader (Unused) S/N: SSSG7223031402D Usage: Not Available
8263	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223031403C Usage: Not Available	8276	2023 Mower King TAS-81 Rotary Rototiller (Unused) S/N: TAS8123031401E Usage: Not Available
8264	2023 Mower King ECSSCT72 72 in Skid Steer Trencher (Unused) S/N: ECSSCT7223031404C Usage: Not Available	8277	2023 Top Cat ECSSLR 72 in Skid Steer Landscape Rake (Unused) S/N: ECSSLR7223031401C Usage: Not Available
8265	2023 Mower King SSECAGY 46 in Skid Steer Auger (Unused) S/N: SSECAG-Y23031405C Usage: Not Available	8278	2023 Top Cat ECSSLR72 71 in Skid Steer Landscape Rake (Unused) S/N: ECSSLR7223031401D Usage: Not Available
		8279	2023 Mower King SSAB72 72 in SSAB72 Skid Steer Broom (Unused) S/N: SSAB7223031401E Usage: Not Available

Lot #	Details	Lot #	Details
8280	2023 Mower King SSAB72 72 in SSAB72 Skid Steer Broom (Unused) S/N: SSAB7223031402E Usage: Not Available	8294	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031411E Usage: Not Available
8281	2023 Mower King SPA84 84 in Skid Steer Dozer (Unused) S/N: SPA8423031401C Usage: Not Available	8295	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031412E Usage: Not Available
8282	2023 Top Cat 4IN1BCT 74 in Multi-Purpose Skid Steer Grapple (Unused) S/N: 4IN1BCT23031401C Usage: Not Available	8296	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031413E Usage: Not Available
8283	2023 Top Cat 4IN1BCT 72 in Skid Steer Grapple (Unused) S/N: 4IN1BCT23031401D Usage: Not Available	8297	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031415E Usage: Not Available
8284	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031401E Usage: Not Available	8298	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031414E Usage: Not Available
8285	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031402E Usage: Not Available	8299	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031416E Usage: Not Available
8286	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031403E Usage: Not Available	8300	2023 AGROTK SSPF 36 in Skid Steer Forks (Unused) S/N: SSPF23031402E Usage: Not Available
8287	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031404E Usage: Not Available	8302	2023 AGROTK SSPF 36 in Skid Steer Forks (Unused) S/N: SSPF23031403E Usage: Not Available
8288	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031405E Usage: Not Available	8303	2023 AGROTK SSPF 36 in Skid Steer Forks (Unused) S/N: SSPF23031404E Usage: Not Available
8289	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031406E Usage: Not Available	8304	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031401C Usage: Not Available
8290	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031407E Usage: Not Available	8305	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031403C Usage: Not Available
8291	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031409E Usage: Not Available	8306	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031405C Usage: Not Available
8292	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031408E Usage: Not Available	8307	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031407C Usage: Not Available
8293	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031410E Usage: Not Available	8308	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031410C Usage: Not Available

Lot #	Details	Lot #	Details
8309	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031412C Usage: Not Available	8323	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031404C Usage: Not Available
8310	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031401D Usage: Not Available	8324	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031406C Usage: Not Available
8311	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031402D Usage: Not Available	8325	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031408C Usage: Not Available
8312	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031403D Usage: Not Available	8326	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031409C Usage: Not Available
8313	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031404D Usage: Not Available	8327	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031411C Usage: Not Available
8314	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031405D Usage: Not Available	8328	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031413C Usage: Not Available
8315	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031406D Usage: Not Available	8329	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031414C Usage: Not Available
8316	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031407D Usage: Not Available	8330	2023 AGROTK SSPF 36 in Skid Steer Forks (Unused) S/N: SSPF23031401C Usage: Not Available
8317	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031408D Usage: Not Available	8331	2023 AGROTK SSPF 36 in Skid Steer Forks (Unused) S/N: SSPF23031402C Usage: Not Available
8318	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031409D Usage: Not Available	8332	2023 Mower King SSBX42S 45 in Skid Steer Chipper (Unused) S/N: SSBX42S23031401C Usage: Not Available
8319	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031410D Usage: Not Available	8333	2023 Mower King SSBX42S 45 in Skid Steer Chipper (Unused) S/N: SSBX42S23031402C Usage: Not Available
8320	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031411D Usage: Not Available	8334	2023 Top Cat ECSSRB 75 in Heavy Duty Hydraulic Tree Shear (Unused) S/N: ECSSRB23031401C Usage: Not Available
8321	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031412D Usage: Not Available	8336	2023 AGROTK B7 4 ft 6 in 3-Point No Till Drill (Unused) S/N: B723031401D C/W: 6 in Spacing Usage: Not Available
8322	2023 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA23031402C Usage: Not Available	8337	2023 AGROTK B7 4 ft 6 in 3-Point No Till Drill (Unused) S/N: B723031401C C/W: 6 in Spacing Usage: Not Available

Lot #	Details	Lot #	Details
8338	2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift Pump Hoist (Unused) S/N: ATK-B100023031401C C/W: To Fit AGROTK Usage: Not Available	8350	2023 Kit Containers WB-60-190 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-60-190 Usage: Not Available
8339	2023 AGROTK ATK-B1000 10000 lb Two Post Car Lift Pump Hoist (Unused) S/N: ATK-B100023031402C Usage: Not Available	8351	2023 Kit Containers WB-60-190 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-160 Usage: Not Available
8340	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8352	2023 Kit Containers Steel 5 ft x 5 ft (1 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8341	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8353	2023 Kit Containers Steel 4 ft x 5 ft 1 in (1 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8342	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8354	2023 Kit Containers Steel 5 ft x 9 ft 2 in (5/16 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8343	2023 Kit Containers WB-90-243 28 in X 90 in Work Bench (Unused) S/N: 21522BL183775155 C/W: To Fit KC WB-90-243 Usage: Not Available	8355	2023 Kit Containers Steel 5 ft x 9 ft 4 in (5/16 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8344	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8356	2023 Kit Containers Steel 5 ft x 9 ft 3 in (.75 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8345	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8357	2023 Kit Containers Steel 5 ft x 8 ft 8 in (.75 in Thick) Steel Plates (Unused) S/N: Not Available Usage: Not Available
8346	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8358	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
8347	2023 Kit Containers WB-90-243 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-90-243 Usage: Not Available	8359	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
8348	2023 Kit Containers WB-60-190 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-60-190 Usage: Not Available	8360	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
8349	2023 Kit Containers WB-60-190 28 in x 90 in Work Bench (Unused) S/N: Not Available C/W: To Fit KC WB-60-190 Usage: Not Available	8361	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
		8362	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
		8363	2023 Kit Containers 2YFT-SDH 2 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8364	2023 Kit Containers 2YFT-SST 63 in 2 CY. Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available	8377	2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8365	2023 Kit Containers 2YFT-SST 63 in 2 CY. Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available	8378	2023 Kit Containers QT-DB-T66 66 in General Purpose Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
8366	2023 Kit Containers 4Y-DH 4 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available	8379	2023 Kit Containers QT-DB-T66 66 in Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
8367	2023 Kit Containers 4Y-DH 4 cyd Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available	8380	2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8368	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8381	2023 Kit Containers QT-SB-H76-V3 76 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8369	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8382	2023 Kit Containers QT-SB-L76-V3 76 in Skeleton Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available
8370	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8383	2023 Kit Containers QT-CB-075 52 in 3/4 CY. Concrete Bucket Attachment (Unused) S/N: Not Available Usage: Not Available
8371	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8384	2023 Kit Containers QT-CB-075 52 in 3/4 cyd Concrete Bucket Attachment (Unused) S/N: Not Available Usage: Not Available
8372	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8385	2023 Kit Containers QT-RR-70 70 in 70 in Skid Steer Ripper Scarifier (Unused) S/N: Not Available Usage: Not Available
8373	2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available	8386	2023 Kit Containers Skid Steer Trailer Mover 47 in Hitch Receiver (Unused) S/N: Not Available Usage: Not Available
8374	2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8387	2023 Kit Containers Skid Steer Trailer Mover 47 in Hitch Receiver (Unused) S/N: Not Available Usage: Not Available
8375	2023 Kit Containers QT-SNB-84 84 in General Purpose Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available	8388	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8376	2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	8389	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-2 Usage: Not Available

Lot #	Details	Lot #	Details
8390	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8405	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8391	Quantity of (20) 2023 FEN20 10 ft 7 in x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8406	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8392	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8407	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8393	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-6 Usage: Not Available	8408	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8394	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-7 Usage: Not Available	8409	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available
8395	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-8 Usage: Not Available	8410	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-23 Usage: Not Available
8396	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-10 Usage: Not Available	8411	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-20 Usage: Not Available
8397	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-9 Usage: Not Available	8412	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8398	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-11 Usage: Not Available	8413	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8400	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8414	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8401	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-13 Usage: Not Available	8415	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8402	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8417	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8403	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	8418	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8404	Quantity of (20) 2023 FEN20 10 ft x 7 ft Fencing (Unused) S/N: A-15 Usage: Not Available	8419	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8420	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8434	Quantity of (30) 2023 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available
8421	Quantity of (33) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8435	2023 BYT CC002 12 ft 6 in Stockman Cattle Chute (Unused) S/N: Not Available Usage: Not Available
8422	Quantity of (27) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8436	2023 BYT CC002 12 ft 6 in Stockman Cattle Chute (Unused) S/N: Not Available Usage: Not Available
8423	Quantity of (27) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8437	Quantity of (10) 2023 BYT FFC762 4 ft x 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available
8424	Quantity of (27) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8438	Quantity of (10) 2023 BYT FFC762 4 ft x 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available
8425	Quantity of (27) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8439	Quantity of (10) 2023 BYT FFC762 4 ft x 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available
8426	Quantity of (27) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8440	Quantity of (10) 2023 BYT FFC762 4 ft x 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available
8427	Quantity of (20) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8441	2023 4-Fuel.com 4F2330 2330 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F23002123 C/W: 13 ft Hose, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available
8428	Quantity of (20) 2023 BYT RP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8442	2023 4-Fuel.com 4F1100 1100 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F11001223 C/W: 13 ft Hose, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available
8429	Quantity of (40) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8443	2023 4-Fuel.com 4F838 838 gal Portable Skid Mounted Fuel Tank (Unused) S/N: 4F83802123 C/W: 12 V Transfer Pump, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available
8430	Quantity of (28) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available	8444	2024 4-Fuel.com 4F540 540 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F54001723 C/W: 13 ft Hose, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available
8431	Quantity of (24) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available		
8432	Quantity of (23) 2023 BYT MSPP07 7 ft Mesh Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available		
8433	Quantity of (40) 2023 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
8445	2024 4-Fuel.com 4F540 540 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F54001623 C/W: 13 ft Hose, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available	8455	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05810723 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8446	2023 4-Fuel.com 4F300 300 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F03002323 C/W: Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available	8456	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05810923 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8447	2023 4-Fuel.com 4F540 540 gal Portable Steel Diesel Skid Mounted Fuel Tank (Unused) S/N: 4F54001523 C/W: 13 ft Hose, Fuel Meter, 120V pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available	8457	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05811123 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8448	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Portable Poly Fuel Tank (Unused) S/N: 4F11608423 C/W: 12 V Transfer Pump, 13 ft Hose, 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available	8459	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05810823 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8449	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Portable Poly Fuel Tank (Unused) S/N: 4F11608623 C/W: 12 V Transfer Pump, 13 ft Hose, 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available	8460	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05811223 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8450	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Portable Poly Fuel Tank (Unused) S/N: 4F11608323 C/W: 12 V Transfer Pump Usage: Not Available	8461	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05810523 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8451	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F11608523 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8462	Quantity of (6) 2023 Fuel Solution Srl 4B-100 /75-A Interlocking Construction Barriers (Unused) S/N: Not Available Usage: Not Available
8453	2023 4-Fuel.com 4F116 116 gal Portable Poly Diesel Portable Poly Fuel Tank (Unused) S/N: 4F11608823 C/W: 12 V Transfer Pump, 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available	8463	Quantity of (6) 2023 Fuel Solution Srl 4B-100 /75-A Interlocking Construction Barriers (Unused) S/N: Not Available Usage: Not Available
8454	2023 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused) S/N: 4F05810623 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8464	2023 Fuel Solution Srl 4FH Hose Reel (Unused) S/N: Not Available C/W: 65 ft Usage: Not Available
		8465	2023 Fuel Solution Srl 4FH Hose Reel (Unused) S/N: Not Available C/W: 65 ft Usage: Not Available
		8466	Quantity of (10) 2023 AGROTK WP-80 Water Pump (Unused) S/N: WP8023031401D-10D C/W: 3 in Intake, 3 in Discharge, Water Pump, 1 Cylinder 5.7 hp 196 L Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
8468	2016 Multiquip QP-3TH Skid-Mounted Water Pump S/N: 30578 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, 2016 US EPA Label, Honda GX240 8.4 hp 270 cc Gasoline Engine Usage: Not Available	8479	2017 Hilti TE 1000-AVR Electric Demolition Breaker S/N: Not Available Usage: Not Available
8469	2018 Wacker PDT3A Water Pump S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Water Pump, 2016 US EPA Label, Honda GX120 Gasoline Engine Usage: Not Available	8480	2017 General GL175 Pipe Locator S/N: Not Available Usage: Not Available
8470	2017 Mi-T-M CA27031MMH Pressure Washer S/N: 11000841 C/W: 2700 psi Rating, Honda GX200 5.8 hp 196 cc Gasoline Engine Usage: Not Available	8480	2017 General GL-100 Pipe Locator S/N: Not Available Usage: Not Available
8471	2019 BE Power B3065HJ Pressure Washer S/N: Not Available C/W: Hose, Spray Wand, Honda Gasoline Engine Usage: Not Available	8481	2021 Edco ALRE Chisel Scaler S/N: 35669 Usage: Not Available
8472	2018 Honda EU2200iT1A 2.2 kVA Mobile Portable Generator Set S/N: EAMT-1223421 C/W: Honda GXR120 3.1 hp 121 cc Gasoline Engine, 2.2 kVA, / Rated Single Phase Output, 12 V Rated Voltage, 120 V Receptacles Usage: Not Available	8482	2021 Edco ALRE Chisel Scaler S/N: 35668 Usage: Not Available
8473	2017 Honda EU2000T1A1 2.2 kVA Portable Generator Set S/N: EACT-1695597 C/W: Honda GX100 2.8 hp 98 cc Gasoline Engine, 2.0 kVA, / Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	8483	2017 APT 155 Pneumatic Demolition Breaker S/N: 1069092 Usage: Not Available
8474	2020 Mi-T-M AM1PE1508M 6.5 cfm Mobile Electric 8 gal Air Compressor S/N: 20270395 C/W: Air Cooler, 125 psi Working Pressure, 120V Usage: Not Available	8484	2015 APT 155 Pneumatic Demolition Breaker S/N: 1411677M155 Usage: Not Available
8475	2016 Ground Hog C715H Power Auger S/N: U49299X C/W: 2016 US EPA Label, Honda GX160 Gasoline Engine Usage: Not Available	8485	2015 Husqvarna K40 Pneumatic Cut-Off Saw S/N: 20151400022 Usage: Not Available
8476	2015 Hilti DD150-U Electric Coring Drill Rig S/N: 50331 Usage: Not Available	8486	2009 Husqvarna K40 Pneumatic Cut-Off Saw S/N: 4100003 Usage: Not Available
8477	2016 Hilti TE70-ATC/AVR Electric Rotary Hammer S/N: Not Available Usage: Not Available	8487	2016 Hilti TE 1000-AVR Electric Demolition Breaker S/N: 49997 Usage: Not Available
8478	2016 Hilti TE70-ATC/AVR Electric Rotary Hammer S/N: Not Available Usage: Not Available	8488	2016 Hilti TE 1000-AVR Electric Demolition Breaker S/N: 58931 Usage: Not Available
		8489	2015 Hilti TE 3000-AVR Electric Demolition Breaker S/N: 64681 Usage: Not Available
		8490	2016 Hilti TE3000-AVR Electric Demolition Breaker S/N: 077951 Usage: Not Available
		8491	2015 Husqvarna FS520 Walk-Behind Saw S/N: 201502000006 C/W: 2014 US EPA Label, Honda GX630 20.8 hp 688 cc Gasoline Engine Usage: 196 Hr
		8492	2017 MovinCool OfficePro65 Electric Air Conditioner S/N: 05160052630 Usage: Not Available
		8493	2017 MovinCool OfficePro63 Electric Air Conditioner S/N: 03160029630 Usage: Not Available

Lot #	Details	Lot #	Details
8494	2016 MovinCool OfficePro60 Electric Air Conditioner S/N: 10140179630 Usage: Not Available	8509	Power Breezer Electric Air Cooler S/N: 5F20014928 Usage: Not Available
8495	2017 MovinCool OfficePro63 Electric Air Conditioner S/N: 5160064630 Usage: Not Available	8510	Power Breezer Air Cooler S/N: 5F20011262 Usage: Not Available
8496	2016 MovinCool OfficePro60 Electric Air Conditioner S/N: 3140095630 Usage: Not Available	8511	Power Breezer Electric Air Cooler S/N: 5F20011328 Usage: Not Available
8497	2020 OceanAire 20ACH6012 Electric Air Conditioner S/N: Y343143 Usage: Not Available	8512	2017 ProBuilt ProLight LED60 Electric Work Lights S/N: Not Available Usage: Not Available
8498	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 08160442H12 Usage: Not Available	8513	2013 Power Light L-11A Electric Work Lights S/N: . Usage: Not Available
8499	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 09150386H12 Usage: Not Available	8514	2019 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8500	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 09150420H12 Usage: Not Available	8515	2021 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8501	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 02160181H12 Usage: Not Available	8516	2018 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8502	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 02160168H12 Usage: Not Available	8517	2021 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8503	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 02160157H12 Usage: Not Available	8518	2019 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8504	2016 MovinCool ClimatePro12 Electric Air Conditioner S/N: 01360274H12 Usage: Not Available	8519	2019 WSL DWXPLEDIL50-12V Electric Work Lights S/N: Not Available Usage: Not Available
8505	2017 MovinCool ClimatePro12 Electric Air Conditioner S/N: 03170254H12 Usage: Not Available	8520	2019 Lind XP162LED-50P Electric Work Lights S/N: Not Available Usage: Not Available
8506	2017 Phoenix D385 Electric Dehumidifier S/N: B1729242 Usage: 3,080 Hr	8521	2019 Hilti VC15010XE Electric Vacuum Cleaner S/N: 14718 C/W: Single Phase Motor Usage: Not Available
8507	Power Breezer Electric Air Cooler S/N: 5F20019538 Usage: Not Available	8522	2007 Clarke Super 7R Electric Edger Sander S/N: FH1311 Usage: Not Available
8508	Power Breezer Electric Air Cooler S/N: 52F0012885 Usage: Not Available	8523	2010 Dewalt DW235G Electric Corded 1/2 in Drill S/N: 877025 Usage: Not Available
		8525	2004 Quik Drive PRO250 Electric Subfloor System S/N: 0001830 Usage: 1 Hr

Lot #	Details	Lot #	Details
8526	Wacker Water Pump S/N: Not Available C/W: 4 in Intake, 4 in Discharge, Water Pump, Briggs & Stratton 16 hp Gasoline Engine Usage: Not Available	8543	2016 Tennant 5680 Walk-Behind Electric Floor Scrubber S/N: 5680-10797411 C/W: 36 in Working Width, Water System, Rear Squeegee Usage: 294 Hr
8527	2016 Multiquip QP4TH Skid-Mounted Water Pump S/N: 4TH-5491 C/W: 4 in Intake, 4 in Discharge, Centrifugal Water Pump, 2016 US EPA Label, Honda GX340 10.7 hp 389 cc Gasoline Engine Usage: Not Available	8544	2016 Tennant 5680 Walk-Behind Electric Floor Scrubber S/N: 5680-10797423 C/W: 36 in Working Width, Water System, Rear Squeegee, 36 Volt Operating System Usage: 440 Hr
8528	Wacker PT2A Water Pump S/N: 20244412 C/W: 2 in Intake, 2 in Discharge, Water Pump, Honda GX160 Gasoline Engine Usage: Not Available	8545	2016 Phoenix D385 Electric Dehumidifier S/N: M1601422 Usage: 1,659 Hr
8529	MTA 66DX Pressure Washer S/N: 4125052 C/W: Honda GX390 11.7 hp 389 cc Gasoline Engine Usage: Not Available	8546	2017 Power Breezer PB10A06B Electric Evaporative Cooling Fan S/N: 52F0012564 C/W: Single Phase Motor Usage: Not Available
8530	2022 4-Fuel.com 4F26 26 gal Portable Poly Diesel Tank (Unused) S/N: 4F-026090-22 C/W: 13 ft Hose, Automatic Shut-Off Nozzle, Manual Pump, CE marked Usage: Not Available	8547	Billy Goat Aerator S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: 227 Hr
8531	American Eagle 30P 30 cfm Skid-Mounted Hydraulic Air Compressor S/N: 58120FFPB C/W: 100 psi Working Pressure Usage: 99 Hr	8549	Billy Goat Aerator (Unused) S/N: 100217451 C/W: Honda GX120 Gasoline Engine Usage: Not Available
8532	2015 Texas Pneumatic TX-2AMF Air Manifold S/N: 787139 Usage: Not Available	8550	BlueBird Seeder S/N: 150800637 C/W: Honda GX160 Gasoline Engine Usage: Not Available
8533	Bocsh 3611 Electric Demolition Breaker S/N: 507000390 Usage: Not Available	8551	U712 16 in Rotary Tiller S/N: Not Available C/W: Gasoline Engine Usage: Not Available
8535	Wacker EH27 Electric 60 lb Demolition Breaker S/N: 211849 Usage: Not Available	8552	Billy Goat Lawn Dethatcher S/N: 02916222 C/W: 2015 US EPA Label, Honda GX160 Gasoline Engine Usage: Not Available
8536	Bosch 11COA Electric Demolition Breaker S/N: Not Available Usage: Not Available	8553	Billy Goat Aerator S/N: 030716326 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
8538	Husqvarna K970 Concrete Saw S/N: Not Available C/W: 6.5 hp 93 L Gasoline Engine Usage: Not Available	8555	BlueBird 968999427 Lawn Dethatcher S/N: 144201028 C/W: 2012 US EPA Label, Honda GX160 Gasoline Engine Usage: 20 Hr
8539	Husqvarna TS250 Electric Table Saw S/N: 001344238003 Usage: Not Available	8556	2018 Multiquip MVC88VTHW Vibratory Plate Compactor S/N: D-3787 C/W: 2017 US EPA Label, Honda GX160 Gasoline Engine Usage: Not Available
8540	Easy Rooter Electric Drain Snake S/N: ER6N084 Usage: Not Available	8557	2019 Wacker BS60-4AS Jumping Jack Tamper S/N: 11048298 C/W: Honda R120 2.7 kW Gasoline Engine Usage: 30 Hr
8541	2023 Global Excotrans USA GRH-60L Retractable 50 ft Hose Reel (Unused) S/N: GRP-110 Usage: Not Available		

Lot #	Details	Lot #	Details
8558	Magnum GS18 Pressure Washer S/N: Not Available C/W: 4000 psi Rating, Water Heater, Skygo 420 cc Gasoline Engine Usage: Not Available	8575	Trimble ST2-20 Grade Slope Position Sensors S/N: Not Available Usage: Not Available
8559	Tennant S30 Ride-On Floor Scrubber S/N: S30-2365 C/W: 48 in Working Width, Vortec APSIB1. 60GLP 1.6 L Engine Usage: 2,094 Hr	8576	Trimble SPS855 Base S/N: 5304K50133 Usage: Not Available
8560	Tennant S30 Ride-On Floor Scrubber S/N: S30-7206 C/W: 48 in Working Width, PSI 2.0 L Engine Usage: 2,043 Hr	8577	Trimble SPS855 Base S/N: 5821R31555 Usage: Not Available
8562	Containment Cart w/ HEPA Scrubber S/N: A81121301803 Usage: Not Available	8578	Trimble SPS855 Base S/N: 5721R31562 Usage: Not Available
8563	Trimble SPS930 DR Plus Multi Station S/N: 72612751 Usage: Not Available	8579	Trimble SPS855 Base S/N: 5729R31695 Usage: Not Available
8564	Trimble SPS930 DR Plus Multi Station S/N: 72616330 Usage: Not Available	8580	Trimble SPS855 Base S/N: 5730R31594 Usage: Not Available
8565	Quantity of (3) Trimble Battery Adapters S/N: Not Available Usage: Not Available	8581	Trimble SPS855 Base S/N: 5932R32100 Usage: Not Available
8566	Trimble TDL450H Radio Kit S/N: 5739500196 Usage: Not Available	8582	Trimble SPS855 Base S/N: 6137R31669 Usage: Not Available
8567	Topcon Tesla Data Collector Tablet S/N: Not Available Usage: Not Available	8583	Trimble SPS855 Base with Trimble TDL450L Radio S/N: 6137R31715 Usage: Not Available
8568	Trimble TDL450H Radio Kit S/N: 5808500308 Usage: Not Available	8584	Quantity of (4) Trimble and Topcon GPS Equipment S/N: Not Available Usage: Not Available
8569	Trimble SPS855 Base with Trimble TDL450L Radio S/N: 6137R31660 Usage: Not Available	8585	Quantity of (4) Trimble SPS985 and SPS986 Smart Antenna's S/N: Not Available Usage: Not Available
8570	Trimble SPS855 Base with Trimble TDL450L Radio S/N: 5946R31554 Usage: Not Available	8586	Quantity of (2) Trimble CB430 & CB460 Grade Control Display S/N: Not Available Usage: Not Available
8571	Trimble SPS855 Base S/N: Not Available Usage: Not Available	8587	Quantity of (6) Trimble MS990 Grade Control GNSS Receiver S/N: Not Available C/W: c/w: Receiver Pole Mounts Usage: Not Available
8572	Trimble SPS855 Base S/N: 6137R31658 Usage: Not Available	8588	Quantity of (6) Topcon GX-60 Grade Control Display's with Receiver's, Antenna's, and Trimble TSC7 Field Controller S/N: Not Available Usage: Not Available
8573	Trimble SPS855 Base S/N: 5814R31505 Usage: Not Available	8589	Quantity of Trimble & Topcon Grade Control System S/N: Not Available Usage: Not Available
8574	Trimble SPS855 Base S/N: 5821R31591 Usage: Not Available	8590	Quantity of Trimble Grade Control System S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8591	Quantity of (5) Propeller AeroPoints for Drone Surveying S/N: Not Available Usage: Not Available	8606	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available
8592	Quantity of (4) Propeller AeroPoints for Drone Surveying S/N: Not Available Usage: Not Available	8607	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available
8593	Spectra Precision DG711 Pipe Laser Level S/N: 2862 Usage: Not Available	8608	Spectra Precision DG613 Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available
8594	Spectra Precision DG511 Pipe Laser Level S/N: 2622 Usage: Not Available	8609	Topcon TP-L4AV Pipe Laser Level S/N: Not Available Usage: Not Available
8595	Spectra Precision DG711 Pipe Laser Level S/N: Not Available Usage: Not Available	8610	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available
8596	Spectra Precision GL720 Dual Grade Laser S/N: 6161 Usage: Not Available	8611	Topcon TP-L5 Pipe Laser Level S/N: Not Available Usage: Not Available
8597	Spectra Precision DG711 Pipe Laser Level S/N: Not Available Usage: Not Available	8612	Bullseye 3+ Laser Receiver S/N: Not Available Usage: Not Available
8598	Spectra Precision DG511 Pipe Laser Level S/N: Not Available Usage: Not Available	8613	Topcon QS3A Total Station S/N: Not Available Usage: Not Available
8599	Spectra Precision DG613 Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8614	Quantity of (5) David White Survey Transit S/N: Not Available Usage: Not Available
8600	Spectra Precision DG613 Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8615	Quantity of (6) David White Survey Transit S/N: Not Available Usage: Not Available
8601	Spectra Precision DG613 Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8616	Quantity of (7) David White Survey Transit S/N: Not Available Usage: Not Available
8602	Spectra Precision DG613 Dialgrade Pipe Laser Level S/N: 19411909 Usage: Not Available	8617	Quantity of (6) David White Survey Transit S/N: Not Available Usage: Not Available
8603	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8618	Quantity of (6) David White Survey Transit S/N: Not Available Usage: Not Available
8604	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8619	Quantity of (7) David White Survey Transit S/N: Not Available Usage: Not Available
8605	Spectra Precision DG613G Dialgrade Pipe Laser Level S/N: Not Available Usage: Not Available	8620	Quantity of (6) David White Survey Transit S/N: Not Available Usage: Not Available
		8621	Quantity of Grade Rods and Level Tripods S/N: Not Available Usage: Not Available
		8622	Quantity of (4) Survey Transit S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8623	Quantity of Grade Rods and Tripods S/N: Not Available Usage: Not Available	8636	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4806 Usage: Not Available
8624B	3-Point Hydraulic Log Splitter S/N: Not Available C/W: Craftsman 1 Cylinder 3.5 hp 157 cc Gasoline Engine Usage: Not Available	8637	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4897 Usage: Not Available
8624A	2020 Mower King Rototiller - Fits Tractor S/N: 20072101 Usage: Not Available	8638	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4835 Usage: Not Available
8624	Paladin Harley Rake S/N: 1509046 Usage: Not Available	8639	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4896 Usage: Not Available
8625	2016 Star 1820 2 cyd Self-Dumping Hopper S/N: 66622 Usage: Not Available	8640	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4905 Usage: Not Available
8626	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6288 Usage: Not Available	8641	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4899 Usage: Not Available
8627	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6268 Usage: Not Available	8642	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4898 Usage: Not Available
8628	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6260 Usage: Not Available	8643	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4904 Usage: Not Available
8629	2023 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6289 Usage: Not Available	8644	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4834 Usage: Not Available
8630	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6262 Usage: Not Available	8645B	2011 Atlas Copco CPS 375 PD TBV 375 cfm Mobile Air Compressor S/N: 4500B1319BR072520 C/W: 123 psi Working Pressure, Perkins 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 7 Hr
8631	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6263 Usage: Not Available	8645	2014 Doosan P425/HP375 T4I 425 cfm Mobile Air Compressor S/N: 4FVCCBAXEU457567 C/W: 100 psi Working Pressure, Cummins 4 Cylinder 134 hp 3.8 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 6,915 Hr
8632	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6271 Usage: Not Available	8646	2018 Rotair D185-T4F 185 cfm Mobile Air Compressor S/N: C41204 C/W: 100 psi Working Pressure, Kohler JKHL2.48TCR 4 Cylinder 49 hp 1.86 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,130 Hr
8633	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6270 Usage: Not Available		
8634	2022 Heli CBD20J-Li3 4400 lb Electric Pallet Jack (Unused) S/N: 08020JQ6261 Usage: Not Available		
8635	2023 Heli CBD15J-Li3 3300 lb Pallet Jack (Unused) S/N: 08015JV4807 Usage: Not Available		

Lot #	Details	Lot #	Details
8647	2014 Atlas Copco XAS 185 185 cfm Mobile Air Compressor S/N: 4500A101XER046230 C/W: 123 psi Working Pressure, John Deere 4024TF281 4 Cylinder 37 kW 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 40 Hr	8654	2017 Multiquip DCA25SSIU4F 25 kW Mobile Generator Set S/N: 7153520 C/W: Isuzu 4LE 4 Cylinder Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, 14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 7,842 Hr
8648	2013 Doosan P185WJD 185 cfm Mobile Air Compressor S/N: 449599UAXD75 C/W: 100 psi Working Pressure, John Deere 4024 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,696 Hr	8655	2017 Multiquip DCA25SSIU4F 25 kW Mobile Generator Set S/N: 7151812 C/W: Isuzu 4LE Diesel Engine, 20 kVA/25 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, 14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 4,689 Hr
8649	1998 Sullair 250DPQJD 250 cfm Mobile 10 gal Air Compressor S/N: 004118898 C/W: 100 psi Working Pressure, John Deere 4039DF 4 Cylinder 40 hp 239 cid Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,485 Hr	8656	2015 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set S/N: 7151082 C/W: 2014 US EPA Label, Isuzu BZ-4PE2T 4 Cylinder 37 kW Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 280 V Rated Voltage, 14.4 kVA, 14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 11,043 Hr
8650A	2006 Ingersoll Rand Air Source Plus 185 cfm Mobile Air Compressor S/N: 369913UPQB02 C/W: 150 psi Working Pressure, Kubota 4IRX3T2 4 Cylinder 46.5 kW 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 3,406 Hr	8657	2011 Multiquip DCA-25SS (T2/3) 20 kW Mobile Generator Set S/N: 8103943 C/W: 2011 US EPA Label, Isuzu BV-4LE2 4 Cylinder Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, 14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 8,051 Hr
8650	2017 Rotair GP75 75 cfm Mobile Air Compressor S/N: K42530 C/W: Air Cooler, 75 psi Working Pressure, Honda GX690 22.1 hp 688 cc Gasoline Engine, S/A Trailer Usage: 98 Hr	8658	2015 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set S/N: 7151814 C/W: 2015 US EPA Label, Isuzu 4 Cylinder 30 kW 2.17 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, 14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 2,320 Hr
8651	2015 Multiquip DCA300SSCU4IPB 240 kW Mobile Generator Set S/N: 9100403 C/W: Cummins QSL9-G8 6 Cylinder 433 hp 8898 cc Diesel Engine, 330 kVA/264 kW Rated 3 Phase Output, 208 V / 440 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 12,700 Hr	8659	2016 Premier 6NNTPPD914T80 Trailer-Mounted Water Pump S/N: 1P9BP1336GV591046 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, 2006 US EPA Label, Deutz D914L04 4 Cylinder 74 hp 4.31 L Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 3,385 Hr
8652	2017 Wacker G180 143 kW Mobile Generator Set S/N: 20262644/ 4TCSU2407H C/W: Tier 3, 2013 US EPA Label, John Deere 606HF285K.L 6 Cylinder 177 kW 6.8 L Diesel Engine, 179 kVA/143 kW Rated 3 Phase Output, 240 V / 430 V Rated Voltage, 102 kVA, /102 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 7,815 Hr		

Lot #	Details	Lot #	Details
8660	2006 Pioneer PP66S12L Trailer-Mounted Water Pump S/N: Not Available C/W: 6 in Intake, 6 in Discharge, Self Priming Centrifugal Water Pump, 2006 US EPA Label, Deutz F4L914 4 Cylinder 75 hp 4.31 L Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 4,443 Hr	8669	2012 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 39109 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 12,703 Hr
8661	2013 Toyota 8FGU45 8500 lb Dual Fuel Pneumatic Tire Forklift S/N: 10168 C/W: 3 Stage Mast, 187 in Max Lift Height, 90 in Lowered Mast Height, 60 in Forks, Toyota 4 Cylinder 3.6 L Dual Fuel Engine Usage: 1,632 Hr	8670	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37255 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, 2011 US EPA Label, Toyota 4YECS 4 Cylinder LPG Engine Usage: 13,466 Hr
8662	2008 Cat P6000D 6000 lb Diesel Pneumatic Tire Forklift S/N: AT14E20157 C/W: 3 Stage Mast, 171 in Max Lift Height, 81 in Lowered Mast Height, 48 in Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 5,001 Hr	8671	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37277 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, 2011 US EPA Label, Toyota 4YECS 4 Cylinder LPG Engine Usage: 11,794 Hr
8663	2004 Cat C6000 5050 lb Cushion Tire Forklift S/N: AT83F00034 C/W: 3 Stage Mast, 186 in Max Lift Height, 2004 US EPA Label, Nissan 4 Cylinder 2.5 L LPG Engine Usage: 9,075 Hr	8672	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37399 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 39 in Forks, Side Shift, Fork Positioner, Toyota 4YECS 4 Cylinder LPG Engine Usage: 14,911 Hr
8664	2016 Cat 2C50004 4700 lb Cushion Tire Forklift S/N: AT9043328 C/W: 3 Stage Mast, 187 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, Tier 2, 2016 US EPA Label, GCT 2.5 L LPG Engine Usage: 19,140 Hr	8673	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37357 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, 2011 US EPA Label, Toyota 4YECS 4 Cylinder LPG Engine Usage: 15,379 Hr
8665	2013 Cat 2C5000 5000 lb Cushion Tire Forklift S/N: AT9034968 C/W: 4 Stage Mast, 216 in Max Lift Height, 42 in Forks, Side Shift, Tier 2, 2013 US EPA Label, 4 Cylinder 2.5 L Diesel Engine Usage: Not Available	8674	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37273 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, 2011 US EPA Label, Toyota 4YECS LPG Engine Usage: 13,788 Hr
8666	2013 Cat 2C5000 4950 lb Cushion Tire Forklift S/N: AT9034251 C/W: 3 Stage Mast, 187 in Max Lift Height, 82 in Lowered Mast Height, 60 in Forks, Side Shift, Fork Positioner, 2013 US EPA Label, Nissan 4 Cylinder 2.5 L LPG Engine Usage: 22,154 Hr	8675	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 35377 C/W: 2 Stage Mast, 80 in Max Lift Height, 54 in Lowered Mast Height, 42 in Forks, 2011 US EPA Label, Toyota 4YECS 4 Cylinder LPG Engine Usage: 15,401 Hr
8667	2012 Cat 2C5000 4950 lb Cushion Tire Forklift S/N: AT9033421 C/W: 3 Stage Mast, 187 in Max Lift Height, 82 in Lowered Mast Height, Side Shift, Fork Positioner, Tier 2, 2012 US EPA Label, Nissan 4 Cylinder 2.5 L LPG Engine Usage: 20,559 Hr	8676	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37367 C/W: 2 Stage Mast, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, 2011 US EPA Label, Toyota 4YECS 4 Cylinder LPG Engine Usage: 13,010 Hr
8668	2013 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 49124 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, 41 in Forks, Side Shift, Fork Positioner, 2013 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 2,990 Hr		

Lot #	Details	Lot #	Details
8677	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 35440 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 40 in Forks, Side Shift, Fork Positioner, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 14,325 Hr	8685	2014 Linde H70D 15000 lb Cushion Tire Forklift S/N: H2X396E50298 C/W: Enclosed Cab, Air Conditioner, 2 Stage Mast, 163.5 in Max Lift Height, 125 in Lowered Mast Height, 2014 US EPA Label, Deutz 4 Cylinder 4.0 L Diesel Engine Usage: 11,504 Hr
8678	2011 Toyota 8FGCU20 4000 lb LPG Cushion Tire Forklift S/N: 36981 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 8,330 Hr	8686	2016 Toyota 8FGU25 4500 lb Dual Fuel Cushion Tire Forklift S/N: 75904 C/W: 3 Stage Mast, 189 in Max Lift Height, 82 in Lowered Mast Height, 41 in Forks, Side Shift, 2016 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 1,785 Hr
8679	2011 Toyota 8FGCU20 4000 lb Cushion Tire Forklift S/N: 37219 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 58 in Lowered Mast Height, 40 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 7,220 Hr	8687	2014 Toyota 8FDU25 4650 lb Diesel Pneumatic Tire Forklift S/N: 60024 C/W: 3 Stage Mast, Full Free Lift, 189 in Max Lift Height, 84 in Lowered Mast Height, 84 in Forks, Fork Positioner, 2014 US EPA Label, Toyota ETEL01.81ZS 3 Cylinder 37 kW 1.75 L Diesel Engine Usage: 3,216 Hr
8680	2011 Toyota 8FGCU20 4000 lb LPG Pneumatic Tire Forklift S/N: 36970 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 8,503 Hr	8688	2013 Doosan G30P-5 5500 lb Dual Fuel Cushion Tire Forklift S/N: FGA0C133002161 C/W: 3 Stage Mast, 186 in Max Lift Height, 24 in Lowered Mast Height, 72 in Forks, Side Shift, Tier 3, 2013 US EPA Label, GM 4 Cylinder 2.4 L Dual Fuel Engine Usage: 1,652 Hr
8681	2011 Toyota 8FGCU20 4000 lb LPG Pneumatic Tire Forklift S/N: 36988 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 8,934 Hr	8689	2010 Toyota 8FDU25 4650 lb Diesel Cushion Tire Forklift S/N: 32011 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, Fork Positioner, Toyota 4 Cylinder 2.4 L Diesel Engine Usage: 4,374 Hr
8682	2004 Toyota 7FGCU25 5000 lb Cushion Tire Forklift S/N: 84233 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 36 in Forks, 2018 US EPA Label, Toyota 4T1EB02.204Y 4 Cylinder 2.23 L LPG Engine Usage: 35,024 Hr	8690	2007 Mitsubishi FGC25N Cushion Tire Forklift S/N: AF82F10605 C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 60 in Forks, Side Shift, 2007 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 8,795 Hr
8683	2000 Toyota 7FGCU25 4300 lb Cushion Tire Forklift S/N: 63834 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 42 in Forks, 2004 US EPA Label, Toyota 4T1EB02.204Y 4 Cylinder 2.23 L LPG Engine Usage: 32,013 Hr	8691	2009 Mitsubishi FGC20N-LP 4000 lb Cushion Tire Forklift S/N: AF82F20895 C/W: 2 Stage Mast, Full Free Lift, 79 in Max Lift Height, 57 in Lowered Mast Height, 38 in Forks, Side Shift, Fork Positioner, Tier 2, 2009 US EPA Label, Nissan 2.1 L LPG Engine Usage: 12,227 Hr
8684	2009 Mitsubishi FGC20N-LP 4000 lb Cushion Tire Forklift S/N: AF82F20960 C/W: 2 Stage Mast, Full Free Lift, 79 in Max Lift Height, 56 in Lowered Mast Height, 41 in Forks, Side Shift, Fork Positioner, Tier 2, 2009 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 12,119 Hr	8692	2009 Mitsubishi FGC20N-LP 5000 lb Cushion Tire Forklift S/N: AF82F20874 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 50 in Lowered Mast Height, 39 in Forks, Side Shift, Tier 2, 2009 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: 13,162 Hr

Lot #	Details	Lot #	Details
8693	2018 GNB Industrial Power EHIMV80M250 Battery Charger S/N: 309815 Usage: Not Available	8703	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347613 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8694	2011 Toyota 7BWS13 Electric Stacker S/N: 41385 C/W: 2 Stage Mast, 70 in Lowered Mast Height, 42 in Forks Usage: Not Available	8704	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347514 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8695	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351627 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8705	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347621 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8696	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351634 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8706	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351629 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8697	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351625 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8707	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031404D C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8698	2023 FF FF-12 Mini Excavator (Unused) S/N: 422351624 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8708	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031403D C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8699	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347617 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8709	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031401C C/W: 2022 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8700	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347562 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8710	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031403C C/W: 2022 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
8701	2023 FF FF-12 Mini Excavator (Unused) S/N: 422347608 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8711	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031402D C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available

Lot #	Details	Lot #	Details
8712	2023 AGROTK QH12 Mini Excavator (Unused) S/N: QH1223031401D C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	8724	2007 Skyjack SJ40T 4WD Diesel Telescopic Boom Lift S/N: M071002 C/W: 40 ft Max Lift Height, 650 lb Max Weight Capacity, Power to Platform, Deutz 3 Cylinder Diesel Engine, 12-16.5 Tires Usage: 5,510 Hr
8716	2012 JLG 1350SJP 4WD Diesel Telescopic Boom Lift S/N: 300155138 C/W: 135 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2011 US EPA Label, Deutz TD2011L04 4 Cylinder 75 hp 3.61 L Diesel Engine, IN445/50D710 Tires Usage: 2,682 Hr	8725	2015 Nifty-Lift SP50NE Electric Articulating Boom Lift S/N: 08-29269 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, 28x12x22 Non-Marking Tires Usage: Not Available
8718	2018 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S60H38603 C/W: 500 lb Max Weight Capacity, Jib, 2018 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine Usage: 2,326 Hr	8726	2016 JLG T500J Towable Lift S/N: 30007375 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2016 US EPA Label, Honda GX270 1 Cylinder 9 hp 270 cc Gasoline Engine Usage: 1,273 Hr
8719	2007 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S600716279 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Perkins HP70551LR 4 Cylinder 50 hp 2.16 L Diesel Engine, 355/55D625 NHS Foam-Filled Tires Usage: 3,730 Hr	8727A	2005 JLG E400AJPN Electric Articulating Boom Lift S/N: 0300088290 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 25x7-12/22-6 Solid Tires Usage: 1,921 Hr
8720	2007 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S600715413 C/W: 65 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, US EPA Label, Deutz 3 Cylinder 48 hp 2.33 L Diesel Engine, 355/55D625 Tires Usage: 5,392 Hr	8727	2008 JLG E400AJPN Electric Articulating Boom Lift S/N: 0300124909 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Non-Marking Tires Usage: 1,868 Hr
8721	2004 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S6004-9964 C/W: 65 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 3, Deutz D2011L03i 3 Cylinder 26 hp 2.3 L Diesel Engine, 355/55D625 Tires Usage: 2,870 Hr	8728	2005 Genie Z-34/22N Electric Articulating Boom Lift S/N: Z34N055008 C/W: 34 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 22 /7x17 3/4 Non-Marking Tires Usage: 924 Hr
8722	2015 JLG 660SJ 4WD Diesel Telescopic Boom Lift S/N: 0300198443 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, Tier 4, 2014 US EPA Label, Deutz 4 Cylinder 67 hp 2.9 L Diesel Engine, 39X15-22.5 Tires Usage: 5,227 Hr	8729	1999 Genie Z-34/22N Electric Articulating Boom Lift S/N: 2202 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, 22/7x17 3/4 Non-Marking Tires Usage: 2,010 Hr
8723	2007 JLG 600AJ 4WD Diesel Telescopic Boom Lift S/N: 0300107702 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2007 US EPA Label, Deutz 4 Cylinder 65 hp 3.1 L Diesel Engine, 355/55D625 Tires Usage: 3,759 Hr	8730	2007 JLG E300AJP Electric Articulating Boom Lift S/N: 0300117104 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 25x7-12 Tires Usage: 1,463 Hr
		8731	2006 JLG E300AJP Electric Articulating Boom Lift S/N: 0300095080 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 25x7-12 Tires Usage: 193 Hr

Lot #	Details	Lot #	Details
8732	2018 Airo X14RTD Diesel 4x4 Scissor Lift S/N: Not Available C/W: 39 ft Max Lift Height, 880 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box, Tier 3, 2018 US EPA Label, Yanmar 3 Cylinder 1.2 L Diesel Engine Usage: 690 Hr	8743	2016 JLG 1932RS Electric Scissor Lift S/N: 0200257088 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: 320 Hr
8733	2007 JLG 4394RT Electric 4x4 Scissor Lift S/N: 0200164451 C/W: 43 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2006 US EPA Label, Deutz 3 Cylinder Diesel Engine Usage: 1,864 Hr	8744	2016 JLG 1932RS Electric Scissor Lift S/N: 0200257089 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: 400 Hr
8734	2016 Skyjack SJIII4740 Electric Scissor Lift S/N: 70200208 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 409 Hr	8745	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22095114 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 226 Hr
8736	Skyjack SJ3226 Electric Scissor Lift S/N: 276078 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: 753 Hr	8746	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22095045 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 250 Hr
8738	2005 Skyjack SJIII 3220 Electric Scissor Lift S/N: 617753 C/W: 20 ft Max Lift Height, 900 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 166 Hr	8747	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22094977 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 305 Hr
8739	2016 JLG 1932RS Electric Scissor Lift S/N: 0200257079 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 173 Hr	8748	2016 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22096194 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 416 Hr
8740	2016 JLG 1932RS Electric Scissor Lift S/N: 0200258635 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 248 Hr	8749	2015 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22075602 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 103 Hr
8741	2016 JLG 1932RS Electric Scissor Lift S/N: 0200256574 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 279 Hr	8750	2013 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22051769 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 177 Hr
8742	2016 JLG 1932RS Electric Scissor Lift S/N: 0200257060 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 293 Hr	8751	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255644 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 159 Hr

Lot #	Details	Lot #	Details
8752	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255638 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 187 Hr	8760	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140025 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 123 Hr
8753	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255640 C/W: 18 ft 8 in Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 205 Hr	8761	2019 Hy-Brid PS-1030 S4 Electric Scissor Lift S/N: D0140013 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 61 Hr
8754	2016 JLG 1930ES Electric Scissor Lift S/N: 0200254188 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 259 Hr	8762	Hy-Brid PS-1030 S4 Electric Scissor Lift S/N: D01-40010 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8755	2016 JLG 1930ES Electric Scissor Lift S/N: M200001825 C/W: 18.75 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 269 Hr	8763	2019 Hy-Brid PS-1030 S4 Electric Scissor Lift S/N: D01-40020 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8756	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255628 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: 271 Hr	8764	2019 Hy-Brid HB-1230 Electric Scissor Lift S/N: D08-31404 C/W: Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 125 Hr
8757	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255392 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 294 Hr	8765	2019 Hy-Brid HB-1230 Electric Scissor Lift S/N: D08-31323 C/W: Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 353 Hr
8759C	2019 Hy-Brid HB-1230 S3 Electric Scissor Lift S/N: D08-31321 C/W: 12 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 233 Hr	8766	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140009 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 57 Hr
8759B	2019 Hy-Brid HB-1230 S3 Electric Scissor Lift S/N: D08-31324 C/W: 12 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 110 Hr	8767	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140012 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 97 Hr
8759A	2019 Hy-Brid HB-1230 S3 Electric Scissor Lift S/N: D08-31405 C/W: 12 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 104 Hr	8768	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140050 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 77 Hr

Lot #	Details	Lot #	Details
8769	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140017 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 165 Hr	8777C	2019 Hy-Brid PS-1030 Electric Scissor Lift (Inoperable) S/N: D0140002 C/W: 10 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 220 Hr
8770	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140019 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 84 Hr	8777B	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140014 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8771	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140021 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 122 Hr	8777A	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140008 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 150 Hr
8772	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140023 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 99 Hr	8777	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140048 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 111 Hr
8773	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140024 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 101 Hr	8778A	2019 Hy-Brid HB-P827 Electric Scissor Lift S/N: D0530045 C/W: 8 ft Max Lift Height, 550 lb Max Weight Capacity, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8774	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140052 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 57 Hr	8778	2019 Hy-Brid HB-P827 Electric Scissor Lift S/N: D0530044 C/W: 5 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available
8775	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140030 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 52 Hr	8779	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410035 C/W: 5 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available
8776	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140031 C/W: 10 ft Max Lift Height, 750 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 138 Hr	8780	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410038 C/W: 5 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available
8777D	2019 Hy-Brid PS-1030 Electric Scissor Lift S/N: D0140011 C/W: 10 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,500 Hr	8781	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410034 C/W: 5 ft 3 in Max Lift Height, 500 lb Max Weight Capacity Usage: Not Available
		8782	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410026 C/W: 5 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available

Lot #	Details	Lot #	Details
8783	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410039 C/W: 5.3 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8795	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2035758 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8784	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410032 C/W: 5.3 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8797	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2034772 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8785	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410030 C/W: 5 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8798	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2037176 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8786	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410036 C/W: 5 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8799	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2036875 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8787	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410033 C/W: 5 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8800	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2035935 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available
8788	2019 Hy-Brid HBP527 Electric Scissor Lift S/N: D0410037 C/W: 5.3 ft Max Lift Height, 500 lb Max Weight Capacity, Solid Non-Marking Tires Usage: Not Available	8801	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2045363 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available
8789	2016 Genie AWP-30S DC Vertical Mast Lift S/N: AWP16G-86488 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8803N	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328376 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 382 Hr
8790	2016 Genie AWP-30S DC Vertical Mast Lift S/N: AWP16G-85626 C/W: 30 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires Usage: Not Available	8803M	2013 Genie GR-20 Vertical Mast Lift (Inoperable) S/N: GR1325580 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires Usage: Not Available
8792	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2047551 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available	8803L	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328477 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: 404 Hr
8793	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2046608 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available	8803K	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328472 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: 413 Hr
8794	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2035798 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: Not Available		

Lot #	Details	Lot #	Details
8803J	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328490 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: 361 Hr	8805	2016 Skyjack SJ16 Vertical Mast Lift S/N: 14008089 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 188 Hr
8803H	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328372 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8806	2017 Skyjack SJ16C Vertical Mast Lift S/N: 14009161 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 196 Hr
8803G	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328496 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8807	2016 Skyjack SJ16 Vertical Mast Lift S/N: 14009169 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity Usage: 196 Hr
8803F	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328498 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: 401 Hr	8808	2016 Skyjack SJ16 Vertical Mast Lift S/N: 14009166 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 202 Hr
8803E	2013 Genie GR-20 Vertical Mast Lift (Inoperable) S/N: GR1328370 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8809	2017 Skyjack SJ16C Vertical Mast Lift S/N: 14009163 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 208 Hr
8803D	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328471 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 258 Hr	8810	2017 Skyjack SJ16 Vertical Mast Lift S/N: 14009159 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires Usage: Not Available
8803C	2013 Genie GR-20 Vertical Mast Lift S/N: GR1325492 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Upper Control Box Usage: Not Available	8811	2018 Magnum MLT-6SK 6 kW Light Tower S/N: 3003272190 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 9,364 Hr
8803B	2013 Genie GR-20 Vertical Mast Lift S/N: GR128374 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8812	2018 Magnum MLT-6SK 6 kW Light Tower S/N: 3002704187 C/W: Kubota D1005 Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,241 Hr
8803A	2013 Genie GR-20 Vertical Mast Lift S/N: GR1328378 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8813	2017 Generac MLT-6SK 6 kW Light Tower S/N: 3001542797 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,851 Hr
8803	2018 Haulotte STAR 20 Vertical Mast Lift S/N: 2044329 C/W: 19 ft 6 in Max Lift Height, 440 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available	8814	2016 Magnum MLT-6SK 6 kW Light Tower S/N: 3001258575 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,934 Hr
8804	2017 Skyjack SJ16 Vertical Mast Lift S/N: 14009174 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 180 Hr	8815	2016 Magnum MLT-6SK 6 kW Light Tower S/N: 1602339 C/W: Kubota D1005 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,689 Hr

Lot #	Details	Lot #	Details
8816	2018 Generac PLT240 2.4 kW Light Tower S/N: 3003020027 C/W: 4 Lamps, LED Lighting Usage: Not Available	8825	2010 Wacker LTN6L Light Tower S/N: 5XFLN051XAB000622 C/W: 2009 US EPA Label, Lombardini 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available
8817	2020 Allmand Night-Lite Chain 3 kW Light Tower S/N: 5AEA1NA11LH000017 C/W: Yanmar L70W6EL0C8HABS 1 Cylinder 4.8 kW .3 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: 680 Hr	8826	2010 Wacker LTN6 6 kW Light Tower S/N: 5XFLN0516AN000746 C/W: 2010 US EPA Label, Kohler 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S /A Trailer, Reversible Hitch Usage: 6,436 Hr
8818	2020 Allmand Night-Lite Chain 3 kW Light Tower S/N: 5AEA1NA1XLH000016 C/W: Yanmar L70W6EL0C8HABS 1 Cylinder 4.8 kW .3 L Diesel Engine, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	8827	2010 Wacker LTN6L Light Tower S/N: 5XFLN0518AN000635 C/W: 3 Cylinder Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 3,443 Hr
8819	2016 Wacker LTN6 Light Tower S/N: 5XFLN0513GN000227 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,779 Hr	8828	2010 Wacker LTN6 6 kW Light Tower S/N: 5XFLN0514AN000275 C/W: 2009 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,368 Hr
8820	2016 Wacker LTN6 Light Tower S/N: 24295784 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,918 Hr	8829	2010 Wacker LTN6L Light Tower S/N: 5XFLN0513AN000624 C/W: 2009 US EPA Label, 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,909 Hr
8821	2015 Wacker LTN6KVS 6 kW Light Tower S/N: 24275855 C/W: Kubota D1005 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 6,259 Hr	8830	2010 Wacker LTN6L Light Tower S/N: 5XFLN051XAN000636 C/W: 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,933 Hr
8822	2015 Wacker LTN6KVS 6 kW Light Tower S/N: 24274909 C/W: Kubota D1005 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,434 Hr	8831	2009 Wacker LTN6 6 kW Light Tower S/N: 5XFLN05149N000059 C/W: 2008 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,025 Hr
8823	2015 Wacker LTN6 Light Tower S/N: 5XFLN0512FN0005075 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 3,571 Hr	8832	2015 Terex RL-4 6 kW Light Tower S/N: RL415-13123 C/W: 2014 US EPA Label, Kubota D1105-BG- EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 1,923 Hr
8824	2010 Wacker LTN6L Light Tower S/N: 5XFLN0513AN000459 C/W: 2009 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,545 Hr	8833	2019 Vermeer S925TX Mini Compact Track Loader S/N: 1VRL07055K1001949 C/W: Open Operator Station, Joystick Steering, 9 in Track Belts, Manual Coupler, 42 in Bucket Usage: 1,341 Hr
		8835	2017 Ditch Witch RT45 4x4 Trencher S/N: DWPRT45XTH0003816 C/W: Hydrostatic Drive, 2016 US EPA Label, Deutz 4 Cylinder Diesel Engine, 68 in Long Dirt Trencher Chain, Straight Blade Usage: 671 Hr

Lot #	Details	Lot #	Details
8836	2018 Barreto E2036RTKH-6MS Tracked Trencher S/N: RTK0922 C/W: Hydrostatic Drive, Tier 3, Honda 2 Cylinder Gasoline Engine, 4 in Wide x 53 in Long Dirt Trencher Chain, 7 in Rubber Tracks Usage: 530 Hr	8844	2009 Turf Maker Straw Blower S/N: 1497051118 C/W: 1 cyd Hopper, Kohler 19 hp Gas Engine, S /A Carrier, Spring Suspension Usage: Not Available
8837	2018 Barreto Tracked Trencher S/N: RTK0912 C/W: Hydrostatic Drive, Tier 3, Honda 2 Cylinder Gasoline Engine, 4 in Wide x 57 in Long Dirt Trencher Chain, 7 in Rubber Tracks Usage: 506 Hr	8845	2017 Linkit LKS45032 18 in x 20 ft Portable Transfer Conveyor S/N: 1211817 Usage: Not Available
8838	1997 Miller Big 40 Diesel Skid-Mounted Engine Driven Welder S/N: KH427123 C/W: 3 Cylinder Diesel Engine, Welding Leads Not Included, / 240 V Rated Voltage, 3.0 kVA/3.0 kW Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: 1,973 Hr	8846	2017 Linkit LKS450-3.2 18 in x 20 ft Portable Transfer Conveyor S/N: 1209017 Usage: Not Available
8839	2017 Miller Big Blue 400 Pro 400 A Mobile Multi-Process Engine Driven Welder S/N: MH200234R C/W: Kubota V1505-E3BG 4 Cylinder 20.2 hp Diesel Engine, Welding Leads Not Included, /12 kW Rated Single Phase Output, 120 V / 240 V Rated Voltage, S/A Trailer, Reversible Hitch Usage: 2,708 Hr	8847	McElroy AT1213002 Tracked Fusion Machine S/N: C75046 C/W: 12 in Clamp Size, On-Board Generator, Pipe Cutter, Pipe Stands, Kubota D722 3 Cylinder 14.9 kW .71 L Diesel Engine, 8 in Rubber Tracks Usage: Not Available
8840	Quantity of (250) 2023 AGROTK A280 AGT-75CT Traffic Cones (Unused) S/N: Not Available Usage: Not Available	8848	2016 Caps PPKH-5TD-0NN20K Air Conditioner S/N: 16F-0051-0038 Usage: Not Available
8841C	8 ft x 8 ft Trench Shield S/N: 19-2470 C/W: (4) 48 in Spreader Bars Usage: Not Available	8849	2016 Caps PPKH-5TD-0NN20K Air Conditioner S/N: 16F-0051-033 Usage: Not Available
8841B	8 ft x 8 ft Trench Shield S/N: 19-2471 C/W: (4) 48 in Spreader Bars Usage: Not Available	8850	2016 Caps PPKH-5TD-0NN20K Air Conditioner S/N: 16F-0051-045 Usage: Not Available
8841A	20 ft x 8 ft Trench Shield S/N: M0705993-F C/W: (4) 48 in Spreader Bars Usage: Not Available	8851	Portable Loading Ramp S/N: Not Available Usage: Not Available
8841	Quantity of (250) 2023 AGROTK A280 AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	8852	2018 Polaris Ranger 570 Crew 4x4 Utility Vehicle (Inoperable) S/N: 3NSRNA577JE361947 C/W: Open Operator Station, 4 Passenger, Gasoline Engine, Hitch Receiver, Manual Dump Bed Usage: Not Available
8842	Quantity of (100) 2023 AGROTK T-TOP Bollards & Bunting Barrier (Unused) S/N: Not Available Usage: Not Available	8853	2019 Kubota RTV-X1100CW-H Utility Vehicle (Inoperable) S/N: A5KC2GDBKKG050754 C/W: Enclosed Cab, 2 Passenger, Windshield, Diesel Engine Usage: 6,718 Hr
8843	Quantity of (100) 2023 AGROTK T-TOP Bollards & Bunting Barrier (Unused) S/N: Not Available Usage: Not Available	8854	2014 Kubota RTV1100 4x4 Utility Vehicle (Inoperable) S/N: 15653 C/W: Enclosed Cab, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Brush Guard Usage: 6,150 Hr
		8855	2017 Kubota RTV500 4x4 Utility Vehicle (Inoperable) S/N: 49575 C/W: Canopy, 2 Passenger, Windshield, 456 cc Gasoline Engine, Hitch Receiver, Manual Dump Bed Usage: 598 Hr

Lot #	Details	Lot #	Details
8856	2004 Rosco RB-48 Self-Propelled Broom (Inoperable) S/N: 38789 C/W: Enclosed Cab, 8 ft Broom, Water System, 4 Cylinder Diesel Engine Usage: 5,247 Hr	8866	2005 Lull 1044C54 Telehandler (Inoperable) S/N: 0160012607 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, Tier 2, 72 in Forks, Tilt Carriage, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 7,461 Hr
8857	1998 Broce RJ350 Self-Propelled Broom (Inoperable) S/N: 88791 C/W: Enclosed Cab, 8 ft Broom, Water System, John Deere 4 Cylinder Diesel Engine Usage: 8,176 Hr	8867	2017 Kubota 7324 4x4 Backhoe Loader (Inoperable) S/N: 71324 C/W: Open Operator Station, 66 in Loader Bucket, 16 in Backhoe Digging Bucket Usage: 1,758 Hr
8858	Lay-Mor Sweepmaster Self-Propelled Broom (Inoperable) S/N: 18116 C/W: Open Operator Station, 4 Cylinder Diesel Engine Usage: 1,007 Hr	8868	2006 John Deere 824J Wheel Loader (Inoperable) S/N: DW824JX607656 C/W: Enclosed Cab, Air Conditioner, 126 in Bucket, 26.5-25 Tires Usage: 16,247 Hr
8859	2021 LS XR3140H 4WD Utility Tractor (Inoperable) S/N: 2260000391 C/W: Enclosed Cab, Air Conditioner, 3 Forward 3 Reverse, Hydrostatic Drive, LS Myron LTD. LL 3116 Loader, Rear Remotes, 3-Point Hitch, Trailer Hitch, 215-65-14 Front Tires, 43-16-20 Rear Tires Usage: 143 Hr	8869A	1997 Volvo A25C 10000 gal 6x6 Articulated Water Truck (Inoperable) S/N: 5350V61067 C/W: Enclosed Cab, Air Conditioner, Traction Control, 1997 US EPA Label, unknown Tank, Water Cannon, Front Spray, Rear Spray, Hydraulic Driven Water Pump, Ground Fill Stand Pipe, 23.5R25 Tires Usage: 51,005 Mi
8860	2018 Kubota SVL95-2S Two-Speed Compact Track Loader (Inoperable) S/N: 38800 C/W: Open Operator Station, Joystick Steering, Tier 4, 2017 US EPA Label, Manual Coupler Usage: 2,063 Hr	8869	2011 Cat D6T XLVP Crawler Dozer (Inoperable) S/N: CAT00D6TVWFH00543 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 150 in Wide PAT Blade, 24 in Single Grouser Track Shoes, SystemOne Undercarriage, Counterweight, Drawbar Usage: 16,337 Hr
8861	2017 Bobcat T740 Two-Speed Compact Track Loader (Inoperable) S/N: B3CA12368 C/W: Open Operator Station, Joystick Steering, 2017 US EPA Label, 17 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,607 Hr	8870	1996 Blaw-Knox PF5510 Track Asphalt Paver (Inoperable) S/N: 55102868 C/W: Dual Controls, Easy Screed MS10E Electric Heated 10 ft - Screed, 19 in Rubber Tracks Usage: 4,830 Hr
8862	2006 Cat 257B Compact Track Loader (Inoperable) S/N: CAT0257BASLK05890 C/W: Open Operator Station, Joystick Steering, Manual Coupler Usage: 6,356 Hr	8871	2018 LiuGong CLG2025G 4300 lb Cushion Tire Forklift (Inoperable) S/N: CLG2000ZCJT037881 C/W: 3 Stage Mast, 143 in Max Lift Height, 87 in Lowered Mast Height, 48 in Forks, Side Shift, 4 Cylinder 2.4 L LPG Engine Usage: Not Available
8863	1998 Case 1838 Skid Steer Loader (Inoperable) S/N: JAF0185348 C/W: Open Operator Station, Manual Coupler, 60 in Bucket Usage: 4,661 Hr	8872	2003 Toyota 7FGCU25 5000 lb Cushion Tire Forklift (Inoperable) S/N: 79284 C/W: 2 Stage Mast, 80 in Max Lift Height, 58 in Lowered Mast Height, 36 in Forks, Toyota 4 Cylinder 2.23 L LPG Engine Usage: 5,568 Hr
8864	1993 Case 1845C Skid Steer Loader (Inoperable) S/N: JAF0122273 C/W: Open Operator Station, Manual Coupler Usage: 9,708 Hr		
8865	2007 Cat 226B2 Skid Steer Loader (Inoperable) S/N: CAT0226BLMJH10685 C/W: Enclosed Cab (Door missing), Joystick Steering, Tier 3, Manual Coupler, 66 in Bucket Usage: Not Available		

Lot #	Details	Lot #	Details
8873	2011 Toyota 8FGCU20 4000 lb LPG Cushion Tire Forklift (Inoperable) S/N: 35987 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Rotation, 2011 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available	8881	Atlas Copco SB302 Hydraulic Breaker S/N: Not Available Usage: Not Available
8874	2011 Toyota 8FGCU20 4000 lb Pneumatic Tire Forklift (Inoperable) S/N: 37207 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, Fork Positioner, 2012 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: Not Available	8882	Bosch Electric Demolition Breaker (Inoperable) S/N: Not Available Usage: Not Available
8875	2005 Toyota 7FGCU20 3800 lb LPG Cushion Tire Forklift (Inoperable) S/N: 91844 C/W: 2 Stage Mast, Full Free Lift, 80 in Max Lift Height, 56 in Lowered Mast Height, 42 in Forks, Side Shift, 2005 US EPA Label, Toyota 4 Cylinder 2.2 L LPG Engine Usage: 10,300 Hr	8883A	2012 Tennant 355 Ride-On Floor Sweeper (Inoperable) S/N: 1671 C/W: 48 in Working Width Usage: Not Available
8876	2006 Toyota 7FGCU20 3150 lb Cushion Tire Forklift (Inoperable) S/N: 01993 C/W: 2 Stage Mast, Full Free Lift, 79 in Max Lift Height, 57 in Lowered Mast Height, 40 in Forks, Side Shift, LPG Engine Usage: Not Available	8883	2016 Tennant 5680 Walk-Behind Electric Floor Scrubber (Inoperable) S/N: 5680-10796677 C/W: 36 in Working Width, Water System, Rear Squeegee, 36 Volt Operating System Usage: 166 Hr
8877	2015 JLG 450AJ 4WD Diesel Articulating Boom Lift (Inoperable) S/N: 0300207386 C/W: 45 ft Max Lift Height, 550 lb Max Weight Capacity, Jib, Onboard Generator, 2015 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine, 12-16.5 Tires Usage: Not Available	8884A	Kubota 74 in Skid Steer Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
8878A	2012 Atlas Copco CPS 375 PD TBV 375 cfm Mobile Air Compressor (Inoperable) S/N: 4500B1315CR073696 C/W: 123 psi Working Pressure, Perkins 4 Cylinder 4.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,622 Hr	8884	Bobcat 72 in Skid Steer Broom (Inoperable) S/N: Not Available Usage: Not Available
8878	2018 Generac MLT-6SK 6 kW Light Tower (Inoperable) S/N: 3003272178 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,230 Hr	8888C	2019 Hy-Brid HB-1230 S3 Electric Scissor Lift (Inoperable) S/N: D08-31331 C/W: 12 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 148 Hr
8879	Wacker Neuson P35A Concrete Screed (Inoperable) S/N: 20193982 C/W: 12 ft Screed, Honda GX35 1.3 hp 35.8 cc Gasoline Engine Usage: Not Available	8888B	2019 Hy-Brid HB-1230 S3 Electric Scissor Lift (Inoperable) S/N: D08-31322 C/W: 12 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 127 Hr
8880	Atlas Copco SB302 36 in Hydraulic Breaker S/N: Not Available Usage: Not Available	8888A	Wacker RT820 Trench Compactor (Inoperable) S/N: 528 C/W: 2000 US EPA Label, Lombardini YLBDL954127 2 Cylinder 3.2 kW Gasoline Engine, 32 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 506 Hr
		8889	2019 Club Car TEMPO Golf Cart (Inoperable) S/N: BN1905-944588 C/W: 48 Volt 4 Passenger, Canopy, Windshield Usage: Not Available
		8890	2016 Ford F-150 XL 4x2 Extended Cab Pickup (Inoperable) S/N: 1FTEX1C89GKD67213 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 6100.0 lb GVWR, 245/70R17 Tires, 6 ft 6 in Bed Usage: Not Available

Lot #	Details	Lot #	Details
8891	1997 Freightliner FL112 4x2 Service Truck (Inoperable) S/N: 1FUWTMCA0VL852618 C/W: Cummins M11 10.8 L Diesel 330 hp Engine, 1996 US EPA Label, Engine Brake, Eaton Fuller RTX13710C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23160 Drive Axles, 3.91:1 Axle Ratio, 32000.0 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, 1996 13 ft 9 in Body, Ingersoll-Rand 2475 16.8 cfm Gasoline Air Compressor, Air Hose Reel Usage: 22,993 Mi	8897	2019 Isuzu NPR 4x2 COE Moving Van Truck (Inoperable) S/N: 54DC4J1B6KS800750 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, 6-Speed Automatic Transmission, 6630 lb Front Axle, 1120 lb Rears, 14500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 96 in High Body Usage: 105,312 Mi
8892A	2012 Ford F-550 4x4 Crew Cab w/ Altec AT235P Cable Placer Truck S/N: 1FD0W5HT7CEB79828 C/W: V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500.0 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, PTO, Pintle Hitch Usage: 93,597 Mi	8901	2015 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKYDP9X2FJ448750 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-162-10B 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac-Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 717,774 Mi
8892	2014 Ford F-550 XL 4x4 Service Truck (Inoperable) S/N: 1FDUF5HTXEEA94132 C/W: 2014 Ford V8 6.7 cid Ultra Low Sulfur Diesel 475 hp Engine, Exhaust Brake, 6-Speed Automatic Transmission, 2948 lb Front Axle, 6671 lb Rears, Dana S-110 Drive Axles, 3.97:1 Axle Ratio, Steel, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, Hydraulic System, 2014 IMT DOMS13 J980449 10 ft 11 in Body, Hydraulic Stabilizers, 2014 IMT 6000-22 J980450 6000 lb 3 Section Hydraulic Crane, IMT CAS40P 40 cfm PTO Air Compressor, Air Hose Reel Usage: 235,500 Mi	8902	2013 Kenworth T660 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1XKADP8X1DJ293186 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 5631 Engine hrs, Engine Brake, Eaton Fuller RTLO-16913A Manual Transmission, Differential Lock, 12000 lb Front Axle, 34000 lb Rears, 3.25:1 Axle Ratio, 46000.0 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Carrier comfort pro Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel Usage: 990,366 Mi
8893	2001 Freightliner FL80 6x4 Flatbed Truck (Inoperable) S/N: 1FVHBXBS61HJ15116 C/W: Cummins ISC-260 6 Cylinder 8.6 L Diesel 260 hp Engine, Eaton Fuller RT-6609A 9-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.90:1 Axle Ratio, 52000.0 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, 22 ft 6 in x 96 in Bed, Forklift Mount Kit Usage: 218,503 Mi	8904	2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJHHDRXKSKC2446 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8896A	2015 International 4300 4x2 Van Truck (Inoperable) S/N: 3HAMMAAL5FL508458 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 215 hp Engine, 2013 US EPA Label, 7604 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 255 in Wheelbase, Mickey 26 ft Long x 97 in Wide x 104 in High Body Usage: 199,609 Mi	8906A	2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor S/N: 3AKJHLDR5KSKC2860 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1550-DH1 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5, Airliner Air Ride Suspension, 170 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
8907	2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJGLD58GSHC0254 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8911A	2014 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGDDV7ESFV3834 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2013 US EPA Label, Eaton Fuller FRO14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS23161 Drive Axles, 3.58:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 654,409 Mi
8908	2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3AKJGLD55FSGH0900 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 24062 Engine hrs, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 866,855 Mi	8911	2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGEDV6FLGH4790 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-14E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 800,155 Mi
8909	2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJGLD58ELFH6908 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 26963 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52350 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 917,390 Mi	8912A	2014 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGEBG9ELFT4319 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-14E9I0B 14-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 2.5:1 Axle Ratio, 35000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8910	2014 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 3HSDJAPR3EN014036 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 1904.9 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Navistar Drive Axles, 2.47:1 Axle Ratio, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 256 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 701,826 Mi	8912	2014 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGEDV5ELFT4300 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 18779 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B-LAS Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 713,326 Mi

Lot #	Details	Lot #	Details
8913	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADV6GSHB2419 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 275/80/22.5 Rear Tires, Airliner Air Ride Suspension, 158 in Wheelbase Usage: Not Available	8916	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADV8ESFM6910 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8914A	2015 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable) S/N: 3AKJGBDV5FDGK7760 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 165 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 669,919 Mi	8917	2013 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADV8DSBN2774 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 10783 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 248,764 Mi
8914	2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADV8GSHB2390 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-V 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase Usage: Not Available	8918	2012 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGADV9CSBD2254 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8915	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 3AKBGADV7ESFM6915 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8919	2010 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGADV0ASAU5179 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8916A	2014 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 1FUBGBDV5ELFL3968 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 813,009 Mi	8920	2009 Sterling A9500 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 2FWBA2CK69AAJ3029 C/W: Detroit 6 Cylinder 14.0 L Diesel Engine, 2009 US EPA Label, Roadranger 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 33000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
8921	2004 Sterling L8500 4x2 S/A Day Cab Truck Tractor (Inoperable) S/N: 2FWBAVAKX4AM43219 C/W: Cat 6 Cylinder Diesel Engine, 2004 US EPA Label, Eaton Fuller 7-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 11R24.5, Air Ride Suspension, 148 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8928	2011 Volvo A40F Articulated Dump Truck (Inoperable) S/N: VCE0A40FP00011153 C/W: Air Conditioner, Rear View Camera, 29.5 R25 Tires Usage: Not Available
8922	2014 John Deere 9560R Scraper Special Scraper Tractor S/N: 1RW9560RCEE012106 C/W: Enclosed Cab, Air Conditioner, Reverse Drive Mode, 8 Rear Remotes, w/ Quick Hitch, Dual 710/70R42 Front Tires, Dual 710/70R42 Rear Tires Usage: Not Available	8929	2010 Furukawa HCR1500-EDII Crawler Mounted Blasthole Drill (Inoperable) S/N: 1453228 C/W: Enclosed Cab, Air Conditioner, Cat C9 6 Cylinder Diesel Engine, Rod Changer, Dust Collector, Telescoping Boom, (7) 2 in Drill Rods, 13 in Triple Grouser Track Shoes Usage: 3,366 Hr
8923	2014 Komatsu D155AX-7 Crawler Dozer (Inoperable) S/N: KMT0D118C02090232 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Hydrostatic Drive, 2013 US EPA Label, 156 in Wide Sigmadozer w/ Dual Tilt, 24 in Single Grouser Track Shoes, 2 Cylinder Ripper w/Hydraulic Pin Puller, Rear Auxiliary Hydraulics Usage: Not Available	8930	Furukawa Crawler Mounted Blasthole Drill (Inoperable) S/N: Not Available C/W: Enclosed Cab, Cat 6 Cylinder Diesel Engine, Telescoping Boom, (2) Drill Rods, 13 in Triple Grouser Track Shoes Usage: Not Available
8924	2015 Komatsu D65EX-17 Crawler Dozer (Inoperable) S/N: KMT0D117A01002349 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Hydrostatic Drive, 2013 US EPA Label, 24 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper, Rear Auxiliary Hydraulics Usage: Not Available	8931	2014 Komatsu PC490 LC-10 Tracked Excavator (Inoperable) S/N: KMTPC239J54A40643 C/W: Air Conditioner, Cab Screens, 2013 US EPA Label, 11 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, 66 in Digging Bucket Usage: Not Available
8925	2014 Komatsu D65EX-17 Crawler Dozer (Inoperable) S/N: KMT0D117H01002208 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Hydrostatic Drive, 2013 US EPA Label, 130 in Wide Sigmadozer w/ Single Tilt, 24 in Single Grouser Track Shoes, Drawbar, Rear Auxiliary Hydraulics Usage: Not Available	8932	2012 Volvo PF4410 Track Asphalt Paver (Inoperable) S/N: VCEP4410J0S378044 C/W: Dual Controls, 2014 US EPA Label, Electric Heated 8 ft - Screed, Truck Hitch, 14 in Rubber Tracks Usage: 5,267 Hr
8926	2015 Komatsu D61PXi-23 Crawler Dozer (Inoperable) S/N: KMT0D120H01031189 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Hydrostatic Drive, 2014 US EPA Label, 150 in Wide PAT Blade, 34 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper, Rear Auxiliary Hydraulics Usage: Not Available	8933	1998 Hamm 2422DS Padfoot Drum Compactor (Inoperable) S/N: 40959 C/W: Open Operator Station, Deutz 6 Cylinder Diesel Engine, 84 in Drum Usage: 7,877 Hr
8927	2013 Bell B50D Articulated Dump Truck (Inoperable) S/N: B93A650DH07003884 C/W: Air Conditioner, Rear View Camera, 875 /65R29 Tires Usage: Not Available	9003	2016 Husqvarna FS513 Walk-Behind Saw S/N: 20163300006 C/W: Honda GX390 1 Cylinder 11.7 hp 389 cc Gasoline Engine Usage: Not Available
		9005	Rig Ready QL-400 Rigging System S/N: 01011546 Usage: Not Available
		9007	2016 Doosan P185WDO-T4F 185 cfm Mobile Air Compressor S/N: 4FVCABAA5GU475808 C/W: Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,304 Hr
		9008	2016 Doosan P185 185 cfm Mobile Air Compressor S/N: 4FVCABAA8GU475611 C/W: 100 psi Working Pressure, Doosan D24NAP 37 kW 24 L Engine, S/A Trailer, Lunette Ring Usage: 4,401 Hr

Lot #	Details	Lot #	Details
9009	2015 Atlas Copco XAS 185 CD PE 185 cfm Mobile Air Compressor S/N: HOP0050469 C/W: 123 psi Working Pressure, Cat C2.2 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,752 Hr	9021	Cat 66 in Digging Excavator Bucket - Fits Cat S/N: Not Available C/W: Quick Coupler Bracket, 95 mm Diameter Pins, 595 mm Center of Pin Boss to Center of Pin Boss, 445 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9010	2003 Sullair 185DPQ 185 cfm Mobile Air Compressor S/N: 004142362 C/W: 125 psi Working Pressure, Perkins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,044 Hr	9022	Cat 60 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9011	2000 Ingersoll Rand P185AWIR 185 cfm Mobile Air Compressor S/N: 326145ULL295 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 229 Hr	9023	Cat 60 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9012	1998 Doosan P185WJD 185 cfm Mobile Air Compressor S/N: 276987UGH221 C/W: 100 psi Working Pressure, John Deere 4043D 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 437 Hr	9024	48 in Excavator Bucket S/N: Not Available C/W: 80 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 310 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9013	Olympian 54 kW Mobile Stand-By Generator Set S/N: 16MPF10239D053519 C/W: Cat C4.4 4 Cylinder Diesel Engine, 67.5 kVA/54 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: 33,920 Hr	9026	Cat 40 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9014	Wacker PT3 Skid-Mounted Water Pump S/N: 5597216 C/W: 3 in Intake, 3 in Discharge, Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	9027	Cat 36 in Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 482 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9015	2019 Bobcat 7102125 78 in Skid Steer Tiller S/N: 055106554 C/W: Quick Coupler Bracket Usage: Not Available	9028	Cat 36 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 510 mm Center of Pin Boss to Center of Pin Boss, 355 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9016	2018 Bobcat 6B 70 in Skid Steer Landscape Rake S/N: 063015987 C/W: Quick Coupler Bracket Usage: Not Available	9029	Cat 34 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Stick Pin Diameter, 480 mm Link Pin Diameter, 380 mm Center of Pin Boss to Center of Pin Boss Usage: Not Available
9017	TEI 1330 Hydraulic Rock Drill - Fits Skid Steer Loader S/N: HCF6081212 Usage: Not Available	9030	Cat 30 in Digging Excavator Bucket S/N: Not Available C/W: 90 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9017	Snyder General 25 gal Poly Tank S/N: Not Available Usage: Not Available	9031	Cat 24 in Excavator Bucket S/N: Not Available C/W: 44 mm Stick Pin Diameter, 36 mm Link Pin Diameter, 340 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available
9019	72 in 3-Point 3 Point Compactor Wheel S/N: Not Available Usage: Not Available		
9020	2019 FRD F9FSPWR Hydraulic Breaker S/N: 08839 C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
9032	24 in Excavator Bucket S/N: Not Available C/W: 64 mm Diameter Pins, 405 mm Center of Pin Boss to Center of Pin Boss, 225 mm Inside to Inside Pin Boss Spacing Usage: Not Available	9043	2008 Toyota 8FGU30 5620 lb Pneumatic Tire Forklift S/N: 12223 C/W: 3 Stage Mast, 187 in Max Lift Height, 87 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, 2008 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 8,623 Hr
9033	24 in Digging Excavator Bucket - Fits Cat 308 S/N: Not Available C/W: 50 mm Diameter Pins, 304 mm Center of Pin Boss to Center of Pin Boss, 203 mm Inside to Inside Pin Boss Spacing Usage: Not Available	9044	2015 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift S/N: 68211 C/W: 3 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 2015 US EPA Label, Toyota 4 Cylinder 2.2 L Dual Fuel Engine Usage: 4,862 Hr
9034	Cat 18 in Digging Excavator Bucket - Fits Cat 308 S/N: Not Available C/W: 20 mm Diameter Pins, 260 mm Center of Pin Boss to Center of Pin Boss, 158 mm Inside to Inside Pin Boss Spacing Usage: Not Available	9045	2015 Hyster H90FT 5900 lb Pneumatic Tire Forklift S/N: U005V02197N C/W: Enclosed Cab, 3 Stage Mast, Full Free Lift, 185 in Max Lift Height, 90 in Lowered Mast Height, 60 in Forks, Side Shift, Fork Positioner, LPG Engine Usage: 11,790 Hr
9035	16 in Digging Excavator Bucket - Fits cat S/N: Not Available C/W: 48 mm Diameter Pins, 305 mm Center of Pin Boss to Center of Pin Boss, 195 mm Inside to Inside Pin Boss Spacing Usage: Not Available	9047A	2015 Genie AWP-40S Vertical Mast Lift S/N: AWP1582273 C/W: 40 ft 4 in Max Lift Height, 300 lb Max Weight Capacity, Power to Platform, Stabilizers Usage: Not Available
9036	Cat 12 in Excavator Bucket S/N: AH21BBK31491 Usage: Not Available	9047	2012 JLG 450AJ 4WD Dual Fuel Articulating Boom Lift S/N: 0300161895 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, 4 Cylinder Dual Fuel Engine, 33x15.50-16.5 Tires Usage: 2,936 Hr
9037	Cat 16 in Excavator Bucket S/N: Not Available Usage: Not Available	9048	2016 Genie AWP-30S DC Vertical Mast Lift S/N: AWP16G-86320 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Upper Control Box Usage: Not Available
9038	2017 Wanco WTLMB-A Solar Message Board S/N: 5F12S1616H1004647 C/W: Solar Powered, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	9049	2018 JLG 20MVL Vertical Mast Lift S/N: 0130033341 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires Usage: Not Available
9039	2016 Wanco WVTM-A Solar Message Board S/N: 5F12S1216G1009416 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available	9050	2017 Genie GR20 Vertical Mast Lift S/N: GRP-49532 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 125 Hr
9040	Arrow Board S/N: Not Available C/W: S/A Trailer, Ball Hitch Usage: Not Available	9051	2016 Skyjack SJ4632 Electric Scissor Lift S/N: 70029040 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 293 Hr
9041	2014 Hyster S155FT 15100 lb LPG Pneumatic Tire Forklift S/N: G024V01663M C/W: 3 Stage Mast, Full Free Lift, 173 in Max Lift Height, 101 in Lowered Mast Height, 96 in Forks, Auxiliary Hydraulic Plumbing, LPG Engine Usage: 8,069 Hr		
9042	1998 Taylor TCO-300S 29885 lb LPG Pneumatic Tire Forklift S/N: SD726989 C/W: 2 Stage Mast, 120 in Max Lift Height, 120 in Lowered Mast Height, 96 in Forks, Fork Positioner, Ford 5c-488-as LPG Engine Usage: 15,709 Hr		

Lot #	Details	Lot #	Details
9052	2016 JLG 2632ES Electric Scissor Lift S/N: M200001183 C/W: 25.5 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 322 Hr	9062	2016 Wacker LTN6KVS Light Tower S/N: 5XFLN0519GN001415 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 7,785 Hr
9053	2017 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22108315 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 192 Hr	9063	2015 Wacker LTN6KVS Light Tower S/N: 5XFLN0519FN003213 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 8,201 Hr
9054	2016 Genie GS1930 Electric Scissor Lift S/N: GS3016P-154679 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr	9064	2017 Multiquip HZGAW180HEA 170 A Skid-Mounted Stick Engine Driven Welder S/N: 5772425 C/W: Honda GX340 10.7 hp .38 L Gasoline Engine, /3 kW Rated Single Phase Output, 120 V Rated Voltage Usage: Not Available
9055	2016 JLG 1930ES Electric Scissor Lift S/N: 0200255682 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 326 Hr	9065	2015 Vermeer BC1000 XL Tow-Behind Wood Chipper S/N: 1VRY11198F1022737 C/W: Deutz TD 2.9 L4 4 Cylinder 74 hp 2.92 L Diesel Engine, 16 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring, Electric Brakes Usage: 1,526 Hr
9056	2012 Genie GS1930 Electric Scissor Lift (Inoperable) S/N: 114384 C/W: 25 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available	9066	2017 Wacker RT Trench Compactor S/N: 24368822 C/W: Open Operator Station, Kubota 3 Cylinder Diesel Engine, 22 in / 33 in Drums Usage: 424 Hr
9057	2007 Genie GS1930 Electric Scissor Lift S/N: 084590 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 307 Hr	9067	2017 Wacker RT Trench Compactor S/N: 24352394 C/W: Open Operator Station, Kubota 3 Cylinder Diesel Engine, 22 in / 33 in Drums, Cordless Remote Control, Articulated Steering Usage: 581 Hr
9058	2017 Hy-Brid HB1430 Electric Scissor Lift S/N: D0214503 C/W: 20 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	9068	2017 Wacker RTKX-SC3 Trench Compactor S/N: 24352391 C/W: Open Operator Station, Tier 4, 2016 US EPA Label, Kubota 3 Cylinder 0.8 L Diesel Engine, 22 in Drums, Cordless Remote Control, Articulated Steering Usage: 830 Hr
9059	2017 Hy-Brid HB1430 Electric Scissor Lift S/N: D0214236 C/W: 20 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	9069	2016 Wacker RTKX-SC3 Trench Compactor S/N: 24298255 C/W: 3 Cylinder Diesel Engine, 22 in / 33 in Drums, Cordless Remote Control, Articulated Steering Usage: 599 Hr
9061	2018 Magnum MLT6SMD Light Tower S/N: 7FSXL1015JB619721 C/W: 2018 US EPA Label, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,913 Hr	9070	2016 Wacker RTKX-SC3 Trench Compactor S/N: 24307999 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 15.5 kW Engine, 22 in Drums, Cordless Remote Control Usage: 682 Hr

Lot #	Details	Lot #	Details
9071	2012 Bomag BMP8500 Trench Compactor S/N: 101720112114 C/W: Kubota D1005 3 Cylinder Diesel Engine, 24 in / 34 in Drums, Cordless Remote Control, Articulated Steering Usage: 1,236 Hr	9086	Quantity of (8) 18 ft Spreader Bars S/N: Not Available Usage: Not Available
9072	Multiquip MC-64 Mortar and Grout Mixer S/N: D2851072 C/W: Honda GX240 1 Cylinder 8.4 hp 270 cc Gasoline Engine, S/A Trailer, Lunette Ring Usage: Not Available	9087	Quantity of (6) 15 ft Spreader Bars S/N: Not Available Usage: Not Available
9073	Bedding Box S/N: Not Available Usage: Not Available	9088	Quantity of (3) 13 ft Spreader Bars S/N: Not Available Usage: Not Available
9074	Bedding Box S/N: Not Available Usage: Not Available	9089	Quantity of (13) 11 ft Spreader Bars S/N: Not Available Usage: Not Available
9075	24 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9090	Quantity of (4) 10 ft Spreader Bars S/N: Not Available Usage: Not Available
9077	20 ft x 8 ft Trench Shield S/N: Not Available C/W: 6 in Thick Panels, (0) Spreader Bars Usage: Not Available	9091	Quantity of (2) 9 ft Spreader Bars S/N: Not Available Usage: Not Available
9078	20 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels Usage: Not Available	9092	Quantity of (2) 7 ft Spreader Bars S/N: Not Available Usage: Not Available
9079	20 ft x 8 ft Trench Shield S/N: Not Available C/W: 6 in Thick Panels, (0) Spreader Bars Usage: Not Available	9093	Quantity of (4) 6 ft 6 in Spreader Bars S/N: Not Available Usage: Not Available
9080	16 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9094	Quantity of (4) 5 ft Spreader Bars S/N: Not Available Usage: Not Available
9081	16 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9095	Quantity of (30) 4 ft 5 in Spreader Bar S/N: Not Available Usage: Not Available
9082	16 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9096	Quantity of (8) 4 ft Spreader Bars S/N: Not Available Usage: Not Available
9083	20 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9097	2013 Toro TX525 Mini Compact Track Loader S/N: 315000353 C/W: 6 in Track Belts, Manual Coupler Usage: 1,153 Hr
9084	12 ft x 4 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels, (0) Spreader Bars Usage: Not Available	9098	2017 Toro 29518 Ride-On Aerator S/N: 400541422 C/W: 2017 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine Usage: 407 Hr
9085	Quantity of (7) 4 ft x 8 ft (1 in Thick) Steel Plates S/N: Not Available Usage: Not Available	9099	2018 Toro 29519 Ride-On Aerator S/N: 403014680 C/W: 2018 US EPA Label, Kawasaki FS541V Engine Usage: 285 Hr
		9100	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1266817 Usage: Not Available
		9101	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1216717 Usage: Not Available

Lot #	Details	Lot #	Details
9102	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1213217 Usage: Not Available	9114	2011 Terex RL4000 6 kW Light Tower (Inoperable) S/N: RL411-3334 C/W: Kubota D1105 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 6,548 Hr
9103	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1225817 Usage: Not Available	9115	2017 Generac MLT-6SK 6 kW Light Tower (Inoperable) S/N: 7FSXL1015HB124171 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,599 Hr
9104	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1244917 Usage: Not Available	9116B	Quantity of (08) Light Tower (Inoperable) S/N: Not Available Usage: Not Available
9105	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1213417 Usage: Not Available	9116A	Quantity of (10) Light Tower (Inoperable) S/N: Not Available Usage: Not Available
9106	2016 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1184816 Usage: Not Available	9116	2018 Generac MLT6SMD 6 kW Light Tower (Inoperable) S/N: 7FSXL1016JB679961 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Solar Powered, S/A Trailer, Ball Hitch Usage: 1,163 Hr
9107	2017 Linkit LKS45032 16 in x 10 ft Portable Transfer Conveyor S/N: 1278217 Usage: Not Available		
9108	(1) Hydraulic Power Unit & (1) Pipe Locator System - Fits POW-R Mole Pipe Pusher S/N: Not Available C/W: Honda GX630 2 Cylinder Gasoline Engine Usage: Not Available		
9108	POW-R Mole P1- Pusher Box & Pipe Pusher S/N: Not Available C/W: Quantity of Moil Points Usage: Not Available		
9109	Quantity of (2) Pallets of Water and Hydraulic Hose S/N: Not Available C/W: Suction, Discharge, Air Usage: Not Available		
9110	Quantity of (24) Pallets of Misc. Parts S/N: Not Available Usage: Not Available		
9111	2018 Toro TX1000W Mini Compact Track Loader (Inoperable) S/N: 403445270 C/W: 10 in Track Belts Usage: Not Available		
9112	2015 Gehl RS842 Telehandler (Inoperable) S/N: RS842JG17615 C/W: Open Operator Station, 40 ft Max Lift Height, 8000 lb Max Lift Capacity, 48 in Forks, Tilt Carriage, 13.00-24 Tires Usage: 2,596 Hr		
9113	Magnum MLT3060 6 kW Light Tower (Inoperable) S/N: 1307201 C/W: 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 13,758 Hr		