



Sacramento, CA, USA - Dec 13, 2022

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 1 | 2016 John Deere 855 4x4 Utility Cart S/N: 1M0855DFCGM110949 C/W: Open Operator Station, 4 Passenger, 854 cc Diesel Engine, Manual Dump Bed Usage: 1,209 Hr | 8 | 2016 John Deere 855D 4x4 Utility Vehicle S/N: 1M0855DFKGM110678 C/W: Canopy, 4 Passenger, Diesel Engine Usage: Not Available |
| 2 | 2017 Polaris Ranger 4x4 Utility Vehicle S/N: 4XARVAD10H7744497 C/W: Enclosed Cab, 6 Passenger, Windshield, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,379 Hr | 10A | 2001 Lay-Mor 8HC Self-Propelled Broom S/N: 28318005 C/W: Open Operator Station, 7 ft 4 in Broom, Water System, Kubota V1505-E 4 Cylinder 26.5 kW 1.5 L Diesel Engine Usage: 1,652 Hr |
| 4 | 2016 Polaris Ranger 570 4x4 Utility Vehicle S/N: 3NSRDA577GE401178 C/W: Open Operator Station, 4 Passenger, Gasoline Engine, Manual Dump Bed Usage: 1,359 Hr | 11 | Tennant 355 Ride-On Floor Sweeper S/N: 355-4369 C/W: 48 in Working Width, Ford P89BF 4 Cylinder Gasoline Engine Usage: 804 Hr |
| 5 | 1999 Polaris Ranger 6x6 Utility Vehicle S/N: 4XARF50A0XD118992 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,886 Hr | 12 | 2019 Kubota B26 4WD Utility Tractor S/N: 57661 C/W: Canopy, Differential Lock, Hydrostatic Drive, Kubota TL500 Loader w/Joystick, Quick Coupler, 60 in Bucket, Kubota BT820 16 in Backhoe Attachment, 23x8.50-14NHS Front Tires, 12.4-16 Rear Tires Usage: 877 Hr |
| 6 | 2016 Honda 4x4 Utility Vehicle S/N: 1HFVE04A0G4000549 C/W: Canopy, 3 Passenger, Windshield, Gasoline Engine, Manual Dump Bed Usage: 2,887 Hr | 13 | 2019 Kubota B26 4WD Utility Tractor S/N: 57432 C/W: Canopy, Differential Lock, Hydrostatic Drive, Kubota Loader, Quick Coupler, Kubota 60 in Bucket, Kubota Backhoe Attachment, 18 in Backhoe Bucket, 23x8.50-14NHS Front Tires, 12.4-16 Rear Tires Usage: 1,062 Hr |
| 8F | 1992 Yamaha YFM80 4x2 ATV S/N: JY44EMW04NA000651 C/W: 3 Forward Gears, 1 Cylinder Gasoline Engine Usage: Not Available | 14 | 2016 Kubota BX25D 4WD Utility Tractor S/N: 37656 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 16.1 kW Engine, 2016 US EPA Label, Kubota Loader w/Joystick, 48 in Bucket, 540 PTO, 3-Point Hitch, 18x8.60-10 Front Tires, 26x12.00-12 Rear Tires Usage: 190 Hr |
| 8D | 2000 Arctic Cat 250 4x2 ATV S/N: 4UF00ATB1YT300331 C/W: Forward Gears w/ Reverse, 1 Cylinder Gasoline Engine Usage: Not Available | 15 | Kubota B2320 4WD Utility Tractor S/N: 32115 C/W: 9 Forward 3 Reverse, 23 hp Engine, Front Weights, 540 PTO, 3-Point Hitch, Drawbar, 5-12 Front Tires, 8-16 Rear Tires Usage: 855 Hr |
| 8C | 2007 Arctic Cat 700 4x4 ATV S/N: 4UF11ATV7BT256063 C/W: Electric Start, Forward Gears w/ Reverse, 1 Cylinder Gasoline Engine Usage: Not Available | 16 | 2005 New Holland TC29A 4WD Utility Tractor S/N: G104638 C/W: Differential Lock, 9 Forward 3 Reverse, Forward/ Reverse Shuttle, 29 hp Engine, 2005 US EPA Label, New Holland 14LA Loader w /Joystick, 540 PTO, 3-Point Hitch, Drawbar, 215 /65-14 Front Tires, 15x19.5 Rear Tires Usage: 1,630 Hr |
| 8B | Electric Golf Cart S/N: Not Available C/W: 42 Volt Battery Charger, 2 Passenger, Canopy, Windshield Usage: Not Available | | |
| 8A | Clubcar Electric Golf Cart S/N: 3183017 C/W: 6 Passenger, Canopy, Windshield Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 17 | 2019 Yanmar SA24 4WD Utility Tractor S/N: YMJS0026CKF402330 C/W: Differential Lock, Hydrostatic Drive, 2019 US EPA Label, Yanmar YL210 Loader, Hydraulic Quick Coupler, Yanmar B65 12 in Backhoe Attachment, 23x8.50-12 Front Tires, 350/17-17.5 Rear Tires Usage: 533 Hr | 24 | 2015 John Deere 9570R Scraper Special Articulated Tractor S/N: 1RW9570RHFE017441 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, 18 Forward 6 Reverse, PowerShift, Topcon Display, 570 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Front Weights, 4 Rear Remotes, Dual 710/70R42 Tires, Front Wheel Weights Usage: 5,734 Hr |
| 18 | 2018 Yanmar SA424 4WD Utility Tractor S/N: YMJSA4HDJHF102501 C/W: Hydrostatic Drive, 2017 US EPA Label, Yanmar YL210 Loader w/Joystick, 53 in Bucket, Backhoe Attachment Usage: 981 Hr | 25 | 2013 John Deere 9560R Scraper Special Articulated Tractor S/N: 1RW9560RCDE008054 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 18 Forward 6 Reverse, PowerShift, Topcon Display, Tier 4, 560 hp Engine, Front Weights, HID Lights, 6 Rear Remotes, Dual 710/70R42 Tires, Front Wheel Weights Usage: 9,280 Hr |
| 19 | 2012 John Deere 5093E 4WD Tractor S/N: 1LV5093EJCZ471061 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, 12 Forward 12 Reverse, PowrReverser, Forward/ Reverse Shuttle, 93 hp Engine, 3 Rear Remotes, 540 PTO, 3-Point Hitch, 10.5/80-18 Front Tires, 420/85R24 Rear Tires Usage: 4,415 Hr | 26 | 2012 John Deere 9560R Scraper Special Articulated Tractor S/N: 1RW9560RECE004227 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, 18 Forward 6 Reverse, PowerShift, Topcon 3DMC Display, Tier 4, 560 hp Engine, 2012 US EPA Label, Front Weights, 4 Rear Remotes, Dual 710/70R38 Tires, Front Wheel Weights Usage: 7,799 Hr |
| 20 | 2017 John Deere 5090G 4WD Tractor S/N: 1AT5090GEHN403858 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, 24 Forward 12 Reverse, PowrReverser, Forward/ Reverse Shuttle, 90 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3 Rear Remotes, 540 PTO, 3-Point Hitch, 280/70R18 Front Tires, 380/85R28 Rear Tires Usage: 2,255 Hr | 27 | 2005 John Deere 9520 Articulated Tractor S/N: RW9520E031728 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 18 Forward 6 Reverse, PowerShift, 450 hp Engine, Front Weights, 4 Rear Remotes, 73X50.00-32 Tires Usage: 485 Hr |
| 21 | 2014 Versatile 500DT Quadtrac Track Tractor S/N: 705138 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 16 Forward 4 Reverse, Powershift, Tier 4, 500 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6 Rear Remotes, 30 in Tracks Usage: 5,142 Hr | 28 | 2005 John Deere 9520 Articulated Tractor S/N: RW9520E032010 C/W: Enclosed Cab, Air Ride Seat, Differential Lock, 18 Forward 6 Reverse, PowerShift, 450 hp Engine, Front Weights, 4 Rear Remotes, DH73-50.00 Tires Usage: 3,500 Hr |
| 22 | 2014 Versatile 500DT Quadtrac Track Tractor S/N: 705005 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 16 Forward 4 Reverse, Powershift, Versatile Display, Autosteer, Tier 4, 500 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6 Rear Remotes, 30 in Tracks Usage: 5,474 Hr | 29A | Nissan CF60 5600 lb LPG Cushion Tire Forklift S/N: CU1F29Q1580 C/W: 3 Stage Mast, 152 in Max Lift Height, 80 in Lowered Mast Height, 72 in Forks, Side Shift, Tier 2, 2011 US EPA Label, Nissan 4 Cylinder 2.5 L LPG Engine Usage: 2,754 Hr |
| 23 | 2018 John Deere 9570R Scraper Special Articulated Tractor S/N: 1RW9570RAHE060015 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, 18 Forward 6 Reverse, e18 PowerShift, Topcon Display, Tier 4, 570 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Front Weights, 4 Rear Remotes, Dual 710/70R42 Tires, Front Wheel Weights Usage: 4,767 Hr | 29 | 2002 Toyota 7FBCU30 4650 lb Electric Forklift S/N: 60233 C/W: 3 Stage Mast, 187 in Max Lift Height, 84 in Lowered Mast Height, 40 in Forks, Side Shift, 48 V, Battery Charger Usage: Not Available |
| | | 30C | 1999 Yale GLC050TGNUAE088 5000 lb LPG Cushion Tire Forklift S/N: E187V08889W C/W: 3 Stage Mast, 200 in Max Lift Height, 89 in Lowered Mast Height, 42 in Forks, Side Shift, Yale 4 Cylinder LPG Engine Usage: 1,138 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 30B | 2014 Doosan G25P-5 4600 lb Pneumatic Tire Forklift S/N: FGA0B133003873 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 48 in Forks, Side Shift, Dual Fuel Engine Usage: 3,576 Hr | 35 | 1992 Hyster H60XL 5800 lb Dual Fuel Pneumatic Tire Forklift S/N: C177B09656N C/W: 3 Stage Mast, Full Free Lift, 189 in Max Lift Height, 90 in Lowered Mast Height, 48 in Forks, Side Shift, 4 Cylinder Dual Fuel Engine Usage: 5,492 Hr |
| 30A | 2011 Doosan D30S-5 5500 lb Diesel Pneumatic Tire Forklift S/N: FDA06124012598 C/W: 3 Stage Mast, 186 in Max Lift Height, 80 in Lowered Mast Height, 48 in Forks, Side Shift, 2011 US EPA Label, Yanmar 4 Cylinder 3.32 L Diesel Engine Usage: 2,060 Hr | 36 | 2004 Harlo HP8500 8500 lb Rough Terrain Forklift S/N: 91172 C/W: 3 Stage Mast, 264 in Max Lift Height, 120 in Lowered Mast Height, 70 in Forks, 2004 US EPA Label, John Deere 4 Cylinder 4.5 L Diesel Engine Usage: 114 Hr |
| 30 | 2012 Nissan MCU1F2A30LV 5600 lb LPG Cushion Tire Forklift S/N: CU1F29Q1563 C/W: 3 Stage Mast, 152 in Max Lift Height, 74 in Lowered Mast Height, 48 in Forks, Side Shift, US EPA Label, Nissan 4 Cylinder LPG Engine Usage: 2,753 Hr | 37 | 2005 Ingersoll Rand RT708H 8000 lb 4x4 Rough Terrain Forklift S/N: 182427 C/W: 3 Stage Mast, 264 in Max Lift Height, 128 in Lowered Mast Height, 48 in Forks, 2005 US EPA Label, Cummins B4.5 80 hp 4.5 L Diesel Engine Usage: 2,024 Hr |
| 31 | 2012 Toyota 8FGU25 4500 lb LPG Pneumatic Tire Forklift S/N: 40586 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 48 in Forks, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 2,123 Hr | 38 | 2005 Manitou M40-4 8000 lb 4x4 Rough Terrain Forklift S/N: 752742 C/W: 3 Stage Mast, 257 in Max Lift Height, 110 in Lowered Mast Height, 96 in Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 5,375 Mi |
| 32 | 2012 Toyota 8FGU25 4500 lb LPG Pneumatic Tire Forklift S/N: 39851 C/W: 3 Stage Mast, 189 in Max Lift Height, 89 in Lowered Mast Height, 48 in Forks, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder 2.24 L LPG Engine Usage: 3,315 Hr | 39 | 1982 Cat 988B 50000 lb Container Handler S/N: 62Y00216 C/W: Enclosed Cab, 2 Stage Mast, 6 Cylinder Diesel Engine, Counter Weights Usage: 2,329 Hr |
| 33 | 2012 Nissan MU1F2A25DV 4050 lb Dual Fuel Pneumatic Tire Forklift S/N: U1F29J0539 C/W: 3 Stage Mast, 187 in Max Lift Height, 80 in Lowered Mast Height, 72 in Forks, Side Shift, 2011 US EPA Label, Nissan 4 Cylinder 2.5 L Dual Fuel Engine Usage: 3,679 Hr | 40 | 2014 JLG G12-55A Telehandler S/N: 0160061480 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Outriggers, Frame Leveling, 17.5-25 Tires Usage: 3,929 Hr |
| 34 | 2008 Doosan D80S5 16250 lb Diesel Pneumatic Tire Forklift S/N: PA00275 C/W: 3 Stage Mast, Full Free Lift, 246 in Max Lift Height, 117 in Lowered Mast Height, 94 in Forks, Side Shift, Fork Positioner, 2007 US EPA Label, Doosan 4 Cylinder Diesel Engine Usage: 1,149 Hr | 41 | 2013 JLG G12-55A Telehandler S/N: 0160050767 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, 2013 US EPA Label, 72 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Tires Usage: 4,971 Hr |
| 35B | 2012 Toyota 8FGU25 4500 lb LPG Pneumatic Tire Forklift S/N: 40754 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 48 in Forks, Side Shift, 2012 US EPA Label, Toyota 4YECS 4 Cylinder 2.23 L LPG Engine Usage: 3,635 Hr | 42 | 2013 JLG G12-55A Telehandler S/N: 0160055559 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, 2013 US EPA Label, 72 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Tires Usage: 4,766 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 43 | 2012 Gehl DL11-55 Telehandler S/N: DL1155HJD0741531 C/W: Open Operator Station, 55 ft Max Lift Height, 11000 lb Max Lift Capacity, 72 in Forks, Manual Coupler, Outriggers, Auxiliary Hydraulic Plumbing, Foam Filled Tires Usage: 2,880 Hr | 54 | 2006 Gehl RS8-42 Telehandler S/N: RS842JX1116262 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 60 in Forks, Frame Leveling, 13.00-24 Tires Usage: 2,915 Hr |
| 44 | 2013 JLG G10-55A Telehandler S/N: 0160052658 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, US EPA Label, 48 in Forks, Outriggers, Frame Leveling Usage: 5,210 Hr | 55 | 1998 SkyTrak 8042 Telehandler S/N: 6107 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, 13.00-24 Tires Usage: 3,638 Hr |
| 45 | 2013 JLG G10-55A Telehandler S/N: 0160050752 C/W: 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2013 US EPA Label, 47 in Forks, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 5,332 Hr | 56 | 1996 Gradall 534C-9 Telehandler S/N: 0344416 C/W: Open Operator Station, 40 ft Max Lift Height, 9000 lb Max Lift Capacity, 58 in Forks, 74 in Bucket, Tilt Carriage, Manual Coupler, Auxiliary Hydraulic Plumbing, 13.00-24 Tires Usage: 9,229 Hr |
| 46 | 1998 Cat TH103 Telehandler S/N: 3PN00770 C/W: Open Operator Station, 48 in Forks, Manual Coupler, Outriggers, 14.00-24 Tires Usage: 9,132 Hr | 58 | 2012 JLG 6042 Telehandler S/N: 0160044049 C/W: Enclosed Cab, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 2011 US EPA Label, Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 370/75-28 Foam Filled Tires Usage: 5,091 Hr |
| 47 | 2006 JLG G9-43A Telehandler S/N: 0160018096 C/W: Open Operator Station, 43 ft Max Lift Height, 9000 lb Max Lift Capacity, 48 in Forks, Frame Leveling, 13.00-24 Tires Usage: 5,580 Hr | 59 | 2013 Genie GTH-5519 Telehandler S/N: GTH551913-23521 C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, US EPA Label, 72 in Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, Foam Filled Tires Usage: 2,342 Hr |
| 48 | 2002 Gradall G9-43A Telehandler S/N: 0160000096 C/W: Open Operator Station, 43 ft Max Lift Height, 9000 lb Max Lift Capacity, 60 in Forks, Tilt Carriage, Manual Coupler, 13.00-24 Tires Usage: 2,818 Hr | 60A | 2012 Genie GTH-5519 Telehandler S/N: 22655 C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2012 US EPA Label, 72 in Forks, Auxiliary Hydraulic Plumbing, 305/70R16.5 Tires Usage: 259 Hr |
| 49 | 2013 JLG G9-43A Telehandler S/N: 0160050946 C/W: Open Operator Station, 43 ft Max Lift Height, 9000 lb Max Lift Capacity, 2012 US EPA Label, 58 in Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 370/75-28 Tires Usage: 2,394 Hr | 60 | 2013 Genie GTH-5519 Telehandler S/N: 23520 C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2012 US EPA Label, 48 in Forks, Auxiliary Hydraulic Plumbing, Foam Filled Tires Usage: 2,707 Hr |
| 50 | 2005 Gradall 534D-9 Telehandler S/N: 0160013338 C/W: Open Operator Station, 45 ft Max Lift Height, 9000 lb Max Lift Capacity, 2005 US EPA Label, 60 in Forks, Frame Leveling, 12.00 x25 Tires Usage: Not Available | 61 | 2012 Gehl RS5-19 Telehandler S/N: RS519YD0550727 C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2012 US EPA Label, 48 in Forks, 305/70R16.5 Tires Usage: 2,680 Hr |
| 51 | 2012 Gehl RS8-42 Telehandler S/N: RS842JD0917244 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2012 US EPA Label, 48 in Forks, Frame Leveling, 13.00-24 Tires Usage: 933 Hr | 62 | 2018 Cat 289D Two-Speed Compact Track Loader S/N: CAT0289DCTAW08836 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2017 US EPA Label, 17.5 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 1,995 Hr |
| 53B | 2012 Skyjack VR-843D Telehandler S/N: 87100059 C/W: Open Operator Station, 43 ft Max Lift Height, 8000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Foam Filled Tires Usage: 2,879 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 63 | 2015 Cat 259D Two-Speed Compact Track Loader S/N: CAT0259DKFTL04627 C/W: Open Operator Station, Joystick Steering, Tier 4, 2015 US EPA Label, 16 in Track Belts, 72 in Multi-Purpose Bucket Usage: 2,492 Hr | 74 | 2010 Cat 246C High Flow XPS Skid Steer Loader S/N: CAT0246CCJAY04588 C/W: Open Operator Station, Joystick Steering, Aperture Tires, 8 Pin Electric Kit, Manual Coupler Usage: 3,964 Hr |
| 64A | 2004 Cat 247B Compact Track Loader S/N: CAT0247BHMTL00689 C/W: Open Operator Station, Joystick Steering, 14.5 in Track Belts, 68 in Bucket Usage: Not Available | 75 | 2002 Cat 246 Skid Steer Loader S/N: CAT00246J5SZ05815 C/W: Open Operator Station, Joystick Steering, 2001 US EPA Label, Manual Coupler, 74 in Multi-Purpose Bucket Usage: 7,504 Hr |
| 64 | 2008 Cat 257B Compact Track Loader S/N: CAT0257BJSLK08879 C/W: Open Operator Station, Joystick Steering, 15 in Track Belts, 70 in Multi-Purpose Bucket Usage: 998 Hr | 76 | 2004 Cat 246B Skid Steer Loader S/N: CAT0246BTPAT00374 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 72 in Multi-Purpose Bucket Usage: 1,202 Hr |
| 65 | 2016 Bobcat T750 Two-Speed Compact Track Loader S/N: AT5T11235 C/W: Ride Control, Joystick Steering, Requires Diesel Exhaust Fluid, Requires AdBlue, Hydraulic Coupler Usage: 1,182 Hr | 77 | 2013 Cat 242B3 Skid Steer Loader S/N: CAT0242BTSRS02672 C/W: Open Operator Station, Joystick Steering, 68 in Bucket Usage: 2,718 Hr |
| 67 | 2016 JCB 300T Compact Track Loader S/N: GE0300TVKG2428512 C/W: Open Operator Station, Joystick Steering, 17.5 in Track Belts, Electric Coupler Usage: 13,536 Hr | 78 | 2018 ASV VS60 Skid Steer Loader S/N: ASVVS060AJDS00759 C/W: Open Operator Station, Joystick Steering, 8 Pin Electric Kit, Manual Coupler, 70 in Bucket Usage: 1,263 Hr |
| 68 | 2006 Bobcat T190 Compact Track Loader S/N: 531613679 C/W: Open Operator Station, Joystick Steering, 12 in Track Belts, Manual Coupler, 68 in Bucket Usage: 4,784 Hr | 79 | 1995 Bobcat 773 Skid Steer Loader S/N: 509638165 C/W: Open Operator Station, Solid Tires, Manual Coupler, 68 in Grapple Bucket Usage: 6,069 Hr |
| 69 | Boxer 526DX Mini Compact Track Loader S/N: 46005 C/W: 9 in Track Belts, 42 in Bucket Usage: Not Available | 80 | 2022 Shanding SD380 Mini Skid Steer Loader (Unused) S/N: AJ135S C/W: Open Operator Station, Joystick Steering, Manual Coupler, 40 in Multi-Purpose Bucket Usage: Not Available |
| 70B | 2013 Bobcat S550 Skid Steer Loader S/N: A3NL11141 C/W: Open Operator Station, Hydraulic Coupler, 60 in Bucket Usage: 3,535 Hr | 81 | 2022 Shanding SD380 Mini Skid Steer Loader (Unused) S/N: AJ137S C/W: Open Operator Station, Joystick Steering, Manual Coupler, 40 in Multi-Purpose Bucket Usage: Not Available |
| 70 | 2015 Bobcat S650 Two-Speed High Flow Skid Steer Loader S/N: ALJ814920 C/W: Enclosed Cab, Air Conditioner, 2015 US EPA Label, Aperture Tires, Hydraulic Coupler, 62 in Bucket Usage: 2,517 Hr | 82 | 2022 Shanding SD380 Mini Skid Steer Loader (Unused) S/N: AJ134S C/W: Open Operator Station, Joystick Steering, Manual Coupler, 40 in Multi-Purpose Bucket Usage: 1 Hr |
| 71 | 2015 Bobcat S530 Skid Steer Loader S/N: ALR813113 C/W: Open Operator Station, 2015 US EPA Label, Aperture Tires, Manual Coupler Usage: 2,034 Hr | 83 | 2016 Cat 415F2 IL 4x4 Landscape Loader S/N: CAT0415FVPPF400238 C/W: Open Operator Station, 90 in Multi-Purpose Bucket, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier Usage: 2,512 Hr |
| 73 | 2015 Bobcat S450 Skid Steer Loader S/N: AUVB11894 C/W: Open Operator Station, 2014 US EPA Label, Aperture Tires, Manual Coupler Usage: 2,231 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 84B | 2016 John Deere 210 LE 4x4 Landscape Loader S/N: 1T8210ELAGJ893365 C/W: Open Operator Station, 86 in Multi-Purpose Bucket, 89 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier Usage: 3,213 Hr | 90 | 2006 Case 570MXT 4x4 Landscape Loader S/N: JJG0303283 C/W: Open Operator Station, 2005 US EPA Label, 82 in Multi-Purpose Bucket, 84 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Frame Weights Usage: 2,643 Hr |
| 84A | 2016 John Deere 210LEP 4x4 Landscape Loader S/N: 1T8210ELLGJ893366 C/W: Open Operator Station, Air Ride Seat, US EPA Label, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights, Rear Frame Weights Usage: 3,518 Hr | 91 | 1998 Case 570LXT 4x4 Landscape Loader S/N: JJG0225745 C/W: Open Operator Station, 82 in Multi-Purpose Bucket, 84 in Hydraulic Tilting Box Blade, Rear Frame Weights Usage: 7,240 Hr |
| 85B | 2015 Deere 210KEP 4x4 Landscape Loader S/N: 1T8210EKAFG892283 C/W: Open Operator Station, 2015 US EPA Label, 86 in Multi-Purpose Bucket, 89 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights, Rear Frame Weights Usage: 3,566 Hr | 92 | 2013 Ditch Witch XT855 Tracked Backhoe Loader S/N: CMWXT855HD0000244 C/W: Open Operator Station, 2012 US EPA Label, 52 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 2,970 Hr |
| 85 | 2015 John Deere 210L EP 4x4 Landscape Loader S/N: 1T8210ELVFJ892861 C/W: Open Operator Station, Autoshift, 2015 US EPA Label, 86 in Multi-Purpose Bucket, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights, Rear Frame Weights Usage: 3,180 Hr | 93 | 2011 Ditch Witch XT855 Tracked Backhoe Loader S/N: CMWXT855VB0000074 C/W: Open Operator Station, Auxiliary Hydraulics, Manual Coupler, 52 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 780 Hr |
| 86 | 2010 John Deere 210LJ 4x4 Landscape Loader S/N: T0210LJ890213 C/W: Open Operator Station, 2009 US EPA Label, 86 in Multi-Purpose Bucket, 88 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights, Rear Frame Weights Usage: 2,384 Hr | 94 | 2010 Ditch Witch XT855 Tracked Backhoe Loader S/N: CMWXT855TA0000020 C/W: Open Operator Station, 52 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 2,429 Hr |
| 87 | 2007 John Deere 210 LE 4x4 Landscape Loader S/N: T0210LE888053 C/W: Open Operator Station, 2007 US EPA Label, 86 in Multi-Purpose Bucket, 88 in Box Blade w/ Hydraulic Scarifier, Rear Wheel Weights Usage: 1,374 Hr | 95 | 2012 Cat 420E 4x4 Backhoe Loader S/N: CAT0420ELDJL03654 C/W: Open Operator Station, Ride Control, Backhoe Pilot Controls, Control Pattern Changer, 89 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 5,834 Hr |
| 88 | 2013 Case 570N XT 4x4 Landscape Loader S/N: JJGN570NCD593008 C/W: Open Operator Station, 82 in Multi-Purpose Bucket, 84 in Box Blade w/ Hydraulic Scarifier Usage: 2,449 Hr | 96 | 2015 Cat 420F2 4x4 Backhoe Loader S/N: CAT0420FKHWC00215 C/W: Open Operator Station, Backhoe Pilot Controls, Control Pattern Changer, 2015 US EPA Label, 96 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 18 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 5,588 Hr |
| 89 | 2005 Case 570MXT 4x4 Landscape Loader S/N: JJG0302607 C/W: Open Operator Station, 82 in Multi-Purpose Bucket, 84 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier, Rear Frame Weights Usage: 3,900 Hr | 97 | 2015 John Deere 310EL 4x4 Backhoe Loader S/N: 1T0310ELLFG281655 C/W: Open Operator Station, Backhoe Pilot Controls, Powershift Transmission, 2015 US EPA Label, 86 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,511 Hr |
| | | 98 | 2000 John Deere 310E 4x4 Backhoe Loader S/N: T0310EX885584 C/W: Open Operator Station, 2000 US EPA Label, 87 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler Usage: 10,399 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 99 | 2008 Case 590 Super M Series 3 4x4 Backhoe Loader S/N: N8C508543 C/W: Open Operator Station, 92 in Multi-Purpose Loader Bucket, Extendable Stick, 23 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 6,903 Hr | 107 | 2018 Cat 926M High Lift Wheel Loader S/N: CAT0926MJLTE04709 C/W: Enclosed Cab, Air Conditioner, Ride Control, 2017 US EPA Label, Fusion Coupler, 3.5 cyd 108 in Bucket, 20.5R25 Tires Usage: 6,233 Hr |
| 100 | Case 580D 4x4 Backhoe Loader S/N: Not Available C/W: Open Operator Station, 82 in Multi-Purpose Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket Usage: 7,634 Hr | 108 | 2005 Cat 928G Wheel Loader S/N: CAT0928GADJD02013 C/W: Open Operator Station, Autoshift, Manual Coupler, 100 in Bucket, 20.5R25 Tires Usage: 9,169 Hr |
| 101 | 1999 Cat 426C 4x4 Backhoe Loader S/N: 6XN03710 C/W: Open Operator Station, 94 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket Usage: 10,739 Hr | 109 | 2005 JCB 426 Wheel Loader S/N: SLP426005E1173013 C/W: Enclosed Cab, Air Conditioner, US EPA Label, 104 in Roll-Out Bucket, 20.5R25 Tires Usage: 5,051 Hr |
| 102A | 1991 Case 590 4x2 Backhoe Loader S/N: JJ00206060 C/W: Open Operator Station, 89 in Loader Bucket, Extendable Stick, 18 in Backhoe Digging Bucket Usage: Not Available | 110 | 2007 Cat 930G Wheel Loader S/N: CAT0930GTTWR03087 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Auxiliary Hydraulics, Hydraulic Coupler, 100 in Bucket, 20.5R25 Tires Usage: 7,937 Hr |
| 102 | 1999 John Deere 410E 4x4 Backhoe Loader S/N: T0410EX877951 C/W: Enclosed Cab, Air Conditioner, 1999 US EPA Label, Hydraulic Coupler, 92 in Multi-Purpose Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket, Hydraulic Thumb Usage: 1,864 Hr | 111 | 2012 Volvo L50F-TP/S Wheel Loader S/N: VCEL50FSA00420145 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2012 US EPA Label, Hydraulic Coupler, 2.35 cyd 96 in Bucket, 17.5-25 Tires Usage: 1,528 Hr |
| 103 | 2009 Cat 990H Wheel Loader S/N: BWX00469 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 180 in Spade Nose Bucket, 45/65R39 Tires Usage: 21,934 Hr | 112 | 2021 Bobcat L28 Wheel Loader S/N: B4Y611322 C/W: Open Operator Station, Autoshift, Tier 4, 2021 US EPA Label, Auxiliary Hydraulics, Manual Coupler, 54 in Bucket, 8.50-12 Tires Usage: 33 Hr |
| 104 | 2005 Cat 990 Wheel Loader S/N: CAT00990ABCR00282 C/W: Enclosed Cab, Air Conditioner, Ride Control, Joystick Steering, Tier 2, 176 in Spade Nose Bucket, 45/65R39 Tires Usage: 41,820 Hr | 113 | 1993 Cat 988F Wheel Loader S/N: 8YG00278 C/W: Enclosed Cab, Air Conditioner, Autoshift, Joystick Steering, Log Grapple, 35/65R33 Tires Usage: 53,593 Hr |
| 105 | 2006 Komatsu WA600-6 Wheel Loader S/N: KMTWA097P26060025 C/W: Enclosed Cab, Air Conditioner, Autoshift, Joystick Steering, Logimine Ez Scale On-Board Scale, 8.4 cyd 142 in Spade Nose Bucket, Auto Lube, 35/65R33 Tires Usage: 36,194 Hr | 114 | 1997 Cat 980G Wheel Loader S/N: 2SR00374 C/W: Enclosed Cab, Command Control Steering, 180 in Bucket, 29.5R25 Tires Usage: 22,315 Hr |
| 106 | 2002 Cat 950G Wheel Loader S/N: CAT0950GJ3JW02736 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2002 US EPA Label, Hydraulic Coupler, 114 in Bucket, 23.5-25 Tires Usage: 17,371 Hr | 115 | 1990 Komatsu WA5003L Wheel Loader S/N: A70546 C/W: Enclosed Cab, Air Conditioner, Loadrite LR915 On-Board Scale, 1999 US EPA Label, 134 in Bucket, 29.5-25 Tires Usage: 15,473 Hr |
| | | 116 | 1978 Cat 966C Wheel Loader S/N: 78G3290 C/W: Open Operator Station, Manual Coupler, 108 in Bucket, 23.5-25 Tires Usage: 15,027 Hr |
| | | 118 | 1998 Cat 950G Wheel Loader S/N: 3JW00743 C/W: Open Operator Station, Tier 1, 2001 US EPA Label, 115 in Bucket, 23.5R25 Tires Usage: 16,280 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 119 | 1998 John Deere 644H Wheel Loader S/N: DW644HX568544 C/W: Enclosed Cab, Air Conditioner, 4.25 cyd 112 in Bucket, 23.5-25 Tires Usage: 17,372 Hr | 129 | 1999 Cat 627F Motor Scraper S/N: 1DL00699 C/W: Enclosed Cab, Air Conditioner, 1999 US EPA Label, Push-Pull, Cushion Hitch, 33.25-29 Tires Usage: 1,712 Hr |
| 120 | 1997 JCB 436B Wheel Loader S/N: SLP43600VE0533352 C/W: Enclosed Cab, Air Conditioner, Hydraulic Coupler, 106 in Bucket, 20.5R25 Tires Usage: 3,500 Hr | 132 | 1985 Cat 633D Motor Scraper S/N: 25W00912 C/W: Enclosed Cab, 37.25R35 Tires Usage: 35,498 Hr |
| 121 | 1998 Cat IT28G Wheel Loader S/N: 8CR01588 C/W: Open Operator Station, Autoshift, 1998 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 100 in Bucket, 20.5R25 Tires Usage: 15,471 Hr | 133 | 1983 Cat 633D Motor Scraper Certified Rebuild 1996 S/N: 25W75395 C/W: Enclosed Cab, Auto Lube, 37.25R35 Tires Usage: 985 Hr |
| 122 | 1994 Cat IT28F Wheel Loader S/N: 3CL00694 C/W: Enclosed Cab, Air Conditioner, Auxiliary Hydraulics, Hydraulic Coupler, 92 in Bucket, 18.00-25 Tires Usage: 15,289 Hr | 134 | 1999 Cat 615C Series II Motor Scraper S/N: 9XG01186 C/W: Enclosed Cab, Air Conditioner, 29.5R29 Tires Usage: 2,859 Hr |
| 123 | 2003 Cat 14H Motor Grader S/N: CAT0014HPASE00539 C/W: Enclosed Cab, Air Conditioner, Differential Lock, Pre-Wired for Grade Control, Push Block, Accumulators, Ripper, 20.5-25 Tires Usage: 14,422 Hr | 135 | 1989 Cat 613C Motor Scraper S/N: 92X01727 C/W: Open Operator Station, 23.5R25 Tires Usage: 3,779 Hr |
| 124 | 1997 Cat 16H Motor Grader S/N: 6ZJ00341 C/W: Enclosed Cab, Air Conditioner, Differential Lock, Pre-Wired for Grade Control, US EPA Label, 16 ft / 4.88 m Moldboard, Push Block, Accumulators, Ripper, 23.5R25 Tires, Tier 3 Repower Usage: 4,854 Hr | 136 | 1969 Michigan 110 Motor Scraper S/N: 414A125 C/W: 23.5-25 Tires, Sweeps Usage: 9,171 Hr |
| 125 | 2005 Cat 621G 8000 gal Drop Tank Water Wagon S/N: DBB00291 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Tier 3, Mega Tank, In-Cab Remote Controlled Water Cannon, Rear Spray, 33.25 R29 Tires Usage: 15,899 Hr | 137 | 2013 Cat 740B Articulated Dump Truck S/N: CAT0740BAT4R01568 C/W: Air Conditioner, Rear View Camera, Air Ride Seat, 2012 US EPA Label, 29.5R25 Tires Usage: 9,012 Hr |
| 126 | 2003 Cat 623G Drop Tank Water Wagon S/N: CAT0623GCARW00410 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Tier 3, Rear Spray, Side Spray, 33.25R29 Tires Usage: 14,461 Hr | 138 | 2012 Volvo A30F Articulated Dump Truck S/N: VCE0A30FE00082052 C/W: Air Conditioner, Engine Brake, Rear View Camera, 2012 US EPA Label, Tailgate, 23.5-25 Tires Usage: 6,150 Hr |
| 127 | 2007 Cat 615C Series II Motor Scraper S/N: CAT0615CV9XG02075 C/W: Enclosed Cab, Tier 3, 29.5R25 Tires Usage: 6,799 Hr | 139 | 2006 Komatsu HM350-A Articulated Dump Truck S/N: KMTHM006J26002018 C/W: Air Conditioner, 2006 US EPA Label, Steel Body Liner, 26.5R25 Tires Usage: 12,230 Hr |
| 128 | 2006 Cat 615C Series II Motor Scraper S/N: CAT0615CJ9XG02073 C/W: Enclosed Cab, Air Conditioner, Tier 3, 29.5 R25 Tires Usage: 7,971 Hr | 140 | 2019 Prinoth Panther T14R 14.5 ton Crawler Dumper S/N: 935310154 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Hydrostatic Drive, Tier 4, 2019 US EPA Label, Cat C7.1 Acert 6 Cylinder 7.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 29.5 in Rubber Tracks Usage: 1,483 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 141 | 2019 Prinoth Panther T14R 14.5 ton Crawler Dumper S/N: 935310149 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Hydrostatic Drive, Tier 4, 2019 US EPA Label, Cat C7.1 Acert 6 Cylinder 7.0 L Diesel Engine, Requires Diesel Exhaust Fluid, 29.5 in Rubber Tracks Usage: 1,790 Hr | 149B | 1988 Hyster C530A 9 Wheel Pneumatic Roller S/N: A91C3956J C/W: Open Operator Station, Detroit Diesel Engine, 73 in Compaction Width, Water System Usage: 1,751 Hr |
| 142 | 2015 Cat 815F2 Soil Compactor S/N: CAT0815FCBYN01160 C/W: Enclosed Cab, Air Conditioner, Cat C9 6 Cylinder 236 hp Diesel Engine, 38 in Compaction Wheel Width, 147 in Straight Blade w/ Single Tilt Usage: 12,946 Hr | 149 | 2001 Bomag BW156PDH-3 Padfoot Drum Compactor S/N: 101581051010 C/W: Open Operator Station, 3 Cylinder Diesel Engine, 56 in Drum, Leveling Blade Usage: 2,811 Hr |
| 143 | 1983 Cat 815B Soil Compactor S/N: 17Z00411 C/W: Open Operator Station, Cat 6 Cylinder Diesel Engine, 38 in Compaction Wheel Width, 142 in Straight Blade w/ Single Tilt Usage: 1,576 Hr | 150 | 2002 Cat CB-534C Double Drum Roller S/N: CATCB534C5HN00884 C/W: Open Operator Station, Swivel Operator Controls, Cat Diesel Engine, 66 in Drums Usage: 6,627 Hr |
| 144 | 1981 Cat 815B Soil Compactor S/N: 17Z00117 C/W: Open Operator Station, Cat 6 Cylinder Diesel Engine, 38 in Compaction Wheel Width, 144 in Straight Blade Usage: 696 Hr | 151 | 2002 Cat CB-434C Double Drum Roller S/N: CATCB434J4DN00477 C/W: Open Operator Station, Swivel Operator Controls, 4 Cylinder Diesel Engine, 56 in Drums Usage: Not Available |
| 145B | 1999 Ingersoll Rand SD-70F Pro Pac Padfoot Drum Compactor S/N: 157872 C/W: Open Operator Station, Cummins B3.9-C 4 Cylinder 3.9 L Diesel Engine, 68 in Drum, Leveling Blade Usage: 1,384 Hr | 152A | 2005 Cat CB-224E Double Drum Roller S/N: CATCB224K22401204 C/W: Open Operator Station, Cat 3 Cylinder Diesel Engine, 47 in Drums, Water System Usage: 2,113 Hr |
| 145 | 1969 Rex 3-40 Soil Compactor S/N: HTR280P C/W: Straight Blade Usage: 2,462 Hr | 152 | 2017 Volvo DD35B Double Drum Roller S/N: VCE0D35BP0S273203 C/W: Open Operator Station, 2017 US EPA Label, Kubota D1803 36.5 kW 1.8 L Diesel Engine, 54 in Drums, Water System Usage: 1,604 Hr |
| 146 | 1999 Cat CP-433C Padfoot Drum Compactor S/N: 2JM00718 C/W: Open Operator Station, Cat 4 Cylinder Diesel Engine, 66 in Drum, Leveling Blade Usage: 5,079 Hr | 153 | 2015 Bomag BW120SL5 Double Drum Roller S/N: 861880291193 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, Kubota 3 Cylinder Diesel Engine, 47 in Drums, Water System Usage: 147 Hr |
| 147A | 1990 Sakai SV200TB Padfoot Drum Compactor S/N: VSV310005 C/W: Open Operator Station, 48 in Drum, Leveling Blade Usage: Not Available | 154B | 1998 Cat 939C Crawler Loader S/N: 6DS00572 C/W: Open Operator Station, Hydrostatic Drive, 88 in Multi-Purpose Bucket, 16 in Double Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 3,062 Hr |
| 148 | 2002 Cat CS433C Smooth Drum Compactor S/N: CATCS433C3TM01588 C/W: Open Operator Station, 2001 US EPA Label, Perkins 3.9 L Diesel Engine, 66 in Drum Usage: 4,661 Hr | 154 | 2014 Chicago Pneumatic AR90G Double Drum Roller S/N: 10000356P0C003868 C/W: Open Operator Station, Honda 2 Cylinder Gasoline Engine, 36 in Drums, Water System Usage: 917 Hr |
| 149C | 1988 Hypac C530A 9 Wheel Pneumatic Roller S/N: A91C3978J C/W: Open Operator Station, Perkins 2 Cylinder Diesel Engine, 68 in Compaction Width Usage: 1,833 Hr | 155 | 2010 Cat D10T Crawler Dozer S/N: CAT0D10TTRJG02179 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Fingertip Steering, 187 in Wide Semi-U Blade 24 in Single Grouser Track Shoes, 4 Cylinder Multi-Shank Ripper Usage: 17,162 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 157 | 2012 Cat D8T Crawler Dozer S/N: CAT00D8TLFCT00321 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 152 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, 4 Cylinder Multi-Shank Ripper Usage: 9,261 Hr | 165 | 2005 John Deere 550J LT Crawler Dozer S/N: T0550JX111778 C/W: Open Operator Station, Hydrostatic Drive, Sweeps, 102 in Wide PAT Blade, 18 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 4,198 Hr |
| 158 | 2014 Cat D6T XW Crawler Dozer S/N: CAT00D6TCSLJ01190 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Topcon GX-60 Grade Control System, Sweeps, 140 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 7,061 Hr | 166 | 2014 John Deere 450J LT Crawler Dozer S/N: 1T0450JXCED261959 C/W: Open Operator Station, Hydrostatic Drive, 2014 US EPA Label, Sweeps, 96 in Wide PAT Blade, 16 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 2,984 Hr |
| 159 | 2011 Cat D6T XL Crawler Dozer S/N: CAT00D6TADTD00188 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 152 in Wide PAT Blade, 22 in Single Grouser Track Shoes, SystemOne Undercarriage, 2 Cylinder Multi-Shank Ripper Usage: 16,721 Hr | 167 | 1996 Cat D5H LGP Series II Crawler Dozer S/N: 1DD06750 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, Sweeps, 144 in Wide PAT Blade, 34 in Single Grouser Track Shoes, Paccar PA55 Winch Usage: 12,147 Hr |
| 160 | 2004 Cat D5NXL Crawler Dozer S/N: CAT00D5NVAGG00786 C/W: Open Operator Station, Powershift Transmission w/ Fingertip Steering, 2004 US EPA Label, 120 in Wide PAT Blade, 20 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 8,663 Hr | 168A | 1993 Komatsu D65EX12 Crawler Dozer S/N: 60414 C/W: Open Operator Station, Sweeps, 132 in Wide Semi-U Blade w/ Single Tilt, 22 in Single Grouser Track Shoes, 1 Cylinder Single-Shank Ripper Usage: 11,609 Hr |
| 161 | 2021 Komatsu D71PXi-24 Crawler Dozer S/N: KMT0D137CMA070093 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 158 in Wide PAT Blade, 30 in Single Grouser Track Shoes, PLUS Undercarriage, 1 Cylinder Multi-Shank Ripper Usage: 1,496 Hr | 168 | 1982 Case 1450B Crawler Dozer S/N: 8382124 C/W: Open Operator Station, Hydrostatic Drive, 155 in Wide Semi-U Blade w/ Dual Tilt, 24 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: Not Available |
| 162 | 2018 Cat D6K2 LGP Crawler Dozer S/N: CAT00D6KEEL700312 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Sweeps, 143 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, 1 Cylinder Multi-Shank Ripper Usage: 1,159 Hr | 169 | 1973 Cat D8H Crawler Dozer S/N: 60P8374 C/W: Open Operator Station, Powershift Transmission w/ Lever Steering, Sweeps, 160 in Wide U-Blade 22 in Single Grouser Track Shoes, 2 Cylinder Single-Shank Ripper Usage: 1,856 Hr |
| 163 | 2013 Komatsu D61EX-23 Crawler Dozer S/N: KMT0D120A01030136 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Hydrostatic Drive, Tier 4, 127 in Wide PAT Blade, 23.5 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 5,516 Hr | 170 | 1969 Cat D7E Crawler Dozer S/N: 75E02258 C/W: Open Operator Station, Sweeps, 138 in Wide Straight Blade w/ Single Tilt, 22 in Single Grouser Track Shoes, Hyster D7H Winch Usage: Not Available |
| 164 | 2006 Komatsu D65EX-15 Crawler Dozer S/N: KMT0D069T01069125 C/W: Enclosed Cab, Air Conditioner, 2006 US EPA Label, 137 in Wide Semi-U Blade 24 in Single Grouser Track Shoes Usage: 6,457 Hr | 171 | 1978 Cat D6D Crawler Dozer S/N: 4X3393 C/W: Open Operator Station, Powershift Transmission w/ Lever Steering, Sweeps, 120 in Wide Straight Blade w/ Dual Tilt, 22 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: Not Available |
| | | 172 | 1999 Cat D5C LGP Series III Crawler Dozer S/N: 6ZL01069 C/W: Open Operator Station, Hydrostatic Drive, 130 in Wide PAT Blade, 26 in Single Grouser Track Shoes, Rear Auxiliary Hydraulics Usage: 530 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 173 | 2019 Cat 390FL VG Tracked Excavator S/N: CAT0390FJHNG00374 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, GPS Grade Control, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 18 ft 2 in Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 2,326 Hr | 180 | 2019 Cat 349FL Tracked Excavator S/N: CAT0349FVHPD20533 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket Usage: 3,647 Hr |
| 174 | 2019 Cat 390FL VG Tracked Excavator S/N: CAT0390FTHNG00323 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14 ft Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 3,718 Hr | 181 | 2019 Cat 349FL Tracked Excavator S/N: CAT0349FHHPD20679 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 42 in Digging Bucket Usage: 3,759 Hr |
| 175 | 2019 Cat 390FL VG Tracked Excavator S/N: CAT0390FVHNG00278 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14 ft Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 3,763 Hr | 182 | 2019 Cat 349FL Tracked Excavator S/N: CAT0349FLHPD20549 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 4,074 Hr |
| 176 | 2018 Cat 390FL VG Tracked Excavator S/N: CAT0390FAHNG00220 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14 ft 6 in Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 3,426 Hr | 183 | 2019 Cat 349FL Tracked Excavator S/N: CAT0349FAHPD20548 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket Usage: 4,190 Hr |
| 177 | 2018 Cat 390FL VG Tracked Excavator S/N: CAT0390FKHNG00180 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14 ft 6 in Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 4,022 Hr | 184 | 2019 Cat 349FL Tracked Excavator S/N: CAT0349FVHPD20466 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, 11 ft Stick, 36 in Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 5,906 Hr |
| 178 | 2020 Cat 349FL Tracked Excavator S/N: CAT0349FVHPD21133 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 3,163 Hr | 185 | 2014 Cat 328DLCR Tracked Excavator S/N: CAT0328DKRMX00973 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 10 ft Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, Hydraulic Thumb Usage: 9,425 Hr |
| 179 | 2020 Cat 349FL Tracked Excavator S/N: CAT0349FPHPD21143 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 3,468 Hr | 186 | 2018 Cat 323 Tracked Excavator S/N: CAT00323TRAZ00829 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 3,638 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 187 | 2018 Cat 323 Tracked Excavator S/N: CAT00323CRAZ00828 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46 in Digging Bucket Usage: 4,113 Hr | 195 | 2013 Volvo ECR305CL Tracked Excavator S/N: VCECR305C00110339 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, 2012 US EPA Label, 12 ft Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 5,874 Hr |
| 188 | 2018 Cat 320 Tracked Excavator S/N: CAT00320EHEX01743 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 3,635 Hr | 196 | 2013 Hyundai R260LC-9A Tracked Excavator S/N: HHKHZ702HC0000009 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Tier 4, 2011 US EPA Label, 9 ft 4 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, Thumb Bracket Usage: 3,991 Hr |
| 189 | 2018 Cat 320 Tracked Excavator S/N: CAT00320CHEX00433 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 3,746 Hr | 197 | 2018 Komatsu PC238USLC-11 Tracked Excavator S/N: KMTPC276TJC005335 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46 in Digging Bucket, Hydraulic Thumb Usage: 2,125 Hr |
| 190 | 2014 Cat 320EL Tracked Excavator S/N: CAT0320ELNAZ01358 C/W: Air Conditioner, Rear View Camera, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 27.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Hydraulic Thumb Usage: 3,640 Hr | 198 | 2017 Komatsu PC228USLC-10 Tracked Excavator S/N: KMTPC250THC003352 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2017 US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 42 in Digging Bucket Usage: 2,759 Hr |
| 191 | 2013 Komatsu PC490LC-10 Tracked Excavator S/N: KMTPC239A54A40436 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Pre-Wired for Grade Control, Topcon GPS Grade Control, 2012 US EPA Label, 11 ft Stick, Auxiliary Hydraulic Plumbing, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 72 in Bucket Usage: 7,685 Hr | 199 | 2016 Komatsu PC228USLC-10 Tracked Excavator S/N: KMTPC250CGC002344 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2016 US EPA Label, 8 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, 40 in Cleanup Bucket, Hydraulic Thumb Usage: 3,839 Hr |
| 192 | 2017 Komatsu PC360LCi-11 Tracked Excavator S/N: KMTPC256HGC090233 C/W: Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Hydraulic Thumb Usage: 2,484 Hr | 200 | 2015 Komatsu PC138US-10 Tracked Excavator S/N: KMTPC245EFVF40758 C/W: Air Conditioner, Rear & Side View Cameras, Pre-Wired for Grade Control, Topcon 3D-MC GPS Grade Control, Tier 4, 2014 US EPA Label, 10 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 2,104 Hr |
| 193 | 2014 Doosan DX350LC-5 Tracked Excavator S/N: DWGCECBDAE1010025 C/W: Straight Travel Pedal, Air Ride Seat, 2014 US EPA Label, 9 ft Stick, 31.5 in Triple Grouser Track Shoes Usage: 9,907 Hr | 201 | 2015 Doosan DX140LC-3 Tracked Excavator S/N: DHKCFBAMAE0001208 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2014 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 19.5 in Track Shoes w/Rubber Pads, Manual Quick Coupler, 28 in Digging Bucket Usage: 3,333 Hr |
| 194 | 2012 Hitachi ZX350LC-5N Tracked Excavator S/N: 1FFDDC70EDE930364 C/W: Air Conditioner, 2012 US EPA Label, 13 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 55 in Digging Bucket Usage: 8,686 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 202 | 2011 John Deere 135D Tracked Excavator S/N: 1FF135DXABD302693 C/W: Air Conditioner, 8 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 52 in Cleanup Bucket Usage: 7,558 Hr | 211 | 2007 Cat 328D LCR Tracked Excavator S/N: CAT0328DHGTN00154 C/W: Air Conditioner, Control Pattern Changer, 10 ft 4 in Stick, 33 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Hydraulic Thumb Usage: 2,708 Hr |
| 203 | 2005 John Deere 800C VG Tracked Excavator S/N: FF800CX971090 C/W: Air Conditioner, 14 ft 3 in Stick, 35.5 in Double Grouser Track Shoes, Hydraulic Quick Coupler, 72 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 11,642 Hr | 212 | 2006 Cat 325C L Long Reach Tracked Excavator S/N: CAT0325CKBFE01976 C/W: Air Conditioner, 2005 US EPA Label, 22 ft Boom, 26 ft Stick, 31.5 in Triple Grouser Track Shoes, 60 in General Purpose Bucket Usage: 8,512 Hr |
| 204 | 2003 Hitachi ZX600LC VG Tracked Excavator S/N: HCM17P00K00004143 C/W: Air Conditioner, 2003 US EPA Label, 9 ft 6 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 84 in Digging Bucket, Thumb Bracket, Catwalks Usage: 1,394 Hr | 213 | 2004 John Deere 370 Tracked Excavator S/N: FF0370X081200 C/W: Air Conditioner, 13 ft Stick, 29.5 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 16,927 Hr |
| 205 | 2006 Kobelco SK480LC Tracked Excavator S/N: YS06U0477 C/W: Air Conditioner, 2005 US EPA Label, 11 ft 6 in Stick, 35.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 60 in Digging Bucket Usage: 7,935 Hr | 214 | 2003 Komatsu PC300LC-7 Tracked Excavator S/N: 40344 C/W: Air Conditioner, 2003 US EPA Label, 10 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 28 in Double Grouser Track Shoes, Hydraulic Quick Coupler Usage: 1,471 Hr |
| 206 | 2004 Komatsu PC300 LC Tracked Excavator S/N: A85795 C/W: Air Conditioner, Control Pattern Changer, 2003 US EPA Label, 10 ft 5 in Stick, 28 in Double Grouser Track Shoes Usage: 1,945 Hr | 215 | 2006 Kobelco SK330LC Tracked Excavator S/N: YC07U1463 C/W: Air Conditioner, US EPA Label, 11 ft Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46 in Digging Bucket Usage: 805 Hr |
| 207 | 2006 Cat 330D L Tracked Excavator S/N: CAT0330DVNBD00376 C/W: Air Conditioner, Straight Travel Pedal, 2006 US EPA Label, 10 ft 8 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 22 in Digging Bucket Usage: 11,542 Hr | 216 | 2005 Kobelco SK290LC Tracked Excavator S/N: LB04U0419 C/W: 2004 US EPA Label, 10 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 49 in Digging Bucket, Hydraulic Thumb Usage: 5,418 Hr |
| 208 | 2006 Cat 330D L Tracked Excavator S/N: CAT0330DAMWP00797 C/W: Air Conditioner, Straight Travel Pedal, 10 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 60 in Digging Bucket, Hydraulic Thumb Usage: 12,028 Hr | 217 | 2004 John Deere 225C LC Tracked Excavator S/N: FF225CX500240 C/W: Control Pattern Changer, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Cleanup Bucket Usage: 11,843 Hr |
| 209 | 2006 Cat 330C L Tracked Excavator S/N: CAT0330CJDKY04491 C/W: Air Conditioner, Straight Travel Pedal, 2005 US EPA Label, 8 ft 6 in Stick, 30 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 32 in Hydraulic Thumb Usage: 10,687 Hr | 218 | 2005 John Deere 135C Tracked Excavator S/N: FF135CX300544 C/W: Air Conditioner, 2005 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 27.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Hydraulic Thumb Usage: 7,200 Hr |
| 210 | 2003 Cat 330C Tracked Excavator S/N: CAT0330CCDKY01608 C/W: Air Conditioner, Straight Travel Pedal, 2003 US EPA Label, 9 ft Stick, 29.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 54 in Digging Bucket, Hydraulic Thumb Usage: 13,510 Hr | 219 | 2005 Kobelco SK210LC Tracked Excavator S/N: YQ08U1965 C/W: Air Conditioner, 2004 US EPA Label, 9 ft 4 in Stick, 29 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 28 in Digging Bucket Usage: 9,656 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 220 | 2009 Kobelco SK200SRLC Tracked Excavator S/N: LA0301259 C/W: 8 ft 6 in Stick, 28.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 43 in Digging Bucket Usage: 542 Hr | 229 | 2012 Komatsu PC60-8 Mini Excavator S/N: KMTPC238H38A10451 C/W: Enclosed Cab, Air Conditioner, 2011 US EPA Label, 5 ft Stick, 17.5 in Triple Grouser Track Shoes, 30 in Digging Bucket Usage: 4,437 Hr |
| 221 | 2005 Kobelco SK200SRLC Tracked Excavator S/N: LA0401519 C/W: Air Conditioner, Straight Travel Pedal, 2005 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 38.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 11,579 Hr | 230B | 2015 Deere 85G Mini Excavator S/N: 1FF085GXTFJ017970 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 2,899 Hr |
| 222 | 2004 Kobelco SK135SRLC-1 Tracked Excavator S/N: YH0302649 C/W: 2004 US EPA Label, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 23.5 in Triple Grouser Track Shoes, Manual Quick Coupler, 48 in Digging Bucket, Hydraulic Thumb Usage: 6,138 Hr | 230 | 2012 Komatsu PC60-8 Mini Excavator S/N: KMTPC238J38A10670 C/W: Enclosed Cab, 2011 US EPA Label, 5 ft Stick, 17.5 in Triple Grouser Track Shoes, 30 in Digging Bucket Usage: 4,358 Hr |
| 223 | 2004 Komatsu PC138USLC-2E0 Tracked Excavator S/N: KMTPC044A01001604 C/W: Air Conditioner, Control Pattern Changer, 2004 US EPA Label, 8 ft 3 in Stick, Auxiliary Hydraulic Plumbing, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 35 in Digging Bucket Usage: 1,432 Hr | 231 | 2017 Bobcat E85 Mini Excavator S/N: B34T13553 C/W: Enclosed Cab, Air Conditioner, Straight Travel Pedal, Control Pattern Changer, 2016 US EPA Label, Swing Boom, 7 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Triple Grouser Track Shoes w/Rubber Pads, Manual Quick Coupler Usage: 509 Hr |
| 224 | 1992 Komatsu PC 400 LC Tracked Excavator S/N: 11243 C/W: 10 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, 42 in Digging Bucket, Catwalks Usage: 12,197 Hr | 232 | 2017 Cat 308E2 CR Mini Excavator S/N: CAT0308EVFJX08053 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Tier 4, 2017 US EPA Label, Swing Boom, 7 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, 30 in Digging Bucket Usage: 3,939 Hr |
| 225 | 1996 Komatsu PC200LC Tracked Excavator S/N: A82116 C/W: 10 ft Stick, Auxiliary Hydraulic Plumbing, 27.5 in Triple Grouser Track Shoes, 46 in Digging Bucket Usage: 2,460 Hr | 233 | 2017 Cat 305.5E2 CR Mini Excavator S/N: CAT3055EECR504041 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2017 US EPA Label, Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler, Hydraulic Thumb Usage: 1,911 Hr |
| 226 | 1990 Cat EL200B Long Reach Tracked Excavator S/N: 7DF00921 C/W: Straight Travel Pedal, 21 ft 10 in Boom, 20 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 36 in Digging Bucket Usage: 8,057 Hr | 234 | 2015 Cat 305E2CR Mini Excavator S/N: CAT0305EEDJX01577 C/W: 2015 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler, 24 in Digging Bucket Usage: 1,075 Hr |
| 227 | 1997 Cat 312B L Tracked Excavator S/N: 3FS00188 C/W: 8 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 23.5 in Triple Grouser Track Shoes, Manual Quick Coupler, 36 in Digging Bucket, Manual Thumb Usage: 8,298 Hr | 235 | 2013 Cat 305E CR Mini Excavator S/N: CAT0305EKXFA02627 C/W: 2013 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, Hydraulic Quick Coupler, 22 in Digging Bucket Usage: 1,285 Hr |
| 228 | 2012 Komatsu PC70-8 Mini Excavator S/N: KMTPC238H38C01044 C/W: Enclosed Cab, 2010 US EPA Label, 5 ft 6 in Stick, 17.5 in Triple Grouser Track Shoes, 30 in Digging Bucket Usage: 4,153 Hr | 236B | 2016 Cat 303.5E2CR Mini Excavator S/N: CAT3035EJJWY01207 C/W: Tier 4, 2015 US EPA Label, Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 236 | 2018 Cat 304E2CR Mini Excavator S/N: CAT0304EAME403861 C/W: 2017 US EPA Label, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 13.5 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 2,474 Hr | 244 | 2014 Bobcat E26 Mini Excavator S/N: B33211653 C/W: 2014 US EPA Label, Swing Boom, 3 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, 24 in Digging Bucket Usage: 2,566 Hr |
| 237 | 2014 John Deere 50G Mini Excavator S/N: 1FF050GXCEH281505 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2014 US EPA Label, Swing Boom, 5 ft Stick, Backfill Blade, 15.5 in Track Shoes w/Rubber Pads, Manual Quick Coupler, 24 in Bucket, Hydraulic Thumb Usage: 2,627 Hr | 245 | 2015 John Deere 27D Mini Excavator S/N: 1FF027DXAEG260295 C/W: 2014 US EPA Label, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 2,227 Hr |
| 238B | 2015 John Deere 35G Mini Excavator S/N: 1FF035GXCFK272942 C/W: Control Pattern Changer, Variable Angle Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 25 in Digging Bucket Usage: 1,939 Hr | 246 | 2022 Kota KT13 Mini Excavator (Unused) S/N: KT22092001 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 238 | 2014 John Deere 50G Mini Excavator S/N: 1FF050GXPEH281306 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2014 US EPA Label, Swing Boom, 5 ft Stick, Backfill Blade, 15.5 in Rubber Tracks, Manual Quick Coupler, 12 in Cleanup Bucket, Hydraulic Thumb Usage: 2,614 Hr | 247 | 2022 Kota KT13 Mini Excavator (Unused) S/N: KT22092002 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 239A | 2012 Volvo EC35C Mini Excavator S/N: VCEC35C0K00005357 C/W: Straight Travel Pedal, 2012 US EPA Label, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 14 in Digging Bucket Usage: 2,538 Hr | 248 | 2022 Kota KT13 Mini Excavator (Unused) S/N: KT22092003 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available |
| 239 | 2011 John Deere 35D Mini Excavator S/N: 1FF035DXCBG267029 C/W: 2011 US EPA Label, Swing Boom, 5 ft 6 in Stick, Backfill Blade, 11.5 in Rubber Tracks, 15 in Digging Bucket, Hydraulic Thumb Usage: 2,141 Hr | 249 | 2022 Shanding SD13E Mini Excavator (Unused) S/N: 2202SD1001 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available |
| 240 | 2017 Takeuchi TB260R Mini Excavator S/N: 126102084 C/W: Straight Travel Pedal, 2016 US EPA Label, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 1,635 Hr | 250 | 2022 Shanding SD13E Mini Excavator (Unused) S/N: 2202SD1002 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available |
| 241 | 2003 Takeuchi TB53FR Mini Excavator S/N: 15810316 C/W: 5 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler Usage: 7,321 Hr | 251 | 2022 Shanding SD13E Mini Excavator (Unused) S/N: 2202SD1003 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available |
| 243 | 2014 Bobcat 324M Mini Excavator S/N: AKY523048 C/W: 2013 US EPA Label, Swing Boom, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 20 in Digging Bucket Usage: 728 Hr | 252 | 2022 Shanding SD13E Mini Excavator (Unused) S/N: 2202SD1004 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 253 | 2022 SHANDING SD13E Mini Excavator (Unused) S/N: 2202SD1005 C/W: 2022 US EPA Label, Swing Boom, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: Not Available | 262 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012578 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: 34 Hr |
| 254 | 2022 Shanding SD13E Mini Excavator (Unused) S/N: 2202SD1006 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 263 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 421950745 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |
| 255 | 2022 Shalka XG13 Mini Excavator (Unused) S/N: 2202SD1007 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 264 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 421950774 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |
| 256 | 2022 Shalka XG13 Mini Excavator (Unused) S/N: 2202SD1008 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 265 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012604 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |
| 257 | 2022 Shalka XG13 Mini Excavator (Unused) S/N: 2202SD1009 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 266 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422080415 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |
| 258 | 2022 Shalka XG13 Mini Excavator (Unused) S/N: 2202SD1010 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 267 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012607 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available |
| 259 | 2022 Shalka XG13 Mini Excavator (Unused) S/N: 2202SD1011 C/W: 2022 US EPA Label, Swing Boom, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket Usage: Not Available | 268 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012580 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |
| 260 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012592 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available | 269 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012585 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: 21 Hr |
| 261 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012599 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available | 270 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 422012579 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 271 | 2022 JF JF-12 Mini Excavator (Unused) S/N: 421950751 C/W: 2022 US EPA Label, 2 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket, Manual Thumb Usage: Not Available | 283 | Link-Belt UP141065 Skid-Mounted Screen S/N: D800538A C/W: 10 ft x 4 ft Single Deck Screen Usage: Not Available |
| 272 | 2022 Agrotk H12 Mini Excavator (Unused) S/N: H1222092001 C/W: Swing Boom, 2 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket, Thumb Bracket Usage: Not Available | 284 | 1998 Powerscreen 615 Portable Screen Plant S/N: 9400801 C/W: 14 ft 4 in Trommel Screen, 30 in Wide Feed Conveyor, 35 in Wide Fines Discharge Conveyor, Diesel Engine, S/A Carrier, Spring Suspension, Hydraulic Leveling Usage: 10,104 Hr |
| 273 | 2022 Agrotk H12 Mini Excavator (Unused) S/N: H1222092002 C/W: Swing Boom, 2 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket, Thumb Bracket Usage: Not Available | 286 | 2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused) S/N: B20220109 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Electric Motor Usage: Not Available |
| 275 | 2006 Cat 322C Heel Boom Log Loader S/N: CAT0322CPC3R01025 C/W: Straight Travel Pedal, Air Ride Seat, Cab Riser, Fire Suppression System, 15 ft Hydraulic Tilting Cab, 2005 US EPA Label, 27.5 in Double Grouser Track Shoes, Rock Guards, Heel Boom, Catwalks Usage: 30,439 Hr | 287 | 2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused) S/N: B20220111 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Electric Motor Usage: Not Available |
| 276 | 1998 Cat 525 4x4 Skidder S/N: 1DN01566 C/W: Sweeps, Screens, Blade, Eaco Grapple, Single Arch, 24.5x32 Tires Usage: 27,630 Hr | 288 | 2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused) S/N: B20220112 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Electric Motor Usage: Not Available |
| 277 | 2022 Paladin HL-SMS-2040E Grizzly Screen (Unused) S/N: Not Available C/W: 4 ft 8 in x 4 ft Double Deck Screen Usage: Not Available | 289 | 2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused) S/N: B20220110 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Electric Motor Usage: Not Available |
| 278 | 2022 Suihe Vibratory Grizzly Screen (Unused) S/N: Not Available C/W: 5 ft x 7 ft Double Deck Screen Usage: Not Available | 290 | 2022 Vickwest RS3660S Portable 36 in x 60 ft Conveyor (Unused) S/N: M2209193 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring Usage: Not Available |
| 279 | 2022 Suihe Vibratory Grizzly Screen (Unused) S/N: Not Available C/W: 5 ft x 7 ft Double Deck Screen Usage: Not Available | 291 | 2022 Vickwest RS3660S Portable 36 in x 60 ft Conveyor (Unused) S/N: M2209194 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring Usage: Not Available |
| 280 | Paladin Skid-Mounted Vibratory Screen S/N: Not Available C/W: 5 ft x 7 ft Double Deck Screen Usage: Not Available | 292 | 2022 Better BE3660C 36 in x 60 ft Radial Stacking Conveyor Belt S/N: B20220058 C/W: Lattice Frame, Folding End Section, Manual Raise, Electric Radial Drive, Pintle Ring, WEG 15 hp Electric Motor Usage: Not Available |
| 281 | Suihe Skid-Mounted Vibratory Screen S/N: Not Available C/W: 5 ft x 7 ft Double Deck Screen Usage: Not Available | 293 | PPI Conveyor Parts S/N: Not Available C/W: 44 In Pulleys, misc. Rollers Usage: Not Available |
| 282 | TMG RS12 12 ft x 9 ft Adjustable Rock Screen (Unused) S/N: BL2022050017 Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 294 | 2022 Paladin ZW-SM-3206E Separator Magnet (Unused) S/N: Not Available Usage: Not Available | 304 | 2016 Bomag CR652RX Wheel Asphalt Paver S/N: 941913761003 C/W: Requires Diesel Exhaust Fluid, Electric Heated 10 ft 6 in - 20 ft Screed, Front Wheel Assist Usage: 749 Hr |
| 295A | 2017 Ditch Witch FX25 500 gal T/A Vacuum Excavation Unit S/N: 1DSB122R5H1700370 C/W: Lunette Ring Hitch, Surge Brakes, 235 /80R16 Tires Usage: 1,102 Hr | 305 | 2002 Gilcrest Propaver 2813730 Track Asphalt Paver S/N: 23351 C/W: 2002 US EPA Label, 8 ft 6 in - 12 ft Screed, 12 in Rubber Tracks Usage: Not Available |
| 295 | 2017 Ditch Witch FX25A 500 gal T/A Vacuum Tanker Trailer S/N: 1DSB122RXH1700428 C/W: 9950 lb GVWR, Lunette Ring Hitch, Surge Brakes, Steel Tank, Vanguard Gasoline Powered Pump, 235/80R16 Tires Usage: 409 Hr | 306 | 2017 KMI Asphalt Kettle S/N: 1K9BU1419HN246122 C/W: Propane Heater, S/A Trailer Mounted Usage: Not Available |
| 296 | 2005 Ditch Witch FX60 800 gal T/A Vacuum Excavation Unit S/N: 1DSB202S7517Z2341 C/W: Lunette Ring Hitch, Spring Suspension, Surge Brakes, 215/75R17.5 Tires Usage: 3,785 Hr | 307 | 2004 LeeBoy L150 S/A Asphalt Distributor Trailer S/N: 189DS0915D309380 C/W: Lunette Ring Hitch, Spring Suspension, Double Flue w/ LPG Burners, Manual Bar Controls, Hand Spray Wand Usage: Not Available |
| 297 | 2009 Ditch Witch JT5 Equipment Trailer S/N: 1DSB122RX91701824 C/W: Lunette Ring Hitch, Torsion Axle, Surge Brakes, ST235/80R16 Tires, 400 Gallon Poly Tank Usage: Not Available | 308 | 2016 Weiler TT250 Asphalt Kettle S/N: 1W9WT2111GK548031 C/W: Propane Heater, Direct Drive Pump, Hose & Wand Usage: Not Available |
| 298 | 1999 Ditch Witch SVP800 Vacuum Tanker Trailer S/N: 1M9EA14M6X1104533 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 235/35R16 Tires Usage: Not Available | 309A | MS 235 Tacker S/A Asphalt Distributor Trailer S/N: RT23588438S C/W: Lunette Ring Hitch, Spring Suspension, Single Flue w/ LPG Burners, Viking Pump w/ Briggs Stratton 1 Cylinder Engine Usage: Not Available |
| 299 | 1989 Broderson MH42B 13 ft Drop Hammer S/N: 989B C/W: Cat 4 cyl Diesel Engine Usage: 772 Hr | 309 | Asphalt Reheat Systems S/A Heater S/N: Not Available Usage: 367 Hr |
| 300 | 1991 Gomaco Commander III GT6300 Curb and Gutter Machine S/N: MCI806901 C/W: 2006 US EPA Label, 22 in Feed Conveyor, 12 in Triple Grouser Track Shoes Usage: 4,230 Hr | 310 | 2008 K-TEC 3100 Hydraulic 4 Tire Pull Scraper S/N: 1223M121431000608 C/W: 31 cyd Capacity, 23.5R25 Tires Usage: Not Available |
| 301 | 1986 Cat NE601B Windrow Elevator S/N: 7EC00172 C/W: 4 Cylinder Diesel Engine, 60 in Wide Elevator Usage: 1,431 Hr | 311 | 2007 K-TEC 3100 Hydraulic 4 Tire Pull Scraper S/N: 129414612310107 C/W: 31 cyd Capacity, 23.5R25 Tires Usage: Not Available |
| 302 | Electric Concrete Mixing Hopper S/N: Not Available Usage: Not Available | 312 | 2007 K-TEC 3100 Hydraulic 4 Tire Pull Scraper S/N: 717 C/W: 31 cyd Capacity, 23.5R25 Tires Usage: Not Available |
| 303 | 2006 Roadtec SB-2500C Wheel Asphalt Transfer Machine S/N: SB2500C839 C/W: Diesel Engine, Hydrostatic Drive, Heated Hopper, 30 in Discharge Conveyor Usage: Not Available | 313 | 2007 K-TEC 1225 Hydraulic 4 Tire Pull Scraper S/N: 131617712250907 C/W: 25 cyd Capacity, 23.5x25 Tires Usage: Not Available |
| | | 314 | 2006 K-TEC 1225 Hydraulic 4 Tire Pull Scraper S/N: 2623WS13612250906 C/W: 25 cyd Capacity, 23.5x25 Tires Usage: Not Available |
| | | 315 | 2006 K-TEC 1225 Hydraulic 4 Tire Pull Scraper S/N: 249410912250306 C/W: 25 cyd Capacity, 23.5R25 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 316 | 2003 K-TEC 1233 Hydraulic 4 Tire Pull Scraper S/N: 2841233 C/W: 33 cyd Capacity, 23.5R25 Tires Usage: Not Available | 325A | Rebel Vac-Con on 2005 Sterling 4x2 Vacuum Tanker Truck S/N: 2FZAATDC45AN95344 C/W: Cat 6 Cylinder Diesel Engine, Automatic Transmission, 18000 lb Front Axle, 23000 lb Rears, 41000 lb GVWR, 425/65R22.5 Front Tires, 295/75R22.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 213 in Wheelbase, Steel Debris Tank, Front Hose Reel, Manual Tailgate Locks, Boom, Pump w/ 4 Cylinder Engine Usage: 47,727 Mi |
| 317 | 2002 Noble 417 Hydraulic 2 Tire Pull Scraper S/N: 1710S00273 C/W: Trail Scraper, 29.5-25 Usage: Not Available | 325 | Ditch Witch FX60 on 2007 International 4300 4x2 Vacuum Tanker Truck S/N: 1HTMMAAM87H383066 C/W: International DT466 6 Cylinder 7.6 L Diesel 210 hp Engine, 2006 US EPA Label, 6826 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, Steel 300 gal Debris Tank, Full Open Tailgate, 4 in Suction Hose, Pump w/ Cummins 4 Cylinder Engine, Blower, Remote Control w/Cord Usage: 24,206 Mi |
| 318 | 2002 Noble 417 Hydraulic 2 Tire Pull Scraper S/N: 1710S00274 C/W: 29.5R25 Tires Usage: Not Available | 326A | 2005 Peterbilt 378 6x4 Water Truck S/N: 1XPFDU9X85D839737 C/W: Cat C13 6 Cylinder 12.5 L Diesel Engine, 2004 US EPA Label, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Suspension, 189 in Wheelbase, Steel Tank, Pump w/ Honda 1 Cylinder Engine, Rear Spray, Side Spray Usage: 191,709 Mi |
| 319 | Youngs Pull Behind Compactor S/N: 41286 C/W: 48 in Drum Usage: Not Available | 326 | 2013 Peterbilt 348 6x4 Water Truck S/N: 2NP3LN9X9DM212804 C/W: Paccar PX-8 6 Cylinder 8.9 L Diesel 300 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 8LL Manual Transmission, 14600 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 54600 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson, 202 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 44,417 Mi |
| 320 | Pull Behind Compactor S/N: Not Available C/W: 113 in Drum Usage: Not Available | 327 | 1995 Kenworth T800B 4000 gal 6x4 Water Truck S/N: 1XKDA68X5SS677740 C/W: Cummins N14 6 Cylinder 14.0 L Diesel 350 hp Engine, 1995 US EPA Label, Engine Brake, Meritor RMX10-155A 10-Speed Manual Transmission, Spicer S23-180 Drive Axles, 3.73:1 Axle Ratio, 11R22.5, 202 in Wheelbase, 4000 gal Steel Tank, Berkely Hydraulic Driven Pump, 0 ft, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: 844,814 Mi |
| 322 | 2013 Kenworth T400 4x2 Fuel and Lube Truck S/N: 1XKBA58X9DJ348596 C/W: Cummins ISL 6 Cylinder 8.9 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Hendrickson Air Ride Suspension, 196 in Wheelbase, PTO, Mcleallan 15 ft Body, (11) Hose Reels, Metered Nozzles, Grease Barrel, Filter Drain Tray, Hydraulic Air Compressor Usage: 400,003 Mi | | |
| 323 | 2007 Peterbilt 357 6x4 Fuel and Lube Truck S/N: 1NPALTOX97D666411 C/W: Cat C11 6 Cylinder 11.1 L Diesel 350 hp Engine, 2006 US EPA Label, 22013 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Hendrickson Haulmax Suspension, 240 in Wheelbase, PTO, McLellan 20 ft Body, (1) Fuel Tank, (6) Product Tanks, (11) Hose Reels, Metered Nozzles, Grease Barrel, Air Compressor Usage: 434,034 Mi | | |
| 324 | Vac Con VX312LHE on 2013 Freightliner 114SD 6x4 Vacuum Excavator Truck S/N: 1FVHG3DV0DHBT2244 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 7627 Engine hrs, Engine Brake, Allison 4500 Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 5.63:1 Axle Ratio, 66000 lb GVWR, Air Ride Cab, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, 268 in Wheelbase, PTO, Steel Debris Tank, Full Open Tailgate, Manual Tailgate Locks, 17 ft Boom, 8 in Suction Hose, Hydraulic Driven Pump, Cordless Remote Control Usage: 83,173 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 328 | 1993 Kenworth T800 3500 gal 6x4 Water Truck (Glider Kit) S/N: S594794GL C/W: Cat 3406B 6 Cylinder Diesel Engine, 1987 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 46000 lb Rears, Aluminum Wheels, 11R24.5, 212 in Wheelbase, PTO, Paul's 3500 gal Steel Tank, Hydraulic Driven Pump, 6 ft, Spray Bar, Rear Spray, Pintle Hitch Usage: 548,265 Mi | 335 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDD77HW67837 C/W: Cat C7 Acert 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, 6844 Engine hrs, 6-Speed Manual Transmission, 8000 lb Front Axle, 18000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, 7 ft 4 in, Spray Bar, Hose Reel, Front Spray, Rear Spray Usage: 30,503 Mi |
| 330 | 2014 International 4300M7SBA 2000 gal 4x2 Water Truck S/N: 3HAJTSM1EL769121 C/W: International MaxxForce Diesel Engine, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, 2013 Valew 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 22,810 Mi | 336 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDD57HW67660 C/W: Cat C7 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, 6-Speed Manual Transmission, 8000 lb Front Axle, 18000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 417,574 Mi |
| 331 | 2014 International 4300M7SBA 2000 gal 4x2 Water Truck S/N: 3HAJTSM3EL769119 C/W: International MaxxForce 7 6 Cylinder 6.4 L Diesel 240 hp Engine, 2013 US EPA Label, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, 6 ft 9 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 18,119 Mi | 337 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDD57HV82446 C/W: Cat C7 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, Mercedes MBT520S-6D 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: 28,131 Mi |
| 333 | 2013 International 4300M7SBA 2000 gal 4x2 Water Truck S/N: 3HAJTSM0DL257073 C/W: International MaxxForce 6 Cylinder Diesel Engine, 2012 US EPA Label, Eaton Fuller 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, Valew 2000 gal Steel Tank, Berkeley PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 35,697 Mi | 338 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDDX7HW67685 C/W: Cat C7 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, Mercedes MBT520S-6D 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 150 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, 6 ft 6 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: Not Available |
| 334 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDD27HW67843 C/W: Cat C7 Acert 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, 6-Speed Manual Transmission, 8000 lb Front Axle, 18000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, 7 ft, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: 27,100 Mi | 339 | 2007 Freightliner M2 106 2000 gal 4x2 Water Truck S/N: 1FVACWDD37HW67592 C/W: Cat C7 6 Cylinder 7.2 L Diesel 190 hp Engine, 2006 US EPA Label, 6-Speed Manual Transmission, 8000 lb Front Axle, 18000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: Not Available |
| | | 343 | 2015 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRXF7FA8FV000451 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 6,360 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 344 | 2013 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRNF7FA8DV026505 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 12,801 Mi | 348 | 2011 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRNF7FA5BV145478 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, 2000 gal Steel Tank, PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 15,391 Mi |
| 345 | 2013 Ford F-750 XL 4x2 Water Truck S/N: 3FRNF7FAXDV026523 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew Steel Tank, PTO Driven Pump, 7 ft 6 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 14,272 Mi | 349 | 2011 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRNF7FA3BV589846 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25998 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 17,923 Mi |
| 346 | 2013 Ford F-750 XL 4x2 Water Truck S/N: 3FRNF7FA6DV026499 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 7 ft 9 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 24,479 Mi | 350 | 2011 Ford F-750 XL 4x2 Water Truck S/N: 3FRNF7FA9BV589849 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 159 in Wheelbase, PTO, Valew 2000 gal Steel Tank, Berkeley PTO Driven Pump, 6 ft 5 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 16,335 Mi |
| 347B | 2012 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRWF7FA4CV458382 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 28,235 Mi | 351 | 2009 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRWF75B49V135243 C/W: Cummins ISB 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2008 US EPA Label, 6-Speed Manual Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, 2000 gal Steel Tank, PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 15,222 Mi |
| 347 | 2012 Ford F-750 XL 2000 gal 4x2 Water Truck S/N: 3FRWF7FA6CV458383 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew Steel Tank, PTO Driven Pump, 6 ft 10 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 16,393 Mi | 352B | Elgin Eagle on 2006 GMC T7500 Sweeper Truck S/N: 1GDM7F13X6F434257 C/W: 6 Cylinder 7.8 L Diesel Engine, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 145 in Wheelbase, Auxiliary Engine, Regenerative Air, Dual Controls, 60 in Rear Broom, Gutter Brooms, Hydraulic Dump Usage: 41,904 Mi |
| | | 352 | 2006 Ford F-650 XL 4x2 Water Truck S/N: 3FRNF65C56V379865 C/W: International VT365 V8 6.0 L Diesel 200 hp Engine, 2005 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 5 ft 6 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: 38,783 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 353 | 2008 Ford F-550 XLT 4x4 Tow Truck S/N: 1FDAF57R78EC35011 C/W: Powerstroke V8 6.4 L Diesel 325 hp Engine, 2007 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, Aluminum Outer Wheels, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Steel Wrecker Body, Tow Dollies Usage: 112,903 Mi | 355 | 2016 Peterbilt 389 6x4 Transfer Set S/N: 1NPXL49X0GD305426 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 525 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 201 in Wheelbase, PTO, 15 ft Long x 4 ft 6 in High Steel Body, Manual Roll Tarp, High-Lift Gate, Pintle Hitch, SOLD WITH - 2015 Rogue 2 /Axle Transfer Trailer, Trailer S/N-1R9DT3726FK268593, 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires Usage: 351,447 Mi |
| 354 | 1985 Ford 9000 6x4 Slurry Sealcoat Truck S/N: 1FDYU90R7FVA46569 C/W: Detroit 6 Cylinder Diesel Engine, 1985 US EPA Label, Automatic Transmission, 44800 lb GVWR, 315/80R22.5, Hendrickson RT/RTE Series Suspension, 207 in Wheelbase, Bolt-On Spray Bar, Pump w/ Engine Usage: 116,286 Mi | 355 | 2015 Rogue 2/Axle Transfer Trailer S/N: 1R9DT3726FK268593 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 15 ft Body, 50 in Side Walls, Steel Body, Manual Roll Tarp, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |
| 355C | 2008 Peterbilt 388 6x4 Transfer Set S/N: 1NPWL09X88D764290 C/W: Cummins ISM 385V 6 Cylinder 10.8 L Diesel 385 hp Engine, 2007 US EPA Label, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 218 in Wheelbase, PTO, 14 ft Long x 3 ft 6 in High Steel Body, Pintle Hitch, SOLD WITH - 2008 Superior 2/Axle Transfer Trailer, Trailer S/N-1S9S0000980009680, 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, Aluminum Outer Wheels, 445/50R22.5 Super Single Tires Usage: 682,715 Mi | 357 | 2012 Peterbilt 386 8x4 Tri/A Dump Truck S/N: 1XPHD49X2CD153988 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Wheels, 315/80R22.5, Steerable Air Lift Tag Axle, Low Air Leaf Air Ride Suspension, 242 in Wheelbase, Double Frame, 20 ft Long x 3 ft High Body, Electric Roll Tarp, High-Lift Gate, Tailgate Chute Usage: 415,898 Mi |
| 355A | 2009 Peterbilt 389 6x4 Transfer Set S/N: 1XPXD49X29N777045 C/W: Cummins ISX 485 6 Cylinder 15.0 L Diesel 485 hp Engine, US EPA Label, 4490 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, PTO, Reliance 15 ft Long x 4 ft High Steel Body, Manual Roll Tarp, High-Lift Gate, Pintle Hitch, SOLD WITH - 2000 Reliance 2/Axle Transfer Trailer, Trailer S /N- 1REFA5209Y0001835, Lunette Ring Hitch, Spring Suspension, Air Brakes, Aluminum Wheels, 285/75R24.5 Tires Usage: 527,849 Mi | 358 | 2012 Peterbilt 388 6x4 T/A Dump Truck S/N: 1XPWD49X5CD131751 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 500 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 200 in Wheelbase, PTO, 16 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 132,315 Mi |
| 355A | 2000 Reliance 2/Axle Transfer Trailer S/N: 1REFA5209YC001835 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 14 ft 9 in Body, 48 in Side Walls, Steel Body, Manual Roll Tarp, Aluminum Wheels, 285/75R24.5 Tires Usage: Not Available | 359 | 2008 Peterbilt 340 6x4 T/A Dump Truck S/N: 2NPRLNOX88M750181 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 330 hp Engine, 2007 US EPA Label, Exhaust Brake, Allison 3000 13-Speed Automatic Transmission, Double Differential Locks, 18000 lb Front Axle, 40000 lb Rears, 5.29:1 Axle Ratio, 58000 lb GVWR, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dana Air Ride Suspension, 176 in Wheelbase, PTO, 15 ft Long x 3 ft High Steel Body, Manual Roll Tarp, High-Lift Gate, Triple Tailgate Chutes, Pintle Hitch Usage: 161,409 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 360 | 2008 Peterbilt 340 6x4 T/A Dump Truck S/N: 2NPRLN0X08M750188 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 330 hp Engine, 2007 US EPA Label, 13693 Engine hrs, Exhaust Brake, Allison Automatic Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, 5.29:1 Axle Ratio, 58000 lb GVWR, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Trac Air Ride Suspension, 178 in Wheelbase, PTO, 15 ft Long x 3 ft High Steel Body, Manual Roll Tarp, High-Lift Gate, Triple Tailgate Chutes, Pintle Hitch Usage: 176,592 Hr | 367 | 2016 Freightliner M2 106 4x2 S/A Dump Truck S/N: 3ALACWDU1GDGX7689 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Valew 10 ft Long x 2 ft High Steel Body, Round Bottom, Manual Roll Tarp, Tailgate Chute Usage: 11,660 Mi |
| 361 | 2001 Kenworth T800 6x4 T/A Dump Truck S/N: 1XKDDU9X41R873409 C/W: Cat C12 6 Cylinder 11.9 L Diesel 455 hp Engine, 2000 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C1C 10-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, Dana D/R405 Drive Axles, 3.70:1 Axle Ratio, 48000 lb GVWR, Air Ride Cab, 11R22.5, Chalmers Walking Beam Suspension, 202 in Wheelbase, PTO, 14 ft Long x 48 in High Steel Body, Manual Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: 464,399 Hr | 368 | 2015 Freightliner M2 106 4x2 S/A Dump Truck S/N: 3ALACXDT7FDY6163 C/W: Cummins ISB 6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 6.43:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Spring Suspension, 154 in Wheelbase, PTO, 12 ft Long x 2 ft High Steel Body, Manual Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 29,666 Mi |
| 362 | 1981 Kenworth T-800 6x4 T/A Dump Truck (Glider Kit) S/N: S632550GL C/W: Cat 3406B 6 Cylinder Diesel 425 hp Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Aluminum Front Wheels, 11R24.5, Hendrickson RT/RTE Series Suspension, 210 in Wheelbase, Double Frame, 15 ft Long x 2 ft 4 in High Body, Round Bottom Usage: 582,636 Mi | 369 | 2014 International 4300 4x2 S/A Dump Truck S/N: 3HAMMAAN4EL780211 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 230 hp Engine, 2013 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Western 10 ft Long x 2 ft 6 in High Steel Body, Pintle Hitch Usage: 154,464 Mi |
| 363 | 1994 Kenworth T-800 6x4 T/A Dump Truck (Glider Kit) S/N: R656908GL C/W: Cat 3406 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller RT0-14613 13-Speed Manual Transmission, 11R24.5, Hendrickson RT/RTE Series Suspension, 204 in Wheelbase, 15 ft Long x 2 ft 4 in High Steel Body, Round Bottom Usage: 151,750 Mi | 370 | 2010 International 4300 SBA 4x2 S/A Dump Truck S/N: 1HTMMAALXAH178864 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 210 hp Engine, 2009 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Air Ride Suspension, 176 in Wheelbase, PTO, Henderson 10 ft Long x 2 ft High Steel Body, Pintle Hitch Usage: 284,945 Mi |
| 364 | 1993 Kenworth T800 6x4 T/A Dump Truck S/N: 2XKDD69X7PM587890 C/W: Cummins N14 6 Cylinder 14.0 L Diesel 350 hp Engine, Eaton Fuller Manual Transmission, Aluminum Wheels, 295/80R22.5, Reyco Spring Suspension, 210 in Wheelbase, 16 ft Long x 2 ft 5 in High Steel Body, Round Bottom, Manual Roll Tarp, Pintle Hitch Usage: 217,608 Mi | 371 | 1989 International 4x2 S/A Dump Truck S/N: 1HTLDZ5N5KH636978 C/W: International 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 151 in Wheelbase, PTO, 10 ft Long x 2 ft High Steel Body, Pintle Hitch Usage: 370,385 Mi |
| 365 | 2016 Freightliner M2 106 4x2 S/A Dump Truck S/N: 3ALACXDT8GDGX7797 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor Drive Axles, 6.43:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 180 in Wheelbase, 12 ft Long x 2 ft High Steel Body, Manual Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 14,720 Mi | 372 | 2013 Ford F-750 XL 4x2 S/A Dump Truck S/N: 3FRNF7FA4DV799889 C/W: Cummins ISB 6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, 10 ft Long x 2 ft High Steel Body, Manual Roll Tarp, Tailgate Chute Usage: 54,665 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 373 | 2010 Ford F-750 XL 4x2 S/A Dump Truck S/N: 3FRPF7FA8AV274709 C/W: Cummins ISB 200 6 Cylinder 6.7 L Diesel 200 hp Engine, 2009 US EPA Label, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Ledwell 10 ft Long x 2 ft 6 in High Steel Body, Tailgate Chute, Pintle Hitch Usage: 48,313 Mi | 379 | 2013 Ford F-550 XL 4x2 Dump Truck S/N: 1FDUF5GT9DEB53591 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft Long x 1 ft 10 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 102,118 Mi |
| 374C | 2012 Ford F-750 XL 4x2 Water Truck S/N: 3FRWF7FA5CV321970 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew Tank, PTO Driven Pump, 7 ft, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 10,779 Mi | 380 | 2008 Ford F-550 XL 4x2 Dump Truck S/N: 1FDAF56R98EE58183 C/W: V8 6.4 L Diesel Engine, US EPA Label, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 10 ft Long x 2 ft 9 in High Steel Body, Flat Bed, Triple Tailgate Chutes, Pintle Hitch Usage: 137,762 Mi |
| 374 | 2009 Ford F-750 XL 4x2 S/A Dump Truck S/N: 3FRWF75N19V136327 C/W: Cat C7 Acert 7.2 L Diesel Engine, 2008 US EPA Label, 6-Speed Manual Transmission, 10000 lb Front Axle, 21000 lb Rears, 31000 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, 10 ft Long x 2 ft 7 in High Steel Body, Manual Roll Tarp, High-Lift Gate, Tailgate Chute Usage: 99,232 Mi | 381C | 1995 GMC 3500 4x2 Dump Truck S/N: 1GDKC34F3SJ504454 C/W: V8 6.5 L Diesel Engine, 1995 US EPA Label, Automatic Transmission, 5000 lb Front Axle, 11000 lb Rears, 15900 lb GVWR, 8R19.5, Spring Suspension, 160 in Wheelbase, 11 ft Long x 3 ft 6 in High Steel Body, Flat Bed Usage: 165,841 Mi |
| 375A | 2000 Ford F-650 XL 4x2 S/A Dump Truck S/N: 3FDNF6523YMA65835 C/W: Cat 6 Cylinder Diesel Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 10R22.5, Spring Suspension, 161 in Wheelbase, PTO, 10 ft Long x 2 ft 8 in High Steel Body Usage: 71,141 Mi | 381 | 2007 Ford F-550 XL 4x2 Dump Truck S/N: 1FDAF56P27EA48208 C/W: V8 6.0 L Diesel 325 hp Engine, 2006 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Rugby 9 ft Long x 1 ft 6 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 113,047 Mi |
| 375 | 2009 Ford F-750 XL 4x2 S/A Dump Truck S/N: 3FRWF75N29V117625 C/W: Cat C7 6 Cylinder 7.2 L Diesel Engine, 2008 US EPA Label, 6-Speed Manual Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, 10 ft Long x 2 ft 4 in High Steel Body, Manual Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 49,627 Mi | 382A | 2001 Sterling 7500 6x4 Volumetric Mixer Truck S/N: 2FZHAWBS81AJ21448 C/W: 2000 US EPA Label, 6963 Engine hrs, Eaton Fuller 15-Speed Manual Transmission, 18000 lb Front Axle, 40000 lb Rears, 11R22.5, 216 in Wheelbase, PTO, 9 cyd Mixer Unit Usage: 34,923 Mi |
| 376 | 2013 Ford F-550 XL 4x2 Dump Truck S/N: 1FDUF5GT9DEB53588 C/W: Ford V8 6.7 L Diesel 300 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft Long x 1 ft 10 in High Steel Body, Manual Roll Tarp Usage: 66,960 Mi | 382 | 2006 Sterling L8500 6x4 Volumetric Mixer Truck S/N: 2FZHAWDA26AW78996 C/W: Cat C9 6 Cylinder 8.8 L Diesel Engine, 2006 US EPA Label, Eaton Fuller 8LL Manual Transmission, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Suspension, 246 in Wheelbase, PTO, Global Mixer Unit Usage: 31,089 Mi |
| | | 383 | 2005 Peterbilt 357 8x4 Mixer Truck S/N: 1NPALT0XX5D856571 C/W: Cat C11 6 Cylinder 11.1 L Diesel 385 hp Engine, 2004 US EPA Label, Eaton Fuller 15-Speed Manual Transmission, 20000 lb Front Axle, 44000 lb Rears, 64000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Dual Steering Boxes, Hendrickson R/RS Series Walking Beam Suspension, 250 in Wheelbase, KMC 11.5 cyd Mixer Unit Usage: 146,435 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 384 | 2000 Peterbilt 357 8x4 Mixer Truck S/N: 1NPAL59X2YD550144 C/W: Cummins 6 Cylinder Diesel Engine, 8618 Engine hrs, Eaton Fuller RTO-11909MLL 9LL Manual Transmission, 20000 lb Front Axle, 36000 lb Rears, 56000 lb GVWR, 425/65R22.5, Trailing Tag Axle, Hendrickson Haulmaax Suspension, 262 in Wheelbase, PTO, McNeilus 10.5 cyd Mixer Unit Usage: 25,736 Mi | 390 | 1999 Peterbilt 357 8x4 Mixer Truck S/N: 1NPAL90X1XD490988 C/W: Cummins M11 10.8 L Diesel 305 hp Engine, 1998 US EPA Label, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Chalmers Suspension, 246 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: 371,434 Mi |
| 385 | 2006 Kenworth W900 8x4 Mixer Truck S/N: 1NKWL00X46J116740 C/W: Cummins ISM320V Diesel Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller RT014909ALL 9LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 79200 lb GVWR, Aluminum Wheels, 425/65R22.5, Trailing Tag Axle, Dual Steering Boxes, Chalmers Suspension, 252 in Wheelbase, McNeilus Mixer Unit Usage: 21,002 Mi | 391 | 2012 Peterbilt 389 6x4 Log Truck S/N: 1NPXL49XXCD169154 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 600 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 19502 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Assist Front Suspension, Air Ride Suspension, 248 in Wheelbase, Cab Guard, (1) Bunks, SOLD WITH - T/A Log Trailer, Trailer S/N-1C9LA2625L0249552 Usage: 690,086 Mi |
| 386 | 2001 Kenworth W900 8x4 Mixer Truck S/N: 1NKWL00XX1J878964 C/W: Cummins ISM320V Diesel 305 hp Engine, 2001 US EPA Label, Engine Brake, Eaton Fuller RT016909All 9LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 79200 lb GVWR, Aluminum Wheels, 425/65R22.5, Trailing Tag Axle, Dual Steering Boxes, Chalmers Suspension, 251 in Wheelbase, McNeilus Mixer Unit Usage: 18,358 Mi | 395 | 2012 Western Star 4900 6x4 T/A Day Cab Truck Tractor S/N: 5KJJALDRXCPBN5216 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-18210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.73:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 190 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 357,754 Mi |
| 387 | 2004 Mack CV513 8x4 Mixer Truck S/N: 1M2AG02C04M001800 C/W: Mack 6 Cylinder Diesel Engine, 25917 Engine hrs, T310M 10-Speed Manual Transmission, 20000 lb Front Axle, 38000 lb Rears, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Chalmers Suspension, 245 in Wheelbase, McNeilus Mixer Unit Usage: 302,421 Mi | 396 | 2015 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD49X9FD276394 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18994 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 202 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 651,673 Mi |
| 388 | 1999 Kenworth W900 8x4 Mixer Truck S/N: 1NKWL00X1XR826004 C/W: Cummins ISM 305V Diesel 305 hp Engine, 1999 US EPA Label, Engine Brake, Eaton Fuller 8LL Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Wheels, 425/65R22.5, Steerable Air Lift Tag Axle, Dual Steering Boxes, Chalmers Suspension, 258 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: 137,222 Mi | 397 | 2012 Peterbilt 386 6x4 T/A Day Cab Truck Tractor S/N: 1XPHDP9X6CD171640 C/W: Paccar MX 12.9 L Diesel 260 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 164 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 198,952 Mi |
| 389 | 1999 Peterbilt 357 8x4 Mixer Truck S/N: 1NPAL90XXXD490990 C/W: Cummins M11 6 Cylinder Diesel 305 hp Engine, 1998 US EPA Label, Eaton Fuller 9LL Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Chalmers Suspension, 242 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: 334,191 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 398 | 2012 Peterbilt 384 6x4 T/A Day Cab Truck Tractor S/N: 1XPVDP9X5CD169087 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 485 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Exhaust Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 285/75R24.5, Low Air Leaf Air Ride Suspension, 185 in Wheelbase Usage: 701,156 Mi | 402 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV2GSGV9516 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 302,678 Mi |
| 399 | 2011 Peterbilt 384 6x4 T/A Day Cab Truck Tractor S/N: 1XPVD79X9BD131652 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 17381 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 191 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 408,447 Mi | 403 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV3GSHG2407 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 408,480 Mi |
| 400 | 2011 Peterbilt 384 6x4 T/A Day Cab Truck Tractor S/N: 1XPVD79X7BD131651 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Flex Air Air Ride Suspension, 164 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 446,164 Mi | 404 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV1GSHF4922 C/W: Detroit DD13 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Suspension, 179 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 419,240 Mi |
| 401B | 2012 Mack CXU613 6x4 T/A Day Cab Truck Tractor S/N: 1M1AW02YXCM022851 C/W: Mack 6 Cylinder Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 693,329 Mi | 405 | 2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDV8GLHS1464 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 421,280 Mi |
| 401 | 2011 Peterbilt 384 6x4 T/A Day Cab Truck Tractor S/N: 1XPVD79X5BD126514 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 18392 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Spicer RSP40 Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Flex Air Air Ride Suspension, 188 in Wheelbase, Air Sliding 5th Wheel Usage: 545,953 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 406 | 2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEBG7FDGK9855 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 7482 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 235,706 Mi | 412A | 2011 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor S/N: 3HSDJSJR3BN371887 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2010 US EPA Label, CARB Compliant, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 186 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 412,726 Mi |
| 408 | 2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV0FSGB7002 C/W: Detroit DD13 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 550,198 Mi | 412 | 2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9EH8FN178156 C/W: D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, AT2612D Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 53200 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 556,127 Mi |
| 409 | 2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 3AKJGEDV2FDGJ3977 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 384,101 Mi | 413B | 2010 Peterbilt 367 4x2 T/A Day Cab Truck Tractor S/N: 1XPTD49X3AD111627 C/W: Cummins ISX 15 L Diesel 400 hp Engine, 2009 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 173 in Wheelbase Usage: 721,216 Mi |
| 410F | 2010 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor S/N: 1FUJGEDR9ASAU4330 C/W: Detroit DD15 14.8 L Diesel 505 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel Usage: 448,969 Mi | 413 | 2010 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 2HSCUAPR3AC170060 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 435,088 Mi |
| 412B | 2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPR5BN186597 C/W: Cummins ISX 15.0 L Diesel 450 hp Engine, 2009 US EPA Label, CARB Compliant, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 175 in Wheelbase, Dual Fuel Tanks Usage: 768,158 Mi | 414 | 2009 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD49X59D788013 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2008 US EPA Label, 8657 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 240 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 192,992 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 415 | 2009 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD09X59D782074 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 410 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Wheels, 295/75R22.5, Low Air Leaf Air Ride Suspension, 192 in Wheelbase Usage: 604,828 Mi | 421B | 1989 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1NKDLB0X6KJ537467 C/W: Cat 6 Cylinder Diesel Engine, 18-Speed Manual Transmission, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 798,744 Mi |
| 416 | 2008 Peterbilt 388 6x4 T/A Day Cab Truck Tractor S/N: 1XPWD09X08D763573 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 410 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, 48000 lb GVWR, Aluminum Wheels, 275/80R22.5, Air Trac Air Ride Suspension, 201 in Wheelbase, Air Sliding 5th Wheel Usage: 621,090 Mi | 421A | 2010 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD49X8AD793971 C/W: Cummins ISX 400 6 Cylinder 15.0 L Diesel 400 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 200 in Wheelbase, Wet Kit, Air Sliding 5th Wheel Usage: Not Available |
| 417 | 2008 Peterbilt 388 6x4 T/A Day Cab Truck Tractor S/N: 1XPWD09X68D759236 C/W: Cummins ISM 370 6 Cylinder 10.8 L Diesel 370 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, 295/75R22.5, Low Air Leaf Air Ride Suspension, 223 in Wheelbase Usage: 694,277 Mi | 421 | 1994 Kenworth T800SF 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDDB9X3RS934158 C/W: Cat 3406E 6 Cylinder 14.6 L Diesel Engine, 1994 US EPA Label, 36944 Engine hrs, Engine Brake, Eaton Fuller RTLO-16618AP 18-Speed Manual Transmission, 12000 lb Front Axle, 44000 lb Rears, Meritor DT/RT-461P Drive Axles, 3.90:1 Axle Ratio, 56000 lb GVWR, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 549,175 Mi |
| 418 | 2009 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDDB0XX9R255170 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2008 US EPA Label, 10740 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 22000 lb Front Axle, 46000 lb Rears, 4.30:1 Axle Ratio, 68000 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 194 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 436,720 Mi | 422A | 2009 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD49X19D772486 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel Engine, 8176 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 1,004,741 Mi |
| 419 | 2009 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDDB0X19R255171 C/W: Cat C15 6 Cylinder 15.2 L Diesel 625 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Differential Lock, 22000 lb Front Axle, 46000 lb Rears, 68000 lb GVWR, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 168 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 486,737 Mi | 422 | 2008 Peterbilt 367 6x4 T/A Day Cab Truck Tractor S/N: 1XPTD49X88D761998 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 485 hp Engine, US EPA Label, 5409 Engine hrs, Engine Brake, Eaton Fuller RTO-16210C-AAS Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps Usage: 349,666 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 423C | 2010 Kenworth T660 6x4 T/A Day Cab Truck Tractor S/N: 1XKAD09X9AJ276489 C/W: Cummins ISM 10.8 L Diesel 410 hp Engine, 2008 US EPA Label, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 717,650 Mi | 430 | 2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X5GD280781 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Flex Air Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 631,739 Mi |
| 423 | 1989 Peterbilt 379 6x4 T/A Day Cab Truck Tractor S/N: 1XP5DB9X8KN275576 C/W: Cat 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Wheels, 11R22.5, Air Leaf Air Ride Suspension, 225 in Wheelbase Usage: 804,173 Hr | 432 | 2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49XXHJ108120 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 36000 lb Rears, Dana DSP41 Drive Axles, 2.64:1 Axle Ratio, 48000 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, AG380 Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 641,145 Mi |
| 426 | 2003 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor S/N: 1FUJA6CG63PK38629 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 430 hp Engine, 2002 US EPA Label, 18363 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 171 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 629,097 Mi | 433 | 2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYDP9X3GJ472864 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT 13-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, 8 Bag Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks, Cobra AC/DC Power Inverter Usage: 840,250 Mi |
| 427 | 2009 International ProStar Premium 6x4 T/A Day Cab Truck Tractor S/N: 3HSCUAPRX9N122453 C/W: Cummins ISX 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 kg Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Hendrickson Air Ride Suspension, 160 in Wheelbase, Air Sliding 5th Wheel Usage: 598,187 Mi | 434 | 2015 Kenworth T680 6x4 T/A Sleeper Truck Tractor S/N: 1XKYD49X9FJ429515 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FOM-16E310C-LAS 10-Speed Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, Spicer DSP40 Drive Axles, 3.36:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 984,844 Mi |
| 428 | 1996 Freightliner FLD 120 6x4 T/A Day Cab Truck Tractor S/N: 1FVXFSZB2TP815961 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel Engine, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, 11R24.5, Air Ride Suspension, 231 in Wheelbase, Wet Kit, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 680,575 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 435 | 2021 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDRXMSMA5395 C/W: Detroit DD15 14.8 L Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, DT12-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.85:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 296,321 Mi | 442 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD5XGSHG3235 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 701,050 Mi |
| 437 | 2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor S/N: 3AKJHHDR1JSJX9120 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 796,064 Mi | 443 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD54GSHM9951 C/W: Detroit DD15 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Automatic Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,794 Mi |
| 438 | 2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLDV4JSJG8241 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 470 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.23:1 Axle Ratio, 53220 kg GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 284,244 Mi | 444 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD52GSHM2156 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1750 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 627,610 Mi |
| 441 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD54GSHP5370 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 659,699 Mi | 445 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD55GSHC8764 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 638,717 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 446 | 2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD55GSHG4020 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 692,946 Mi | 449 | 2019 Volvo VNL860 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ6KN199004 C/W: D13M-500 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Retarder, ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,695 Mi |
| 447A | 2015 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGHVDV8FSGJ8744 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 692,535 Mi | 450 | 2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH2HN972573 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, ATO2612D 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,694 Mi |
| 447 | 2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 3AKJGLD51FSGN4830 C/W: Detroit DD15 14.8 L Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: 605,530 Mi | 451 | 2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EH7HN980488 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, ATO2612D Automatic Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 709,041 Mi |
| 448 | 2010 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDRXASAP0536 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Spicer DS404 Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 697,800 Mi | 452 | 2015 Volvo VNL780 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ2FN908114 C/W: D13J500 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, ATO2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 832,193 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 453A | <p>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 3HSDJAPR0FN604745 C/W: Cummins ISX15 6 Cylinder 400 L Ultra Low Sulfur Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 663,223 Mi</p> | 455B | <p>2014 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 3HSDJSNR7EN787214 C/W: Navistar N13 6 Cylinder 13.0 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 425,902 Mi</p> |
| 453 | <p>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 4V4NC9EH1GN936338 C/W: D13J455 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Volvo AT2612D Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 52 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: 737,987 Mi</p> | 455 | <p>2019 International LT625 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 3HSDZAPR6KN708045 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 442,608 Mi</p> |
| 454 | <p>2019 International LT625 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 3HSDZAPR6KN708031 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 428,346 Mi</p> | 457B | <p>2010 Peterbilt 386 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 1XPHD49X0AD101790 C/W: Cummins ISX 15 L Diesel 455 hp Engine, US EPA Label, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Leaf Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,338,894 Mi</p> |
| 455C | <p>2014 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 3HSDJSJR9EN792808 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 588,218 Mi</p> | 458B | <p>2009 Peterbilt 386 6x4 T/A Sleeper Truck Tractor</p> <p>S/N: 1XPHD49X09D771691 C/W: Cummins ISM 15.0 L Diesel 400 hp Engine, 2008 US EPA Label, CARB Compliant, 18993 Engine hrs, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Bunk Heater, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 295 /75R22.5 Rear Tires, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel Usage: 845,787 Mi</p> |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 458 | 2009 Peterbilt 386 6x4 T/A Sleeper Truck Tractor S/N: 1XPHD49X79D771767 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 400 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 kg Front Axle, 40000 lb Rears, 52000 lb GVWR, 48 in Flat Top Sleeper Cab, Aluminum Front Wheels, 295/75R22.5, Low Air Leaf Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 974,455 Mi | 463C | 2008 Volvo VNL430 6x4 T/A Sleeper Truck Tractor S/N: 4V4NC9EJ98N490685 C/W: D13J485 12.8 L Diesel 338 hp Engine, 2007 US EPA Label, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 43 in Flat Top Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 192 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,076,506 Mi |
| 459C | 2009 Freightliner CA125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLDR69LAF8191 C/W: Detroit DD15 14.8 L Diesel 560 hp Engine, 2008 US EPA Label, 10-Speed Manual Transmission, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 232 in Wheelbase Usage: 997,379 Mi | 465 | 2013 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X1DR359127 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 154 in Wheelbase Usage: 325,059 Mi |
| 459 | 2008 Peterbilt 387 6x4 T/A Sleeper Truck Tractor S/N: 1XP7DU9X18D765800 C/W: Cat C13 6 Cylinder 12.5 L Diesel 525 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Low Air Leaf Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 760,946 Mi | 466 | 2013 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X5DR359129 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller FR016210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 3.73:1 Axle Ratio, 35000 lb GVWR, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 152 in Wheelbase Usage: 381,812 Mi |
| 461 | 2008 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLCKX8LAC2815 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller RTOC-16909A 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, 295/75R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,494,787 Mi | 468 | 2013 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDAP8X7DJ348701 C/W: Paccar MX 6 Cylinder 12.9 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension Usage: 409,568 Mi |
| 462 | 2009 Freightliner Cascadia 6x4 T/A Sleeper Truck Tractor S/N: 1FUJGLCK79LAE8676 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Carrier Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,101,345 Mi | 469 | 2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAAP8X0DR338368 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Dana S23-190 Drive Axles, 3.58:1 Axle Ratio, 35000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 488,906 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 470 | 2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor S/N: 1XKAAP8X3DR338364 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 3.58:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 530,828 Mi | 475 | 2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGDDV1GLGV9212 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Detroit DT12-OB-1450 12-Speed Automatic Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.21:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 360,678 Mi |
| 471 | 2015 Kenworth T370 4x2 S/A Day Cab Truck Tractor S/N: 2XKHAJ8X0FM430702 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Allison 3000 Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, 5.57:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 150 in Wheelbase, PTO, Wet Kit, Headache Rack Usage: 279,360 Mi | 476 | 2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV2GSHD6900 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Detroit DT12-OB-1450 12-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.21:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 391,431 Mi |
| 472 | 2015 Kenworth T370 4x2 S/A Day Cab Truck Tractor S/N: 2XKHAJ8X9FM430603 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 23000 lb Rears, 5.57:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 150 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: 237,011 Mi | 477 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDD64FSGC8270 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 2627 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 623,582 Mi |
| 473 | 2012 Kenworth T370 4x2 S/A Day Cab Truck Tractor S/N: 2XKHAN7X1CM335313 C/W: Paccar PX-8 6 Cylinder 8.3 L Ultra Low Sulfur Diesel 300 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.57:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, PTO, Wet Kit, Headache Rack Usage: 197,013 Mi | 479 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV3FDGL8109 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 31000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel Usage: 338,155 Mi |
| 474 | 2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDD5XGSHG7067 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: 441,646 Mi | 480 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV3FSGD6996 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13108 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.73:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 176 in Wheelbase, Dual Fuel Tanks Usage: 409,604 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 481 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV1FSGD6995 C/W: Detroit 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor Drive Axles, 3.73:1 Axle Ratio, 35000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 174 in Wheelbase Usage: 365,368 Mi | 494B | 2013 Kenworth T800 6x4 T/A Day Cab Truck Tractor S/N: 1XKDDP9X8DJ363116 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 430 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 186 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: 174,057 Mi |
| 484 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 1FUBGDD65FLGJ0621 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 274,878 Mi | 494 | 2017 International ProStar+ 122 4x2 S/A Day Cab Truck Tractor S/N: 3HSDGSSNN2HN644803 C/W: Navistar N13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 430 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller 13-Speed Automated Transmission, 12350 lb Front Axle, 20000 lb Rears, 3.21:1 Axle Ratio, 32350 lb GVWR, 11R22.5, Air Ride Suspension, 167 in Wheelbase, Dual Fuel Tanks Usage: 264,599 Mi |
| 487 | 2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGDDV6FDGM5605 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 11020 lb Front Axle, 20280 lb Rears, 3.21:1 Axle Ratio, 31300 lb GVWR, Air Ride Cab, 255/70R22.5, Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 394,747 Mi | 495 | 2013 International Prostar+ 113 4x2 S/A Day Cab Truck Tractor S/N: 1HSDESJN8DJ313667 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 430 hp Engine, 2012 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 kg Front Axle, 20000 lb Rears, 3.58:1 Axle Ratio, 32000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 850,118 Mi |
| 490 | 2015 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor S/N: 3AKBGADV7FSGD4375 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 13747 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, Meritor RS-23-161 Drive Axles, 3.42:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: 505,393 Mi | 496 | 2013 International Prostar+ 113 4x2 S/A Day Cab Truck Tractor S/N: 1HSDESJNXDJ313668 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 430 hp Engine, 2012 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 3.58:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 682,725 Mi |
| 492 | 2011 Freightliner M2 106 4x2 Hybrid S/A Day Cab Truck Tractor S/N: 1FUBCYDT3BHAY8562 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 325 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Eaton Fuller Hybrid EH-8EX06A-T Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-161 Drive Axles, 5.63:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 161 in Wheelbase Usage: 190,707 Mi | 497 | 2011 International Prostar+ 113 4x2 S/A Day Cab Truck Tractor S/N: 3HSDESJN5BN405961 C/W: International MaxxForce 13 6 Cylinder Diesel Engine, 2010 US EPA Label, Engine Brake, Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 620,261 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 498 | 2010 International ProStar Premium 4x2 S/A Day Cab Truck Tractor S/N: 3HSCSAPN8AN227385 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 520,146 Mi | 503 | 2009 Kenworth T370 4x2 S/A Day Cab Truck Tractor S/N: 2XKHAN7X39M244892 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 300 hp Engine, 2008 US EPA Label, 11911 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Dana S23-190 Drive Axles, 5.25:1 Axle Ratio, 33000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 154 in Wheelbase Usage: 217,156 Mi |
| 499 | 2012 International 4400 SBA 4x2 S/A Day Cab Truck Tractor S/N: 1HSMKAAN6CH061104 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 270 hp Engine, 2011 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295 /75R22.5, Air Ride Suspension, 158 in Wheelbase Usage: 104,378 Mi | 504 | 2008 Kenworth T300 4x2 S/A Day Cab Truck Tractor S/N: 2XKMAN7X38M218693 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 315 hp Engine, 2007 US EPA Label, 11896 Engine hrs, Engine Brake, Eaton Fuller RT-8709B 9-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Dana S23-190 Drive Axles, 3.91:1 Axle Ratio, 33000 lb GVWR, 275 /80R22.5, Reyco Spring Suspension, 152 in Wheelbase Usage: 224,505 Mi |
| 500 | 2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X29J247605 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Diesel 400 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 783,332 Mi | 505D | 2006 Freightliner Coronado 4x2 S/A Day Cab Truck Tractor S/N: 1FUBF4CK46PX27226 C/W: Detroit Series 60 14.0 L Diesel Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, Aluminum Wheels, 11R22.5, Airliner Suspension, 182 in Wheelbase Usage: 508,030 Mi |
| 501 | 2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X79J245445 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 13236 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.87:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel Usage: 818,736 Mi | 505C | 2006 Freightliner Classic 4x2 S/A Day Cab Truck Tractor S/N: 1FUBF5CK86DX27222 C/W: Detroit Series 60 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Aluminum Front Wheels, 11R22.5, Airliner Suspension, 170 in Wheelbase Usage: 555,187 Mi |
| 502 | 2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor S/N: 1XKDA48X19J245411 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.87:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel Usage: 949,947 Mi | 505B | 2011 Peterbilt 367 4x2 S/A Day Cab Truck Tractor S/N: 1XPTD79X2BD134416 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase Usage: 378,926 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 505 | 2009 Peterbilt 340 4x2 S/A Day Cab Truck Tractor S/N: 2XPRAN8XX9M770336 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 315 hp Engine, 2007 US EPA Label, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, Spicer S23-190 Drive Axles, 5.57:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Air Sliding 5th Wheel Usage: 267,739 Mi | 511 | 2001 International 9100i 4x2 S/A Day Cab Truck Tractor S/N: 1HSCAAHN91J082801 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 350 hp Engine, 2000 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 555,858 Mi |
| 506 | 2005 Freightliner Century Class CST112 4x2 S/A Day Cab Truck Tractor S/N: 1FUBBACV45PN55475 C/W: Mercedes-Benz 781 cid Diesel 450 hp Engine, 2004 US EPA Label, Engine Brake, Automatic Transmission, Differential Lock, Aluminum Outer Wheels, 285/75R24.5 Front Tires, 285/75R24.5 Rear Tires, Spring Suspension, 168 in Wheelbase Usage: 827,139 Mi | 512 | 2001 Freightliner FL70 4x2 S/A Day Cab Truck Tractor S/N: 1FUBBTBVX1HJ36595 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel 260 hp Engine, 2005 US EPA Label, Eaton Fuller 6-Speed Manual Transmission, 9000 lb Front Axle, 21000 lb Rears, Spicer 23105S Drive Axles, 4.88:1 Axle Ratio, 30000 lb GVWR, 295/75R22.5 Front Tires, 285/75R24.5 Rear Tires, Airliner Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 214,380 Mi |
| 509 | 2008 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG68N261314 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel Engine, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12500 lb Front Axle, 23000 lb Rears, Air Ride Cab, 11R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 758,178 Mi | 513 | 1988 White/GMC WCA 4x2 S/A Day Cab Truck Tractor S/N: 4V1VBBJE1JN608850 C/W: Cummins NTC-315 855 cid Diesel 315 hp Engine, US EPA Label, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Aluminum Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase Usage: 732,586 Mi |
| 510D | 2010 International 9200i 4x2 S/A Day Cab Truck Tractor S/N: 3HSCDAPN5AN213390 C/W: Cummins ISX 15.0 L Diesel 435 hp Engine, 2009 US EPA Label, 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 290,631 Mi | 514 | 2015 Kenworth T270 4x2 Van Truck S/N: 2NKHMM6X6FM467473 C/W: Paccar PX-7 6 Cylinder 6.7 L Diesel 250 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 11409 Engine hrs, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, Dana P22060S Drive Axles, 5.57:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft Long x 84 in High Body, Liftgate Usage: 371,038 Mi |
| 510A | 2007 Volvo VNL 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TGX7N434654 C/W: Cummins ISX 15 L Diesel 400 hp Engine, 2006 US EPA Label, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 3.73:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 362,815 Mi | 515 | 2017 International 4300 SBA 4x2 Van Truck S/N: 1HTMMML9HH479990 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 90 in Wide x 98 in High Body, Liftgate Usage: 206,133 Mi |
| 510 | 2008 Volvo VNL42T 4x2 S/A Day Cab Truck Tractor S/N: 4V4N19TG48N498142 C/W: Cummins ISX 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Volvo Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 842,453 Mi | 517 | 2016 Ford Transit 350 XL 4x2 Cargo Van S/N: 1FTBW2YM1GKB36162 C/W: V6 3.7 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9500 lb GVWR, 235/65R16, Spring Suspension, 152 in Wheelbase, 11 ft Long x 65 in Wide x 54 in High Body Usage: 194,025 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 519 | 2017 Ford Transit 250 4x2 Cargo Van S/N: 1FTYR2XM1HKA91762 C/W: V6 3.7 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 10 ft Long x 66 in Wide x 78 in High Body, Curbside Door Usage: 81,188 Mi | 527 | 2013 Ford F-650 XLT 4x2 Rollback Truck S/N: 3FRWF6FC2DV028489 C/W: Cummins 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, Spring Suspension, 230 in Wheelbase, PTO, 17 ft x 96 in Bed, Winch Usage: 164,530 Mi |
| 520 | 2018 GMC 4x2 Cargo Van S/N: 1GTW7BFP5J1245376 C/W: V8 4.3 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, 245/75R16, 11 ft Long x 74 in Wide x 54 in High Body Usage: 108,055 Mi | 528 | 2013 Ford F-650 XLT 4x2 Rollback Truck S/N: 3FRWF6FC0DV028488 C/W: Cummins 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 225/70R19.5, Spring Suspension, 230 in Wheelbase, PTO, Century, 17 ft x 96 in Bed, Winch Usage: 169,314 Mi |
| 522 | 2011 International ProStar Premium 6x4 Roll-Off Truck S/N: 3HSCUAPR3BN186386 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 280 in Wheelbase, PTO, 24 ft Hoist, Ramsey Winch, Pintle Hitch Usage: 604,239 Mi | 529 | National 900A 26 ton Straight Boom on 2007 Sterling LT8500 6x4 Boom Truck S/N: 2FZHAWDA97AY23355 C/W: Cat C9 6 Cylinder 8.8 L Diesel Engine, Eaton Fuller RTO-11908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 4.63:1 Axle Ratio, 60000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Suspension, 258 in Wheelbase, PTO, 26 ton Capacity, Rear Mounted, 36 ft - 125 ft 4 Section Boom, Johnson 259 lb 2 Sheave 25 ton Capacity Hook Block, Rooster Sheave, Anti-Two Block, Dual Controls, A-Outriggers, Rear Outriggers, 5th Outrigger, 18 ft x 96 in Bed Usage: 121,864 Mi |
| 523 | 2013 Ford F-750 XLT 4x2 Rollback Truck S/N: 3FRXF7FE2DV497352 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 295/75R22.5, Air Ride Suspension, PTO, 26 ft 6 in x 102 in Bed, Winch Usage: 169,467 Mi | 530 | Terex BT-3470 17 ton Straight Boom on 2000 GMC C7500 4x2 Boom Truck S/N: 1GDM7H1C0YJ511522 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 190 hp Engine, 1999 US EPA Label, 5-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, PTO, 34000 lb Capacity, Front Mounted, 27 ft - 70 ft 3 Section Boom, Miller 110 lb 1 Sheave 10 ton Capacity Hook Block, 24 ft Min - 40 ft Max Swingaway Jib, Rayco Wylie WW830 Load Moment Indicator, Dual Controls, A-Outriggers, Rear Outriggers, 18 ft x 96 in Bed, Pintle Hitch Usage: 126,801 Mi |
| 525B | 2015 Ford F-650 XL 4x2 Rollback Truck S/N: 3FRWF6FC7FV744792 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 255/70R22.5, Air Ride Suspension, 230 in Wheelbase, PTO, 22 ft x 102 in Bed Usage: 271,280 Mi | 531 | 1998 Ferrari F728A3 17600 lb Knuckle Boom on 2002 International 5600i 6x4 Boom Truck S/N: 1HTXHAHTX2J035429 C/W: Cummins ISM 370ST1 6 Cylinder 10.8 L Diesel Engine, 2002 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Air Ride Suspension, 278 in Wheelbase, PTO, 17600 lb Capacity, Rear Mounted, 53 ft 4 Section Boom, Dual Controls, Out and Down Outriggers, Rear Outriggers, 21 ft x 102 in Bed, Pintle Hitch Usage: 316,528 Mi |
| 525 | 2015 Ford F-650 XL 4x2 Rollback Truck S/N: 3FRWF6FC5FV744791 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 255/70R22.5, Air Ride Suspension, 230 in Wheelbase, PTO, 22 ft x 102 in Bed, Winch Usage: 172,211 Mi | | |
| 526 | 2013 Ford F-650 XLT 4x2 Rollback Truck S/N: 3FRWF6FC8DV781475 C/W: Cummins 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 245/70R19.5, Spring Suspension, 230 in Wheelbase, PTO, Century, 17 ft x 96 in Bed, Winch Usage: 151,484 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 532 | Altec AM55 55 ft on 2008 Sterling Acterra 4x2 Bucket Truck S/N: 2FZACHBS18AZ44921 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 285 hp Engine, 2007 US EPA Label, Engine Brake, Allison Automatic Transmission, 14700 lb Front Axle, 23000 lb Rears, 37700 lb GVWR, Air Ride Cab, 12R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 195 in Wheelbase, 750 lb Capacity, Rear Mounted, Insulated One-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, 15 ft x 92 in Bed, Pintle Hitch Usage: 58,442 Mi | 537 | 2014 Kenworth T370 4x2 Service Truck S/N: 2NKHHJ7X3EM409445 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 350 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 5868 Engine hrs, Engine Brake, Eaton Fuller FRO-11210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, Dana S21-170 Drive Axles, 5.25:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 202 in Wheelbase, PTO, 2013 Stellar TMAX2-14 16 ft Body, Hydraulic Stabilizers, Stellar 12628 12000 lb 3 Section Hydraulic Crane, American Eagle SHD-66 Hydraulic Air Compressor, Miller Trailblazer 325 12000 W Gasoline Welder Usage: 72,128 Mi |
| 533 | 2007 Altec A77-TE93 92 ft on 2007 Freightliner M2 106 6x6 Bucket Truck S/N: 1FVHCYDC57HX28605 C/W: Cat C7 6 Cylinder 7.2 L Diesel 250 hp Engine, 2006 US EPA Label, Allison 3500 Automatic Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 5.86:1 Axle Ratio, 58000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 264 in Wheelbase, PTO, 800 lb Capacity, Rear Mounted, Insulated Two-Person Articulating-Telescopic Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, 23 ft x 94 in Bed, Pintle Hitch Usage: 44,024 Mi | 538 | 2010 Freightliner M2 106 4x2 Service Truck S/N: 1FVACWU9ADAT6167 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2009 US EPA Label, 11673 Engine hrs, Exhaust Brake, Allison 2200 Automatic Transmission, Differential Lock, 10000 lb Front Axle, 19000 lb Rears, Meritor RS-19-144 Drive Axles, 4.88:1 Axle Ratio, 29000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Spring Suspension, 150 in Wheelbase, PTO, 11 ft Body, Hydraulic Stabilizers, Auto Crane 8005H 8000 lb 3 Section Hydraulic Crane, Champion R-Series Gasoline Air Compressor, Air Hose Reel Usage: 263,622 Mi |
| 535 | 2009 Ford F-650 XL 4x2 Attenuator Truck S/N: 3FRNF65A89V204447 C/W: Cummins ISB 6.7 L Diesel 200 hp Engine, 2009 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 176 in Wheelbase, Flatbed, Folding Attenuator, In-Cab Attenuator Controller, Arrow Board, In-Cab Arrow Board Controller Usage: 77,842 Mi | 539 | 2001 International 4700 4x2 Service Truck S/N: 1HTSCAAM21H330977 C/W: International DT466 6 Cylinder 7.6 L Diesel 215 hp Engine, 2000 US EPA Label, 6-Speed Manual Transmission, 9000 lb Front Axle, 17000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 275/80R22.5, Spring Suspension, 158 in Wheelbase, 11 ft Body, Hydraulic Stabilizers, Maintainer 4516 3 Section Electric Crane, Miller Generator Set, Miller Bobcat 225G 8000 W Diesel Welder Usage: 285,913 Mi |
| 536 | 2015 Peterbilt 337 4x2 Service Truck S/N: 2NP2HJ7X3FM263694 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 330 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10933 Engine hrs, Engine Brake, Eaton Fuller FRO-11210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 4.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, IMT 14 ft Body, Hydraulic Stabilizers, IMT 6025 10500 lb 3 Section Crane, IMT Hydraulic Air Compressor, Air Hose Reel Usage: 174,969 Mi | 540 | 2015 Ford F-550 XL 4x2 Extended Cab Service Truck S/N: 1FD0X5GT9FEC80680 C/W: V8 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 186 in Wheelbase, PTO, Khapheide 11 ft Body, Hydraulic Stabilizers, Stellar 7621 7500 lb 3 Section Hydraulic Crane, Hydraulic Air Compressor, Air Hose Reel, Miller Trailblazer 302 Air Pak Gasoline Welder Usage: 194,513 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 542 | 2012 Ford F-550 XL 4x2 Service Truck S/N: 1FDUF5GT3CEB54878 C/W: V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, Steele, 225 /70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 165 in Wheelbase, 10 ft Body, 15.7 cfm Gasoline Air Compressor, 5000 W 170 A Gasoline Welder, (1) Fuel Tank, (1) Oil Tank, (1) Hydraulic Tank Usage: 83,761 Mi | 549 | 2017 GMC Sierra 3500HD 4x4 Crew Cab Utility Truck S/N: 1GD42VCY7HF214868 C/W: V8 6.6 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 5600 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235 /80R17, Spring Suspension, 172 in Wheelbase, 9 ft Body Usage: 91,626 Mi |
| 543 | 2012 Ram 5500 4x4 Service Truck S/N: 3C7WDNBL0CG226450 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245 /70R19.5, Spring Suspension, 170 in Wheelbase, 12 ft Body, Manual Stabilizers, Auto Crane 5005H 5000 lb 3 Section Hydraulic Crane, Gasoline Air Compressor Usage: 168,767 Mi | 550 | 2012 Chevrolet Silverado 3500HD 4x2 Crew Cab Utility Truck S/N: 1GB4CZCLXCF194593 C/W: V8 6.6 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 5200 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235 /80R17, Spring Suspension, 172 in Wheelbase, Harbor 9 ft Body Usage: 221,993 Mi |
| 544B | 2011 Ford F-450 XL 4x2 Utility Truck S/N: 1FDUF4GT5BEC86906 C/W: V8 6.7 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft Body Usage: 77,079 Mi | 551 | 2008 Ford F-350 XL 4x2 Extended Cab Utility Truck S/N: 1FDWX34538EB35836 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 4250 lb Front Axle, 6693 lb Rears, 10400 lb GVWR, 275 /65R18, Spring Suspension, 162 in Wheelbase, Scelzi Body Usage: 150,540 Mi |
| 544 | 2007 Ford F-550 XL 4x2 Utility Truck S/N: 1FDAF56P47EB49654 C/W: Powerstroke V8 6.0 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Knapheide 6132D54FJ 11 ft Body, Auto Crane 3203 PRX 3200 lb 3 Section Hydraulic Crane Usage: 158,354 Mi | 552 | 2008 Ford F-350 XL 4x2 Utility Truck S/N: 1FDWF36R38EB08140 C/W: V8 6.4 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, 245 /75R17, Spring Suspension, 165 in Wheelbase, 20 ft Body Usage: 304,523 Mi |
| 545 | 2010 Ford F-450 XL 4x4 Utility Truck S/N: 1FDAF4HR0AEA02554 C/W: Powerstroke V8 Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, Knapheide 9 ft Body, Winch Usage: 125,745 Mi | 553B | 2007 Ford F-250 XL 4x2 Utility Truck S/N: 1FTSF20P67EA10142 C/W: V8 6.0 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 4250 lb Front Axle, 6100 lb Rears, 9400 lb GVWR, 265/70R17, Spring Suspension, 137 in Wheelbase, 8 ft Body Usage: 314,711 Mi |
| 547 | 2008 Dodge Ram 3500 4x4 Utility Truck S/N: 3D6WH46A98G202329 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Exhaust Brake, Automatic Transmission, 5200 lb Front Axle, 9350 lb Rears, 12500 lb GVWR, 235/80R17, Spring Suspension, 143 in Wheelbase, 9 ft Body Usage: 209,544 Mi | 553 | 2005 Ford F-350 XL 4x2 Utility Truck S/N: 1FDSF30555EC60257 C/W: V8 5.4 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 3800 lb Front Axle, 6830 lb Rears, 10000 lb GVWR, 275 /65R18, Spring Suspension, 137 in Wheelbase, 8 ft Body Usage: 152,172 Mi |
| 548 | 1990 GMC 2500 4x2 Utility Truck S/N: 1GDE6D1F1LV505269 C/W: V8 8.2 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 17000 lb GVWR, 8R19.5, Spring Suspension, 124 in Wheelbase, 8 ft Body Usage: 114,009 Mi | 554 | 2013 Ford F-650 XL 4x2 Flatbed Dump Truck S/N: 3FRWF6FL6DV784407 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 300 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 7-Speed Manual Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, Scelzi 14 ft Long x 1 ft High Steel Body, Flat Bed, Pintle Hitch Usage: 69,880 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 555 | 1997 Ford F-Series 4x4 Flatbed Dump Truck S/N: 1FDLF47FXVED04570 C/W: V8 7.3 L Diesel 225 hp Engine, 1987 US EPA Label, 5-Speed Manual Transmission, 5000 lb Front Axle, 11000 lb Rears, 16000 lb GVWR, LT235/85R16, Spring Suspension, 185 in Wheelbase, 15 ft Long Body, Flat Bed Usage: 257,425 Mi | 560 | 2012 Ford F-550 XL 4x2 Flatbed Truck S/N: 1FDUF5GT3CEC73577 C/W: Powerstroke V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed, Pintle Hitch Usage: 201,264 Mi |
| 556 | 2006 Kenworth T300 4x2 Flatbed Truck S/N: 2NKMHD6X06M131641 C/W: Cat C7 6 Cylinder 7.2 L Diesel 250 hp Engine, 8582 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 21060 lb Rears, 4.88:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 248 in Wheelbase, 23 ft x 102 in Bed, Liftgate Usage: 263,850 Mi | 561 | 2016 Ford F-450 XL 4x2 Flatbed Truck S/N: 1FDUF4GT8GED42196 C/W: V8 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 12 ft x 96 in Bed Usage: 137,294 Mi |
| 557 | 2008 Freightliner M2 106 4x2 Flatbed Truck S/N: 1FVACWDT58DZ90610 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2007 US EPA Label, Allison Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, 5.57:1 Axle Ratio, 26000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, 24 ft x 96 in Bed, Liftgate Usage: 298,248 Mi | 562 | 2007 Chevrolet C4500 4x2 Flatbed Truck S/N: 1GBE4C1987F418455 C/W: V8 Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 17500 lb GVWR, Aluminum Wheels, 225/70R19.5, 14 ft x 89 in Bed, Arrow Board Usage: 225,317 Mi |
| 558A | 2019 International 4x2 Flatbed Truck S/N: 3HAMMMML5KL010333 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 255 in Wheelbase, 25 ft x 96 in Bed, Liftgate Usage: 110,392 Mi | 564 | 2005 Ford F-350 XL 4x2 Extended Cab Flatbed Truck S/N: 1FDWX36P95EB18033 C/W: V8 6.0 L Diesel 325 hp Engine, 2005 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, 245/75R17, Spring Suspension, 162 in Wheelbase, 12 ft x 96 in Bed Usage: 101,045 Mi |
| 558 | 2004 Sterling Acterra 6x4 Flatbed Truck S/N: 2FZHCHDC64AN15627 C/W: Cat C7 6 Cylinder 7.2 L Diesel 275 hp Engine, 2004 US EPA Label, Exhaust Brake, Allison MD-3066P 6-Speed Automatic Transmission, Double Differential Locks, 14700 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 5.86:1 Axle Ratio, 295/75R22.5, Airliner Suspension, 224 in Wheelbase, PTO Usage: 169,478 Mi | 565 | 2005 Dodge Ram 2500 4x4 Extended Cab Flatbed Truck S/N: 3D7KS28C95G763110 C/W: 6 Cylinder 5.9 L Diesel Engine, 2004 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 6010 lb Rears, 9000 lb GVWR, LT285/55R20, Spring Suspension, 156 in Wheelbase, 8 ft x 96 in Bed Usage: 326,114 Mi |
| 559 | 2006 International 4300 SBA 4x2 Flatbed Truck S/N: 1HTMMAAM66H180305 C/W: International MaxxForce DT466 6 Cylinder 7.6 L Diesel 210 hp Engine, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 5.57:1 Axle Ratio, 25500 lb GVWR, Steel, 11R22.5, Spring Suspension, 206 in Wheelbase, 18 ft x 96 in Bed Usage: 386,996 Mi | 567A | 1992 Peterbilt 378 6x4 Cab and Chassis S/N: 1XPFPR9X2ND320753 C/W: Detroit 6 Cylinder Diesel 435 hp Engine, Engine Brake, Eaton Fuller Manual Transmission, Aluminum Wheels, 11R24.5, Air Ride Suspension, 226 in Wheelbase, 135 in Cab to Axle, Headache Rack Usage: 1,069,783 Mi |
| 560A | 2008 Ford F-550 XL 4x2 Flatbed Truck S/N: 1FDAF56R58EE17050 C/W: V8 6.4 L Diesel Engine, US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 201 in Wheelbase, PTO, 11 ft x 96 in Bed, Stake Sides Usage: 182,380 Mi | 567 | 1977 Ford 700 4x2 Flatbed Truck S/N: N70EV045120 C/W: Cat 1140 V8 Diesel Engine, 5-Speed Manual Transmission, 7000 lb Front Axle, 16160 lb Rears, 23000 lb GVWR, 9.00R20, Spring Suspension, 204 in Wheelbase, 18 ft x 94 in Bed Usage: 51,508 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 568 | 2007 Sterling LT9500 6x4 Cab and Chassis S/N: 2FZHAZDE37AY66402 C/W: Cat C13 6 Cylinder 12.5 L Diesel 430 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 4.33:1 Axle Ratio, 58000 lb GVWR, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Suspension, 148 in Cab to Axle Usage: 236,149 Mi | 581 | 2001 BlueBird 4x2 52-Seat School Bus S/N: 1BABKBPA91F202650 C/W: Cummins ISB 260 6 Cylinder 5.9 L Diesel 260 hp Engine, 2001 US EPA Label, Allison Automatic Transmission, 2717 hrs Carrier Engine, 11R22.5, Spring Suspension, 246 in Wheelbase Usage: 183,609 Mi |
| 572 | 2006 Hino 268 4x2 Cab and Chassis S/N: 5PVNE8JT662S12378 C/W: Hino J08E-TA 6 Cylinder 7.7 L Diesel 220 hp Engine, 2005 US EPA Label, 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 29000 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, 186 in Cab to Axle Usage: 335,405 Mi | 582B | 2018 Chevrolet Silverado 3500HD 4x4 Crew Cab Pickup S/N: 1GC4KYCG4JF243716 C/W: 6.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R18 Tires, 8 ft Bed Usage: 128,856 Mi |
| 573 | 1988 International 1954 4x2 Cab and Chassis S/N: 1HTLDMJN6JH565751 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 1987 US EPA Label, Manual Transmission, 11R22.5, Spring Suspension, 188 in Wheelbase, 120 in Cab to Axle Usage: 213,630 Hr | 582 | 2000 BlueBird 4x2 52-Seat School Bus S/N: 1BABKBXA3YF093175 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel Engine, Allison Automatic Transmission, 11R22.5, Spring Suspension, 246 in Wheelbase Usage: 205,841 Mi |
| 574 | 2009 Ford F-750 XL 4x2 Cab and Chassis S/N: 3FRWF75W39V158158 C/W: Cat C7 6 Cylinder 7.2 L Diesel 230 hp Engine, 2008 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, 120 in Cab to Axle Usage: 69,953 Mi | 583 | 2016 Ford F-350 XL 4x4 Crew Cab Pickup S/N: 1FT8W3B64GED30273 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 285/70R17 Tires, 6 ft 8 in Bed Usage: 125,538 Mi |
| 575 | 2009 Ford F-750 XL 4x2 Cab and Chassis S/N: 3FRWF75WX9V157265 C/W: Cat C7 6 Cylinder 7.2 L Diesel 230 hp Engine, 2008 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, 124 in Cab to Axle Usage: 78,522 Mi | 584 | 2015 Ram 3500 4x4 Crew Cab Pickup S/N: 3C63R3GL4FG678072 C/W: 6.7 L 6 Cylinder Diesel Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, Spray-On Bed Liner, 295/65R20 Tires, 8 ft Bed Usage: 156,220 Mi |
| 576 | 2016 Ram 5500 4x4 Crew Cab Cab and Chassis S/N: 3C7WRNFL6GG130209 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 7250 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, 86 in Cab to Axle Usage: 201,394 Mi | 585 | 2012 Ford F-350 Lariat 4x4 Crew Cab Pickup S/N: 1FT8W3BT0CEA70146 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, Tool Box, Spray-On Bed Liner, 275/70R18 Tires, 6 ft 8 in Bed , Requires Diesel Exhaust Fluid Usage: 337,497 Mi |
| 580 | 2003 International RE3000 4x2 52-Seat School Bus S/N: 4DRBJAAN63A952632 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, Allison Automatic Transmission, 9704 hrs Carrier Engine, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 226 in Wheelbase Usage: 167,804 Mi | 586 | 2011 Ford F-350 XL 4x4 Crew Cab Pickup S/N: 1FT7W3B69BEB66894 C/W: 6.2 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 150,036 Mi |
| | | 587 | 2004 GMC Sierra 3500 4x4 Crew Cab Pickup S/N: 1GTHK33274F210948 C/W: 6.6 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 285 /75R16 Tires, 8 ft Bed Usage: 359,015 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 589C | 2015 Ford F-250 XL 4x4 Crew Cab Pickup S/N: 1FT7W2B64FEC90166 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, LT265/70R17 Tires, 6 ft 8 in Bed Usage: 144,927 Mi | 597 | 2010 Chevrolet Silverado 2500HD 4x2 Extended Cab Pickup S/N: 1GC5CVBGXAZ232378 C/W: 6.0 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, 105 gal Fuel Tank /w Pump, Spray-On Bed Liner, LT265/75R16 Tires, 8 ft 3 in Bed Usage: 141,336 Mi |
| 589A | 2018 Chevrolet Silverado 2500HD 4x4 Crew Cab Pickup S/N: 1GC1KUEG4JF234717 C/W: 6.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 285/70R17 Tires, 8 ft Bed Usage: 138,437 Mi | 598 | 2006 Ford F-250 XL 4x2 Extended Cab Pickup S/N: 1FTSX20586ED70572 C/W: 5.4 L V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fuel Tank /w Pump, 245/75R17 Tires, 8 ft Bed Usage: 307,246 Mi |
| 589 | 2008 GMC Sierra 3500HD SLT 4x4 Crew Cab Pickup S/N: 1GTHK33688F185907 C/W: 6.6 L V8 Diesel Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Truck Cap, Bed Liner, 33X12.50R20 Tires, 8 ft Bed Usage: 182,960 Mi | 600B | 2008 Ford F-250 XLT 4x4 Extended Cab Pickup S/N: 1FTSX21R08EB86618 C/W: 6.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, 275/70R18 Tires, 8 ft Bed Usage: 216,788 Mi |
| 590 | 2013 GMC Sierra 2500 4x4 Crew Cab Pickup S/N: 1GT12ZCG0DF232919 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 5 in Bed Usage: 133,050 Mi | 600 | 2015 Ford F-250 XL 4x2 Regular Cab Pickup S/N: 1FTBF2A66FEA46353 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 215,287 Mi |
| 591 | 2013 Ford F-250 4x4 Crew Cab Pickup S/N: 1FT7W2B63DEB32205 C/W: 6.2 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 123,844 Mi | 601B | 2013 Ford F-250 XL 4x2 Regular Cab Pickup S/N: 1FTBF2A60DEA40514 C/W: 6.2 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 106,888 Mi |
| 592 | 2012 Ford F-250 XLT 4x4 Crew Cab Pickup S/N: 1FT7W2BT5CEC94843 C/W: 6.7 L Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 265/70R17 Tires, 6 ft 8 in Bed Usage: 245,780 Mi | 602B | 2006 Ford F-250 XL 4x2 Regular Cab Pickup S/N: 1FTSF20P06ED93705 C/W: 6.0 L V8 Diesel Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 294,754 Mi |
| 594 | 2013 Ford F-250 XL 4x4 Regular Cab Pickup S/N: 1FTBF2B66DEB52751 C/W: 6.2 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, LT265/70R17 Tires, 8 ft Bed Usage: 147,398 Mi | 602A | 2005 Ford F-250 XL 4x2 Regular Cab Pickup S/N: 1FTSF20P65ED19171 C/W: 6.0 L V8 Diesel Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 265,818 Mi |
| 596 | 2013 Chevrolet Silverado 2500HD LT 4x2 Extended Cab Pickup S/N: 1GC2CXCG4DZ290018 C/W: 6.0 L V8 Gasoline Engine, 2013 US EPA Label, Air Conditioner, Power Windows, 8 ft Bed Usage: 186,122 Mi | 602 | 2012 Ford F-250 XL 4x2 Regular Cab Pickup S/N: 1FTBF2A62CEC55875 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Bed Liner, 245 /75R17 Tires, 8 ft Bed Usage: 185,108 Mi |
| | | 603B | 2016 Ford F-150 XL 4x4 Crew Cab Pickup S/N: 1FTEW1EF0GKE99887 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 100,451 Mi |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 604 | 2013 Ford F-150 XLT 4x4 Crew Cab Pickup S/N: 1FTFW1EF5DKD73945 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Roll-N-Lock Truck Cap, Drop-In Bed Liner, 265/70R17 Tires, 5 ft 6 in Bed Usage: 212,189 Hr | 610 | 2015 Chevrolet Silverado 1500 LT 4x2 Crew Cab Pickup S/N: 3GCPREC0FG448238 C/W: 5.3 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 275/65R16 Tires, 6 ft Bed Usage: 112,042 Mi |
| 605F | 2016 Ford F-150 XL 4x4 Crew Cab Pickup S/N: 1FTEW1EF5GKE99884 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 102,134 Mi | 612 | 2014 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTFX1CF1EKF40769 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 82,304 Mi |
| 605D | 2017 Ford F-150 XL 4x4 Extended Cab Pickup S/N: 1FTFX1EF8HKD20904 C/W: 5.0 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, LT265/70R17 Tires, 6 ft 8 in Bed Usage: 91,381 Mi | 613 | 2013 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM4DFC81633 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 8 in Bed Usage: 243,892 Mi |
| 605C | 2018 Chevrolet Silverado 1500 4x4 Extended Cab Pickup S/N: 1GCVKNEC0JZ339905 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires Usage: 124,818 Mi | 614 | 2012 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM7CKD14890 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, LT245/65R17 Tires, 6 ft 8 in Bed Usage: 199,034 Mi |
| 605B | 2018 Chevy Silverado 1500 4x4 Extended Cab Pickup S/N: 1GCVKNEC1JZ253390 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 101,725 Mi | 615 | 2012 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM9CFA89770 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 245/70R17 Tires, 6 ft 8 in Bed Usage: 205,650 Mi |
| 606 | 2014 Ford F-150 XL 4x4 Extended Cab Pickup S/N: 1FTFX1EF4EKE33731 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/75R18 Tires, 6 ft 6 in Bed Usage: 221,708 Mi | 616 | 2011 Ford F-150 XL 4x2 Extended Cab Pickup S/N: 1FTEX1CM8BFC21688 C/W: 3.7 L V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, LT265/70R17 Tires, 6 ft 8 in Bed Usage: 219,578 Mi |
| 607 | 2012 Ford F-150 XL 4x4 Extended Cab Pickup S/N: 1FTFX1EF3CFB16187 C/W: 5.0 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 6 ft 7 in Bed Usage: 122,961 Mi | 617A | 2015 Ford F-150 XL 4x2 Regular Cab Pickup S/N: 1FTMF1C89FKE52310 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 245/70R17 Tires, 8 ft Bed Usage: 134,979 Mi |
| 609 | 2016 Dodge 1500 4x2 Extended Cab Pickup S/N: 1C6RR6ZM2GS243157 C/W: 3.0 L V6 Diesel Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather guard Tool Box, 275/60R20 Tires, 6 ft 6 in Bed Usage: 106,247 Mi | 617 | 2010 Ford F-150 STX 4x2 Extended Cab Pickup S/N: 1FTEX1CWXAKE69562 C/W: 4.6 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 204,133 Mi |
| | | 618 | 2008 GMC Sierra 1500 4x2 Regular Cab Pickup S/N: 1GTEC14C38E162646 C/W: 4.8 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 256/70R17 Tires, 8 ft Bed Usage: 233,488 Mi |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 619 | 2005 Ford F-150 XL 4x2 Regular Cab Pickup S/N: 1FTRF12215NB72607 C/W: 4.2 L V6 Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Weatherguard Tool Box, LT245/75R17 Tires, 6 ft 8 in Bed Usage: 347,235 Mi | 629 | 2016 Ford Focus Automobile S/N: 1FADP3E29GL339346 C/W: 4 cyl 2.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 64,706 Mi |
| 620 | 2016 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT4GN798659 C/W: 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 235/75R15 Tires, 6 ft Bed Usage: 99,202 Mi | 630 | 2015 Ford Fusion SE Hybrid Automobile S/N: 3FA6P0LU6FR170334 C/W: 4 cyl 2.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 162,841 Mi |
| 621 | 2015 Nissan Frontier 4x2 Extended Cab Pickup S/N: 1N6BD0CT9FN761735 C/W: 4 Cylinder Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 235/75R15 Tires, 6 ft Bed Usage: 151,457 Mi | 631 | 2002 Mercedes-Benz CLK320 Convertible S/N: WDBLK65G82T128549 C/W: V6 3.2 L Gasoline Engine, US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 109,820 Mi |
| 623 | 2017 Ford Escape SE SUV S/N: 1FMCU0G92HUE36905 C/W: 4 cyl 2.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 168,697 Mi | 632 | 1987 Cozad 60 ton 22 ft 16-Wheel Expandable Axle Removable Gooseneck Lowboy Trailer S/N: 1C9G44205H1167056 C/W: Walking Beam Suspension, Air Brakes, Mechanical Removable Gooseneck, 22 ft Main Deck, 102 in Usable Deck Width, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available |
| 624 | 2015 Ford Escape SE SUV S/N: 1FMCU0G92FUB96901 C/W: 4 cyl 2.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 147,015 Mi | 633 | 2006 Murray 53 ton 16-Wheel Expandable Axle Removable Gooseneck Lowboy Trailer S/N: 1M9G452066A056425 C/W: 106000 lb GVWR, Walking Beam Suspension, Air Brakes, Mechanical Removable Gooseneck, 23 ft Main Deck, 102 in Usable Deck Width, Aluminum Outer Wheels, 215/75R17.5 Tires Usage: Not Available |
| 625 | 2014 Ford Escape SE 2WD SUV S/N: 1FMCU0GX1EUA14005 C/W: 4 cyl 1.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 168,959 Mi | 634 | 2004 Challenger RG-35 35 ton T/A Removable Gooseneck Lowboy Trailer S/N: 1W8A11E284S000413 C/W: Spring Suspension, Air Brakes, Mechanical Removable Gooseneck, 23 ft Main Deck, 3 ft Fixed Dovetail, 102 in Usable Deck Width, Self Contained Hydraulic System, Folding Side Extensions, Manual Ramps, 11R22.5 Tires Usage: Not Available |
| 626 | 2011 Ford Escape 2WD SUV S/N: 1FMCU0C70BKC63926 C/W: 4 cyl 2.5 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 171,966 Mi | 635 | 1992 Cozad T/A Heavy-Haul Jeep S/N: 1C9J24207N1476051 C/W: Fixed 5th Wheel, Walking Beam Suspension, 11R22.5 Tires Usage: Not Available |
| 627B | 1999 Chevrolet Tahoe LT 4WD SUV S/N: 1GNEK13R2XJ572196 C/W: V8 5.7 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Towing Hitch Usage: 183,002 Mi | 637 | 1981 Cozad T/A Heavy-Haul Jeep S/N: CC81021 C/W: Fixed 5th Wheel, Walking Beam Suspension, 255/70R22.5 Tires Usage: Not Available |
| 627 | 2012 Ford Expedition XLT SUV S/N: 1FMJU1H59CEF26869 C/W: V8 5.4 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 248,801 Mi | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 638 | 2013 Trail King 8880HT 48 ft T/A Hydraulic Tail Trailer S/N: 1TKA04822DM021179 C/W: 97060 lb GVWR, Air Ride Suspension, 9 ft 2 in Upper Deck, 30 ft 6 in Main Deck, 7 ft 8 in Rear Deck, 4 ft 2-Position Dovetail, 102 in Usable Deck Width, Deck Over Tires, Upper Deck Ramps, Storage Compartments, Winch, 10R17.5 Tires Usage: Not Available | 647 | 1989 Fruehauf 29 ft T/A Frameless End Dump Trailer S/N: 1H4D03027KJ046005 C/W: 68000 lb GVWR, Spring Suspension, 29 ft Body, 48 in Side Walls, Steel Body, High Lift Tailgate, 11R22.5 Tires Usage: Not Available |
| 639 | 2013 Trail King TK80HT 48 ft T/A Hydraulic Tail Trailer S/N: 1TKA04824DM021183 C/W: 97060 lb GVWR, Air Ride Suspension, 9 ft 2 in Upper Deck, 30 ft 6 in Main Deck, 7 ft 8 in Rear Deck, 4 ft 2-Position Dovetail, 102 in Usable Deck Width, Deck Over Tires, Upper Deck Ramps, Winch, 10R17.5 Tires Usage: Not Available | 648 | 1997 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6202VC971231 C/W: Spring Suspension, Air Brakes, 28 ft Body, 48 in Side Walls, Steel Body, High Lift Tailgate, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available |
| 641 | 2002 Trail King TK70HT-482 48 ft T/A Hydraulic Tail Trailer S/N: 1TKA048262M088090 C/W: 86420 lb GVWR, Air Ride Suspension, Air Brakes, 6 ft 6 in Upper Deck, 22 ft 5 in Main Deck, 8 ft 3 in Rear Deck, 7 ft 8 in 2-Position Dovetail, 100 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Storage Compartments, Winch, 235/75R17.5 Tires Usage: Not Available | 649 | 1997 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6204VS971771 C/W: Spring Suspension, Air Brakes, 28 ft Body, 42 in Side Walls, Steel Body, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |
| 642 | 2021 Smithco SX24034 34 ft T/A Side Dump Trailer S/N: 1S9SS402XML476943 C/W: 75100 lb GVWR, Air Ride Suspension, Air Brakes, 56 in Side Walls, Steel Body, Electric Roll Tarp, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available | 650 | 1997 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6207VS971781 C/W: Spring Suspension, Air Brakes, 28 ft Body, 42 in Side Walls, Steel Body, Manual Roll Tarp, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |
| 644 | 1991 Fruehauf DRXX-M2-30 30 ft T/A Frameless End Dump Trailer S/N: 1H4D03024MJ003602 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 30 ft Body, 42 in Side Walls, Steel Body, High Lift Tailgate, 11R24.5 Tires Usage: Not Available | 651 | 1997 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6206VS971772 C/W: Spring Suspension, Air Brakes, 28 ft Body, 42 in Side Walls, Steel Body, Manual Roll Tarp, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |
| 645 | 1986 Fruehauf DRX-M2-30 30 ft T/A Frameless End Dump Trailer S/N: 1H4D03025GJ026908 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 30 ft Body, 48 in Side Walls, Steel Body, High Lift Tailgate, 11R24.5 Tires Usage: Not Available | 652 | 1995 Reliance 28 ft T/A Frameless Demolition End Dump Trailer S/N: 1RESC6206SC951267 C/W: Spring Suspension, Air Brakes, 28 ft Body, 90 in Side Walls, Steel Body, Swing Tailgate, 11R24.5 Tires Usage: Not Available |
| 646 | 1985 Reliance 30 ft T/A Frameless End Dump Trailer S/N: 1RESC620XFC851095 C/W: Spring Suspension, Air Brakes, 30 ft Body, 42 in Side Walls, Steel Body, High Lift Tailgate, 11R24.5 Tires Usage: Not Available | 653 | 1987 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6206HC871475 C/W: Spring Suspension, Air Brakes, 28 ft Body, 38 in Side Walls, Steel Body, Manual Roll Tarp, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |
| | | 654 | 1984 Reliance 28 ft T/A Frameless End Dump Trailer S/N: 1RESC6204EC983901 C/W: Spring Suspension, Air Brakes, 28 ft Body, 42 in Side Walls, Steel Body, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |
| | | 655B | 1987 Reliance 27 ft T/A Frameless End Dump Trailer S/N: 1RESC6204HC871393 C/W: Spring Suspension, Air Brakes, 27 ft Body, 48 in Side Walls, Steel Body, Electric Roll Tarp, High Lift Tailgate, 11R24.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 655 | 1987 Fruehauf DRXX-M2-27 27 ft T/A Frameless End Dump Trailer S/N: 1H4D02727HJ000117 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 27 ft Body, 46 in Side Walls, Steel Body, Manual Roll Tarp, High Lift Tailgate, 11R24.5 Tires Usage: Not Available | 666 | 1978 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRV722202 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available |
| 656 | 2006 Reliance 2TROIF-21 2/Axle Transfer Trailer S/N: 5REFA52866S064294 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 15 ft 4 in Body, 48 in Side Walls, Aluminum Wheels, 455 /55R22.5 Super Single Tires, SOLD WITH - 15 ft Reliance Dump Body Usage: Not Available | 667 | 1975 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRW604401 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available |
| 657 | 1998 Allco T-20 2/Axle Transfer Trailer S/N: 1A9TC3527WC411049 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 15 ft Body, 48 in Side Walls, Steel Body, Aluminum Wheels, 11R24.5 Tires Usage: Not Available | 668 | 1974 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRR537408 C/W: 66000 lb GVWR, Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available |
| 658 | 1990 Gallaty 2/Axle Pup Sliding Transfer Trailer S/N: 1G9T23206L1029206 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, Lift 1st- Axles, 15 ft Body, 48 in Side Walls, Aluminum Body, Manual Roll Tarp, Aluminum Wheels, 11R24.5 Tires, 15 ft Dump Body Usage: Not Available | 669 | 1970 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRM411202 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available |
| 659 | 1973 Reliance 2/Axle Pup Sliding Transfer Trailer S/N: 73633 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 14 ft Body, 48 in Side Walls, Steel Body, 11R24.5 Tires Usage: Not Available | 670 | 1970 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRM413504 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available |
| 662 | 1999 CPS 32 ft T/A Belly Dump Trailer S/N: 4Z4111426XP001836 C/W: Spring Suspension, Air Brakes, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available | 671 | 2017 Dragon DBD-LT 22 ft S/A Lead Belly Dump Trailer S/N: 591SD2217HC141079 C/W: 36000 lb GVWR, Spring Suspension, Pintle Hitch, 1 Hoppers, Clam Gate, Aluminum Wheels, 385/65R22.5 Tires Usage: Not Available |
| 663 | 1999 CPS 32 ft T/A Belly Dump Trailer S/N: 4Z411142XXP001838 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available | 672 | 2006 Gallegos 20 ft S/A Lead Belly Dump Trailer S/N: 3C9BD19106G039426 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 1 Hoppers, Clam Gate, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available |
| 664 | 1986 Fruehauf 28 ft T/A Belly Dump Trailer S/N: 1H4H02828GJ002201 C/W: Spring Suspension, Air Brakes, Clam Gate, 11R24.5 Tires Usage: Not Available | 673 | 1999 Allco BD48 20 ft 2/Axle Pup Belly Dump Trailer S/N: 5CBBP3024XC000519 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available |
| 665 | 1978 Fruehauf 28 ft T/A Belly Dump Trailer S/N: FRZ722204 C/W: Spring Suspension, Air Brakes, 1 Hoppers, Clam Gate, Push Block, 11R24.5 Tires Usage: Not Available | 674 | 1977 Cox dmp 20 ft S/A Lead Aluminum Belly Dump Trailer S/N: CTC129 C/W: Aluminum Frame, Spring Suspension, Air Brakes, Pintle Hitch, 1 Hoppers, Clam Gate, Manual Roll Tarp, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |
| | | 674 | 1977 Cox dmp 20 ft 2/Axle Pup Aluminum Belly Dump Trailer S/N: CTC136 C/W: Aluminum Frame, Lunette Ring Hitch, Spring Suspension, Air Brakes, Steering 1st-Axle, 1 Hoppers, Clam Gate, Manual Roll Tarp, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 675 | 1964 Fruehauf 15 ft S/A Lead Belly Dump Trailer S/N: FRE222802 C/W: Spring Suspension, Pintle Hitch, Clam Gate, Close Under Load, 11R24.5 Tires Usage: Not Available | 683 | 1998 ITI DCS-42 42 ft x 102 in T/A Drop Frame Open-Top Chip Trailer S/N: 1Z92C4223WT029369 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 11R24.5 Tires, Electric Roll Tarp Usage: Not Available |
| 675 | 1964 Fruehauf 15 ft S/A Belly Dump Trailer S/N: FRE222602 C/W: Spring Suspension, Steering 1st- Axle, Pintle Hitch, Clam Gate, Close Under Load, 11R24.5 Tires Usage: Not Available | 684 | 1997 ITI DCS-42 42 ft x 102 in T/A Open-Top Chip Trailer S/N: 1Z92C4220VT029196 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R24.5 Tires Usage: Not Available |
| 676 | 2012 Western 45-CTSSF 45 ft T/A Moving Floor Trailer S/N: 5DN144528CB000421 C/W: 65 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available | 685F | 1999 Nu Van 48 ft T/A Curtain Side Trailer S/N: 1N9F482P9X1045627 C/W: Spring Suspension, Sliding Tandems, 295 /75R22.5 Tires Usage: Not Available |
| 677 | 2013 Western 45 ft T/A Moving Floor Trailer S/N: 5DN14482XDB000143 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Tandems, Lead On-Board Scale Usage: Not Available | 685D | 2005 Wilson 48 ft 2/Axle Spread Axle Curtain Side Trailer S/N: 4WWBG06B75N609172 C/W: 89250 lb GVWR, Air Ride Suspension, 275 /70R22.5 Tires Usage: Not Available |
| 678B | 2009 Cornhusker 43 ft T/A Live Bottom Grain Trailer S/N: 1T92C422X90007809 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, 42 ft Box, 72 in, Side Walls, Manual Roll Tarp, Aluminum Wheels, 11R22.5 Tires Usage: Not Available | 685C | 2008 Utility TS2CHA 48 ft T/A Spread Axle Curtain Side Trailer S/N: 1UYFS24808A294247 C/W: Air Ride Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available |
| 678 | 2013 Western 45-CTSSF 44 ft T/A Aluminum Moving Floor Trailer S/N: 5DN154424DB000965 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: Not Available | 685B | 2008 Utility 48 ft T/A Spread Axle Curtain Side Trailer S/N: 1UYFS24898A294246 C/W: 80000 lb GVWR, Air Ride Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available |
| 679 | 1992 Polar 7000 gal T/A Tanker Trailer S/N: 1PMC1422XN2011756 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Aluminum Tank, Gasoline Powered Pump, Aluminum Wheels, 11R22.5 Tires Usage: Not Available | 685 | 1999 ITI DCS-42 42 ft x 100 in T/A Open-Top Chip Trailer S/N: 1Z92C4223XT029244 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 285/75R24.5 Tires, Electric Roll Tarp Usage: Not Available |
| 680 | 1979 Brenner 7000 gal T/A Tanker Trailer S/N: 4803 C/W: Spring Suspension, Aluminum Tank, Gasoline Powered Pump, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available | 686 | 1985 Aztec 45 ft T/A Curtain Side Trailer S/N: 1AZBM1A15F1015806 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available |
| 681 | Trailmobile B 2800 gal S/A Lead Tanker Trailer S/N: 205041 C/W: Spring Suspension, Air Brakes, Pintle Hitch, Stainless Steel Tank, 11R24.5 Tires Usage: Not Available | 687 | 2005 Wilson CF900 45 ft T/A Spread Axle Curtain Side Trailer S/N: 4WWBG03B15M608397 C/W: 40105 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |
| 682 | 1999 ITI DCS-42 42 ft x 102 in T/A Drop Frame Open-Top Chip Trailer S/N: 1Z92C4229XT029233 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 285/75R24.5 Tires, Manual Roll Tarp Usage: Not Available | 688 | 1991 E.C.S.A. 27 ft S/A Moving Floor Trailer S/N: 3E9WX2718MR001029 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 11R24.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 689 | 2013 Maure 45 ft T/A Step Deck Trailer S/N: 1M9KD4522DS152108 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 11 ft Upper Deck, 28 ft Main Deck, 5 ft Fixed Dovetail, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 255 /70R22.5 Tires Usage: Not Available | 697 | 1980 Great Dane 40 ft T/A Flatbed Trailer S/N: M25641 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 285/75R24.5 Tires Usage: Not Available |
| 690 | 2001 Fontaine 48 ft T/A Extendable Flatbed Trailer S/N: 13N4482C411595888 C/W: Spring Suspension, Sliding Tandems, 94 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 698 | 1979 Aztec FCB 40 ft T/A Flatbed Trailer S/N: 4779 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available |
| 691 | 1987 Utility T/A Flatbed Trailer S/N: 1UYFS2451HA809875 C/W: Spring Suspension, Air Brakes, Sliding Tandems, 96 in Deck Width, Bulkhead, Wood Flooring, Aluminum Wheels, 11R24.5 Tires Usage: Not Available | 699 | 1973 Motac HLPTP-23-40-LH 40 ft T/A Flatbed Trailer S/N: 7M331783 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available |
| 692 | 1985 Fruehauf PF-F2-45 45 ft T/A Spread Axle Flatbed Trailer S/N: 1H4P04522FJ029601 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available | 700 | 1971 Fruehauf 40 ft T/A Flatbed Trailer S/N: FRN439602 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available |
| 693A | 1995 Wilson 44 ft T/A Spread Axle Flatbed Trailer S/N: 1W1BGB3B1SE308108 C/W: Air Ride Suspension, Air Brakes, 95 in Deck Width, Aluminum Flooring, Aluminum Wheels, 275/80R22.5 Tires Usage: Not Available | 701 | 1972 Fruehauf 38 ft T/A Flatbed Trailer S/N: MEP326149 C/W: Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 285/75R24.5 Tires Usage: Not Available |
| 693 | 1984 Raven 45 ft T/A Spread Axle Flatbed Trailer S/N: 1R1F14528EE840447 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 96 in Deck Width, Aluminum Flooring, 285/75R24.5 Tires Usage: Not Available | 702 | 2001 Utility 24 ft S/A Lead Flatbed Trailer S/N: 1UYFS12911A513003 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 95 in Deck Width, Wood Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |
| 694 | 1979 Fruehauf FF-F2-42 42 ft T/A Flatbed Trailer S/N: FRV744850 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available | 703 | 1977 Trailmobile P21T-9AAC 24 ft S/A Lead Flatbed Trailer S/N: S51218 C/W: 38000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available |
| 695 | 1966 Reliance 42 ft T/A Spread Axle T/A Flatbed Trailer S/N: 66621 C/W: Air Ride Suspension, Air Brakes, 295 /75R22.5 Tires Usage: Not Available | 704 | 1977 Trailmobile 24 ft S/A Lead Flatbed Trailer S/N: S51221 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available |
| 696 | 1980 Great Dane 42 ft T/A Flatbed Trailer S/N: M25646 C/W: 70000 lb GVWR, Spring Suspension, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available | 705 | 1975 Delta 24 ft S/A Lead Flatbed Trailer S/N: CMW1298T C/W: Spring Suspension, Pintle Hitch, 96 in Deck Width, Wood Flooring, 11-24.5 Tires Usage: Not Available |
| | | 706 | 1975 Delta 24 ft S/A Lead Flatbed Trailer S/N: CMW1296T C/W: 32000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 707 | 1973 Fruehauf PFF-W1-24 24 ft S/A Lead Flatbed Trailer S/N: FRR517014 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 716B | 2015 Utility VS2RA 52 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS252XGU667801 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Lift Gate, 2016 Carrier 7300X4 Refrigeration Unit, 13935 Engine Run Hours, Aluminum Wheels, 11R22.5 Tires Usage: 13,935 Hr |
| 708 | 1970 Fruehauf PFF-W1-24 24 ft S/A Lead Flatbed Trailer S/N: FRM397002 C/W: 41000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 716A | 2015 Utility VS2RA 52 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2522GU667808 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Lift Gate, 2016 Carrier 7300 X4 Refrigeration Unit, 6003 Engine Run Hours, Aluminum Wheels, 11R22.5 Tires Usage: 13,991 Hr |
| 709 | 1969 Trailmobile 24 ft S/A Lead Flatbed Trailer S/N: E20224 C/W: Spring Suspension, Air Brakes, 87 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available | 716 | 2015 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2531FU099106 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Ducted Floor, Carrier X2100 Refrigeration Unit, 22928 Engine Run Hours, 295/75R22.5 Tires Usage: 22,928 Hr |
| 710 | 1969 Brown 24 ft S/A Lead Flatbed Trailer S/N: S1564 C/W: Spring Suspension, Air Brakes, 95 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 717 | 2015 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2539FU161710 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Front/Rear Vents, Carrier 2100 APX Refrigeration Unit, 20364 Engine Run Hours, 295/75R22.5 Tires Usage: 20,364 Hr |
| 711 | 1969 Utility 24 ft S/A Lead Flatbed Trailer S/N: 6L92166001 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available | 719A | 2014 Wabash 53 ft x 102 in T/A Refrigerated Trailer S/N: 1JJV532B0EL788895 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Ducted Floor, Carrier X2500A Refrigeration Unit, 27749 Engine Run Hours, Aluminum Wheels, 295 /75R22.5 Tires Usage: 32,091 Hr |
| 712 | 1968 Continental 24 ft S/A Lead Flatbed Trailer S/N: 6C840211 C/W: Spring Suspension, Air Brakes, Pintle Hitch, 96 in Deck Width, Wood Flooring Usage: Not Available | 719 | 2014 Utility 53 ft T/A Refrigerated Trailer S/N: 1UYVS2530EU037601 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King S600 Refrigeration Unit, 295 /75R22.5 Tires Usage: 17,925 Hr |
| 713 | Spcns 24 ft S/A Lead Flatbed Trailer S/N: DR1012591T C/W: Spring Suspension, Pintle Hitch, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available | 720 | 2013 Great Dane SUP111431053 53 ft x 102 in T/A Refrigerated Trailer S/N: 1GRAA0625DW701796 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Carrier X2500 Refrigeration Unit, 295 /75R22.5 Tires Usage: 28,872 Hr |
| 714 | 2016 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2534GU399319 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Ducted Floor, Front/Rear Vents, 2015 Carrier X4 7300 Refrigeration Unit, 21320 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 31,600 Hr | | |
| 716C | 2015 Utility VS2RA 52 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2527GU667805 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Lift Gate, 2016 Carrier 7300X4 Refrigeration Unit, 13824 Engine Run Hours, Aluminum Wheels, 11R22.5 Tires Usage: 26,270 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 721 | 2013 Great Dane 53 ft T/A Refrigerated Trailer S/N: 1GRAA0627DW701752 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Ducted Floor, Carrier X2500A Refrigeration Unit, 295 /75R22.5 Tires Usage: 25,772 Hr | 729B | 2000 Trailmobile 53 ft x 102 in T/A Refrigerated Trailer S/N: 1PT01ADH4Y8000714 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Ducted Floor, Front/Rear Vents, Thermo King SB-III Max Refrigeration Unit, Aluminum Wheels, 285/75R24.5 Tires Usage: Not Available |
| 723 | 2010 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS253XAU867237 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Ducted Floor, Front/Rear Vents, Thermo King SB-210 Refrigeration Unit, 22669 Engine Run Hours, 285/75R24.5 Tires Usage: 22,669 Hr | 729 | 2002 Utility 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS25382U817955 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Tandems, Thermo King SB-III SR+ Refrigeration Unit Usage: Not Available |
| 724A | 2010 Utility VS2RA 53 ft T/A Refrigerated Trailer S/N: 1UYVS2534AU867234 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Ducted Floor, Front/Rear Vents, Thermo King SB-210+ Refrigeration Unit, 34016 Engine Run Hours, 285/75R24.5 Tires Usage: 34,016 Hr | 730 | 2017 Utility VS1RA 28 ft S/A Refrigerated Trailer S/N: 1UYVS1286HU823207 C/W: 37000 lb GVWR, Air Brakes, Pintle Hitch, Carrier 7300 X4 Refrigeration Unit, 6720 Engine Run Hours, Aluminum Wheels, 11R22.5 Tires Usage: 6,720 Hr |
| 724 | 2010 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS2539AU944213 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Front/Rear Vents, Thermo King SB-210+ Refrigeration Unit, 27735 Engine Run Hours, 295/75R22.5 Tires Usage: 27,735 Hr | 731 | 2007 Utility VS2DX 53 ft x 102 in T/A Van Trailer S/N: 1UYVS25347G311707 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available |
| 725 | 2008 Utility VS2RA 53 ft T/A Refrigerated Trailer S/N: 1UYVS25368U359311 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Front/Rear Vents, Thermo King SB-230 Refrigeration Unit, 37366 Engine Run Hours, 295/75R22.5 Tires Usage: 37,366 Hr | 732 | 2009 Utility VS2DX 53 ft x 102 in T/A Van Trailer S/N: 1UYVS25319P713901 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available |
| 727 | 2006 Wabash 53 ft x 102 in T/A Refrigerated Trailer S/N: 1JJV532W26L000140 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Front/Rear Vents, Carrier Refrigeration Unit, 28855 Engine Run Hours, 295/75R22.5 Tires Usage: 40,738 Hr | 733 | 2008 Hyundai VI2530152-AJS 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C28T195018 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available |
| 728 | 2006 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer S/N: 1UYVS25306U972814 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Ducted Floor, Thermo King SB-200 Refrigeration Unit, 295 /75R22.5 Tires Usage: Not Available | 734 | 2006 Hyundai 53 ft x 102 in T/A Van Trailer S/N: 3H3V532C26T021009 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, 275 /80R22.5 Tires Usage: Not Available |
| | | 735 | 2006 Great Dane 53 ft T/A Van Trailer S/N: 1GRAA06286B701477 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Aluminum Wheels, 11R22.5 Tires Usage: Not Available |
| | | 736 | 1997 Great Dane 53 ft T/A Van Trailer S/N: 1GRAA062XVB084923 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 285/80R24.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 737 | 1996 Strick 53 ft T/A Van Trailer S/N: 1S12E9534TE402686 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available | 741C | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96288K202556 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available |
| 738F | 2012 Great Dane 48 ft x 102 in T/A Van Trailer S/N: 1GRAA9623CK221220 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 741B | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96228K202553 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available |
| 738D | 2012 Great Dane 48 ft T/A Van Trailer S/N: 1GRAA9622CK221094 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 741 | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96288G347826 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Tandems, Lift Gate, 295/75R22.5 Tires Usage: Not Available |
| 738C | 2019 Snake River 10 ft T/A Equipment Trailer S/N: 5PTBF1029K1032174 C/W: 8800 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available | 742 | 2003 Wabash DVDBHPC 40 ft S/A Van Trailer S/N: 1JJV402W13L839418 C/W: 68000 lb GVWR, Spring Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available |
| 738B | 2012 Great Dane 48 ft T/A Van Trailer S/N: 1GRAA9629CK221111 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available | 743B | 2009 Stoughton 28 ft x 102 in S/A Van Trailer S/N: 1DW1A28179S133702 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Front/Rear Vents, 295 /75R22.5 Tires Usage: Not Available |
| 738 | 1996 Strick 53 ft T/A Van Trailer S/N: 1S12E953XTE402725 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available | 743 | 1980 Trailmobile 40 ft T/A Van Trailer S/N: 1PT011ZK0A9000780 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 11R22.5 Tires Usage: Not Available |
| 739 | 2008 Great Dane SSL-1313-02048 48 ft T/A Van Trailer S/N: 1GRAA96298K202579 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available | 744 | 2003 Wabash DVCVHPC 32 ft S/A Van Trailer S/N: 1JJV241W23L839152 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available |
| 740 | 2008 Great Dane 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96238G347491 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Tandems, Lift Gate, 295/75R22.5 Tires Usage: Not Available | 745 | 2009 Stoughton DVW-285S-C-WDG 28 ft S/A Van Trailer S/N: 1DW1A28149S133706 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available |
| 741F | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96218G347005 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 747L | 2007 Great Dane 7441-SSLW 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56107K289917 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, Front/Rear Vents, 295 /75R22.5 Tires Usage: Not Available |
| 741D | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96278K202600 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 747K | 2007 Great Dane 7441-SSLW 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56197K289513 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 747J | 2008 Great Dane SSL131102028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56198D432627 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available | 748D | 2009 Silver Eagle S/A Dolly S/N: 1U3JY80139BJ00042 C/W: 20000 lb GVWR, 295/75R22.5 Tires Usage: Not Available |
| 747H | 2007 Great Dane 28 ft S/A Van Trailer S/N: 1GRAA561X7K290153 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available | 748C | 2009 Silver Eagle V2ST20W S/A Dolly S/N: 1U3JY80109BJ00225 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available |
| 747G | 2007 Great Dane 28 ft S/A Van Trailer S/N: 1GRAA56137K290110 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available | 748B | 2010 Silver Eagle S/A Dolly S/N: 1U3JY7818ABJ00315 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available |
| 747F | 2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer S/N: 1GRAA56148D432468 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available | 748 | 1979 (unverified) Strick 7400NFF-NG Container Trailer S/N: P634275 C/W: Spring Suspension, Air Brakes Usage: Not Available |
| 747D | 2008 Great Dane SSL-1313-02048 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96218K202561 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 749 | 2005 Rancho T/A Dolly S/N: 1R9SP12035L008201 C/W: 40000 lb GVWR, Spring Suspension, Aluminum Wheels, 385/65R22.5 Tires Usage: Not Available |
| 747C | 2008 Great Dane 28 ft S/A Van Trailer S/N: 1GRAA56128K201919 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available | 751 | 2000 Big Tex Tri/A Open Car Carrier Trailer S/N: 16VCX4934Y1520564 C/W: 18000 lb GVWR, Spring Suspension, Electric Brakes, ST235/85R16 Tires Usage: Not Available |
| 747B | 2008 Great Dane 48 ft x 102 in T/A Van Trailer S/N: 1GRAA96208K202552 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available | 752 | 2023 Neks R24FT T/A Tilt Deck Trailer S/N: 3S9N1GH23PC103001 C/W: 13227 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 22 ft Deck Length, 82 in Deck Width, ST235/80R16 Tires Usage: Not Available |
| 747 | 2003 Wabash 32 ft S/A Van Trailer S/N: 1JJV241W23L839202 C/W: 68000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available | 753D | 2014 JLG 7610 9 ft T/A Ground Load Trailer S/N: 5DYAA52L3EC006686 C/W: Ball Hitch, Spring Suspension, Surge Brakes, ST225/75R15 Tires Usage: Not Available |
| 748H | 2007 Silver Eagle S/A Dolly S/N: 1U3JX80117BJ15977 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available | 753C | 2014 Best TB82X16 16 ft T/A Tilt Deck Trailer S/N: 1B9TB2127E1245762 C/W: Lunette Ring Hitch, Torsion Axle, Surge Brakes, 16 ft Deck Length, 81 in Deck Width, ST235/80R16 Tires Usage: Not Available |
| 748G | 2007 Silver Eagle S/A Dolly S/N: 1U3JX801X7BJ15833 C/W: 20000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available | 753B | 2016 Felling FT-10IT-I-G 18 ft T/A Tilt Deck Trailer S/N: 5FTDH2324G2004768 C/W: Aluminum/Steel Combination Frame, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 18 ft Deck Length, 82 in Deck Width, ST225/75R15 Tires Usage: Not Available |
| 748F | 2007 Silver Eagle S/A Dolly S/N: 1U3JX80137BJ15981 C/W: 20000 lb GVWR, 295/75R22.5 Tires Usage: Not Available | 753 | 2023 Neks 22 ft T/A Tilt Deck Trailer S/N: 3S9N1GH2XPC103002 C/W: 13227 lb GVWR, Ball Hitch, Electric Brakes, 22 ft Deck Length, 82 in Deck Width, 235/80R16 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 754A | 2011 Towmaster E-5T 11 ft S/A Tilt Deck Trailer S/N: 4KNNT1218BL160927 C/W: 7950 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 11 ft Deck Length, 76 in Deck Width, ST235/80R16 Tires Usage: Not Available | 761 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC4366P1082312 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 754 | 2017 MMDI 10 ft S/A Tilt Deck Trailer S/N: 5631F1414HM016157 C/W: 4300 lb GVWR, Ball Hitch, Surge Brakes, 225/75/R15 Tires Usage: Not Available | 762 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC436XP1082314 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 755 | 1992 Bruton 21 ft T/A Gooseneck Equipment Trailer S/N: 23076 C/W: Spring Suspension, 21 ft Main Deck, 88 in Usable Deck Width, Storage Compartments, Steel Decking, 9.5R17.5 Tires Usage: Not Available | 763 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC4368P1082313 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 756 | 2023 Southland LBA7-24 24 ft T/A Equipment Trailer (Unused) S/N: 2SFJL5360P1082291 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 24 ft Main Deck, 2 ft Fixed Dovetail, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available | 764 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC4363P1082316 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 757 | 2023 Southland LBA7-24 24 ft T/A Equipment Trailer (Unused) S/N: 2SFJL5369P1082290 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 24 ft Main Deck, 80 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available | 765 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC4367P1082657 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 758 | 2023 Southland LBA52-18 18 ft T/A Equipment Trailer (Unused) S/N: 2SFPC3367P1081170 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 2 ft Fixed Dovetail, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST225/75R15 Tires Usage: Not Available | 766 | 2023 Southland HB20T-14 20 ft T/A Equipment Trailer (Unused) S/N: 2SFKC4361P1082315 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 759 | 2023 Southland LBA52-18 18 ft T/A Equipment Trailer (Unused) S/N: 2SFPC3369P1081171 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 2 ft Fixed Dovetail, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST225/75R15 Tires Usage: Not Available | 767 | 2023 Southland LBA7-22 22 ft T/A Equipment Trailer (Unused) S/N: 2SFJL5361P1080355 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 22 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 760 | 2023 Southland LB16T-07 16 ft T/A Equipment Trailer (Unused) S/N: 2SFFB3314N1076928 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, Manual Ramps, Wood Flooring, ST205/75R15 Tires Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 768 | 2023 Southland LBA52-20 20 ft T/A Equipment Trailer (Unused) S/N: 2SFFB431XP1081995 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 84 in Usable Deck Width, Wood Flooring, 225 /75R15 Tires Usage: Not Available | 776A | 2003 Zieman 18 ft T/A Equipment Trailer S/N: 1ZCE26S243ZP24703 C/W: Lunette Ring Hitch, Torsion Axle, 18 ft Main Deck, 72 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available |
| 769 | 2023 Southland LB20T-10 20 ft T/A Equipment Trailer (Unused) S/N: 2SFJB4367P1081183 C/W: 11023 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST225/75R15 Tires Usage: Not Available | 776 | 2023 Southland LBA7-16 16 ft T/A Equipment Trailer (Unused) S/N: 2SFJC3367P1081529 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available |
| 770 | 2023 Southland LB20T-10 20 ft T/A Equipment Trailer (Unused) S/N: 2SFJB4369P1081184 C/W: 11023 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST225/75R15 Tires Usage: Not Available | 777 | 2019 Pratt CP0614 14 ft T/A Equipment Trailer S/N: 1P9UT2124KN343295 C/W: 12000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available |
| 771 | 2023 Southland LB20T-10 20 ft T/A Equipment Trailer (Unused) S/N: 2SFFB4311P1081996 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST225/75R15 Tires Usage: Not Available | 778 | 2021 Snake River 10 ft T/A Equipment Trailer S/N: 5PTBF1025M1038718 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available |
| 772 | 2023 Southland LB18T-14 18 ft T/A Equipment Trailer (Unused) S/N: 2SFJC3319P1081732 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available | 779 | 2019 Snake River 10 ft T/A Equipment Trailer S/N: 5PTBF1021K1032119 C/W: 8800 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75R15 Tires Usage: Not Available |
| 773 | 2023 Southland LB18T-14 18 ft T/A Equipment Trailer (Unused) S/N: 2SFJC3310P1081716 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available | 780 | 2019 Snake River 14 ft T/A Equipment Trailer S/N: 5PTBF1425K1032246 C/W: 9900 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, ST225/75R15 Tires Usage: Not Available |
| 774 | 2023 Southland LBE18T-07 18 ft T/A Equipment Trailer (Unused) S/N: 2SFFB3319P1082646 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, ST205/75R15 Tires Usage: Not Available | 781 | 2021 Norstar ETB8322072 19 ft T/A Equipment Trailer S/N: 50HEB2024M1048810 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 19 ft Main Deck, 3 ft Fixed Dovetail, 83 in Usable Deck Width, Manual Ramps, Wood Flooring, 235 /85R16 Tires Usage: Not Available |
| 775 | 2023 Southland LBE18T-07 18 ft T/A Equipment Trailer (Unused) S/N: 2SFFB3318P1081536 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 84 in Usable Deck Width, Manual Ramps, Wood Flooring, ST205/75R15 Tires Usage: Not Available | 782 | 2017 Pratt CP0510 10 ft T/A Utility Trailer S/N: 1P9UT1724JN343314 C/W: 6990 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 60 in Deck Width, Steel Decking, 225/75R15 Tires Usage: Not Available |
| | | 783B | 2013 Felling 14 ft T/A Tilt Deck Trailer S/N: 5FTEH1629D1043268 C/W: 15200 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 14 ft Deck Length, 82 in Deck Width, ST235/80R16 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 783 | 2013 Ditch Witch T7BE Equipment Trailer S/N: 1DSB202G4D1701052 C/W: 7000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 225/75R15 Tires Usage: Not Available | 793 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3366P1082613 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available |
| 784 | 2013 Felling FT-12IT-1 14 ft T/A Tilt Deck Trailer S/N: 5FTEH1626D1043230 C/W: 9980 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 14 ft Deck Length, 82 in Deck Width, ST235/85R16 Tires Usage: Not Available | 794 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3364P1082612 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/85R16 Tires Usage: Not Available |
| 785 | 2012 Felling FT-12 IT-1 14 ft T/A Tilt Deck Trailer S/N: 5FTTH1621C1039804 C/W: 9980 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 14 ft Deck Length, 82 in Deck Width, ST235/80R16 Tires Usage: Not Available | 796 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3369P1081777 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Manual Roll Tarp, Split Swing Tailgate, 235/80R16 Tires Usage: Not Available |
| 787 | 2014 Trail-Eze TE401A 30 ft T/A Tilt Deck Trailer S/N: 1DASFCW24EP021451 C/W: 52140 lb GVWR, Air Ride Suspension, Air Brakes, Winch, Deck Over Tires, 30 ft Deck Length, 102 in Deck Width, 235/75R17.5 Tires Usage: Not Available | 797 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3369P1080631 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available |
| 788 | 2012 Trail-Eze TE401A 30 ft T/A Tilt Deck Trailer S/N: 1DASFCW23CP020708 C/W: Air Ride Suspension, Air Brakes, Winch, Deck Over Tires, 30 ft Deck Length, 102 in Deck Width, 235/75R17.5 Tires Usage: Not Available | 798 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3366P1080635 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available |
| 789 | 2012 Trail-Eze TE401A 30 ft T/A Tilt Deck Trailer S/N: 1DASFFW2XCP020707 C/W: Air Ride Suspension, Air Brakes, Winch, Deck Over Tires, 30 ft Deck Length, 102 in Deck Width, 235/75R17.5 Tires Usage: Not Available | 799 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3368P1081012 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available |
| 790 | 2017 Mirage TUEDO8.520TA5 20 ft T/A Flatbed Trailer S/N: 5M3BU2024H1076885 C/W: 9990 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 96 in Deck Width, Wood Flooring, ST235/89R16 Tires Usage: Not Available | 800 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3366P1081011 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/85R16 Tires Usage: Not Available |
| 791 | 1984 Trail King 19 ft T/A Equipment Trailer S/N: 1TKC02424EM044550 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 8.25R15 Tires Usage: Not Available | 801 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL336XP1081013 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/85R16 Tires Usage: Not Available |
| 792 | 2006 Carson 18 ft T/A Equipment Trailer S/N: 4HXFB18296C109127 C/W: 9995 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Wood Flooring, 205/75R15 Tires Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 802 | 2023 Southland SL714-16KHD 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3361P1081014 C/W: 17461 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/85R16 Tires Usage: Not Available | 810 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3364P1082061 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available |
| 803 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3368P1082614 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, 235/80R16 Tires Usage: Not Available | 811 | 2022 Texas Pride DT71216KGN 12 ft T/A End Dump Trailer S/N: 7HCGD1224NB033313 C/W: 16000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Steel Body, Split Swing Tailgate, 235/85R16 Tires Usage: Not Available |
| 804 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL336XP1082615 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, 235/80R16 Tires Usage: Not Available | 812 | 2022 Ranco FDT7014R 14 ft T/A End Dump Trailer (Unused) S/N: 3EZBTC149NA000510 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, 2-Way Tailgate, 235/80R16 Tires Usage: Not Available |
| 805 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL336XP1082260 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/85R16 Tires Usage: Not Available | 814 | 2022 Ranco FDT7014R 14 ft T/A End Dump Trailer (Unused) S/N: 3EZBTC149NA000717 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steele, Manual Roll Tarp, 2-Way Tailgate, ST235/80R16 Tires Usage: Not Available |
| 806 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3361P1082261 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available | 815 | 2022 Ranco FDT7014R 15 ft T/A End Dump Trailer (Unused) S/N: 3EZBTC142NA000719 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, 2-Way Tailgate, ST235/80R16 Tires Usage: Not Available |
| 807 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3365P1082263 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available | 816 | 2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused) S/N: 2SFPM2394P1082472 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST225/75R15 Tires Usage: Not Available |
| 808 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3363P1082262 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST235/80R16 Tires Usage: Not Available | 817 | 2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused) S/N: 2SFPM2390P1082470 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST225/75R15 Tires Usage: Not Available |
| 809 | 2023 Southland SL714-16K 14 ft T/A End Dump Trailer (Unused) S/N: 2SFKL3366P1082062 C/W: 16032 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, 235/80R16 Tires Usage: Not Available | 819 | 2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused) S/N: 2SFPM2398P1082474 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST225/75R15 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 820 | 2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused) S/N: 2SFPM239XP1082475 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST225/75R15 Tires Usage: Not Available | 830 | 2023 Southland LCHT35-714F-86 14 ft T/A Enclosed Trailer (Unused) S/N: 2SFFL3362P1082156 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Ramp, ST205/75R15 Tires Usage: Not Available |
| 821 | 2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused) S/N: 2SFPM2391P1082476 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Split Swing Tailgate, ST225/75R15 Tires Usage: Not Available | 831 | 2023 Southland LCHT35-614V-72 12 ft T/A Enclosed Trailer (Unused) S/N: 2SFFL3368P1082324 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 72 in Deck Width, Ramp, ST205/75R15 Tires Usage: Not Available |
| 823B | 2016 Snake River 8 ft S/A End Dump Trailer S/N: 5PTBD081XG1025138 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 8 ft Body, 26 in Side Walls, Steel Body, Swing Tailgate, 225/75R15 Tires Usage: Not Available | 832 | 2023 Southland LCHS29-614-72V 12 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL2261P1082106 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, 72 in Deck Width, ST205/75R14 Tires Usage: Not Available |
| 823A | 2016 Snake River 8 ft S/A End Dump Trailer S/N: 5PTBD0815G1025449 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 8 ft Body, 26 in Side Walls, Steel Body, Swing Tailgate, 225/75R15 Tires Usage: Not Available | 833 | 2023 Southland LCHS29-614-72V 14 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL2268P1082121 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 72 in Deck Width, 205/75R14 Tires Usage: Not Available |
| 823 | 2016 Snake River DMP58-5K 7 ft 9 in S/A End Dump Trailer S/N: 5PTBD0812G1025148 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 7 ft 9 in Body, 25 in Side Walls, Steel Body, Split Swing Tailgate, 225/75R15 Tires Usage: Not Available | 834 | 2023 Southland LCHS29-614-72V 14 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL2266P1082117 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 72 in Deck Width, Ramp, 205/75R14 Tires Usage: Not Available |
| 824 | 2016 Snake River DMP58 8 ft S/A End Dump Trailer S/N: 5PTBD081XG1024653 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 8 ft Body, 26 in Side Walls, Steel Body, Swing Tailgate, 225/75R15 Tires Usage: Not Available | 835 | 2023 Southland LCHS29-614-72V 12 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL2266P1082098 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, 72 in Deck Width, Ramp, ST205/75R14 Tires Usage: Not Available |
| 825 | 1999 Argo SDT T/A (3) Reel Trailer S/N: 1A9AU242XP463012 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, 235/85R16 Tires Usage: Not Available | 836 | 2023 Southland LCHS29-614-72V 13 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL1260P1082317 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, 69 in Deck Width, 205/75R14 Tires Usage: Not Available |
| 826 | 2014 Wheeler Reeler 185 S/A Reel Trailer S/N: 5E3SK18NXE1000102 C/W: Lunette Ring Hitch, Torsion Axle, 235/75R17.5 Tires Usage: Not Available | 837 | 2023 Southland LCHS29-614V-72 13 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL126XP1082129 C/W: 2996 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 69 in Deck Width, Ramp, 205/75R14 Tires Usage: Not Available |
| 829 | 2014 Wheeler Reeler 160 S/A Reel Trailer S/N: 5E3SK16NXE1000118 C/W: Lunette Ring Hitch, Torsion Axle, 12-16.5 Tires Usage: Not Available | 838 | 2023 Southland LCHS29-612F-72 12 ft S/A Enclosed Trailer (Unused) S/N: 2SFAL226XP1081911 C/W: 2976 lb GVWR, Ball Hitch, Spring Suspension, 69 in Deck Width, Ramp, ST205/75R14 Tires Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 839 | 2005 Big Tex 14 ft T/A Utility Trailer S/N: 16VUX142051E61156 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available | 852 | 2014 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S601427028 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz 4 Cylinder 2.9 L Diesel Engine, 355 /55D625 Tires Usage: 2,138 Hr |
| 841 | 2015 TNT TUDT712TA5 12 ft T/A Dump Utility Trailer S/N: 5WBBU122XFW010200 C/W: 9900 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 80 in Deck Width, Steel Decking, 235/80R16 Tires, Manual Tarp Usage: Not Available | 853 | 2014 Genie S-65 4WD Diesel Telescopic Boom Lift S/N: S601426915 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 355/55D625 Tires Usage: 3,172 Hr |
| 842 | 2013 Carson S/A Utility Trailer S/N: 4HXSU1018EC169393 C/W: 2990 lb GVWR, Ball Hitch, Spring Suspension, 76 in Deck Width, Ramp, Wood Flooring, ST205/75R15 Tires Usage: Not Available | 854B | 2013 Genie S-60X 4WD Diesel Telescopic Boom Lift S/N: S60X1326292 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 355 /55D625 Foam-Filled Tires Usage: 1,350 Hr |
| 843 | 1968 Columbia 21 ft Sailboat S/N: 22850 Usage: Not Available | 854 | 2012 JLG 600AJ 4WD Diesel Articulating Boom Lift S/N: 0300168129 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2012 US EPA Label, Deutz 4 Cylinder 3.11 L Diesel Engine, 355/55D625 Foam-Filled Tires Usage: 2,778 Hr |
| 844 | Air-O-Fan Tow Behind Sulfur Duster S/N: Not Available C/W: 540 PTO Usage: Not Available | 855 | 2011 Genie S-60X 4WD Diesel Telescopic Boom Lift S/N: S60XC1121845 C/W: 60 ft Max Lift Height, 750 lb Max Weight Capacity, Power to Platform, 4 Cylinder Diesel Engine Usage: 3,119 Hr |
| 845 | Air-O-Fan Tow Behind Sulfur Duster S/N: Not Available C/W: 540 PTO Usage: Not Available | 856 | 2006 Genie S-60 4WD Diesel Telescopic Boom Lift S/N: S600613394 C/W: 60 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Hydraulic Leveling, Power to Platform, 4 Cylinder Diesel Engine, Solid Tires Usage: 2,253 Hr |
| 846 | Air-O-Fan Tow Behind Sulfur Duster S/N: Not Available C/W: 540 PTO Usage: Not Available | 857 | 2003 Genie S-60 4WD Diesel Telescopic Boom Lift S/N: S60038962 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Diesel Engine Usage: 5,775 Hr |
| 847 | Air-O-Fan Tow Behind Sulfur Duster S/N: DIAGEO 70-00409 C/W: 540 PTO Usage: Not Available | 858 | 2014 Genie S-45 4WD Diesel Telescopic Boom Lift S/N: S451418924 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz 49 hp 2.93 L Diesel Engine, 12-16.5 Foam-Filled Tires Usage: 2,734 Hr |
| 849 | 2014 Genie S-85 4WD Diesel Telescopic Boom Lift S/N: S851410793 C/W: 85 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz 74 hp 3.62 L Diesel Engine, 18-625 Foam-Filled Tires Usage: 3,557 Hr | | |
| 850 | 2007 JLG 450AJ Series II 4WD Dual Fuel Articulating Boom Lift S/N: 0300118791 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Hydraulic Leveling, Power to Platform, 4 Cylinder Dual Fuel Engine, 33x15.50-16.5NHS Tires Usage: 4,677 Hr | | |
| 851 | 2012 Skyjack SJ66T 4WD Diesel Telescopic Boom Lift S/N: 97000258 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2008 US EPA Label, Deutz 4 Cylinder 3.6 L Diesel Engine, 385 /65D19.5 Tires Usage: 2,806 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 859B | 2013 Genie S-45 4WD Diesel Telescopic Boom Lift S/N: S451318407 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Diesel Engine, 12-16.5 Foam-Filled Tires Usage: Not Available | 864 | 2014 JLG 400S 4WD Diesel Telescopic Boom Lift S/N: 0300191768 C/W: 40 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Onboard Air Compressor, 2014 US EPA Label, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 14-17.5 Foam-Filled Tires Usage: 2,663 Hr |
| 859 | 2013 Genie S-45 4WD Diesel Telescopic Boom Lift S/N: S451318434 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 12-16.5 Tires Usage: 3,232 Hr | 865 | 2012 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S401217260 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 12-16.5 Tires Usage: 4,263 Hr |
| 860 | 2013 Genie S-45 4WD Diesel Telescopic Boom Lift S/N: S451318396 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 12-16.5 Foam-Filled Tires Usage: 2,847 Hr | 866 | 2000 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S404663 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Hydraulic Leveling, Power to Platform, 2005 US EPA Label, Deutz 4 Cylinder 56 hp 3.1 L Diesel Engine, 12-16.5 Foam-Filled Tires Usage: 7,325 Hr |
| 861 | 2012 Skyjack SJ45T 4WD Diesel Telescopic Boom Lift S/N: 98000860 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2012 US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 12-16.5 NHS Tires Usage: 2,960 Hr | 867 | 2013 Genie Z80/60 4WD Diesel Articulating Boom Lift S/N: Z80134556 C/W: 78 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Deutz 4 Cylinder Diesel Engine, 18-6.25 Foam-Filled Tires Usage: 2,650 Hr |
| 862 | 2014 Snorkel TB42DZ 4WD Diesel Telescopic Boom Lift S/N: AP06019RBLT C/W: 42 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2005 US EPA Label, Deutz 48 hp 2.3 L Diesel Engine, 12-16.5 Tires Usage: 4,672 Hr | 868B | 2014 JLG 450AJ 4WD Diesel Articulating Boom Lift S/N: 0300188352 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, Deutz 4 Cylinder 49 hp 2.92 L Diesel Engine, 33x15.50-16.5 Foam-Filled Tires Usage: 1,584 Hr |
| 863 | 2014 JLG 460SJ 4WD Diesel Telescopic Boom Lift S/N: 0300182982 C/W: 46 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Air Compressor, 2013 US EPA Label, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 12-16.5 Tires Usage: 2,250 Hr | 868 | 2007 Genie Z60-34 4WD Diesel Articulating Boom Lift S/N: Z60077732 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Diesel Engine Usage: 2,065 Hr |
| 864F | 2013 Genie S-40 4WD Diesel Telescopic Boom Lift S/N: S401318235 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 12-16.5 Foam-Filled Tires Usage: 3,425 Hr | 869 | 2012 Skyjack SJ45T 4WD Diesel Telescopic Boom Lift S/N: 98000864 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 4 Cylinder Diesel Engine, Solid Tires Usage: 3,190 Hr |
| 864B | 2014 JLG 400S 4WD Diesel Telescopic Boom Lift S/N: 0300191765 C/W: 40 ft 3 in Max Lift Height, 1000 lb Max Weight Capacity, 4 Cylinder Diesel Engine, Foam-Filled Tires Usage: 2,829 Hr | 870 | 2012 Skyjack SJ45T 4WD Diesel Telescopic Boom Lift S/N: 98000855 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2012 US EPA Label, Deutz 49 hp 2.3 L Diesel Engine, 12-8.5 Tires Usage: 3,010 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 871 | 2012 Genie Z-45/25J 4WD Diesel Articulating Boom Lift S/N: Z452512A44057 C/W: 46 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 355/55D625NHS Tires Usage: 2,854 Hr | 880 | 2015 Skyjack SJ6832RT Dual Fuel 4x4 Scissor Lift S/N: 37006501 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,319 Hr |
| 872 | 2013 Genie Z-40/23N Electric Articulating Boom Lift S/N: Z40N132195 C/W: 40 ft 5 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, Non-Marking Tires Usage: 935 Hr | 881 | 2007 Genie GS2668RT Dual Fuel 4x4 Scissor Lift S/N: GS680750570 C/W: 32 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, Kubota 3 Cylinder Dual Fuel Engine Usage: 2,739 Hr |
| 873 | 2012 Genie Z-40/23N RJ Electric Articulating Boom Lift S/N: Z40N121740 C/W: 40 ft 5 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 1,202 Hr | 884 | 2014 Skyjack SJ6826 RT Dual Fuel 4x4 Scissor Lift S/N: 37004700 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,441 Hr |
| 874 | 2013 JLG M600J Electric Articulating Boom Lift S/N: 0300177940 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Tier 4, 2013 US EPA Label, Kubota 2 Cylinder Diesel Engine, Solid Tires Usage: 991 Hr | 885A | 2014 Skyjack SJ6826 RT Dual Fuel Scissor Lift S/N: 37004924 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota Dual Fuel Engine Usage: 1,602 Hr |
| 875 | 2013 Genie Z-40/23N Electric Articulating Boom Lift S/N: Z40N132223 C/W: 40 ft 5 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Solid Tires Usage: 1,015 Hr | 886 | 2014 Skyjack SJ6826 RT Dual Fuel 4x4 Scissor Lift S/N: 37004975 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,607 Hr |
| 876 | 2017 Haulotte 45A17 Towable Lift S/N: 5CUAJ2016HA000086 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: Not Available | 887 | 2014 Skyjack SJ6826 RT Dual Fuel 4x4 Scissor Lift S/N: 37004923 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,753 Hr |
| 877 | 2012 Genie TZ-34 Towable Lift S/N: 5D8AA1714C1000212 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Hydraulic Leveling, Power to Platform Usage: Not Available | 888 | 2014 Skyjack SJ6826 RT Dual Fuel 4x4 Scissor Lift S/N: 37004958 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,757 Hr |
| 878 | 2013 Genie TZ-50 Hybrid Towable Lift S/N: TZ5013534 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Hydraulic Leveling, Power to Platform Usage: 314 Hr | | |
| 879 | 2014 Genie GS3369RT Diesel 4x4 Scissor Lift S/N: GS69144090 C/W: 38 ft 8 in Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, 2014 US EPA Label, Kubota 24.8 hp 1.1 L Diesel Engine Usage: 1,566 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 889D | 2016 Genie GS4047 Electric Scissor Lift S/N: GS4716D1471 C/W: 45 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 397 Hr | 896 | 2012 Skyjack SJ4626 Electric Scissor Lift S/N: 70012162 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 269 Hr |
| 889A | 2014 Skyjack SJ6826 RT Dual Fuel Scissor Lift S/N: 37004967 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, Kubota Dual Fuel Engine Usage: 1,727 Hr | 899 | 2012 Skyjack SJ4626 Electric Scissor Lift S/N: 70012293 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 192 Hr |
| 889 | 2014 Skyjack SJ6826 RT Dual Fuel Scissor Lift S/N: 37004715 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box, US EPA Label, Kubota Dual Fuel Engine Usage: 2,000 Hr | 900 | 2006 Skyjack SJ7135 Dual Fuel 4x4 Scissor Lift S/N: 342074R C/W: 35 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, 2005 US EPA Label, Kubota 3 Cylinder 962 cc Dual Fuel Engine Usage: 2,574 Hr |
| 890 | 2015 JLG 3246ES Electric Scissor Lift S/N: 0200248564 C/W: 31 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 162 Hr | 901 | 2007 Skyjack SJ7135 RT Dual Fuel Scissor Lift S/N: 343320R C/W: 35 ft Max Lift Height, 100 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Upper Control Box, US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 3,078 Hr |
| 892D | 2014 JLG 3246ES Electric Scissor Lift S/N: 0200224632 C/W: 31 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 151 Hr | 902C | 2016 Skyjack SJ3226 Electric Scissor Lift S/N: 27031041 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 217 Hr |
| 892C | 2016 Skyjack SJ4626 Electric Scissor Lift S/N: 70026926 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 267 Hr | 902 | 2006 Skyjack SJ7127 Dual Fuel 4x4 Scissor Lift S/N: 342381R C/W: 27 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, 2006 US EPA Label, Kubota 3 Cylinder 962 cc Dual Fuel Engine Usage: 2,995 Hr |
| 892 | 2015 Genie GS3232 Electric Scissor Lift S/N: GS3215A141941 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 287 Hr | 903 | 2014 Skyjack SJ3226 Electric Scissor Lift S/N: 27019210 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 134 Hr |
| 893 | 2014 Skyjack SJ4632 Electric Scissor Lift S/N: 70018509 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 225 Hr | 904 | 2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27011907 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 272 Hr |
| 894 | 2013 Skyjack SJ4632 Electric Scissor Lift S/N: 70014905 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 211 Hr | 905 | 2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27011886 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 248 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 906 | 2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27011897 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 273 Hr | 915B | 2015 Genie GS2632 Electric Scissor Lift S/N: GS3215A139984 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 415 Hr |
| 907 | 2012 Skyjack SJ3226 Electric Scissor Lift S/N: 27011822 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 154 Hr | 915 | 2011 Genie GS-2646 Electric Scissor Lift S/N: GS4612A110852 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available |
| 908A | 2016 JLG 2632ES Electric Scissor Lift S/N: 0200258806 C/W: 25 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 188 Hr | 916 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116337 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 299 Hr |
| 908 | 2011 Skyjack SJ3226 Electric Scissor Lift S/N: 27008212 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 254 Hr | 917 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116087 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 349 Hr |
| 909 | 2015 Genie GS2646 Electric Scissor Lift S/N: GS4615A137192 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr | 918 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A-116086 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 351 Hr |
| 910 | 2015 Skyjack SJIII4626 Electric Scissor Lift S/N: 70026596 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 245 Hr | 919 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A115560 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 365 Hr |
| 911 | 2015 Genie GS2646 Electric Scissor Lift S/N: GS4615A137197 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 257 Hr | 920 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116172 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 366 Hr |
| 912 | 2015 Genie GS2646 Electric Scissor Lift S/N: GS4615A137187 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 322 Hr | 921 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116119 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 366 Hr |
| 914 | 2015 Genie GS2646 Electric Scissor Lift S/N: GS4615A137189 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 266 Hr | 922 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116115 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 374 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 923B | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A117015 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 354 Hr | 928C | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22115369 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 226 Hr |
| 923A | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A115546 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 306 Hr | 928A | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22112382 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 219 Hr |
| 923 | 2013 Genie GS2632 Electric Scissor Lift S/N: GS3213A116177 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 403 Hr | 928 | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22111067 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 213 Hr |
| 925 | 2013 Skyjack SJ3220 Electric Scissor Lift S/N: 60004054 C/W: 20 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 137 Hr | 929B | 2016 Skyjack SJIII3219 Electric Scissor Lift S/N: 22103956 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 237 Hr |
| 926 | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22114362 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 162 Hr | 929A | 2016 Skyjack SJIII3219 Electric Scissor Lift S/N: 22104145 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr |
| 927 | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22106692 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 175 Hr | 929 | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22103943 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 240 Hr |
| 928G | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22115534 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 176 Hr | 932C | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22064627 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 193 Hr |
| 928F | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22106682 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 175 Hr | 932B | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22068441 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 122 Hr |
| 928D | 2017 Skyjack SJIII3219 Electric Scissor Lift S/N: 22106685 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 244 Hr | 932 | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22068958 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 90 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 933 | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22062620 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 196 Hr | 945 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22038762 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 196 Hr |
| 936A | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22064615 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 161 Hr | 946 | 2012 Skyjack SJII3219 Electric Scissor Lift S/N: 22026287 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 222 Hr |
| 937 | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22064291 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 196 Hr | 947 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22034203 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 327 Hr |
| 938 | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22063944 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 186 Hr | 950 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22026293 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 215 Hr |
| 939B | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22063939 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 163 Hr | 951E | 2015 Genie GS1930 Electric Scissor Lift S/N: GS3015A141571 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 214 Hr |
| 939 | 2014 Skyjack SJIII3219 Electric Scissor Lift S/N: 22064287 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 165 Hr | 951D | 2016 Genie GS1930 Electric Scissor Lift S/N: GS30P167425 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 157 Hr |
| 942 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22040200 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 163 Hr | 951C | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232574 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 342 Hr |
| 943 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22039351 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 164 Hr | 951B | 2015 JLG 1932RS Electric Scissor Lift S/N: 0200241489 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 232 Hr |
| 944 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22043393 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 175 Hr | 951A | 2015 JLG 1932RS Electric Scissor Lift S/N: 0200241490 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 280 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 951 | 2012 Skyjack SJIII3219 Electric Scissor Lift S/N: 22026305 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 221 Hr | 958 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133538 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 430 Hr |
| 952 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133649 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 270 Hr | 959 | 2013 Genie GS1930 Electric Scissor Lift S/N: GS3013A124390 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available |
| 953 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133542 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 273 Hr | 960 | 2013 Genie GS1930 Electric Scissor Lift S/N: GS3013A124353 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 300 Hr |
| 954 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133655 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 277 Hr | 961 | 2013 Genie GS1930 Electric Scissor Lift S/N: GS3013A126370 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 393 Hr |
| 955 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A135218 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 358 Hr | 965 | 2011 Genie GS1930 Electric Scissor Lift S/N: GS3011A103189 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 88 Hr |
| 956 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A127315 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 384 Hr | 966 | 2010 Genie GS1930 Electric Scissor Lift S/N: GS3011A103168 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 519 Hr |
| 957 | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133658 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 395 Hr | 967 | 2010 Genie GS1930 Electric Scissor Lift S/N: GS3011A103188 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 38 Hr |
| 958B | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A132975 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 451 Hr | 968 | 2013 Genie GS1930 Electric Scissor Lift S/N: GS3013A125408 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 373 Hr |
| 958A | 2014 Genie GS1930 Electric Scissor Lift S/N: GS3014A133593 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 429 Hr | 969 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200234322 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 93 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 972 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232646 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 294 Hr | 986 | 2014 Genie AWP-30S Vertical Mast Lift S/N: AWP1480117 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 973 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232607 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 302 Hr | 987A | 2013 Genie AWP-30S Vertical Mast Lift S/N: AWP1376877 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 976 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232545 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 360 Hr | 987 | 2013 Genie AWP-30S Vertical Mast Lift S/N: AWP1377813 C/W: 29 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 977 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232294 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 365 Hr | 988 | 2014 Genie AWP-25S Vertical Mast Lift S/N: AWP1481170 C/W: 24 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 978 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232559 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 384 Hr | 989 | 2000 Genie IWP-30S Vertical Mast Lift S/N: 40002900 C/W: 30 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 979 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200236146 C/W: 18 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 400 Hr | 990D | 2018 Genie GR-20 Vertical Mast Lift S/N: GRP52822 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 186 Hr |
| 981 | 2014 JLG 1930ES Electric Scissor Lift S/N: 0200232666 C/W: 18 ft 8 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 425 Hr | 990C | 2014 Genie AWP-25S Vertical Mast Lift S/N: AWP1480488 C/W: 24 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 983 | 2014 Genie AWP-30S Vertical Mast Lift S/N: AWP1478454 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available | 990 | 2014 Genie AWP-25S Vertical Mast Lift S/N: AWP1481131 C/W: 24 ft 11 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 984 | 2014 Genie AWP-30S Vertical Mast Lift S/N: AWP1480104 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available | 992 | 2014 Genie GR-20 Vertical Mast Lift S/N: GR1430853 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 343 Hr |
| 985 | 2014 Genie AWP-30S Vertical Mast Lift S/N: AWP1480109 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: Not Available | 993 | 2013 Genie GR-20 Vertical Mast Lift S/N: GR1325524 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 371 Hr |
| | | 994C | 2018 Skyjack SJ16 Vertical Mast Lift S/N: 14015503 C/W: 16 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 118 Hr |
| | | 994B | 2014 Genie G-R20 Vertical Mast Lift S/N: GR1430681 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 329 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 994A | 2014 Genie GR-20 Vertical Mast Lift S/N: GR1430934 C/W: 19 ft 9 in Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 248 Hr | 1006 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200212325 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 468 Hr |
| 995B | Bil-Jax Vertical Mast Lift S/N: 15710864 C/W: 14 ft Max Lift Height Usage: Not Available | 1007 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200214111 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 373 Hr |
| 996 | 2016 Ballymore PS-140H-DRV-FG Vertical Mast Lift S/N: DBA160521180 C/W: 13 ft 8 in Max Lift Height, 650 lb Max Weight Capacity Usage: 195 Hr | 1008 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200212731 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 377 Hr |
| 997 | 2016 Ballymore PS-140H-DRV-FG Vertical Mast Lift S/N: DBA160521122 C/W: 13 ft 8 in Max Lift Height, 650 lb Max Weight Capacity Usage: 276 Hr | 1009C | 2018 Genie GR-12 Vertical Mast Lift S/N: GRR4059 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 149 Hr |
| 998 | 2014 JLG 1230ES Vertical Mast Lift S/N: 0200221780 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 331 Hr | 1009B | 2019 Genie GR-12 Vertical Mast Lift S/N: GRP55969 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 97 Hr |
| 999 | 2014 JLG 1230ES Vertical Mast Lift S/N: 0200221711 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 355 Hr | 1009A | 2017 Genie GR-12 Vertical Mast Lift S/N: GRP48201 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: Not Available |
| 1000 | 2013 JLG 1230ES Vertical Mast Lift S/N: 0200221019 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 358 Hr | 1009 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200212919 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 421 Hr |
| 1001 | 2013 JLG 1230ES Vertical Mast Lift S/N: 0200221039 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 436 Hr | 1010A | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435623 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 285 Hr |
| 1002 | 2013 JLG 1230ES Vertical Mast Lift S/N: 0200221159 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 1,451 Hr | 1010 | 2016 Genie GR-12 Vertical Mast Lift S/N: GR16P42870 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 325 Hr |
| 1003 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200214040 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 245 Hr | 1011 | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435373 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 298 Hr |
| 1004 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200214283 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 335 Hr | 1012 | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1430822 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 279 Hr |
| 1005 | 2012 JLG 1230ES Vertical Mast Lift S/N: 0200213140 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 372 Hr | 1013 | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435525 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 389 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 1014 | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435409 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 406 Hr | 1020 | 2013 Atlas Copco CPS185JD Mobile Air Compressor S/N: 4500A1013DR046439 C/W: 123 psi Working Pressure, John Deere 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,398 Hr |
| 1015D | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435999 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 299 Hr | 1021 | 2012 Doosan C185 Mobile Air Compressor S/N: 435367UAWD95 C/W: Kubota 4 Cylinder 2.4 L Diesel Engine Usage: 1,880 Hr |
| 1015C | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1436050 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 255 Hr | 1022 | Grimmer Schmidt 185D Mobile Air Compressor S/N: 185D-19094 C/W: 185 psi Working Pressure, 3 Cylinder Engine, S/A Trailer, Ball Hitch Usage: 2,185 Hr |
| 1015B | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435908 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 287 Hr | 1023 | 2000 Leroi 185 Mobile Air Compressor S/N: Not Available C/W: 100 psi Working Pressure, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,887 Hr |
| 1015 | 2014 Genie GR-12 Vertical Mast Lift S/N: GR1435441 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 451 Hr | 1024D | 2016 Atlas Copco XAS110KDPE Mobile Air Compressor S/N: APP435943 C/W: Kubota D902 3 Cylinder 18.5 kW 0.89 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 185 Hr |
| 1016 | 2013 Genie GR-12 Vertical Mast Lift S/N: GR1325631 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 414 Hr | 1024C | 2017 Atlas Copco XAS110KDPE Mobile Air Compressor S/N: APP504706 C/W: Kubota D902 3 Cylinder 18.5 kW 0.89 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 378 Hr |
| 1017 | 2013 Genie GR-12 Vertical Mast Lift S/N: GR1325660 C/W: 11 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 381 Hr | 1024B | 2017 Atlas Copco XAS110 Mobile Air Compressor S/N: YA3064284H0504691 C/W: Kubota 3 Cylinder 0.89 L Diesel Engine Usage: 2,885 Hr |
| 1018C | JLG FT70 Vertical Mast Lift S/N: F010002461 C/W: 7 ft Max Lift Height, 208 lb Max Weight Capacity Usage: Not Available | 1026 | 2014 Magnum MMG75 63 kW Mobile Generator Set S/N: 5AJGS1322EB407194 C/W: John Deere 4 Cylinder 4.5 L Diesel Engine, 79 kVA/63 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 60 kVA,/60 kW, Rated Single Phase Output, 240 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 8,957 Hr |
| 1018A | 2016 Skyjack SJ12 Vertical Mast Lift S/N: 14009890 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity Usage: 39 Hr | 1027 | 2012 Multiquip DCA-70SSIU2 56 kW Mobile Generator Set S/N: 4GNBG1221CB029398 C/W: 2012 US EPA Label, Isuzu 4JJ1X 4 Cylinder 2.9 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, T/A Trailer, Ball Hitch, Surge Brakes Usage: 449 Hr |
| 1018 | 2011 Genie GR12 Vertical Mast Lift S/N: GR1117216 C/W: 11 ft 9 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform Usage: 378 Hr | | |
| 1019 | 2015 Atlas Copco CPS90KDT4F Mobile Air Compressor S/N: 4500A1018FR026223 C/W: 125 psi Working Pressure, Kubota 3 Cylinder 18.5 kW 1.1 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 929 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 1028A | 2018 Doosan G70 70 kW Mobile Stand-By Generator Set S/N: 4FVGMBCB9JU484761 C/W: 2017 US EPA Label, Doosan 4 Cylinder 3.4 L Diesel Engine, Requires Diesel Exhaust Fluid, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available | 1032A | 2009 Atlas Copco QAS45 35 kW Mobile Generator Set S/N: H0P100104 C/W: 4 Cylinder Diesel Engine, 45 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch, Surge Brakes Usage: 6,727 Hr |
| 1028 | Multiquip DCA-70SSJU 40 kW Mobile Portable Generator Set S/N: 7302251 C/W: 2000 US EPA Label, John Deere 4 Cylinder Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA/40 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch Usage: 19,929 Hr | 1032 | 2016 Multiquip DCA70551U4F 56 kW Mobile Generator Set S/N: 5SLBG1421GL018225 C/W: Isuzu BR-4JJ1X 4 Cylinder 2.99 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA /56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA/40 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Surge Brakes Usage: 12,932 Hr |
| 1029 | 2016 MMDI 60 kW Mobile Generator Set S/N: 5632G1526GM015616 C/W: 2016 US EPA Label, John Deere 4 Cylinder 4.5 L Diesel Engine, 75 kVA/60 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 5,780 Hr | 1033A | 2013 Multiquip DCA-45SSIU4 36 kW Mobile Generator Set S/N: 4GNBG1221DB031945 C/W: Isuzu 4 Cylinder 2.9 L Diesel Engine, T/A Trailer, Ball Hitch, Surge Brakes Usage: 18,019 Hr |
| 1030A | Multiquip DCA-70USI 40 kW Mobile Generator Set S/N: 8801209 C/W: 4 Cylinder Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA/40 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 20,548 Hr | 1034 | 2011 Multiquip DCA-25SSIU4F 20 kW Mobile Generator Set S/N: 4GNBG0916FB041333 C/W: 2015 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 9,550 Hr |
| 1030 | 2010 Whisperwatt DCA-7050I 56 kW Mobile Generator Set S/N: 8801660 C/W: Isuzu 4 Cylinder 2.99 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA/40 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Ball Hitch Usage: 17,160 Hr | 1035 | Multiquip DCA-25SSIU 20 kW Mobile Generator Set S/N: 7104954 C/W: Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 12,100 Hr |
| 1032B | 2019 Multiquip DCA25SSIU4F 36 kW Mobile Generator Set S/N: 7253002 C/W: Isuzu 4LE2K 4 Cylinder 56 kW 2.2 L Diesel Engine, 45 kVA/36 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 26 kVA, /26 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 3,391 Hr | 1036 | 2012 Multiquip DCA-70SSIU2 Mobile Generator Set S/N: 4GNBG1224CB029394 C/W: US EPA Label, Isuzu BJ-4JJ1X 4 Cylinder Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA, /40 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 1,058 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 1037 | 2016 Whisperwatt DCA-25SSIU4F 20 kW Mobile Generator Set S/N: 4GNBG0913GB042361 C/W: 2016 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 7,669 Hr | 1043 | Whisperwatt DCA25USI 20 kW Mobile Generator Set S/N: 8101232 C/W: 2009 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 19,690 Hr |
| 1038 | 2013 Multiquip DCA25SSIU3 20 kW Mobile Portable Generator Set S/N: 4GNBG1115DB032086 C/W: 2013 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch Usage: 12,290 Hr | 1044 | 2001 Multiquip DCA25SSIU 20 kW Mobile Generator Set S/N: 7105421 C/W: 2001 US EPA Label, Isuzu C240 4 Cylinder 33.8 hp 2.4 L Diesel Engine, 25 kVA /20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 4,795 Hr |
| 1039 | 2013 Multiquip DCA25SSI2C 25 kVA Mobile Portable Generator Set S/N: 4GNBG1113DB032751 C/W: US EPA Label, Isuzu BV-4EL2 4 Cylinder 25.6 kW Diesel Engine, 240 V 120 V Rated Voltage, S/A Trailer, Lunette Ring Usage: 293 Hr | 1045B | 2019 Multiquip DCA25SSIU4F 14.4 kW Mobile Generator Set S/N: 4GNBG091XKB052118 C/W: Isuzu 4LE2T 4 Cylinder 2.17 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 4,788 Hr |
| 1040 | 2012 Whisperwatt DCA-25SSIU2 20 kW Mobile Generator Set S/N: 3764842 C/W: 2005 US EPA Label, Isuzu 4 Cylinder 31.5 hp 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: 13,216 Hr | 1045A | 2013 Multiquip DCA-25SSIU3 20 kW Mobile Generator Set S/N: 7112675 C/W: US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 13,804 Hr |
| 1041 | Whisperwatt DCA-220SSVU 220 kVA Mobile Portable Generator Set S/N: 3753930 C/W: Volvo 6 Cylinder Diesel Engine, 220 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 10,440 Hr | 1045 | 1998 Multiquip DCA25SSIU 20 kW Mobile Generator Set S/N: 7101123 C/W: Isuzu 4 Cylinder 2.4 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch Usage: 17,312 Hr |
| 1042E | 2013 Atlas Copco XAS400JD7 Mobile Air Compressor S/N: 4500B1310DR074868 C/W: John Deere 4 Cylinder 4.5 L Diesel Engine Usage: 1,602 Hr | 1047 | 2015 Lincoln Vantage 500 Mobile Multi-Process Engine Driven Welder S/N: 5DLBU0911FH020454 / U1150105886 C/W: US EPA Label, Kubota 4 Cylinder 1.4 L Diesel Engine, Welding Leads Not Included, S /A Trailer, Ball Hitch Usage: 3,618 Hr |
| 1042 | Whisperwatt DCA25SSIU3 20 kW Mobile Generator Set S/N: 7110305 C/W: 2005 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch Usage: 10,949 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 1048 | 2015 Lincoln Vantage 500 500 A Mobile Multi-Process Engine Driven Welder S/N: 5DLBU0919FH021304 C/W: US EPA Label, Kubota 4 Cylinder 1.4 L Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: 3,744 Hr | 1054A | 2017 Magnum MLT6SMD Light Tower S/N: 7FSBL1017HB599072 C/W: 2016 US EPA Label, Mitsubishi 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available |
| 1049 | 2012 Lincoln VANTAGE300 300 A Mobile Multi-Process Engine Driven Welder S/N: U1120104345 C/W: Kubota V1505 4 Cylinder Diesel Engine, 3 Phase 120 V/ 240 V Input, S/A Trailer, Lunette Ring Usage: 1,804 Hr | 1054 | 2017 Magn MLT-6SK 6 kW Light Tower S/N: 7FSXL1018HB134192 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Machine S/N: 3002134192 Usage: 7,069 Hr |
| 1050F | 2017 Magnum MLT6SMD 6 kW Light Tower S/N: 7FSBL1018HB599078 C/W: Mitsubishi 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Lunette Ring, Machine S/N: 3001599078 Usage: 10,294 Hr | 1055A | 2016 Magnum MLT-6SK Light Tower S/N: 5AJLS1015GB600551 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 4,816 Hr |
| 1050D | 2017 Magnum MLT6SMD 6 kW Light Tower S/N: 7FSXL1017HB801494 C/W: Mitsubishi 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch, Machine S/N: 3001801494 Usage: 8,189 Hr | 1055 | 2016 Magnum MLT-6SK 6 kW Light Tower S/N: 5AJLS1015GB600811 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch, Machine S/N: 1600811 Usage: 8,757 Hr |
| 1050C | 2017 Magnum MLT6SMD 6 kW Light Tower S/N: 7FSBL1014HB651306 C/W: 2016 US EPA Label, Mitsubishi L3E 3 Cylinder 19 hp 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Lunette Ring, Machine S/N: Usage: 6,186 Hr | 1056 | 2016 Magnum MLT-6SK 6 kW Light Tower S/N: 5ALJS1018GB600804 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch, Machine S/N: 1600804 Usage: 3,479 Hr |
| 1051 | 2012 Lincoln Vantage 300 Mobile Multi-Process Engine Driven Welder S/N: 5DLBU0918BH013382 C/W: US EPA Label, Kubota 4 Cylinder 1.4 L Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: 5,681 Hr | 1059 | 2017 Magnum MLT6S 6 kW Light Tower S/N: 3001590397 C/W: Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 2,667 Hr |
| 1052 | 1994 Lincoln DC400 Mobile Stick Engine Driven Welder S/N: U1940604963 Usage: Not Available | 1060D | 2014 Magnum MLT3060K 6 kW Light Tower S/N: 5AJLS1419EB408248 C/W: Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Machine S/N: 1408248 Usage: 4,317 Hr |
| 1053 | 2018 Magnum MLT-6SK 6 kW Light Tower S/N: 7FSXL1017JB213035 C/W: Kubota D1005 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,019 Hr | 1060 | 2016 Wacker Neuson LTN-6 6 kW Light Tower S/N: 5XFLN0512GN001255 C/W: Kohler 3 Cylinder 19 kW 1.02 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,162 Hr |
| 1054D | 2016 Magnum MLT6SMD 6 kW Light Tower S/N: 5AJLS1015GB605085 C/W: Mitsubishi 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Reversible Hitch, Machine S/N: 1605085 Usage: 9,529 Hr | 1061D | 2014 Magnum MLT3060K 6 kW Light Tower S/N: 5AJLS1411EB410060 C/W: Tier 4, 2014 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Machine S/N: 1410060 Usage: 3,525 Hr |
| 1054C | 2016 Magnum MLT6SMD 6 kW Light Tower S/N: 5AJLS1014GB605109 C/W: Mitsubishi 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Reversible Hitch, Machine S/N: 1605109 Usage: 6,260 Hr | 1061C | 2013 Magnum MLT3060K 6 kW Light Tower S/N: 5AJLS1410DB305735 C/W: Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Machine S/N: 1305735 Usage: 3,062 Hr |
| | | 1061 | 2014 Magnum MLT3060K Light Tower S/N: 5AJLS1414EB407282 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,984 Hr |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 1062 | 2013 Magnum MLT3060K Light Tower S/N: Not Available C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,535 Hr | 1074 | Light Tower S/N: Not Available Usage: Not Available |
| 1063B | 2013 Magnum MLT3060K 6 kW Light Tower S/N: 5AJLS1414DB309335 C/W: Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch, Machine S/N: 1309335 Usage: 5,342 Hr | 1075 | Light Tower S/N: Not Available Usage: Not Available |
| 1063 | 2013 Magnum MLT3060K Light Tower S/N: 5AJLS1414DB310002 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,056 Hr | 1076 | 2015 Solar Tech Solar Message Board S/N: 4GM2M1312F1461808 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available |
| 1064B | 2013 Magnum MLT3060K 6 kW Light Tower S/N: 5AJLS1415DB306993 C/W: Tier 4, 2013 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,982 Hr | 1077 | 2015 Solar Tech Solar Message Board S/N: 4GM2M1310F1461607 C/W: Solar Powered, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available |
| 1065 | 2005 Allmand Night-Lite Pro Light Tower S/N: 2094PRO05 C/W: Diesel Engine, 4 Lamps, S/A Trailer, Reversible Hitch Usage: 3,253 Hr | 1078B | 2012 Solar Tech Solar Message Board S/N: 4GM2M1310C1461103 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available |
| 1066 | 2003 Allmand Light Tower S/N: 510PRO03 C/W: 2002 US EPA Label, Kubota D905-BG-E 3 Cylinder 9.7 kW .89 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: 7,298 Hr | 1078 | 2015 Wanco Message Board S/N: 5F12S1611F1000535 C/W: LED Lighting, S/A Trailer, Ball Hitch Usage: Not Available |
| 1067 | 1995 Magnum 6 kW Light Tower S/N: 1M9L516145B101723 C/W: 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: 2,445 Hr | 1079C | 2011 Solar Tech Solar Message Board S/N: 4GM2M1317B1461047 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available |
| 1068 | Magnum MLT3060M 6 kW Light Tower S/N: 1306269 C/W: Mitsubishi L3E 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,092 Hr | 1079 | 2011 Wanco Solar Message Board S/N: 5F12S1615B1003092 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available |
| 1069 | Wanco 6 kVA Light Tower S/N: 5F13D141XB1002599 C/W: Tier 4, 2011 US EPA Label, Kubota D1105-BG-ET01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,677 Hr | 1080 | 2013 Wanco WTMMB Message Board S/N: 5F12S1614D1001207 C/W: S/A Trailer, Ball Hitch Usage: Not Available |
| 1070 | Light Tower S/N: Not Available Usage: Not Available | 1081B | 2012 Solar Tech Solar Message Board S/N: 4GM2M131X01461092 C/W: S/A Trailer, Ball Hitch Usage: Not Available |
| 1071 | Light Tower S/N: Not Available Usage: Not Available | 1081 | 2012 Solar Tech Solar Message Board S/N: 4GM2M131XC1461089 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available |
| 1072 | Light Tower S/N: Not Available Usage: Not Available | 1082 | 2008 ADDCO Message Board S/N: 4SEPN16178M4SE281 C/W: LED Lighting, S/A Trailer, Lunette Ring Usage: Not Available |
| 1073 | Light Tower S/N: Not Available Usage: Not Available | 1083 | 2007 Wanco Message Board S/N: 5F12S161971002440 C/W: S/A Trailer, Ball Hitch Usage: Not Available |
| | | 1084 | 2006 Ver-Mac Message Board S/N: 2S9US41226S132498 C/W: S/A Trailer, Lunette Ring Usage: Not Available |
| | | 1085 | 2008 ADDCO DH 1000 ALS Message Board S/N: 4SEPN16198M4SE279 C/W: LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 1086 | 2013 Wanco WTMMB Message Board S/N: 5F12S1613D1002185 C/W: S/A Trailer, Ball Hitch Usage: Not Available | 1097 | 2015 Putzmeister BSA120 Concrete Pump S/N: 1P9AP1923FR330090 C/W: 2014 US EPA Label, Deutz 197 hp Diesel Engine, T/A Trailer, Ball Hitch, Electric Brakes Usage: 438 Hr |
| 1087 | 2002 Wanco Message Board S/N: 5F12S161221002439 C/W: S/A Trailer, Ball Hitch Usage: Not Available | 1098 | Pioneer PP66S12L11-F4L914 Trailer-Mounted Water Pump S/N: PP66S12L11F4L914 C/W: 6 in Intake, 6 in Discharge, US EPA Label, Deutz 56 kW Diesel Engine Usage: 1,522 Hr |
| 1088 | 2011 Vermeer BC1000 XL Tow-Behind Wood Chipper S/N: 1VRY1119XB1016674 C/W: 4 Cylinder Diesel Engine, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 1,386 Hr | 1099 | 2015 Cornell 6NNT Trailer-Mounted Water Pump S/N: 1P9BP1383FV591020 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, 2015 US EPA Label, Detroit 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 1,727 Hr |
| 1089 | 2017 Vermeer BC700XL Tow-Behind Wood Chipper S/N: 1VRC101V8J1001994 C/W: 2017 US EPA Label, Kohler 2 Cylinder Gasoline Engine, 41 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch Usage: 474 Hr | 1100 | 2015 Cornell 6NNT Trailer-Mounted Water Pump S/N: 1P9BP1383FV591017 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 3,125 Hr |
| 1090A | 1994 Morbark 13 Tow-Behind Wood Chipper S/N: 4S8SZ1313RW020532 C/W: John Deere 4 Cylinder Diesel Engine, 44 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 990 Hr | 1101 | 2015 Cornell 6NNT Trailer-Mounted Water Pump S/N: 1P9BP1538FV591645 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 3,417 Hr |
| 1090 | 2017 Vermeer BC900XL Tow-Behind Wood Chipper S/N: 1VR712163H1002230 C/W: Vanguard 2 Cylinder 35 hp Gasoline Engine, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 1,114 Hr | 1102 | 2015 Cornell 6NNT Trailer-Mounted Water Pump S/N: 1R9RBAAA1FS723705 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, 2015 US EPA Label, Isuzu Diesel Engine, S/A Trailer, Lunette Ring Usage: 6,200 Hr |
| 1091 | 2013 Wanco WTSP Solar Arrow Board S/N: 5P11S1011D1004621 C/W: S/A Trailer, Ball Hitch Usage: Not Available | 1103 | 2015 Cornell 6NNT Trailer-Mounted Water Pump S/N: 1P9BP1387FV591019 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, Deutz 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 7,218 Hr |
| 1092 | 2010 Wanco WTSP Solar Arrow Board S/N: 5F11S1015A1003760 C/W: S/A Trailer, Ball Hitch Usage: Not Available | 1104A | 2017 Global Pump Trailer-Mounted Water Pump S/N: 1G9BT1210HD419407 C/W: 4 in Intake, 4 in Discharge, Centrifugal Water Pump, 2017 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available |
| 1093 | 2007 Allmand Solar Arrow Board S/N: 0318AB07 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available | 1104 | 2015 Premier 8NNT-RP-4045HF2 Trailer-Mounted Water Pump S/N: 1P9BP1356FV591678 C/W: 8 in Intake, 8 in Discharge, Centrifugal Water Pump, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 7,294 Hr |
| 1094 | 2004 Wanco Solar Arrow Board S/N: 5F11S101641001486 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available | | |
| 1095 | 2018 Safety Technologies AF-76X Solar Auto Flagger S/N: 1S9FP0617JR981161 C/W: Electric Raise, S/A, Ball Hitch Usage: Not Available | | |
| 1096 | 2018 Safety Technologies AF-76X Solar Auto Flagger S/N: 1S9FP0617JR981162 C/W: Electric Raise, Lunette Ring Hitch Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 1105A | 2012 Premier 4NNTL Trailer-Mounted Water Pump S/N: Not Available C/W: 4 in Intake, 4 in Discharge, Centrifugal 2011 US EPA Label, Yanmar 3NTV-88 26.9 kW Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 10,290 Hr | 1114 | 2017 Multiquip T/A Water Tank Trailer S/N: 4GNBM1226HB044768 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Poly Tank, Gasoline Powered Pump, 205/75R14 Tires Usage: Not Available |
| 1105 | 2014 Premier SA6NNT-RP Trailer-Mounted Water Pump S/N: 1P9BP1635EV591325 C/W: 6 in Intake, 6 in Discharge, Centrifugal Water Pump, 2014 US EPA Label, John Deere 4045TF290 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 4,606 Hr | 1115 | 2017 Multiquip WT5C 525 gal T/A Water Tank Trailer S/N: 4GNBM1220HB045804 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Poly Tank, Multiquip Gasoline Powered Pump, ST205/75D14 Tires, 1 Cylinder Gasoline Engine Usage: Not Available |
| 1106 | 2015 Cornell 12NNF-RP-EM18DB Trailer-Mounted Water Pump S/N: 1R9RBBAB9FS723626 C/W: 12 in Intake, 12 in Discharge, Centrifugal Cat C7.1 Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 4,936 Hr | 1116A | 2017 Wylie 500 gal T/A Water Tank Trailer S/N: 5VUTW1326HP000651 C/W: Ball Hitch, Surge Brakes, Poly Tank, Honda Gasoline Powered Pump, 225/75/R15 Tires Usage: Not Available |
| 1107 | Cima ESSE530 3-Point Hitch Sprayer S/N: 81566 C/W: Poly Tank Usage: Not Available | 1116 | 2017 Wylie 500 gal T/A Water Tank Trailer S/N: 5VUTW1324HP000650 C/W: 6000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Poly Tank, Tsurumi Gasoline Powered Pump, ST225/75D15 Tires, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available |
| 1108 | Cima ESSE530 3-Point Hitch Sprayer S/N: 000027 C/W: Poly Tank Usage: Not Available | 1119 | 300 Gal Fertilizer Nurse Tank S/N: Not Available Usage: Not Available |
| 1109 | Rears Nifty 50 50 gal Herbicide Pull-Type Sprayer S/N: L961094 Usage: Not Available | 1120 | Beringer S/A Wire Trailer S/N: Not Available Usage: Not Available |
| 1110 | Rears Nifty 50 6 ft S/A 50 gal Herbicide Pull-Type Sprayer S/N: Not Available C/W: 50 gal Tank, Single Nozzle Bodies Usage: Not Available | 1121 | 2017 Cart-Away T/A Mixer Trailer S/N: 4MFMA1520HM003248 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 2016 US EPA Label, Honda 1 Cylinder Gasoline Engine, Hydraulic Tilt, 225/75/R15 Tires Usage: Not Available |
| 1111A | 2017 Multiquip WT5C 500 gal T/A Water Tank Trailer S/N: 4GNBM1222HB046145 C/W: 7000 lb GVWR, Spring Suspension, Surge Brakes, Poly Tank, 205/75R14 Tires Usage: Not Available | 1122 | Multiquip MC94PH8 Portable Concrete Mixer S/N: G1752467 C/W: Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available |
| 1111 | Rears L14-1048 5 ft S/A 50 gal Herbicide Pull-Type Sprayer S/N: NF050E4H202KN C/W: 50 gal Tank, Single Nozzle Bodies Usage: Not Available | 1123 | 2022 Suihe 40 ft High Cube Storage Container (Unused) S/N: LYPU0079914 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available |
| 1112 | 2007 Northland 500 gal T/A Water Tank Trailer S/N: 1N9BW14287228144 C/W: 6000 lb GVWR, Spring Suspension, Surge Brakes, Poly Tank, 205/75R15 Tires Usage: Not Available | 1124 | 2022 Suihe 40 ft High Cube Storage Container S/N: LYPU0079920 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available |
| 1113 | 2017 Wylie 500 gal T/A Water Tank Trailer S/N: 5VUTW1326HP000617 C/W: 6000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Poly Tank, Tsurumi Gasoline Powered Pump, 225/75/R15 Tires Usage: Not Available | 1125 | 2022 Suihe 40 ft High Cube Storage Container (Unused) S/N: LYPU0079935 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 1126 | Suihe 40 ft High Cube Storage Container S/N: LYPU0079940 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available | 1137 | 2022 Suihe 40 ft High Cube Storage Container (Unused) S/N: LYGU0084792 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available |
| 1127 | 2022 40 ft High Cube Multi-Door Storage Container (Unused) S/N: JSCU5131916 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1138 | 2022 Suihe 40 ft High Cube Storage Container (Unused) S/N: LYGU0084806 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |
| 1128 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080900 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1139 | 2022 40 ft High Cube Open-Sided Storage Container S/N: MMPU1000803 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available |
| 1129 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080915 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available | 1140 | 2022 40 ft High Cube Multi-Door Storage Container S/N: PPLU1208935 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |
| 1130 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080936 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1141 | 2022 40 ft High Cube Multi-Door Storage Container S/N: PPLU1208961 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |
| 1131 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080920 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1142 | 2022 GM 40 ft High Cube Storage Container (Unused) S/N: GMPU0000628 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |
| 1132 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080941 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1143 | 2022 40 ft High Cube Multi-Door Storage Container (Unused) S/N: VSLU3101320 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available |
| 1133 | 2022 Suihe 40 ft High Cube Multi-Door Storage Container (Unused) S/N: LYPU0080957 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1144 | 2021 40 ft High Cube Storage Container S/N: SUZU4031813 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available |
| 1134 | 2022 40 ft High Cube Multi-Door Storage Container (Unused) S/N: RYDU0029450 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1145 | 40 ft Storage Container S/N: CASU4633797 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available |
| 1135 | 2022 KAIJIAN 40 ft High Cube Multi-Door Storage Container S/N: XHCU5472577 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors, Lock Box Usage: Not Available | 1146 | TMG 40 ft Multi-Door Storage Container (Unused) S/N: BNGU4193700 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available |
| 1136 | 2022 Suihe 40 ft High Cube Storage Container (Unused) S/N: LYGU0084787 C/W: 8 ft Wide, 9 ft 6 in High, Side Cargo Doors Usage: Not Available | 1147 | 40 ft Storage Container S/N: COSU4212354 C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 1148 | 40 ft Bulk Storage Container S/N: Not Available C/W: 8 ft Wide, 8 ft 5 in High, Comes With Delineators Usage: Not Available | 1162 | 20 ft Storage Container S/N: TCLU3688641 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available |
| 1149 | 1978 40 ft Storage Container S/N: AD50835 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available | 1163 | 20 ft Bulk Storage Container S/N: QDCM03A28367 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available |
| 1150 | 1977 40 ft Storage Container S/N: Y101259 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available | 1164 | 20 ft Bulk Storage Container S/N: TCKU29172 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available |
| 1151 | 40 ft Storage Container S/N: Not Available C/W: 8 ft 6 in High Usage: Not Available | 1165 | 20 ft Bulk Storage Container S/N: SUDU1987686 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available |
| 1152 | 20 ft Storage Container S/N: TCLU0688329 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1166 | 20 ft Bulk Storage Container S/N: TCLU1404160 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available |
| 1153 | 20 ft Storage Container S/N: ZIMU1186835 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1167 | 20 ft Storage Container S/N: Not Available C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available |
| 1154 | 20 ft Storage Container S/N: PRSU1625835 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1168 | 2022 Suihe 12 ft Storage Container (Unused) S/N: LYP1210050 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1155 | 20 ft Storage Container S/N: ZIMU1056636 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1169 | 2022 Suihe 12 ft Storage Container (Unused) S/N: LYP1210044 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1156 | 20 ft Storage Container S/N: Not Available C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1170 | 2022 Suihe 9 ft Storage Container (Unused) S/N: LYP910190 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1157 | 20 ft Storage Container S/N: SUDU1306720 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1171 | 2022 Suihe 9 ft Storage Container (Unused) S/N: LYP910105 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1158 | 20 ft Storage Container S/N: SUDU1925555 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1172 | 2022 Suihe 9 ft Storage Container (Unused) S/N: LYP910185 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1159 | 2007 20 ft Storage Container S/N: TRLU9288744 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1173 | 2022 Suihe 8 ft Storage Container (Unused) S/N: LYP810189 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1160 | 20 ft Storage Container S/N: TCLU0692400 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | 1174 | Suihe 8 ft Storage Container (Unused) S/N: Not Available C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available |
| 1161 | 2005 20 ft Storage Container S/N: TCCC05A004960 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 1175 | 2022 Suihe 8 ft Storage Container (Unused) S/N: LYP810177 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5003 | Quantity of (252) TMG TC29 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1176 | 2022 Suihe 7 ft Storage Container (Unused) S/N: LYP710010 C/W: 6 ft Wide, 6 ft 6 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5004 | Quantity of (252) TMG TC29 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1177 | TMG SC09 9 ft Office Storage Container (Unused) S/N: Not Available C/W: 7 ft 2 in Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5005 | Quantity of (252) TMG TC29 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1178 | TMG SC09 9 ft Office Storage Container (Unused) S/N: Not Available C/W: 7 ft 2 in Wide, 8 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5006 | Quantity of (252) 2022 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1179 | SC08 8 ft Office Storage Container (Unused) S/N: Not Available C/W: 6 ft 4 in Wide, 7 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5007 | Quantity of (252) 2022 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1180 | SC08 8 ft Office Storage Container (Unused) S/N: Not Available C/W: 6 ft 4 in Wide, 7 ft High, Single Walk Door, Window, Fork Pockets Usage: Not Available | 5008 | Quantity of (250) 2022 AGT A280 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1181 | 2022 Suihe 20 ft x 19 ft Folding Portable Storage Building (Unused) S/N: Not Available Usage: Not Available | 5009 | Quantity of (250) 2022 AGT A280 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1182 | Suihe 20 ft x 19 ft Folding Portable Building Storage Building (Unused) S/N: Not Available Usage: Not Available | 5010 | Quantity of (250) 2022 AGT A280 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1183 | 2022 Suihe 12 ft x 7 ft Skid-Mounted Mobile Office (Unused) S/N: Not Available Usage: Not Available | 5011 | Quantity of (250) 2022 AGT A280 Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 1184 | 2022 Shin Kobe SIG2025 8 ft x 6 ft 6 in Skid-Mounted Mobile Office (Unused) S/N: 221007-4 Usage: Not Available | 5012 | Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 5000 | Quantity of (250) 2022 KAIJIAN Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5013 | Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 5001 | Quantity of (250) 2022 KAIJIAN Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5014 | Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| 5002 | Quantity of (250) 2022 KAIJIAN Traffic Cones (Unused) S/N: Not Available Usage: Not Available | 5015 | Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available |
| | | 5016 | 2022 KAIJIAN 7 ft 2 in x 4 ft 9 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5017 | 2022 KAIJIAN 7 ft 2 in x 4 ft 9 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5032 | Suihe 6 ft 8 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available C/W: (2) Bathrooms Usage: Not Available |
| 5018 | Suihe 7 ft x 6 ft 2 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5033 | Suihe 6 ft 9 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5019 | Suihe 7 ft x 6 ft 2 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5034 | 2022 Suihe 6 ft 9 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5020 | Suihe 7 ft x 6 ft 2 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5035 | 2022 Suihe 6 ft 9 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5021 | Suihe 5 ft 3 in x 7 ft 1 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5036 | 2022 Suihe 6 ft 9 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5022 | Suihe 6 ft 3 in x 7 ft 1 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5037 | 2022 Suihe 6 ft 9 in x 4 ft 2 in 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5023 | 2022 Suihe 7 ft x 5 ft Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5038 | 2022 Suihe 7 ft x 4 ft 2 Person Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5024 | 2022 Suihe 7 ft x 5 ft Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5040 | 2022 Suihe 4 ft x 3 ft 6 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5025 | 2022 Suihe 7 ft x 5 ft Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5041 | 2022 Suihe 4 ft x 3 ft 6 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5026 | 2022 Suihe 6 ft 8 in x 6 ft 4 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5042 | 2022 Suihe 4 ft 3 in x 3 ft 7 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5027 | 2022 Suihe 6 ft 8 in x 6 ft 4 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available | 5043 | 2022 Suihe 4 ft x 3 ft 6 in Skid-Mounted Portable Toilet (Unused) S/N: Not Available Usage: Not Available |
| 5029 | 2022 Austin SPA2212S 7 ft x 4 ft Skid-Mounted Deluxe Portable Toilet (Unused) S/N: 221007-1 Usage: Not Available | 5044 | TMG SC80 80 in Tool Box S/N: Not Available C/W: 80" multi-drawer storage chest Usage: Not Available |
| 5030 | 2022 Shin Kobe I I T1017C 5 ft 5 in x 3 ft 6 in Skid-Mounted Portable Toilet (Unused) S/N: 210513-11 Usage: Not Available | 5045 | TMG SC80 80 in Tool Cabinet (Unused) S/N: Not Available Usage: Not Available |
| 5031 | 2022 Austin SST2213 7 ft x 4 ft Skid-Mounted Double Portable Toilet (Unused) S/N: 221007-7 Usage: Not Available | 5046 | Suihe 35D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5047 | Suihe 35D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5065 | TMG WB30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5048 | 2022 Suihe 35D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5066 | TMG WB30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5049 | Suihe 40D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5067 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5050 | Suihe 40D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5068 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5051 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5069 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5052 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5070 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5053 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5071 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5054 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5072 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5055 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5073 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5056 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5074 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5057 | Suihe 18D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5075 | 2022 Suihe 10D-2 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5058 | 2022 Suihe 18HD 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5076 | Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5059 | 2022 Suihe 18HD 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5077 | 2022 Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5060 | TMG WBC25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5078 | 2022 Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5061 | TMG WBC25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5079 | 2022 Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5062 | TMG WBC25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5080 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5063 | TMG SC35D 35 Drawer Tool Cabinet (Unused) S/N: Not Available Usage: Not Available | 5081 | Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5064 | TMG SC35D Tool Cabinet (Unused) S/N: Not Available Usage: Not Available | 5082 | 2022 Suihe 30D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5083 | Suihe 25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5101 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5084 | Suihe 25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5102 | 2022 Suihe 7D 4 ft 6 in Work Bench (Unused) S/N: Not Available C/W: 7 Drawers Usage: Not Available |
| 5085 | Suihe 15D-2 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5103 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5086 | Suihe 15D-2 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5104 | TMG WB9624S 8 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5087 | Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5105 | TMG WB85S 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5088 | Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5106 | TMG WB85S 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5089 | 2022 Suihe 18D-2B 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5107 | TMG WBC07 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5090 | TMG WB25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5108 | TMG WBC07 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5091 | TMG WB25D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5109 | TMG WB85S 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5092 | TMG WB20D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5110 | TMG WB7210S 6 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5093 | TMG WB20D 10 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5111 | TMG WB7210S 6 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5094 | TMG WB5510S Work Bench (Unused) S/N: Not Available Usage: Not Available | 5112 | TMG WB7210S 6 ft Work Bench (Unused) S/N: Not Available Usage: Not Available |
| 5095 | TMG WB5510S Work Bench (Unused) S/N: Not Available Usage: Not Available | 5113 | 2022 GM 5010023DP-10FT 100 ft x 50 ft Storage Building S/N: Not Available Usage: Not Available |
| 5096 | TMG WB5510S Work Bench (Unused) S/N: Not Available Usage: Not Available | 5114 | 2022 GM 408023DP-8FT 40 Ft x 80 Ft x 23 Ft Double Truss Steel Frame Storage Building S/N: Not Available C/W: 610gPVC Fabric,8-Year PVC Global Warranty, 8 Ft Arch Space, Signature of North American Engineer, (3) Boxes (1) Lot Usage: Not Available |
| 5097 | TMG WB9624S 8 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5115 | 2022 GM 406423DP-8FT 60 ft x 40 ft Storage Building S/N: Not Available Usage: Not Available |
| 5098 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | 5116 | 2022 GM C604015S 40 ft x 60 ft Container Shelter Storage Building S/N: Not Available Usage: Not Available |
| 5099 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | | |
| 5100 | 2022 Suihe 20D 7 ft Work Bench (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5117A | 2022 TMG DT3080 30 ft x 80 ft Dual Truss Prefab Shelter (Unused) S/N: Not Available Usage: Not Available | 5132 | 2022 Suihe S203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5117 | 2022 GM 306020DP 60 ft x 30 ft Storage Building S/N: Not Available Usage: Not Available | 5133 | Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5119 | 2022 GM C4040S 40 ft x 40 ft Container Shelter Storage Building S/N: Not Available Usage: Not Available | 5134 | Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5120 | 2022 GM 204012P 40 ft x 20 ft Storage Building S/N: Not Available Usage: Not Available | 5135 | 2022 Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5122 | 2022 Suihe S408020R 40 ft x 80 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5136 | 2022 Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5123 | 2022 Suihe S408020R 80 ft x 40 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5137 | 2022 Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5124 | 2022 Suihe S308515R 85 ft x 30 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available | 5138 | 2022 Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5125 | 2022 Suihe S308515R 85 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5139 | 2022 Suihe 203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5126 | 2022 Suihe S306515R 65 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5140 | 2022 Suihe C2020 20 ft 20 ft x 20 ft Container Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5127 | 2022 Suihe S306515R 65 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5141 | TMG ST4081E 40 ft x 80 ft x 22 ft Peak Ceiling Storage Building Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5128 | 2022 Suihe S306515R 65 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5142 | TMG DT2041CV Container Shelter Dual Truss 20 ft x 40 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5129 | 2022 Suihe S304015R 40 ft x 30 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available | 5143 | TMG DT2041CV Container Shelter Dual Truss 20 ft x 40 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5130 | 2022 Suihe S304015R 40 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5144 | TMG ST3050 30 ft x 50 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |
| 5131 | 2022 Suihe S203012R 30 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available | 5145 | TMG ST3050 30 ft x 50 ft Storage Building (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5146 | TMG ST1535 15 ft x 35 ft RV Motorhome Storage Building (Unused) S/N: Not Available Usage: Not Available | 5160 | TMG GH2030 20 ft x 30 ft Tunnel Greenhouse (Unused) S/N: Not Available Usage: Not Available |
| 5147 | 2022 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5161 | TMG PT2020F 20 ft x 20 ft Fully Enclosed Party Tent (Unused) S/N: Not Available Usage: Not Available |
| 5148 | 2022 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5162 | 2022 TMG PT2040F 40 ft x 20 ft Mobile Party Tent (Unused) S/N: Not Available Usage: Not Available |
| 5149 | 2022 Suihe C404015S 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5163 | TMG MS1020A 10 ft x 20 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5150 | 2022 Suihe C404015S 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5164A | 2022 21ft x 19ft Double Garage Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5151 | 2022 Suihe C404015S 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5164 | TMG MS2119 21 ft x 19 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5152 | 2022 Suihe C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5165 | 2022 25 ft x 33 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5153 | 2022 Suihe C2040 20 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available | 5166 | 2022 12 ft x 20 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5154 | TMG ST3041CV 30 ft x 40 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available | 5167 | 2022 12 ft x 20 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available |
| 5155 | TMG ST3041CV 30 ft x 40 ft Container Shelter (Unused) S/N: Not Available Usage: Not Available | 5168 | TMG CP1220 12 ft x 20 ft All-Steel Carport (Unused) S/N: Not Available Usage: Not Available |
| 5156 | TMG GH2030 20 ft x 30 ft Tunnel Greenhouse (Unused) S/N: Not Available Usage: Not Available | 5169 | TMG CP1220 12 ft x 20 ft All-Steel Carport (Unused) S/N: Not Available Usage: Not Available |
| 5157 | TMG ST2031E 20 ft x 30 ft Arch Wall Peak Ceiling Storage Shelter (Unused) S/N: Not Available Usage: Not Available | 5170 | 2022 12 ft x 20 ft Metal Carport (Unused) S/N: Not Available Usage: Not Available |
| 5158 | TMG ST2031E 20 ft x 30 ft Arch Wall Peak Ceiling Storage Shelter (Unused) S/N: Not Available Usage: Not Available | 5171 | TMG MSC2020 20 ft x 20 ft Metal Garage Carport Shed (Unused) S/N: Not Available Usage: Not Available |
| 5159 | TMG PT2020F 20 ft x 20 ft Fully Enclosed Party Tent (Unused) S/N: Not Available Usage: Not Available | 5172 | TMG MSC2020 20 ft x 20 ft Metal Garage Carport Shed (Unused) S/N: Not Available Usage: Not Available |
| | | 5173 | TMG MSC2020 20 ft x 20 ft Metal Garage Carport Shed (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5174 | TMG MSC2020 20 ft x 20 ft Metal Garage Carport Shed (Unused) S/N: Not Available Usage: Not Available | 5190 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5175 | 18 ft x 25 ft x 10 ft Carport (Unused) S/N: Not Available Usage: Not Available | 5191 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5176 | 12 ft x 21 ft x 10 ft Carport (Unused) S/N: Not Available Usage: Not Available | 5192 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5177 | 12 ft x 21 ft x 6 ft Carport (Unused) S/N: Not Available Usage: Not Available | 5193 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5178 | 18 ft x 21 ft x 6 ft Carport (Unused) S/N: Not Available Usage: Not Available | 5194 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5179 | 21 ft x 24 ft x 10 ft Carport (Unused) S/N: Not Available Usage: Not Available | 5195 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5180 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5196 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5181 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5197 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5182 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5198 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5183 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5199 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5184 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5200 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5185 | 2022 KAIJIAN Solar Cap 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5201 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5187 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | | |
| 5188 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | | |
| 5189 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5202 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5214 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5203 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5215 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5204 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5216 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5205 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5217 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5206 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5218 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5207 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5219 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5208 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5220 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5209 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5221 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5210 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5222 | 2022 KAIJIAN 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5211 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5223 | 2022 KAIJIAN 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5212 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5224 | 2022 KAIJIAN 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5213 | 2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | 5225 | 2022 KAIJIAN 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| | | 5226 | 2022 KAIJIAN 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5227 | 2022 KAIJIAN 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5246 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available |
| 5232 | 2022 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5247 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Tree Motif Usage: Not Available |
| 5233 | 2022 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5248 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Tree Motif Usage: Not Available |
| 5234 | 2022 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5249 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5235 | 2022 20 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5250 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5236 | 2022 16 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5251 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5237 | 2022 16 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5252 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5238 | 2022 16 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5253 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5239 | 2022 16 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5254 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5240 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5255 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5241 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5256 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5242 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5257 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available |
| 5243 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Tree Motif Usage: Not Available | | |
| 5244 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | | |
| 5245 | 2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5258 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available | 5278 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5259 | 2022 KAIJIAN 14 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5279 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5260 | 2022 KAIJIAN 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cattle Motif Usage: Not Available | 5280 | Quantity of (30) 8 ft x 6 ft Site Fence (Unused) S/N: Not Available C/W: C/W Feet and Connectors Usage: Not Available |
| 5261 | 2022 KAIJIAN 14 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5281 | Quantity of (30) 6 ft x 8 ft Site Fence (Unused) S/N: Not Available C/W: C/W Feet and Connectors Usage: Not Available |
| 5268 | 2022 14 ft Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5282 | Quantity of (30) 6 ft x 8 ft Site Fence (Unused) S/N: Not Available C/W: C/W Feet and Connectors Usage: Not Available |
| 5269 | 2022 4 ft Wrought Iron Entry Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5283 | Quantity of (30) 8 ft x 6 ft Site Fence (Unused) S/N: Not Available C/W: C/W Feet and Connectors Usage: Not Available |
| 5270 | 2022 4 ft Wrought Iron Entry Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5284 | Quantity of (30) 2022 Suihe 10 ft x 8 ft Portable Construction Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5271 | Quantity of (90) 8 ft x 6 ft Site Fence (Unused) S/N: Not Available Usage: Not Available | 5285 | Quantity of (20) 2022 Suihe 10 ft x 6 ft Portable Construction Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5272 | Quantity of (90) 8 ft x 6 ft Site Fence (Unused) S/N: Not Available Usage: Not Available | 5286 | Quantity of (20) 2022 Suihe 10 ft x 6 ft Portable Construction Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5273 | Quantity of (80) 2022 KAIJIAN 7 ft x 4 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available | 5287 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5274 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5288 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5275 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5289 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5276 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5290 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5277 | Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5291 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5292 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5306 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5293 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5307 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5294 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5308 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5295 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5309 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5296 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5310 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5297 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5311 | Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5298 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5312 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5299 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5313 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5300 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5314 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5301 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5315 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5302 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5316 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5303 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5317 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5304 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5318 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |
| 5305 | Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5319 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5320 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available | 5337 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5321 | Quantity of (20) 2022 10 ft x 7 ft Site Fence (Unused) S/N: Not Available Usage: Not Available | 5338 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5322 | Quantity of (20) 2022 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5339 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5324 | Quantity of (20) 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5340 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5325 | Quantity of (20) 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5341 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5326 | Quantity of (20) 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5342 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5327 | Quantity of (20) 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5343 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5328 | Quantity of (20) 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available | 5344 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5331 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5345 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5332 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5346 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5333 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5347 | TMG MG20 20 ft Wrought Iron Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5334 | 2022 Suihe 18 ft Metal With Grid Livestock Gate (Unused) S/N: Not Available Usage: Not Available | 5348 | TMG MG20 20 ft Wrought Iron Driveway Gate (Unused) S/N: Not Available Usage: Not Available |
| 5335 | 2022 Suihe 18 ft Metal With Grid Livestock Gate (Unused) S/N: Not Available Usage: Not Available | 5349 | Quantity of (56) 2022 Suihe 10 ft Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5336 | 2022 Suihe 20 ft Farm Metal Driveway Gate (Unused) S/N: Not Available Usage: Not Available | 5350 | Quantity of (56) 2022 Suihe 10 ft Livestock Panel (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5351 | Quantity of (56) 2022 Suihe 10 ft Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362G | Quantity of (93) 2022 BYT LDP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5352 | Quantity of (56) 2022 KAIJIAN 10 ft Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362F | Quantity of (27) 2022 BYT HRS627 Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5354 | Quantity of (24) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362E | Quantity of 2022 BYT MSRP96 Mesh Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5355 | Quantity of (62) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362D | Quantity of (48) 2022 BYT RG10 10 ft Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5356 | Quantity of (31) 2022 BYT MGRG10 Steel 10 ft Magnum Ranch Livestock Gate (Unused) S/N: Not Available C/W: 2-3/8 Pipe Usage: Not Available | 5362C | Quantity of (48) 2022 BYT RG10 10 ft Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5357 | Quantity of (40) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362B | Quantity of (33) 2022 BYT LDP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5358 | Quantity of (40) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362A | Quantity of (33) 2022 BYT LDP96 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available Usage: Not Available |
| 5359 | Quantity of (40) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5362 | Quantity of (60) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel S/N: Not Available Usage: Not Available |
| 5360 | Quantity of (20) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available Usage: Not Available | 5363 | 2022 Hydraulic 100 ton Shop Press (Unused) S/N: Not Available Usage: Not Available |
| 5361 | Quantity of (24) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel S/N: Not Available Usage: Not Available | 5364D | 2004 Argo Avenger 8x8 Amphibian Unit (Inoperable) S/N: 2DGSS0BM74NV21230 C/W: Electric Start, Gasoline Engine Usage: 246 Hr |
| 5362N | Quantity of (10) 2022 BYT FFC762 330 ft Galvanized Farm Fencing (Unused) S/N: Not Available Usage: Not Available | 5364B | 2015 Kubota RTV-X900W-H Utility Cart (Inoperable) S/N: A5KB2FDBLFG030359 C/W: Open Operator Station, Windshield, Rear Screen, Diesel Engine Usage: 1,156 Hr |
| 5362M | Quantity of (10) 2022 BYT FFC762 330 ft Galvanized Farm Fencing (Unused) S/N: Not Available Usage: Not Available | 5364 | 2022 Hydraulic 100 ton Shop Press (Unused) S/N: Not Available Usage: Not Available |
| 5362L | Quantity of (10) 2022 BYT FFC762 330 ft Galvanized Farm Fencing (Unused) S/N: Not Available Usage: Not Available | 5365 | 2022 Hydraulic 100 ton Shop Press (Unused) S/N: Not Available Usage: Not Available |
| 5362K | Quantity of (10) 2022 BYT FFC762 330 ft Galvanized Farm Fencing (Unused) S/N: Not Available Usage: Not Available | 5366 | 2022 Hydraulic 50 ton Shop Press (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5367 | 2022 Agrotk AGT-SP50 50 Ton Air/Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available | 5384 | Quantity of (22) 2022 Suihe Webbing Sling (Unused) S/N: Not Available Usage: Not Available |
| 5368 | 2022 Agrotk AGT-SP75 75 Ton Air/Hydraulic Shop Press (Unused) S/N: AGT-SP7522092001 Usage: Not Available | 5385 | Quantity of (4) 2022 Mackman Legs G80 Chain Sling Set (Unused) S/N: Not Available Usage: Not Available |
| 5369 | 2022 Agrotk AGT-SP50 50 Ton Air/Hydraulic Shop Press (Unused) S/N: AGT-SP5022092101 Usage: Not Available | 5387 | 2022 Agrotk 3CR-8 6600 lb Ratchet Binder Chain (Unused) S/N: 3CR-822092101 Usage: Not Available |
| 5370 | TMG SP100 100 ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available | 5388 | Quantity of (38) 2022 Agrotk BS Greatbear Screw Pin Anchor Shackles (Unused) S/N: Not Available Usage: Not Available |
| 5371 | TMG SP50 50 ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available | 5389 | Quantity of 2022 Mackman 1- 3 Ton Flat Webbing Sling (Unused) S/N: Not Available Usage: Not Available |
| 5372 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5390 | Quantity of 2022 Mackman 1- 4 Ton Round Lifting Sling (Unused) S/N: Not Available Usage: Not Available |
| 5373 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5391 | Quantity of 2022 Mackman 2- 12 Ton Flat Webbing Sling (Unused) S/N: Not Available Usage: Not Available |
| 5374 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5392 | Quantity of 2022 Mackman 2- 12 Ton Round Lifting Sling (Unused) S/N: Not Available Usage: Not Available |
| 5375 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5393 | Quantity of 2022 Mackman 13000 lb Ratchet Binder & Chains (Unused) S/N: Not Available Usage: Not Available |
| 5376 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5394 | Quantity of 2022 Mackman 9200lbs Ratchet Binder & Chains (Unused) S/N: Not Available Usage: Not Available |
| 5377 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5395 | Quantity of 2022 Mackman 9200 lb Ratchet Binder & Chains (Unused) S/N: Not Available Usage: Not Available |
| 5378 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5396 | Quantity of 2022 Mackman 5400 lb Ratchet Binder & Chains (Unused) S/N: Not Available Usage: Not Available |
| 5379 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5397 | Quantity of 2022 Mackman HHP-1000GH Hydraulic Hand Pump & Cylinders (Unused) S/N: Not Available Usage: Not Available |
| 5380 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | 5398 | Quantity of 2022 Mackman HHP-1000GH Hydraulic Hand Pump & Cylinders (Unused) S/N: Not Available Usage: Not Available |
| 5381 | 2022 Gun Safe (Unused) S/N: Not Available Usage: Not Available | | |
| 5382 | Gun Safe (Unused) S/N: Not Available Usage: Not Available | | |
| 5383 | Quantity of (22) 2022 Suihe Webbing Sling (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5399 | 2022 Mackman HRS-60-SVD 60 ton Rotating Trolleys (Unused) S/N: S326831 Usage: Not Available | 5413 | Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available |
| 5400 | 2022 Suihe Double Legs Lifting Chain Sling (Unused) S/N: Not Available Usage: Not Available | 5414 | Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available |
| 5401 | 2022 Suihe Double Legs Lifting Chain Sling (Unused) S/N: Not Available Usage: Not Available | 5415 | Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available |
| 5402 | Quantity of (38) 2022 Suihe Shackles (Unused) S/N: Not Available Usage: Not Available | 5416 | Quantity of 2022 Mackman HHL Hydraulic Gear Puller (Unused) S/N: Not Available Usage: Not Available |
| 5403 | Quantity of (38) 2022 Suihe Shackles (Unused) S/N: Not Available Usage: Not Available | 5418 | Quantity of 2022 Yuni Tools (Unused) S/N: Not Available C/W: Impact Wrenches & Sockets Usage: Not Available |
| 5404 | Quantity of (24) 2022 Suihe Ratchet Tie Down (Unused) S/N: Not Available Usage: Not Available | 5419 | Quantity of (15) 2022 Operator Seats (Unused) S/N: Not Available Usage: Not Available |
| 5405 | Quantity of (24) 2022 Suihe Ratchet Tie Down (Unused) S/N: Not Available Usage: Not Available | 5420A | Quantity of (4) Demonlition Hammer (Unused) S/N: Not Available Usage: Not Available |
| 5406 | Quantity of (4) 2022 Mackman Legs G80 Chain Sling Set (Unused) S/N: Not Available Usage: Not Available | 5420 | Quantity of (10) 14 in Diamond Blades (Unused) S/N: Not Available Usage: Not Available |
| 5407 | Quantity of (4) 2022 Mackman Legs G80 Chain Sling Set (Unused) S/N: Not Available Usage: Not Available | 5422 | TMG FS10 10 ton Floor Scale (Unused) S/N: Not Available Usage: Not Available |
| 5408 | 2022 Suihe Quantity of (5) Ratchet Binder & Quantity of (10) Chains (Unused) S/N: Not Available C/W: 5400 lbs Usage: Not Available | 5423 | 2022 400 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available |
| 5409 | 2022 Suihe Quantity of (5) Ratchet Binder & Quantity of (10) Chains (Unused) S/N: Not Available C/W: 9200 lbs Usage: Not Available | 5424 | 2022 400 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available |
| 5410 | 2022 Suihe Quantity of (5) Ratchet Binder & Quantity of (10) Chains (Unused) S/N: Not Available C/W: 9200 lbs Usage: Not Available | 5425 | 2022 200 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available |
| 5411 | 2022 Suihe Quantity of (5) Ratchet Binder & Quantity of (10) Chains (Unused) S/N: Not Available C/W: 9200 lbs Usage: Not Available | 5426 | 2022 Suihe 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available |
| 5412 | Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused) S/N: Not Available Usage: Not Available | 5427 | 2022 Suihe 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available |
| | | 5428 | 2022 Timberwolf S/A Portable Sawmill S/N: 220401HS31G04 C/W: Gasoline Powered, 31 in Max Log Diameter, 16 ft Max Log Length Usage: Not Available |
| | | 5429 | Quantity of (16) 2022 Auto Darkening Welding Helmets (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5430 | Quantity of (16) 2022 Auto Darkening Welding Helmets (Unused) S/N: Not Available Usage: Not Available | 5446 | 2022 SERIES FM40 Fuel Pump (Unused) S/N: 500161 C/W: Auto Re-coil Hose Reel, Flow Meter Usage: Not Available |
| 5431 | TMG ALS61 6000 lb Car Lift (Unused) S/N: Not Available Usage: Not Available | 5447 | 2019 BW technologies XT-XWHM-Y-NA Gas Monitor S/N: MA219-036649 Usage: Not Available |
| 5432 | TMG ALS61 6000 lb Car Lift (Unused) S/N: Not Available Usage: Not Available | 5448 | TMG WB24 Wheel Balancer (Unused) S/N: Not Available Usage: Not Available |
| 5433 | 2022 10,000 lb 2 Post Car lift (Unused) S/N: Not Available Usage: Not Available | 5449 | TMG WB24 Wheel Balancer (Unused) S/N: Not Available Usage: Not Available |
| 5434 | 2022 10,000 lb 2 Post Car lift (Unused) S/N: Not Available Usage: Not Available | 5450 | TMG PSM30 30 in Stationary Sawmill (Unused) S/N: Not Available C/W: 30 in Max Log Diameter Usage: Not Available |
| 5436 | 2022 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused) S/N: ATKB100022092002 Usage: Not Available | 5451 | TMG PSM30 30 in Stationary Sawmill (Unused) S/N: Not Available C/W: 30 in Max Log Diameter Usage: Not Available |
| 5437 | 2022 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused) S/N: ATKB100022092003 Usage: Not Available | 5452 | TMG PSM30 30 in Stationary Sawmill (Unused) S/N: Not Available C/W: 30 in Max Log Diameter Usage: Not Available |
| 5438 | 2022 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused) S/N: ATKB100022092004 Usage: Not Available | 5453 | TMG GSG12 Tow-Behind Stump Grinder (Unused) S/N: Not Available C/W: Kohler 14 hp Usage: Not Available |
| 5439 | 2022 AGROTK ATK-B1000 10000 lb Two Post Car Lift (Unused) S/N: ATKB100022092005 Usage: Not Available | 5454 | TMG GSG12 Tow-Behind Stump Grinder (Unused) S/N: Not Available C/W: Kohler 14 hp Usage: Not Available |
| 5440 | TMG ALT100 10,000 lb Overhead Two Post Car Lift (Unused) S/N: Not Available Usage: Not Available | 5455 | 2022 Heavy Duty Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| 5441 | TMG ALT100 10,000 lb Overhead Two Post Car Lift (Unused) S/N: Not Available Usage: Not Available | 5456 | 2022 Heavy Duty Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| 5442 | TMG ALF90 9000 lb Four Post Car Lift (Unused) S/N: Not Available Usage: Not Available | 5457 | 2022 Heavy Duty Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| 5443 | TMG ALF90 9000 lb Four Post Car Lift (Unused) S/N: Not Available Usage: Not Available | 5458 | 2022 Heavy Duty Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| 5444 | 2022 12V DC Diesel Transfer Pump (Unused) S/N: Not Available Usage: Not Available | 5459 | TMG TC24 Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| 5445 | 2022 Loncin S-100 HC Power Trowel (Unused) S/N: 500160 C/W: 32 in, Loncin Gas Engine Usage: Not Available | 5460 | TMG TC24 Tire Changer (Unused) S/N: Not Available Usage: Not Available |
| | | 5461 | TMG TC28 Tire Changer (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5462 | TMG TTC26 Tire Changer (Unused) S/N: Not Available Usage: Not Available | 5476 | TMG PC90 Vibratory Plate Compactor (Unused) S/N: Not Available Usage: Not Available |
| 5463 | 2014 Husqvarna X4000 Walk-Behind Saw S/N: 001338634003 C/W: 2014 US EPA Label, Kohler 2 Cylinder Gasoline Engine Usage: Not Available | 5477 | Quantity of (2) Mustang CV3500 Concrete Vibrator (Unused) S/N: Not Available Usage: Not Available |
| 5464 | 2014 Husqvarna X4000 Walk-Behind Walk-Behind Saw S/N: 001338765001 C/W: 2014 US EPA Label, Kohler 2 Cylinder Gasoline Engine Usage: Not Available | 5478 | TMG 1000GED 10000 W Generator Set (Unused) S/N: Not Available C/W: Dual Fuel Engine Usage: Not Available |
| 5465 | TMG Q300 Walk-Behind Saw (Unused) S/N: Not Available Usage: Not Available | 5479 | TMG 1000GED 10000 W Generator Set (Unused) S/N: Not Available C/W: Dual Fuel Engine Usage: Not Available |
| 5466 | TMG Q300 Walk-Behind Saw (Unused) S/N: Not Available Usage: Not Available | 5480 | TMG 1000GED 10000 W Generator Set (Unused) S/N: Not Available C/W: Dual Fuel Engine Usage: Not Available |
| 5467 | TMG RM80 Jumping Jack Tamper (Unused) S/N: Not Available Usage: Not Available | 5481 | TMG 1000GED 10,000W Dual Fuel Engine Generator Set (Unused) S/N: Not Available Usage: Not Available |
| 5468 | TMG RM80 Jumping Jack Tamper (Unused) S/N: Not Available Usage: Not Available | 5482 | TMG GAC40 40 gal Air Compressor (Unused) S/N: 3249211262 Usage: Not Available |
| 5469 | TMG PC330K Vibratory Plate Compactor (Unused) S/N: Not Available Usage: Not Available | 5483 | TMG RT120 48 in 3-Point Rotary Tiller (Unused) S/N: Not Available Usage: Not Available |
| 5470 | TMG PC330K Vibratory Plate Compactor (Unused) S/N: Not Available Usage: Not Available | 5484 | 2022 Mower King TAS-81 72 in Rotary Rototiller (Unused) S/N: TAS8122092001 C/W: 540 PTO Usage: Not Available |
| 5471 | Mustang LF 88D Vibratory Plate Compactor (Unused) S/N: Not Available C/W: Loncin 1 Cylinder Gasoline Engine Usage: Not Available | 5485 | 2022 Mower King TAS-81 72 in Rotary Rototiller (Unused) S/N: TAS8122092101 C/W: 540 PTO Usage: Not Available |
| 5472 | Mustang LF 88D Vibratory Plate Compactor (Unused) S/N: Not Available C/W: Loncin 1 Cylinder Gasoline Engine Usage: Not Available | 5486 | 2022 Mower King TAS-81 72 in Rotary Rototiller (Unused) S/N: TAS8122092102 Usage: Not Available |
| 5473 | Mustang LF 88D Vibratory Plate Compactor (Unused) S/N: Not Available C/W: Loncin 1 Cylinder Gasoline Engine Usage: Not Available | 5487 | 2022 Mower King TAS-81 72 in Rotary Rototiller (Unused) S/N: TAS8122092103 C/W: 540 PTO Usage: Not Available |
| 5474 | Sakai PC800 Reversible Vibratory Plate Compactor S/N: 12382 C/W: Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available | 5488 | 2022 Mower King BX52G 3-Point Hitch Wood Chipper (Unused) S/N: BX52G22092101 Usage: Not Available |
| 5475 | TMG PC90 Vibratory Plate Compactor (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5489 | 2022 Mower King BX52G 3-Point Hitch Wood Chipper (Unused) S/N: BX52G22092102 Usage: Not Available | 5503 | TMG CP23 23 in Chicken Plucker (Unused) S/N: Not Available Usage: Not Available |
| 5490 | TMG WC42 3-Point Hitch Wood Chipper (Unused) S/N: BL2022090305 C/W: 4 in Feed Opening Usage: Not Available | 5504 | 2022 TMG DCP1010 10 ft x 10 ft Outdoor Dog Kennel Playpen (Unused) S/N: Not Available Usage: Not Available |
| 5491 | TMG WC42 3-Point Hitch Wood Chipper (Unused) S/N: BL2022090304 C/W: 4 in Feed Opening Usage: Not Available | 5505 | 2022 TMG DCP1010 10 ft x 10 ft Outdoor Dog Kennel Playpen (Unused) S/N: Not Available Usage: Not Available |
| 5492 | TMG GWC5 Tow-Behind 4-3/4 in Wood Chipper (Unused) S/N: Not Available C/W: Briggs & Stratton 1 Cylinder 13.5 hp 420 cc Gasoline Engine, Ball Hitch Usage: Not Available | 5506B | 2022 BYT CC001 10 ft Squeeze Chute (Unused) S/N: Not Available Usage: Not Available |
| 5493 | TMG GWC6 Tow-Behind 6 in Wood Chipper (Unused) S/N: Not Available C/W: Kohler 1 Cylinder 14 hp 429 cc Gasoline Engine, Ball Hitch Usage: Not Available | 5506A | 2022 BYT CC001 10 ft Squeeze Chute (Unused) S/N: Not Available Usage: Not Available |
| 5494 | TMG GLS34 Portable Log Splitter (Unused) S/N: Not Available C/W: Kohler 7 hp Engine Usage: Not Available | 5506 | 2022 Suihe 9 ft Cattle Squeeze Chute (Unused) S/N: Not Available Usage: Not Available |
| 5495 | TMG GLS34 Portable Log Splitter (Unused) S/N: Not Available C/W: Kohler 7 hp Engine Usage: Not Available | 5507 | 2022 AGROTK HPW4000 Pressure Washer (Unused) S/N: HPW400022092101 C/W: Water Heater, Hose, Spray Wand, 13 hp Engine Usage: Not Available |
| 5496 | TMG ST2020L 20 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available | 5508 | 2022 Suihe Pressure Washer (Unused) S/N: Not Available C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Jiangsu JF420 1 Cylinder 420 cc Engine Usage: Not Available |
| 5497 | 2022 12 ft x 20 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available | 5509 | 2022 Easy-Kleen Magnum Gold 4000 Pressure Washer (Unused) S/N: 223382 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available |
| 5498 | 2022 12 ft x 20 ft Metal Shed (Unused) S/N: Not Available Usage: Not Available | 5510 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224612 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Engine Usage: Not Available |
| 5499 | TMG MS1220L 12 ft x 20 ft Livestock Metal Shed (Unused) S/N: Not Available Usage: Not Available | 5511 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224614 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Gasoline Engine Usage: Not Available |
| 5500 | 2022 Agrotk ST3065V 65 ft x 30 ft Storage Building (Unused) S/N: ST3065V22092101 Usage: Not Available | 5512 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224613 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Engine Usage: Not Available |
| 5501 | 2022 Agrotk ST4040C Container Shelter Storage Container (Unused) S/N: ST4040C22092101 Usage: Not Available | | |
| 5502 | TMG CP23 23 in Chicken Plucker (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5513 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224615 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Engine Usage: Not Available | 5523 | 2023 Neks R17FT 600 gal Trailer Mounted Steel Diesel Fuel Tank (Unused) S/N: 3S9N1TE27PC103001 C/W: 12 V Transfer Pump, Fuel Meter Usage: Not Available |
| 5514 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224617 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Gasoline Engine Usage: Not Available | 5524 | 2023 Neks R14FT Trailer Mounted Steel Fuel Tank (Unused) S/N: 3S9N1TC25PC103002 C/W: 12 V Transfer Pump, (1) 600 gal Tank, (1) 150 gal Tank, Ball Hitch Usage: Not Available |
| 5515 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224616 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Engine Usage: Not Available | 5525 | 2023 Neks R14FT 600 gal Trailer Mounted Steel Diesel Fuel Tank (Unused) S/N: 3S9N1TC27PC103003 C/W: 12 V Transfer Pump Usage: Not Available |
| 5516 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224618 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Gasoline Engine Usage: Not Available | 5526 | 2022 Industrias America 990 gal Portable Steel Diesel Fuel Tank (Unused) S/N: 3EZBTT110NA000658 C/W: 12 V Transfer Pump, 9 ft Hose Usage: Not Available |
| 5517 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224619 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Engine Usage: Not Available | 5527 | 2022 Industrias America 990 gal Trailer Mounted Steel Diesel Fuel Tank (Unused) S/N: 3EZBTT111NA000670 C/W: 12 V Transfer Pump, DEF Tank Usage: Not Available |
| 5518 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224620 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Gasoline Engine Usage: Not Available | 5528 | 2022 Industrias America 750 gal Portable Diesel Fuel Tank (Unused) S/N: 3EZBTT089NA000611 Usage: Not Available |
| 5519 | Easy-Kleen Magnum Gold Pressure Washer (Unused) S/N: 224621 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan 1 Cylinder Gasoline Engine Usage: Not Available | 5529 | 2022 Industrias America 500 500 gal Trailer Mounted Diesel Fuel Tank (Unused) S/N: 3EZBTT060NA000754 C/W: 12 V Transfer Pump Usage: Not Available |
| 5520 | TMG HW41R Pressure Washer (Unused) S/N: 32302201077 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available | 5530 | 2022 Industrias America 500 gal Trailer Mounted Steel Diesel Fuel Tank (Unused) S/N: 3EZBTT06XNA000745 C/W: 12 V Transfer Pump, DEF Tank Usage: Not Available |
| 5521 | TMG HW41R Pressure Washer (Unused) S/N: Not Available C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available | 5531 | 2022 Yuni D1000DC 260 gal Skid Mounted Stainless Steel Diesel Fuel Tank (Unused) S/N: 2210132 C/W: 12 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available |
| 5522 | TMG HW41T Pressure Washer (Unused) S/N: Not Available C/W: 4000 psi Rating, Water Heater, 245 gal Water Supply, Hose, Spray Wand, Kohler 14 hp Gasoline Engine Usage: Not Available | 5532 | 2022 Yuni D620DC 160 gal Stainless Steel Diesel Fuel Tank (Unused) S/N: 2022072 C/W: 12 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available |
| | | 5533 | 2022 116 gal Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available |
| | | 5534 | 2022 116 gal Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5535 | 2022 116 gal Poly Fuel Tank (Unused) S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available | 5547 | Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Quantity of (3) Bits, (1) 9 in., (1) 12 in., (1) 18 in. Usage: Not Available |
| 5536 | 2022 Yuni D430DC 110 gal Stainless Steel Diesel Fuel Tank (Unused) S/N: 2022074 C/W: 12 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available | 5548 | 2022 Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in, 12 in & 8 in Bits Usage: Not Available |
| 5537 | Mustang RC20 Electric Rebar Cutter (Unused) S/N: Not Available Usage: Not Available | 5549 | 2022 Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in, 12 in & 8 in Bits Usage: Not Available |
| 5538 | 2022 Mower King SSECAGY Skid Steer Auger (Unused) S/N: SSECAG-Y22092101 C/W: Quick Coupler Bracket, 6 in, 12 in, 16 in Bit Usage: Not Available | 5550 | 2022 Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in ,12 in & 8 in Bits Usage: Not Available |
| 5539 | 2022 Mower King SSECAGY Skid Steer Auger (Unused) S/N: SSECAG-Y22092102 C/W: Quick Coupler Bracket, 6 in, 12 in, 16 in Bit Usage: Not Available | 5551 | 2022 Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in, 12 in & 8 in Bits Usage: Not Available |
| 5540 | 2022 Mower King SSECAGY Skid Steer Auger (Unused) S/N: Not Available C/W: 6 in, 12 in, 16 in Bit Usage: Not Available | 5552 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5541 | 2022 Mower King SSECAGY Skid Steer Auger (Unused) S/N: Not Available C/W: 6 in, 12 in, 16 in Bit Usage: Not Available | 5553 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5542 | 2022 Agrotk SSECAG-Y Skid Steer Auger (Unused) S/N: SSECAG-Y22092105 C/W: Quick Coupler Bracket, 6 in, 12 in, 14 in Bit Usage: Not Available | 5554 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5543 | 2022 Agrotk SSECAG-Y Skid Steer Auger (Unused) S/N: SSECAG-Y22092106 C/W: Quick Coupler Bracket, 6 in, 12 in, 14 in Bit Usage: Not Available | 5555 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5544 | 2022 Agrotk SSECAG-Y Skid Steer Auger (Unused) S/N: SSECAG-Y22092107 C/W: 6 in, 12 in, 16 in Bit Usage: Not Available | 5556 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5545 | 2022 Agrotk SSECAG-Y Skid Steer Auger (Unused) S/N: SSECAG-Y22092108 C/W: 6 in, 12 in. 14 in Bit Usage: Not Available | 5557 | 2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, 18 in & 12 in Bits Usage: Not Available |
| 5546 | Suihe Skid Steer Auger (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Quantity of (3) Bits, (1) 9 in., (1) 12 in., (1) 18 in. Usage: Not Available | 5558 | Low 750CH Skid Steer Auger (Unused) S/N: Not Available C/W: c/s: 9 in & 12 in Bits Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5559 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092001 C/W: Quick Coupler Bracket Usage: Not Available | 5572 | 2022 Agrotk SSHH750 Skid Steer Breaker (Unused) S/N: SSHH75022092102 C/W: Quick Coupler Bracket Usage: Not Available |
| 5561 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092003 C/W: Quick Coupler Bracket Usage: Not Available | 5573 | 2022 Suihe Hydraulic Skid Steer Breaker (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5562 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092002 C/W: Quick Coupler Bracket Usage: Not Available | 5574 | Wolverine ZW-750 Skid Steer Breaker (Unused) S/N: Not Available Usage: Not Available |
| 5563 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092004 C/W: Quick Coupler Bracket Usage: Not Available | 5576 | 2022 Mower King SSCT72 48 in Skid Steer Trencher (Unused) S/N: ECSSCT7222092101 Usage: Not Available |
| 5564 | 2022 Agrotk SSHH750 Skid Steer Breaker (Unused) S/N: SSHH75022092001 C/W: Quick Coupler Bracket Usage: Not Available | 5577 | 2022 Mower King SSCT72 48 in Skid Steer Trencher (Unused) S/N: ECSSCT7222092102 Usage: Not Available |
| 5565 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092101 Usage: Not Available | 5578 | 2022 Mower King SSCT72 48 in Skid Steer Trencher (Unused) S/N: ECSSCT7222092103 Usage: Not Available |
| 5566 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092102 Usage: Not Available | 5579 | 2022 Mower King SSCT72 48 in Skid Steer Trencher (Unused) S/N: ECSSCT7222092104 Usage: Not Available |
| 5567 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092103 Usage: Not Available | 5580 | 2022 Suihe 48 in Skid Steer Trencher (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5568 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092104 Usage: Not Available | 5581 | 2022 Suihe 48 in Skid Steer Trencher (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5569 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5582 | 2022 Suihe 48 in Skid Steer Trencher (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5570 | 2022 Agrotk SSHH680 Skid Steer Breaker (Unused) S/N: SSHH68022092106 C/W: Quick Coupler Bracket Usage: Not Available | 5583 | 2022 Handy HST48 58 in Skid Steer Trencher (Unused) S/N: TR2209332 C/W: Quick Coupler Bracket Usage: Not Available |
| 5571 | 2022 Agrotk SSHH750 Skid Steer Breaker (Unused) S/N: SSHH75022092101 C/W: Quick Coupler Bracket Usage: Not Available | 5584 | 2022 Handy HST48 0 ft 58 in Skid Steer Trencher (Unused) S/N: TR2209334 C/W: Quick Coupler Bracket Usage: Not Available |
| | | 5585 | Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5586 | Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available | 5599 | 2022 Landhonor HL-DCM-0300M 48 in Double Discharge Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5587 | Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available | 5600 | 2022 Handy HSSG24X Skid Steer Stump Grinder (Unused) S/N: SG2209413 C/W: Quick Coupler Bracket Usage: Not Available |
| 5588 | Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused) S/N: Not Available Usage: Not Available | 5601 | 2022 Handy HSSG24X Skid Steer Stump Grinder (Unused) S/N: SG2209414 C/W: Quick Coupler Bracket Usage: Not Available |
| 5589 | 2022 RockHound HL-LDR-0072W 68 in Skid Steer Landscape Rake (Unused) S/N: Not Available Usage: Not Available | 5602 | 2022 Handy HSSG24X Skid Steer Stump Grinder (Unused) S/N: SG2209415 C/W: Quick Coupler Bracket Usage: Not Available |
| 5590 | 2022 RockHound HL-LDR-0072W 68 in Skid Steer Landscape Rake (Unused) S/N: Not Available Usage: Not Available | 5603 | 2022 Handy HSSG24X Skid Steer Stump Grinder (Unused) S/N: SG2209412 C/W: Quick Coupler Bracket Usage: Not Available |
| 5591 | 2022 Landhonor HL-VPC-0072W 72 in Vibratory Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available | 5604 | 2022 Top Cat BDRC 48 in Articulating Skid Steer Brush Cutter (Unused) S/N: BDRC22092001 C/W: Quick Coupler Bracket Usage: Not Available |
| 5592 | 2022 Landhonor HL-VPC-0072W 72 in Vibratory Skid Steer Plate Compactor (Unused) S/N: Not Available Usage: Not Available | 5605 | 2022 Top Cat BDRC 42 in Articulating Skid Steer Brush Cutter (Unused) S/N: BDRC22092002 C/W: Quick Coupler Bracket Usage: Not Available |
| 5593 | 2022 Suihe 52 in Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5606 | 2022 Suihe 66 in Hydraulic Rotary Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5594 | 2022 Suihe 52 in Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5607 | 2022 Suihe 66 in Hydraulic Rotary Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5595 | 2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5608 | 2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5596 | 2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5609 | 2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5597 | 2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5610 | 2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5598 | 2022 Landhonor HL-DCM-0300M Double Discharge Skid Steer Concrete Mixer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5611 | 2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5624 | 2022 Suihe 72 in Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5612 | 2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5625 | 2022 Suihe 72 in Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5613 | 2022 Landhonor HL-ABC-1420G 42 in Articulating Skid Steer Brush Cutter (Unused) S/N: Not Available Usage: Not Available | 5626 | 2022 Suihe 72 in Hydraulic Rock Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5615 | 2022 Mower King SSAB72 Skid Steer Broom (Unused) S/N: SSAB7222092001 C/W: Quick Coupler Bracket Usage: Not Available | 5627 | 2022 Wolverine ZW-GB-0072W 72 in Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5616 | 2022 Mower King SSAB72 Skid Steer Broom (Unused) S/N: SSAB7222092002 C/W: Quick Coupler Bracket Usage: Not Available | 5628 | 2022 Wolverine ZW-GB-0072W 72 in Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5617 | 2022 Wolverine ZW-IAB-0072W 72 in Skid Steer Broom (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5629 | Wolverine ZW-GB-0072W 72 in Skid Steer Grapple Bucket (Unused) S/N: Not Available Usage: Not Available |
| 5618 | Wolverine ZW-IAB-0072W Skid Steer Broom (Unused) S/N: Not Available Usage: Not Available | 5630 | TMG SG72 72 in Skid Steer Grapple Bucket (Unused) S/N: BL2022080269 C/W: Quick Coupler Bracket Usage: Not Available |
| 5619 | 2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused) S/N: 4IN1BCT22092101 C/W: Quick Coupler Bracket Usage: Not Available | 5631 | TMG SG72 72 in Skid Steer Grapple Bucket (Unused) S/N: BL2022080257 C/W: Quick Coupler Bracket Usage: Not Available |
| 5620 | 2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused) S/N: 4IN1BCT22092102 C/W: Quick Coupler Bracket Usage: Not Available | 5632 | TMG SLG30 30 in Q/C Log Skid Steer Grapple Bucket (Unused) S/N: 315SLG30192 C/W: Quick Coupler Bracket Usage: Not Available |
| 5621 | 2022 Industrias America 84 in Skid Steer Bucket (Unused) S/N: 84202213409 C/W: Quick Coupler Bracket Usage: Not Available | 5633 | TMG SLG30 30 in Q/C Log Skid Steer Grapple Bucket (Unused) S/N: 315SLG30161 C/W: Quick Coupler Bracket Usage: Not Available |
| 5622 | 2022 Industrias America 60 in Skid Steer Bucket (Unused) S/N: 6020221448 C/W: Quick Coupler Bracket Usage: Not Available | 5634 | TMG SLG30 30 in Q/C Log Skid Steer Grapple Bucket (Unused) S/N: 315SLG30135 C/W: Quick Coupler Bracket Usage: Not Available |
| 5623 | 2022 Industrias America 72 in Skid Steer Bucket (Unused) S/N: 72202213486 C/W: Quick Coupler Bracket Usage: Not Available | 5635 | Cat PC9 32 in Skid Steer Planer S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 5636 | Cat PC 205 18 in Skid Steer Planer S/N: RBG00342 C/W: Quick Coupler Bracket Usage: Not Available | 5648 | 2022 Top Cat SSFM81 60 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSFM8122092101 Usage: Not Available |
| 5637 | 2022 Mower King Bush Hog 72 in Skid Steer Mower (Unused) S/N: SSRC22092001 C/W: Quick Coupler Bracket Usage: Not Available | 5649 | 2022 Top Cat SSDFM60 60 in Hydraulic Skid Steer Mulcher (Unused) S/N: SSDFM6022092101 C/W: Quick Coupler Bracket Usage: Not Available |
| 5638 | 2022 Mower King Bush Hog 72 in Skid Steer Mower (Unused) S/N: SSRC22092003 C/W: Quick Coupler Bracket Usage: Not Available | 5650 | 2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5639 | 2022 Mower King Bush Hog 72 in Skid Steer Mower (Unused) S/N: SSRC22092002 C/W: Quick Coupler Bracket Usage: Not Available | 5651 | 2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5640 | 2022 Mower King Bush Hog 72 in Skid Steer Mower (Unused) S/N: SSRC22092004 C/W: Quick Coupler Bracket Usage: Not Available | 5652 | 2022 TMG HL-RTR-0084W 72 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5641 | 2022 Mower King Bush Hog 82 in Skid Steer Mower (Unused) S/N: SSRC22092005 C/W: Quick Coupler Bracket Usage: Not Available | 5653 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available Usage: Not Available |
| 5642 | 2022 Mower King SSEFGC175 72 in Skid Steer Mower (Unused) S/N: SSEFGC17522092101 C/W: Quick Coupler Bracket Usage: Not Available | 5654 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5643 | 2022 Top Cat HDRC 72 in Skid Steer Mower (Unused) S/N: HDRC22092101 C/W: Quick Coupler Bracket Usage: Not Available | 5655 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5644 | 2022 Top Cat HFRC 72 in Skid Steer Mower (Unused) S/N: HFRC22092101 C/W: Quick Coupler Bracket Usage: Not Available | 5656 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5645 | 2022 Wolverine ZW-SBM-0072W 72 in Sickle Bar Skid Steer Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5657 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5646 | 2022 Handy HBDM72 72 in Drum Skid Steer Mulcher (Unused) S/N: BDM2209135 C/W: Quick Coupler Bracket Usage: Not Available | 5658 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5647 | 2022 Handy HSDM70 60 in Disc Skid Steer Mulcher (Unused) S/N: DM2209159 C/W: Quick Coupler Bracket Usage: Not Available | 5659 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5660 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5676 | TMG SRT72 72 in Skid Steer Tiller (Unused) S/N: 315SRT72389 C/W: Quick Coupler Bracket Usage: Not Available |
| 5661 | 2022 Suihe 78 in Skid Steer Root Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5677 | 2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused) S/N: SSVR7222092001 C/W: Quick Coupler Bracket Usage: Not Available |
| 5662 | Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused) S/N: Not Available Usage: Not Available | 5678 | 2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused) S/N: SSVR7222092002 C/W: Quick Coupler Bracket Usage: Not Available |
| 5663 | Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused) S/N: Not Available Usage: Not Available | 5679 | 2022 Suihe 72 in Hydraulic Skid Steer Vibratory Roller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5665 | 2022 Landhonor HL-HAG-0024R Hale Bale Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available | 5680 | 2022 Suihe 72 in Hydraulic Skid Steer Vibratory Roller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5666 | 2022 Landhonor HL-HAG-0024R Hale Bale Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available | 5681 | 2022 Handy HVR76 76 in Skid Steer Vibratory Roller (Unused) S/N: VR2209102 C/W: Quick Coupler Bracket Usage: Not Available |
| 5667 | 2022 Landhonor HL-HAG-0024R Hale Bale Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available | 5682 | Wolverine ZW-VR-0066W 66 in Skid Steer Vibratory Roller (Unused) S/N: Not Available Usage: Not Available |
| 5668 | 2022 Landhonor HL-HAG-0024R Hale Bale Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available | 5683 | 2022 Agrotk PD680-PZ Hydraulic Post Driver (Unused) S/N: PD680-PZ22092001 Usage: Not Available |
| 5669 | 2022 Landhonor HL-HAG-0024R Hale Bale Skid Steer Grapple (Unused) S/N: Not Available Usage: Not Available | 5684 | 2022 Wolverine ZW-PD-0750R Skid Steer Hydraulic Post Driver (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5670 | 2022 Top Cat SSSG72 72 in Rotary Skid Steer Angle Blade (Unused) S/N: SSSG7222092101 C/W: Quick Coupler Bracket Usage: Not Available | 5685 | Wolverine ZW-PD-0750R Skid Steer Hydraulic Post Driver (Unused) S/N: Not Available Usage: Not Available |
| 5671 | 2022 Top Cat SSSG72 72 in Rotary Skid Steer Angle Blade (Unused) S/N: SSSG7222092102 C/W: Quick Coupler Bracket Usage: Not Available | 5686 | 2022 Suihe Hydraulic Post Driver (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5673 | 2022 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5687 | TMG PD700S Hydraulic Post Driver (Unused) S/N: 3275220618 C/W: Quick Coupler Bracket Usage: Not Available |
| 5675 | 2022 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5688 | 2021 Industrias America 28 in Skid Steer Tree Shear (Unused) S/N: 20219128 Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5689 | Quantity of (2) 2022 Landhonor HL-UAP-0025T 1/4 Skid Steer Attachment Mounting Plate (Unused) S/N: Not Available Usage: Not Available | 5701 | 2022 Landhonor HL-GDR-0096W 96 in Grader (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5690 | 2022 Landhonor HL-QH-16-2C 3 Point Quick Hitch (Unused) S/N: Not Available Usage: Not Available | 5702 | 2022 Landhonor HL-IS-0022D Skid Steer Ice Scraper (Unused) S/N: Not Available Usage: Not Available |
| 5691 | 2022 Landhonor HL-QH-16-2C 3 Point Quick Hitch (Unused) S/N: Not Available Usage: Not Available | 5704 | 2022 Landhonor HL-TB-6000LB Skid Steer Tree Boom (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5692 | 2022 Landhonor HL-UHA-3000LB Skid Steer 2 in Receiver Hitch (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5705 | 2022 Landhonor HL-TBF-0066W 66 in Skid Steer Trench Backfiller (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5693 | 2022 Landhonor HL-UHA-3000LB Skid Steer 2 in Receiver Hitch (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5706 | Quantity of (2) 2022 Suihe Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available |
| 5694 | 2022 Landhonor HL-DGB-0084D Skid Steer Backhoe (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5707 | Quantity of (4) 2022 Suihe Skid Steer Dump Hopper (Unused) S/N: Not Available Usage: Not Available |
| 5695 | 2022 Landhonor HL-BS20 Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5708 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092001 C/W: Quick Coupler Bracket Usage: Not Available |
| 5696 | 2022 Landhonor HL-BS20 Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5709 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092002 C/W: Quick Coupler Bracket Usage: Not Available |
| 5697 | 2022 Handy HSGB96 96 in Hydraulic Skid Steer Dozer (Unused) S/N: GB2209300 C/W: Quick Coupler Bracket Usage: Not Available | 5710 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092003 C/W: Quick Coupler Bracket Usage: Not Available |
| 5698 | 2022 Suihe YS-86 86 in Hydraulic Skid Steer Dozer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5711 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092004 C/W: Quick Coupler Bracket Usage: Not Available |
| 5699 | 2022 Suihe YS-86 86 in Hydraulic Skid Steer Dozer (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5712 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092005 C/W: Quick Coupler Bracket Usage: Not Available |
| 5700 | 2022 Landhonor HL-GDR-0096W 96 in Grader (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5713 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092006 C/W: Quick Coupler Bracket Usage: Not Available |
| | | 5714 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092007 C/W: Quick Coupler Bracket Usage: Not Available |
| | | 5715 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092008 C/W: Quick Coupler Bracket Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5716 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092009 C/W: Quick Coupler Bracket Usage: Not Available | 5731 | 2022 Handy HRT43 Rock & Tree Handler (Unused) S/N: RTH2209212 C/W: Quick Coupler Bracket Usage: Not Available |
| 5717 | 2022 Mower King SA Skid Steer Forks (Unused) S/N: SA22092010 C/W: Quick Coupler Bracket Usage: Not Available | 5732 | 2022 Handy HRT43 Rock & Tree Handler (Unused) S/N: RTH2209211 Usage: Not Available |
| 5718 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092101 Usage: Not Available | 5733 | 2022 Handy Skid Steer Rock & Tree Handler S/N: RTH220629150 C/W: Quick Coupler Bracket Usage: Not Available |
| 5719 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092102 Usage: Not Available | 5734 | 2022 Landhonor HL-TPR-0012D Tree/Post Puller (Unused) S/N: Not Available Usage: Not Available |
| 5720 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092103 Usage: Not Available | 5735 | 2022 Landhonor HL-TPR-0012D Tree/Post Puller (Unused) S/N: Not Available Usage: Not Available |
| 5721 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092104 Usage: Not Available | 5736 | 2022 Handy HSRC12 Skid Steer Rotating Pole Clamp (Unused) S/N: RC2209342 C/W: Quick Coupler Bracket Usage: Not Available |
| 5722 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092105 Usage: Not Available | 5737 | 2022 Handy HSRP72 72 in Skid Steer Rock Picker (Unused) S/N: RP2209291 C/W: Quick Coupler Bracket Usage: Not Available |
| 5723 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092106 Usage: Not Available | 5738 | 2022 Handy HSC78 78 in Skid Steer Soil Conditioner (Unused) S/N: SC2209347 C/W: Quick Coupler Bracket Usage: Not Available |
| 5724 | 2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22092107 Usage: Not Available | 5739 | 2022 Handy HSC78 78 in Skid Steer Soil Conditioner (Unused) S/N: SC2209348 C/W: Quick Coupler Bracket Usage: Not Available |
| 5725 | 2022 Wolverine ZW-PF-0048LH 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5740 | 2022 Industrias America 190 9 ft Hydraulic Angle Blade Machine (Unused) S/N: 190202221 Usage: Not Available |
| 5726 | 2022 Wolverine ZW-PF-0048LH 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5741 | 2022 Industrias America 180 8 ft Hydraulic Angle Blade (Unused) S/N: 180202223761 C/W: 3 Point Hitch Usage: Not Available |
| 5727 | JBX 4000 48 in Skid Steer Forks (Unused) S/N: Not Available Usage: Not Available | 5742 | 2022 Land Honor HL-IS-0022D 22 in Skid Steer Ice Scraper (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5728 | JBX 4000 48 in Skid Steer Forks (Unused) S/N: Not Available Usage: Not Available | | |
| 5729 | JBX 4000 48 in Skid Steer Forks (Unused) S/N: Not Available Usage: Not Available | | |
| 5730 | JBX 4000 48 in Skid Steer Forks (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5743 | 2022 Land Honor HL-IS-0022D 26 in Skid Steer Ice Scraper (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5757 | 16 ft 5 in x 6 ft 4 in Roll-Off Container (Unused) S/N: Not Available Usage: Not Available |
| 5744 | 2022 Agrotk BH01 Skid Steer Bale Hugger (Unused) S/N: BH0122062201 C/W: Quick Coupler Bracket Usage: Not Available | 5758 | 16 ft 6 in x 6 ft 4 in Roll-Off Container (Unused) S/N: Not Available Usage: Not Available |
| 5746 | 2022 Mower King SSBX42 Skid Steer Chipper (Unused) S/N: SSBX42S22092002 C/W: Quick Coupler Bracket Usage: Not Available | 5759 | 2022 Suihe Heavy Duty Electric Winch (Unused) S/N: Not Available Usage: Not Available |
| 5747 | Quantity of (10) 2022 Agrotk WP-80DF3 Water Pump (Unused) S/N: Not Available Usage: Not Available | 5760 | 2022 Suihe Heavy Duty Electric Winch (Unused) S/N: Not Available Usage: Not Available |
| 5748 | Quantity of (5) 2022 AGT WP-80DF3 Water Pump (Unused) S/N: Not Available C/W: 80 mm Intake, 80 mm Discharge, Centrifugal Water Pump, 6 hp Gasoline Engine Usage: Not Available | 5761 | Quantity of (2) 2022 Wolverine ZW-EX-0825 7 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5749 | TMG 100TWP Water Pump (Unused) S/N: Not Available C/W: 4 in Intake, 4 in Discharge Usage: Not Available | 5762 | Quantity of (2) 2022 Wolverine ZW-EX-0825 7 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5750 | TMG 100TWP Water Pump (Unused) S/N: Not Available C/W: 4 in Intake, 4 in Discharge Usage: Not Available | 5763 | Quantity of (2) 2021 Wolverine ZW-EX-0825 82 in Fork Extensions S/N: Not Available Usage: Not Available |
| 5751 | TMG 100TWP Water Pump (Unused) S/N: Not Available C/W: 4 in Intake, 4 in Discharge Usage: Not Available | 5764 | 2021 Wolverine ZW-EX-0825 82 in Fork Extensions S/N: Not Available Usage: Not Available |
| 5752 | TMG 100TWP Water Pump (Unused) S/N: Not Available C/W: 4 in Intake, 4 in Discharge Usage: Not Available | 5765 | 2022 Suihe 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5753 | Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused) S/N: Not Available C/W: 2 in Intake, 2 in Discharge Usage: Not Available | 5766 | 2022 Suihe 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5754 | 2022 TMG 80TWP Semi-Trash Water Pump (Unused) S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 1 Cylinder Gasoline Engine Usage: Not Available | 5767 | 2022 Suihe 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5755 | 17 ft 6 in x 7 ft 2 in Roll-Off Container (Unused) S/N: Not Available Usage: Not Available | 5768 | 2022 Suihe 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| 5756 | 17 ft 6 in x 7 ft 2 in Roll-Off Container (Unused) S/N: Not Available Usage: Not Available | 5769 | TMG FE72 72 in Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| | | 5770 | TMG FE72 72 in Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| | | 5771 | TMG FE72 72 in Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| | | 5772 | TMG FE72 72 in Fork Extensions (Unused) S/N: Not Available Usage: Not Available |
| | | 5773 | 2022 Suihe Forklift Tilting Jib (Unused) S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5774 | 2022 Suihe Forklift Tilting Jib (Unused) S/N: Not Available Usage: Not Available | 5791 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 2206200302 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 5775 | 2022 HS3100 20 in Hydraulic Shear (Unused) S/N: 2206200329 Usage: Not Available | 5798 | 2020 HMB08 38 in Excavator Ripper (Unused) S/N: JW21R0084 Usage: Not Available |
| 5776 | 2022 HS3100 20 in Hydraulic Shear (Unused) S/N: 2206200582 Usage: Not Available | 5799 | 2020 HMB08 36 in Excavator Ripper (Unused) S/N: JW21R0047 Usage: Not Available |
| 5777 | 2022 HS3100 20 in Hydraulic Shear (Unused) S/N: 2206200586 Usage: Not Available | 5800 | Quantity of (2) 2022 Paw EB200 Digging Excavator Bucket (Unused) S/N: Not Available C/W: 26 in & 48 in Buckets Usage: Not Available |
| 5778 | 2022 HS3100 20 in Hydraulic Shear (Unused) S/N: 2206200583 Usage: Not Available | 5801 | 2022 HC2000 35 in Plate Compactor Attachment (Unused) S/N: 2206200291 C/W: 4 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 5781 | 2022 BHB2200-B Box Type Hydraulic Breaker (Unused) S/N: JSB19005018 Usage: Not Available | 5802 | 2022 HC2000 36 in Plate Compactor Attachment (Unused) S/N: 2206200297 C/W: 4 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 5782 | 2022 THB2200-B Top Type Hydraulic Breaker (Unused) S/N: JSB19005000 Usage: Not Available | 5803 | TMG HB90Q Q/C Hydraulic Breaker - Fits 6 to 9 ton Excavators & Backhoe Loaders (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 5785 | 60 in Excavator Ripper S/N: Not Available Usage: Not Available | 5804 | TMG EFM40 40 in Excavator Flail Mower - Fits 6 to 8 ton Excavators (Unused) S/N: Not Available C/W: 2 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 8.5 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 5786 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 2206200303 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | 5805 | 2022 HM1200 46 in Lifting Magnet (Unused) S/N: 2206200333 Usage: Not Available |
| 5787 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 2206200306 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | 5806 | 2022 HM1200 46 in Lifting Magnet (Unused) S/N: 2206200339 Usage: Not Available |
| 5788 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 2206200308 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | 5807 | 2022 Agrotk EXFLM115 48 in Brush Flail Mower (Unused) S/N: EXFLM11522092001 Usage: Not Available |
| 5789 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 22062003012 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | 5808 | 2022 Agrotk EXFLM115 48 in Brush Flail Mower (Unused) S/N: EXFLM11522092002 Usage: Not Available |
| 5790 | 2022 CAT345 48 in Excavator Ripper (Unused) S/N: 22062003019 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 17.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5809 | 2022 Agrotk EXRC54 54 in Rotary Brush Cutter (Unused) S/N: EXRC5422092001 Usage: Not Available | 5824 | 2022 Neks Fifth Wheel Towing Attachment (Unused) S/N: 003 C/W: 20000 lb Capacity Usage: Not Available |
| 5810 | 2022 Agrotk EXRC54 54 in Rotary Brush Cutter (Unused) S/N: EXRC5422092002 Usage: Not Available | 5825 | 2022 Neks Fifth Wheel Towing Attachment (Unused) S/N: 004 Usage: Not Available |
| 5811 | 2022 Suihe 48 in Side Shift Tractor Pallet Forks (Unused) S/N: 20220137 Usage: Not Available | 5826 | 2022 Industrias America VBL14 Pull Scraper (Unused) S/N: VBL14202225195 Usage: Not Available |
| 5812 | 2022 Suihe 48 in Side Shift Tractor Pallet Forks (Unused) S/N: 20220140 Usage: Not Available | 5827 | 2021 Industrias America VBL12 12 ft Float Pull Scraper (Unused) S/N: VBL12202225200 C/W: 3 Point Hitch Usage: Not Available |
| 5813 | Quantity of (2) Pipe Clamps Fork Attachment S/N: Not Available Usage: Not Available | 5828 | 2021 Industrias America VBL12 12 ft Float Pull Scraper (Unused) S/N: VBL12202224697 C/W: 3 Point Hitch Usage: Not Available |
| 5814 | 2022 Suihe 66 in Rotary Cultivator (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5829 | 2021 Industrias America VBL12 12 ft Float Pull Scraper (Unused) S/N: VBL12202225199 C/W: 3 Point Hitch Usage: Not Available |
| 5815 | 2022 Suihe 66 in Rotary Cultivator (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 5830 | 2022 Industrias America VBL10 10 ft Float Pull Scraper (Unused) S/N: VBL10202225201 C/W: 3 Point Hitch Usage: Not Available |
| 5816 | 2022 Industrias America 82RX 24 ft Livestock Feeder (Unused) S/N: 82RX12043538 Usage: Not Available | 5831 | 2022 Industrias America R2428 12 ft Offset Disc (Unused) S/N: R242820226791 C/W: 24 in Notched Front Discs, 24 in Deep Cone Rear Discs, 9 in Spacing Usage: Not Available |
| 5817 | 2022 Industrias America 82R 24 ft Portable Livestock Feeder (Unused) S/N: 82RX12043528 Usage: Not Available | 5832 | 2022 Industrias America R2422 6 ft Tandem Disc (Unused) S/N: R182020225891 C/W: 18 in Notched Front Discs, 18 in Notched Rear Discs, 7 in Spacing Usage: Not Available |
| 5818 | 2022 Industrias America 82R 24 ft Portable Livestock Feeder (Unused) S/N: 82RX12043467 Usage: Not Available | 5833 | 2022 Industrias America R1816 60 in 3-Point Offset Disc (Unused) S/N: R181620225792 C/W: 18 in Front Discs Usage: Not Available |
| 5819 | 2022 Industrias America 82R 24 ft Livestock Feeder (Unused) S/N: 82RX12043466 Usage: Not Available | 5834 | 2022 Industrias America R2422 72 in 3-Point Offset Disc (Unused) S/N: R1820225894 C/W: 18 in Front Discs Usage: Not Available |
| 5820 | 2022 Neks 30.5 ft Portable Steel Ramp (Unused) S/N: Not Available Usage: Not Available | | |
| 5821 | 2022 Ramp R820 20 ft Equipment Loading Ramp (Unused) S/N: R82020221231 Usage: Not Available | | |
| 5822 | 2022 Ramp R820 20 ft Loading Dock (Unused) S/N: R82020221261 Usage: Not Available | | |
| 5823 | 2022 Ramp R820 20 ft Loading Dock (Unused) S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5835 | 2022 Industrias America R2224 10 ft Tandem Disc (Unused) S/N: R222420226182 C/W: 22 in Notched Front Discs, 22 in Notched Rear Discs, 9 in Spacing Usage: Not Available | 5849 | 2022 Industrias America F08T 8 ft Box Scraper (Unused) S/N: F08T202224026 Usage: Not Available |
| 5836 | 2022 Industrias America D1050J 10 ft Packer (Unused) S/N: D1250J20221350 Usage: Not Available | 5850 | 2022 Industrias America F07T 7 ft Box Scraper (Unused) S/N: F07T20224078 Usage: Not Available |
| 5837 | 2022 Industrias America D1050J 126 in Packer (Unused) S/N: D1050J20221346 Usage: Not Available | 5851 | 2022 Industrias America F08T 8 ft Box Scraper (Unused) S/N: F08T202224031 Usage: Not Available |
| 5838 | 2022 Industrias America C6FT Plow (Unused) S/N: C6FT20221345 Usage: Not Available | 5852 | 2022 Industrias America F08 8 ft Box Scraper (Unused) S/N: F08202224248 Usage: Not Available |
| 5839 | 2022 Industrias America 5x6 Nut Crowder Machine (Unused) S/N: 5X6X1525404 C/W: 3 Point Hitch Usage: Not Available | 5853 | 2022 Neks 7 ft Box Scraper S/N: Not Available Usage: Not Available |
| 5840 | 2022 Industrias America 5X6 76 in Nut Crowder (Unused) S/N: 5X6X1525410 Usage: Not Available | 5854 | 2022 Neks 6 ft Box Scraper (Unused) S/N: Not Available Usage: Not Available |
| 5841 | 2022 Industrias America F12T 12 ft Box Scraper (Unused) S/N: F12T20222827 Usage: Not Available | 5855 | 2022 Industrias America F053P 5 ft Box Scraper (Unused) S/N: F053P202225259 Usage: Not Available |
| 5842 | 2022 Industrias America F12T 12 ft Box Scraper S/N: F12T20222863 Usage: Not Available | 5856 | 2022 Industrias America F07T 7 ft Box Scraper (Unused) S/N: F07T202224072 Usage: Not Available |
| 5843 | 2022 Industrias America F12T 12 ft Box Scraper (Unused) S/N: F12T20222832 Usage: Not Available | 5857 | 2022 Industrias America L6 6 ft Box Scraper (Unused) S/N: L620222527 Usage: Not Available |
| 5844 | 2022 Industrias America F12T 12 ft Box Scraper (Unused) S/N: F12T20222828 Usage: Not Available | 5858 | Quantity of (40) 13 ft Fiberglass Molded Industrial Walkway Panels S/N: Not Available Usage: Not Available |
| 5845 | 2022 Neks 12 ft Box Scraper (Unused) S/N: Not Available Usage: Not Available | 5859 | Quantity of (5) 2 7/8 in O.D. S-10 Steel Pipe S/N: Not Available C/W: (5) Bundles Usage: Not Available |
| 5846 | 2022 Industrias America F10T 10 ft Box Scraper (Unused) S/N: F10T202223932 Usage: Not Available | 5860 | Quantity of (5) 2 7/8 in SQ S-10 Steel Pipe (Unused) S/N: Not Available C/W: (5) Bundles Usage: Not Available |
| 5847 | 2022 Industrias America F10T 10 ft Box Scraper (Unused) S/N: F10T202223946 Usage: Not Available | 5861 | Quantity of (5) 2 7/8 in O.D. S-10 Steel Pipe (Unused) S/N: Not Available C/W: (5) Bundles Usage: Not Available |
| 5848 | 2022 Industrias America F08T 8 ft Box Scraper (Unused) S/N: F08T202224071 Usage: Not Available | 5862 | Quantity of (6) 2 1/4 in SQ S-10 Steel Pipe (Unused) S/N: Not Available C/W: (6) Bundles Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5863 | Quantity of (5) 3 5/8 in SQ S-10 Steel Pipe S/N: Not Available C/W: (5) Bundles Usage: Not Available | 5879 | Worthington Electrical Motor S/N: AU3354 Usage: Not Available |
| 5864 | Quantity of 21 ft Square Tubing (Unused) S/N: Not Available Usage: Not Available | 5880 | Electrical Motor S/N: Not Available Usage: Not Available |
| 5865 | Quantity of Square Tubing and Galvanized 8 ft Pipe S/N: Not Available Usage: Not Available | 5881 | 2005 Atlas Copco XAS96U Skid-Mounted Air Compressor S/N: 4500A07015R013870 C/W: 123 psi Working Pressure, Diesel Engine Usage: 167 Hr |
| 5866 | Quantity of (6) Tubing S/N: Not Available Usage: Not Available | 5882 | Dewalt 10.3 cfm 10.5 gal Portable Air Compressor S/N: 2601017762 C/W: 150 psi Working Pressure, Honda GX160 1 Cylinder 5.5 hp Gasoline Engine Usage: Not Available |
| 5867 | Quantity of (20) 10 ft x 4 ft Steel Plates S/N: Not Available Usage: Not Available | 5883 | Sullivan Palatek D185U2JD Skid-Mounted Air Compressor S/N: 600951 C/W: 125 psi Working Pressure, John Deere 4024TF281A 4 Cylinder 2.4 L Diesel Engine Usage: 546 Hr |
| 5868 | Quantity of (10) Steel Grating S/N: Not Available Usage: Not Available | 5884 | Sullivan Palatek D185U2JD Skid-Mounted Air Compressor S/N: 600998 C/W: 125 psi Working Pressure, John Deere 4024TF281A 4 Cylinder 2.4 L Diesel Engine Usage: 627 Hr |
| 5869 | Quantity of (10) Steel Grating S/N: Not Available Usage: Not Available | 5885 | Sullivan Palatek D185U2JD Skid-Mounted Air Compressor S/N: 600975 C/W: 125 psi Working Pressure, John Deere 4024TF281A 4 Cylinder 2.4 L Diesel Engine Usage: 731 Hr |
| 5870 | Quantity of (10) Steel Grating S/N: Not Available Usage: Not Available | 5886A | Doosan P90 Skid-Mounted Air Compressor S/N: Not Available C/W: Ingersol Rand 3 Cylinder Diesel Engine Usage: 2,563 Hr |
| 5871 | Quantity of (10) Steel grating S/N: Not Available Usage: Not Available | 5886 | Atlas Copco FD130 CSAA/UL Air Compressor S/N: 602122 Usage: Not Available |
| 5872 | Quantity of (8) 10 ft x 5 ft Steel Plates S/N: Not Available Usage: Not Available | 5887 | Ingersoll-Rand 2475 24 cfm Skid-Mounted 30 gal Air Compressor S/N: CBV147458 C/W: 90 psi Working Pressure, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available |
| 5873 | Trench Box S/N: Not Available Usage: Not Available | 5888B | Speedaire 3Z530B 25 cfm Electric Air Compressor S/N: 031710196021*6G C/W: 175 psi Working Pressure, 120V Usage: Not Available |
| 5874 | Cummins QSB Engine S/N: 45471557 C/W: 2005 US EPA Label, Cummins QSB 4 Cylinder 110 hp 4.5 L Diesel Engine Usage: Not Available | 5888A | Saylor Beall VT72080 Electric 80 gal Air Compressor S/N: 33X00 C/W: 240V Single Phase Usage: Not Available |
| 5875 | 2005 Cummins QSB Engine S/N: 46555991 C/W: 2005 US EPA Label, 4 Cylinder 110 hp 4.5 L Diesel Engine Usage: Not Available | | |
| 5876 | Cat C27 Acert Engine S/N: Not Available C/W: Cat C27 Acert 12 Cylinder 27.0 L Diesel Engine Usage: Not Available | | |
| 5877 | John Deere Skid Mounted Engine S/N: Not Available Usage: 6,137 Hr | | |
| 5878 | Quantity of (8) Rebuilt Engine S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5888 | Air Compressor Tank S/N: Not Available Usage: Not Available | 5901 | Lincoln Idealarc R3S-325 Portable Electric Welder S/N: A0544175 Usage: Not Available |
| 5889 | Whisperwatt DCA-220SSK Generator Set S/N: 3692748 C/W: 1996 US EPA Label, Komatshu S6D125E-2 6 Cylinder 273 hp 11000 cc Diesel Engine, 240 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage Usage: 9,712 Hr | 5902 | Miller MP-30E 300 A Skid-Mounted Electric Welder S/N: HJ146628 C/W: 208 V/ 460 V Input, Welding Leads Usage: Not Available |
| 5890B | Onan 100ENBA Skid-Mounted Generator Set S/N: Not Available C/W: Ford 8 Cylinder Gasoline Engine Usage: Not Available | 5903B | Quantity of Delineators S/N: Not Available C/W: Bases Not Included Usage: Not Available |
| 5890A | Detroit Diesel 50 kW Skid-Mounted Generator Set S/N: OBL C/W: Detroit 4 Cylinder Diesel Engine, 62.5 kVA /50 kW Rated 3 Phase Output, 240 V / 120 V Rated Voltage Usage: 748 Hr | 5903A | Quantity of Traffic Cones S/N: Not Available Usage: Not Available |
| 5890 | Multiquip DCA220SSK Skid-Mounted Generator Set S/N: 3700238 C/W: 2000 US EPA Label, Kamatshu S6D125E-2 273 hp 11000 cc Diesel Engine, 220 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage Usage: 2,271 Hr | 5903 | Quantity of Road Signs S/N: Not Available Usage: Not Available |
| 5893 | Multiquip Generator Set S/N: Not Available Usage: 7,142 Hr | 5904 | Quantity of (50) Crash Attenuator S/N: Not Available Usage: Not Available |
| 5895 | Multiquip GDP-5HA 4.0 kW Skid-Mounted Generator Set S/N: 5546484 C/W: Honda GX340 1 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available | 5905 | Crash Attenuator S/N: Not Available Usage: Not Available |
| 5896 | Lincoln Vantage 400 A Skid-Mounted Multi-Process Electric Welder S/N: Not Available C/W: Tier 4, 2015 US EPA Label, Kubota V1505 16.4 kW 1.5 L Diesel Engine, Single Phase Usage: 2,685 Hr | 5906 | 2018 Ditch Witch RT125 Trencher S/N: DWPRT125LJ0000030 C/W: Canopy, Hydrostatic Drive, 2016 US EPA Label, Deutz TCD 3.6 L4 121 hp 3.6 L Diesel Engine, 82 in Long Combination Trencher Chain, Straight Blade Usage: 1,069 Hr |
| 5898 | Miller MP-45E 450 A Skid-Mounted Electric Welder S/N: JB480333 C/W: 208 V/ 460 V Input Usage: Not Available | 5907B | 2017 Toro TRX-20 Tracked Trencher S/N: 400863214 C/W: 2 Cylinder Gasoline Engine, 4 in Wide x 48 in Long Dirt Trencher Chain, 6 in Rubber Tracks Usage: 531 Hr |
| 5899 | Lincoln Idealarc DC-400 400 A Multi-Process Portable Electric Welder S/N: AC611003 C/W: 3 Phase 230 V/ 460 V Input, Wire Feeder Attachment Usage: Not Available | 5907A | 2017 Toro TRX-20 Tracked Trencher S/N: 400863210 C/W: Hydrostatic Drive, Kawasaki 2 Cylinder Gasoline Engine, 4 in Wide x 48 in Long Dirt Trencher Chain, 6 in Rubber Tracks Usage: 433 Hr |
| 5900 | Lincoln Idealarc DC-400 400 A Multi-Process Portable Electric Welder S/N: U1030110671 C/W: Wire Feeder Attachment Usage: Not Available | 5907 | Barreto E924HM-4MS Walk-Behind Trencher S/N: M2702 C/W: 2017 US EPA Label, 1 Cylinder Gasoline Engine, 0 ft Cable Plow, 4 in Wide x 32 in Long Dirt Trencher Chain Usage: 528 Hr |
| | | 5907 | 2017 Barreto 6 ft S/A Equipment Trailer S/N: 1B9UC0616HL280470 C/W: 2200 lb GVWR, Ball Hitch, 6 ft 6 in Main Deck, 48 in Usable Deck Width, 5.30-12 Tires Usage: Not Available |
| | | 5909 | 2015 Bomag Trench Compactor S/N: 101720123594 C/W: Tier 4, 2014 US EPA Label, Kubota 3 Cylinder 1.0 L Diesel Engine, Split Drums, Remote Control w/ Cord Usage: 972 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 5910 | Exmark LZS749AKC72400 Ride-On Lawn Mower S/N: 404319700 C/W: Hydrostatic Drive, 72 in Mower Usage: 1,489 Hr | 5930 | Surface Jet Man Basket S/N: 11878 Usage: Not Available |
| 5912 | 2018 Wright Ride-On Lawn Mower S/N: 108481PF Usage: 2,033 Hr | 5931 | Man Basket S/N: Not Available Usage: Not Available |
| 5913 | Toro Walk-Behind Lawn Mower S/N: 312000112 Usage: 89 Hr | 5932 | Surface Jet Man Basket S/N: TA11985 Usage: Not Available |
| 5914 | Billy Goat BC2403H Brush Cutter S/N: 030711015 Usage: Not Available | 5933 | Vacuum Pump S/N: Not Available Usage: Not Available |
| 5915 | Rhino 12 ft Rotary Mower S/N: Not Available C/W: 540 PTO Usage: Not Available | 5934 | Vacuum Pump S/N: Not Available Usage: Not Available |
| 5916 | 2015 Dosko 337-13H Walk-Behind Stump Grinder S/N: 29610001 C/W: Honda GX390 1 Cylinder Gasoline Engine, 16 in Grinding Wheel Usage: Not Available | 5935 | Transfer Pump S/N: Not Available Usage: Not Available |
| 5918 | Turfco PRO 26 85396 Aerator S/N: G00294 C/W: Tier 2, 2007 US EPA Label, Honda GX120 1 Cylinder 4 hp 119 cc Gasoline Engine Usage: Not Available | 5936B | Quantity of (2) Sewage Pump S/N: Not Available C/W: 12 in Intake, 8 in Discharge Usage: Not Available |
| 5919 | Turfc Pro-26 Aerator S/N: J00236 C/W: Tier 2, 2007 US EPA Label, Honda GX120 1 Cylinder 4 hp 119 cc Gasoline Engine Usage: Not Available | 5936A | Quantity of (2) Sewage Pump S/N: Not Available C/W: 12 in Intake, 8 in Discharge Usage: Not Available |
| 5920 | Ryan 544910A Aerator S/N: 5449100310 C/W: Honda GX120 1 Cylinder Gasoline Engine Usage: 81 Hr | 5936 | Shop Built Trailer-Mounted Water Pump S/N: Not Available C/W: 6 in Intake, 6 in Discharge, Centrifugal John Deere 4219DF 01 4 Cylinder Diesel Engine, 2/Axle Trailer, Lunette Ring Usage: Not Available |
| 5922 | Kuhn VK 135 54 in 3-Point Flail Mower S/N: 180007 C/W: 540 PTO Usage: Not Available | 5937 | Electric Belt Cement Mixer S/N: Not Available Usage: Not Available |
| 5924 | Electric Concrete Screed S/N: Not Available Usage: Not Available | 5938 | Electric Portable Concrete Mixer S/N: 5194 Usage: Not Available |
| 5925 | Concrete Vibrator S/N: Not Available Usage: Not Available | 5939C | Concrete Mixer S/N: Not Available Usage: Not Available |
| 5926 | Mobydick Wheel Wash System S/N: 1111171 Usage: Not Available | 5939B | Kyokuyo Cement Mixing System S/N: Not Available Usage: Not Available |
| 5927 | Man Basket S/N: Not Available Usage: Not Available | 5939A | Portable Concrete Mixer S/N: Not Available Usage: Not Available |
| 5929 | Man Basket S/N: Not Available C/W: Greifzug 1.5 kW Usage: Not Available | 5939 | Electric Portable Concrete Mixer S/N: Not Available Usage: Not Available |
| | | 5940 | Edco CD-5 Pneumatic Concrete Scabbler S/N: 62739 Usage: Not Available |
| | | 5941 | 2013 Edco CD-5 Concrete Scarifier S/N: 130210017 Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5943A | Camlever LXB-400 Concrete Bucket S/N: 2456 Usage: Not Available | 5955A | 2011 Multiquip MVH-306GH Reversible Vibratory Plate Compactor S/N: V7759 C/W: 2011 US EPA Label, Honda 2 Cylinder Gasoline Engine Usage: Not Available |
| 5944 | Quantity of 10 Ft Concrete Forms S/N: Not Available Usage: Not Available | 5955 | 2014 Multiquip MVH308GH Reversible Vibratory Plate Compactor S/N: Z-1440 C/W: 2014 US EPA Label, Honda Gasoline Engine Usage: 611 Hr |
| 5945 | Quantity of Fiberglass Concrete Forms S/N: Not Available Usage: Not Available | 5956B | Mikasa MVH306DS2 Vibratory Plate Compactor S/N: Not Available C/W: Yanmar 4.8 kW Diesel Engine Usage: Not Available |
| 5946 | 2015 Bomag BPR70 D/E Reversible Vibratory Plate Compactor S/N: 101692751058 C/W: 2015 US EPA Label, Hatz Diesel Engine Usage: 405 Hr | 5956A | Quantity of (4) Vibratory Plate Compactor S/N: Not Available Usage: Not Available |
| 5947 | 2014 Bomag BPR70 D/E Reversible Vibratory Plate Compactor S/N: 101692751017 C/W: Hatz Diesel Engine Usage: 456 Hr | 5956 | Vibratory Plate Compactor S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available |
| 5948 | 2013 Bomag BPR70 D/E Reversible Vibratory Plate Compactor S/N: 101692351063 C/W: 2012 US EPA Label, Hatz Diesel Engine Usage: 586 Hr | 5957 | 2019 Wacker Neuson rtsc3 Trench Compactor S/N: 24500282 C/W: Tier 4, 2018 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 67 Hr |
| 5949 | 2013 Bomag BPR70 D/E Reversible Vibratory Plate Compactor S/N: 101692351064 C/W: 2012 US EPA Label, Hatz Diesel Engine Usage: 841 Hr | 5958 | 2019 Wacker Neuson RTSC3 Trench Compactor S/N: 24501874 C/W: Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 47 Hr |
| 5950 | 2013 Bomag BPR70/70DE Reversible Vibratory Plate Compactor S/N: 101692351017 C/W: Hatz Diesel Engine Usage: 486 Hr | 5959 | 2019 Wacker Neuson RTSC3 Trench Compactor S/N: 24496928 C/W: Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 29 Hr |
| 5951 | 2016 Wacker Neuson DPU6555Heh Vibratory Plate Compactor S/N: 10623834 Usage: 197 Hr | 5960 | 2019 Wacker Neuson RTSC3 Trench Compactor S/N: 24505525 C/W: Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 24 Hr |
| 5952 | 2017 Wacker Neuson DPU6555Heh Vibratory Plate Compactor S/N: 10687689 Usage: 179 Hr | | |
| 5953 | 2015 Multiquip MVH308GH Reversible Vibratory Plate Compactor S/N: Z-2060 C/W: 2014 US EPA Label, Honda Gasoline Engine Usage: 89 Hr | | |
| 5954 | 2012 Multiquip MVH306GH Reversible Vibratory Plate Compactor S/N: V-7553 C/W: 2011 US EPA Label, Honda Gasoline Engine Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 5961 | 2019 Wacker Neuson RTSC3 Trench Compactor S/N: 24503389 C/W: Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 161 Hr | 5981 | Quantity of (4) Oxygen Acetylene Racks S/N: Not Available Usage: Not Available |
| 5962B | 2017 Wacker RTKX-SC3 Trench Compactor S/N: 24374624 C/W: Tier 4, 2017 US EPA Label, Kubota 3 Cylinder 0.89 L Diesel Engine, 22 in Split Drums, Remote Control w/ Cord, Articulated Steering Usage: 418 Hr | 5982 | Quantity of (5) American Standard AC Units S/N: Not Available Usage: Not Available |
| 5962A | Trench Compactor S/N: Not Available Usage: Not Available | 5983 | Reddy 170T Space Heater S/N: Not Available Usage: Not Available |
| 5962 | 2019 Wacker Neuson RTSC3 Trench Compactor S/N: 24505536 C/W: Tier 4, 2019 US EPA Label, Kubota D902 3 Cylinder 15.3 kW .89 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 44 Hr | 5984 | Two Post Car Lift S/N: Not Available Usage: Not Available |
| 5963 | Quantity of (5) 25 ft 800 Amp Booster Cable (Unused) S/N: Not Available Usage: Not Available | 5985 | Snap-On Car Lift S/N: Not Available Usage: Not Available |
| 5964 | Quantity of (3) Hose S/N: Not Available C/W: w/ Reel Usage: Not Available | 5986 | HH-Lift Two Post Lift S/N: Not Available Usage: Not Available |
| 5966 | Quantity of Rubber Air Hose S/N: Not Available Usage: Not Available | 5987B | Quantity of (3) Bolt Organizers S/N: Not Available Usage: Not Available |
| 5967 | Quantity of Hose S/N: Not Available Usage: Not Available | 5987A | Quantity of Yard Tools S/N: Not Available C/W: C/W Shovels & Rakes Usage: Not Available |
| 5968 | Quantity of Hose S/N: Not Available Usage: Not Available | 5987 | Quantity of (10) Pallets of Assorted Tools S/N: Not Available C/W: Work Lights, Measure Sticks, Tripods, Hoist, Dolly Usage: Not Available |
| 5969 | Quantity of Hose S/N: Not Available Usage: Not Available | 5988 | Quantity of Wire Brush Wheels S/N: Not Available Usage: Not Available |
| 5970 | Quantity of Site Fence S/N: Not Available Usage: Not Available | 5989 | Quantity of (5) Anthony 84LFW-16S Welding Cart S/N: Not Available Usage: Not Available |
| 5974B | Quantity of (10) Ladder Racks S/N: Not Available Usage: Not Available | 5990 | Edco Floor Grinder S/N: Not Available C/W: Honda GXV340 1 Cylinder 11 hp 337 cc Gasoline Engine Usage: Not Available |
| 5977 | Pakmaster 50XL Plus Electric Plasma Cutter S/N: Not Available Usage: Not Available | 5991A | Quantity of (2) Walk-Behind String Trimmer S/N: Not Available Usage: Not Available |
| 5980 | Utility Vehicle Canopy S/N: Not Available Usage: Not Available | 5992 | SPX PA60 Hydraulic Torque Wrench S/N: Not Available Usage: Not Available |
| | | 5993 | 600 lb Hand Trailer Dolly S/N: Not Available Usage: Not Available |
| | | 5994 | Hyster B60ZHD 6000 lb Electric Pallet Jack S/N: B262N01830M C/W: 24 V Usage: 4,122 Hr |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 5995 | Hyster B60ZHD 6000 lb Electric Pallet Jack S/N: B262N01609M C/W: 24 V Usage: Not Available | 6014 | 1990 Dayco Electric Hydraulic Hose Fabrication Machine S/N: Not Available Usage: Not Available |
| 5996 | Hyster B80ZAC 8000 lb Electric Pallet Jack S/N: B233N02154F Usage: Not Available | 6015 | Quantity of Assorted Power Tools S/N: Not Available C/W: Circular Saw, Blower, Generator Usage: Not Available |
| 5997 | 12 ton Pallet Jack S/N: Not Available Usage: Not Available | 6016F | Weaver 20 Ton Pneumatic Floor Jack S/N: 2785 Usage: Not Available |
| 5998 | Quantity of Misc. Parts S/N: Not Available Usage: Not Available | 6016D | Shop Outfitters Ring Arch Roller S/N: 238-04084 Usage: Not Available |
| 6000 | Lincoln LN-8 Electric Welder Wire Feeder S/N: H1941106224 Usage: Not Available | 6016C | Stanley 35644A Generator Stake Driver S/N: Not Available C/W: 2006 US EPA Label, Honda 2 Cylinder Gasoline Engine Usage: Not Available |
| 6001 | Quantity of (4) Heavy Duty Roller & Jack Stands S/N: Not Available Usage: Not Available | 6016B | Compact Bender S/N: Not Available Usage: Not Available |
| 6002 | Quantity of (10) Hydraulic Cylinders S/N: Not Available Usage: Not Available | 6016 | Quantity of Pipe Bending Mandrel S/N: Not Available Usage: Not Available |
| 6003 | Quantity of Assorted Hydraulic Parts S/N: Not Available Usage: Not Available | 6017 | Quantity of (5) Unicorn Jack Stands S/N: Not Available C/W: 18,000 lbs Usage: Not Available |
| 6004 | Quantity of CAT Parts, Doors & Weights S/N: Not Available Usage: Not Available | 6019D | Bin Trailer S/N: Not Available Usage: Not Available |
| 6005 | Log Splitter S/N: Not Available Usage: Not Available | 6019C | 10 ft 2/Axle Off-Road Trailer S/N: 72504 C/W: Lunette Ring Hitch, 235/75R15 Tires Usage: Not Available |
| 6006 | Pallet of Air & Shop Tools S/N: Not Available Usage: Not Available | 6019B | TWE 8 ft S/A Off-Road Bin Trailer S/N: Not Available C/W: 225/75/R15 Tires Usage: Not Available |
| 6007 | 2014 Chapel LTP-30 Electric Positioner S/N: 0514021464 Usage: Not Available | 6019A | TWE 8 ft 2 in S/A Vineyard Bin Trailer S/N: 72642 Usage: Not Available |
| 6008 | Single Sheeve Snatch Blocks S/N: Not Available Usage: Not Available | 6019 | Quantity of (5) Unicorn Jack Stands S/N: Not Available C/W: 18,000 lbs Usage: Not Available |
| 6009 | Quantity of Snatch Block & Shackles S/N: Not Available Usage: Not Available | 6022 | Multiquip GBW Work Lights S/N: G2401395 Usage: Not Available |
| 6010 | Assorted Shop Tools S/N: Not Available Usage: Not Available | 6023 | Multiquip GBW Work Lights S/N: G2401402 Usage: Not Available |
| 6012 | Quantity of (2) Pole Saw S/N: Not Available Usage: Not Available | 6024 | Excello CNC Machine S/N: Not Available Usage: Not Available |
| 6013 | Quantity of (2) Valve Openers S/N: Not Available Usage: Not Available | | |
| 6014A | Parker Hydraulic Hose Fabrication Machine S/N: Not Available Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 6025 | Wacker Neuson HI200 Space Heater S/N: 0620865 C/W: Diesel Fueled Usage: Not Available | 6038 | Landa VHW2-14021D Pressure Washer S/N: P12976119 C/W: 1400 psi Rating, Water Heater, Hose, Spray Wand, Electric Operated Usage: Not Available |
| 6026G | Quantity of (5) Boring Bit Parts S/N: Not Available Usage: Not Available | 6039 | Core Cut CC3500 Walk-Behind Saw S/N: 1264283 Usage: Not Available |
| 6026F | Quantity of Stone S/N: Not Available Usage: Not Available | 6040 | Core Cut CC6500 Walk-Behind Saw S/N: Not Available C/W: Wisconsin V465D1 4 Cylinder Gasoline Engine Usage: Not Available |
| 6026D | Clemens EB490 Leaf Remover S/N: Not Available Usage: Not Available | 6041 | Nikro WC20110 Electric Vacuum Cleaner S/N: 726931 C/W: Vacuum Handles Usage: Not Available |
| 6026B | Quantity of (10) Gas Cans S/N: Not Available Usage: Not Available | 6042 | Quantity of Miscellaneous Items S/N: Not Available C/W: Banding Cart w/Banding, Nails, Screws, Wire Wheels, Wire Brushes Usage: Not Available |
| 6026A | Quantity of (9) Shop & Cleaning Equipment S/N: Not Available Usage: Not Available | 6043 | Hose Press & File Cabinets S/N: Not Available C/W: C/W Hose Fittings Usage: Not Available |
| 6026 | Portable Roller Conveyor S/N: Not Available Usage: Not Available | 6044 | Jet Captain Electric Band Saw S/N: Not Available Usage: Not Available |
| 6027 | Quantity of (2) Electric Work Lights S/N: Not Available Usage: Not Available | 6045 | DoAll C-8 Electric Band Saw S/N: 22368468 C/W: 3 Phase Motor Usage: Not Available |
| 6028 | Quantity of (32) Shop Lights S/N: Not Available Usage: Not Available | 6046A | Quantity of Concrete Hoses and Pipe S/N: Not Available Usage: Not Available |
| 6030 | Enerpac 50 ton Shop Press S/N: Not Available C/W: Baldor 0.5 hp Single Phase Motor Usage: Not Available | 6046 | Quantity of (3) Culvert S/N: Not Available Usage: Not Available |
| 6031 | 1955 Kearney & Trecker 3CKDP Electric Horizontal Milling Machine S/N: 7660 Usage: Not Available | 6047 | 3000 gal Steel Fuel Tank S/N: Not Available C/W: w/ Cradle Usage: Not Available |
| 6032 | Pneumatic Shop Press S/N: Not Available Usage: Not Available | 6048 | Mosier Bros 2000 gal Skid Mounted Steel Diesel Fuel Tank S/N: D09772677 C/W: 120 V Transfer Pump Usage: Not Available |
| 6033 | General International 75-200M1NC Drill Press S/N: 76065804 Usage: Not Available | 6049 | Skid Mounted Fuel Tank S/N: Not Available Usage: Not Available |
| 6034 | Alkota 5357KSFN020 Pressure Washer S/N: PL39597 C/W: Water Heater, Trailer Mounted, Kubota D902 3 Cylinder Diesel Engine Usage: 698 Hr | 6050 | 300 gal Trailer Mounted Steel Fuel Tank S/N: Not Available C/W: Automatic Shut-Off Nozzle, Pump Usage: Not Available |
| 6035 | 2014 Karcher TRS2500 Pressure Washer S/N: 11038232-100063-1 C/W: 3000 psi Rating, Water Heater, Hose, Spray Wand, Trailer Mounted, Honda GX390 1 Cylinder 13 hp Gasoline Engine Usage: 362 Hr | 6053 | Quantity of (2) Fuel Tank S/N: Not Available Usage: Not Available |
| 6036 | Pressure Washer S/N: Not Available C/W: 1000 psi Rating, Water Heater, Spray Wand Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 6054 | Quantity of (2) Fuel Tank S/N: Not Available Usage: Not Available | 6071 | 2017 John Deere 66CN 66 in General Purpose Skid Steer Bucket S/N: 0001513 C/W: Quick Coupler Bracket Usage: Not Available |
| 6055 | 4000 gal Tank S/N: Not Available Usage: Not Available | 6072 | 2016 John Deere 66GH 66 in General Purpose Skid Steer Bucket S/N: 000044 C/W: Quick Coupler Bracket Usage: Not Available |
| 6056 | 1100 gal Poly Water Tank S/N: Not Available Usage: Not Available | 6073 | 67 in Snow Skid Steer Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6057 | Skid-Mounted Tank S/N: Not Available Usage: Not Available | 6074 | 2017 John Deere 66 in General Purpose Skid Steer Bucket S/N: 0001861 C/W: Quick Coupler Bracket Usage: Not Available |
| 6058 | 600 Gallon Water Tank S/N: Not Available Usage: Not Available | 6075 | Bobcat 60 in Skid Steer Landscape Rake S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6059 | Skid Mounted Steel Tank S/N: Not Available Usage: Not Available | 6076 | 72 in Grapple bucket Skid Steer Grapple Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6060 | Rears 50 gal Herbicide Tank Tank S/N: Not Available Usage: Not Available | 6077 | Ingersoll Rand 60 in Grapple Skid Steer Grapple Bucket S/N: 659904125 Usage: Not Available |
| 6061 | 12 ft Truss Boom - Fits Cat TH103 S/N: Not Available Usage: Not Available | 6078A | 78 in General Purpose Skid Steer Bucket S/N: Not Available Usage: Not Available |
| 6062 | 12 in Digging Bucket & (2) Rippers S/N: Not Available Usage: Not Available | 6078 | Wolverine 72 in Skid Steer Sweeper S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6063 | Loftness Kwik Pik 60 in Skid Steer Rock Picker S/N: 81599 C/W: Quick Coupler Bracket Usage: Not Available | 6079 | Bobcat 60 in Skid Steer Broom S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6065 | Bobcat Skid Steer Breaker S/N: Not Available Usage: Not Available | 6080A | Bobcat Cold Planer S/N: AKS200286 C/W: 18 in Cutting Width Usage: Not Available |
| 6066 | 2006 Cat LR18B 72 in Skid Steer Landscape Rake S/N: DAS00620 Usage: Not Available | 6080 | 62 in Skid Steer Broom S/N: 270565 C/W: Quick Coupler Bracket Usage: Not Available |
| 6067 | 96 in Q/C Cleanup Bucket - Fits Skytrak Telehandler S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6081B | 2017 Wacker RTKX-SC3 Trench Compactor S/N: 24380358 C/W: 2017 US EPA Label, Kubota 3 Cylinder Diesel Engine, 22 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 398 Hr |
| 6068 | 2017 John Deere 66CN 66 in Q/C General Purpose Skid Steer Bucket S/N: 0002113 C/W: Quick Coupler Bracket Usage: Not Available | 6081A | 68 in Skid Steer Broom S/N: Not Available Usage: Not Available |
| 6069 | 2015 John Deere 66DT 66 in General Purpose Skid Steer Bucket S/N: 1800AT354876 C/W: Quick Coupler Bracket Usage: Not Available | | |
| 6070 | 2017 John Deere 66CN 66 in General Purpose Skid Steer Bucket S/N: 0001741 C/W: Quick Coupler Bracket Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 6081 | 18 in Skid Steer Planer S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6095 | 22 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6082 | 2015 Ditch Witch SK5PAL 6 in Auger Attachment S/N: CMWSK5PLTF0001179 Usage: Not Available | 6096 | Wain-Roy 24 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6083 | 24 in Auger Bit S/N: Not Available Usage: Not Available | 6097 | Tag 24 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6084 | 48 in Digging Bucket S/N: Not Available C/W: 6 mm Pin Diameter, 22 mm Inside to Inside Pin Boss Spacing Usage: Not Available | 6098 | 24 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6085 | 48 in Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available | 6099 | 24 in Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available |
| 6086 | 38 in Backhoe Rear Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6100 | 25 in Q/C Cleanup Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6087 | 36 in Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available | 6101 | 18 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |
| 6088 | 2018 PSM 410K 36 in Digging Backhoe Rear Bucket S/N: Not Available C/W: 2 in Pin Diameter, 8 in Center of Pin Boss to Center of Pin Boss Usage: Not Available | 6102 | 24 in 0.26 cyd Q/C Digging Backhoe Rear Bucket S/N: CG170705732 Usage: Not Available |
| 6089 | Wain-Roy 36 in Digging Backhoe Rear Bucket - Fits Komatsu PC238 S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6103 | 24 in Q/C Digging Backhoe Rear Bucket S/N: 8709401 Usage: Not Available |
| 6090 | 36 in Q/C Digging Backhoe Rear Bucket S/N: Not Available C/W: 270 mm Pin Diameter Usage: Not Available | 6104 | 24 in Backhoe Rear Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6091 | 36 in Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available | 6105 | Cat 24 in Backhoe Rear Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6092 | Cat 36 in Q/C Backhoe Rear Bucket S/N: Not Available Usage: Not Available | 6106 | 18 in Digging Backhoe Rear Bucket S/N: 9R63DCH00N29 Usage: Not Available |
| 6093 | 32 in Backhoe Rear Bucket S/N: Not Available C/W: 45 mm Pin Diameter, 360 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available | 6107 | 18 in Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: 2020 Usage: Not Available |
| 6094 | 30 in Digging Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available | 6108 | Wayne Roy 16 in Digging Backhoe Rear Bucket S/N: Not Available C/W: Manual Quick Coupler Usage: Not Available |
| | | 6109 | Cat 12 in Backhoe Rear Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| | | 6110 | 12 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 6111 | 12 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available | 6126 | 2018 PSM 624K 120 in 5.25 cyd General Purpose Wheel Loader Bucket - Fits John Deere 624 S/N: 031810954 Usage: Not Available |
| 6112 | Cat 89 in 1.4 cyd Backhoe Loader Bucket S/N: 130401798 Usage: Not Available | 6127 | 120 in Q/C Side Dump Wheel Loader Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6113 | 17 in Backhoe Loader Bucket S/N: Not Available Usage: Not Available | 6128 | 2014 JRB 624KHL 118 in 5.25 cyd General Purpose Wheel Loader Bucket - Fits John Deere 624K S/N: 91D1004 Usage: Not Available |
| 6114 | 18 in Backhoe Compaction Wheel S/N: Not Available Usage: Not Available | 6129 | Rockland 115 in Q/C General Purpose Wheel Loader Bucket - Fits Cat 950M S/N: 130830 C/W: Quick Coupler Bracket Usage: Not Available |
| 6115 | 18 in Backhoe Compaction Wheel S/N: Not Available Usage: Not Available | 6130 | Cat 114 in Side Dump Wheel Loader Bucket - Fits Cat 390 S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6116 | 18 in Backhoe Compaction Wheel S/N: Not Available Usage: Not Available | 6131 | PSM 624K 114 in 4.5 cyd Wheel Loader Bucket - Fits John Deere 624K S/N: 13834701 Usage: Not Available |
| 6117 | Topcon GPS Parts S/N: Not Available Usage: Not Available | 6132 | Cat 113 in 12 cyd Wheel Loader Bucket - Fits Cat 988H S/N: 2888340 C/W: 4.5 in Pin Diameter, 31.5 in Center of Pin Boss to Center of Pin Boss, 9.5 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6118 | Adaptor Plate - Fits John Deere 324 S/N: Not Available Usage: Not Available | 6133 | 2011 JRB 444KHL 106 in 3.5 cyd General Purpose Wheel Loader Bucket - Fits John Deere 444K S/N: AKR15836 Usage: Not Available |
| 6119 | Major 12 ft Wheel Loader Material Handling Arm S/N: 263429 Usage: Not Available | 6134 | JRB 108 in Multi-Purpose Wheel Loader Bucket S/N: Not Available Usage: Not Available |
| 6120 | Major 12 ft Q/C Wheel Loader Material Handling Arm S/N: 169874 C/W: Quick Coupler Bracket Usage: Not Available | 6135 | CWS 106 in General Purpose Wheel Loader Bucket S/N: PM24943 Usage: Not Available |
| 6121 | Wheel Loader Material Handling Arm S/N: Not Available Usage: Not Available | 6136 | 100 in Wheel Loader Bucket S/N: AT206610 Usage: Not Available |
| 6122 | Komatsu WA380 114 in Wheel Loader Bucket - Fits Komatsu WA380 S/N: 4500380823 Usage: Not Available | 6137 | 94 in Multi-Purpose Wheel Loader Bucket S/N: Not Available Usage: Not Available |
| 6123 | Intergy 106 in Multi-Purpose Wheel Loader Bucket - Fits Cat 950 S/N: 485104067 Usage: Not Available | 6138 | 92 in General Purpose Wheel Loader Bucket S/N: AT51193 Usage: Not Available |
| 6124 | 160 in Wheel Loader Bucket S/N: Not Available C/W: 6.25 in Pin Diameter Usage: Not Available | | |
| 6125 | Skeleton 130 in Wheel Loader Bucket S/N: Not Available C/W: 3 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 7 in Inside to Inside Pin Boss Spacing Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 6139 | 75 in Q/C Wheel Loader Bucket S/N: Not Available Usage: Not Available | 6154 | Cat 68 in Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6140 | 58 in Q/C Wheel Loader Forks - Fits Cat IT28G S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6156 | 36 in Digging Bucket S/N: NM53713 C/W: 3.5 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6141 | 2012 JRB 4/624 48 in Q/C Wheel Loader Forks S/N: 0212AKR19951 C/W: Quick Coupler Bracket Usage: Not Available | 6157 | Esco 64 in Digging Excavator Bucket S/N: RH89820 C/W: 4 in Pin Diameter, 23 in Center of Pin Boss to Center of Pin Boss, 16 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6142 | 50 in Q/C Wheel Loader Forks S/N: Not Available Usage: Not Available | 6158 | 2017 ACS 64 in Tilting Excavator Bucket - Fits John Deere 350 S/N: 67703 Usage: Not Available |
| 6143 | 2016 Werk-Brau 410L Quick Coupler S/N: Not Available Usage: Not Available | 6159 | 2021 Teran 60 in Cleanup Excavator Bucket - Fits Cat 320 S/N: 1185 C/W: 3 in Pin Diameter, 17.25 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6144 | Excavator Quick Coupler S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6160 | 2021 Teran 60 in Cleanup Excavator Bucket - Fits Cat 320 S/N: 1184 C/W: 3 in Pin Diameter, 17.5 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6145 | Quick Coupler S/N: Not Available Usage: Not Available | 6162 | Hensley 60 in Digging Excavator Bucket - Fits Komatsu PC490 S/N: K120040 Usage: Not Available |
| 6146 | Quick Coupler S/N: Not Available Usage: Not Available | 6163 | 60 in Digging Bucket S/N: Not Available C/W: 5 in Pin Diameter, 26 in Center of Pin Boss to Center of Pin Boss, 22 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6147 | Wain-Roy 50-55 mm pins Quick Coupler - Fits John Deere 310SE S/N: Not Available Usage: Not Available | 6164 | Esco 60 in Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6148 | Hydraulic Quick Coupler S/N: Not Available Usage: Not Available | 6165 | Entek 60 in Digging Bucket S/N: 616604 C/W: 4.5 in Pin Diameter, 25 in Center of Pin Boss to Center of Pin Boss, 21 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6149 | 18 in Tracks S/N: Not Available C/W: To Fit Cat 308 Usage: Not Available | 6166 | Jones 59 in Cleanup Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6150 | 126 in V-Ditching Excavator Bucket S/N: Not Available Usage: Not Available | | |
| 6151 | Adco 86 in Digging V-Ditch Excavator Bucket S/N: 3389 Usage: Not Available | | |
| 6152A | 135 in Wheel Loader Bucket S/N: Not Available Usage: Not Available | | |
| 6152 | Hensley 8 ft 4 in V-Ditching Excavator Bucket S/N: Not Available Usage: Not Available | | |
| 6153 | 72 in Digging Excavator Bucket S/N: Not Available C/W: 4.5 in Pin Diameter, 24 in Center of Pin Boss to Center of Pin Boss, 16 in Inside to Inside Pin Boss Spacing Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 6167 | 2021 Agrotk 54 in Skeleton Excavator Bucket S/N: CAT3202101001 C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.5 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6180 | 42 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6168 | 48 in Cleanup Excavator Bucket S/N: 92621 C/W: 2 in Pin Diameter, 12.25 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6181 | Hensley 40 in Digging Excavator Bucket S/N: Not Available C/W: 3.5 in Pin Diameter, 19.25 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6169 | Amulet 48 in Hydraulic Tilting Excavator Bucket S/N: 28171 Usage: Not Available | 6182 | 2018 PSM 42 in Cleanup Excavator Bucket S/N: AAJDCU70 C/W: Quick Coupler Bracket Usage: Not Available |
| 6170 | 48 in Skeleton Excavator Bucket S/N: Not Available Usage: Not Available | 6183 | 36 in Digging Excavator Bucket S/N: 83532 C/W: 2 in Pin Diameter, 12.25 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6172 | SEC 48 in Digging Excavator Bucket - Fits Cat 320 S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 14.75 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6184 | 36 in Q/C Digging Excavator Bucket - Fits Cat 308 S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6173 | 48 in Digging Excavator Bucket S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6185 | 2005 CWS 80 36 in Excavator Bucket S/N: 0507660 C/W: 1.75 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6174 | Teran 48 in 0.20 cyd Cleanup Excavator Bucket - Fits Cat 305 S/N: 4322 C/W: 2 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 6.25 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6186 | 36 in Digging Bucket S/N: Not Available C/W: 3 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 15 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6175 | Cat 46 in Digging Excavator Bucket - Fits Cat 312E S/N: Not Available Usage: Not Available | 6187A | 34 in Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6176 | 2021 Teran 42 in Cleanup Excavator Bucket - Fits Cat 307 S/N: BKT30742CLN C/W: 2 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6187 | 36 in Digging Bucket S/N: Not Available C/W: 3 in Pin Diameter, 21.5 in Center of Pin Boss to Center of Pin Boss, 15.25 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6178 | 42 in Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket, 50 mm Pin Diameter, 300 mm Center of Pin Boss to Center of Pin Boss, 245 mm Inside to Inside Pin Boss Spacing Usage: Not Available | 6188 | 2017 John Deere 24 in Digging Excavator Bucket S/N: 2340726 C/W: Quick Coupler Bracket Usage: Not Available |
| 6179 | 42 in Digging Excavator Bucket - Fits John Deere 200LC S/N: 65045 Usage: Not Available | 6189 | 2021 Teran 36 in 0.27 cyd V-Ditching Excavator Bucket - Fits Cat 307 S/N: 0555 Usage: Not Available |
| | | 6190 | 36 in Digging Excavator Bucket S/N: Not Available C/W: 3 in Pin Diameter, 15.5 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 6191 | 32 in Digging Excavator Bucket - Fits Komatsu PC360 S/N: Not Available Usage: Not Available | 6201 | Peterson 26 in Digging Excavator Bucket - Fits Komatsu PC360 S/N: Not Available C/W: 3.5 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 15.5 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6192 | 31 in Digging Excavator Bucket S/N: Not Available Usage: Not Available | 6202 | 2018 John Deere 24 in Q/C Digging Excavator Bucket S/N: 5070640 C/W: Quick Coupler Bracket Usage: Not Available |
| 6193 | 2017 Tag 30 in Digging Excavator Bucket - Fits John Deere 85G S/N: 24645101 C/W: 2 in Pin Diameter, 12.25 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6203 | 2014 John Deere 50 24 in Q/C Digging Excavator Bucket S/N: 2015303 C/W: Quick Coupler Bracket Usage: Not Available |
| 6194 | CF 28 in Digging Excavator Bucket S/N: 2541 Usage: Not Available | 6204 | 2016 John Deere 24 in Q/C Digging Excavator Bucket S/N: 2066680 C/W: Quick Coupler Bracket Usage: Not Available |
| 6195B | Entek 26 in Digging Bucket S/N: 15362 C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6205 | Entek EX2002 24 in Digging Excavator Bucket - Fits Komatsu PC238 S/N: Not Available C/W: 3 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6195A | 28 in Digging Excavator Bucket S/N: Not Available Usage: Not Available | 6206 | C & P 24 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6195 | 28 in Digging Excavator Bucket S/N: Not Available Usage: Not Available | 6207 | Esco 24 in Digging Bucket S/N: Not Available C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6196 | 25 in Digging Bucket S/N: Not Available C/W: 3 in Pin Diameter, 17.5 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6208 | 22 in Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6197 | STD 24 in Excavator Bucket - Fits Komatsu PC220 S/N: Not Available Usage: Not Available | 6209 | 2017 John Deere 18 in Q/C Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6198 | Wain-Roy 24 in Q/C Digging Excavator Bucket - Fits Cat 308 S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6210 | 2018 Tag 80 18 in Cleanup Excavator Bucket S/N: Not Available C/W: 2 in Pin Diameter, 8 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6199 | 24 in Digging Bucket S/N: Not Available C/W: 5 in Pin Diameter, 24 in Center of Pin Boss to Center of Pin Boss, 16 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6211 | 2017 Tag 18 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available |
| 6200 | 24 in Digging Bucket S/N: Not Available C/W: 3.5 in Pin Diameter, 21 in Center of Pin Boss to Center of Pin Boss, 15.5 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6212 | 2017 Tag 18 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 6213 | 2017 Tag 18 in Q/C Digging Excavator Bucket S/N: Not Available Usage: Not Available | 6230 | Havac DG1-1350 36 in Excavator Grapple S/N: 051600002 Usage: Not Available |
| 6214 | 2017 Tag 24 in Q/C Digging Excavator Bucket S/N: 20327102 Usage: Not Available | 6231 | 2021 HMB 10 ton Hydraulic Excavator Grapple S/N: 560135 C/W: 2 in Pin Diameter, 11.5 in Center of Pin Boss to Center of Pin Boss, 8 in Inside to Inside Pin Boss Spacing Usage: Not Available |
| 6215 | Quest 24 in Digging Excavator Bucket S/N: Not Available C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6232 | Cat Excavator Thumb S/N: Not Available Usage: Not Available |
| 6216 | 24 in Digging Excavator Bucket S/N: Not Available Usage: Not Available | 6233 | Oriel Excavator Thumb S/N: Not Available Usage: Not Available |
| 6217 | 21 in Excavator Bucket S/N: Not Available Usage: Not Available | 6234A | Excavator Thumb S/N: Not Available Usage: Not Available |
| 6218 | 2015 PSM 18 in Digging Excavator Bucket - Fits John Deere 85 S/N: 15901801 Usage: Not Available | 6234 | Excavator Thumb - Fits Cat 328D LCR S/N: Not Available Usage: Not Available |
| 6219 | 2014 John Deere 18 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6235 | Quantity of (4) Excavator Coupler S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6222 | 12 in Digging Excavator Bucket S/N: Not Available C/W: 2 in Pin Diameter, 10 in Center of Pin Boss to Center of Pin Boss, 6 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6236 | Dromone Excavator Coupler S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6223 | Cat 12 in Digging Excavator Bucket S/N: Not Available C/W: 1.25 in Pin Diameter, 6.25 in Center of Pin Boss to Center of Pin Boss, 5.5 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6237 | Excavator Coupler S/N: Not Available Usage: Not Available |
| 6224 | 2019 John Deere 35 12 in Digging Excavator Bucket S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6238 | Excavator Coupler S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6225 | 2017 John Deere 9 in Digging Excavator Bucket S/N: 2000476 C/W: Quick Coupler Bracket Usage: Not Available | 6239 | Forklift Boom S/N: Not Available Usage: Not Available |
| 6226 | 2017 John Deere 9 in Digging Excavator Bucket S/N: 2001413 C/W: Quick Coupler Bracket Usage: Not Available | 6240 | 42 in Forks S/N: Not Available Usage: Not Available |
| 6227 | Hensley 24 in Digging Bucket S/N: Not Available Usage: Not Available | 6241 | Tarter 3 pt Heavy Duty Boom S/N: 0449600560 Usage: Not Available |
| 6229 | 2000 Van Dalfsen HPL 2000 91 in Hydraulic Excavator Screening Bucket S/N: S94A091124V Usage: Not Available | 6242 | Long Reach Stick & Boom S/N: Not Available Usage: Not Available |
| | | 6243 | 19 ft Excavator Stick S/N: Not Available Usage: Not Available |
| | | 6244 | Cat 5 ft 9 in Stick - Fits Excavator S/N: Not Available C/W: To Fit CAT 308, Manual Quick Coupler, Hydraulic Thumb Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---|
| 6245A | 2011 Fecon BH200EXC2 58 in Mulcher Attachment - Fits Cat 325 S/N: 00BH200E010111 Usage: Not Available | 6257 | Hydraulic Pipe Grapple S/N: Not Available Usage: Not Available |
| 6245 | Iron Wolf 58 in Mulcher - Fits Cat 325, 330 S/N: Not Available C/W: 3 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 13.75 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6258 | Hydraulic Breaker S/N: Not Available Usage: Not Available |
| 6246 | Rock Hound 50EX 54 in Mulcher S/N: Not Available Usage: Not Available | 6259 | Cat Hydraulic Breaker - Fits Cat 430D S/N: A26199 Usage: Not Available |
| 6247 | Brush Hog 14 ft 2-Point Flail Mower S/N: 12-00438 C/W: 540/1000 PTO Usage: Not Available | 6260 | Q/C Hydraulic Breaker S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available |
| 6248 | Rears Pak-Flail 15 ft 3-Point Flail Mower S/N: Not Available C/W: 540/1000 PTO Usage: Not Available | 6261A | Cat H130 Hydraulic Breaker S/N: 819788451 Usage: Not Available |
| 6249 | 58 in Cleanup Excavator Bucket S/N: Not Available C/W: 3 in Pin Diameter, 16 in Center of Pin Boss to Center of Pin Boss, 14 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6261 | John Deere HB50 Backhoe Hydraulic Breaker S/N: Not Available Usage: Not Available |
| 6250 | Esco 24 in Digging Excavator Bucket S/N: Not Available C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6262 | UFC 210 Hydraulic Pulverizer - Fits Cat 336-349 S/N: Not Available Usage: Not Available |
| 6251 | 84 in Cleanup Excavator Bucket S/N: Not Available Usage: Not Available | 6263 | 84 in Padfoot Shell Kit S/N: Not Available Usage: Not Available |
| 6252 | 18 in Q/C Digging Backhoe Rear Bucket S/N: Not Available Usage: Not Available | 6264 | 98 in Blade - Fits Cat CP563E S/N: Not Available Usage: Not Available |
| 6253 | 58 in Cleanup Excavator Bucket S/N: Not Available C/W: 3 in Pin Diameter, 17 in Center of Pin Boss to Center of Pin Boss, 12.5 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6265 | NEC 12 in Compaction Attachment S/N: Not Available Usage: Not Available |
| 6254 | 28 in Felling Head S/N: Not Available Usage: Not Available | 6266 | 12 ft x 6 ft Cattle Guard Grate & Concrete Blocks S/N: Not Available Usage: Not Available |
| 6255 | C&P Q/C - Fits Komatsu PC360 S/N: 1231806111 Usage: Not Available | 6267 | John Deere 3-Point Tractor Forks S/N: Not Available C/W: c/w: (1) 38 in Forks, (1) 48 in Forks Usage: Not Available |
| 6256A | Alitec 20 in Cold Planer Attachment S/N: Not Available Usage: Not Available | 6269 | Pequea 1720HD 18 Rotor Hay Rake S/N: Not Available C/W: Hydraulic Drive Usage: Not Available |
| 6256 | Cat PC205 18 in Cold Planer Attachment S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available | 6270 | New Holland 260 11 ft Pull-Type Hay Rake S/N: 784859 Usage: Not Available |
| | | 6271 | New Holland 258 11 ft Pull-Type Hay Rake S/N: 626247 Usage: Not Available |
| | | 6272 | Quantity of (15) Forks S/N: Not Available Usage: Not Available |
| | | 6273 | 60 in Cleanup Telehandler Bucket S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|---|-------|---|
| 6274 | 96 in Telehandler Bucket S/N: Not Available Usage: Not Available | 6291 | 2016 OTC 5280 Diesel Particulate Filter Cleaning System S/N: 201248 C/W: Includes adapters for Cat, Cummins, Detroit, Maxxforce, Volvo, and Mack Usage: Not Available |
| 6275 | 48 in Telehandler Fork Attachment S/N: Not Available Usage: Not Available | 6292 | Water Truck Bumper S/N: Not Available Usage: Not Available |
| 6276 | 60 in Telehandler Fork Attachment S/N: Not Available Usage: Not Available | 6293A | Jost Fifth Wheel S/N: Not Available Usage: Not Available |
| 6277 | Telehandler Jib S/N: Not Available Usage: Not Available | 6293 | Water Truck Bumper S/N: Not Available Usage: Not Available |
| 6278 | Telehandler Jib S/N: Not Available Usage: Not Available | 6294 | Tool Box S/N: Not Available Usage: Not Available |
| 6279 | Telehandler Jib S/N: Not Available Usage: Not Available | 6295 | Quantity of (4) Galaxy 10x16.5NHS Tires S/N: Not Available C/W: All Tires with Wheels Usage: Not Available |
| 6280 | Gradall 9 ft Jib S/N: 20063**001 Usage: Not Available | 6296 | Quantity of (2) 18.4-26 Tires S/N: Not Available C/W: All Tires with Wheels Usage: Not Available |
| 6281 | Lift Truck Forks S/N: Not Available Usage: Not Available | 6297 | Quantity of (4) 250-15 Tires S/N: Not Available C/W: All Tires with Wheels Usage: Not Available |
| 6282A | Sui 48 in Grapple Excavator Bucket S/N: 40650307 C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 14.5 in Inside to Inside Pin Boss Spacing Usage: Not Available | 6298 | Headache Rack S/N: Not Available Usage: Not Available |
| 6282 | 24 in Excavator Compaction Wheel - Fits Komatsu PC220 S/N: Not Available Usage: Not Available | 6299 | Morgan 24 ft Steel Flatbed Body S/N: Not Available Usage: Not Available |
| 6283 | American Compaction 4 in Compaction Wheel S/N: 12993871 Usage: Not Available | 6300 | 22 ft Flatbed Body S/N: Not Available Usage: Not Available |
| 6284 | Ingersoll-Rand 8 in Trench Compaction Wheel S/N: 223300204 Usage: Not Available | 6302 | 13 ft Steel Flatbed Truck Body S/N: Not Available Usage: Not Available |
| 6286 | Hydraulic Lift Gate S/N: Not Available Usage: Not Available | 6303 | Scelzi 11 ft Utility Truck Body S/N: 0604134371A Usage: Not Available |
| 6287 | Lift-Gate S/N: Not Available Usage: Not Available | 6304 | 2021 Morgan GVSD10326102 26 ft Van Truck Body S/N: MTX61973002 Usage: Not Available |
| 6288 | Rack It 14 ft Ladder Rack S/N: Not Available Usage: Not Available | 6305 | Superior 15 ft Truck Dump Body S/N: Not Available C/W: High Lift Gate Usage: Not Available |
| 6290 | 1997 Lift-U Handicap Ramp S/N: 3488003 Usage: Not Available | 6306 | 8 ft Flatbed Body S/N: Not Available Usage: Not Available |

| Lot # | Details | Lot # | Details |
|-------|--|-------|--|
| 6307A | Terex Texoma 330 Pressure Digger S/N: TRX22330CDN9J001 C/W: 11 ft Body Usage: Not Available | 6321 | T. G. Schmeiser 5 ft Ring Roller S/N: Not Available Usage: Not Available |
| 6307 | 8 ft Flatbed Body S/N: Not Available C/W: Liftgate Usage: Not Available | 6322 | TWE 6 ft Ring Roller S/N: Not Available Usage: Not Available |
| 6308 | Perkins Trash Bin Dump Body S/N: 191000 Usage: Not Available | 6323 | 1991 Schmeiser Till an Pak Ring Roller S/N: TP25390 Usage: Not Available |
| 6309A | 20 ft x 8 ft Roll-Off Container S/N: Not Available Usage: Not Available | 6324 | Armor 11 ft 3 in Hydraulic Rock Windrower S/N: Not Available C/W: 540 PTO Usage: Not Available |
| 6309 | Quantity of (2) Truck Frame S/N: Not Available Usage: Not Available | 6325 | 2014 Berens 14 ft Box Scraper S/N: Not Available Usage: Not Available |
| 6310A | Quantity of (5) Chevrolet Wheels S/N: Not Available Usage: Not Available | 6326 | 10 ft Hydraulic Snow Plow S/N: Not Available Usage: Not Available |
| 6310 | Quantity of (2) 445/50R22.5 Super Single Tires S/N: Not Available C/W: All Tires with Aluminum Wheels Usage: Not Available | 6327 | Kewanee 7 ft Box Scraper S/N: 70-00398 Usage: Not Available |
| 6311 | Quantity of (2) Michelin XAH2 L5 35/65R33 Tires S/N: Not Available Usage: Not Available | 6329 | 65 in Box Scraper S/N: Not Available Usage: Not Available |
| 6312 | Quantity of (2) Bridgestone L5 45/65R39 Tires S/N: Not Available Usage: Not Available | 6330 | Wizard 2WD Utility Tractor S/N: 812 C/W: Hydrostatic Drive, 48 in Front Blade, 3-Point Hitch, 16x6.50-8 Front Tires, 27x9.50-15 Rear Tires Usage: Not Available |
| 6313 | Gradall 9 ft Jib S/N: 2006303010 Usage: Not Available | 6331 | Ag King 2 Tire 12 ft Pull Scraper S/N: Not Available Usage: Not Available |
| 6314 | 7 ft Custom Jib S/N: Not Available Usage: Not Available | 6332 | SWECO 16 ft Tandem Disc S/N: Not Available C/W: 40 in Front Discs Usage: Not Available |
| 6315 | Star Industries 1371B 2 ft Q/C Jib S/N: Not Available Usage: Not Available | 6333 | Sunflower 1331-20 20 ft Offset Disc S/N: 01331F20000007 C/W: 18 in Deep Cone Front Discs, 18 in Deep Cone Rear Discs, 8.5 in Spacing Usage: Not Available |
| 6316 | Jib S/N: Not Available Usage: Not Available | 6334 | Towner 21 ft Hydraulic Disc S/N: 611483113 C/W: 23 in Deep Cone Front Discs, 23 in Deep Cone Rear Discs, 8 in Spacing Usage: Not Available |
| 6317 | Jib S/N: Not Available Usage: Not Available | 6335 | 4 ft Hydraulic Disc S/N: Not Available C/W: 22 in Wave Edge Front Discs, 22 in Wave Edge Rear Discs, 7 in Spacing, Hitch Leveling, Hydraulic Parking Jack Usage: Not Available |
| 6318 | 2017 Pellenc Multiviti 3-Point Prerunner Head S/N: 23R309 Usage: Not Available | 6336 | 2018 Schmeiser TP16121420D 16 ft Packer S/N: TP31698 Usage: Not Available |
| 6319 | Domries CC-400-1216 4 ft Ring Roller S/N: M-13283 Usage: Not Available | | |
| 6320 | Domries 6 ft Ring Roller S/N: M-15438 Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 6337 | Domries Hydraulic Single Blade Tow Behind Ripper S/N: Not Available Usage: Not Available | 6354 | 2015 DSAM D3 Sweep Meter S/N: 5092058 Usage: Not Available |
| 6338 | 2018 3-Point Hitch Wood Chipper S/N: BX20180321 Usage: Not Available | 6355 | 2015 DSAM D3 Sweep Meter S/N: 5240115 Usage: Not Available |
| 6339 | 2012 Muraturi MFS600 Fertilizer Spreader S/N: 126545 Usage: Not Available | 6356 | 2015 DSAM D3 Sweep Meter S/N: 5420598 Usage: Not Available |
| 6340 | 2012 36 in 3-Point Fertilizer Spreader S/N: 27245 Usage: Not Available | 6357 | 2016 Optical Power Meter S/N: 16JXV-000071 Usage: Not Available |
| 6341 | Estate Sprayer S/N: Not Available C/W: Gasoline Engine Usage: 65 Hr | 6358 | 2015 Ultimaz Fiber Meter S/N: 116700 Usage: Not Available |
| 6342 | Quantity of Trimble Control Boxes Grade Control System S/N: Not Available Usage: Not Available | 6359A | Spectra GL710 Grade Laser S/N: Not Available Usage: Not Available |
| 6343 | Quantity of Trimble Control Boxes S/N: Not Available Usage: Not Available | 6359 | 2014 Exfo TK200 ODTR S/N: 775313 Usage: Not Available |
| 6344 | 2015 Fujikura 70S Fusion Splicer S/N: BB86LCLME8LWDBXS Usage: Not Available | 6360 | 50000 lb Winch S/N: Not Available Usage: Not Available |
| 6345 | 2015 Fujikura 70S Fusion Splicer S/N: PW3SXFME6E1BKFH Usage: Not Available | 6361 | Winch S/N: Not Available Usage: Not Available |
| 6346 | 2016 DRV2 HF Kit Electronics/Instrumentation S/N: 1923 Usage: Not Available | 6362 | Mead Morrison T5BRH Winch S/N: A23658 Usage: Not Available |
| 6347 | 2015 BW TECH Gas Alert Max XT Gas Monitor S/N: MA215-010816 Usage: Not Available | 6363 | Thern TA25 Winch S/N: 150635298 Usage: Not Available |
| 6348 | 2016 DRV2 HF Kit Electronics/Instrumentation S/N: 1924 Usage: Not Available | 6364 | Quantity of (4) Cylinder S/N: Not Available Usage: Not Available |
| 6349 | 2017 BW technologies XT-XWHM-Y Gas Monitor S/N: MA217-010373 Usage: Not Available | 6365 | 2013 Nissan CP1F2 3235 lb Cushion Tire Forklift (Inoperable) S/N: CP1F29P1528 C/W: 2 Stage Mast, 80 in Max Lift Height, 60 in Lowered Mast Height, Nissan 4 Cylinder 2.1 L LPG Engine Usage: Not Available |
| 6350 | 2015 DSAM D3 Sweep Meter S/N: 4370599 Usage: Not Available | 6366 | 2007 Nissan CP1F2 Cushion Tire Forklift (Inoperable) S/N: CP1F29P1852 C/W: 2 Stage Mast, 60 in Lowered Mast Height, 2007 US EPA Label, Nissan 4 Cylinder 2.1 L LPG Engine Usage: Not Available |
| 6351 | 2014 DSAM D3 Sweep Meter S/N: 4290519 Usage: Not Available | 6367 | 2011 Hyster S60FT 5950 lb Cushion Tire Forklift (Inoperable) S/N: F187V18058J C/W: 3 Stage Mast, 187 in Max Lift Height, 84 in Lowered Mast Height, Auxiliary Hydraulic Plumbing, 3 Cylinder LPG Engine Usage: Not Available |
| 6352 | 2015 DSAM D3 Sweep Meter S/N: 5042132 Usage: Not Available | | |
| 6353 | 2011 DSAM 6300 Sweep Meter S/N: 1411064 Usage: Not Available | | |

| Lot # | Details | Lot # | Details |
|-------|---|-------|--|
| 6368 | 2010 Hyster S50FT 4800 lb Cushion Tire Forklift (Inoperable) S/N: F187V16057H C/W: 189 in Max Lift Height, Forks Usage: Not Available | 6376A | 2015 Whisperwatt DCA-45USI2 36 kW Mobile Generator Set (Inoperable) S/N: 5SLBG1229BL008831 C/W: Isuzu 4 Cylinder 2.9 L Diesel Engine, 45 kVA/36 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 26 kVA,/26 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: Not Available |
| 6369 | 2010 Hyster S50FT 4800 lb Cushion Tire Forklift (Inoperable) S/N: F187V16060H C/W: 3 Stage Mast, 189 in Max Lift Height, 82 in Lowered Mast Height, Side Shift, 2010 US EPA Label, Impco 3 Cylinder LPG Engine Usage: Not Available | 6376 | 2017 Whisperwatt DCA-70SSIU4F 56 kW Mobile Generator Set (Inoperable) S/N: 5SLBG1423HL019877 C/W: 2016 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA, /40 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 12,847 Hr |
| 6370 | Gradall 534B-8 Telehandler (Inoperable) S/N: 8744100G C/W: Open Operator Station, 34 ft Max Lift Height, 8000 lb Max Lift Capacity, 60 in Forks, Manual Coupler, Outriggers, 13.00-24 Tires Usage: 2,956 Hr | 6377 | Whisperwatt DCA125USJ Mobile Generator Set (Inoperable) S/N: 8500636 C/W: US EPA Label, John Deere 6 Cylinder 6.8 L Diesel Engine, 120 kVA/100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: 13,332 Hr |
| 6371 | 2017 Bobcat T590 Compact Track Loader (Inoperable) S/N: ALJU23300 C/W: Open Operator Station, Tier 2, 2016 US EPA Label, 12 in Track Belts, Manual Coupler Usage: Not Available | 6378 | Multiquip DCA-25SSIU2 20 kW Mobile Generator Set (Inoperable) S/N: 3775700 C/W: 2005 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch Usage: 15,242 Hr |
| 6372 | 2000 Fermec 860 4x4 Backhoe Loader (Inoperable) S/N: SMFB44ER0Y8EM3305 C/W: Open Operator Station, Root Rake, Extendable Stick, Backhoe Grapple, Usage: Not Available | 6379 | 2005 Multiquip DCA-25SSIU2 20 kW Mobile Generator Set (Inoperable) S/N: 4GNFU10145B015776 C/W: 2005 US EPA Label, Isuzu 4 Cylinder 2.2 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch Usage: 37,288 Hr |
| 6373 | 1997 Bobcat 331 Mini Excavator (Inoperable) S/N: 512914352 C/W: Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.75 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 3,845 Hr | 6380 | 2014 Skyjack SJ45T 4WD Diesel Telescopic Boom Lift (Inoperable) S/N: 98001317 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2014 US EPA Label, Deutz 4 Cylinder 49 hp 2.9 L Diesel Engine, 305/70D16.5 Tires Usage: 1,098 Hr |
| 6374A | 1974 Cat 966C High Lift Wheel Loader (Inoperable) S/N: 76J8129 C/W: Enclosed Cab, Air Conditioner, 104 in Roll-Out Bucket, 23.5R25 Foam Filled Tires Usage: 8,716 Hr | | |
| 6374 | 2002 Volvo L220E Wheel Loader (Inoperable) S/N: L220EV2316 C/W: Enclosed Cab, 2002 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 29.5 R25 Tires Usage: Not Available | | |
| 6375 | 1998 Volvo A40C Articulated Dump Truck (Inoperable) S/N: A40CV60205 C/W: 29.5R25 Tires Usage: 46,234 Hr | | |

| Lot # | Details | Lot # | Details |
|-------|--|-------|---------|
| 6381 | 2012 Skyjack SJIII3219 Electric Scissor Lift (Inoperable) S/N: 22034185 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 370 Hr | | |