



Online Montreal Timed Auction Event, CAN - Oct 31, 2022

Lot #	Details	Lot #	Details
1	2010 Hino 185 4x2 Van Truck (Inoperable) S/N: 2AYNC6JM5A3S14504 C/W: Hino J05D-TF 4 Cylinder Diesel 175 hp Engine, 2009 US EPA Label, Automatic Transmission, 6250 lb Front Axle, 13000 lb Rears, 8000 kg GVWR, Aluminum Wheels, 225 /70R19.5, Spring Suspension, 200 in Wheelbase, Leclair 18 ft Long Body Usage: 208,449 Mi	6	2017 Peterbilt 567 6x4 T/A Sleeper Truck Tractor S/N: 1XPCDP0X5HD435459 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 500 hp Engine, 2016 US EPA Label, 16180 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 26853 kg GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 644,191 Mi
2	2007 International 4400 4x2 Van Truck S/N: 1HTMKAAR87H369153 C/W: International DT466 6 Cylinder Diesel Engine, 12378 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 23000 lb Rears, 15875 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, Durabody 26 ft Long Body Usage: 406,794 Mi	7	2012 Kenworth T800 6x4 T/A Sleeper Truck Tractor S/N: 1XKDD40X0CJ952722 C/W: Cummins ISX15 6 Cylinder Diesel 600 hp Engine, 2011 US EPA Label, 23024 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 14600 lb Front Axle, 52000 lb Rears, 30210 kg GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 315 /80R22.5, Neway Air Ride Suspension, 235 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks, FUI TE D'HUILE MOTEUR / ENGINE OIL LEAK Usage: Not Available
4	Manitex 30102C 50000 lb Straight Boom on 2007 Sterling LT9500 6x4 Boom Truck S/N: 2FZHAZDE87AY30933 C/W: Cat C13 6 Cylinder 12.5 L Diesel 525 hp Engine, 2006 US EPA Label, 11917 Engine hrs, Engine Brake, Eaton Fuller 8LL Transmission, Differential Lock, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Spring Suspension, 256 in Wheelbase, PTO, Center Mounted, 30 ft 6 in - 102 ft Boom, McKissick 236 lb 1 Sheave 15 ton Capacity Hook Block, Anti-Two Block, Pat DS85 Load Moment Indicator, Dual Controls, Out and Down Outriggers, Rear Outriggers, 5th Outrigger, 20 ft x 97 in Bed, Pintle Hitch Usage: 103,601 Mi	8	2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X7HD447918 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13535 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 23587 kg GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Wheels, 11R22.5, Paccar Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 532,678 Mi
5	Terex BT4792C 50000 lb Straight Boom on 2003 Sterling LT7500 6x4 Boom Truck S/N: 2FZHATAK23AK50739 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 300 hp Engine, 2002 US EPA Label, 11875 Engine hrs, Eaton Fuller 8LL Transmission, Differential Lock, 18740 lb Front Axle, 40000 lb Rears, 26644 kg GVWR, Aluminum Outer Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Spring Suspension, 262 in Wheelbase, PTO, 50000 lb Capacity, Center Mounted, 29 ft - 92 ft 4 Section Boom, 85 lb Overhaul Ball 7 ton Capacity, 26 ft Min - 44 ft Max Swingaway Jib, Anti-Two Block, Greer MG586 Load Moment Indicator, Enclosed Cab, A-Outriggers, Rear Outriggers, 5th Outrigger, 21 ft Bed, Aluminum Frame Usage: 122,193 Mi	9	2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor S/N: 1XPBDP9X7HD447921 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 500 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14056 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 23587 kg GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Wheels, 11R22.5, paccar Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 601,860 Mi

Lot #	Details	Lot #	Details
11	2011 Volvo VNL64 6x4 T/A Day Cab Truck Tractor S/N: 4V4NC9KJ0BN295344 C/W: D16H500 6 Cylinder 16.1 L Diesel 500 hp Engine, 2010 US EPA Label, 14628 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 13200 lb Front Axle, 46000 lb Rears, 26853 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 202 in Wheelbase Usage: 503,062 Mi	20	2004 Kenworth T300 6x4 Rollback Truck S/N: 2NKMLD9X84M975577 C/W: Cat C7 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Transmission, Differential Lock, 14600 lb Front Axle, 40000 lb Rears, 24767 kg GVWR, Aluminum Outer Wheels, 255/70R22.5, Hendrickson Air Ride Suspension, 249 in Wheelbase, PTO, N.R.C, 26 ft x 102 in Bed, Winch, Hydraulic Wheel Lift Usage: Not Available
14	2009 International 9200i SBA 6x4 T/A Day Cab Truck Tractor S/N: 3HSCEAPR39N127474 C/W: Cummins ISX 6 Cylinder 15 L Diesel 450 hp Engine, 2008 US EPA Label, 23067 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 182 in Wheelbase, PTO Usage: 505,382 Mi	21	2003 Freightliner FL80 6x4 Snow Plow Truck S/N: 1FVHBXBS13HL65897 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 260 hp Engine, 2002 US EPA Label, 4632 Engine hrs, Allison Automatic Transmission, Differential Lock, 16000 lb Front Axle, 46000 lb Rears, 28123 kg GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Walking Beam Suspension, 184 in Wheelbase, PTO, 15 ft Long Steel Body, Electric Roll Tarp Usage: Not Available
15	1995 Ford LTS9000 T/A Day Cab Truck Tractor S/N: 1FTZY90V1SVA10882 C/W: Cummins M11 6 Cylinder Diesel 330 hp Engine, 1994 US EPA Label, Engine Brake, Eaton Fuller E5HS-7B292-TA 8LL Manual Transmission, Differential Lock, 14060 lb Front Axle, 46000 lb Rears, 27215 kg GVWR, Air Ride Cab, 11R24.5, Dual Steering Boxes, Hendrickson Rubber Suspension, 172 in Wheelbase, PTO, Wet Kit, Double Frame Usage: Not Available	22	2007 Sterling LT9500 6x4 Car Carrier Truck (Inoperable) S/N: 2FZHCMCV57AY76198 C/W: Mercedes-Benz 6 Cylinder Diesel Engine, 26555 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Transmission, Differential Lock, 13200 lb Front Axle, 35000 lb Rears, 21863 kg GVWR, Aluminum Wheels, 305/70R19.5 Front Tires, 285/70R19.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase, PTO, 3 Vehicle Capacity, Hydraulic Lift, Soft Tie Downs Usage: 686,799 Mi
17	2010 International 4400SBA 4x2 Cab and Chassis S/N: 1HTMKAAN7AH195029 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 230 hp Engine, 2009 US EPA Label, 15579 Engine hrs, Allison Automatic Transmission, 11000 lb Front Axle, 21900 lb Rears, 14923 lb GVWR, 11R22.5, Spring Suspension, 235 in Wheelbase, 170 in Cab to Axle Usage: 509,721 Mi	22	2010 Cottrell CX09L T/A 6 Car Open Car Carrier Trailer S/N: 5E0AA1445AG306608 C/W: 20411 kg GVWR, Air Ride Suspension, Air Brakes, Soft Ties, Aluminum Wheels, 285 /70R19.5 Tires, PNEU INTERIEUR MANQUANT / INNER TIRE MISSING Usage: Not Available
18	1996 International 9300 6x4 Flatbed Truck S/N: 2HSFBAER0TC010548 C/W: Cummins N14 6 Cylinder 14 L Diesel 370 hp Engine, Engine Brake, Spicer 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 294 in Wheelbase, PTO, Double Frame, 29 ft x 102 in Bed, Winch Usage: Not Available	23	2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable) S/N: 1FUJGLDRXDSBP7249 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 23587 kg GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 607,737 Mi
19	2012 Kenworth T800 6x4 Sleeper Tow Truck S/N: 1XKDD40X0CJ949450 C/W: Cummins ISX15 6 Cylinder Diesel 500 hp Engine, 2011 US EPA Label, 23100 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 26853 kg GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 12R22.5 Front Tires, 315/80R22.5 Rear Tires, 8 Bag Air Ride Suspension, 303 in Wheelbase, PTO, N.R.C. 9035 Steel Wrecker Body, 35000 lb Winch Capacity Usage: 665,245 Mi	24	2010 Dodge 2500 SLT 4x4 Crew Cab Pickup S/N: 3D7TT2CT5AG113192 C/W: 6.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Drop-In Bed Liner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 98,673 Mi

Lot #	Details	Lot #	Details
25	2007 Ford F-150 XLT 4x4 Crew Cab Pickup S/N: 1FTPW14VX7FA90533 C/W: 5.4 L V8 Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 275/70R18 Tires, 6 ft 6 in Bed Usage: 126,415 Mi	36	2013 Genie Z-34/22 2WD Diesel Telescopic Boom Lift (Inoperable) S/N: Z34139177 C/W: 34 ft 6 in Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 9-14.5 Foam-Filled Tires, 4.5 in Rubber Tracks Usage: 307 Hr
26	2007 Lincoln MKX 4WD SUV S/N: 2LMDU88C57BJ05564 C/W: V6 3.5 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Navigation, Towing Hitch Usage: 172,199 Mi	37	2007 Skyjack SJ9250 RT Dual Fuel 4x4 Scissor Lift S/N: 50000172 C/W: 50 ft Max Lift Height, Platform Extension, Power to Platform, Stabilizers, 2007 US EPA Label, GM Vortec 1600 4 Cylinder 1.6 L Dual Fuel Engine Usage: 1,226 Hr
27	2011 Chevrolet Aveo5 Automobile S/N: 3G1TB6DG6BL146869 C/W: 4 cyl 1.6 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner Usage: 65,520 Mi	38	2012 Genie GS-3232 Electric Scissor Lift S/N: GS3212A112738 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available
28	2009 Polaris Big Boss 6x6 ATV S/N: 4XACL76A59D816633 C/W: Electric Start, Liquid Cooled, 2 Cylinder 800 cc Gasoline Engine Usage: Not Available	39	2012 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22043582 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 123 Hr
29	2015 Polaris Scrambler 1000 4x4 ATV S/N: 4XASVE952FA625130 C/W: Electric Start, Liquid Cooled, 2 Cylinder 1000 cc Gasoline Engine Usage: 10,666 Mi	40	2012 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22043584 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 159 Hr
30	2016 Polaris 800 PRO-RMK Snowmobile S/N: SN1EG8PS0GC164166 C/W: Electric Start, Liquid Cooled, 131 Engine Hours, 2 Cylinder 800 cc Gasoline Engine Usage: 1,154 Mi	41	2011 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22022461 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 189 Hr
32	1995 Chevrolet 3500 4x2 S/A Dump Truck S/N: 1GBKC34F2SJ118911 C/W: V8 6.5 L Diesel 190 hp Engine, US EPA Label, 5-Speed Manual Transmission, 5000 lb Front Axle, 11000 lb Rears, 6804 kg GVWR, 225 /70R19.5, Spring Suspension, 185 in Wheelbase, PTO, Lagace 14 ft Long Steel Body, Manual Roll Tarp Usage: 258,112 Mi	42	2011 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22021937 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 139 Hr
33	1997 Cat 950F Wheel Loader S/N: 5SK03359 C/W: Enclosed Cab, Hydraulic Coupler, 114 in Bucket, snow box Usage: 4,104 Hr	43	2011 Skyjack SJIII-3219 Electric Scissor Lift S/N: 22022453 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 274 Hr
34	1985 Cat IT28 Wheel Loader S/N: 2KC00825 C/W: Enclosed Cab, Auxiliary Hydraulics, Hydraulic Coupler, 101 in Bucket, 17.5R25 Tires Usage: 4,437 Hr	44	2010 Skyjack SJ6826 RT Gas 4x4 26 Rough Terrain Scissor Lift (Inoperable) S/N: 37002618 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box, 2008 US EPA Label, Kubota DF972-ES 3 Cylinder 962 cc Gasoline Engine Usage: 1,309 Hr
35	2012 JLG 860sj 4WD Diesel Telescopic Boom Lift S/N: 0300152963 C/W: 86 ft Max Lift Height, 750 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Onboard Generator, 2011 US EPA Label, Deutz D 2011 L 04 4 Cylinder 62 hp 3.6 L Diesel Engine, 15-625NHS Tires Usage: 3,159 Hr		

Lot #	Details	Lot #	Details
45	2011 Genie GS-2646 Electric Scissor Lift (Inoperable) S/N: GS4611A96481 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 238 Hr	53	2015 Lode King SDG53 95000 lb 53 ft Tri/A Single Drop Step Deck Trailer S/N: 2LDSD5330FG059057 C/W: 88184 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 43 ft Main Deck, 97 in Usable Deck Width, Storage Compartments, Deck Over Tires, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available
46	2012 Genie GS3232 Electric Scissor Lift (Inoperable) S/N: GS3212A110431 C/W: 32 ft Max Lift Height, 227 kg Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available	54	2012 Wabash T/A 53 ft x 102 in T/A Refrigerated Trailer S/N: 1JJV532B2CL654824 C/W: 30845 kg GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Ducted Floor, Thermo King SB-330 Refrigeration Unit, 11R22.5 Tires Usage: 70,406 Mi
47	2012 Genie GS-3232 Electric Scissor Lift (Inoperable) S/N: GS32312A110559 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: Not Available	55	1996 Trail King 53 ft x 102 in Tri/A Van Trailer S/N: 1PT01JAW4T6007136 C/W: 38600 kg GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 11R22.5 Tires Usage: Not Available
48	2012 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable) S/N: 22043554 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 110 Hr	56	2018 Manac 94253 53 ft T/A Van Trailer S/N: 2M592161XJ1173665 C/W: 33644 kg GVWR, Air Ride Suspension, Air Brakes, Ringfeder, Side Skirts, 11R22.5 Tires Usage: Not Available
49	2012 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable) S/N: 2204368 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires Usage: 185 Hr	58	2016 Manac 94253001 53 ft T/A Van Trailer S/N: 2M5921619G1153612 C/W: 33644 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Ringfeder, Side Skirts, 11R22.5 Tires Usage: Not Available
50	2012 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable) S/N: 22033992 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Non-Marking Tires, Upper Control Box Usage: 262 Hr	59	2012 Vanguard 53 ft T/A Van Trailer S/N: 5V8VC5321CM207112 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 11R22.5 Tires Usage: Not Available
51	Hyundai HDF30-II 5300 lb Diesel Pneumatic Tire Forklift S/N: H82012540 C/W: 3 Stage Mast, 185 in Max Lift Height, 40 in Forks, 2002 US EPA Label, Isuzu 4GJ2B 4 Cylinder Diesel Engine Usage: 9,185 Hr	61	1998 Manac 94253002 53 ft T/A Van Trailer S/N: 2M5921614W7054062 C/W: 32500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 11R22.5 Tires Usage: Not Available
52	2006 Doosan G25P-3 4500 lb LPG Pneumatic Tire Forklift S/N: KQ00346 C/W: 3 Stage Mast, 186 in Max Lift Height, 42 in Forks, Side Shift, 2004 US EPA Label, NGV1 4 Cylinder 3.0 L LPG Engine Usage: 6,947 Hr	64	2005 Bedard Bullet 6000 gal T/A 42 Ft Pneumatic Bulk Trailer S/N: 2B9A1CBG054007819 C/W: 33500 kg GVWR, Air Ride Suspension, Air Brakes, Aluminum Tank, 1 Compartments, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available
		65	2005 Bedard Bullet 6000 gal T/A 42 Ft Pneumatic Bulk Trailer S/N: 2B9A1CBG754007820 C/W: 73854 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
66	2012 Delavan T/A 6 Car Open Car Carrier Trailer S/N: 1D9AD452XCW371997 C/W: 51000 lb GVWR, Air Ride Suspension, Air Brakes, Soft Ties, Aluminum Wheels, 255 /70R22.5 Tires Usage: Not Available	74	2011 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS8474BW134456 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
67	2005 PJ Trailers 20 ft T/A Gooseneck Equipment Trailer S/N: 4P5GN252251071990 C/W: Spring Suspension, Electric Brakes, 5 ft 6 in Fixed Dovetail, 98 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available	75	2010 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS8479AW134381 C/W: 89948 lb GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 11R22.5 Tires Usage: Not Available
68	2006 John Deere 6420 4WD Tractor S/N: L06420P474183 C/W: Enclosed Cab, Air Conditioner, Differential Lock, IVT, Left Hand Reverser, Loader w /Joystick, Quick Coupler, 85 in Bucket, Auxiliary Hydraulics, Exterior 3-Point Hitch Controls, 540 /1000 PTO, 3-Point Hitch, Drawbar, 340/85R28 Front Tires, 460/85R38 Rear Tires Usage: 5,993 Hr	76	2010 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS8476AW134385 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 11R22.5, 295/80R22.5 Tires Usage: Not Available
69	1984 International 5288 4WD Tractor S/N: 2580007U005401 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 18 Forward 6 Reverse, Partial Powershift, Front Weights, 3 Rear Remotes, Auxiliary Hydraulics, 1000 PTO, 18.4x26 Front Tires, 20.8 x38 Rear Tires Usage: 9,249 Hr	77	2010 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS8470AW134379 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 11R22.5 Tires Usage: Not Available
70	2012 CrossCountry 48 ft Quad/A Live Bottom Trailer S/N: 2C9LSX491CM183791 C/W: 59000 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available	78	2009 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS84739W134298 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, 11R22.5 Tires Usage: Not Available
71	2012 Trail King 48 ft Quad/A Live Bottom Trailer S/N: 1TKL04844CW064712 C/W: 110780 lb GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	79	2010 Trout River 48 ft Quad/A Live Bottom Trailer (Inoperable) S/N: 2S9PS8472AW134397 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, 11R22.5 Tires Usage: Not Available
72	2010 Trail King 48 ft Quad/A Live Bottom Trailer S/N: 1TKL04844AW041265 C/W: 50080 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	80	2008 Larochelle 26 ft T/A End Dump Trailer S/N: 2P9B9A62X84036635 C/W: Air Ride Suspension, Air Brakes, Electric Roll Tarp, Air Lift Tailgate, 11R22.5 Tires Usage: Not Available
73	2012 Trout River 48 ft Quad/A Live Bottom Trailer S/N: 2S9PS8475CW134571 C/W: 40800 kg GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, Steering 1st- Axle, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	81	8 ft T/A Aluminium Portable Salt Spreader S/N: RC8939H Usage: Not Available
		83	Quantity of (2) Akuret L-3/E-3 29.5-29 Tires (Unused) S/N: Not Available Usage: Not Available
		84	14 in Backhoe Rear Bucket - Fits John Deere 710 S/N: Not Available Usage: Not Available
		85	9 Ft 5 in. Snow Pusher S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
86	10 ft Extension Wings For Snow Pusher - Fits Wheel Loader S/N: Not Available Usage: Not Available		
87	12 Ft 4 In. Cutting Edge S/N: Not Available Usage: Not Available		
88	2022 Arctic Shelter 150 ft x 50 ft x 26 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
89	2022 Arctic Shelter 80 ft x 40 ft x 24 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
90	Arctic Shelter 80 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
91	Arctic Shelter 70 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
92	Arctic Shelter 60 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
93	Arctic Shelter 40 ft x 30 ft x 22 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		
94	Arctic Shelter 40 ft x 30 ft x 16 ft Peak Double Truss Storage Building (Unused) S/N: Not Available C/W: UV proof, leak resistance, fire retardant Usage: Not Available		