



## Northeast Regional Event, USA - Dec 13, 2023

Lot #	Details	Lot #	Details
	dump bed S/N: B112295 Usage: Not Available	13	<b>2014 JCB 509.42 Telehandler</b> S/N: JCB5CFKGK01404393 C/W: Enclosed Cab, 42 ft Max Lift Height, 9000 lb Max Lift Capacity, 2013 US EPA Label, 59.5 in Forks, Swing Carriage, Manual Coupler, Frame Leveling, 14.00-24 Tires Usage: 3,516 Hr
1	<b>2016 Lay-Mor SM300 Self-Propelled Broom</b> S/N: 36434 C/W: Open Operator Station, 8 ft Broom, Water System, Tier 4, 2015 US EPA Label, Kubota DT105 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 123 Hr	14	<b>2018 Skyjack SJ843TH Telehandler</b> S/N: 87111337 C/W: Enclosed Cab, 43 ft Max Lift Height, 8000 lb Max Lift Capacity, 2018 US EPA Label, CARB Compliant, 48 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, 13.00-24 Foam Filled Tires Usage: 1,811 Hr
4	<b>2017 Genie GTH-1056 Telehandler</b> S/N: GTH10E-12100 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 74 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Aperture Tires Usage: 2,480 Hr	16	<b>2015 Gehl RS842 Telehandler</b> S/N: RS842CG17825 C/W: Open Operator Station, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 48 in Forks, Side Shift, Manual Coupler, Frame Leveling, 13.00-24 Tires Usage: 2,623 Hr
7	<b>2014 JLG G10-55A Telehandler</b> S/N: 0160064123 C/W: Enclosed Cab, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2014 US EPA Label, CARB Compliant, 60 in Forks, Tilt Carriage, Manual Coupler, Outriggers, Frame Leveling, 400/75-28 Foam Filled Tires Usage: 5,118 Hr	18	<b>2011 JLG 8042 Telehandler</b> S/N: 0160041667 C/W: Enclosed Cab, Air Conditioner, 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2011 US EPA Label, 72 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, 15.5-25 Tires Usage: 4,252 Hr
8	<b>2012 JLG G10-55A Telehandler</b> S/N: 0160046773 C/W: Enclosed Cab, 10000 lb Max Lift Capacity, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 72 in Forks, Outriggers, 400/75-28 Tires, 66 In Carriage Usage: 7,514 Hr	20	<b>2014 JLG 6042 Telehandler</b> S/N: 160058877 C/W: Enclosed Cab, 42 ft Max Lift Height, 6000 lb Max Lift Capacity, 2013 US EPA Label, CARB Compliant, 60 in Forks, Tilt Carriage, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing Usage: 3,046 Hr
9	<b>2010 JLG 10054 Telehandler</b> S/N: 016003884 C/W: Enclosed Cab Usage: 5,804 Hr	22	<b>2001 Cat TH63 Telehandler</b> S/N: 05WM06417 C/W: Enclosed Cab, 48 in Forks, Hydraulic Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing, Tires Usage: 5,597 Hr
10	<b>2004 Lull 1044C54 Telehandler</b> S/N: 0160005937 C/W: Enclosed Cab, 10000 lb Max Lift Capacity, 48 in Forks, Outriggers, Frame Leveling, 14.00-24 Solid Tires Usage: 4,500 Hr	23	<b>1998 Lull 644B-37 Telehandler</b> S/N: 98V23N21-1320 C/W: Open Operator Station, US EPA Label, 48 in Forks, Tilt Carriage, Frame Leveling, Tires Usage: 7,758 Hr
11	<b>2001 Lull 1044-54 4x4x4 Telehandler</b> S/N: 01AB21P19-1234 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 7,279 Hr	24	<b>1999 Gradall 534D6 Telehandler</b> S/N: 0588762 C/W: Open Operator Station, 45 ft Max Lift Height, 9000 lb Max Lift Capacity, 46 in Forks, 13.00-24 Tires Usage: 6,326 Hr

Lot #	Details	Lot #	Details
25	<b>2014 Genie GTH-5519 Telehandler</b> S/N: GTH5514B-1492 C/W: Enclosed Cab, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2014 US EPA Label, CARB Compliant, 48 in Forks, Manual Coupler, 33x12-20 Aperture Tires Usage: 2,725 Hr	36	<b>2012 Case 580 Super N 4x4 Backhoe Loader</b> S/N: JJGN58SNCCC565470 C/W: Enclosed Cab, Air Ride Seat, 82 in Loader Bucket, Extendable Stick, 28 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 7,278 Hr
27	<b>2013 Genie GTH-5519 Telehandler</b> S/N: 23921 C/W: Enclosed Cab, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2012 US EPA Label, CARB Compliant, 48 in Forks, Manual Coupler, 33x12-20 Aperture Tires Usage: 2,807 Hr	37	<b>2003 Cat 420D 4x4 Backhoe Loader</b> S/N: CAT0420DHFDP14692 C/W: Enclosed Cab, Air Conditioner, Backhoe Pilot Controls, 2003 US EPA Label, 92 in Loader Bucket, Extendable Stick, 23 in Backhoe Digging Bucket Usage: 5,610 Hr
28	<b>2006 Genie GTH-5519 Telehandler</b> S/N: 14065 C/W: Open Operator Station, 0 ft Max Lift Height, 5500 lb Max Lift Capacity, 2006 US EPA Label, 47 in Forks, Hydraulic Coupler, Auxiliary Hydraulic Plumbing Usage: 3,721 Hr	39	<b>2000 John Deere 410E 4x4 Backhoe Loader</b> S/N: T0410EX891007 C/W: Enclosed Cab, Air Conditioner, 2000 US EPA Label, 93 in Loader Bucket, 17 in Backhoe Digging Bucket Usage: 3,875 Hr
29	<b>2014 Kalmar RT-022 Telehandler</b> S/N: S3512200459 C/W: Enclosed Cab, 5000 lb Max Lift Capacity, 48 in Forks, Side Shift, Fork Positioner, Tilt Carriage, Manual Coupler, 380/75R20 Tires Usage: 60 Hr	41	<b>2007 Case 580 Super M Series 2 4x4 Backhoe Loader</b> S/N: N7C431148 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission, 92 in Loader Bucket, Extendable Stick, 12 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 6,411 Hr
31	<b>2015 Cat 430F 4x4 Backhoe Loader</b> S/N: CAT0430FLRDF00850 C/W: Enclosed Cab, Air Conditioner, Ride Control, 92 in Loader Bucket, Extendable Stick, 12 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 5,765 Hr	42	<b>2003 Case 590 Super M 4x4 Backhoe Loader</b> S/N: JJG0288643 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 92 in Multi-Purpose Loader Bucket, Extendable Stick, 35 in Backhoe Digging Bucket Usage: 4,438 Hr
32	<b>2011 Cat 430E 4x4 Backhoe Loader</b> S/N: CAT0430EJSWC00351 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 92 in Loader Bucket, Extendable Stick, 12 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 6,945 Hr	43	<b>2003 Case 590 Super M 4x4 Extendable boom backhoe Backhoe Loader</b> S/N: JJG0288292 C/W: Enclosed Cab, Air Conditioner, Foam Filled Tires, 93 in Multi-Purpose Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket Usage: 4,288 Hr
33	<b>2011 Cat 416E 4x4 Backhoe Loader</b> S/N: Not Available C/W: Enclosed Cab, Air Conditioner, 87 in Loader Bucket, Extendable Stick, 23 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: Not Available	44	<b>2000 Case 590 Super L Series 2 4x4 Backhoe Loader</b> S/N: JJG0285624 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 92 in Loader Bucket, 23 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 6,849 Hr
34	<b>2012 John Deere 310SK 4x4 Backhoe Loader</b> S/N: 1T0310SKTCE225689 C/W: Enclosed Cab, Air Conditioner, Backhoe Pilot Controls, 92 in Loader Bucket, Extendable Stick, Quick Coupler, 36 in Backhoe Digging Bucket, 18 in Bucket, 24 in Bucket, c/w 4 buckets Usage: 4,423 Hr	45	<b>1998 Case 590 Super L 4x4 Backhoe Loader</b> S/N: JJG0210683 C/W: Enclosed Cab, Backhoe Pilot Controls, 92 in Multi-Purpose Loader Bucket, 24 in Backhoe Digging Bucket Usage: 5,279 Hr
35	<b>2018 Case 580 Super N WT 4x4 Backhoe Loader</b> S/N: Not Available C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission, Requires Diesel Exhaust Fluid, 92 in Multi-Purpose Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: Not Available	46	<b>1993 Case 590 4x2 Backhoe Loader</b> S/N: N4C309221 C/W: Open Operator Station, Backhoe Pilot Controls, 92 in, 22 in Backhoe Digging Bucket Usage: 4,537 Hr

Lot #	Details	Lot #	Details
47	<b>2007 JCB 214E 4x2 Backhoe Loader</b> S/N: SLP214TC7U0909419 C/W: Open Operator Station, 2004 US EPA Label, 74 in Loader Bucket, 23 in Backhoe Digging Bucket Usage: 66 Hr	59	<b>2019 Kubota BX23S 4WD Backhoe Utility Tractor</b> S/N: KBUC1DHRPKGE32785 C/W: Differential Lock, 2 Forward 2 Reverse, Hydrostatic Drive, Tier 4, 23 hp Engine, 2019 US EPA Label, CARB Compliant, Kubota LA340 Loader w/Joystick, 48 in Bucket, 2 Mid-Mount Remotes, Mid-Mount PTO, 1 Rear Remotes, 540 PTO, Kubota BT603 12 in Backhoe Attachment, 18x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 815 Hr
49B	<b>2005 New Holland B75B 4x4 Backhoe Loader</b> S/N: 31053369 C/W: Enclosed Cab, 88 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 8,360 Hr	60	<b>2019 Kubota BX23S Backhoe Utility Tractor</b> S/N: 30379 C/W: Trailer Vin 1P9UT1724LN343056 Usage: 1,129 Hr
50	<b>1999 John Deere 310E 4x2 Backhoe Loader</b> S/N: T0310EX855539 C/W: Open Operator Station, 1998 US EPA Label, 80 in Loader Bucket, Backhoe no bucket, Usage: 2,841 Hr	61	<b>2019 Kubota BX23S Backhoe Utility Tractor</b> S/N: KBUC1DHRCKGE32704 C/W: Trailer Vin 1P9UT1729LN343313 Usage: 694 Hr
51	<b>1994 Case 580 Super K 4x2 Backhoe Loader</b> S/N: JJG0178481 C/W: Enclosed Cab, 82 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 9,079 Hr	62	<b>2017 New Holland Boomer 50 4WD Utility Tractor</b> S/N: LSM0B50CKH0010202 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, Tier 3, 56 kW Engine, 2017 US EPA Label, CARB Compliant, New Holland 260TLA Loader w/Joystick, Quick Coupler, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 12x16.5 Front Tires, Rear Tires Usage: 400 Hr
52	<b>2019 Kubota B26 Backhoe Utility Tractor</b> S/N: 57693 C/W: Trailer Vin 1P9UT2125KN343645 Usage: 817 Hr	63	<b>New Holland Boomer 3035 4WD Utility Tractor</b> S/N: 138RF002958 C/W: Differential Lock, 3 Forward 3 Reverse, Hydrostatic Drive, 30 hp Engine, New Holland 240TL Loader w/Joystick, Quick Coupler, 72 in Bucket, 2 Mid-Mount Remotes, 540 PTO, Worksaver 42 in forks, 215/65-14 Front Tires, 43x16.00-20 Rear Tires Usage: Not Available
54	<b>2019 Kubota BX23S Backhoe Utility Tractor</b> S/N: 31324 C/W: Hydrostatic Drive, 15.9 kW Engine, 2019 US EPA Label, Kubota LA340 Loader, Kubota, Mid-Mount PTO, Exterior 3-Point Hitch Controls, 540 PTO, 3-Point Hitch, Kubota BT603 Backhoe Attachment, Front Tires, Rear Tires Usage: 894 Hr	65	<b>LS MT122 4WD Utility Tractor</b> S/N: 2314001424 C/W: Hydrostatic Drive, 2020 US EPA Label, LS LL1101 Loader w/Joystick, 50 in Bucket, 2 Mid-Mount Remotes, 54 in Mower Deck, 1 Rear Remotes, 540 PTO, 3-Point Hitch, LS LB1107 17 in Backhoe Attachment, 215/ 45-10 Front Tires, 26x12.00-12 Rear Tires Usage: 108 Hr
55	<b>2019 Kubota BX23S Backhoe Utility Tractor</b> S/N: 31316 C/W: Trailer Vin 1P9UT1727KN343843 Usage: 1,190 Hr	66	<b>1997 Ford 6640 2WD Tractor</b> S/N: 0723141BFA5PVR C/W: Enclosed Cab, Reverse Drive Mode, 4 Forward 4 Reverse, Manual Transmission, 2 Rear Remotes, 540 PTO, 3-Point Hitch, 14.9x24 Front Tires, 18.4x34 Rear Tires Usage: 3,709 Hr
56	<b>2019 Kubota BX23S 4WD Backhoe Utility Tractor</b> S/N: KBUC1DHRCKGG34577 C/W: Trailer Vin 5631F1729KM002489 Usage: 631 Hr	68	<b>2010 New Holland T4020 4WD Tractor</b> S/N: Not Available C/W: Enclosed Cab, Air Conditioner, 4 Forward 1 Reverse, Power Shift, Forward/ Reverse Shuttle, Broom, 1 Rear Remotes, 540 PTO, 3-Point Hitch, 280/85R24 Front Tires, 16.9x30 Rear Tires, Rear Wheel Weights Usage: Not Available
57	<b>2019 Kubota BX23S Backhoe Utility Tractor</b> S/N: 34587 C/W: Trailer Vin 5631F1721KM002387 Usage: 757 Hr		
58	<b>2019 Kubota BX23S 4WD Backhoe Utility Tractor</b> S/N: 30404 C/W: Differential Lock, Hydrostatic Drive, 15.9 kW Engine, 2019 US EPA Label, Kubota LA340 Loader w/Joystick, Trailer Vin 1P9UT1728LN343058 Usage: 706 Hr		

Lot #	Details	Lot #	Details
69	<b>1990 John Deere 2555 4WD Tractor</b> S/N: L02555F718033 C/W: Differential Lock, 8 Forward 4 Reverse, CollarShift, Forward/ Reverse Shuttle, John Deere 245 Loader w/Joystick, Quick Coupler, 84 in Bucket, 2 Mid-Mount Remotes, 2 Rear Remotes, 540 PTO, 3-Point Hitch, John Deere 25A 80 in Flail Mower, 12.4x24 Front Tires, 16.9 x30 Rear Tires Usage: Not Available	77	<b>2013 Cat 930K Wheel Loader</b> S/N: CAT0930KLRHN01971 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, 2013 US EPA Label, 100 in Bucket, 525/80R25 Tires Usage: 12,320 Hr
70	<b>2018 Case 1121G High Lift Wheel Loader</b> S/N: JEEN1121TJF244563 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Joystick Steering, LoadRite On-Board Scale, 132 in, 26.5R25 Tires Usage: 6,946 Hr	78	<b>2017 LiuGong CLF835H Wheel Loader</b> S/N: CLG835HZHHL562658 C/W: Enclosed Cab, Air Ride Seat, Hydraulic Coupler, Forks, 17.5R25 Tires Usage: 2,278 Hr
71	<b>2016 Case 1121F Wheel Loader</b> S/N: NGF224665 C/W: Enclosed Cab, Rear View Camera, Ride Control, Requires Diesel Exhaust Fluid, 124 in Bucket, 26.5-25 Tires Usage: 8,537 Hr	79	<b>2018 Volvo L70H Wheel Loader</b> S/N: VCE0L70HL0S623167 C/W: Enclosed Cab, Air Ride Seat, Ride Control, 2018 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 108 in Bucket, 20.5R25 Tires Usage: 3,136 Hr
72	<b>2015 Cat 950M Wheel Loader</b> S/N: CAT950MJEMB00934 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 4.75 cyd 121 in Bucket, 23.5R25 Tires Usage: 7,803 Hr	80	<b>2015 Volvo L70H Wheel Loader</b> S/N: VCE0L70HC0S622167 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 102 in Bucket, 20.5R25 Tires Usage: 12,439 Hr
73	<b>2020 XCMG XC949 Wheel Loader</b> S/N: XUG00949LKCB17442 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Auxiliary Hydraulics, Hydraulic Coupler, 2.4 m3 100 in Bucket, Tires Usage: 362 Hr	81	<b>2010 Cat 928HZ Wheel Loader</b> S/N: CAT0928HVCXK01182 C/W: Enclosed Cab, 99 in Bucket, 20.5R25 Turf Tires Usage: 11,644 Hr
74	<b>2018 Hyundai HL940 Wheel Loader</b> S/N: HHKHW400TJ0000566 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, On-Board Scale, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 102 in Bucket, Forks, Tires Usage: 1,475 Hr	82	<b>2006 Cat 924G Wheel Loader</b> S/N: CAT0924GEDDA02786 C/W: Enclosed Cab, Auxiliary Hydraulics, Hydraulic Coupler, 99 in Bucket, 20.5R25 Tires Usage: 12,963 Hr
75	<b>2016 Komatsu WA270-7 Wheel Loader</b> S/N: KMTWA122TEA081283 C/W: Enclosed Cab, Rear View Camera, Auxiliary Hydraulics, Hydraulic Coupler, 103 in Bucket, 20.5R25 Tires Usage: 9,434 Hr	83	<b>2013 Volvo L50GS Wheel Loader</b> S/N: VCEL50GSK02420207 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 2013 US EPA Label, CARB Compliant, Auxiliary Hydraulics, Hydraulic Coupler, 17.5-25 Tires Usage: 9,520 Hr
76	<b>2014 Cat 938 K Wheel Loader</b> S/N: CAT0938KPSWL02934 C/W: Enclosed Cab, Rear View Camera, Ride Control, 2014 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, 108 in Bucket, Forks, Sweeps, 20.5R25 Turf Tires Usage: 13,578 Hr	86	<b>2007 Cat 988H Wheel Loader</b> S/N: CAT0988HHBXY01920 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Joystick Steering, 152 in Spade Nose Bucket, 35/65R33 Tires Usage: 16,553 Hr
		87	<b>2006 Cat 980H Wheel Loader</b> S/N: CAT0980HVJMS01650 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Command Control Steering, VEI Millennium On-Board Scale w/Printer, 7.5 cyd 138 in Bucket, 29.5R25 Tires Usage: 23,507 Hr
		88	<b>2005 Cat 980H Wheel Loader</b> S/N: CAT0980HPJMS00427 C/W: Enclosed Cab, Air Conditioner, Ride Control, Autoshift, Command Control Steering, Loadlog 800i On-Board Scale, 7.5 cyd 138 in Bucket, 29.5R25 Tires Usage: 14,720 Hr

Lot #	Details	Lot #	Details
89	<b>2005 Volvo L120E Wheel Loader</b> S/N: L120EV54577 C/W: Enclosed Cab, Auxiliary Hydraulics, Hydraulic Coupler, 110 in Bucket, 23.5R25 Tires Usage: 137,842 Hr	100	<b>1990 John Deere 772B Motor Grader</b> S/N: DW772BX524737 C/W: Enclosed Cab, 12 ft / 3.66 m Moldboard, 14.00-24 Tires Usage: 9,104 Hr
90	<b>2002 Cat 950G Wheel Loader</b> S/N: CAT0950GK3JW02864 C/W: Enclosed Cab, Air Ride Seat, 115 in Bucket, 23.5R25 Tires Usage: 10,392 Hr	101	<b>2016 Volvo A40G Articulated Dump Truck</b> S/N: VCE0A40GE00341072 C/W: Air Conditioner, Engine Brake, Rear View Camera, 2015 US EPA Label, Heated Body, Tailgate, 29.5R25 Tires Usage: 55,199 Mi
91A	<b>2009 Volvo L90F Wheel Loader</b> S/N: VCE0L90FT00068779 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Autoshift, 2008 US EPA Label, Hydraulic Coupler, 104 in Bucket, 20.5R25 Tires Usage: 6,395 Hr	102	<b>2006 Volvo A40D Articulated Dump Truck</b> S/N: A40DV12976 C/W: Air Conditioner, 2007 US EPA Label, Tailgate, Tires, Rearview camera Usage: 14,898 Hr
92	<b>2005 Cat 938G Series II Wheel Loader</b> S/N: CAT0938GVRTB01325 C/W: Open Operator Station, Auxiliary Hydraulics, Hydraulic Coupler, Forks, 20.5R25 Tires Usage: 9,672 Hr	103	<b>2004 Volvo A35D Articulated Dump Truck</b> S/N: A35DV71149 C/W: Air Conditioner, Retarder, Air Ride Seat, Tailgate, 26.5R25 Tires Usage: 14,936 Hr
93	<b>2004 Cat 938G Series II Wheel Loader</b> S/N: CAT0938GPCRD00969 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 106 in Bucket, 20.5R25 Tires Usage: 13,644 Hr	104	<b>2003 Terex TA30 Articulated Dump Truck</b> S/N: A8281032 C/W: Air Conditioner, 23.5R25 Tires Usage: 11,997 Mi
94	<b>2000 Case 621C Wheel Loader</b> S/N: JEE0123111 C/W: Enclosed Cab, Air Conditioner, Auxiliary Hydraulics, Hydraulic Coupler, 101 in Bucket, 20.5R25 Tires Usage: 2,216 Hr	105	<b>2003 Terex TA25 Articulated Dump Truck</b> S/N: A8471019 C/W: Air Conditioner, Retarder, Air Ride Seat, 23.5R25 Tires Usage: 9,191 Hr
95	<b>1995 Cat IT28F Wheel Loader</b> S/N: 3CL01323 C/W: Enclosed Cab, Hydraulic Coupler, 93 in Bucket, Forks, 20.5R25 Tires Usage: 22,270 Hr	106	<b>2000 Terex TA25 Articulated Dump Truck</b> S/N: A7581281 C/W: Air Conditioner, 23.5R25 Tires Usage: 8,829 Hr
96	<b>2022 Cat 906M Wheel Loader</b> S/N: CAT0906MJK5602789 C/W: Enclosed Cab, Tier 4, 2021 US EPA Label, Auxiliary Hydraulics, Hydraulic Coupler, .95 m3 72 in Bucket, Forks, 340/80R18 Tires Usage: 72 Hr	107	<b>1997 Volvo A30C Articulated Dump Truck</b> S/N: A30CV2678 C/W: Air Conditioner, Retarder, 23.5R25 Tires Usage: 21,264 Hr
97	<b>2022 Cat 906M Wheel Loader</b> S/N: CAT0906MTK5602593 C/W: Enclosed Cab, Air Ride Seat, Tier 4, 2021 US EPA Label, Hydraulic Coupler, 1.2 cyd 74 in Bucket, Forks, 405/70R18 Tires Usage: 196 Hr	109	<b>Cat D25C Articulated Dump Truck</b> S/N: Not Available C/W: Tires Usage: 27,609 Hr
98	<b>2022 Cat 906M Wheel Loader</b> S/N: CAT0906MVK5602469 C/W: Enclosed Cab, Air Ride Seat, Tier 4, 2021 US EPA Label, CARB Compliant, Auxiliary Hydraulics, Hydraulic Coupler, 0.9 m3 1880 mm Bucket, Flip-Over Forks, Forks, 405/70R18 Tires, 20km/h, german Betriebserlaubnis, Service done Usage: 458 Hr	110	<b>2016 Komatsu D155AX-8 Crawler Dozer</b> S/N: KMT0D126JEC100021 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, TORQFLOW, Tier 4, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 156 in Wide Sigmadozer w/ Dual Tilt, 24 in Single Grouser Track Shoes, 2 Cylinder Single-Shank Ripper w/Hydraulic Pin Puller Usage: 5,938 Hr
		111	<b>2017 Cat D6T XL Crawler Dozer</b> S/N: CAT00D6TVNDY00259 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, 128 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, Counterweight, Drawbar Usage: 2,917 Hr

Lot #	Details	Lot #	Details
112	<b>2017 Cat D6T XL Crawler Dozer</b> S/N: CAT00D6TVNDY00228 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Requires Diesel Exhaust Fluid, 130 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: Not Available	119	<b>2000 Komatsu D65EX-12 Crawler Dozer</b> S/N: 63309 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 120 in Wide Semi-U Blade w/ Dual Tilt, 20 in Single Grouser Track Shoes, Counterweight, Drawbar Usage: 8,533 Hr
113	<b>2016 Cat D6T LGP Crawler Dozer</b> S/N: CAT00D6THHTZ00554 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 156 in Wide Straight Blade w/ Single Tilt, 36 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 7,032 Hr	120	<b>2014 Komatsu D61PXi 23 Crawler Dozer</b> S/N: 30586 C/W: Enclosed Cab, Air Conditioner, 143 in Wide PAT Blade, 34 in Single Grouser Track Shoes Usage: 7,530 Hr
114	<b>2015 Cat D6T XW Crawler Dozer</b> S/N: CAT00D6THTMY00313 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, Requires Diesel Exhaust Fluid, 136 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, Counterweight Usage: 15,415 Hr	121	<b>2016 Komatsu D39PX-24 Crawler Dozer</b> S/N: KMT0D130CGA095194 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Lever Steering, 118 in Wide 25 in Single Grouser Track Shoes Usage: 1,944 Hr
115	<b>2011 Cat D6T XW Crawler Dozer</b> S/N: RCW00218 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, GRADE with 3D, Requires Diesel Exhaust Fluid, 149 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, Counterweight, Drawbar, Rear Auxiliary Hydraulics Usage: 7,707 Hr	122	<b>2006 Komatsu D39EX-21 Crawler Dozer</b> S/N: 1950 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 2006 US EPA Label, CARB Compliant, 92 in Wide Semi-U Blade w/ Single Tilt, 18 in Single Grouser Track Shoes, Drawbar Usage: 6,526 Hr
116	<b>2006 Cat D6R LGP Series III Crawler Dozer</b> S/N: WRG00588 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 149 in Wide Semi-U Blade 36 in Single Grouser Track Shoes, Drawbar Usage: 11,415 Hr	123	<b>2015 Cat D4K2LGP Crawler Dozer</b> S/N: CAT00D4KLKR200272 C/W: Enclosed Cab, Air Conditioner, 120 in Wide PAT Blade, 25 in Single Grouser Track Shoes Usage: 7,866 Hr
117A	<b>2018 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NLMG501677 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Hydrostatic Drive, Trimble CB460/GCS900 Grade Control System, 2018 US EPA Label, 156 in Wide PAT Blade, 34 in Single Grouser Track Shoes, Drawbar Usage: 8,090 Hr	124	<b>1992 Cat D5C Crawler Dozer</b> S/N: 6PJ00367 C/W: Enclosed Cab, Hydrostatic Drive, 105 in Wide PAT Blade, 20 in Single Grouser Track Shoes Usage: 7,661 Hr
117	<b>2003 Cat D6R XW Series II Crawler Dozer</b> S/N: CAT00D6RCAEP00217 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, 134 in Wide Angle Blade w/ Dual Tilt, 24 in Single Grouser Track Shoes, 1 Cylinder Ripper Usage: 18,292 Hr	125	<b>1986 Cat D4H Crawler Dozer</b> S/N: 8PB00468 C/W: 106 in Wide Semi-U Blade 18 in Single Grouser Track Shoes Usage: 571 Hr
118	<b>2012 Cat D6N LGP Crawler Dozer</b> S/N: PBA0311 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Tier 2, 148 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 8,303 Hr	127	<b>2016 Cat 953D Crawler Loader</b> S/N: CAT0953DLLBP02014 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, Hydraulic Coupler, 96 in Multi-Purpose Bucket, 18 in Double Grouser Track Shoes Usage: 5,927 Hr
		128	<b>2005 Cat 963C Crawler Loader</b> S/N: CAT0963CLBBD02274 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 2005 US EPA Label, 102 in Bucket, 22 in Double Grouser Track Shoes Usage: 13,916 Hr
		129	<b>2004 Cat 963C Crawler Loader</b> S/N: CAT0963CEBBD01113 C/W: Enclosed Cab, Air Conditioner, 96 in Bucket, 21.75 in Double Grouser Track Shoes Usage: 13,135 Hr

Lot #	Details	Lot #	Details
130	<b>1988 Cat 963 LGP Crawler Loader</b> S/N: 21Z02417 C/W: Enclosed Cab, Hydrostatic Drive, 100 in Bucket, Forks, 22 in Double Grouser Track Shoes Usage: 8,301 Hr	143	<b>2014 Freightliner M2106 4x2 Service Truck</b> S/N: 1FVACWDT5EHFS8734 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12960 Engine hrs, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Meritor MS-19-14 Drive Axles, 4.11:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 216 in Wheelbase, Morgan GVFD09120096 20 ft Body, Hydraulic Lift Gate, Miller Bobcat 10000 W Gasoline Generator Set, Ingersoll-Rand 2475 Gasoline Air Compressor, Air Hose Reel, Miller Bobcat225 11000 W 225 A Gasoline Welder Usage: 52,579 Mi
131	<b>2007 International 4300 4x2 Service Truck</b> S/N: 1HTMMAAL97H442293 C/W: International 6 Cylinder Diesel Engine, 18731 Engine hrs, international 6-Speed Manual Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 172 in Wheelbase, PTO, 2007 J&J 11 ft 2 in Body, Hydraulic Stabilizers, Auto Crane 8406H 8400 lb 2 Section Hydraulic Crane Usage: 468,240 Mi	144	<b>2006 International 4400 4x2 Fuel and Lube Truck</b> S/N: 1HTMKAAN16H346969 C/W: International DT466 6 Cylinder Ultra Low Sulfur Diesel Engine, 20294 Engine hrs, 6-Speed Manual Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 187 in Wheelbase, Diversified Fabricators 16 ft 0 in Body, ( 8 ) Hose Reels, Grease Barrel, Oil Recovery System, Diesel Fuel Tank, Diesel Fuel Dispensing System, 6 Compartment Disp System, Hydraulic Air Compressor. Usage: 368,236 Mi
132	<b>2013 International TerraStar Terra Star 4x2 Service Truck</b> S/N: 1HTJSSKK2DH251363 C/W: International MaxxForce 7 V8 6.4 L Diesel 300 hp Engine, 8374 Engine hrs, 5-Speed Automatic Transmission, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 158 in Wheelbase, Maintaner 10 ft 7 in Body, Hydraulic Stabilizers, Maintaner 3016-20 60 lb 2 Section Hydraulic Crane Usage: 196,927 Mi	145	<b>1994 International 4900 4x2 Fuel and Lube Truck</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine, 261.4 Engine hrs, Manual Transmission, 11R22.5, Spring Suspension, 206 in Wheelbase, PTO, ( 4 ) Oil Tanks, Pintle Hitch Usage: Not Available
136	<b>2016 Ford F-550 4x4 Service Truck</b> S/N: 1FDUF5HT1GEA16809 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 166 in Wheelbase, Knapheid 6132D50J 11 ft Body, Stellar EC3200 3200 lb Crane, Mi-T-M Gasoline Air Compressor, Air Hose Reel, Product Tanks, Hose Reels Usage: 221,657 Mi	146A	<b>1997 Ford F800 Service Truck</b> S/N: 1FDWF80C6VVA44625 C/W: Cummins FD-1060 5.9 L Diesel 175 hp Engine, Manual Transmission, 7000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 190 in Wheelbase, Fuel Tank /w Pump Usage: 276,364 Mi
137	<b>2015 Ram 5500 4x4 Crew Cab Service Truck</b> S/N: 3C7WRNFL7FG516748 C/W: 6 Cylinder 6.7 L Diesel 370 hp Engine, Requires Diesel Exhaust Fluid, 3531 Engine hrs, Exhaust Brake, Automatic Transmission, 7250 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 197 in Wheelbase, 10 ft 12 in Body, Hydraulic Stabilizers, 2006 3 Section Crane, DA435HA Hydraulic Air Compressor, Air Hose Reel Usage: 138,767 Mi	146	<b>1998 Ford F800 4x2 Fuel and Lube Truck</b> S/N: 1FDWF80C0WVA27983 C/W: 6 Cylinder Diesel Engine, 3682.7 Engine hrs, Manual Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 182 in Wheelbase, ( 6 ) Hose Reels Usage: 335,037 Mi
140	<b>2008 Ford F-550 XL 4x2 Service Truck</b> S/N: Not Available C/W: FoMoCo power stroke V8 6.4 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, PTO, Hydraulic System, Reading 11 ft Body, Manual Stabilizers, IMT 2015 5000 lb 3 Section Hydraulic Crane, VMAC Hydraulic Air Compressor, Air Hose Reel Usage: Not Available	148A	<b>2012 Freightliner M2 106 6x4 Water Truck</b> S/N: 1FVHCYBS6CHBR5297 C/W: Cummins 6 Cylinder Diesel 330 hp Engine, Requires Diesel Exhaust Fluid, 8230 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 16000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 6.14:1 Axle Ratio, 56000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Suspension, 225 in Wheelbase, diversified fabricators Steel Tank, Berkeley PTO Driven Pump, 6 ft 5 in, Spray Bar, Hose Reel, Front Spray, Rear Spray Usage: 85,769 Mi

Lot #	Details	Lot #	Details
148	<b>1987 Kenworth T600 3000 gal 6x4 Water Truck</b> S/N: 1XKADB9X9HJ344196 C/W: Cat 6 Cylinder Diesel Engine, Engine Brake, Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 5000 lb GVWR, Aluminum Front Wheels, 11R24.5, 8-Bag Air Ride Suspension, 230 in Wheelbase, 3000 gal Aluminum Tank, Pump w/ CMXX 1 Cylinder Engine, 5 ft 7 in, Spray Bar, Rear Spray Usage: 32,585 Mi	157	<b>2018 Kenworth T880 10x4 Quad/A Dump Truck</b> S/N: 1NKZXPTX2JJ223235 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 2 Steerable Air Lift Pusher Axle, 276 in Wheelbase, PTO, x 5 ft High Aluminium Body, Electric Roll Tarp Usage: 220,926 Mi
149	<b>2001 Freightliner FL 70 4x2 Water Truck</b> S/N: 1FVABTAL71HG68123 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 330 hp Engine, 2000 US EPA Label, 6-Speed Manual Transmission, 11R22.5, Spring Suspension, PTO, Valew Steel Tank, Catwalk, PTO Driven Pump, Front Spray, Rear Spray Usage: 32,182 Mi	158	<b>2018 Kenworth T880 10x4 Quad/A Dump Truck</b> S/N: 1NKZXPTX7JJ223229 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 20000 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R22.5, 2 Steerable Air Lift Pusher Axle, Air Ride Suspension, 276 in Wheelbase, PTO, Tebco 20 ft Long x 5 ft High Aluminium Body, Bed Vibrator Usage: 223,613 Mi
153	<b>1998 GMC C7500 2000 gal 4x2 Water Truck</b> S/N: 1GDL7H1C2WJ515449 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 190 hp Engine, 1998 US EPA Label, 4790 Engine hrs, 6-Speed Manual Transmission, 9000 lb Front Axle, 21000 lb Rears, 30000 lb GVWR, 11R22.5, Spring Suspension, 156 in Wheelbase, PTO, Double Frame, Valew 2000 gal Steel Tank, Catwalk, PTO Driven Pump, Hose Reel, Front Spray Usage: 26,695 Mi	160	<b>2011 International ProStar Premium 10x4 Quad /A Dump Truck</b> S/N: 1HSCUAPR1BJ361592 C/W: Cummins 6 Cylinder 15.0 L Diesel 450 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, 2 Air Lift Pusher Axles, Air Lift Tag Axle, Hendrickson Haulmaax Rubber over Walking Beam Suspension, 246 in Wheelbase, PTO, 17 ft 7 in Long x 4 ft 4 in High Steel Body, Flat Bed, Electric Roll Tarp Usage: 503,986 Mi
154	<b>2019 Kenworth T880 10x4 Quad/A Dump Truck</b> S/N: 1NKZXPTX4KJ223240 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 405 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10064.9 Engine hrs, Engine Brake, Eaton Fuller FO-16E318B-MXP 18-Speed Automated Transmission, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 3.91:1 Axle Ratio, 88040 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 2 Steerable Air Lift Pusher Axle, Dual Steering Boxes, Chalmers Rubber Suspension, 252 in Wheelbase, PTO, Tebco 19 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: 231,265 Mi	164	<b>2014 Kenworth T680 8x4 Tri/A Dump Truck</b> S/N: 1XKYA48X6EJ402586 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 503282 mi, 12064 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 45400 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Hendrickson Haulmaax Rubber Suspension, 216 in Wheelbase, PTO, Double Frame, Global 16 ft Long x 5 ft High Steel Body, 20.5 cyd, Capacity, Round Bottom, Electric Roll Tarp, Pintle Hitch Usage: 154,400 Mi
155	<b>2019 Kenworth T880 10x4 Quad/A Dump Truck</b> S/N: 1NKZXPTX5KJ223232 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Aluminum Wheels, 315/80R22.5, 2 Steerable Air Lift Pusher Axle, Air Ride Suspension, PTO, 20 ft Long Aluminium Body, Electric Roll Tarp Usage: 250,846 Mi	171	<b>2017 Peterbilt 367 8x4 Tri/A Dump Truck</b> S/N: 1NPTLP0X7HD413301 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15875 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 18740 lb Front Axle, 46000 lb Rears, 83480 lb GVWR, Air Ride Cab, 385 /65R22.5, Air Lift Pusher Axle, Air Ride Suspension, 272 in Wheelbase, PTO, Double Frame, 20 ft Long x 6 ft 6 in High Aluminium Body, Flat Bed, Heated Box, Electric Roll Tarp, Tailgate Chute Usage: 519,783 Mi
156	<b>2018 Kenworth T880 10x4 Quad/A Dump Truck</b> S/N: 1NKZXPTX5JJ223231 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 405 hp Engine, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Air Ride Cab, Aluminum Wheels, 315/80R22.5, Air Ride Suspension, 276 in Wheelbase, PTO, 20 ft Long x 5 ft High Aluminium Body, Electric Roll Tarp Usage: 218,826 Mi		



Lot #	Details	Lot #	Details
172	<b>2013 Peterbilt 365 8x4 Tri/A Dump Truck</b> S/N: Not Available C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4346.9 Engine hrs, Eaton Fuller 8LL Manual Transmission, 18180 lb Front Axle, 64180 lb Rears, 80000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Air Ride Suspension, 238 in Wheelbase, PTO, Double Frame, 18 ft Long x 4 ft 10 in High Aluminium Body, Electric Roll Tarp, Tailgate Chute Usage: Not Available	175	<b>2014 Cat CT660S 8x4 Tri/A Dump Truck</b> S/N: 3HTJGTKT8EN783529 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 1267 Engine hrs, Engine Brake, Automatic Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, Drive Axles, 5.38:1 Axle Ratio, 66000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Haulmax Suspension, 212 in Wheelbase, PTO, 17 ft 6 in Long x 5 ft 6 in High Aluminium Body, Electric Roll Tarp Usage: 240,250 Mi
173B	<b>2012 Mack GU713 Granite Flatbed Truck</b> S/N: 1M2AX04C2CM010851 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 415 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Mack T310M 10-Speed Manual Transmission, 18000 lb Front Axle, 44000 lb Rears, 82000 lb GVWR, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 226 in Wheelbase, 16 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: 215,678 Mi	176	<b>2012 International 7400 8x4 Tri/A Dump Truck</b> S/N: 1HTWHAZT2CJ077752 C/W: Navistar GDT330 4 Cylinder 9.3 L Diesel 330 hp Engine, 2011 US EPA Label, Automatic Transmission, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Spring Suspension, 228 in Wheelbase, Dual PTO, Wet Kit, Hydraulic System, Godwin 17 ft 0 in Long x 4 ft 5 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 107,687 Mi
173A	<b>2016 Volvo VHD 8x4 Tri/A Dump Truck</b> S/N: 4V5KC9EH1GN946687 C/W: Volvo D13J425 6 Cylinder 15 L Ultra Low Sulfur Diesel 425 hp Engine, US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9557.6 Engine hrs, Engine Brake, Volvo ATO2612D Automated Transmission, Differential Lock, 18800 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 3.58:1 Axle Ratio, 64800 lb GVWR, Air Ride Cab, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Spring Suspension, 227 in Wheelbase, Double Frame, OX Bodies 17 ft Long x 5 ft High Steel Body, Electric Roll Tarp Usage: 169,552 Mi	177A	<b>1998 Kenworth T800 8x6 Tri/A Dump Truck</b> S/N: 1NKDLU0X2WJ778847 C/W: Cat C-12 12.0 L Diesel 332 hp Engine, 33250 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 14060 lb Front Axle, 46000 lb Rears, 4.56:1 Axle Ratio, 60060 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Dual Steering Boxes, Neway Air Ride Suspension, 210 in Wheelbase, PTO, Double Frame, J&J 16 ft Long x 5 ft High Aluminium Body, Electric Roll Tarp, Tailgate Chute Usage: 425,631 Mi
173	<b>2018 Freightliner SD122 8x4 Tri/A Dump Truck</b> S/N: 3ALHGNDV2JDJH8969 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 11432 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, 18000 lb Front Axle, 46000 lb Rears, Meritor RT-40-160 Drive Axles, 4.10:1 Axle Ratio, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Airliner Air Ride Suspension, 250 in Wheelbase, PTO, Goodwin 17 ft Long Steel Body, Electric Roll Tarp, High-Lift Tailgate, Tailgate Chute Usage: 323,848 Mi	177	<b>2007 Peterbilt 335 8x4 Tri/A Dump Truck</b> S/N: 2NPLLD0X87M681670 C/W: 6 Cylinder Diesel Engine, Eaton Fuller RTO11908LL 8-Speed Manual Transmission, Differential Lock, 18740 lb Front Axle, 40000 lb Rears, Dana SPC DSP41 Drive Axles, 5.29:1 Axle Ratio, 56740 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Rubber Suspension, 204 in Wheelbase, PTO, Wet Kit, Hydraulic System, Double Frame, 15 ft 0 in Long x 3 ft 9 in High Steel Body, Flat Bed, Electric Roll Tarp, Pintle Hitch Usage: 186,134 Mi
		179	<b>2007 Mack CV713 Granite Tri/A Dump Truck</b> S/N: Not Available C/W: Mack AMI 6 Cylinder 11.9 L Diesel 335 hp Engine, 2006 US EPA Label, 10691 Engine hrs, Mack 10-Speed Manual Transmission, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Spring Suspension, 216 in Wheelbase, Hydraulic System, Double Frame, OX Bodies 16 ft Long x 4 ft 8 in High Steel Body, Electric Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: Not Available

Lot #	Details	Lot #	Details
181	<b>2005 Mack CV713 Granite Tri/A Dump Truck</b> S/N: Not Available C/W: Mack 6 Cylinder Diesel Engine, 20287.9 Engine hrs, Eaton Fuller 8LL Manual Transmission, Air Ride Cab, Aluminum Front Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Camelback Air Ride Suspension, 219 in Wheelbase, 16 ft Long x 5 ft 2 in High Steel Body, Electric Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: Not Available	190	<b>2000 International 9100 Tri/A Dump Truck</b> S/N: 2HSFRAMR7YC048248 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel Engine, 1999 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 211 in Wheelbase, Double Frame, J&J 16 ft 6 in Long x 6 ft High Aluminium Body, Electric Roll Tarp, Tailgate Chute Usage: Not Available
183	<b>2003 Mack CV713 Granite 6x4 Snow Plow Truck</b> S/N: 1M2AG12C43M003019 C/W: Mack 6 Cylinder Diesel Engine, 24086 Engine hrs, Engine Brake, Allison Automatic Transmission, 18000 lb Front Axle, 54000 lb Rears, 72 lb GVWR, Aluminum Outer Wheels, 315/80R22.5, Air Lift Pusher Axle, Spring Suspension, 242 in Wheelbase, PTO, 10 ft Plow, Stainless Steel Spreader, 1 Spinners, In-Cab Controls, 16 ft 4 in Long x 4 ft 3 in High Steel Body, Rear Hydraulics, Pintle Hitch Usage: 333,992 Mi	191	<b>2006 International 7600SFA 8x4 Tri/A Dump Truck</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine, 20085 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Lift Tag Axle, Dual Steering Boxes, Rubber Suspension, 218 in Wheelbase, PTO, Hydraulic System, Double Frame, J & J Truck Bodies 17 ft 0 in Long x 5 ft 1 in High Steel Body, Flat Bed, Electric Roll Tarp, Tailgate Chute Usage: Not Available
185	<b>2000 Mack RD690S 8x4 Tri/A Dump Truck</b> S/N: 1M2P264C0YM030728 C/W: Mack EM7 6 Cylinder 11.9 L Diesel 300 hp Engine, 1999 US EPA Label, 28312 Engine hrs, Eaton Fuller Manual Transmission, 12860 lb Front Axle, 44000 lb Rears, 56860 lb GVWR, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 210 in Wheelbase, 16 ft Long x 4 ft High Steel Body, 18 cyd, Capacity, Electric Roll Tarp Usage: 366,995 Mi	192	<b>1995 Ford LTL9000 8x4 Tri/A Dump Truck</b> S/N: 1FDZA90X0SVA63395 C/W: Cat 6 Cylinder Diesel Engine, Engine Brake, 8LL Manual Transmission, 61120 lb GVWR, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson Spring over Walking Beam Suspension, 245 in Wheelbase, PTO, Double Frame, 19 ft 8 in Long x 4 ft 9 in High Steel Body, Electric Roll Tarp, Swing Tailgate, Tailgate Chute Usage: 579,539 Mi
186	<b>2000 Mack RD688S 8x4 Tri/A Dump Truck</b> S/N: 1M2P270C0YM050733 C/W: Mack 6 Cylinder Diesel Engine, 17109 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, 18000 lb Front Axle, 44000 lb Rears, 80000 lb GVWR, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 240 in Wheelbase, 18 ft Long x 4 ft High Steel Body, 18 cyd, Capacity, Electric Roll Tarp Usage: 29,774 Mi	197	<b>2007 Volvo 6x4 T/A Dump Truck</b> S/N: 4V5KC9GH17N478814 C/W: 6 Cylinder 12.1 L Diesel Engine, 2006 US EPA Label, Engine Coolant Heater, 13280 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 58000 lb Rears, 5.3:1 Axle Ratio, 77280 lb GVWR, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Spring Suspension, 227 in Wheelbase, PTO, Double Frame, 14 ft 8 in Long x 6 ft 10 in High Steel Body, Heated Box, Electric Roll Tarp, Swing Tailgate, Tailgate Chute, Pintle Hitch Usage: 145,140 Mi
189	<b>2006 Volvo VHD 6x4 Tri/A Dump Truck</b> S/N: 4V5KC9GH06N433913 C/W: Volvo D12D435 6 Cylinder 12.8 L Diesel 435 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, Meritor RT-46-160 Drive Axles, 4.56:1 Axle Ratio, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Spring over Walking Beam Suspension, 206 in Wheelbase, PTO, Double Frame, 17 ft 4 in Long x 4 ft 10 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 440,756 Mi	198	<b>2008 International 7400 SBA 6x4 T/A Dump Truck</b> S/N: 1HTWGAZT18J051914 C/W: International MAXFORCE 6 Cylinder 9.3 L Ultra Low Sulfur Diesel 310 hp Engine, 2008 US EPA Label, 6425 Engine hrs, Allison Automatic Transmission, Differential Lock, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Spring over Walking Beam Suspension, 198 in Wheelbase, PTO, Hydraulic System, Double Frame, OX Bodies 16 ft Long x 3 ft 9 in High Steel Body, 17 cyd, Capacity, Electric Roll Tarp, Swing Tailgate, Pintle Hitch Usage: 108,356 Mi

Lot #	Details	Lot #	Details
199	<b>1999 Sterling LT19511 6x4 T/A Dump Truck</b> S/N: 2FZNNZYB3XAF15340 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, 1999 US EPA Label, Engine Brake, Allison Automatic Transmission, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, 385/65R22.5 Front Tires, 12R22.5 Rear Tires, Hendrickson Spring over Walking Beam Suspension, 213 in Wheelbase, PTO, Double Frame, Godwin 15 ft Long x 3 ft High Aluminium Body, Electric Roll Tarp Usage: 47,208 Mi	215	<b>2005 GMC C7500 4x2 S/A Dump Truck</b> S/N: 1GDJ7C1C55F527784 C/W: Cat C7 6 Cylinder Diesel Engine, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 151 in Wheelbase, GODWIN 10 ft Long x 2 ft 9 in High Steel Body, Electric Roll Tarp, Swing Tailgate, Tailgate Chute, Pintle Hitch Usage: 85,399 Mi
200	<b>2002 GMC C8500 T/A Dump Truck</b> S/N: 1GDV7H4C02J514248 C/W: Cat 3126 6 Cylinder 7.2 L Diesel Engine, 2002 US EPA Label, Allison Automatic Transmission, 16000 lb Front Axle, 45000 lb Rears, 61000 lb GVWR, 315/80R22.5, Hendrickson RT/RTE Series Spring over Walking Beam Suspension, 192 in Wheelbase, Double Frame, Henderson 13 ft 6 in Long x 30 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 62,340 Mi	216	<b>1998 GMC C6500 4x2 S/A Dump Truck</b> S/N: Not Available C/W: 6 Cylinder 7.2 L Diesel 330 hp Engine, Allison Automatic Transmission, 8100 lb Front Axle, 19000 lb Rears, 11R22.5, Spring Suspension, 160 in Wheelbase, PTO, OX Bodies 9 ft Long x 3 ft High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: Not Available
210	<b>2012 International 4300SBA 4x2 S/A Dump Truck</b> S/N: 1HTJTSKMXCH591728 C/W: International MaxxForce 7 6 Cylinder 6.4 L Ultra Low Sulfur Diesel Engine, 6514 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 153 in Wheelbase, PTO, Hydraulic System, GALION-GODWIN 10 ft Long x 2 ft 10 in High Steel Body, Manual Roll Tarp, Swing Tailgate, Pintle Hitch Usage: 91,047 Mi	217	<b>1988 Ford F-800 4x2 S/A Dump Truck</b> S/N: 1FDXK84A1JVA47788 C/W: Ford Engine, 6-Speed Manual Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 10 ft 0 in Long x 2 ft 6 in High Steel Body Usage: 105,606 Mi
212	<b>2012 Ford F-750 4x2 S/A Dump Truck</b> S/N: 3FRXF7FGXCV251391 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 325 hp Engine, 2012 US EPA Label, CARB Compliant, Exhaust Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 176 in Wheelbase, PTO, Godwin 12 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: Not Available	218	<b>1985 Ford L8000 S/A Dump Truck</b> S/N: 1FDYK80U9FVA54323 C/W: Cat 3208 V8 Diesel 225 hp Engine, Eaton Fuller 10-Speed Manual Transmission, 35000 lb GVWR, 12R22.5, Spring Suspension, 162 in Wheelbase, Hill Mfg. Co. 10 ft 11 in Long x 3 ft 10 in High Steel Body, Electric Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 145,364 Mi
213	<b>Ford F-750 4x2 S/A Dump Truck</b> S/N: 3FRXF7FD8AV251084 C/W: 6 Cylinder 6.7 L Diesel 240 hp Engine, 2009 US EPA Label, Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 150 in Wheelbase, PTO, 8 ft 6 in Long x 3 ft High Steel Body, Manual Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: 102,731 Mi	219A	<b>2000 International 4900 4x2 S/A Dump Truck</b> S/N: 1HTSDAAR4YH285821 C/W: International DT466 6 Cylinder 7.6 L Diesel 250 hp Engine, 2000 US EPA Label, Eaton Fuller 5x2 Manual Transmission, 11R22.5, Spring Suspension, 152 in Wheelbase, Double Frame, 10 ft 4 in Long x 2 ft 8 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 5,234 Mi
214	<b>1996 Kenworth T300 4x2 S/A Dump Truck</b> S/N: 2NKM78X9TM722111 C/W: 6 Cylinder 8.3 L Ultra Low Sulfur Diesel Engine, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Hydraulic System, x 3 ft 3 in High Steel Body, Swing Tailgate, Pintle Hitch Usage: 7,527 Mi	219	<b>2005 Sterling Acterra S/A Dump Truck</b> S/N: 2FZACHBS85AN76183 C/W: Cummins ISC 260 6 Cylinder 8.3 L Diesel 260 hp Engine, 2003 US EPA Label, 3260 Engine hrs, Eaton Fuller RT-8608L 8-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, 12R22.5, Spring Suspension, 152 in Wheelbase, Galion 10 ft Long x 3 ft 3 in High Steel Body, 6.2 cyd, Capacity, Electric Roll Tarp, Pintle Hitch Usage: 54,144 Mi

Lot #	Details	Lot #	Details
220	<b>2019 Ford F-550 XL 4x4 Crew Cab Dump Truck</b> S/N: 1FD0W5HT0KEC44467 C/W: Ford V8 6.7 L Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 2323 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 17706 lb Rears, 19500 lb GVWR, Hub caps, 225/70R19.5, Spring Suspension, 179 in Wheelbase, Hydraulic System, Dura Mag 9 ft 6 in Long x 3 ft 6 in High Steel Body, Flat Bed, Manual Roll Tarp, Split Swing Tailgate, Pintle Hitch Usage: 41,240 Mi	227	<b>2015 Ford F-550 XL 4x2 Dump Truck</b> S/N: 1FDUF5GT5FEA98026 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Pro Carriers 9 ft 6 in Long x 18 in High Steel Body, Manual Roll Tarp, Triple Tailgate Chutes, Pintle Hitch Usage: 106,017 Mi
221A	<b>2015 Ford F-550 4x4 Flatbed Dump Truck</b> S/N: 1FDUF5HY1FEB05368 C/W: V10 6.8 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 142 in Wheelbase, Galion-Godwin 9 ft Long x 22 in High Steel Body, Manual Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 51,903 Mi	228	<b>2015 Ford F-450 XL 4x2 Dump Truck</b> S/N: 1FDUF4GT7FEA47797 C/W: V8 6.7 L Diesel 300 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft 2 in Long x 1 ft 3 in High Steel Body, Manual Roll Tarp Usage: 92,445 Mi
221	<b>2019 Ford F-550 XL 4x4 Crew Cab Dump Truck</b> S/N: 1FD0W5HT6KEG87772 C/W: V8 6.7 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 203 in Wheelbase, 11 ft Long x 4 ft 3 in High Body, Manual Roll Tarp, Split Swing Tailgate Usage: 60,858 Mi	230	<b>2008 Ford F-450 4x2 Dump Truck</b> S/N: Not Available C/W: Ford Triton V10 6.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 12000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 142 in Wheelbase, Henderson 9 ft Long x 1 ft 1 in High Steel Body, Manual Roll Tarp Usage: Not Available
222	<b>2006 Chevrolet 3500 4x4 Dump Truck</b> S/N: 1GBJK34U76E205571 C/W: V8 Gasoline Engine, 215/85R16, Spring Suspension, 138 in Wheelbase, Hydraulic System, 8 ft 6 in Long x 2 ft High Steel Body, Manual Roll Tarp, Swing Tailgate Usage: 287,875 Mi	232	<b>2006 Chevrolet 3500 4x2 Dump Truck</b> S/N: 1GBJC34U96E149811 C/W: V8 6.0 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, 2024 kg Front Axle, 3878 kg Rears, 5171 kg GVWR, 215/85R16, Spring Suspension, 136 in Wheelbase, Hydraulic System, 8 ft 6 in Long x 1 ft 0.5 in High Steel Body, Flat Bed, Pintle Hitch Usage: 240,366 Mi
223	<b>2019 Ford F-550 XL 4x2 Crew Cab Dump Truck</b> S/N: 1FD0W5GT1KED02927 C/W: V8 6.7 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 kg GVWR, Spring Suspension, 202 in Wheelbase, 11 ft 6 in Long x 4 ft High Steel Body, Flat Bed, Manual Roll Tarp, Split Swing Tailgate, Pintle Hitch Usage: 82,363 Mi	234	<b>2012 International 7400SFA 4x2 Snow Plow Truck</b> S/N: 1HTWDAARXCJ043117 C/W: International 6 Cylinder Diesel Engine, 2853 Engine hrs, Allison Automatic Transmission, Differential Lock, 13220 lb Front Axle, 23000 lb Rears, 36220 lb GVWR, 11R22.5, Spring Suspension, 156 in Wheelbase, PTO, Gledhill 10 ft 2-Way Plow, Elkin 2096-6-SS-U Poli Spreader, In-Cab Controls, 10 ft Long x 3 ft High Stainless Steel Body, Electric Roll Tarp, Tailgate Chute Usage: 28,259 Mi
226	<b>2015 Ford F-550 4x2 Dump Truck</b> S/N: 1FDUF5GT9FED57004 C/W: Ford V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Hydraulic System Usage: 79,773 Mi	235	<b>2012 International 7400 SFA 4x2 Snow Plow Truck</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine, 5500 Engine hrs, Allison Automatic Transmission, Differential Lock, 13220 lb Front Axle, 23000 lb Rears, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Gledhill 10 ft 2-Way Plow, Poli Spreader, 1 Spinners, In-Cab Controls, 10 ft Long x 3 ft High Aluminium Body, Electric Roll Tarp, Tailgate Chute Usage: Not Available

Lot #	Details	Lot #	Details
236	<b>2008 International 7400 SFA 4x2 Snow Plow Truck</b> S/N: 1HTWDAAR18J674099 C/W: International MAXFORCE GDT260 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 260 hp Engine, 2007 US EPA Label, Requires Diesel Exhaust Fluid, 5164 Engine hrs, Allison Automated Transmission, 10432 lb Front Axle, 13220 lb Rears, 36220 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 12R22.5 Rear Tires, Spring Suspension, 160 in Wheelbase, 10 ft Plow, Stainless Steel Spreader, 1 Spinners, In-Cab Controls, GALION-GODWIN 10 ft Long x 3 ft 4 in High Steel Body, Electric Roll Tarp, Swing Tailgate, Tailgate Chute, Pintle Hitch Usage: 69,337 Mi	246	<b>2006 Mack CV713 Granite 8x4 Mixer Truck</b> S/N: Not Available C/W: Mack AI 6 Cylinder Ultra Low Sulfur Diesel 375 hp Engine, 2006 US EPA Label, 26178 Engine hrs, Allison Automatic Transmission, Differential Lock, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Tag Axle, Dual Steering Boxes, Camelback Spring Suspension, 230 in Wheelbase, Hydraulic System, Double Frame, CBMW 10 cyd Mixer Unit, 1 Removable Chutes Usage: Not Available
239	<b>2006 Kenworth W900 8x4 Mixer Truck</b> S/N: 1NKWXUEX26J156495 C/W: 6 Cylinder 12.0 L Diesel Engine, Automatic Transmission Usage: 177,628 Mi	247	<b>2006 Mack CV713 Granite 8x4 Mixer Truck</b> S/N: 1M2AG11C36M047664 C/W: 6 Cylinder Diesel 375 hp Engine, 2006 US EPA Label, 24074 Engine hrs, Engine Brake, Allison Automatic Transmission, 20000 lb Front Axle, 72000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Tag Axle, Dual Steering Boxes, 227 in Wheelbase, 10.5 cyd Mixer Unit Usage: 126,121 Mi
240	<b>2007 Mack CV713 Granite Mixer Truck</b> S/N: 1M2AG11C57M055234 C/W: Mack E-TEC Engine, Eaton Fuller 9-Speed Transmission, McNeilus Bridgemaster 10.5 cyd Mixer Unit Usage: 252,702 Mi	248	<b>2005 Mack CV713 Granite 8x4 Mixer Truck</b> S/N: 1M2AG11C85M028400 C/W: Mack 6 Cylinder Ultra Low Sulfur Diesel Engine, 27648.2 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Camelback Spring over Walking Beam Suspension, 215 in Wheelbase, PTO, Hydraulic System, Double Frame, McNeilus 10.5 cyd Mixer Unit, 2 Removable Chutes, Remote Control w/Cord Usage: 256,035 Mi
241	<b>2007 Mack CV713 Granite Mixer Truck</b> S/N: Not Available C/W: Mack E-TEC Engine, Eaton Fuller 9-Speed Transmission, McNeilus Bridgemaster 10.5 cyd Mixer Unit Usage: Not Available	251	<b>2005 Peterbilt 357 8x4 Roll-Off Truck</b> S/N: 1NPAL0EX15N866018 C/W: Cummins ISM 6 Cylinder Ultra Low Sulfur Diesel Engine, 19050 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 46000 lb Rears, 77090 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Rubber over Walking Beam Suspension, 265 in Wheelbase, PTO, Hydraulic System, Double Frame, 2005 wastequip AH/OR/60 Roll-Off Body, 23 ft 5 in Hoist, Winch Usage: 392,457 Mi
242	<b>2007 Mack CV713 Granite Mixer Truck</b> S/N: 1M2AG11C97M053888 C/W: Mack E-TEC Engine, Eaton Fuller 9-Speed Transmission, McNeilus Bridgemaster 10.5 cyd Mixer Unit Usage: 269,563 Mi	252	<b>2006 Mack CV713 Granite 6x4 Roll-Off Truck</b> S/N: 1M2AG11C86M053072 C/W: Mack 6 Cylinder Ultra Low Sulfur Diesel Engine, 25541.4 Engine hrs, Engine Brake, Mack maxitorque es 10-Speed Transmission, Differential Lock, Air Ride Cab, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring over Walking Beam Suspension, 264 in Wheelbase, Double Frame, 2005 Galbreath U5-OR-174 Roll-Off Body, 23 ft Hoist, Winch Usage: 570,102 Mi
243	<b>2007 Mack CV713 Granite Mixer Truck</b> S/N: 1M2AG11CX7M053883 C/W: Mack E-TEC Engine, Eaton Fuller 9-Speed Transmission, McNeilus Bridgemaster 10.5 cyd Mixer Unit Usage: 316,864 Mi		
244	<b>2007 Mack CV713 Granite Mixer Truck</b> S/N: 1M2AG11C17M053884 C/W: Mack E-TEC Engine, Eaton Fuller 9-Speed Transmission, McNeilus Bridgemaster 10.5 cyd Mixer Unit Usage: 279,301 Mi		
245	<b>2007 Mack CV713 Granite 8x4 Mixer Truck</b> S/N: Not Available C/W: Mack 6 Cylinder Ultra Low Sulfur Diesel Engine, 25202.0 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, 18540 lb Front Axle, 44000 lb Rears, 73560 lb GVWR, Air Ride Cab, 11R22.5, Steerable Air Lift Pusher Axle, Camelback Spring over Walking Beam Suspension, 215 in Wheelbase, Double Frame, McNeilus Mixer Unit, 2 Removable Chutes, Remote Control w /Cord Usage: Not Available		

Lot #	Details	Lot #	Details
253	<b>2004 Mack CV713 Granite 6x4 Roll-Off Truck</b> S/N: 1M2AG11C14M011548 C/W: Mack 6 Cylinder Diesel Engine, Eaton Fuller 8LL Manual Transmission, Differential Lock, 18000 lb Front Axle, 44000 lb Rears, 62000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 260 in Wheelbase, PTO, Double Frame, 23 ft 4 in Hoist, Winch Usage: Not Available	258	<b>2001 Mack RD688S 8x4 Hooklift Truck</b> S/N: 1M2P267C51M060194 C/W: 6 Cylinder Diesel 350 hp Engine, 27838 Engine hrs, Engine Brake, 8LL Manual Transmission, Aluminum Front Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Spring Suspension, 290 in Wheelbase, PTO, Galbreath U6-HK-200 Roll-Off Body Usage: 640,364 Mi
254	<b>2004 Mack CV713 Granite 6x4 Roll-Off Truck</b> S/N: 1M2AG11C14M010979 C/W: Mack AI-350 6 Cylinder Ultra Low Sulfur Diesel 350 hp Engine, 2003 US EPA Label, 31911.8 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, Air Ride Cab, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 226 in Wheelbase, Double Frame, Galbreath U5-OR-174 Roll-Off Body, 23 ft Hoist, Winch Usage: 686,711 Mi	260	<b>1999 Mack 600 6x4 Roll-Off Truck</b> S/N: 1M2P296C1XM047308 C/W: Mack E7 6 Cylinder 728 cid Diesel 300 hp Engine, 1999 US EPA Label, 48992.5 Engine hrs, Automatic Transmission, Aluminum Wheels, 11R22.5, Spring Suspension, 266 in Wheelbase, PTO, Hydraulic System, Double Frame, Marathon ME65-180-OR Roll-Off Body, 22 ft 8 in Hoist, Winch Usage: 748,763 Mi
255	<b>2011 Volvo VHD84B 8x4 Roll-Off Truck</b> S/N: 4V5K99EJ7BN299061 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2010 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16763 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 45400 lb Rears, Meritor RT-46-160 Drive Axles, 4.30:1 Axle Ratio, 85400 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Rubber Suspension, 254 in Wheelbase, PTO, Double Frame, Roll-Off Body, 23 ft 10 in Hoist, Winch Usage: 352,949 Mi	261	<b>2007 Sterling L9500 8x4 Roll-Off Truck</b> S/N: Not Available C/W: Mercedes-Benz OM460LA 6 Cylinder 781 cid Diesel 450 hp Engine, 2006 US EPA Label, 11158 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, 18000 lb Front Axle, 59200 lb Rears, 77200 lb GVWR, Air Ride Cab, 12R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, 250 in Wheelbase, PTO, 2006 Galbreath U5-OR-174 Roll-Off Body, 23 ft Hoist Usage: Not Available
256	<b>2002 Mack RD688S 8x4 Roll-Off Truck</b> S/N: 1M2P324C02M062186 C/W: Mack E7 6 Cylinder 726 cid Diesel 427 hp Engine, 2001 US EPA Label, 36375 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Aluminum Front Wheels, 11R22.5 Front Tires, 315/80R22.5 Rear Tires, Air Lift Pusher Axle, Spring Suspension, 275 in Wheelbase, PTO, 2001 Roll-Off Body, 23 ft Hoist, Pintle Hitch Usage: 671,697 Mi	262	<b>2022 Chevrolet 6500HD 4x4 Roll-Off Truck</b> S/N: 1HTKJPVM4NH765038 C/W: V8 6.6 L Ultra Low Sulfur Diesel 350 hp Engine, 2022 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Exhaust Brake, Allison 6-Speed Automatic Transmission, 7500 lb Front Axle, 15500 lb Rears, Dana S16-130 Drive Axles, 4.30:1 Axle Ratio, 23000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 2022 11-4016-15E-10T Gen II Roll-Off Body, Warn Series G2 15000 lb Winch Usage: 1,731 Mi
257	<b>2002 Mack RD688S 8x4 Roll-Off Truck</b> S/N: 1M2P267CX2M062248 C/W: 6 Cylinder Diesel Engine, 2173 Engine hrs, Eaton Fuller 8LL Manual Transmission, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Camelback Spring Suspension, 268 in Wheelbase, PTO, 2002 American Roll-Off ARO-75-22 Roll-Off Body, 23 ft Hoist Usage: 371,480 Mi	263	<b>2005 Ford F-550 XL 4x2 Roll-Off Truck</b> S/N: 1FDAF56P05ED03242 C/W: V8 Diesel Engine, 225/70R19.5, Spring Suspension, 166 in Wheelbase, Hydraulic System, Stellar 84-11-14 Roll-Off Body, 10 ft Hoist Usage: 110,773 Mi
		264	<b>2006 International 4400SBA 4x2 Hooklift Truck</b> S/N: Not Available C/W: International 6 Cylinder Ultra Low Sulfur Diesel Engine, 18375 Engine hrs, Allison Automatic Transmission, 11R22.5, Spring Suspension, 198 in Wheelbase, PTO, Hydraulic System, 2005 KRAUSE KP810-120-54 Roll-Off Body, 14 ft Hoist Usage: Not Available

Lot #	Details	Lot #	Details
268	<b>Schwarze A8000 on 2010 Nissan UD3300 Sweeper Truck</b> S/N: JNAPC81L3AAH80400 C/W: Nissan Diesel Engine, Automatic Transmission, 11R22.5, Air Ride Suspension, John Deere Auxiliary Engine, Vacuum Sweeper, Dual Controls, Gutter Brooms, Hydraulic Dump Usage: 97,715 Mi	278	<b>Roots Dresser on 1994 Ford LTS9000 6x4 Vacuum Excavator Truck</b> S/N: 1FDZY90XXRVA07096 C/W: Cat 3406C 6 Cylinder 15 L Ultra Low Sulfur Diesel 330 hp Engine, 1994 US EPA Label, 1973 Engine hrs, Eaton Fuller RTX12710B 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring Suspension, 259 in Wheelbase, Double Frame, Steel Debris Tank, Hydraulic Lift Tailgate, 8 in Suction Hose, Pump w/ Engine, Roots Dresser 1016 DVJV Blower Usage: 35,363 Mi
269	<b>2007 Elgin Whirlwind on 2007 Sterling SC8000 Sweeper Truck</b> S/N: 49HAADB27DX61650 C/W: Cummins ISB 6 Cylinder 5.9 L Ultra Low Sulfur Diesel 200 hp Engine, 2006 US EPA Label, CARB Compliant, Allison 2500 5-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-230 Drive Axles, 5.86:1 Axle Ratio, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 151 in Wheelbase, John Deere Auxiliary Engine, Vacuum Sweeper, Dual Controls, Front Spray Bar, 30 in Under Body Broom, Gutter Brooms, Water System, Hydraulic Dump Usage: 9,486 Mi	281A	<b>2007 Freightliner M2 106 4x2 Sewer Rodder Truck</b> S/N: 1FVACWDC67HX82825 C/W: Cat C7 6 Cylinder 7.2 L Diesel 210 hp Engine, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, 5.57:1 Axle Ratio, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 180 in Wheelbase, PTO Usage: 129,356 Mi
272	<b>1998 GMC 4x2 COE Side Loader Waste Collection Truck</b> S/N: 1GDM7C1C7WJ514742 C/W: Allison Automatic Transmission, 8100 lb Front Axle, 19000 lb Rears, 27100 lb GVWR, 11R22.5, Spring Suspension, 142 in Wheelbase, PTO, Heil Collection Body Usage: 187,246 Mi	281	<b>2007 Ford F-550 4x2 Sewer Rodder Truck</b> S/N: 1FDAF56P77EA39276 C/W: V8 6.0 L Diesel 325 hp Engine, 2006 US EPA Label, 2200 Engine hrs, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, PTO, Hydraulic System Usage: 88,488 Mi
274A	<b>Vac-Con PD4212SHAD on 2003 International 7600 6x4 Vacuum Excavator Truck</b> S/N: 1HTWYAXT53J064089 C/W: Cat C12 6 Cylinder 11.9 L Diesel 375 hp Engine, 2002 US EPA Label, CARB Compliant, 15380 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Spring Suspension, 248 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Hoist, Front Hose Reel, Fresh Water Tank, Hydraulic Lift Tailgate, Wash Down System, Hydraulic Tailgate Locks, 15 ft Telescopic Boom, 8 in Suction Hose, Bean Pump w/ Cummins 4 Cylinder Engine, Roots 827 RCS Blower w/ 2021 hrs, Remote Control w /Cord Usage: 131,604 Mi	282	<b>Manitex 50155S 50 ton Articulated Boom on 2010 Peterbilt 367 8x6 Boom Truck</b> S/N: 1NPTX4EX9AD111929 C/W: Cummins ISX 500 6 Cylinder 15 L Ultra Low Sulfur Diesel 500 hp Engine, 2009 US EPA Label, CARB Compliant, 859 Engine hrs, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 57999 lb Rears, Spicer Drive Axles, 78000 lb GVWR, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 313 in Wheelbase, PTO, Double Frame, 50 ton Capacity, Rear Mounted, 38 ft 6 in - 155 ft 0 in 5 Section Boom, McKissick 315 lb 1 Sheave 15 ton Capacity Hook Block, 232 lb Overhaul Ball 10 ton Capacity, 40 ft Bifold Swingaway Jib, Auxiliary Hoist, Anti-Two Block, horseman Load Moment Indicator, Enclosed Cab, Out and Down Outriggers, Cordless Remote Control, 30 ft 0 in x 96 in Bed, Aluminum/Steel Combination Frame Usage: 48,282 Mi
276	<b>1997 Vactor 2100 PD on 1997 Freightliner FLD120 6x4 Vacuum Excavator Truck</b> S/N: 1FVX6MDB0VP684129 C/W: Cummins m11 6 Cylinder 10.8 L Diesel Engine, 2946 Engine hrs, Allison HD4560P Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, Rockwell Drive Axles, 5.38:1 Axle Ratio, 65400 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring over Walking Beam Suspension, 240 in Wheelbase, Dual PTO, Double Frame, Steel Debris Tank, Front Hose Reel, Fresh Water Tank, Hydraulic Tailgate Locks, Telescopic Boom, 8 in Suction Hose, Blower Usage: 119,640 Mi	283	<b>2001 ATLAS AK 105.1 A2L 11130 lb Knuckle Boom on 2004 International 4400SBA 4x2 Boom Truck</b> S/N: Not Available C/W: 11R22.5, Spring Suspension, 221 in Wheelbase, PTO, Hydraulic System, 11130 lb Capacity, Front Mounted, 6 ft 2 in - 39 ft 3 Section Boom, 1590 lb Capacity Hook Block, -, Dual Controls, Out and Down Outriggers, 14 ft x 96 in Bed, Pintle Hitch Usage: Not Available

Lot #	Details	Lot #	Details
284	<p><b>Terex Commander 6060 on 2019 Freightliner M2 106 6x6 Digger Derrick Truck</b>            S/N: 1FVKCYFE3KHKC8161            C/W: 6 Cylinder 6.7 L Diesel 350 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 1640.3 Engine hrs, Allison 3000 6-Speed Automatic Transmission, 18000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 6.14:1 Axle Ratio, 58000 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Suspension, 260 in Wheelbase, PTO, Double Frame, 60 ft Sheave Height, 36000 lb Capacity, Rear Mounted, 50 ft Reach, Insulated Upper Boom, 24 in Auger, Pole Guide, Turret Mounted Winch, Dakota Body, Out and Down Outriggers, Hydraulic Hose Reel            Usage: 15,583 Mi</p>	289	<p><b>2019 Terex XT PRO 60/70 70 ft on 2020 Freightliner M2106 4x4 Bucket Truck</b>            S/N: 1FVDCXFEXLHKV3292            C/W: 6 Cylinder 8.9 L Diesel 350 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6514 Engine hrs, Allison 3000 6-Speed Automatic Transmission, 14000 lb Front Axle, 21000 lb Rears, Meritor MS21-14X Drive Axles, 5.29:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 12R22.5, Spring Suspension, 177 in Wheelbase, PTO, 400 lb Capacity, Rear Mounted, Insulated One-Person Articulated Boom, Lower Boom Fiberglass Insert, Utility Body, A-Outriggers, Rear Outriggers, Bumper Mounted Winch, 9 ft 8 in x 98 in Bed, Pintle Hitch            Usage: 42,243 Mi</p>
285	<p><b>2006 International 7300 Cab and Chassis</b>            S/N: 1HTWBAAN16J285317            C/W: International DT466 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 225 hp Engine, 2005 US EPA Label, CARB Compliant, 748694 Engine hrs, Allison Automatic Transmission, Air Ride Cab, 11R22.5, Spring Suspension, 195 in Wheelbase, PTO, 47 ft Sheave Height, 23970 lb Capacity, Rear Mounted, 35 ft Reach, 18 in Auger, Pole Guide, Altec 15 ft 8 in Body, A-Outriggers, Rear Outriggers            Usage: 73,746 Mi</p>	290	<p><b>Altec AM855 55 ft on 2007 International 7300SFA 4x4 Bucket Truck</b>            S/N: 1HTWBAAR37J414100            C/W: International DT466 7.6 L Diesel Engine, 12285 Engine hrs, Allison Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, 34220 lb GVWR, 11R22.5, Spring Suspension, 182 in Wheelbase, PTO, 350 lb Capacity, Rear Mounted, Insulated One-Person Articulated Boom, Utility Body, X-Type Outriggers, Rear Outriggers, Bumper Mounted Winch, 14 ft x 94 in Bed, Pintle Hitch            Usage: 91,208 Mi</p>
286	<p><b>Altec DM47 TR on 2012 International 4300SBA 4x2 Digger Derrick Truck</b>            S/N: 3HAMMAAN3CL617482            C/W: International 6 Cylinder Diesel Engine, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, 47 ft Sheave Height, 23790 lb Capacity, Rear Mounted, 37 ft Reach, 18 in Auger, Boom Tip Mounted Winch, 12 ft Body, A-Outriggers, Rear Outriggers, Hydraulic Hose Reel            Usage: 60,790 Mi</p>	291	<p><b>Altec AM855 60 ft on 2012 Freightliner M2 106 4x2 Bucket Truck</b>            S/N: 1FVACXBS6CHBC1479            C/W: 6 Cylinder Ultra Low Sulfur Diesel 270 hp Engine, 9871.3 Engine hrs, Allison 3500 Automatic Transmission, 13000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 178 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, One-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, Bumper Mounted Winch, 15 ft 10 in x 94 in Bed, Winch            Usage: 116,215 Mi</p>
287	<p><b>2005 Altec on 2005 International 4300 4x2 Digger Derrick Truck</b>            S/N: 1HTMMAAN35H119825            C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 8446 Engine hrs, 6-Speed Manual Transmission, Differential Lock, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 182 in Wheelbase, PTO, Center Mounted, 12 in Auger, Altec 18 ft Body, A-Outriggers, Rear Outriggers, Cordless Remote Control, Hydraulic Hose Reel            Usage: 89,653 Mi</p>	293	<p><b>2013 Altec AA755 55 ft on 2013 Freightliner M2 106 4x2 Bucket Truck</b>            S/N: Not Available            C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, Allison 3500 6-Speed Automatic Transmission, 13000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 6.14:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, 17 ft x 95 in Bed, Pintle Hitch            Usage: Not Available</p>
288	<p><b>Altec LRV56 56 ft on 2004 International 4300 4x2 Forestry Bucket Truck</b>            S/N: 1HTMMAAM04H665150            C/W: International DT466 6 Cylinder Diesel Engine, 10972 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 187 in Wheelbase, PTO, 350 lb Capacity, Front Mounted, One-Person Articulated Boom, Lower Boom Fiberglass Insert, Chip Body, A-Outriggers            Usage: Not Available</p>		



Lot #	Details	Lot #	Details
294	<p><b>2013 Altec AA55 55 ft on 2013 Freightliner M2 106 4x2 Bucket Truck 59599v</b></p> <p>S/N: 1FVACXDTXDHBZ7329 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, 16 ft x 102 in Bed, Pintle Hitch Usage: Not Available</p>	300	<p><b>Altec AN50E-00 50 ft on 2011 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACYDT1BDBB6398 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2010 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11512 Engine hrs, Allison 3500 Automatic Transmission, 13220 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 6.43:1 Axle Ratio, 36220 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 197 in Wheelbase, PTO, 500 lb Capacity, Center Mounted, Insulated One-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, 16 ft 2 in x 92 in Bed, Pintle Hitch Usage: 134,582 Mi</p>
295	<p><b>2013 Altec AA755 55 ft on 2013 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 260 hp Engine, US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Allison 3500 6-Speed Automatic Transmission, 13000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 6.14:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, Bumper Mounted Winch, 17 ft x 94 in Bed, Pintle Hitch Usage: Not Available</p>	301	<p><b>Altec on 2012 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACXBS0CHBB9890 C/W: 6 Cylinder 8.3 L Ultra Low Sulfur Diesel 270 hp Engine, Requires Diesel Exhaust Fluid, Allison 3500 Automatic Transmission, Differential Lock, 13000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.57:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 178 in Wheelbase, PTO, Rear Mounted, Insulated One-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, Material Handling Jib, A-Outriggers, Rear Outriggers, Bumper Mounted Winch, 15 ft 6 in x 96 in Bed, Ringfeder Usage: 122,507 Mi</p>
297	<p><b>2001 Lift-All LAN-65-1E 65 ft on 1994 Freightliner FL-70 4x2 Bucket Truck</b></p> <p>S/N: 1FV6HFAA2RL609197 C/W: Cummins 6 Cylinder Engine, 10959 Engine hrs, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 215 in Wheelbase, 400 lb Capacity, Rear Mounted, One-Person Articulated Boom, Flatbed, A-Outriggers, Rear Outriggers Usage: 164,012 Mi</p>	302	<p><b>AERIAL LIFT INC. AL-505-IL 4H 50 ft on 2007 International 4300 4x2 Bucket Truck</b></p> <p>S/N: 1HTMMAAP27H386099 C/W: Navistar D225 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 225 hp Engine, 2006 US EPA Label, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, Hydraulic System, 350 lb Capacity, Front Mounted, One-Person Articulated Boom, Flatbed, A-Outriggers, 15 ft x 96 in Bed, Pintle Hitch Usage: 147,566 Mi</p>
298	<p><b>2011 Terex Hi-Ranger HR52M 52 ft on 2012 Freightliner M2 106 4x2 Bucket Truck</b></p> <p>S/N: 1FVACXDT2CDBD5828 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 260 hp Engine, 2011 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Coolant Heater, Allison 3500 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 6.14:1 Axle Ratio, 33000.0 lb GVWR, 11R22.5, Spring Suspension, 178 in Wheelbase, PTO, 500 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, 15 ft x 100 in Bed, Pintle Hitch Usage: 148,976 Hr</p>	303	<p><b>Altec AT37-G 37 ft on 2011 Dodge 5500 4x4 Bucket Truck</b></p> <p>S/N: 3D6WU7EL5BG532539 C/W: 6 Cylinder 6.7 L Diesel Engine, 12525 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 18750 lb GVWR, 225 /70R19.5, Spring Suspension, 147 in Wheelbase, PTO, 350 lb Capacity, Front Mounted, Insulated One-Person Articulating-Telescopic Boom, Utility Body, Straight Down Outriggers, 9 ft x 92 in Bed Usage: 167,390 Mi</p>

Lot #	Details	Lot #	Details
305	<p><b>2010 Terex Hi-Ranger LT-38 38 ft on 2010 Ford F-550 XL 4x2 Bucket Truck</b>            S/N: 1FDAF5GRXAEA67029            C/W: V8 6.4 L Ultra Low Sulfur Diesel 325 hp Engine, 2008 US EPA Label, CARB Compliant, Digital Mirrors, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, PTO, 300 lb Capacity, Front Mounted, Insulated One-Person Articulating-Telescopic Boom, Utility Body, Straight Down Outriggers, 11 ft x 94 in Bed            Usage: 25,449 Mi</p>	313	<p><b>2003 Peterbilt 330 4x2 Rollback Truck</b>            S/N: 2NPNHZ7X43M809751            C/W: Cummins ISC300 6 Cylinder 8.3 L Diesel 300 hp Engine, Eaton Fuller RT8709B 9-Speed Manual Transmission, 10000 lb Front Axle, 23000 lb Rears, Dana 23090S Drive Axles, 3.90: 1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 12R22.5 Rear Tires, Spring Suspension, 230 in Wheelbase, PTO, Double Frame, 22 ft 2 in x 96 in Bed, Winch            Usage: 197,196 Mi</p>
307	<p><b>Dur-A-Lift on 2006 GMC C4500 4x2 Bucket Truck</b>            S/N: Not Available            C/W: V8 Gasoline Engine, Automatic Transmission, 225/70R19.5, Spring Suspension, 185 in Wheelbase, One-Person Articulated Boom, 11 ft x 96 in Bed            Usage: Not Available</p>	314	<p><b>2021 Isuzu NRR 4x2 COE Rollback Truck</b>            S/N: JALE5W164M7301010            C/W: Isuzu 4HK1-TC 317 cid Diesel 210 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 3652 Engine hrs, Automatic Transmission, 13660 lb Front Axle, 19500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 178 in Wheelbase, PTO, Cottrell 1CARRB Rollback Body, 21 ft x 97 in Bed            Usage: 78,916 Mi</p>
308	<p><b>2013 Elliott M43 43 ft on 2012 Ford F-550 XL 4x2 Bucket Truck</b>            S/N: 1FDUF5GT4CEC56898            C/W: 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase, PTO, Hydraulic System, Double Frame, 500 lb Capacity, Rear Mounted, One-Person Articulating-Telescopic Boom, Flatbed, Boom Tip Mounted Winch, Straight Down Outriggers, Rear Outriggers, 13 ft x 90 in Bed, Ringfeder            Usage: 206,936 Mi</p>	315	<p><b>2021 Isuzu NRR 4x2 COE Rollback Truck</b>            S/N: JALE5W163M7301077            C/W: Isuzu 4HK1-TC 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, PTO, 2020 Cottrell 1CAR RB Rollback Body, 21 ft x 96 in Bed, Aluminum/Steel Combination Frame            Usage: 92,460 Mi</p>
309	<p><b>1999 Versalift TEL29N 30 ft on 1999 Chevrolet 3500 4x2 Bucket Truck</b>            S/N: 1GBJC34R7XF091043            C/W: V6 5.7 L Gasoline Engine, 1999 US EPA Label, Automatic Transmission, 225/75R16, Spring Suspension, 138 in Wheelbase, PTO, 300 lb Capacity, Center Mounted, Insulated One-Person Articulated Boom, Utility Body            Usage: 470,620 Mi</p>	316	<p><b>2020 Isuzu NRR 4x2 COE Rollback Truck</b>            S/N: JALE5W163L7305872            C/W: Isuzu 4HK1-TC 4 Cylinder 317 cid Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 3503.4 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, Steel, 225/70R19.5, Spring Suspension, 180 in Wheelbase, PTO, Cottrell Rollback Body, 21 ft 1 in x 97 in Bed            Usage: 85,918 Mi</p>
311	<p><b>2007 International 4300 SBA 4x2 Rollback Truck</b>            S/N: 1HTMMAAM67H435309            C/W: 6 Cylinder 7.6 L Diesel 220 hp Engine, 2006 US EPA Label, 9601 Engine hrs, Allison Automatic Transmission, 245/70R19.5, Spring Suspension, 216 in Wheelbase, PTO, Jerr-Dan Rollback Body, 21 ft x 96 in Bed, Ramsey Winch, Hydraulic Wheel Lift            Usage: 171,472 Mi</p>	317	<p><b>2020 Isuzu NRR 4x2 COE Rollback Truck</b>            S/N: JALE5W16XL7306288            C/W: Isuzu 4HK1TC 4 Cylinder Ultra Low Sulfur Diesel 210 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 3818 Engine hrs, Exhaust Brake, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, Steel, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 176 in Wheelbase, Cottrell Rollback Body, 22 ft x 96 in Bed            Usage: 89,429 Mi</p>
312	<p><b>2006 International 4300 6x2 Rollback Truck</b>            S/N: 1HTMMAAN86H264859            C/W: International 6 Cylinder Engine, 15414 Engine hrs, Exhaust Brake, Automatic Transmission, 11R22.5 Front Tires, 265/70 R19.5 Rear Tires, Air Lift Pusher Axle, Spring Suspension, 285 in Wheelbase, Jerrdan Rollback Body, 26 ft 3 in x 101 in Bed, Ramsey Winch Co. Winch, 2" receiver            Usage: 306,524 Mi</p>	318	<p><b>2020 Isuzu NRR 4x2 COE Rollback Truck</b>            S/N: JALE5W164L7304567            C/W: Isuzu 4HK1-TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, 3984.8 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 25500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 175 in Wheelbase, PTO, Cottrell Rollback Body, 21 ft 6 in x 96 in Bed            Usage: 99,362 Mi</p>

Lot #	Details	Lot #	Details
319	<b>2020 Isuzu NRR 4x2 COE Rollback Truck</b> S/N: JALE5W162L7306253 C/W: Isuzu 4HK1TC 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, PTO, 2020 Cottrell 10K Single Car Rollback Body, 21 ft x 94 in Bed, Aluminum/Steel Combination Frame Usage: 110,476 Mi	327	<b>2008 Mack GU813 Granite 8x4 Flatbed Truck</b> S/N: 1M2AX13C88M001294 C/W: Mack 6 Cylinder Diesel Engine, 9999 Engine hrs, Engine Brake, Allison Automatic Transmission, 20000 lb Front Axle, 44000 lb Rears, 64000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 288 in Wheelbase, Double Frame, 25 ft x 102 in Bed, Forklift Mount Kit Usage: 291,824 Hr
320	<b>1998 Kenworth T300 4x2 Tow Truck</b> S/N: 3BKM77X4WF749258 C/W: 6 Cylinder Diesel Engine, Manual Transmission, Aluminum Wheels, 295/75R22.5, Spring Suspension, 235 in Wheelbase, PTO, century Steel Wrecker Body, 8500 lb Winch Capacity, 25000 lb Boom Rating Usage: 160,564 Mi	329	<b>2002 Mack CH613 8x4 Flatbed Truck</b> S/N: 1M1AA13Y72W144069 C/W: Mack 6 Cylinder Ultra Low Sulfur Diesel 388 hp Engine, 2001 US EPA Label, 16657.3 Engine hrs, Mack T2060A 6-Speed Manual Transmission, Air Ride Cab, 11R22.5, Air Lift Pusher Axle, Hendrickson Spring over Walking Beam Suspension, 233 in Wheelbase, Double Frame, 24 ft 4 in x 96 in Bed, Pintle Hitch Usage: 673,465 Mi
321	<b>2016 Ford F-450 XL 4x2 Tow Truck</b> S/N: 1FDUF4GT6GEB35189 C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5600 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, Aluminum Wheels, 245/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 142 in Wheelbase, Jerr Dan Steel Wrecker Body, 8000 lb Winch Capacity Usage: 163,451 Mi	331	<b>2016 Freightliner M2 106 Flatbed Truck</b> S/N: 3ALACXDT3GDHP4437 C/W: Cummins 6 Cylinder Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 11849.4 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 270 in Wheelbase, 26 ft 4 in x 98 in Bed Usage: 261 Mi
323	<b>2018 Ford F-550 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD0W5HT1JEC70395 C/W: FoMoCo power stroke V8 6.7 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, FoMoCo Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 Sleeper Cab, 225/70R19.5, Spring Suspension, 203 in Wheelbase, 11 ft 6 in x 96 in Bed Usage: 113,215 Mi	332	<b>2015 Freightliner M2 106 4x4 Flatbed Truck</b> S/N: 3ALDCXCY3FDGB2005 C/W: Cummins ISL 6 Cylinder Diesel 300 hp Engine, Requires Diesel Exhaust Fluid, 3044 Engine hrs, Allison 3500 Automatic Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.29:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Spring Suspension, 206 in Wheelbase, 20 ft x 96 in Bed, Pintle Hitch Usage: 52,706 Mi
325	<b>2006 Ford F-550 XL 4x2 Flatbed Dump Truck</b> S/N: 1FDXF46P16EA79694 C/W: V8 6.0 L Ultra Low Sulfur Diesel 325 hp Engine, 2006 US EPA Label, CARB Compliant, 6310 Engine hrs, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 142 in Wheelbase, 9 ft 10 in Long x 2 ft 5 in High Body, Manual Roll Tarp, Pintle Hitch Usage: 114,824 Mi	333	<b>2007 Freightliner M2 106 4x2 Flatbed Truck</b> S/N: 1FVACXDC07HX60809 C/W: 6 Cylinder Diesel 250 hp Engine, 11894.7 Engine hrs, Allison 3500 Automatic Transmission, 11020 lb Front Axle, 20280 lb Rears, Meritor RS-21-145 Drive Axles, 5.57:1 Axle Ratio, 31300 lb GVWR, 255/70R22.5, Air Ride Suspension, 150 in Wheelbase, 12 ft 3 in x 96 in Bed, Fuel Tank /w Pump, Pintle Hitch Usage: 161,215 Mi
326	<b>2016 Freightliner 114SD 8x4 Flatbed Truck</b> S/N: 1FVMG3DV1GHGX4164 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7968 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, 68000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Airliner Air Ride Suspension, 288 in Wheelbase, 28 ft x 102 in Bed, (2) Slab Cradles Usage: 258,586 Mi	334	<b>2008 International 4400 4x2 Crew Cab Stakebody Flatbed Truck</b> S/N: 1HTMKAAN98H686194 C/W: Navistar 6 Cylinder Diesel Engine, Allison Automatic Transmission, 8804 Engine hrs, 275 /80R22.5, Spring Suspension, 232 in Wheelbase, 14 ft 5 in x 96 in Bed, Pintle Hitch Usage: 242,915 Mi

Lot #	Details	Lot #	Details
338	<b>2002 International 4300 SBA 4x2 Flatbed Truck</b> S/N: 1HTMMAAL02H530836 C/W: International DT466 6 Cylinder 7.6 L Diesel 195 hp Engine, 2001 US EPA Label, Allison 2000 Automatic Transmission, 11R22.5, Spring Suspension, 152 in Wheelbase, 12 ft 2 in x 96 in Bed, Liftgate Usage: 133,993 Mi	345	<b>2010 Mitsubishi FE85D Flatbed Truck</b> S/N: JL6CCJ1S9AK000098 C/W: Mitsubishi 4M50 4 Cylinder 4.8 L Diesel 185 hp Engine, 2009 US EPA Label, Automatic Transmission, 215/75R17.5, Spring Suspension, 176 in Wheelbase, 21 ft x 96 in Bed, Liftgate Usage: 267,107 Mi
339D	<b>1990 GMC C7500 4x2 Flatbed Truck</b> S/N: 1GDM7D1Y0LV508478 C/W: Cat 3208 V8 Diesel Engine, Eaton Fuller 6-Speed Manual Transmission, 9000 lb Front Axle, 21000 lb Rears, 30000 lb GVWR, 295 /75R22.5, Spring Suspension, 204 in Wheelbase, 13 ft x 89 in Bed Usage: 255,274 Mi	346	<b>1995 Isuzu NPR 4x2 COE Flatbed Truck</b> S/N: JALB4B1KXS7013100 C/W: Isuzu 4 Cylinder Diesel Engine, 1992 US EPA Label, CARB Compliant, Automatic Transmission, 4700 lb Front Axle, 7950 lb Rears, 11050.0 lb GVWR, 215/85R16, Spring Suspension, 138 in Wheelbase, 14 ft 6 in Bed Usage: 107,066 Mi
339C	<b>1990 GMC Top Kick 4x2 Flatbed Truck</b> S/N: 1GDM7D1Y9LV500444 C/W: Cat V8 Diesel Engine, 6635 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 11000 lb Front Axle, 21760 lb Rears, 32760 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 202 in Wheelbase, 13 ft 6 in x 96 in Bed, Pintle Hitch Usage: 146,785 Mi	347	<b>2007 Ford LCF450 4x2 COE Flatbed Truck</b> S/N: 3FRLL45Z67V575565 C/W: international V6 275 cid Diesel 200 hp Engine, 2006 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 11000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, 11 ft 9 in x 97 in Bed, Ringfeder Usage: 48,154 Mi
339B	<b>1991 GMC Topkick 4x2 Flatbed Truck</b> S/N: 1GDM7H1J2MJ520277 C/W: Cat 3117 6 Cylinder 6.7 L Diesel Engine, 1991 US EPA Label, 6-Speed Manual Transmission, 295/75R22.5, Spring Suspension, 208 in Wheelbase, PTO, 13 ft x 89 in Bed, Pintle Hitch Usage: 255,274 Mi	348	<b>1999 GMC W4500 4x2 COE Flatbed Truck</b> S/N: J8DC4B140X7018061 C/W: Isuzu 4 Cylinder Diesel Engine, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 15 ft x 96 in Bed, Liftgate Usage: 251,838 Mi
340	<b>1999 Chevrolet C7500 4x2 Cab and Chassis</b> S/N: 1GBK7H1C2XJ107183 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 246 hp Engine, 1999 US EPA Label, 6-Speed Manual Transmission, 8100 lb Front Axle, 19000 lb Rears, Spicer 19060S Drive Axles, 4.11:1 Axle Ratio, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 198 in Wheelbase, PTO Usage: 314,676 Mi	349	<b>1997 GMC W4500 4x2 COE Flatbed Truck</b> S/N: J8DB4B1K0V7008878 C/W: Isuzu 4BD2TC 4 Cylinder 235 cid Diesel 135 hp Engine, 1997 US EPA Label, 5-Speed Manual Transmission, 4700 lb Front Axle, 7950 lb Rears, 12000 lb GVWR, 215/85R16, Spring Suspension, 132 in Wheelbase, 14 ft x 96 in Bed Usage: 256,233 Mi
341	<b>1990 International 4700 4x2 Flatbed Truck</b> S/N: 1HTSCZWM1LH258163 C/W: International DT360 6 Cylinder 5.9 L Diesel 180 hp Engine, 6298.4 Engine hrs, Manual Transmission, 21500 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 170 in Wheelbase, 14 ft 5 in x 96 in Bed, Fuel Tank /w Pump, Reciever Usage: 160,928 Mi	350A	<b>2012 Ford F-550 XL 4x4 Flatbed Truck</b> S/N: 1FDUF5HT1CEB45949 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 4546 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 201 in Wheelbase, 16 ft x 92 in Bed, Receiver Hitch, Gooseneck Hitch Usage: 189,145 Mi
344	<b>2008 GMC C6500 4x2 Flatbed Truck</b> S/N: 1GDJ6C1G68F414033 C/W: V8 8.1 L Gasoline Engine, 2008 US EPA Label, CARB Compliant, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 295/75R22.5, Spring Suspension, 176 in Wheelbase, 12 ft 10 in x 96 in Bed, Liftgate Usage: 65,059 Mi	352	<b>2015 Ford F-450 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD8W3H65FEC66617 C/W: Stake Body Usage: 93,158 Mi
		356	<b>2014 Ford F-350 XL XL 4x4 Flatbed Truck</b> S/N: 1FDRF3H69EEA23363 C/W: Ford V8 6.2 L Gasoline Engine, 2014 US EPA Label, CARB Compliant, Automatic Transmission, 5940 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75/17, Spring Suspension, 167 in Wheelbase, 12 ft 0 in x 96 in Bed Usage: 305,572 Mi

Lot #	Details	Lot #	Details
358	<b>2007 Ford F 350 4x4 Extended Cab has snow plow in bed Flatbed Truck</b> S/N: 1FTWX31P37EA81141 C/W: FoMoCo power stroke V8 Diesel Engine, Automatic Transmission, 275/75R18, Spring Suspension, 160 in Wheelbase, 8 ft 9 in x 84 in Bed, Aluminum Frame Usage: 190,756 Mi	366	<b>2003 Dodge Ram 2500 4x2 Flatbed Truck</b> S/N: 3D7KA26693G758759 C/W: 6 Cylinder 5.9 L Diesel 250 hp Engine, 2002 US EPA Label, Automatic Transmission, 4630 lb Front Axle, 6000 lb Rears, 9000 lb GVWR, Spring Suspension, 9 ft 5 in x 70 in Bed Usage: 323,944 Mi
359	<b>2012 Ford F-550 XL 4x2 Flatbed Truck</b> S/N: 1FDUF5GT3CEB70773 C/W: Ford V8 6.7 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, CARB Compliant, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 11 ft 6 in x 96 in Bed, Receiver Hitch Usage: 292,601 Mi	367	<b>2005 Freightliner M2 106 4x2 Attenuator Truck</b> S/N: Not Available C/W: Cat C7 6 Cylinder Diesel 210 hp Engine, 2004 US EPA Label, Automatic Transmission, 8000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 218 in Wheelbase, PTO, Hydraulic System, Flatbed, Folding Attenuator, In-Cab Attenuator Controller, Arrow Board Usage: Not Available
360	<b>2000 Ford F-550 4x2 Flatbed Truck</b> S/N: 3FDAF56F0YMA18353 C/W: Power stroke V8 7.3 L Diesel Engine, 3+ overdrive Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, 14 ft x 91.5 in Bed Usage: 327,406 Mi	368	<b>2018 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN9JH714492 C/W: 6 Cylinder Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 3309 Engine hrs, Allison 6-Speed Automatic Transmission, Differential Lock, 13000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 12 ft 9 in Body Usage: 32,590 Mi
361	<b>2012 Ford F-450 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD0W4GT7CEA93656 C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 12 ft x 96 in Bed, Pintle Hitch Usage: 181,728 Mi	369	<b>2017 International 4300 SBA 4x2 Utility Truck</b> S/N: 1HTMMMMN1HH673740 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, 4327 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 23000 lb Rears, 30000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 171 in Wheelbase, 2016 adkins 13 ft Body Usage: 61,025 Mi
362	<b>2012 Ford F-450 4x2 Flatbed Truck</b> S/N: 1FDUF4GT4CEB46119 C/W: 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, Bed Fuel Tank w/ Manual Pump Usage: 140,494 Mi	370	<b>2017 International 4300 4x2 Utility Truck</b> S/N: 1HTMMMMN2HH478343 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 6-Speed Manual Transmission, Differential Lock, 8000 lb Front Axle, 22000 lb Rears, 30000 lb GVWR, 11R22.5, Spring Suspension, 171 in Wheelbase, Adkins URD-147-P 37U 12 ft Body Usage: 61,195 Mi
363	<b>1999 Ford F-450 4x2 Flatbed Truck</b> S/N: 1FDXF46F9XEC70840 C/W: V8 7.3 L Diesel Engine, Automatic Transmission, 5790 lb Front Axle, 10880 lb Rears, 15000 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, 12 ft x 100 in Bed Usage: 228,443 Mi	372	<b>2006 Hino 258 4x2 Utility Truck</b> S/N: 5PVND8JT062S10354 C/W: Hino JO8E-TA 6 Cylinder 469 cid Diesel 220 hp Engine, 2005 US EPA Label, Automatic Transmission, 245/70R19.5, Spring Suspension, 152 in Wheelbase, The Knapheide Manufacturing Co. 713D54J 11 ft 1 in Body Usage: 221,874 Mi
364	<b>2002 Ford F 350 4x2 Flatbed Truck</b> S/N: 1FDWF36L22EA52873 C/W: 5.4 V8 Gasoline Engine, 2002 US EPA Label, Automatic Transmission, 4250 lb Front Axle, 9750 lb Rears, 11200 lb GVWR, 235/85R17, 164 in Wheelbase, 12 ft x 96 in Bed, Liftgate Usage: 58,131 Mi	376	<b>2014 Ford F-550 XL 4x4 Utility Truck</b> S/N: 1FDUF5HT3EEB46779 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 168 in Wheelbase, Knapheide KC132H2094J 11 ft 10 in Body Usage: 119,303 Mi

Lot #	Details	Lot #	Details
377	<b>2009 Ford F-550 XL 4x4 Crew Cab Utility Truck</b> S/N: 1FDAW57R89EA01591 C/W: V8 6.4 L Diesel Engine, 2008 US EPA Label, 2227 Engine hrs, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Reading 9 ft Body, Hydraulic Lift Gate Usage: 37,306 Mi	387	<b>2013 Ford F-350 XL 4x4 Utility Truck</b> S/N: 1FTRF3BT5DEA05511 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 5200 lb Front Axle, 6290 lb Rears, 10800.0 lb GVWR, 245/75R17, Spring Suspension, 137 in Wheelbase, Knapheide 8 ft Body Usage: 200,467 Mi
378	<b>2003 Ford F-550 4x4 Utility Truck</b> S/N: 1FDAF57P93ED09942 C/W: V8 Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 17500 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, Reading PBN-110DW-Y 9 ft 0 in Body Usage: 217,797 Mi	388	<b>2012 Ford F-350 XL 4x4 Utility Truck</b> S/N: Not Available C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 10655 Engine hrs, Automatic Transmission, 6000 lb Front Axle, 7000 lb Rears, 11500.0 lb GVWR, 275/70R18, Spring Suspension, 134 in Wheelbase, Knapheide 8 ft Body Usage: Not Available
379	<b>2013 Ford F-450 XL 4x4 Utility Truck</b> S/N: 1FDUF4HTXDEA09962 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500.0 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Knapheide 11 ft Body Usage: 150,258 Mi	389	<b>2011 Ford F-350 XL 4x4 Extended Cab Utility Truck</b> S/N: 1FD8X3B64BEC21376 C/W: ford V8 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Differential Lock, 5940 lb Front Axle, 6290 lb Rears, 10700 lb GVWR, 245/75R17, Spring Suspension, 160 in Wheelbase Usage: 247,253 Mi
380	<b>2012 Dodge 4500 4x2 Crew Cab Utility Truck</b> S/N: 3C7WDKEL7CG242820 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16000 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 175 in Wheelbase, 2012 Reading 9 ft Body Usage: 200,774 Mi	390	<b>2011 Ford F-350 XL 4x4 Extended Cab Utility Truck</b> S/N: 1FD8X3FT4BEC54622 C/W: Ford 4V F Series 6.7 L Diesel 300 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 7050 lb Rears, 11500.0 lb GVWR, 275/70R18 Front Tires, 275/70R18 Rear Tires, Spring Suspension, 162 in Wheelbase, Reading US108ASW-D-RED 9 ft 0 in Body Usage: 268,677 Mi
381	<b>2006 Ford F-450 4x4 Crew Cab Utility Truck</b> S/N: 1FDXW47P66ED51784 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 6500 lb Front Axle, 12000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 175 in Wheelbase, Knapheide 6108D54J 8 ft 11 in Body Usage: 214,410 Mi	392	<b>2013 Chevrolet 2500 HD 4x4 Utility Truck</b> S/N: 1GB0KVC7DF204060 C/W: V8 6 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 6200 lb Rears, 9500 lb GVWR, 265/70R17, Spring Suspension, 134 in Wheelbase, Reading 8 ft 2 in Body Usage: 121,121 Mi
382A	<b>2015 GMC 3500HD 4x4 Utility Truck</b> S/N: 1GD321CG5FZ523522 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 5600 lb Front Axle, 7050 lb Rears, 10700 lb GVWR, 265 /70R18, Spring Suspension, 134 in Wheelbase, Reading 8 ft 2 in Body, Fuel Tanks, Hose Reel w /Pump Usage: 337,972 Mi	393	<b>2011 Ford F-250 XL 4x4 Utility Truck</b> S/N: 1FDBF2B62BEC25378 C/W: V8 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 6100 lb Rears, 10000.0 lb GVWR, 245 /75R17, Spring Suspension, 145 in Wheelbase, Reading 8 ft Body Usage: 180,221 Mi
383	<b>2014 Ford F-350 XL 4x4 Crew Cab Utility Truck</b> S/N: 1FD8W3GT9EEB29704 C/W: Ford 4V F-series 6.7 L Diesel 300 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 14000.0 lb GVWR, 245/75R17 Front Tires, 245/75R17 Rear Tires, Spring Suspension, 176 in Wheelbase, Knapheide 6108D54J 9 ft 0 in Body Usage: 252,439 Mi	394	<b>2008 Ford F-250 4x4 Extended Cab Utility Truck</b> S/N: 1FDSX21548EA36908 C/W: FoMoCo V8 5.4 L Gasoline Engine, 2008 US EPA Label, FoMoCo Automatic Transmission, 5600 lb Front Axle, 6100 lb Rears, 9400 lb GVWR, 245/70R19.5, Spring Suspension, 158 in Wheelbase, reading 8 ft 6 in Body Usage: 170,090 Mi

Lot #	Details	Lot #	Details
395	<b>2005 GMC 2500 HD 4x4 Extended Cab Utility Truck</b> S/N: 1GDHK29205E333494 C/W: 6.6 L V8 Diesel Engine, 2005 US EPA Label Usage: Not Available	405	<b>2017 Ford F-350 XL 4x2 Utility Truck</b> S/N: 1FDRF3G64HEC99763 C/W: V8 6.2 L Gasoline Engine, 2017 US EPA Label, 6203 Engine hrs, Automatic Transmission, 4100 lb Front Axle, 10040 lb Rears, 14000 lb GVWR, 245/70R17, Spring Suspension, 145 in Wheelbase, Knapheide KC108L2094J 8 ft 11 in Body Usage: 55,512 Mi
396	<b>2016 Ford F-550 4x2 4x2 Utility Truck</b> S/N: 1FDUF5GT5GEC85252 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7000 lb Front Axle, 19500 lb Rears, 25999 lb GVWR, steel, 225/70R19.5, Spring Suspension, 165 in Wheelbase, adkins truck equipment URD-132-P 11 ft 8 in Body Usage: 57,778 Mi	406	<b>2015 Ford F-350 XL 4x2 Utility Truck</b> S/N: Not Available C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 4700 lb Front Axle, 6730 lb Rears, 11000.0 lb GVWR, 275 /65R18, Spring Suspension, 142 in Wheelbase, Knapheide 9 ft Body Usage: 151,814 Mi
398	<b>2012 Ford F-550 XL 4x2 Enclosed Utility Truck</b> S/N: 1FDUF5GT1CEC98199 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5-Speed Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 167 in Wheelbase, 2012 Reading 11 ft Body Usage: 85,072 Mi	409	<b>2011 Chevrolet 3500 4x2 Pickup</b> S/N: 1GB3CZCG4BF155639 C/W: V8 6.0 L Gasoline Engine, 2011 US EPA Label, CARB Compliant, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 160 in Wheelbase, Reading 11 ft Body, Fuel Tank w/Pump Usage: 70,944 Mi
400A	<b>2012 Ford F-550 XL 4x4 Service Truck</b> S/N: 1FDUF5HT4CEB23265 C/W: V8 6.7 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 9351 Engine hrs, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, Omaha 11 ft Body, Venturo ET8KX 3200 lb Crane Usage: 248,453 Mi	410	<b>2008 Ford F-350 XL 4x2 Crew Cab Service Truck</b> S/N: 1FDWF30558EB26631 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, 7099 Engine hrs, Automatic Transmission, 3800 lb Front Axle, 6300 lb Rears, 10100 lb GVWR, 275/70R18, Spring Suspension, 137 in Wheelbase, Reading Classic II 8 ft 2 in Body Usage: 218,588 Mi
401	<b>2009 Ford F-450 XL 4x2 Utility Truck</b> S/N: 1FDAF46Y69EB13132 C/W: V10 6.8 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, 6500 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, Spring Suspension, 165 in Wheelbase, Knapheide 11 ft Body, Hydraulic Lift Gate Usage: 236,286 Mi	411	<b>2007 Ford F-350 XL 4x2 Utility Truck</b> S/N: 1FDWF36P97EA14518 C/W: V8 6.0 L Diesel 325 hp Engine, 2006 US EPA Label, CARB Compliant, 5218 Engine hrs, Automatic Transmission, 4850 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, Spring Suspension, 167 in Wheelbase, Knapheide 11 ft 1 in Body, Ingersoll-Rand 30T Gasoline Air Compressor Usage: 162,627 Mi
402	<b>2008 Ram 4500 SLT 4x4 Utility Truck</b> S/N: 3D6WD66A98G184891 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 208 in Wheelbase, Omaha 11 ft Body Usage: 134,992 Mi	413	<b>2015 Chevrolet 2500HD 4x2 Utility Truck</b> S/N: 1GB0CUEG7FZ517390 C/W: V8 6.0 L Gasoline Engine, 2015 US EPA Label, CARB Compliant, 5552 Engine hrs, Automatic Transmission, 4400 lb Front Axle, 6200 lb Rears, 9300 lb GVWR, 245/75R17, Spring Suspension, 134 in Wheelbase, Reading 8 ft 2 in Body Usage: 205,900 Mi
404	<b>2002 Ford F-450 XL 4x2 Utility Truck</b> S/N: 1FDXF46F12EB11691 C/W: V8 7.3 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000 lb GVWR, 225/70R19.5, Spring Suspension, 142 in Wheelbase, Reading 9 ft Body Usage: 247,178 Mi	415	<b>2011 Ford F-250 XL 4x2 Utility Truck</b> S/N: 1FDBF2A60BEB69927 C/W: V8 6.2 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 3950 lb Front Axle, 6100 lb Rears, 9800 lb GVWR, 245/75R17, Spring Suspension, 137 in Wheelbase, 8 ft 2 in Body Usage: 285,563 Mi

Lot #	Details	Lot #	Details
416	<b>2008 GMC 2500HD 4x2 Utility Truck</b> S/N: 1GTHC24688E159660 C/W: GM V8 6.6 L Diesel Engine, Allison Automatic Transmission, 4200 lb Front Axle, 6084 lb Rears, 9200 lb GVWR, 245/75 R16, Spring Suspension, 133 in Wheelbase, 8 ft 0 in Body Usage: 258,659 Mi	426	<b>Red Rover Moving &amp; Storage System on 2022 Hino L6 4x2 S/A Truck</b> S/N: 5PVNE7AT3N5T50015 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 395 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14 Drive Axles, 25500 lb GVWR, Aluminum Outer Wheels, 245/70R19.5, Hendrickson Air Ride Suspension, 255 in Wheelbase Usage: 10,245 Mi
417	<b>2008 GMC 2500HD 4x2 Utility Truck</b> S/N: 1GDHC24618E158541 C/W: GM V8 6.8 L Diesel 365 hp Engine, 2008 US EPA Label, Allison Automatic Transmission, 4200 lb Front Axle, 6084 lb Rears, 9200 lb GVWR, 245/75 R16, Spring Suspension, 133 in Wheelbase, Omaha 8 ft 0 in Body Usage: 200,354 Mi	427	<b>Red Rover Moving &amp; Storage System on 2020 Hino 258 4x2 S/A Truck</b> S/N: 5PVNE8JT3L5S57854 C/W: Hino J08E-WU 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 230 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 722 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14 Drive Axles, 25500 lb GVWR, Aluminum Outer Wheels, 245/70R19.5, Hendrickson Air Ride Suspension, 252 in Wheelbase Usage: 19,767 Mi
418A	<b>2003 Chevrolet 2500HD Utility Truck</b> S/N: 1GBHC23U93F185014 C/W: Chevrolet V8 6.0 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, 245/76R16, Spring Suspension, 167 in Wheelbase, Reading Classic liaa 8 ft 2 in Body Usage: 318,990 Mi	428	<b>Red Rover Moving &amp; Storage System on 2020 Isuzu FTR 4x2 COE S/A Truck</b> S/N: 54DK6S162LSG70257 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 722 Engine hrs, Allison Automatic Transmission, 11000 lb Front Axle, 19000 lb Rears, Spicer Drive Axles, 25950 lb GVWR, 255/70R19.5, Spring Suspension, 212 in Wheelbase Usage: 18,659 Hr
418	<b>2006 Chevrolet 2500 HD 4x2 Extended Cab Enclosed Utility Truck</b> S/N: 1GBHC29U36E162233 C/W: V8 6 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 158 in Wheelbase, Stahl 8 ft Body Usage: 310,916 Mi	429	<b>Red Rover Moving &amp; Storage System on 2020 Hino 195 4x2 COE S/A Truck</b> S/N: JHHRDM2H4LK010624 C/W: Hino J05E-TP 4 Cylinder 313 cid Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 7270 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 105 in Wheelbase, 17 ft Long Body Usage: 20,335 Mi
423	<b>Red Rover Moving &amp; Storage System on 2022 Hino L6 4x2 S/A Truck</b> S/N: 5PVNE7ATXN5T50013 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 102 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14 Drive Axles, 25500 lb GVWR, Aluminum Outer Wheels, 245/70R19.5, Hendrickson Air Ride Suspension, 252 in Wheelbase Usage: 2,368 Mi	430	<b>Red Rover Moving &amp; Storage System on 2020 Hino 195 4x2 COE S/A Truck</b> S/N: JHHRDM2H2LK010623 C/W: Hino J05E-TP 4 Cylinder 313 cid Diesel 210 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 7270 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 255/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 24,475 Mi
425	<b>Red Rover Moving &amp; Storage System on 2022 Hino L6 4x2 S/A Truck</b> S/N: 5PVNE7AT7N5T50017 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 200 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, Meritor MS-17-14 Drive Axles, 25500 lb GVWR, Aluminum Outer Wheels, 245/70R19.5, Hendrickson Air Ride Suspension, 252 in Wheelbase Usage: 5,380 Mi		



Lot #	Details	Lot #	Details
431	<b>Red Rover Moving &amp; Storage System on 2020 Hino 155 4x2 S/A Truck</b> S/N: JHHTDM1H4LK001445 C/W: Hino J05E-TP 4 Cylinder 313 cid Ultra Low Sulfur Diesel 210 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 5510 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/75R17.5, Spring Suspension, 114 in Wheelbase Usage: 21,195 Mi	437	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W164N7301462 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 749 Engine hrs, Automatic Transmission, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 19,409 Mi
432	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W161N7300513 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 8,038 Mi	438	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W166N7300524 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 829 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 21,702 Mi
433	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W160N7304360 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 332 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 9,227 Mi	439	<b>Red Rover Moving &amp; Storage System on 2019 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W164K7300887 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6845 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 127,515 Mi
434	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W167N7304534 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 402 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 9,698 Mi	440	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NPR HD 4x2 COE S/A Truck</b> S/N: JALC4W168N7015608 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 347 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 109 in Wheelbase Usage: 7,157 Mi
435	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W167N7301360 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 410 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 10,050 Mi	441	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NPR HD 4x2 COE S/A Truck</b> S/N: JALC4W167N7015549 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 109 in Wheelbase Usage: 9,951 Mi
436	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NRR 4x2 COE S/A Truck</b> S/N: JALE5W168N7301416 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 530 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase Usage: 14,583 Mi	442	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NPR HD 4x2 COE S/A Truck</b> S/N: JALC4W16XN7014105 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 643 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 109 in Wheelbase Usage: 14,672 Mi

Lot #	Details	Lot #	Details
443	<b>Red Rover Moving &amp; Storage System on 2022 Isuzu NPR HD 4x2 COE S/A Truck</b> S/N: JALC4W168N7014104 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 108 in Wheelbase Usage: 17,331 Mi	448A	<b>2015 Cat 299DXHP Compact Track Loader</b> S/N: CAT0299DEJST01145 C/W: Enclosed Cab, Joystick Steering, Tier 4, 2014 US EPA Label, Manual Coupler, 85 in Bucket Usage: 4,950 Hr
444	<b>2016 Isuzu NPR 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DC4W1C5GS808707 C/W: V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 14500 lb GVWR, 225 /70R19.5, Spring Suspension, 185 in Wheelbase, 18 ft 4 in Long x 96 in Wide x 103 in High Body, Cummins Onan 4 kW Gas Generator, 12 Volt LED Interior Lighting, 110 Volt Outlets Throughout Usage: 71,891 Mi	448	<b>2019 John Deere 333G Compact Track Loader</b> S/N: 1T0333GMLJF345161 C/W: Enclosed Cab, Air Conditioner, 18 in Track Belts, 8 Pin Electric Kit, Hydraulic Coupler, 83 in Bucket Usage: 1,928 Hr
445	<b>2016 Chevrolet C4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DCDW1B1GS812311 C/W: GM V8 6.0 L Gasoline Engine, 2016 US EPA Label, GM Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5, 177 in Wheelbase, AARDVARK 18 ft 3 in Long x 96 in Wide x 100 in High Body, Cummins Onan 4 kW Gas Generator, 12 Volt LED Interior Lighting, 110 Volt Outlets Throughout Usage: 68,378 Mi	449	<b>2016 Cat 289D Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0289DCTAW04222 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Rear View Camera, Tier 4, 2015 US EPA Label, 17.5 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 4,118 Hr
447	<b>1997 MCI 102-DL3 6x2 29-Seat Coach</b> S/N: 1M8PDMPA5VP049963 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Air Conditioner, Automatic Transmission, Lavatory, 315/80R22.5, Air Assist Front Suspension, Air Ride Suspension, 343 in Wheelbase Usage: 878,330 Mi	451	<b>2016 Takeuchi TL10 Compact Track Loader</b> S/N: 201003147 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 2016 US EPA Label, 18 in Track Belts Usage: 3,085 Hr
448D	<b>2018 ASV RT120 Compact Track Loader</b> S/N: ASVRT120KJDS01118 C/W: Enclosed Cab, Air Ride Seat, Ride Control, Joystick Steering, Rear View Camera, Requires Diesel Exhaust Fluid, 18 in Track Belts, 8 Pin Electric Kit, Manual Coupler, 72 in Bucket Usage: 1,821 Hr	453A	<b>2015 Kubota SVL90-2 Compact Track Loader</b> S/N: 15102 C/W: 16 in Track Belts, Hydraulic Coupler, 81 in Bucket Usage: 2,743 Hr
448C	<b>2016 Cat 299D2XHP Compact Track Loader</b> S/N: CAT0299DTD200942 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, US EPA Label, 18 in Track Belts, 9 Pin Electric Kit, Hydraulic Coupler, 85 in Bucket Usage: 4,388 Hr	453	<b>2014 Kubota SVL90-2 Compact Track Loader</b> S/N: JKUC0902A01S14774 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 18 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 3,026 Hr
448B	<b>2014 Cat 299D XHP Two-Speed Compact Track Loader</b> S/N: CAT0299DCJST00661 C/W: Enclosed Cab, Ride Control, Joystick Steering, 9 Pin Electric Kit, Electric Coupler, 73 in Bucket, Counterweight Kit Usage: Not Available	454	<b>2012 Bobcat T750 High Flow Compact Track Loader</b> S/N: ANKA12540 C/W: Enclosed Cab, Air Conditioner, 2012 US EPA Label, 17 in Track Belts, 7 Pin Electric Kit, Manual Coupler, 79 in Bucket Usage: 5,163 Hr
		455	<b>2016 Bobcat T650 Compact Track Loader</b> S/N: ALJG18988 C/W: Enclosed Cab (Door missing), 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 69 in Bucket Usage: 2,324 Hr
		456	<b>2017 Bobcat T590 Compact Track Loader</b> S/N: ALJU23037 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 67 in Bucket Usage: 1,894 Hr
		457	<b>2017 Bobcat T590 Compact Track Loader</b> S/N: ALJU24713 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, 12 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,089 Hr

Lot #	Details	Lot #	Details
458A	<b>2019 ASV RT-75HD Compact Track Loader</b> S/N: ASVRT075KKDH01948 C/W: Enclosed Cab, Air Ride Seat, Ride Control, Joystick Steering, 16.5 in Track Belts, 8 Pin Electric Kit, Manual Coupler, 74 in Bucket Usage: 1,341 Hr	467	<b>2016 Cat 272D2 Two-Speed High Flow XPS Skid Steer Loader</b> S/N: CAT0272DCBL200599 C/W: Enclosed Cab, Air Conditioner, Ride Control, Joystick Steering, Self Leveling, Rear View Camera, Requires Diesel Exhaust Fluid, Aperture Tires, 9 Pin Electric Kit, Hydraulic Coupler, 72 in Bucket, Counterweight Kit Usage: 3,027 Hr
458	<b>2015 Bobcat T590 Two-Speed High Flow Compact Track Loader</b> S/N: ALJU16179 C/W: Enclosed Cab, Air Conditioner, 2015 US EPA Label, 12 in Track Belts, 7 Pin Electric Kit, Manual Coupler Usage: 6,050 Hr	468A	<b>2014 Cat 262D High Flow XPS Skid Steer Loader</b> S/N: CAT0262DTDTB00858 C/W: Enclosed Cab (Door missing), Air Conditioner, Joystick Steering, Tier 4, 2013 US EPA Label, 9 Pin Electric Kit, Electric Coupler, 72 in Bucket Usage: 3,640 Hr
459	<b>2017 John Deere 317G Compact Track Loader</b> S/N: 1T0317GJHHJ314942 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Joystick Steering, Control Pattern Changer, 13 in Track Belts, Hydraulic Coupler, 65 in Bucket Usage: 6,257 Hr	468	<b>2016 Bobcat S630 Skid Steer Loader</b> S/N: AHGL12900 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, Aperture Tires Usage: 680 Hr
460	<b>2015 Cat 239D Compact Track Loader</b> S/N: CAT0239DJBL900269 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Self Leveling, Rear View Camera, 16 in Track Belts, 14 Pin Electric Kit, Manual Coupler, Forks, Counterweight Kit Usage: 1,964 Hr	469A	<b>2014 Cat 242D Skid Steer Loader</b> S/N: CAT0242DLZT00972 C/W: Open Operator Station, Joystick Steering, Tier 4, 2014 US EPA Label, Manual Coupler, 72 in Bucket Usage: 2,647 Hr
463A	<b>2003 Cat 277 Compact Track Loader</b> S/N: CAT00277CCNC01683 C/W: Enclosed Cab (Door missing), Joystick Steering, 18 in Track Belts, Manual Coupler, 72 in Bucket Usage: 5,588 Hr	469	<b>2013 Bobcat S185 Skid Steer Loader</b> S/N: A3L947093 C/W: Enclosed Cab (Door missing), 2012 US EPA Label, Manual Coupler Usage: 2,122 Hr
463	<b>2009 Cat 289C Two-Speed Compact Track Loader</b> S/N: CAT0289CVJMP00718 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Hydraulic Coupler, 78 in Bucket Usage: 3,866 Hr	471C	<b>2015 Cat 226B3 Skid Steer Loader</b> S/N: CAT0226BCMWD07840 C/W: Open Operator Station, Joystick Steering, Self Leveling, Aperture Tires, 8 Pin Electric Kit, Manual Coupler Usage: 2,922 Hr
464	<b>2016 Kubota SSV75 Two-Speed Skid Steer Loader</b> S/N: 21164 C/W: Open Operator Station, 2016 US EPA Label, 72 in Bucket Usage: 4,293 Hr	471B	<b>2015 Cat 236D Skid Steer Loader</b> S/N: CAT0236DHBGZ01958 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2015 US EPA Label, Foam-Filled Tires, Manual Coupler, 72 in Bucket, Counterweight Kit Usage: 2,106 Hr
465	<b>2019 Bobcat S740 Two-Speed Skid Steer Loader</b> S/N: B3BT14765 C/W: Enclosed Cab, Air Conditioner, Self Leveling, 2019 US EPA Label, CARB Compliant, 7 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 3,455 Hr	471A	<b>2018 Bobcat S550 Skid Steer Loader</b> S/N: AHGM14578 C/W: Enclosed Cab (Door missing), 2017 US EPA Label, Aperture Tires, Hydraulic Coupler Usage: 1,876 Hr
466	<b>2019 Bobcat S740 Two-Speed Skid Steer Loader</b> S/N: B3BT15232 C/W: Enclosed Cab, Air Conditioner, Self Leveling, 2019 US EPA Label, CARB Compliant, 7 Pin Electric Kit, Hydraulic Coupler, 80 in Bucket Usage: 2,919 Hr	471	<b>2017 Bobcat S570 Skid Steer Loader</b> S/N: ALM417335 C/W: Enclosed Cab (Door missing), Joystick Steering, Control Pattern Changer, 71 in Multi-Purpose Bucket Usage: 1,245 Hr
		472A	<b>2012 New Holland L225 Skid Steer Loader</b> S/N: NCM446782 C/W: Enclosed Cab, Control Pattern Changer, Hydraulic Coupler, 7 in Bucket Usage: Not Available

Lot #	Details	Lot #	Details
472	<b>2012 Cat 226B3 Skid Steer Loader</b> S/N: CAT0226BCMWD04929 C/W: Open Operator Station, Joystick Steering, Turf Tires, 8 Pin Electric Kit, Manual Coupler, 68 in Bucket Usage: 4,676 Hr	486	<b>2005 Bobcat S205 Skid Steer Loader</b> S/N: 528411227 C/W: Open Operator Station, 2004 US EPA Label, CARB Compliant, Manual Coupler Usage: 2,190 Hr
473	<b>2018 Gehl R105 Skid Steer Loader</b> S/N: GHLOR105G0D181226 C/W: Trailer Vin 5631F1720LM000499 Usage: 853 Hr	487	<b>1998 New Holland LX865 High Flow Skid Steer Loader</b> S/N: 100530 C/W: Enclosed Cab (Door missing), 1998 US EPA Label, Solid Tires, Manual Coupler, 71 in Bucket, Forks, Counterweight Kit Usage: 3,949 Hr
474	<b>2017 Gehl R105 Two-Speed High Flow Skid Steer Loader</b> S/N: GHLOR105D0D181013 C/W: Enclosed Cab (Door missing), 2016 US EPA Label, Manual Coupler, 53 in Bucket Usage: 717 Hr	488	<b>1998 New Holland LX865 High Flow Skid Steer Loader</b> S/N: 101210 C/W: Enclosed Cab (Door missing), 1998 US EPA Label, Solid Tires, Manual Coupler, 71 in Forks, Counterweight Kit Usage: 50 Hr
475	<b>2018 Gehl R105 Skid Steer Loader</b> S/N: GHLOR105K0D181229 C/W: Open Operator Station, 2017 US EPA Label, Manual Coupler, 52 in Bucket Usage: 854 Hr	489	<b>1986 Bobcat 843 Skid Steer Loader</b> S/N: 5037-M-24300 C/W: Open Operator Station, Manual Coupler Usage: 5,799 Hr
476	<b>2006 New Holland L190 Skid Steer Loader</b> S/N: N6M436492 C/W: Enclosed Cab (Door missing), Aperture Tires, Manual Coupler, 84 in Bucket Usage: 2,094 Hr	491	<b>2009 Sennebogen 821M Wheel Material Handler</b> S/N: 82101484 C/W: 16 ft Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, 10.00x20 Tires, Auto Lube Usage: 13,566 Hr
478	<b>1999 New Holland LX885 Skid Steer Loader</b> S/N: 117858 C/W: Enclosed Cab (Door missing), 1999 US EPA Label Usage: 1,929 Hr	492	<b>2016 Cat 349FL Tracked Excavator</b> S/N: CAT0349FJBZ200849 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 12 ft 9 in Stick, 35 in Triple Grouser Track Shoes, 75 in Digging Bucket, Counterweight Removal System, Catwalks Usage: 10,943 Hr
479	<b>2000 New Holland LS170 Skid Steer Loader</b> S/N: 168536 C/W: Enclosed Cab, Manual Coupler, 68 in Bucket Usage: 4,177 Hr	493	<b>2018 Case CX490D Tracked Excavator</b> S/N: NJS7S1123 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, 12 ft 9 in Stick, 35 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 68 in Digging Bucket Usage: 3,049 Hr
480	<b>2005 Bobcat S300 Skid Steer Loader</b> S/N: 525815321 C/W: Enclosed Cab (Door missing), Solid Tires, Manual Coupler, 68 in Grapple Bucket Usage: 6,940 Hr	496	<b>2018 Cat 336FL Tracked Excavator</b> S/N: CAT0336FTRKB20791 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2018 US EPA Label, 10 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 33 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 25 in Digging Bucket, Catwalks Usage: 9,374 Hr
482	<b>2007 Gehl 5640E High Flow Skid Steer Loader</b> S/N: GHL05640K00509081 C/W: 2007 US EPA Label Usage: 955 Hr	497	<b>2012 Cat 336EL Tracked Excavator</b> S/N: CAT0336ECBZY01573 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2012 US EPA Label, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 33 in Triple Grouser Track Shoes, 38 in Digging Bucket Usage: 12,698 Hr
483	<b>1995 Case 1845C Skid Steer Loader</b> S/N: JAF0144515 C/W: Open Operator Station, Manual Coupler, 77 in Bucket Usage: 2,306 Hr		
484	<b>2003 Cat 228 Two-Speed Skid Steer Loader</b> S/N: CAT00228P6BZ00844 C/W: Enclosed Cab (Door missing), Joystick Steering, Manual Coupler, 60 in Bucket Usage: Not Available		
485	<b>2000 Cat 216 Skid Steer Loader</b> S/N: 4NZ01230 C/W: Open Operator Station, Joystick Steering, Aperture Tires, Manual Coupler, 66 in Bucket Usage: 3,689 Hr		

Lot #	Details	Lot #	Details
498	<b>2012 Cat 336EL Tracked Excavator</b> S/N: CAT0336EABZY01589 C/W: Straight Travel Pedal, Air Ride Seat, Cab Screens, Rear View Camera, 12 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 33 in Triple Grouser Track Shoes, 50 in Digging Bucket Usage: 13,227 Hr	507	<b>2014 Link-Belt 350 X3 Tracked Excavator</b> S/N: EKDK47710 C/W: 2013 US EPA Label, 13 ft 4 in Stick, Auxiliary Hydraulic Plumbing, 32.5 in Triple Grouser Track Shoes, Manual Quick Coupler, Rotating Shear, Catwalks Usage: 3,415 Hr
499	<b>2012 Cat 336EL Tracked Excavator</b> S/N: CAT0336EJBZY01474 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Cab Screens, 2012 US EPA Label, CARB Compliant, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 61 in Digging Bucket, Catwalks Usage: 13,891 Hr	508	<b>2018 Case CX300D Tracked Excavator</b> S/N: DAC300K7NJS7N1209 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket, Thumb Bracket Usage: 5,134 Hr
500	<b>2016 Komatsu PC360LC-11 Tracked Excavator</b> S/N: KMTPC256LFWA35215 C/W: Air Conditioner, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft 4 in Stick, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 34 in Digging Bucket, Rearview camera Usage: 5,286 Hr	509A	<b>2017 Komatsu PC290LC-11 Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 9 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 29 in Digging Bucket Usage: Not Available
501	<b>2016 John Deere 350G LC Tracked Excavator</b> S/N: 1FF350GXVFF811080 C/W: Air Conditioner, 2015 US EPA Label, 12 ft 9 in Stick, Auxiliary Hydraulic Plumbing, 27 in Single Grouser Track Shoes, Hydraulic Quick Coupler Usage: 6,807 Hr	509	<b>2018 JCB JS300LC4F Tracked Excavator</b> S/N: JCBJS30FHJ2491565 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10 ft Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 54 in Digging Bucket, Hydraulic Thumb Usage: 5,004 Hr
502	<b>2011 Komatsu PC350LC-8 Tracked Excavator</b> S/N: KMTPC191P54A10390 C/W: Air Conditioner, Air Ride Seat, 2010 US EPA Label, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 27 in Single Grouser Track Shoes, Hydraulic Quick Coupler, 53 in Digging Bucket Usage: 10,071 Hr	510	<b>2018 Link-Belt 245X4 LC Tracked Excavator</b> S/N: L BX24507NHHEX1206 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2017 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, 23 in Track Shoes w/Rubber Pads, Hydraulic Quick Coupler, 42 in Digging Bucket, Hydraulic Thumb Usage: 4,369 Hr
503	<b>2011 Komatsu PC350LC-8 Tracked Excavator</b> S/N: KMTPC191V54A10301 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2010 US EPA Label, CARB Compliant, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 27 in Single Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 11,909 Hr	511	<b>2015 Volvo ECR235EL Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 28 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 32 in Digging Bucket Usage: Not Available
504	<b>2015 Cat 329F L Tracked Excavator</b> S/N: CAT0329FAERL00737 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 23 in Single Grouser Track Shoes, Hydraulic Quick Coupler, 38 in Cleanup Bucket Usage: 5,423 Hr	512	<b>2015 Volvo ECR235DL Tracked Excavator</b> S/N: VCECR235C00210603 C/W: Air Conditioner, 2014 US EPA Label, 9 ft 9 in Stick, 31.5 in Triple Grouser Track Shoes, 40 in Digging Bucket, Hydraulic Thumb Usage: 3,150 Hr
506	<b>2017 Case CX350D Tracked Excavator</b> S/N: DAC350K7NHS7P1289 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 10 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 55 in Digging Bucket, Catwalks Usage: 7,698 Hr	513	<b>2014 Volvo ECR235DL Tracked Excavator</b> S/N: VCECR235VE0210567 C/W: Air Conditioner, 2014 US EPA Label, 9 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 47 in Digging Bucket Usage: 8,081 Hr

Lot #	Details	Lot #	Details
514	<b>2021 Komatsu PC210LCI-11 Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, Pre-Wired for Grade Control, Komatsu Grade Control, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 0 ft Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 34 in Bucket, Rearview camera Usage: Not Available	522	<b>2013 Kobelco SK170-9 Tracked Excavator</b> S/N: YM08U2130 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 23 in Single Grouser Track Shoes, Hydraulic Quick Coupler Usage: 5,355 Hr
515	<b>2019 XCMG XE210U Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Cab Screens, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 32 in Digging Bucket Usage: Not Available	523	<b>2020 Hyundai HX160L Tracked Excavator</b> S/N: HHKHK502LL0000387 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Surround View Cameras, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 24 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket, Hydraulic Thumb Usage: 277 Hr
516	<b>2018 XCMG XE210CU Tracked Excavator</b> S/N: XUG02103CJKA00241 C/W: Air Conditioner, Air Ride Seat, 2017 US EPA Label, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Rock Guards, 23 in Digging Bucket Usage: Not Available	524	<b>2010 Komatsu PC160LC-7EO Tracked Excavator</b> S/N: C10116 C/W: Air Conditioner, Air Ride Seat, 8 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 23 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 36 in Digging Bucket Usage: 12,826 Hr
517	<b>2018 XCMG XE210CU Tracked Excavator</b> S/N: XUG02103KJKA00180 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, US EPA Label, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 32 in Digging Bucket Usage: 1,607 Hr	525	<b>2018 Wacker Neuson ET145 Tracked Excavator</b> S/N: WNCE1102CPAL00545 C/W: Air Conditioner, Straight Travel Pedal, Swing Boom, 8 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 19 in Rubber Tracks, Hydraulic Quick Coupler, 35 in Digging Bucket, Hydraulic Thumb Usage: 762 Hr
518	<b>2013 XCMG XE210C Tracked Excavator</b> S/N: XUG0210CJDKA04736 C/W: Air Conditioner, Control Pattern Changer, 2013 US EPA Label, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 32 in Digging Bucket Usage: 1,258 Hr	526	<b>2021 Hitachi ZX135US-6 Tracked Excavator</b> S/N: HCMDAS50T00514449 C/W: Air Conditioner, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 27 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 41 in Digging Bucket Usage: 3,538 Hr
519	<b>2015 Kobelco SK210 LC-9 Tracked Excavator</b> S/N: YQ13T2725 C/W: Air Conditioner, Air Ride Seat, 2014 US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 31 in Triple Grouser Track Shoes, 48 in Digging Bucket, Hydraulic Thumb Usage: 1,853 Hr	527	<b>2021 Hitachi ZX135US-6 Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, 27 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 41 in Digging Bucket Usage: Not Available
520	<b>2012 Cat 320EL RR Tracked Excavator</b> S/N: CAT0320ELTFX00236 C/W: Air Conditioner, Cab Screens, Rear View Camera, 9 ft 9 in Stick, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 38 in Digging Bucket Usage: 12,684 Hr	528	<b>2020 Hitachi ZX135USBL-6 Tracked Excavator</b> S/N: HCMDAS50J00512785 C/W: Rear & Side View Cameras, 10 ft Stick, Auxiliary Hydraulic Plumbing, 28 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 41 in Digging Bucket Usage: 1,407 Hr
521	<b>2012 Case CX210C Tracked Excavator</b> S/N: DAC210K6NCSAH1226 C/W: Rear View Camera, 2012 US EPA Label, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 32 in Triple Grouser Track Shoes, 39 in Clamshell Bucket Usage: 7,421 Hr		

Lot #	Details	Lot #	Details
529	<b>2016 Hitachi ZX135US-5B Tracked Excavator</b> S/N: HCMDAE50H00095418 C/W: Air Conditioner, Rear View Camera, 10 ft Stick, Auxiliary Hydraulic Plumbing, 28 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 2,246 Hr	540	<b>2008 Komatsu PC-300 LC-8 Tracked Excavator</b> S/N: KMTPC191L54A90587 C/W: Air Conditioner, Air Ride Seat, 10 ft 4 in Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 13,889 Hr
530	<b>2011 Komatsu PC138USLC -8 Tracked Excavator</b> S/N: KMTPC189V01026237 C/W: Air Conditioner, Control Pattern Changer, 9 ft 10 in Stick, 23.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 53,359 Hr	541	<b>2006 Komatsu PC300-LC-7 Tracked Excavator</b> S/N: Not Available C/W: Air Conditioner, 2005 US EPA Label, 13 ft Stick, 31 in Triple Grouser Track Shoes, 32 in Digging Bucket Usage: Not Available
531	<b>2016 Link-Belt 135 Tracked Excavator</b> S/N: EBAJ61750 C/W: Air Conditioner, Air Ride Seat, 9 ft 2 in Stick, 23 in Triple Grouser Track Shoes, 23 in Digging Bucket Usage: 3,630 Hr	542	<b>2005 John Deere 270C LC Tracked Excavator</b> S/N: FF270CX702358 C/W: Air Conditioner, Air Ride Seat, 9 ft 8 in Stick, 31.5 in Triple Grouser Track Shoes, 40 in Digging Bucket Usage: 19,902 Hr
532	<b>2015 Case CX130D Tracked Excavator</b> S/N: DAC130K7NFS7D1001 C/W: Air Conditioner, Rear View Camera, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 23 in Triple Grouser Track Shoes, 34 in Digging Bucket, Manual Thumb Usage: 3,273 Hr	543	<b>2005 Kobelco SK210LC Tracked Excavator</b> S/N: YQ08U1795 C/W: Air Conditioner, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 30 in Digging Bucket Usage: 14,526 Hr
533	<b>2005 Cat 345B L Tracked Excavator</b> S/N: CAT0345BVAGS02603 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 10 ft 10 in Stick, 36 in Triple Grouser Track Shoes, 80 in Digging Bucket, Counterweight Removal System Usage: 17,939 Hr	545	<b>2000 John Deere 160 160LC Tracked Excavator</b> S/N: P00160X041201 C/W: 10 ft 2 in Stick, 24 in Triple Grouser Track Shoes, 35 in Digging Bucket, Manual Thumb Usage: 7,710 Hr
535	<b>2009 Komatsu PC400LC-8 Tracked Excavator</b> S/N: KMTPC192H54A88431 C/W: Air Conditioner, Rear View Camera, 13 ft 3 in Stick, 36 in Triple Grouser Track Shoes, 66 in Digging Bucket Usage: 14,443 Hr	546	<b>2006 John Deere 135C RTS Tracked Excavator</b> S/N: FF135CX300814 C/W: Air Conditioner, 2006 US EPA Label, 10 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 23.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 29 in Digging Bucket, Thumb Bracket Usage: 10,161 Hr
536	<b>2006 Komatsu PC400LC-7E0 Tracked Excavator</b> S/N: KMTPC141E02060033 C/W: Air Conditioner, 11 ft 1 in Stick, Auxiliary Hydraulic Plumbing, 36 in Triple Grouser Track Shoes, 66 in Digging Bucket Usage: 16,732 Hr	547	<b>2007 Link-Belt 135 Tracked Excavator</b> S/N: EBAJ7-2559 C/W: Air Conditioner, Air Ride Seat, 9 ft 2 in Stick, Backfill Blade, 23 in Triple Grouser Track Shoes, 59 in Cleanup Bucket Usage: 8,330 Hr
537	<b>2005 Hitachi ZX330LC Tracked Excavator</b> S/N: FF01HHQ034344 C/W: 2005 US EPA Label, 158 ft Stick, 31.5 in Triple Grouser Track Shoes, Manual Quick Coupler, 47.5 in Digging Bucket Usage: 12,874 Hr	548	<b>2005 Link-Belt 135 Tracked Excavator</b> S/N: EBAJ5-9620 C/W: Air Conditioner, Air Ride Seat, 9 ft 2 in Stick, Backfill Blade, 23 in Triple Grouser Track Shoes, 23 in Digging Bucket Usage: 10,491 Hr
539	<b>2005 Cat 320C L Tracked Excavator</b> S/N: CAT0320CCPAB02995 C/W: Air Conditioner, Control Pattern Changer, 9 ft 6 in Stick, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 54 in Digging Bucket, Manual Thumb Usage: 9,024 Hr	549	<b>1994 Cat 322L Tracked Excavator</b> S/N: 9RL00468 C/W: 9 ft 8 in Stick, 32 in Triple Grouser Track Shoes, 48 in Digging Bucket Usage: 17,155 Hr
		550	<b>2019 Wacker Neuson ET90 Tracked Excavator</b> S/N: WNCE1404VPAL01450 C/W: Air Conditioner, 2018 US EPA Label, CARB Compliant, Swing Boom, 6 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, Hydraulic Thumb Usage: 1,288 Hr

Lot #	Details	Lot #	Details
551	<b>2019 Wacker Neuson ET90 Tracked Excavator</b> S/N: WNCE1404APAL01532 C/W: Air Conditioner, 2014 US EPA Label, CARB Compliant, Swing Boom, 6 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, 22.5 in Digging Bucket, Thumb Bracket Usage: 1,851 Hr	559	<b>2005 Yanmar VIO75-A Tracked Excavator</b> S/N: 11314B C/W: Control Pattern Changer, 2005 US EPA Label, Swing Boom, 5 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler Usage: 6,922 Hr
552	<b>2012 Volvo ECR88 Tracked Excavator</b> S/N: VCE0EC88C00015938 C/W: Air Conditioner, 2012 US EPA Label, Swing Boom, 5 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, 23 in Digging Bucket Usage: 6,564 Hr	560	<b>Takeuchi TB370CRA Tracked Excavator</b> S/N: 170000814 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 2020 US EPA Label, CARB Compliant, Swing Boom, 6 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 16 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 450 Hr
553	<b>2011 John Deere 85D Tracked Excavator</b> S/N: 1FF085DXVBG016563 C/W: Air Conditioner, Swing Boom, 6 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler Usage: 5,249 Hr	561	<b>2016 Takeuchi TB280 Tracked Excavator</b> S/N: 178500073 C/W: Air Conditioner, Parallel Offset Boom, 6 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, Hydraulic Thumb Usage: 3,365 Hr
554	<b>2014 Kobelco SK85CS-3E Tracked Excavator</b> S/N: LF0805597 C/W: Air Conditioner, Control Pattern Changer, 2013 US EPA Label, Swing Boom, 7 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler Usage: 1,076 Hr	562	<b>2012 John Deere 60D Mini Excavator</b> S/N: 1FF060DXABG280912 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2011 US EPA Label, Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, Rubber Tracks, 11.5 in Digging Bucket Usage: 6,380 Hr
555	<b>2011 Kobelco SK80CS-2 Tracked Excavator</b> S/N: LF0604587 C/W: Air Conditioner, Air Ride Seat, Swing Boom, 7 ft 0 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Hydraulic Quick Coupler, Auto Lube Usage: 6,951 Hr	563A	<b>2013 Bobcat E45M Mini Excavator</b> S/N: AG3G14028 C/W: US EPA Label, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket Usage: 3,357 Hr
556	<b>2016 John Deere 75G Tracked Excavator</b> S/N: 1FF075GXCGJ015865 C/W: Air Conditioner, Air Ride Seat, 6 ft 11 in Stick, Backfill Blade, 18 in Rubber Tracks, 17 in Digging Bucket Usage: 4,135 Hr	563	<b>2006 Volvo ECR58 Mini Excavator</b> S/N: ECR58Y10974 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2006 US EPA Label, Swing Boom, 5 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler Usage: 7,807 Hr
557	<b>2006 Cat 307C Tracked Excavator</b> S/N: CAT0307CCBNE01138 C/W: Air Conditioner, Control Pattern Changer, 2005 US EPA Label, CARB Compliant, Swing Boom, 7 ft 4 in Stick, Backfill Blade, 23.5 in Triple Grouser Track Shoes, 30 in Digging Bucket, Additional 12 in Bucket, 30 in Bucket Usage: 2,409 Hr	564	<b>2023 Bobcat E42 Mini Excavator</b> S/N: B4GM17033 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2022 US EPA Label, CARB Compliant, Swing Boom, 5 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 13 in Rubber Tracks, Manual Quick Coupler, 23 in Digging Bucket, Hydraulic Thumb Usage: 62 Hr
558	<b>2021 Kubota KX163 Tracked Excavator</b> S/N: JKUU163B1A1264303 C/W: Air Conditioner, Straight Travel Pedal, 2021 US EPA Label, Swing Boom, 5 ft 2 in Stick, Backfill Blade, 16 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 27 in Digging Bucket, Hydraulic Thumb Usage: 631 Hr	565	<b>2016 Takeuchi TB260 Mini Excavator</b> S/N: 126101417 C/W: 2015 US EPA Label, Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler Usage: 1,994 Hr



Lot #	Details	Lot #	Details
566	<b>2016 Takeuchi TB260 Mini Excavator</b> S/N: 126101286 C/W: Control Pattern Changer, 2015 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 29 in Digging Bucket, Hydraulic Thumb Usage: 2,786 Hr	576	<b>2013 John Deere 35D Mini Excavator</b> S/N: 1FF035DXPCG270235 C/W: 2012 US EPA Label, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 3,332 Hr
567	<b>2016 Takeuchi TB240R Mini Excavator</b> S/N: 124001545 C/W: Control Pattern Changer, 2017 US EPA Label, 5 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket Usage: 1,966 Hr	577	<b>2014 Yanmar ViO35-6A Mini Excavator</b> S/N: YMRVIO35AEAJ61194 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2014 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 18 in Digging Bucket Usage: 3,936 Hr
568	<b>2016 Takeuchi TB240 Mini Excavator</b> S/N: 124001469 C/W: 2015 US EPA Label, Requires Diesel Exhaust Fluid, Swing Boom, 5 ft 3 in Stick, Backfill Blade, 13 in Rubber Tracks, Manual Quick Coupler, 15 in Digging Bucket Usage: 1,965 Hr	578A	<b>2012 Kubota KX121-3ST Mini Excavator</b> S/N: JKUK1213A01H74806 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, Tier 4, 2012 US EPA Label, CARB Compliant, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 14 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: 5,908 Hr
569	<b>2016 Takeuchi TB240 Mini Excavator</b> S/N: 124001419 C/W: 2015 US EPA Label, 5 ft 4 in Stick, Backfill Blade, 14 in Rubber Tracks, Manual Quick Coupler, 22 in Digging Bucket Usage: 2,554 Hr	578	<b>2007 Volvo EC35 Mini Excavator</b> S/N: VCEC35A0C08319607 C/W: Control Pattern Changer, 2006 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 12 in Rubber Tracks, 18 in Digging Bucket Usage: 1,489 Hr
571	<b>2020 XCMG XE35U Mini Excavator</b> S/N: Not Available C/W: Enclosed Cab, Air Conditioner, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 17 in Digging Bucket, Additional 24 in Digging Bucket, Hydraulic Thumb Usage: Not Available	581	<b>2014 Cat 304ECR Mini Excavator</b> S/N: CAT0304EHTTN02256 C/W: Enclosed Cab, 2014 US EPA Label, Swing Boom, 5 ft 4 in Stick, Auxiliary Hydraulic Plumbing, 12 in Rubber Tracks, Hydraulic Quick Coupler, 14 in Digging Bucket Usage: 2,980 Hr
572	<b>2014 Cat 305.5E CR Mini Excavator</b> S/N: CAT3055ECFKY02949 C/W: Swing Boom, 6 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 15.5 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: 3,309 Hr	582	<b>2011 Cat 304D CR Mini Excavator</b> S/N: CAT0304DCTYK00275 C/W: Control Pattern Changer, 5 ft 4 in Stick, Backfill Blade, 12 in Rubber Tracks, Rototilt Coupler, 21 in Cleanup Bucket Usage: 2,961 Hr
573	<b>2015 John Deere 35G Mini Excavator</b> S/N: 1FF035GXPEK272479 C/W: Enclosed Cab, Air Conditioner, Tier 3, Swing Boom, 5 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 11.75 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 3,678 Hr	583	<b>2017 Takeuchi TB230 Mini Excavator</b> S/N: 130002444 C/W: Control Pattern Changer, 2016 US EPA Label, 4 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 1,516 Hr
574	<b>2015 John Deere 35G Mini Excavator</b> S/N: 1FF035GXKEK272628 C/W: Swing Boom, 5 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 13 in Digging Bucket Usage: 3,615 Hr	584A	<b>2007 Cat 303C CR Mini Excavator</b> S/N: CAT0303CCBXT02303 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, Swing Boom, 5 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 3,104 Hr
575	<b>2015 John Deere 35G Mini Excavator</b> S/N: 1FF035GXVEK272665 C/W: 5 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 17 in Digging Bucket Usage: 1,036 Hr		

Lot #	Details	Lot #	Details
584	<b>2017 Cat 303E CR Mini Excavator Mini Excavator</b> S/N: CAT0303EVHHM02455 C/W: Tier 4, 2017 US EPA Label, 3 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 16.5 in Digging Bucket Usage: Not Available	594	<b>2012 Volvo EW180D Wheel Excavator</b> S/N: VCEW180DC00220020 C/W: Air Conditioner, Cab Screens, Rear View Camera, 2012 US EPA Label, 8 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, Backfill Blade, Front Stabilizers, 10.00 x20 Tires, Hydraulic Quick Coupler, 61 in Cleanup Bucket Usage: 13,291 Hr
586	<b>2014 Bobcat E32 Mini Excavator</b> S/N: A94H17444 C/W: Enclosed Cab, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 6,703 Hr	595	<b>2007 Gradall XL4100-II Wheel Excavator</b> S/N: 4100000187 C/W: Manual Transmission, 6 Cylinder Carrier Engine, Manual Quick Coupler, 60 in Bucket Usage: 19,824 Hr
587	<b>2019 Wacker Neuson EZ17 Mini Excavator</b> S/N: WNCE1301LPAL02990 C/W: Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 753 Hr	596	<b>1993 Gradall XL4100 Wheel Excavator</b> S/N: 412201 C/W: 8 ft 8 in - 21 ft Extendable Stick, 385 /65R22.5 Tires, Manual Quick Coupler, 35 in Digging Bucket, Catwalks Usage: 45,543 Mi
588	<b>2018 Wacker Neuson EZ17 Mini Excavator</b> S/N: WNCE1301TPAL00839 C/W: 2014 US EPA Label, Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 20 in Digging Bucket Usage: 1,025 Hr	597	<b>2008 Grove GMK5130-1 165 ton 10x8x10 All Terrain Crane</b> S/N: Not Available C/W: Air Conditioner, Automatic Transmission, 2007 US EPA Label, V8 15.9 L Diesel Carrier Engine, Air Conditioner, Tilt Cab, Anti Two-Block, Grove EKS 5 Load Moment Indicator, 2007 US EPA Label, Daimler Chrysler Diesel Upper Engine, 42 ft Minimum 197 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, Bifold Hydraulic Offset Jib, 20 ton Capacity 5 Sheave Hook Block, 650 lb Overhaul Ball, Counterweight Removal System, MAXAM 20.5 R25 Tires Usage: Not Available
589	<b>2018 Wacker Neuson EZ17 Mini Excavator</b> S/N: WNCE1301EPAL00904 C/W: 2014 US EPA Label, Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler, 20 in Digging Bucket Usage: 1,006 Hr	598	<b>2008 Manitowoc 2250 Series III 225 t Lattice-Boom Crawler Crane</b> S/N: 2251278 C/W: 180 ft Boom, Self Erecting, Anti Two-Block, Bootstrap Load Moment Indicator, 48 in Single Grouser Track Shoes Usage: 3,135 Hr
590	<b>2019 Wacker Neuson 803 Mini Excavator</b> S/N: WNCE0801APAL02809 C/W: 2017 US EPA Label, Swing Boom, 3 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket Usage: 598 Hr	599	<b>2005 Grove RT 875E 150000 lb 4x4x4 Rough Terrain Crane</b> S/N: 224216 C/W: Air Conditioner, Anti Two-Block, PAT Load Moment Indicator, Cummins 6 Cylinder Diesel Engine, 41 ft Minimum 128 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 33 ft to 56 ft Bifold Jib, 1275 lb 77 ton Capacity McKissick 4 Sheave Hook Block, 18000 lb Counterweight, Counterweight Removal System, Titan 29.5-25 Tires, Cummins QSB6.7 Turbo Diesel, 128' Main Boom, 32'-56' Bifold Jib, Aux Winch, A/C & Heat, LMI, Block Usage: 2,264 Hr
591	<b>2019 Wacker Neuson 803 Mini Excavator</b> S/N: WNCE0801PPAL02804 C/W: Swing Boom, 3 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 12 in Digging Bucket Usage: 633 Hr		
592	<b>2018 Wacker Neuson 803 DPU Mini Excavator</b> S/N: WNCE0801CPAL02699 C/W: 2017 US EPA Label, 3 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 18 in Digging Bucket Usage: 431 Hr		
593	<b>2013 Volvo EW180D Wheel Excavator</b> S/N: VCEW180DT00220164 C/W: Air Conditioner, 2013 US EPA Label, Variable Angle Boom, 8 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, Backfill Blade, Front Stabilizers, 10.00x20 Tires, Hydraulic Quick Coupler, 58 in Hydraulic Tilting Bucket Usage: Not Available		

Lot #	Details	Lot #	Details
600	<b>2013 Grove RT765E-2 65 ton 4x4x4 Rough Terrain Crane</b> S/N: 233367 C/W: Anti Two-Block, Load Moment Indicator, 69383 hrs Crane Operation, 2013 US EPA Label, Cummins QSB6.7 6 Cylinder 240 hp 6.7 L Diesel Engine, 44 ft Minimum 110 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, Johnson 5 Sheave Hook Block, Overhaul Ball, 13525 lb Counterweight, Titan 29.5-25 Tires Usage: 69,383 Hr	611	<b>1986 Bomag MPH100R Soil Stabilizer Reclaimer</b> S/N: 85654 C/W: 82 in Rotor, 18 in Cutting Depth Usage: 3,036 Hr
601	<b>2011 Grove RT700E 60 ton 4x4 Rough Terrain Crane</b> S/N: 231649 C/W: Anti Two-Block, Hirschmann Load Moment Indicator, 10208 hrs Crane Operation, 2011 US EPA Label, Cummins QSB6.7 6 Cylinder 240 hp 6.7 L Diesel Engine, 44 ft Minimum 110 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 835 lb 8.3 ton Capacity Johnson 3 Sheave Hook Block, 355 lb 8.3 ton Capacity Overhaul Ball, 12025 lb Counterweight, Titan 29.5-25 Tires Usage: 10,208 Hr	612	<b>2016 Weiler E1650 Wheel Asphalt Transfer Machine</b> S/N: 1W9E1650LJ0001012 C/W: Tier 4, 2018 US EPA Label, Cat c7.1 6 Cylinder 7.01 L Diesel Engine, Requires Diesel Exhaust Fluid, Hydrostatic Drive, 35 in Discharge Conveyor Usage: 4,195 Hr
602	<b>2007 Grove RT650E 50 ton 4x4x4 Rough Terrain Crane</b> S/N: 226340 C/W: Air Conditioner, Anti Two-Block, PAT Load Moment Indicator, 2007 US EPA Label, Cummins OSB6.7 6 Cylinder 173 hp 6.7 L Diesel Engine, 29 ft Minimum 105 ft Maximum Boom Length, Rooster Sheave, 29 ft to 51 ft Extendable Swingaway Jib, 992 lb 50 ton Capacity Johnson 3 Sheave Hook Block, GENERAL 23.5-25 Tires Usage: 15,452 Hr	613	<b>2013 Vogele Vision 5100-2 Track Asphalt Paver</b> S/N: 13820119 C/W: Canopy, 14 in Rubber Tracks Usage: 5,558 Hr
603	<b>1996 Broderson IC-200-2B Carry Deck Crane</b> S/N: 58527 C/W: 3758 hrs Crane Operation, Dual Fuel Engine, 16 ft Minimum 36 ft Maximum Boom Length, 14 ft to 51 ft Jib, 198 lb 15 ton Capacity Johnson 2 Sheave Hook Block, Goodyear 15-22.5 Tires Usage: 3,758 Hr	614A	<b>2016 Cat AP655F Track Asphalt Paver</b> S/N: Not Available C/W: Dual Controls, Diesel Heated 9 ft - 16 ft 4 in Screed, 16 in Rubber Tracks Usage: Not Available
605	<b>2015 Wirtgen W210i Tracked Cold Planer</b> S/N: 15201035 C/W: Requires Diesel Exhaust Fluid, 7 ft 6 in Cutting Width, 13 in Milling Depth, Water System, 34 in Discharge Conveyor, Air Compressor, 12 in Triple Grouser Track Shoes w/Rubber Inserts Usage: Not Available	614	<b>2001 Blaw-Knox PF-5510 Asphalt Paver</b> S/N: 55103055 C/W: Dual Controls, Carlson EZIV-1019 10 ft 2 in - 18 ft 10 in Screed, 19 in Rubber Tracks Usage: Not Available
608	<b>2014 Wirtgen W210i Tracked Cold Planer</b> S/N: 15200116 C/W: 2013 US EPA Label, 7 ft 3 in Cutting Width, Water System, 33 in Discharge Conveyor, Air Compressor, 12 in Rubber Tracks Usage: 5,737 Hr	616A	<b>2008 LeeBoy L8500T Track Asphalt Paver</b> S/N: 49765 C/W: Dual Controls, Propane Heated 8 ft 2 in - 15 ft Screed, 12 in Track Shoes Usage: Not Available
610	<b>2001 Wirtgen W1200F Tracked Cold Planer</b> S/N: 0710110175030240 C/W: 4 ft Cutting Width, 12 in Milling Depth, 23 in Discharge Conveyor, 10.5 in Triple Grouser Track Shoes w/Rubber Pads Usage: 4,504 Hr	616	<b>2016 LeeBoy 8515D Track Asphalt Paver</b> S/N: Not Available C/W: Canopy, Dual Controls, Tier 4, 2016 US EPA Label, CARB Compliant, LeeBoy Electric Heated Screed, 14 in Rubber Tracks Usage: Not Available
		617	<b>2008 Vogele Vision 5203-2 Wheel Asphalt Paver</b> S/N: 07750054 C/W: Canopy Usage: 3,575 Hr
		618	<b>2002 Blaw-Knox PF-2181 Asphalt Paver</b> S/N: 21810206 C/W: Dual Controls, Fume Extractor, Blaw-Knox 8 ft 6 in - 15 ft 10 in Screed, Truck Hitch Usage: Not Available
		619	<b>1997 Blaw-Knox PF-161 Wheel Asphalt Paver</b> S/N: 1611201 C/W: Blaw-Knox 8 ft - 13 ft Screed, Truck Hitch Usage: 5,845 Hr
		620	<b>1994 Blaw-Knox PF-161 Wheel Asphalt Paver</b> S/N: 1610313 C/W: 8 ft 1 in - 13 ft Screed Usage: 7,199 Hr
		621	<b>1995 Blaw-Knox PF-161 Wheel Asphalt Paver</b> S/N: 1610403 C/W: Blaw-Knox 8 ft 6 in - 13 ft Screed, Truck Hitch Usage: 2,573 Hr

Lot #	Details	Lot #	Details
622	<b>2007 Etnyre BT-HL Asphalt Distributor Truck</b> S/N: K6306 C/W: Open Operator Station, Diesel Engine, Hydrostatic Drive, - 20 ft 6 in Spreader Usage: Not Available	630A	<b>2012 Hamm 3410 Smooth Drum Compactor</b> S/N: H1791539 C/W: Open Operator Station, Swivel Operator Controls, Air Ride Seat, Deutz Diesel Engine, 84 in Drum Usage: 3,478 Hr
623A	<b>Etnyre Centennial II 2000 gal on 2011 Ford F-750 4x2 Asphalt Distributor Truck (Inoperable)</b> S/N: 3FRXF7FJ8BV396438 C/W: 6 Cylinder 6.7 L Diesel Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 194 in Wheelbase, 12 ft Folding Spray Bar, PTO Driven Pump Usage: 154,744 Mi	630	<b>2013 Volvo SD115 Smooth Drum Compactor</b> S/N: VCE0S115L0S235070 C/W: Open Operator Station, 84 in Drum Usage: 2,337 Hr
623	<b>Rosco 2000 gal on 2000 Chevrolet T6500 4x2 COE Asphalt Distributor Truck</b> S/N: 1GBM7C1C6YJ504439 C/W: Cat 3126 6 Cylinder 7.2 L Diesel Engine, US EPA Label, CARB Compliant, 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 157 in Wheelbase, PTO, 184 in Folding Spray Bar, Single Flue w/ LPG Burners, In-Cab Controls, Hand Spray Wand, Hydraulic Driven Pump Usage: 65,501 Mi	631	<b>Bomag BW211PD-3 Padfoot Drum Compactor</b> S/N: 901580871125 C/W: Open Operator Station, Deutz BF 4M 2012 4 Cylinder Diesel Engine, 86 in Drum Usage: 921 Hr
624	<b>1998 Ford F-750 Thermal Hot Patch Truck</b> S/N: 1FDNF70J0WVA00240 C/W: To Fit Essick V3UW2R Paving roller 30", 1998 US EPA Label, Ford 8 Cylinder 7.0 L Gasoline Engine Usage: 213,806 Mi	632	<b>1981 Dynapac CA25 Smooth Drum Compactor</b> S/N: CA25D2706S17 C/W: Cat V8 Diesel Engine, 84 in Drum Usage: Not Available
625	<b>2006 Hamm 3412P Padfoot Drum Compactor</b> S/N: H1601324 C/W: Open Operator Station, Dual Controls, 2005 US EPA Label, Deutz BF 4M 2012 C 6 Cylinder 131 hp 4.0 L Diesel Engine, 83 in Drum Usage: 1,940 Hr	633	<b>2019 XCMG CV83PDU Smooth Drum Compactor</b> S/N: XUG00831JKJE02301 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2019 US EPA Label, CARB Compliant, Cummins QSF3.8 4 Cylinder 75 kW 3.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 66 in Drum, Padfoot Shell Kit Usage: 307 Hr
626A	<b>1997 Cat CS-563C Padfoot Drum Compactor</b> S/N: 4KN00639 C/W: Enclosed Cab, Air Ride Seat, 82 in Drum Usage: 10,669 Hr	635	<b>2012 Cat CB-64 Double Drum Roller</b> S/N: CAT0CB64KDJM00380 C/W: Open Operator Station, 84 in Drums, Water System Usage: 5,524 Hr
627	<b>1994 Cat CP-563 Padfoot Drum Compactor</b> S/N: 1YJ0049 C/W: Open Operator Station, Cat 6 Cylinder Diesel Engine, 84 in Drum Usage: 413 Hr	636	<b>2018 Volvo DD110C Double Drum Roller</b> S/N: VCED110CH0S286042 C/W: Open Operator Station, Swivel Operator Controls, 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 67 in Drums, Water System Usage: 4,090 Hr
628	<b>2000 Cat CP-433C Padfoot Drum Compactor</b> S/N: 2JM00832 C/W: Open Operator Station, 4 Cylinder Diesel Engine, 66 in Drum Usage: 7,383 Hr	637	<b>2018 Volvo DD110C Double Drum Roller</b> S/N: VCED11CE0S286043 C/W: Open Operator Station, Swivel Operator Controls, Air Ride Seat, 2018 US EPA Label, Diesel Engine, Requires Diesel Exhaust Fluid, 67 in Drums, Water System Usage: 3,978 Hr
629	<b>2015 Volvo SD115B Smooth Drum Compactor</b> S/N: VCES115BA0S236035 C/W: Open Operator Station, 84 in Drum Usage: 3,942 Hr	638A	<b>2005 Cat CB-224E Double Drum Roller</b> S/N: CATCB224K22400778 C/W: Open Operator Station, 2004 US EPA Label, Perkins 4 Cylinder 24.4 kW 1.4 L Diesel Engine, 47 in Drums, Water System Usage: 2,669 Hr
630B	<b>2011 Hamm 3410 Smooth Drum Compactor</b> S/N: H1791362 C/W: Enclosed Cab, Deutz Engine, 84 in Drum Usage: 4,269 Hr	638	<b>2016 Bomag BW138 AD5 Double Drum Roller</b> S/N: 101650341007 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, Kubota 4 Cylinder 33.6 kW 2.4 L Diesel Engine, 54 in Drums, Water System Usage: 1,834 Hr

Lot #	Details	Lot #	Details
639	<b>2014 Cat CB14B Double Drum Roller</b> S/N: CATCB14BH47300538 C/W: Open Operator Station, Tier 4, 2013 US EPA Label, Kohler 3 Cylinder Diesel Engine, 39 in Drums Usage: 1,024 Hr	652	<b>2016 Vermeer D24X40III Directional Drill</b> S/N: 1VRX200F1G1000199 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, John Deere 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 16 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 1,053 Hr
641	<b>2017 Wacker Neuson RD12A Double Drum Roller</b> S/N: 24365984 C/W: Open Operator Station, US EPA EVAP, 2017 US EPA Label, Honda GX630 20.3 hp Gasoline Engine, 35.5 in Drums, Water System Usage: 407 Hr	654	<b>2018 Ditch Witch JT25 Directional Drill</b> S/N: DWPJT25XLJ0000707 C/W: Open Operator Station, Tier 4, Cummins 4 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 25 Drill Rods, 13 in Rubber Tracks Usage: 1,314 Hr
643	<b>2012 Wacker Neuson RD12A Double Drum Roller</b> S/N: 20040226 C/W: Honda GX630 2 Cylinder Gasoline Engine, 35 in Drums Usage: 779 Hr	655	<b>2013 Vermeer D20X22II Directional drilling rig Directional Drill</b> S/N: 1VR6180T5D1001242 C/W: Open Operator Station, Tier 4, 2012 US EPA Label, Kubota V3800 4 Cylinder 3.8 L Diesel Engine, 36 Drill Rods, 12 in Rubber Tracks Usage: Not Available
644	<b>2000 Ingersoll Rand DD14 Double Drum Roller</b> S/N: 162988 C/W: Open Operator Station, Tier 4, 2012 US EPA Label, Kubota D722-ET01 3 Cylinder .71 L Diesel Engine, 35 in Drums, Water System Usage: 3,373 Hr	656	<b>2012 Vermeer D20X22II Directional Drill</b> S/N: 1VR6180T8C1001024 C/W: Open Operator Station, Tier 3, 2011 US EPA Label, Kubota V3800 4 Cylinder 3.8 L Diesel Engine, Drill Rod Loading System 41 Drill Rods, 12 in Rubber Tracks Usage: 2,349 Hr
645	<b>2023 TRANER TR1000 Double Drum Roller (Unused)</b> S/N: TR85023903 C/W: Open Operator Station, 2023 US EPA Label, Loncin 1 Cylinder 13.5 hp 420 cc Gasoline Engine, 28 in Drums, Water System Usage: Not Available	657	<b>2012 Vermeer D16x20 II Directional Drill</b> S/N: 1VR6170S1C1000606 C/W: Open Operator Station, Tier 4, 2011 US EPA Label, Kubota V3600 4 Cylinder 3.6 L Diesel Engine, 39 Drill Rods, 9.5 in Rubber Tracks Usage: 1,697 Hr
646	<b>1996 Beuthling B100 Double Drum Roller</b> S/N: 11258 C/W: Open Operator Station, Tier 2, 2002 US EPA Label, CARB Compliant, Honda GX390 1 Cylinder 13 hp 390 cc Gasoline Engine, Split Drums, Water System, 30 in Front Drum, 36 in Rear Drum Usage: 2,935 Hr	659	<b>Diedrich D-120 on 2006 Chevrolet 8500 6x4 Drill Truck</b> S/N: 1GBT8C4C96F419857 C/W: John Deere 6.8 L 6 Cylinder Upper Engine, Straight Down Outriggers, Cat C7 6 Cylinder Diesel Engine, Eaton Fuller 8LL Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 11R22.5, Hendrickson Suspension, 240 in Wheelbase, 2 Drum Drawworks Usage: 85,118 Mi
647	<b>1999 Extec Robotrack Tracked Screen Plant</b> S/N: Not Available C/W: Deutz B4M 1012/E/C 4 Cylinder Diesel Engine, 20 in Triple Grouser Track Shoes Usage: Not Available	660	<b>2004 Mobile B-59 on 1994 Ford F-800 4x2 Drill Truck</b> S/N: 1FDXK84E8RVA12308 C/W: Cummins 4BT 4 Cylinder Upper Engine, Winch, Straight Down Outriggers, Rear Outriggers, 6 Cylinder Diesel Engine, Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 196 in Wheelbase Usage: 138,772 Mi
649	<b>2018 Ditch Witch RT125 4x4 Quad Cable Plow</b> S/N: Not Available C/W: Canopy, 2015 US EPA Label, Deutz TCD3.6L4 121 hp 3.6 L Diesel Engine, Requires Diesel Exhaust Fluid, Powershift Transmission, 18 in Rubber Tracks Usage: Not Available	663	<b>2007 International 4300 4x2 Mud Mixing Truck</b> S/N: 1HTMMAAM47H334964 C/W: 6 Cylinder Diesel Engine, Automatic Transmission, 11R22.5, Spring Suspension, 211 in Wheelbase, 18 ft 3 in x 95 in Bed, Pintle Hitch Usage: 212,110 Mi
650	<b>2006 Ditch Witch RC115 4x4 Cable Plow</b> S/N: CMWRT115C70000233 C/W: Canopy, Hydrostatic Drive, John Deere 4045TF275B 4 Cylinder 4.5 L Diesel Engine, Ditch Witch H932 7 ft Cable Plow, Reel Carrier Usage: 66 Hr		

Lot #	Details	Lot #	Details
664	<b>2007 GMC C7500 4x2 Mud Mixing Truck</b> S/N: 1GDM7C1325F527576 C/W: 6 Cylinder Diesel Engine, Manual Transmission, 10000 lb Front Axle, 23000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 205 in Wheelbase, (2) Vermeer DT750 Mixing System, (2) Tank, 18 ft 5 in x 96 in Bed, Pintle Hitch, 4 Cylinder Diesel Engine Usage: 212,687 Mi	672	<b>2017 Hino 268 4x2 Cab and Chassis</b> S/N: 5PVNJ8JV4H4S65990 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 413693 mi, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 271 in Wheelbase, 204 in Cab to Axle, 286 in Cab to End of Frame Usage: 413,626 Mi
666	<b>Rotoboc 80 Elite 7400 lb Knuckle Boom on 2013 International 7600 6x4 Grapple Truck</b> S/N: 1HTGSSJT9DJ235142 C/W: International MaxxForce 6 Cylinder Diesel Engine, 5553 Engine hrs, Retarder, Eaton Fuller 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 66000.0 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5, Dual Steering Boxes, Rubber over Walking Beam Suspension, 262 in Wheelbase, PTO, Double Frame, Rear Mounted, 2 Section Boom, A-Outriggers, 23 ft x 96 in Bed, Pintle Hitch Usage: 63,576 Mi	673	<b>2018 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACWFC6JDJT8090 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 9209 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, rear of inners aluminum, 255/70R22.5, Air Ride Suspension, 270 in Wheelbase, 206 in Cab to Axle, 273 in Cab to End of Frame Usage: 327,509 Mi
667	<b>2005 Rotochopper MC266 T/A Horizontal Grinder</b> S/N: 052117 C/W: 18 in Feeder Chain, 66 in Rotor Usage: 2,777 Hr	674	<b>2018 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACXFC9JDJP4152 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8620.8 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 4.88:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, 202 in Cab to Axle, 286 in Cab to End of Frame Usage: 318,125 Mi
669	<b>2007 Peterbilt 357 8x4 Cab and Chassis</b> S/N: 1NPALUEX17N682451 C/W: Cat C13 6 Cylinder Ultra Low Sulfur Diesel Engine, Engine Brake, Eaton Fuller Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 66000 lb Rears, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Trac Air Ride Suspension, 233 in Wheelbase, Double Frame, 126 in Cab to Axle, 208 in Cab to End of Frame Usage: 440,527 Mi	675	<b>2018 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACXFC7JDJP4151 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10070.8 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14x Drive Axles, 4.88:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, 205 in Cab to Axle, 288 in Cab to End of Frame Usage: 317,229 Mi
670	<b>2006 Kenworth T300 4x2 Cab and Chassis</b> S/N: 2NKMLZ9XX6M137809 C/W: Cummins ISC315 6 Cylinder 8.3 L Ultra Low Sulfur Diesel 315 hp Engine, 2005 US EPA Label, CARB Compliant, 14913 Engine hrs, Engine Brake, Allison Automated Transmission, Aluminum Outer Wheels, 11R22.5, Hendrickson Air Ride Suspension, 196 in Wheelbase, Double Frame, 128 in Cab to Axle, 185 in Cab to End of Frame Usage: 14,526 Mi	676	<b>2018 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACXFE7JDJP0764 C/W: Cummins L9 6 Cylinder Ultra Low Sulfur Diesel 270 hp Engine, Requires Diesel Exhaust Fluid, 9859.1 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.13:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 215 in Wheelbase, 150 in Cab to Axle, 256 in Cab to End of Frame Usage: 387,012 Mi
671	<b>2012 International 7500 SBA 6x4 Crew Cab Cab and Chassis</b> S/N: 1HTWNAZR1CJ539201 C/W: International 6 Cylinder 9.3 L Diesel 350 hp Engine, 2011 US EPA Label, 7862 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 264 in Wheelbase, PTO, 156 in Cab to Axle, 228 in Cab to End of Frame Usage: 123,433 Mi		

Lot #	Details	Lot #	Details
677	<b>2017 Freightliner M2 106 Cab and Chassis</b> S/N: 3ALACWDT9HDHU9523 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12824.8 Engine hrs, Allison 2100 Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Hydraulic System, 205 in Cab to Axle, 282 in Cab to End of Frame Usage: 348,935 Mi	683	<b>2006 Freightliner M2 106 Business Class M2 4x2 Cab and Chassis</b> S/N: 1FVACXCS46HV96973 C/W: Mercedes Benz MBE900-250 6 Cylinder 6.4 L Ultra Low Sulfur Diesel 250 hp Engine, 2005 US EPA Label, CARB Compliant, 21616 Engine hrs, Engine Brake, Eaton Fuller FS-6406A 6-Speed Transmission, Differential Lock, 10000 lb Front Axle, 23000 lb Rears, Alliance ARS-23.0.4 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 186 in Wheelbase, 121 in Cab to Axle, 182 in Cab to End of Frame Usage: 356,337 Mi
678	<b>2017 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACXDT2HDJD2933 C/W: 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 252 in Wheelbase, 187 in Cab to Axle, 297 in Cab to End of Frame Usage: 272,139 Mi	684A	<b>1989 GMC 4x2 Cab and Chassis</b> S/N: 1GDM7D1YXKV522032 C/W: V8 Diesel Engine, Manual Transmission, 11R22.5, Spring Suspension, 160 in Wheelbase, 96 in Cab to Axle, 175 in Cab to End of Frame Usage: 173,848 Mi
679	<b>2017 Freightliner M2. 4x2 Cab and Chassis</b> S/N: 3ALACWCY6HDJG0659 C/W: Cummins ISL 300 HP 6 Cylinder Ultra Low Sulfur Diesel 300 hp Engine, Requires Diesel Exhaust Fluid, 8717.5 Engine hrs, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 5.13:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 206 in Wheelbase, 140 in Cab to Axle, 223 in Cab to End of Frame Usage: 311,503 Mi	687	<b>2009 Chevrolet C4500 4x2 COE Cab and Chassis</b> S/N: J8BC4W16297001282 C/W: Ultra Low Sulfur Diesel Engine, Exhaust Brake, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, steel, 215 /85R16 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 132 in Wheelbase, 114 in Cab to Axle, 158 in Cab to End of Frame Usage: 234,222 Mi
680	<b>2016 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 1FVACWDT7GHHD3020 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase Usage: 62,029 Mi	689	<b>2005 Ford F-350 XL 4x2 Crew Cab Cab and Chassis</b> S/N: 1FTWW30P55EC93217 C/W: V8 6.0 L Diesel Engine, 2005 US EPA Label, CARB Compliant, Automatic Transmission, 11200 lb GVWR, Spring Suspension Usage: 258,963 Mi
681A	<b>2015 Freightliner M2 106 Van Truck</b> S/N: 1FVACWDT5FHGP7078 C/W: Long Wide High Usage: 333,876 Mi	690	<b>2018 Hino 338 4x2 Refrigerated Truck</b> S/N: 5PVNV8JTXJ4S54937 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12999.24 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 254 in Wheelbase, Thermo King T-1080S Reefer Unit, Hackney/Kidron 24 ft Long x 96 in Wide x 85 in High Body, Liftgate Usage: 19,866 Mi
681	<b>2016 Freightliner M2 106 4x2 Cab and Chassis</b> S/N: 3ALACWDT7GDHT5439 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9103 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, 170 in Cab to Axle, 285 in Cab to End of Frame Usage: 320,571 Mi	691	<b>2016 Hino 338 4x2 Refrigerated Truck</b> S/N: 5PVNV8JR0G4S50926 C/W: 6 Cylinder Diesel Engine, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 234 in Wheelbase, Thermo King T1080S Reefer Unit, 25624 Reefer Engine Hours:, 33898 Reefer Total Hours:, Kidron 22 ft Long x 96 in Wide x 96 in High Body, Liftgate Usage: 198,096 Mi
682	<b>2010 Freightliner M2 106 Van Truck</b> S/N: 1FVACWDT9AHAM6827 C/W: Long Wide High Usage: 466,584 Mi	692A	<b>2018 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JP8J4S51999 C/W: Long Wide High Usage: 289,276 Mi

Lot #	Details	Lot #	Details
692	<b>2016 Hino 338 4x2 Refrigerated Truck</b> S/N: 5PVMV8JR6G4S50929 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, Thermo King Reefer Unit, 22 ft Long x 96 in Wide High Body, Curbside Door, Liftgate Usage: 289,886 Mi	699	<b>2017 Freightliner M2 106 M 4x2 Refrigerated Truck</b> S/N: 1FVACWDT7HHHY0019 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9617 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 204 in Wheelbase, Thermo King T-680R Reefer Unit, Kidron 18 ft Long x 102 in Wide x 82 in High Body Usage: 277,325 Mi
695	<b>2019 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWFC7KDKE2374 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 8140 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Thermo King T-880S Whisper Reefer Unit, 8189 Reefer Total Hours:, Morgan 26 ft Long x 102 in Wide x 97 in High Body, Mezzanine Floor, Curbside Door, Liftgate Usage: 267,794 Mi	700	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACXDT4HHHV6489 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9479 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 234 in Wheelbase, Thermo King T-880S Reefer Unit, 11208 Reefer Total Hours:, Drake 22 ft Long x 102 in Wide x 79 in High Body, Liftgate Usage: 278,183 Mi
696	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT8HDJF5577 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 9965 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Spring Suspension, 252 in Wheelbase, Thermo King T-880R Reefer Unit, Kidron 24 ft Long x 100 in Wide x 83 in High Body Usage: 229,896 Mi	704	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACXDT8HHHW0013 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, 9500.4 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Thermo King T-880R Reefer Unit, Morgan 26 ft Long x 102 in Wide Body, Liftgate Usage: 391,980 Mi
697	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT8HDJB3559 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 10920 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, Thermo King T-1080S Reefer Unit, 15482 Reefer Engine Hours:, 15482 Reefer Total Hours:, 2-Zone, Kidron 26 ft 0 in Long x 96 in Wide x 82 in High Body, Curbside Door Usage: 265,161 Mi	705	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXCY5HDHY6734 C/W: Cummins ISL 6 Cylinder Diesel 300 hp Engine, Requires Diesel Exhaust Fluid, 12072 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14x Drive Axles, 4.88:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, Thermo King T-880R Whisper Reefer Unit, 6319 Reefer Engine Hours:, Morgan 24 ft Long x 96 in Wide x 97 in High Body, Liftgate Usage: 426,425 Mi
698	<b>2017 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT1HDJF5579 C/W: 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Thermo King T-880R Reefer Unit, Kidron 24 ft Long x 102 in Wide x 82 in High Body Usage: 267,719 Mi		



Lot #	Details	Lot #	Details
707	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT5GDHN4383 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 401 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 5.63:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 253 in Wheelbase, Thermo King T-1080S Reefer Unit, Morgan 24 ft Long x 102 in Wide x 86 in High Body, Curbside Door, Liftgate Usage: 224,256 Mi	713	<b>2016 Freightliner M2106 6x2 Refrigerated Truck</b> S/N: 3ALACXDT7GDGU8372 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9943 Engine hrs, Allison 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 253 in Wheelbase, supreme 24 ft 4 in Long x 96 in Wide x 90 in High Body Usage: 341,142 Mi
708	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT4GDHS5337 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10974 Engine hrs, Allison 2200 5-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 216 in Wheelbase, Thermo King T680R Reefer Unit, 11621 Reefer Engine Hours:, Kidron 20 ft 0 in Long Body Usage: 244,824 Mi	714	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT4GDHJ0112 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 12620.8 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Thermo King T-1080S Reefer Unit, 9895 Reefer Engine Hours:, Morgan 24 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 377,466 Mi
709	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT0GDHN3755 C/W: 6 Cylinder 6.7 L Diesel 260 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8017.2 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Air Ride Suspension, 280 in Wheelbase, Thermo King Reefer Unit, 8945 Reefer Total Hours:, Morgan 26 ft Long x 102 in Wide High Body, Curbside Door, Liftgate Usage: 283,909 Mi	715	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT8GDHK4255 C/W: Long Wide High Usage: 168,891 Mi
710	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT2GDHS5336 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10261 Engine hrs, Allison 2200 5-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 kg GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 216 in Wheelbase, Thermo King T680 Reefer Unit, 4306 Reefer Engine Hours:, Kidron 22 ft 0 in Long Body Usage: 309,635 Mi	716	<b>2016 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT0GDGX5827 C/W: Long Wide High Usage: 279,517 Mi
712	<b>2016 Freightliner M2 106 Refrigerated Truck</b> S/N: 1FVACWDT1GHHS1823 C/W: Long Wide High Usage: 328,229 Mi	717	<b>2016 Freightliner M2 106 6x4 Refrigerated Truck</b> S/N: 1FVACXDT0GHHA2178 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 280 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8080.1 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 33000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 285 in Wheelbase, Carrier Transicold Reefer Unit, 6859 Reefer Engine Hours:, Liftgate Usage: 289,206 Mi
		718	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACVDU0FDGL4065 C/W: 6 Cylinder 6.7 L Diesel 200 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4292 Engine hrs, Allison 1000 Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 5.71:1 Axle Ratio, 18000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 193 in Wheelbase, Thermo King V-520 Reefer Unit, Standby Power, Kidron 15 ft Long x 96 in Wide x 84 in High Body Usage: 141,029 Mi

Lot #	Details	Lot #	Details
719	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT1FDGD2498 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14943 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 5.63:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 253 in Wheelbase, Thermo King T-1080S Reefer Unit, 2-Zone, Morgan 24 ft Long x 102 in Wide x 82 in High Body, Curbside Door Usage: 231,086 Mi	723	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACWDT3FDGH9168 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 12777 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 192 in Wheelbase, Thermo King T-680R Reefer Unit, Kidron 16 ft Long x 96 in Wide x 82 in High Body Usage: 315,110 Mi
720	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT6FDGD2495 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12754 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 5.63:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 253 in Wheelbase, Thermo King T1080S Reefer Unit, 29429 Reefer Engine Hours, 29429 Reefer Total Hours, 2-Zone, Morgan 24 ft Long x 102 in Wide x 82 in High Body, Curbside Door Usage: 265,407 Mi	724	<b>2014 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACWDT4EHFK9549 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 11475.9 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 204 in Wheelbase, Hydraulic System, Morgan 17 ft 7 in Long x 101 in Wide x 90 in High Body, Liftgate Usage: 365,018 Mi
721	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT2FDGG0018 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 3462 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Carrier Reefer Unit, 5718 Reefer Engine Hours, 9202 Reefer Total Hours, Supreme 26 ft 0 in Long x 102 in Wide x 97 in High Body Usage: 266,906 Mi	725	<b>2010 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 1FVACXDTIADAS4785 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, US EPA Label, 14258 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-154 Drive Axles, 5.57:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Thermo King RD-II-SR Reefer Unit, KIDRON 22 ft Long x 96 in Wide x 102 in High Body Usage: 396,312 Mi
722	<b>2015 Freightliner M2 106 4x2 Refrigerated Truck</b> S/N: 3ALACXDT6FDGD2500 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12556 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-21-160 Drive Axles, 5.63:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 253 in Wheelbase, Thermo King T-1080S Reefer Unit, 12813 Reefer Engine Hours, Morgan 24 ft 0 in Long x 102 in Wide x 91 in High Body, Curbside Door Usage: 297,135 Mi	726	<b>2018 International 4300 SBA 4x2 Refrigerated Truck</b> S/N: 1HTMMML0JH345052 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 8977 Engine hrs, Allison 2500 6-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.57:1 Axle Ratio, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 254 in Wheelbase, Thermo King T-880R Reefer Unit, Hackney 24 ft Long x 96 in Wide x 88 in High Body, Curbside Door, Ducted Floor Usage: 191,647 Mi
		727	<b>2018 International 4300 SBA 4x2 Refrigerated Truck</b> S/N: 1HTMMML0JH345049 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Allison 2500 6-Speed Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.57:1 Axle Ratio, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 254 in Wheelbase, Thermo King T-880R Reefer Unit, Hackney/Kidron 24 ft Long x 96 in Wide x 87 in High Body Usage: Not Available

Lot #	Details	Lot #	Details
728	<b>2019 Isuzu NPR Isuzu N Series Diesel NPR/HD 4x2 COE Refrigerated Truck</b> S/N: JALC4W169K7007951 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Diesel 210 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Tokyo Radiator Engine Coolant Heater, 15039.3 Engine hrs, Isuzu 5-Speed Automatic Transmission, 5369 lb Front Axle, 14500 lb Rears, 14500 lb GVWR, Steel, 215/85R16 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 108 in Wheelbase, 2018 Thermo King V-520 Reefer Unit, Hackney/Kidron 11 ft 11 in Long x 94 in Wide x 85 in High Body, Mezzanine Floor Usage: 323,811 Mi	734A	<b>2019 GMC G3500 4x2 Refrigerated Truck</b> S/N: 1GD07RFP5K1201468 C/W: GM V6 4.3 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Automatic Transmission, 4100 lb Front Axle, 6084 lb Rears, 9900 lb GVWR, Spring Suspension, 245/75/16 Front Tires, 245/75/16 Rear Tires, Spring Suspension, 140 in Wheelbase, supreme 12 ft Long x 90 in Wide x 73 in High Body Usage: 223,331 Mi
729	<b>2019 Isuzu NPR 4x2 COE Refrigerated Truck</b> S/N: JALC4W160K7007756 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 110 in Wheelbase, Thermo King Reefer Unit, Standby Power, Hackney 12 ft 0 in Long x 94 in Wide x 84 in High Body Usage: 312,015 Mi	734	<b>2015 Isuzu NRR 4x2 COE Van Truck</b> S/N: JALE5W169F7302043 C/W: 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 147 in Wheelbase, Thermo King T680S Reefer Unit, Morgan 17 ft 7 in Long x 102 in Wide x 84 in High Body Usage: 101,015 Mi
730	<b>2019 Isuzu NPR 4x2 COE Refrigerated Truck</b> S/N: JALC4W167K7007964 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 110 in Wheelbase, 2018 Thermo King V520 Reefer Unit Usage: 339,445 Mi	735	<b>2008 Hino 268 4x2 Refrigerated Truck</b> S/N: 5PVNJ8JT182S51524 C/W: J08E-TV 6 Cylinder 7.7 L Diesel 220 hp Engine, 2007 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 295/75R22.5, Spring Suspension, 212 in Wheelbase, Carrier Transicold Reefer Unit Usage: 412,280 Mi
731	<b>2019 Isuzu NPR 4x2 COE Refrigerated Truck</b> S/N: JALC4W161K7008270 C/W: Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 108 in Wheelbase, Thermo King Reefer Unit, Kidron 9 ft 5 in Long x 94 in Wide Body Usage: 307,058 Mi	736	<b>2016 Freightliner M2106 6x4 Curtain Side Truck</b> S/N: 3ALHCYCY1GDHM0594 C/W: Cummins ISL9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 330 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 67 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 4.63:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 28 ft 0 in Long x 102 in Wide x 92 in High Body Usage: 311,058 Mi
732	<b>2019 Isuzu NPR 4x2 COE Refrigerated Truck</b> S/N: JALC4W161K7007927 C/W: Isuzu 4 Cylinder Diesel 210 hp Engine, 2020 US EPA Label, 13675 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 110 in Wheelbase, 12 ft Long x 96 in Wide Body Usage: 297,435 Mi	741	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7J4S70333 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 6731 Engine hrs, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 265 in Wheelbase, Morgan Body, Liftgate Usage: 200,299 Mi
733	<b>2017 Isuzu NRR 4x2 COE Refrigerated Truck</b> S/N: JALE5W163H7302090 C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9496 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 178 in Wheelbase, Thermo King T-680R Reefer Unit, 6625 Reefer Engine Hours:, 6625 Reefer Total Hours:, Morgan 20 ft 0 in Long x 96 in Wide x 82 in High Body, Liftgate Usage: 230,595 Mi	742	<b>2018 Hino 268 4x2 Moving Van Truck</b> S/N: 5PVNJ8JV3J4S67249 C/W: 6 Cylinder 7.7 L Diesel 260 hp Engine, 2017 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, 26 ft Long x 102 in Wide Body, Liftgate Usage: 241,025 Mi

Lot #	Details	Lot #	Details
743	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JVXJ4S69662 C/W: Hino 6 Cylinder 469 cid Ultra Low Sulfur Diesel 230 hp Engine, US EPA Label, CARB Compliant, 7814 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, supreme 26 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 269,941 Mi	755	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JT0G4S56331 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 254 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 274,961 Mi
745	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV4J4S66739 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 14403 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Liftgate Usage: 336,635 Mi	756	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV0G4S60445 C/W: 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 999 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 271 in Wheelbase, Morgan 26 ft 0 in Long x 102 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 229,047 Mi
746	<b>2018 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JT8J4S58089 C/W: Hino J08E-WU 6 Cylinder 469 cid Diesel 230 hp Engine, 2017 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft Long x 102 in Wide x 96 in High Body Usage: 405,714 Mi	757	<b>2016 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV8G4S62749 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 271 in Wheelbase, supreme corporation 26 ft Long x 102 in Wide x 105 in High Body, Liftgate Usage: 458,458 Mi
748	<b>2018 Hino 268 4x2 Van Truck</b> S/N: Not Available C/W: Hino 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Liftgate Usage: Not Available	758	<b>2015 Hino 268 4x2 Moving Van Truck</b> S/N: 5PVNJ8JV4F4S59233 C/W: Diesel Engine, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Wheels, 11R22.5, 234 in Wheelbase, Morgan 26 ft Long x 102 in Wide Body, Liftgate Usage: 137,082 Mi
751	<b>2017 Hino 268 4x2 Moving Van Truck</b> S/N: 5PVNJ8JV8H4S64745 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 271 in Wheelbase, 25 ft 9 in Long x 100 in Wide x 104 in High Body Usage: 362,492 Mi	759	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7F4S57296 C/W: Hino J08E-VC 6 Cylinder 7.6 L Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 204,560 Mi
752	<b>2016 Hino 268 4x2 Van Truck</b> S/N: Not Available C/W: Hino 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 217 in Wheelbase, Liftgate Usage: Not Available	760	<b>2015 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV7F4S58528 C/W: Hino J08E-VC 6 Cylinder 469 cid Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 230,902 Mi
753	<b>2016 Hino 268 4x2 Moving Van Truck</b> S/N: 5PVNJ8JT0G4S56507 C/W: Hino 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 21.16 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Aluminum Outer Wheels, 11R22.5, Hendrickson Air Ride Suspension, 253 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 270,095 Mi	762	<b>2014 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1E4S56028 C/W: Long Wide High Usage: 146,301 Mi

Lot #	Details	Lot #	Details
763	<b>2014 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV3E4S56788 C/W: Hino J08E-VC 6 Cylinder Ultra Low Sulfur Diesel 220 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 999.59 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950.0 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 98 in High Body, Liftgate Usage: 299,068 Mi	772	<b>2019 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: Not Available C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 8921 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.22:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: Not Available
765	<b>2017 Hino 258 4x2 Van Truck</b> S/N: 5PVNJ8JT8H4S57633 C/W: 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 230 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 431 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, Aluminum Front Wheels, 245/70R19.5, Spring Suspension, 254 in Wheelbase, Morgan 24 ft Long x 96 in Wide x 79 in High Body, Liftgate Usage: 266,848 Mi	773	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJK4401 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, 8431 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft Long x 96 in Wide x 96 in High Body, Liftgate Usage: 257,364 Mi
766	<b>2015 Hino 258LP 4x2 Van Truck</b> S/N: 5PVNE8JRXF4S50219 C/W: 6 Cylinder 7.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 999 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 245/70R19.5, Spring Suspension, 234 in Wheelbase, Supreme 22 ft Long x 96 in Wide x 79 in High Body, Curbside Door Usage: 335,515 Mi	775	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: Not Available C/W: Cummins B6.7 6 Cylinder Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 281107 mi, 11169.2 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Spicer Drive Axles, 5.56:1 Axle Ratio, 26000.0 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: Not Available
767	<b>2016 Freightliner M2 112 4x2 Sleeper Van Truck</b> S/N: 3ALAC4DV2GDGW6424 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14392 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 3.21:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Condo Sleeper Cab, Bunk Heater, Electric Sleeper Air Conditioner, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 295 in Wheelbase Usage: 545,156 Mi	776	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFC8JHJP9914 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7330 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 235 in Wheelbase, Morgan 22 ft Long x 102 in Wide Body, Liftgate Usage: 178,958 Mi
771	<b>2019 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC8KDKL9908 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7480 Engine hrs, Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, Morgan 27 ft 6 in Long x 97 in Wide x 86 in High Body, Liftgate Usage: 330,554 Mi	777	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC4JDJK6228 C/W: Cummins B6.7 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 9879 Engine hrs, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 4.10:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 96 in Wide x 97 in High Body Usage: 271,074 Mi

Lot #	Details	Lot #	Details
778	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC7JDJS4831 C/W: Cummins B 6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 4.10:1 Axle Ratio, 19000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft Long x 102 in Wide x 108 in High Body, Liftgate Usage: 318,239 Mi	783	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFEXJDJT5409 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12119 Engine hrs, Exhaust Brake, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 kg Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 365,859 Mi
779	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACXFE2JDJW0563 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 10204.9 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 285 in Wheelbase, supreme corporation 28 ft Long x 102 in Wide x 97 in High Body Usage: 334,738 Mi	784	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC9JDJS4832 C/W: Cummins B 6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 4.10:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, 26 ft Long x 102 in Wide x 108 in High Body Usage: 367,143 Mi
780	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC1JDJL2214 C/W: Cummins B6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7692 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 271 in Wheelbase, Liftgate Usage: 336,436 Mi	786	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC5JDJS4830 C/W: Cummins B 6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 4.10:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 270 in Wheelbase, AMH 26 ft Long x 102 in Wide x 108 in High Body Usage: 379,476 Mi
781	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE2JDJT5405 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11038 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 354,686 Mi	787	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE8JDJT5408 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12037 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 382,160 Mi
782	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE4JDJT5406 C/W: Cummins L9 6 Cylinder 8.9 L Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11720 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corp. 26 ft Long x 102 in Wide x 90 in High Body, Liftgate Usage: 357,288 Mi	788	<b>2018 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWFC5JDJH4591 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Steel, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft Long x 98 in Wide x 104 in High Body, Liftgate Usage: 381,518 Mi

Lot #	Details	Lot #	Details
789	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE6JDJT5410 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13185 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 91 in High Body, Liftgate Usage: 383,905 Mi	795	<b>2018 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWFC9JDJS4829 C/W: Cummins B 6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FS-5406A 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 4.10:1 Axle Ratio, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, AMH 26 ft Long x 102 in Wide x 108 in High Body Usage: 47,513 Mi
791	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE6JDJT5407 C/W: Cummins L9 6 Cylinder 8.9 L Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12938 Engine hrs, Eaton Fuller FSO-8406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corp. 26 ft Long x 102 in Wide x 90 in High Body, Liftgate Usage: 393,199 Mi	796	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWFC0JDJH5504 C/W: Long Wide High Usage: 239,484 Mi
792	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXFE8JDJT5411 C/W: Cummins L9 6 Cylinder 8.9 L Diesel 270 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11370.2 Engine hrs, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.30:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corp. 26 ft Long x 102 in Wide x 90 in High Body, Liftgate Usage: 430,115 Mi	799	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXHDJB7252 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5862 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, MultiVans 24 ft Long x 102 in Wide x 98 in High Body, Liftgate Usage: 188,276 Mi
793	<b>2018 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACXFE1JDJY4823 C/W: Cummins L9 6 Cylinder 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Allison 3000 6-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS 21 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 285 in Wheelbase, supreme 26 ft Long x 102 in Wide x 108 in High Body Usage: 495,130 Mi	801	<b>2017 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 3ALACWDT0HDJD7025 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 5895 Engine hrs, Eaton Fuller EDCO-6F107A 6-Speed Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft 0 in Long Body, Liftgate Usage: 190,116 Mi
794	<b>2018 Freightliner M2 106 Van Truck</b> S/N: 3ALACWFC9JDJH5405 C/W: Long Wide High Usage: 317,910 Mi	802	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDU9HDHT8885 C/W: 6 Cylinder 6.7 L Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11608.7 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme 26 ft Long x 102 in Wide High Body, Liftgate Usage: 260,142 Mi

Lot #	Details	Lot #	Details
803	<b>2017 Freightliner M2 106 Moving Van Truck</b> S/N: 3ALACWDT3HDHV3874 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8433 Engine hrs, Allison 2200 6-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, MultiVans 26 ft 0 in Long x 101 in Wide x 106 in High Body, Liftgate Usage: 274,451 Mi	809	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJB1054 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 342228.7 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corp 26 ft Long x 102 in Wide x 90 in High Body, Curbside Door, Liftgate Usage: 342,228 Mi
804	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4HDJC8375 C/W: Cummins ISB 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8922.7 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 307,444 Mi	810	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT9HDJC8372 C/W: Cummins 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 356875.8 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Liftgate Usage: 356,876 Mi
805	<b>2017 Freightliner M2106 Van Truck</b> S/N: 3ALACWDT4HDJF9531 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8003 Engine hrs, Eaton Fuller EDCO-6F107A 6-Speed Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, 26 ft 0 in Long Body Usage: 308,120 Mi	811	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJC8377 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, 10440 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft Long x 97 in Wide Body, Liftgate Usage: 395,983 Mi
807	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8HDJB7251 C/W: Cummins ISB 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8610.9 Engine hrs, Eaton Fuller EDCO-6F107A Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 327,093 Mi	812	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT3HDHW3939 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11740 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 85 in High Body, Liftgate Usage: 409,921 Mi
808	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7HDJE8152 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 9153.7 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme Corp. 26 ft Long x 102 in Wide x 78 in High Body, Liftgate Usage: 339,711 Mi	813	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXCY2HDHV2654 C/W: Cummins ISL9 8.9 L Ultra Low Sulfur Diesel 270 hp Engine, 2016 US EPA Label, 10668 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 4.78:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 252 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 408,897 Mi



Lot #	Details	Lot #	Details
816	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDTXHHJB4782 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.13:1 Axle Ratio, 26000.0 lb GVWR, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 315,739 Mi	829	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4GDGW6306 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7116 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 238,200 Mi
817	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT7HHJB4786 C/W: Cummins ISB 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10563.9 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 18000 lb Rears, 5.13:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 363,239 Mi	830	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDGW6394 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 25 ft 10 in Long x 102 in Wide x 96 in High Body, Liftgate Usage: 242,802 Mi
818	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDTXHHHX7475 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 280 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15709 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21 Drive Axles, 5.22:1 Axle Ratio, 33000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 285 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 385,920 Mi	831	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT7GDHH2129 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9987 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 25 ft 7 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 261,196 Mi
819A	<b>2017 Freightliner M2 106 4x2 Van Truck</b> S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 280 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5685 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.88:1 Axle Ratio, 33000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase Usage: Not Available	833	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHH2127 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 10560.9 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 87 in High Body, Liftgate Usage: 271,840 Mi
825	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDGW6393 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7100 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 195,786 Mi	834	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 10768.9 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Liftgate Usage: Not Available
827	<b>2016 Freightliner M2 106 Van Truck</b> S/N: 3ALACWDT5GDGY5267 C/W: Cummins ISB 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 25 ft Long x 102 in Wide x 98 in High Body, Liftgate Usage: 213,810 Mi		

Lot #	Details	Lot #	Details
835	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDHH8927 C/W: Cummins 6 Cylinder Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9570 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Supreme Corporation x 102 in Wide Body, Liftgate Usage: 295,002 Mi	842	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT0GHHR8988 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9817 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 216 in Wheelbase, supreme 20 ft 0 in Long x 96 in Wide x 73 in High Body, Front/Rear Vents Usage: 389,018 Mi
837	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5GDHH2128 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10631.9 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Liftgate Usage: 307,922 Mi	844	<b>2016 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACWDT3GDGW6345 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 8620.5 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 56000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, MULTIVANS 26 ft Long x 102 in Wide x 99 in High Body, Liftgate Usage: 266,185 Mi
838	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11636 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit Drive Axles, 5.56:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 216 in Wheelbase Usage: Not Available	846	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT5GDHM3951 C/W: Cummins ISB 6.7 280 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 280 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5379 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Steel, 295/75R22.5, Airliner Air Ride Suspension, 286 in Wheelbase, Supreme 26 ft Long x 95 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 186,612 Mi
839	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHH2130 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11569 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 96 in High Body, Liftgate Usage: 321,764 Mi	847	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8767 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Liftgate Usage: Not Available
840	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT9GHHS5408 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11661 Engine hrs, Exhaust Brake, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.88:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 363,334 Mi	848	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1GDHL4349 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Air Ride Suspension, 252 in Wheelbase, Liftgate Usage: 295,277 Mi

Lot #	Details	Lot #	Details
849	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDTXGDHJ7131 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11061.8 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Detroit DA-RS-17 Drive Axles, 5.22:1 Axle Ratio, 27500 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 369,250 Mi	855	<b>2015 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 1FVACWDT2FHGK4516 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, AMH 26 ft Long x 102 in Wide x 104 in High Body Usage: 211,555 Mi
851	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXFDGL4071 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 4797 Engine hrs, Allison 2200 5-Speed Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 270 in Wheelbase, Morgan 22 ft 0 in Long Body, Liftgate Usage: 109,282 Mi	856	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT5FDGL6424 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6697 Engine hrs, Eaton Fuller FO-5406B 6-Speed Automated Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.22:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 90 in High Body, Curbside Door, Liftgate Usage: 223,618 Mi
852	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1FDGL1575 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4106 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, Detroit DA-RS-17.5 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 266 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 124,280 Mi	857	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT6FHGD8043 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8069 Engine hrs, Allison 2200 Automatic Transmission, 12000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, MultiVans 26 ft Long x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 240,824 Mi
853	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT1FHGR9692 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7066 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 252 in Wheelbase, Supreme 24 ft 0 in Long x 102 in Wide x 97 in High Body, Liftgate Usage: 138,280 Mi	860	<b>2015 Freightliner M2 106 4x2 Moving Van Truck</b> S/N: 3ALACXDT6FDGR2300 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2014 US EPA Label, 12047 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.56:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Hydraulic System, Morgan 24 ft Long x 96 in Wide Body, Liftgate Usage: 316,561 Mi
854	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6FDGA9275 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8049 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.56:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 270 in Wheelbase, MultiVans 26 ft Long x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 180,539 Mi	862	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT2FHGS1129 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14775 Engine hrs, Exhaust Brake, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.13:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 342,018 Mi

Lot #	Details	Lot #	Details
863	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT8FDGD6340 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12718 Engine hrs, Allison 2500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.56:1 Axle Ratio, 33000.0 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 92 in High Body, Curbside Door, Liftgate Usage: 352,517 Mi	873	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT7EDFV6773 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Liftgate Usage: 215,432 Mi
865	<b>2015 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 1FVACWDT4FHGD6209 C/W: Cummins 6 Cylinder 6.7 L Diesel 210 hp Engine, 2014 US EPA Label, 295/75R22.5, Air Ride Suspension, 266 in Wheelbase, 26 ft Long x 103 in Wide Body, Liftgate Usage: 285,766 Mi	874	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT3EHFS6321 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8168 Engine hrs, Allison 2200 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, Detroit DA-RS-19.0-4 Drive Axles, 5.88:1 Axle Ratio, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 88 in High Body, Liftgate Usage: 265,168 Mi
867	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACXDT5FDGT5540 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 8025 Engine hrs, Eaton Fuller FS-6406A 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 4.10:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Left front, left rear outer only, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 252 in Wheelbase, 24 ft 0 in Long Body, Liftgate Usage: 244,864 Mi	877	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT2EHFL5432 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 11086 Engine hrs, Allison 3000 Automatic Transmission, 8000 lb Front Axle, 18000 lb Rears, Detroit DA-RS-19 Drive Axles, 5.88:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 234 in Wheelbase, Morgan 22 ft Long x 102 in Wide x 91 in High Body, Liftgate Usage: 369,456 Mi
868	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACXDT7FDGM6989 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 10721 Engine hrs, 6-Speed Manual Transmission, Differential Lock, 33000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft 0 in Long Body, Liftgate Usage: 247,481 Mi	880	<b>2014 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACXDT2EDFN8401 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 10871 Engine hrs, Allison 2500 5-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, Detroit DA-RS-21.0-4 Drive Axles, 5.88:1 Axle Ratio, 33000 lb GVWR, Aluminum Outer Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 252 in Wheelbase, Morgan 22 ft 0 in Long Body, Liftgate Usage: 276,120 Mi
869	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4FDGA9291 C/W: Long Wide High Usage: 270,561 Mi	883	<b>2013 Freightliner M2106 4x2 Moving Van Truck</b> S/N: 1FVACWDUXDHFB4461 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 18000 lb Rears, Dana Drive Axles, 5.13:1 Axle Ratio, 26000 lb GVWR, Airliner II Air Ride Suspension, 270 in Wheelbase, Morgan 24 ft Long x 96 in Wide Body, Liftgate Usage: 467,740 Mi
870	<b>2015 Freightliner 4x2 Van Truck</b> S/N: 3ALACWDT4FDGP9894 C/W: Long Wide High Usage: 416,352 Mi		
871	<b>2015 Freightliner M2106 4x2 Van Truck</b> S/N: 3ALACWDTXFDGE5681 C/W: Cummins ISB 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8444.8 Engine hrs, Cruise Control, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 5.22:1 Axle Ratio, 27600 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 278 in Wheelbase, Liftgate Usage: 302,181 Mi		

Lot #	Details	Lot #	Details
884	<b>2012 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXDTXCDBE8858 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, Allison 3500 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.08:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Spring Suspension, 248 in Wheelbase, PTO, Hydraulic System, Shred -Tech Corporation 2021 ft 6.5 in Long x 96 in Wide x 99 in High Body, Curbside Door, Cummins ISB 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Air Conditioner, Cruise Control, Power Windows, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.88:1 Axle Ratio, 33000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 248 in Wheelbase, PTO, 21 ft Body Usage: Not Available	889	<b>2019 International Durastar 4300 4x2 Moving Van Truck</b> S/N: 1HTMMMML4KH509212 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 3202 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Morgan 23 ft Long x 102 in Wide x 96 in High Body, Ball Hitch Usage: 141,181 Mi
885	<b>2010 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDT5ADAP8651 C/W: 6.7 L Diesel 240 hp Engine, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, Meritor RS-21-145 Drive Axles, 5.57:1 Axle Ratio, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 226 in Wheelbase, Morgan 18 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 253,531 Mi	890	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMMMLXJH057085 C/W: 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 25 ft Long x 98 in Wide x 104 in High Body, Liftgate Usage: 136,869 Mi
886	<b>2020 International MV607 4x2 Moving Van Truck</b> S/N: 3HAEUMML4LL865434 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6374 Engine hrs, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide Body, Liftgate Usage: 272,508 Mi	891	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML7JH445844 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Hydraulic System, Morgan 25 ft 11 in Long x 97 in High Body, Liftgate Usage: 227,469 Mi
887	<b>2020 International MV607 4x2 Moving Van Truck</b> S/N: 1HTEUMML4LH076125 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 7064 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, supreme corporation 26 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 314,206 Mi	892	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMMML1JH543865 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 6439 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme Corp 26 ft Long x 102 in Wide x 96 in High Body, Curbside Door, Liftgate Usage: 228,117 Mi
888	<b>2019 International Durastar 4300 4x2 Moving Van Truck</b> S/N: 1HTMMMML6KH511060 C/W: Cummins 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 3558 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Morgan 22 ft 3 in Long x 96 in Wide x 96 in High Body, ball Usage: 159,016 Mi	893	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMMML9JH324572 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7016 Engine hrs, Eaton Fuller Precision Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 256 in Wheelbase, Supreme Corp. 24 ft Long x 96 in Wide x 96 in High Body Usage: 283,007 Mi

Lot #	Details	Lot #	Details
894	<b>2018 International 4300 4x2 Moving Van Truck</b> S/N: 1HTMMMML4JH057079 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7728 Engine hrs, Automated Transmission, 10000 lb Front Axle, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 272 in Wheelbase, Morgan plate 25 ft 4 in Long x 98 in Wide x 104 in High Body, Liftgate Usage: 284,796 Mi	901	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML8JL589882 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 2017 US EPA Label, 7594 Engine hrs, Allison Automatic Transmission, 6506 lb Front Axle, 4001 lb Rears, 10534 lb GVWR, 11R22.5, Spring Suspension, 273 in Wheelbase, Liftgate Usage: 235,401 Mi
895	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMMMN6JH589807 C/W: Cummins B6.7 240 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 3181 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, supreme 26 ft 0 in Long x 102 in Wide x 97 in High Body Usage: 297,740 Mi	903	<b>2017 International 4300 SBA 4x2 Moving Van Truck</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 274 in Wheelbase, Supreme 26 ft Long x 102 in Wide Body, Liftgate Usage: Not Available
896	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMMN0JH712369 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 7388 Engine hrs, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 304,718 Mi	904	<b>2017 International 4300 4x2 Van Truck</b> S/N: 3HAMMMML9HL459412 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 5693 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 102 in High Body, Ball Hitch Usage: 230,650 Mi
897	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML7JH425030 C/W: Cummins B6.7 220 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15480 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft 0 in Long x 102 in Wide x 97 in High Body, Liftgate Usage: 317,564 Mi	905	<b>2017 International 4300 4x2 Van Truck</b> S/N: 3HAMMMML5HL478135 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 7481 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 255 in Wheelbase, Supreme 24 ft Long x 102 in Wide x 91 in High Body, Liftgate Usage: 239,481 Mi
898	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMMML9JH096282 C/W: Long Wide High Usage: 187,451 Mi	906	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML2HH648408 C/W: Cummins ISB 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6330 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, Transglobal x 102 in Wide x 97 in High Body, Liftgate Usage: 125,907 Mi
900	<b>2018 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML5JL448171 C/W: 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5197 Engine hrs, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, Morgan 26 ft Long x 106 in Wide High Body, Ball Hitch Usage: 209,964 Mi	907	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML6HH638786 C/W: Long Wide High Usage: 235,311 Mi
		908	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMML1HH635424 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 kW Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8971 Engine hrs, Automatic Transmission, 10000 kg Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 255 in Wheelbase, Mickey Truck Bodies 26 ft Long x 103 in Wide x 108 in High Body, Liftgate Usage: 279,948 Mi

Lot #	Details	Lot #	Details
909B	<b>2017 International 4300 4x2 Van Truck</b> S/N: 1HTMMMMN0HH693784 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8272 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 278,435 Mi	914	<b>2015 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML3FL061254 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 7241 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide Body, Liftgate Usage: 223,734 Mi
909A	<b>2017 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMMMN9HH693587 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6818 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000.0 lb GVWR, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 169,435 Mi	916	<b>2015 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML6FL507610 C/W: 6 Cylinder 6.7 L Diesel 220 kW Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10160 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 247,859 Mi
909	<b>2017 International 4300 4x2 Moving Van Truck</b> S/N: 3HAMMMML4HL459785 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 220 hp Engine, 2016 US EPA Label, 6264 Engine hrs, Allison 2000 5-Speed Automatic Transmission, 6713 lb Front Axle, 4048 lb Rears, 11R22.5, Spring Suspension, Morgan 25 ft 8 in Long x 318 in Wide x 96 in High Body, Mezzanine Floor, Liftgate Usage: 268,220 Mi	917	<b>2015 International 4300 SBA LP 4x2 Van Truck</b> S/N: 1HTMNAAL7FH637921 C/W: International MaxxFord DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 230 hp Engine, 2014 US EPA Label, CARB Compliant, 9402 Engine hrs, Allison Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 255 in Wheelbase, Utilimaster 24 ft 0 in Long x 96 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 252,486 Mi
910	<b>2016 International 4300 4x2 Van Truck</b> S/N: 1HTMMMML0GH080738 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6516 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 91 in High Body, Curbside Door, Liftgate Usage: 181,123 Mi	918	<b>2015 International 4300 SBA 4x2 Moving Van Truck</b> S/N: 3HAMMMML3FL596374 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 11461 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 272 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 428,912 Mi
912	<b>2015 International 4300 SBA Van Truck</b> S/N: 3HAMMMMM1FL533265 C/W: Long Wide High Usage: 112,676 Mi	919	<b>2015 International 4300 SBA 4x2 Moving Van Truck</b> S/N: 1HTMMMMM4FH724264 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8635 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, supreme corporation 26 ft Long x 102 in Wide x 96 in High Body, Liftgate Usage: 300,221 Mi
913	<b>2015 International 4300 SBA 4x2 Van Truck</b> S/N: 3HAMMMML9FL507729 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 8951 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 103 in High Body, Liftgate Usage: 202,249 Mi	920	<b>2015 International 4300 4x2 Van Truck</b> S/N: 1HTMNAAL9FH739320 C/W: International 6 Cylinder Diesel Engine, 8056 Engine hrs, Allison Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, 24 ft Long x 96 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 144,298 Mi

Lot #	Details	Lot #	Details
922	<b>2015 International 4300 4x2 Van Truck</b> S/N: Not Available C/W: International 6 Cylinder Diesel Engine, 8861 Engine hrs, Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, Liftgate Usage: Not Available	930	<b>2005 Kenworth T300 4x2 Van Truck</b> S/N: 2NKMHY6H85M102967 C/W: Cummins 6 Cylinder Diesel Engine, Automated Transmission, 8000 lb Front Axle, 17000 lb Rears, 25000 lb GVWR, 245/70R19.5, Spring Suspension, 188 in Wheelbase, Morgan 16 ft Long x 96 in Wide x 91 in High Body Usage: 316,853 Mi
923	<b>2014 International 4300 4x2 Van Truck</b> S/N: 3HAMMAAL2EL765236 C/W: Navistar 6 Cylinder Ultra Low Sulfur Diesel Engine, 2013 US EPA Label, 11495 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 255 in Wheelbase, 26 ft Long x 102 in Wide x 96 in High Body, Liftgate Usage: 282,285 Mi	932	<b>2006 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDCX6HV64739 C/W: 6 Cylinder 7.2 L Diesel 250 hp Engine, 2005 US EPA Label, 11799 Engine hrs, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, Meritor MFS-10-143A Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 270 in Wheelbase, Morgan 23 ft 6 in Long x 96 in Wide x 98 in High Body, Curbside Door, Liftgate Usage: 356,503 Mi
925	<b>2014 International 4300 4x2 Van Truck</b> S/N: 1HTMMAAL7EH777369 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 9083 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 272 in Wheelbase, Liftgate Usage: 340,112 Mi	933	<b>2006 Freightliner M2106 6x4 Moving Van Truck</b> S/N: 1FVHCYDC26HW44174 C/W: Cat C7 6 Cylinder Ultra Low Sulfur Diesel 275 hp Engine, 11970.3 Engine hrs, Allison 3500 Automatic Transmission, 14780 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.56:1 Axle Ratio, 60780 lb GVWR, Air Ride Cab, 12R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 234 in Wheelbase, Morgan 22 ft Long x 96 in Wide x 103 in High Body Usage: 115,089 Mi
926	<b>2010 International 4300 SBA 4x2 Moving Van Truck</b> S/N: 1HTMMAAL6AH162242 C/W: International Ultra Low Sulfur Diesel Engine, US EPA Label, 10000 lb Front Axle, 17500 lb Rears, 25999.0 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Goodyear Air Ride Suspension, 254 in Wheelbase, 21 ft 11 in Long x 102 in Wide x 103 in High Body, Liftgate Usage: 265,876 Mi	934	<b>2006 International 4300 SBA 4x2 Van Truck</b> S/N: 1HTMMAAL56H267832 C/W: International 6 Cylinder Ultra Low Sulfur Diesel Engine, Diagnostic Tool Reading 351968 mi, 748471 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 260 in Wheelbase, Morgan 26 ft 6 in Long x 96 in Wide x 108 in High Body, Liftgate Usage: Not Available
927	<b>2010 International 4300 4x2 Van Truck</b> S/N: 1HTMMAAN3AH286874 C/W: International MaxxFord DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 225 hp Engine, 2009 US EPA Label, 11947 Engine hrs, 7-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 217 in Wheelbase, 22 ft 0 in Long Body, Liftgate, Air Brakes, Van-Air PTO Drive Air Compressor Usage: 153,082 Mi	936	<b>1995 International 4000 4x2 Van Truck</b> S/N: 1HTSCAAMXSH698017 C/W: International DT466 6 Cylinder 466 cid Diesel 190 hp Engine, 1995 US EPA Label, CARB Compliant, Spicer 5-Speed Manual Transmission, 295/75R22.5, Spring Suspension, 206 in Wheelbase, Supreme 18 ft 0 in Long x 96 in Wide x 77 in High Body, Curbside Door Usage: 184,334 Mi
928	<b>2013 Ford F-750 XL 4x2 Van Truck</b> S/N: 3FRNF7FA9DV035083 C/W: Long Wide High Usage: 221,794 Mi	937	<b>2007 Isuzu HTR 4x2 Van Truck</b> S/N: 4GTJ6C1357F700065 C/W: Diesel Engine, Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 261 in Wheelbase, American Body Company 269 ft Long x 96 in Wide Body, Liftgate Usage: 215,800 Mi
929	<b>2013 Ford F-750 XL 4x2 Van Truck</b> S/N: 3FRNF7FA6DV035591 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 282 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 97 in High Body Usage: 158,024 Mi		



Lot #	Details	Lot #	Details
938	<b>2005 Hino 145 4x2 Van Truck</b> S/N: JHBNA6JM351S10026 C/W: Hino J05D-TA 4 Cylinder 289 cid Diesel 175 hp Engine, 2004 US EPA Label, CARB Compliant, Automatic Transmission, 2430 kg Front Axle, 4480 kg Rears, 6370 kg GVWR, 215 /85R16, Spring Suspension, 202 in Wheelbase, Supreme 18 ft 0 in Long x 96 in Wide x 83 in High Body, Curbside Door Usage: 221,711 Mi	944	<b>2016 Isuzu NRR 4x2 COE Van Truck</b> S/N: JALE5W164G7300380 C/W: 4 Cylinder 5.2 L Diesel Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 183 in Wheelbase, Supreme 18 ft Long x 91 in Wide x 94 in High Body, Liftgate Usage: 91,505 Mi
939	<b>2017 Hino 195 4x2 COE Van Truck</b> S/N: JHHGDM2HXHK001103 C/W: Hino J053-TP 4 Cylinder 313 cid Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 7270 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 160 in Wheelbase, Morgan 18 ft Long x 96 in Wide x 91 in High Body Usage: 110,057 Mi	945	<b>2019 Isuzu NPR 4x2 COE Van Truck</b> S/N: JALC4W16XK7009420 C/W: Isuzu 4HK1TC 317 cid Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 4890 Engine hrs, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/85R16, Spring Suspension, 150 in Wheelbase, Supreme 16 ft Long x 102 in Wide x 85 in High Body Usage: 212,060 Mi
940	<b>2017 Hino 195 4x2 COE Van Truck</b> S/N: JHHGDM2H9HK001108 C/W: Hino J05E-TP 4 Cylinder 313 cid Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 7270 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 160 in Wheelbase, Morgan 18 ft Long x 96 in Wide x 91 in High Body Usage: 153,255 Mi	946	<b>2018 Isuzu NPR EFI 4x2 COE Moving Van Truck</b> S/N: 54DC4W1B1JS809979 C/W: Vortec V8 6.0 L Gasoline Engine, 2018 US EPA Label, 6-Speed Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 152 in Wheelbase, Morgan 16 ft 0 in Long Body, Liftgate Usage: 152,781 Mi
941	<b>2014 Hino 195 4x2 COE Van Truck</b> S/N: JHHRDM2H1EK001771 C/W: Hino J05E-TP 6 Cylinder 313 cid Diesel 210 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Morgan 16 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 277,700 Mi	947	<b>2017 Isuzu NPR 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DC4W1B4HS802163 C/W: V8 5.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 18 ft Long x 96 in Wide x 102 in High Body Usage: 55,812 Mi
942	<b>2017 Hino 155 4x2 COE Moving Van Truck</b> S/N: JHHYDM1H5HK003752 C/W: Hino 4 Cylinder 5.1 L Diesel 210 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5950 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215/75R17.5, Spring Suspension, 164 in Wheelbase, Morgan 16 ft Long x 96 in Wide Body Usage: 197,185 Mi	948	<b>2016 Isuzu NPR 4x2 Mobile Showroom Van Truck</b> S/N: 54DC4W1B0GS808962 C/W: Isuzu V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 20500 lb GVWR, 225 /70R19.5, Spring Suspension, 176 in Wheelbase, 17 ft 8 in Long x 97 in Wide x 100 in High Body Usage: 80,465 Mi
943	<b>2016 Hino 155 4x2 COE Van Truck</b> S/N: JHHYDM1H6GK003242 C/W: Hino J05E-TP 4 Cylinder 313 cid Ultra Low Sulfur Diesel 210 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7200 Engine hrs, 5950 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215 /75R17.5 Front Tires, 215/75R17.5 Rear Tires, Hino Spring Suspension, 148 in Wheelbase, Supreme 18 ft 0 in Long Body Usage: 230,408 Mi	949	<b>2016 Isuzu NPR 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DC4W1C2GS811936 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 18 ft Long x 96 in Wide x 102 in High Body Usage: 72,215 Mi

Lot #	Details	Lot #	Details
950	<b>2014 Isuzu NPR 4x2 COE Van Truck</b> S/N: 54DC4W1B9ES802848 C/W: V8 6.0 L Gasoline Engine, 2014 US EPA Label, CARB Compliant, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, 225/70R19.5, Spring Suspension, 150 in Wheelbase, Liftgate Usage: 189,661 Mi	956	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: Not Available C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase Usage: Not Available
951	<b>2012 Isuzu NQR 4x2 COE Moving Van Truck</b> S/N: JALE5W160C7901473 C/W: 4 Cylinder Ultra Low Sulfur Diesel Engine, 2011 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7146 Engine hrs, 5-Speed Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 155 in Wheelbase, Morgan 16 ft 0 in Long Body Usage: 134,215 Mi	957	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: Not Available C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, Cummins Onan Generator 4424 Hours Usage: Not Available
952	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DCDW1B3GS812178 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 18 ft Long x 96 in Wide x 102 in High Body Usage: 76,168 Mi	958	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobil show room Van Truck</b> S/N: 54DCDW1B5GS811999 C/W: GM V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 225 /70R19.5, Spring Suspension, 176 in Wheelbase Usage: 70,604 Mi
953	<b>2016 Chevrolet 4500 LCF Mobile Showroom Van Truck</b> S/N: 54DCDW1B4GS812156 C/W: V8 6.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, Cummins Onan Gen Set 5199 Hours Usage: 51,452 Mi	959	<b>2006 Ford LCF550 4x2 COE Dry Freight Van Truck</b> S/N: 3FRML55Z36V316248 C/W: Long Wide High Usage: 101,166 Mi
954	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DCDW1B6GS812479 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 18 ft Long x 96 in Wide x 102 in High Body Usage: 67,972 Mi	960	<b>2006 GMC W5500 4x2 COE Dry Freight Van Truck</b> S/N: Not Available C/W: Isuzu 4HK1TC 4 Cylinder 317 cid Diesel 190 hp Engine, 2005 US EPA Label, CARB Compliant, Automatic Transmission, 6830 lb Front Axle, 12980 lb Rears, 17950 lb GVWR, 225 /70R19.5, Spring Suspension, 175 in Wheelbase, Pintle Hitch Usage: Not Available
955	<b>2016 Chevrolet 4500 LCF 4x2 COE Mobile Showroom Van Truck</b> S/N: 54DCDW1B1GS811997 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 6630 lb Front Axle, 11020 lb Rears, 14500 lb GVWR, Aluminum Wheels, 225/70R19.5, Spring Suspension, 180 in Wheelbase, 18 ft Long x 96 in Wide x 102 in High Body, Cummins Onan Gen Set 1018 Hour meter Usage: 64,273 Mi	961	<b>2006 GMC 4500 4x2 COE Moving Van Truck</b> S/N: Not Available C/W: Isuzu 4HK1TC 4 Cylinder 316 cid Ultra Low Sulfur Diesel 190 hp Engine, 2015 US EPA Label, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14500 lb GVWR, 215 /85R16, Spring Suspension, 151 in Wheelbase Usage: Not Available
		962	<b>2007 Mitsubishi FE84D 4x2 COE Van Truck</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine, 2006 US EPA Label, Exhaust Brake, Automatic Transmission, 5360 lb Front Axle, 9880 lb Rears, 14050 lb GVWR, 215/85R16, Spring Suspension, 151 in Wheelbase, Liftgate Usage: Not Available

Lot #	Details	Lot #	Details
963	<b>2015 Ford F-550 XL 4x2 Van Truck</b> S/N: 1FDUF5GY5FEB32249 C/W: Ford V8 6.8 L Gasoline Engine, 2015 US EPA Label, CARB Compliant, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5, Spring Suspension, 206 in Wheelbase, Supreme 16 ft 0 in Long x 96 in Wide x 79 in High Body Usage: 78,469 Mi	973A	<b>2018 GMC Savana 1500 4x2 Cargo Van</b> S/N: 7GZ37TCG7JN901599 C/W: Long Wide High Usage: 135,584 Mi
964	<b>2019 GMC G3500 4x2 Moving Van Truck</b> S/N: 7GZ37TCG8KN002977 C/W: V8 6.0 L Gasoline 342 hp Engine, 2019 US EPA Label, 6-Speed Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, Spring Suspension, Supreme 16 ft Long x 96 in Wide x 83 in High Body Usage: 91,855 Mi	973	<b>2018 GMC G3500 Van Truck</b> S/N: 7GZ37TCG5JN901567 C/W: GM V8 6.0 L Gasoline Engine, 2018 US EPA Label, GM Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16, Spring Suspension, 117 in Wheelbase, supreme corporation 17 ft Long x 96 in Wide x 78 in High Body, ball hitch Usage: 122,770 Mi
965	<b>2019 GMC G3500 4x2 Van Truck</b> S/N: 7GZ37TCGXKN007632 C/W: GMC V8 6.0 L Gasoline Engine, 2019 US EPA Label, Manual Transmission, 4300 lb Front Axle, 8600 lb Rears, 225R75-16, Spring Suspension, 180 in Wheelbase, Morgan 16 ft 2 in Long x 95 in Wide x 72 in High Body, Ball Hitch Usage: 111,947 Mi	974	<b>2017 GMC G3500 4x2 Van Truck</b> S/N: 7GZ37TCG2HN005351 C/W: Votrec 6000 V8 6.0 L Gasoline Engine, 2017 US EPA Label, CARB Compliant, 3235 Engine hrs, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, 180 in Wheelbase, Bay Bridge 17 ft 0 in Long Body Usage: 122,574 Mi
966	<b>2019 GMC G3500 4x2 Van Truck</b> S/N: 7GZ37TCG0KN008708 C/W: V8 6.0 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, 12300 lb GVWR, Spring Suspension, 178 in Wheelbase, Morgan 16 ft 2 in Long x 95 in Wide x 72 in High Body, Ball Hitch Usage: 112,833 Mi	975	<b>2017 GMC G3500 4x2 Moving Van Truck</b> S/N: 1HA37TCG3HN001110 C/W: Vortec V8 6.0 L Gasoline Engine, 2017 US EPA Label, CARB Compliant, 4085 Engine hrs, 6-Speed Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 178 in Wheelbase, Bay Bridge 16 ft 0 in Long Body Usage: 132,363 Mi
967	<b>2019 GMC G3500 4x2 Moving Van Truck</b> S/N: 7GZ37TCG1KN007454 C/W: Vortec V8 6.0 L Engine, 2019 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 178 in Wheelbase, supreme 16 ft Long x 96 in Wide x 92 in High Body Usage: 175,892 Mi	976	<b>2017 GMC G3500 4x2 Moving Van Truck</b> S/N: 7GZ37TCG5HN005439 C/W: Vortec V8 6.0 L Gasoline Engine, 2017 US EPA Label, CARB Compliant, 3747 Engine hrs, 6-Speed Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 178 in Wheelbase, Bay Bridge 16 ft 0 in Long Body Usage: 147,646 Mi
969	<b>2018 GMC G3500 4x2 Moving Van Truck</b> S/N: 7GZ37TCG7JN901456 C/W: Vortec V8 6.0 L Gasoline Engine, 2018 US EPA Label, CARB Compliant, 3901 Engine hrs, 6-Speed Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 178 in Wheelbase, 16 ft 0 in Long Body Usage: 114,352 Mi	977A	<b>2011 Ford E350 Cargo Van</b> S/N: 1FDWE3FLXBDA95706 C/W: V8 5.4 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, 4600 lb Front Axle, 8500 lb Rears, 12500 lb GVWR, 225/75R16, Spring Suspension, 178 in Wheelbase, Liftgate Usage: 164,238 Mi
970	<b>2018 GMC Savana G3500 4x2 Van Truck</b> S/N: 1GD07RFPXJ1223609 C/W: Long Wide High Usage: 156,609 Mi	982	<b>2001 GMC Savana 3500 4x2 Moving Van Truck</b> S/N: 1GDJG31R511217386 C/W: GM V8 5.7 L Gasoline Engine, 2001 US EPA Label, Automatic Transmission, 4300 lb Front Axle, 8600 lb Rears, 12000 lb GVWR, 225/75R16, Spring Suspension, 176 in Wheelbase, Supreme 16 ft Long x 95 in Wide x 78 in High Body, Ball hitch Usage: 136,690 Mi
972	<b>2018 GMC Savana G3500 4x2 Van Truck</b> S/N: 1GD07RFP7J1219680 C/W: Long Wide High Usage: 195,772 Mi	983	<b>1997 Chevrolet C3500 4x2 Van Truck</b> S/N: 1GBKC34J4VJ110446 C/W: GM vortex V8 Gasoline Engine, Automatic Transmission, 225/70R19.5, Spring Suspension, 160 in Wheelbase, Willard 10 m Long x 8 in Wide x 60 in High Body Usage: 79,466 Mi

Lot #	Details	Lot #	Details
985	<b>2015 Freightliner MT45 4x2 Step Van</b> S/N: 4UZAAPDU4FCGB7829 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 208425 mi, Allison 1000 Transmission, 7000 lb Front Axle, 12000 lb Rears, 4.10:1 Axle Ratio, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase, 18 ft 3 in Long x 96 in Wide x 84 in High Body Usage: 208,562 Mi	991	<b>1997 Freightliner MT45 4x2 Step Van</b> S/N: 4UZA4FF48VC792521 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 10000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 159 in Wheelbase, Utilimaster 14 ft Long x 91 in Wide x 75 in High Body, Curbside Door, Liftgate Usage: 291,940 Mi
986	<b>2015 Freightliner MT45 4x2 Step Van</b> S/N: Not Available C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 15076 Engine hrs, Allison 1000 Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 4.10:1 Axle Ratio, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase Usage: Not Available	992	<b>2014 Freightliner M2 106 4x2 Beverage Truck</b> S/N: 1FVACXDT6EHFN9349 C/W: 6 Cylinder Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 230 in Wheelbase, 20 ft Body Usage: 348,756 Mi
987	<b>2015 Freightliner MT45 4x2 Step Van</b> S/N: 4UZAAPDU2FCGB7828 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2014 US EPA Label, 10658 Engine hrs, Allison 1000 Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 4.10:1 Axle Ratio, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase, 18 ft Long x 95 in Wide x 84 in High Body Usage: 212,340 Mi	994	<b>2010 Peterbilt 388 8x4 Heavy Haul Tri/A Day Cab Truck Tractor</b> S/N: 1XPWP4EXXAD106712 C/W: 6 Cylinder 15 L Diesel 550 hp Engine, 2009 US EPA Label, 2134.1 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 1430 lb Front Axle, 66000 lb Rears, 74600 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Tag Axle, Air Ride Suspension, 258 in Wheelbase, PTO, Wet Kit, Hydraulic System, Double Frame, Air Sliding 5th Wheel Usage: 743,916 Mi
988	<b>2015 Freightliner MT45 4x2 Step Van</b> S/N: 4UZAAPDU0FCGB7830 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2014 US EPA Label, 11448 Engine hrs, Allison 1000 Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 4.1:1 Axle Ratio, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase, 18 ft Long x 95 in Wide x 84 in High Body Usage: 213,654 Mi	995	<b>2013 Cat CT660L SBA 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1HSJKTLT4DJ328888 C/W: 6 Cylinder Diesel Engine, 2012 US EPA Label, 8208 Engine hrs, Engine Brake, 18-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, Meritor Drive Axles, 66000 lb GVWR, Air Ride Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Headache Rack Usage: 222,002 Mi
989	<b>2015 Freightliner MT45 4x2 COE Step Van</b> S/N: 4UZAAPDU0FCGB7827 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2014 US EPA Label, 15448 Engine hrs, Allison 1000 Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 4.10:1 Axle Ratio, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 190 in Wheelbase, 18 ft Long x 96 in Wide Body Usage: 217,869 Mi	997	<b>2003 Peterbilt 379 6x4 Tri/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Cat C15 6 Cylinder 14.6 L Diesel 475 hp Engine, Engine Brake, Manual Transmission, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Lift Pusher Axle, Low Air Leaf Air Ride Suspension, 272 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: Not Available
990	<b>2015 Freightliner MT45 4x2 Step Van</b> S/N: 4UZAAPDU9FCGB7826 C/W: Cummins 6 Cylinder Diesel Engine, Allison 1000 Automatic Transmission, 8000 lb Front Axle, 13000 lb Rears, 19000 lb GVWR, 225/70 R19.5, Spring Suspension, 190 in Wheelbase, 18 ft Long x 94 in Wide x 84 in High Body Usage: 189,001 Mi		

Lot #	Details	Lot #	Details
998	<b>2005 Mack CV713 Granite 8x4 Heavy Haul Tri /A Day Cab Truck Tractor</b> S/N: 1M1AG11Y65M021879 C/W: Mack 6 Cylinder Diesel Engine, 17204.4 Engine hrs, Engine Brake, Allison 6-Speed Transmission, 14300 lb Front Axle, 46000 lb Rears, Mack Drive Axles, 60300 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Hendrickson Rubber over Walking Beam Suspension, 214 in Wheelbase, PTO, Wet Kit, Double Frame, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 466,402 Mi	1002	<b>2015 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDD49XXFJ447066 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16338 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, Spicer DSP41P Drive Axles, 3.70:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airglide 8-Bag Air Ride Suspension, 199 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 592,953 Mi
999	<b>2023 Kenworth W900 6x4 Heavy Haul T/A Day Cab Truck Tractor</b> S/N: 1XKWD40X7PR167002 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 605 hp Engine, 2022 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 2877 Engine hrs, Engine Brake, Eaton Fuller RTLO-20918B Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, Dana D46-172H Drive Axles, 3.91:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Neway Air Ride Suspension, 251 in Wheelbase, PTO, Wet Kit, Double Frame, Dual Fuel Tanks Usage: 93,684 Mi	1005	<b>2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDDP9X8DR346351 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 485 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 7123 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B Manual Transmission, 14320 lb Front Axle, 40000 lb Rears, Spicer DSH40P Drive Axles, 4.33:1 Axle Ratio, 54320.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 198 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 122,896 Mi
1000	<b>2017 Kenworth T880 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKZDP9X0HJ153380 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X4 Drive Axles, 3.36:1 Axle Ratio, 52350 lb GVWR, Aluminum Wheels, 11R22.5, Paccar Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 390,342 Mi	1006	<b>2017 Peterbilt 377 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7717 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 207 in Wheelbase, Wet Kit Usage: Not Available
1001	<b>2017 Kenworth T880 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKZDP9X6HJ153383 C/W: 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 510 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller F016E310C-LAS ULT Automated Transmission, Meritor MP-40-14X4 Drive Axles, 3.36:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 465,166 Mi	1007	<b>2016 Peterbilt 367 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPTD40X6GD319605 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16740 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Automated Transmission, 13200 lb Front Axle, 46000 lb Rears, 59200 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 211 in Wheelbase, Double Frame, Dual Fuel Tanks, Full Lockers Usage: 309,889 Mi

Lot #	Details	Lot #	Details
1009	<b>2014 Mack GU713 Granite T/A Day Cab Truck Tractor</b> S/N: 1M1AX07Y6EM019809 C/W: Mack MP8 6 Cylinder 12.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 14320 lb Front Axle, 44000 lb Rears, 58320 lb GVWR, Aluminum Wheels, 11R24.5, Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 605,778 Mi	1014	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X8KJ281532 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 671 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airglide Air Ride Suspension, 175 in Wheelbase Usage: 459,401 Mi
1010	<b>2015 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y2FM020608 C/W: Mack MP8 5 Cylinder 12.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18779 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 46000 lb Rears, 60320 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 596,476 Mi	1015	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X0KJ281492 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airglide Air Ride Suspension, 175 in Wheelbase Usage: 459,556 Mi
1011	<b>2023 Peterbilt 579 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPBD49X4PD799769 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2022 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 134 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, 52500 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 187 in Wheelbase, Air Sliding 5th Wheel Usage: 3,906 Mi	1016	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9XXKJ281497 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airglide Air Ride Suspension, 176 in Wheelbase Usage: 459,935 Mi
1012	<b>2016 Peterbilt 579 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPBD49X7GD360632 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12412 Engine hrs, Engine Brake, Automated Transmission, Double Differential Locks, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,316 Mi	1017	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 445 /50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension, 172 in Wheelbase Usage: Not Available
1013	<b>2014 Peterbilt 384 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPVD79XXED218979 C/W: Cummins ISX12 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, CARB Compliant, 9881 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 37998 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Leaf Air Ride Suspension, 190 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 372,504 Mi	1018	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: 6 Cylinder 12.9 L Ultra Low Sulfur Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10646 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension, 176 in Wheelbase Usage: Not Available

Lot #	Details	Lot #	Details
1019	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 264 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11047 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MY40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension, 172 in Wheelbase Usage: Not Available	1025	<b>2019 Kenworth T680 6x4 Tri/A Dump Truck</b> S/N: 1XKYDP9X3KJ281521 C/W: Paccar 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 506890 mi, 10949 Engine hrs, Paccar Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 176 in Wheelbase Usage: 502,435 Mi
1020	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X1KJ281517 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11048 Engine hrs, Paccar Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension, 266 in Wheelbase Usage: 502,582 Mi	1026	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Paccar 6 Cylinder 12.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 11185.1 Engine hrs, Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Paccar Air Ride Suspension Usage: Not Available
1021	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X1KJ281498 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airglide Air Ride Suspension, 174 in Wheelbase Usage: 506,581 Mi	1027	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X6KJ281514 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airglide Air Ride Suspension, 175 in Wheelbase Usage: 539,407 Mi
1022	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X3KJ281518 C/W: Paccar 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 506890 mi, 10949 Engine hrs, Paccar Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel Usage: 506,906 Mi	1028	<b>2016 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYAP8X6GJ473503 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, Eaton Fuller F016E310C-Las Ult Automated Transmission, Differential Lock, 12000 lb Front Axle, 24000 lb Rears, Dana ECONOTREK S21-190 Drive Axles, 3.21:1 Axle Ratio, 46000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 170 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 618,831 Mi
1024	<b>2019 Kenworth T680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYDP9X4KJ281513 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 12190 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14X3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 176 in Wheelbase Usage: 571,208 Mi	1030	<b>2014 Kenworth T-680 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Cummins 6 Cylinder 15 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 198 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
1031	<b>2013 Kenworth T660 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKAD49XXDJ354581 C/W: Cummins ISX15 6 Cylinder 14.9 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 8-Bag Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1036	<b>2012 Mack CXU613 Pinnacle 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y1CM022785 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 395 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 23587 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension Usage: 531,908 Mi
1032	<b>2013 Kenworth T660 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKAD49X4DJ354589 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 11841 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer DSP41 Drive Axles, 2.64:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 8-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 318,672 Mi	1038	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV1LLLL6630 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12093 Engine hrs, Engine Brake, Detroit DT12-1650-OH1-HD OVERDRIVE 12-Speed Automated Transmission, Triple Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 5000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 492,360 Mi
1033	<b>2013 Kenworth T660 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKAD49X2DJ354588 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 13326 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Spicer DSP41 Drive Axles, 2.64:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5, 8-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 352,170 Mi	1039	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV3LLLL6631 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13882 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 600,478 Mi
1034	<b>2016 Western Star 4700 SBA 6x4 T/A Day Cab Truck Tractor</b> S/N: 5KJJAXDVXGPH9514 C/W: 6 Cylinder 12.8 L Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 232310 mi, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 16,996 Mi	1040	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV7LLLL6633 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 8274 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD over drive 12-Speed Automated Transmission, Triple Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 611,530 Mi
1035	<b>2015 Mack CXU 613 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: 6 Cylinder 10.8 L Diesel 405 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 223 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Auto Lube Usage: Not Available		



Lot #	Details	Lot #	Details
1041	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV2LLLL6636 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16707 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 730,807 Mi	1045	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV9KSKG0878 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 14422 Engine hrs, Engine Brake, Detroit DT12 1550-OH1 HD OVER DRIVE 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 677,829 Mi
1042	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV4LLLL6637 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Detroit DT12-1650-OH1 HD over drive 12-Speed Transmission, Triple Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 740,289 Mi	1046	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV5KSKG0876 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13756 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 HD OBER DRIVE 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 687,208 Mi
1043	<b>2020 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHLDV1LLLL6627 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 18554 Engine hrs, Engine Brake, Detroit DT12-0H1 HD 12-Speed Automated Transmission, Double Differential Locks, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,000 Mi	1047	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV7KSKG0877 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 15212 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 HD over drive 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 738,884 Mi
1044	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV1KSKG0874 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13436 Engine hrs, Engine Brake, Detroit DT12-1550-OH1 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 631,789 Mi	1048	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV3KSKG0875 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 17554 Engine hrs, Engine Brake, Detroit DT12-1550 OH1 HD over drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 808,343 Mi

Lot #	Details	Lot #	Details
1049	<b>2019 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV4KSKM2714 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13223.54 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 541,846 Mi	1054	<b>2018 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV9JLJT6008 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 260,778 Mi
1050	<b>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDV3JSJX5067 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 406,577 Mi	1055	<b>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV5JLJY6940 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10935 Engine hrs, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 331,757 Mi
1051	<b>2018 Freightliner Cascadia 126 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHLDVXJSJS4097 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1550-OH1 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 698,948 Mi	1057	<b>2018 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDR9JDJV0230 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13757 Engine hrs, Engine Brake, Detroit DT12-DA1750HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 329,562 Mi
1052	<b>2019 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDR6KDKG6062 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 15563.21 Engine hrs, Engine Brake, Detroit GT12-1650-OH1 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 709,654 Mi	1058	<b>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6JLJL7049 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 13771 Engine hrs, Engine Brake, Eaton Fuller DT12-OA-1550 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 603,372 Mi
1053	<b>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV7JLJZ2741 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, 22307 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, PTO, Lowboy Ramps, Dual Fuel Tanks Usage: 249,852 Mi		

Lot #	Details	Lot #	Details
1059	<p><b>2018 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: Not Available  C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: Not Available</p>	1069	<p><b>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 3AKJGEDR9HSJB3180  C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 11853 Engine hrs, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: 452,758 Mi</p>
1060	<p><b>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 1FUJGEDV5HLHW0000  C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13256.5 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: 361,216 Mi</p>	1071	<p><b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 1FUJGEDV9GLHK9783  C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 286215 mi, 14955.2 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 23587 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel  Usage: 129,141 Mi</p>
1062	<p><b>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 1FUJGEDV1HLHW6313  C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: 374,948 Mi</p>	1072	<p><b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 1FUJGED54GLHC2302  C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: 180,431 Mi</p>
1067	<p><b>2017 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 3AKJGEDR9HSJF7437  C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 6 Engine hrs, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 183 in Wheelbase, Dual Fuel Tanks  Usage: 579,869 Mi</p>	1073	<p><b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b>  S/N: 3AKJGEDV7GSGW6168  C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15031 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks  Usage: 400,567 Mi</p>

Lot #	Details	Lot #	Details
1074	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV2GLGW6106 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 403,180 Mi	1081	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED58GLGW1704 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 14214 Engine hrs, Engine Brake, Detroit DT12-DA-1550 HD 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 576,225 Mi
1076	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6GLGW6075 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13049 Engine hrs, Engine Brake, Detroit DT12-OB-1550HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 468,248 Mi	1084	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG8GLGZ6974 C/W: Cummins ISX15 450 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17584.8 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, Air Ride Cab, 11R22.5, Air Ride Suspension, 184 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 585,957 Mi
1077	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV7GLGY5279 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16526.4 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 526,303 Mi	1085	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG1GDHR9016 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 14781 Engine hrs, Engine Brake, Eaton Fuller FAOM-15810S-EC Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 593,996 Mi
1079	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV8GLHK9824 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14028 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 536,707 Mi	1086	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV1GSGW6151 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 19275 Engine hrs, Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 187 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 599,111 Mi
		1088	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV4GSGV5953 C/W: Detroit 6 Cylinder 12.8 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16476 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 187 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 620,905 Mi

Lot #	Details	Lot #	Details
1089	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED53GLHS1839 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 20105 Engine hrs, Engine Brake, Paccar 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 12R24.5 Rear Tires, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 621,321 Mi	1093	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG7GSHK9211 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13015 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 48,527 Mi
1090	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV2GLGY5285 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 649,798 Mi	1094	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG2GLHF7814 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13178 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 427,637 Mi
1091	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED64GLHH3825 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16354 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 717,861 Mi	1095	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG5GLHH1996 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14137 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 489,952 Mi
1092	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1096	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDR6GLGV6469 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 16055 Engine hrs, Engine Brake, Detroit DT12-DA-1750 HD 12-Speed Automatic Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 172 in Wheelbase, Air Sliding 5th Wheel Usage: 510,926 Mi

Lot #	Details	Lot #	Details
1097	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED5XGLGT9784 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 15428.27 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 42000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 185 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 536,849 Mi	1103	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG0GLHJ6490 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12125 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 471,199 Mi
1100	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG4GLHB9792 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13817 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 470,170 Mi	1104	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6GLHS9501 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13305 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 313,052 Mi
1101	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG2GLHE4013 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10527 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 359,956 Mi	1106	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6FLGD8061 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12290 Engine hrs, Engine Brake, Detroit DT12-OB-1650 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 371,794 Mi
1102	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV8GLHS9502 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12802 Engine hrs, Engine Brake, Eaton Fuller FO-16E310C-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 258,601 Mi	1107	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDVXFSGN1176 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11725 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 299,759 Mi

Lot #	Details	Lot #	Details
1108	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV5FSGC9498 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9520 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 314,657 Mi	1114	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6FLGG8032 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13287 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 186 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 435,246 Mi
1109	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED57FLGS1001 C/W: Detroit 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 362,646 Mi	1115	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED60FLGD5679 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Eberspacher Engine Coolant Heater, 14712 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 447,360 Mi
1110	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDVXFSGT1719 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12348 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 367,971 Mi	1117	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED68FDGR6257 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, 13359 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Dual Fuel Tanks Usage: 473,889 Mi
1112	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV6FSGC9512 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11758 Engine hrs, Engine Brake, Detroit DT12-OB-1550HD Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 412,123 Mi	1118	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV5FDGP7723 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16101 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.95:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 512,154 Mi

Lot #	Details	Lot #	Details
1119	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG9FDGN1730 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14519 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 525,145 Mi	1125	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG6FDGL0852 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 8000 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 53000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 211,830 Mi
1120	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED69FLGD5678 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Eberspacher Engine Coolant Heater, 9 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 532,624 Mi	1126	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV9FSG6883 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 15566 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP 13-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 632,997 Mi
1121	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDVXFSG3260 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 395,344 Mi	1130	<b>2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV5ELFV1478 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19960 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 807,371 Mi
1122	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED67GDGX4655 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 134 Engine hrs, Eaton Fuller RTLO-16913A 10-Speed Manual Transmission, Differential Lock, 14700 lb Front Axle, 40000 lb Rears, 3.73:1 Axle Ratio, 54700 lb GVWR, Air Ride Cab, 12R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 193 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 189,008 Mi	1133	<b>2013 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDVXDLFD7957 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 21777 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 811,942 Mi
1124	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG4FSFY7978 C/W: Long Wide High Usage: 459,956 Mi		



Lot #	Details	Lot #	Details
1134	<b>2012 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG8CSBS5601 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2011 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 18773 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 193 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 578,317 Mi	1140	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHTDV7LSMC3092 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 12810 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 630,522 Mi
1135	<b>2011 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDR8BLAS9913 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 6394 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 184 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 758,828 Mi	1141	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHTDV5LSMC3088 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 13655 Engine hrs, Engine Brake, Detroit DT12-1650 OH1 HD overdrive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 645,939 Mi
1138	<b>2011 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV6BSAY2841 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 17816 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Spicer DS404 Drive Axles, 370:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 488,462 Mi	1142	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHTDV7LSMC3089 C/W: Detroit 6 Cylinder Ultra Low Sulfur Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 144 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 671,181 Mi
1139	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHTDV5LSMC3091 C/W: Detroit 6 Cylinder Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 10046 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 492,878 Mi	1143F	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV6LLKZ2334 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15435 Engine hrs, Engine Brake, Detroit DT12-1450-DH1-8 HD 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 164 in Wheelbase, Dual Fuel Tanks Usage: 671,523 Mi

Lot #	Details	Lot #	Details
1143E	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV6LLKZ2365 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13341 Engine hrs, Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 164 in Wheelbase Usage: 579,834 Mi	1143A	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV3LLKZ2324 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1450 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel Usage: 664,060 Mi
1143D	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV8LLKZ2769 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12687 Engine hrs, Engine Brake, Detroit DT12-1450-DH1-8 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel Usage: 682,098 Mi	1143	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJHTDV3LSMC3090 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 13830 Engine hrs, Engine Brake, Detroit DT12 - 1650-OH1-HD Overdrive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 679,552 Mi
1143C	<b>2020 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV8LLKZ2335 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15202 Engine hrs, Engine Brake, Detroit DT12-1450-DH1-8HD 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 164 in Wheelbase Usage: 663,889 Mi	1144A	<b>2018 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGBDVX.JSJK1749 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DB-1450 HD DIRECT DRIVE 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 34300 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 722,656 Mi
1143B	<b>2019 Freightliner Cascadia 116 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJHTDV4KLHS8552 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, 4480 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Meritor MT-40-14X Drive Axles, 32000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel Usage: 576,877 Mi	1144	<b>2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV6JSJT2145 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 17376 Engine hrs, Engine Brake, Detroit DT12-DB-1550HD 12-Speed Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 687,781 Mi

Lot #	Details	Lot #	Details
1146	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV6GDHG2470 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14290 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel Usage: 410,025 Mi	1152	<b>2018 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH3JN894326 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.21:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks Usage: 515,491 Mi
1147	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV1GDHG2490 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 496,786 Mi	1153	<b>2017 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH6HN981311 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Engine Brake, Eaton Fuller FRO-17210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.7:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5, Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 363,466 Mi
1148	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV3GLHT2077 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14.3 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 541,944 Mi	1156	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG1GN962090 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11942 Engine hrs, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 398,114 Mi
1150	<b>2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV4ELFR6362 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Coolant Heater, 10599 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 166 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 248,236 Mi	1157	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Volvo D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Volvo AT2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
		1158	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG2GN967508 C/W: Volvo 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12500 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 611,338 Mi

Lot #	Details	Lot #	Details
1159	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG2GN962213 C/W: Volvo D 13 Eco torque 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Volvo Suspension, 204 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 624,734 Mi	1163	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EJ1FN924661 C/W: Volvo D13J475 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11343 Engine hrs, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 311,673 Mi
1160	<b>2016 Volvo VNL300 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EGXGN962220 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 675,512 Mi	1164	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH9FN183477 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14550 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 409,326 Mi
1161	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH5GN954101 C/W: Volvo D13J435 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13509 Engine hrs, Engine Brake, Volvo ATO2612D 12-Speed Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 480,605 Mi	1165	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EJ9FN191968 C/W: Volvo D13J475 6 Cylinder 12.8 L Diesel 475 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 kg Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 473,496 Mi
1162	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EJ7FN911641 C/W: Volvo D13 6 Cylinder Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5, Volvo Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 301,320 Mi	1166	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9TH8FN915214 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 425 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 17786 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 53200.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 555,236 Mi

Lot #	Details	Lot #	Details
1167	<b>2015 Volvo VNL300 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH3FN909592 C/W: Volvo D13 6 Cylinder 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612D Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52350 lb GVWR, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Spring Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 608,569 Mi	1173	<b>2020 International LT625 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDZAPR5LN325330 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12188 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel Usage: 503,213 Mi
1169	<b>2014 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH3EN181254 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6565.5 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, VOLVO Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 239,486 Mi	1174	<b>2020 International LT625 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDZAPR7LL864846 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 kW Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12866 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel Usage: 519,160 Mi
1170	<b>2014 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG9EN172968 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 16037 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 172 in Wheelbase, Dual Fuel Tanks Usage: 568,902 Mi	1175	<b>2020 International LT625 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDZAPR5LL864845 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel Usage: 524,469 Mi
1171	<b>2014 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH1EN158930 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 424 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 3249.7 Engine hrs, Engine Brake, Volvo ATO2612D Automated Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 191 in Wheelbase Usage: 589,658 Mi	1176	<b>2019 International LT625 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDZAPR9KN412890 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14086 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 177 in Wheelbase Usage: 564,786 Mi
1172	<b>2013 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH4DN135432 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 13069 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 202 in Wheelbase, Air Sliding 5th Wheel Usage: 489,438 Mi	1177	<b>2016 International ProStar+ 122 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPRXGN428241 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10701 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 422,590 Mi

Lot #	Details	Lot #	Details
1178	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR2GN219558 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 11656 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 417,488 Mi	1181	<b>2014 International ProStar+ 122 T/A Day Cab Truck Tractor</b> S/N: 1HSDJAPR3EH788703 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 425 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 7871 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 185 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 192,725 Mi
1179	<b>2016 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR3GN428243 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10206 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 337,123 Mi	1182	<b>2017 International Pro Star 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDJSNR3HL461616 C/W: Navistar N13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 430 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9538 Engine hrs, Engine Brake, Eaton Fuller UltraShift Plus Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 kg GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 353,300 Mi
1180	<b>2015 International Prostar 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDJAPR4FN032241 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 15093 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Hendrickson HTB LT Air Ride Suspension, 186 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 531,084 Mi	1183	<b>2017 International ProStar+ 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDHSNR7HL502650 C/W: International A410 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10998 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 376,624 Mi
1181B	<b>2019 International RH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDWTZR7KN149915 C/W: International 6 Cylinder 12.4 L Diesel 410 hp Engine, 2018 US EPA Label, 11711 Engine hrs, Automated Transmission, Differential Lock, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 177 in Wheelbase Usage: 533,229 Mi	1184	<b>2017 International Pro Star 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDHSNR9HL502648 C/W: International A410 6 Cylinder 12.4 L Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11319 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 382,351 Mi
1181A	<b>2019 International RH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSDWTZR4KN150133 C/W: International 6 Cylinder 12.4 L Diesel 410 hp Engine, 2018 US EPA Label, 11043 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 177 in Wheelbase Usage: 522,829 Mi	1185	<b>2017 International Prostar+ 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDHSNR9HL502701 C/W: Navistar A410 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11309 Engine hrs, Retarder, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 175 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 386,795 Mi

Lot #	Details	Lot #	Details
1186	<b>2017 International Prostar+ 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDHSNR3HL502709 C/W: Navistar A410 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 9785 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 176 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 407,832 Mi	1193	<b>2003 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDDU9X23J390003 C/W: Cat C12 6 Cylinder 12.0 L Diesel 395 hp Engine, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, Dana DSP40 Drive Axles, 4.11:1 Axle Ratio, 48000 lb GVWR, Aluminum Outer Wheels, 295/75R22.5, 8-Bag Air Ride Suspension, 195 in Wheelbase, Air Sliding 5th Wheel Usage: 473,925 Mi
1188A	<b>2017 International Prostar+ 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HCDHSNR6HL502655 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 11490 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 376,473 Mi	1194	<b>2008 Peterbilt 388 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPWDU9X88D763392 C/W: Cat C13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 13807 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Trac Air Ride Suspension, 197 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 657,832 Mi
1190	<b>2006 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDDDB9X86J138071 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 20466 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 36000 lb Rears, 3.71:1 Axle Ratio, 48000 lb GVWR, Aluminum Outer Wheels, 11R24.5, 4-Bag Air Ride Suspension, 181 in Wheelbase, PTO, Wet Kit, Hydraulic System, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 80,206 Mi	1196	<b>1989 Peterbilt 379 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XP5D59X2KN272075 C/W: Cat 6 Cylinder Diesel Engine, 4653 Engine hrs, Engine Brake, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Trac Air Ride Suspension, 201 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 393,689 Mi
1191	<b>2006 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDDDB9X06J106652 C/W: Cat C15 6 Cylinder Diesel Engine, 24410 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, 1320 lb Front Axle, 40000 lb Rears, Dana D46-170HP Drive Axles, 3.91:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, 8-Bag Air Ride Suspension, 188 in Wheelbase, PTO, Dual Fuel Tanks Usage: 320,199 Mi	1197	<b>2009 Peterbilt 386 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPHD49X09N781311 C/W: Cummins ISX 6 Cylinder 15 L Diesel 485 hp Engine, 2008 US EPA Label, 15444 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 666,115 Mi
1192	<b>2005 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDDDB9X35J091580 C/W: Cat C15 6 Cylinder 15.0 L 475 hp Engine, 22325 Engine hrs, Engine Brake, Eaton Fuller RTLO18913A 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Spicer DSP41P Drive Axles, 4.11:1 Axle Ratio, 51986 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8-Bag Air Ride Suspension, 192 in Wheelbase, Dual Fuel Tanks Usage: 712,775 Mi	1198	<b>2003 Mack CL713 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AD62Y43M012336 C/W: Mack 6 Cylinder Diesel 460 hp Engine, Engine Brake, Eaton Fuller 8LL Manual Transmission, 13220 lb Front Axle, 46000 lb Rears, Mack Drive Axles, 2.94:1 Axle Ratio, Air Ride Cab, Aluminum Outer Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 187 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 591,666 Mi

Lot #	Details	Lot #	Details
1199	<b>2001 Mack CL713 Elite XL 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AD62Y21W011062 C/W: Mack E7 6 Cylinder 728 cid Diesel 460 hp Engine, 2000 US EPA Label, 29975.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, 11R24.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 180 in Wheelbase, PTO, Double Frame, Dual Fuel Tanks Usage: 689,492 Mi	1207	<b>2005 Volvo VNM 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4MC9GG15N387771 C/W: 6 Cylinder 12.1 L Diesel 395 hp Engine, 2004 US EPA Label, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 305,439 Mi
1201	<b>2008 Mack CXU613 Pinnacle 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y98N001894 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 370 hp Engine, 2007 US EPA Label, CARB Compliant, Engine Brake, Allison Automated Transmission, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 187 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 393,763 Mi	1208	<b>1999 Volvo ACL 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Cat 6 Cylinder 14.6 L Diesel Engine, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, 11R24.5, Spring Suspension, 218 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1203	<b>2003 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AA14Y93W152674 C/W: Mack E7 6 Cylinder 11.9 L Ultra Low Sulfur Diesel Engine, 2002 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 11R22.5, 202 in Wheelbase Usage: 573,084 Mi	1210A	<b>2006 International 9200 6x4 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCEAPR36C304263 C/W: Cummins ISX475 6 Cylinder 15 L Ultra Low Sulfur Diesel 475 hp Engine, 2005 US EPA Label, CARB Compliant, 15532 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Front Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 161 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 561,092 Mi
1205	<b>1992 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AA12Y9NW014893 C/W: 6 Cylinder Diesel Engine, 40199 Engine hrs, Eaton Fuller 7-Speed Manual Transmission, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 267,244 Mi	1210	<b>2006 Freightliner Columbia 120 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CK06LV98432 C/W: Detroit Series 60 6 Cylinder 14.0 L Ultra Low Sulfur Diesel 515 hp Engine, 2005 US EPA Label, 7886.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 80000.0 lb GVWR, Aluminum Front Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 198 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 307,614 Mi
1206	<b>2006 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9GH66N409486 C/W: Volvo D12D435 6 Cylinder 12.1 L Diesel 435 hp Engine, 2005 US EPA Label, Engine Brake, Meritor 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 164 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 509,769 Mi	1211	<b>1981 AM General M818 6x6 Military T/A Day Cab Truck Tractor</b> S/N: NL00ZB72C12415128 C/W: 6 Cylinder Engine, 5-Speed Transmission, 11R22.5 Front Tires, 11.00-20 Rear Tires, Spring Suspension, Dual Fuel Tanks Usage: 40,144 Mi
		1212	<b>1971 AM General M818 6x6 Military T/A Day Cab Truck Tractor</b> S/N: 05E08371C12414286 C/W: 6 Cylinder Engine, 5-Speed Transmission, 11R22.5 Front Tires, 11.00-20 Rear Tires, Spring Suspension, Dual Fuel Tanks Usage: 1,776 Mi



Lot #	Details	Lot #	Details
1214	<b>2018 Peterbilt 389 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPXD49X4JD472561 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, 15394 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, 52500 lb GVWR, Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 266 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 445,199 Mi	1220	<b>2017 Kenworth T-880 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKZDK9X0HJ150918 C/W: Paccar 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 484562 mi, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Paccar Drive Axles, 3.08:1 Axle Ratio, 50000.0 lb GVWR, Air Ride Cab, 38 in Mid Roof Sleeper Cab, Aluminum Wheels, 285/75R24.5, Air Ride Suspension, 220 in Wheelbase, Dual PTO Usage: 561,659 Mi
1215	<b>2018 Peterbilt 379 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X9JD486885 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16465.6 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: 601,967 Hr	1221	<b>2011 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDDP0X4BJ291387 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2010 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 22747 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 45400 lb Rears, Dana D46-170H Drive Axles, 3.73:1 Axle Ratio, 58600 lb GVWR, Air Ride Cab, 28 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5, 8-Bag Air Ride Suspension, 219 in Wheelbase, PTO, Headache Rack, Dual Fuel Tanks Usage: 760,255 Mi
1216	<b>2015 Peterbilt 365 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPSD79X9FD261519 C/W: 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8702 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, 13201 lb Front Axle, 40000 lb Rears, 53201 lb GVWR, Air Ride Cab, Flat Top Sleeper Cab, 11R22.5, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 87,005 Mi	1222	<b>2014 International 9900i SFA 6x4 Heavy Haul T/A Sleeper Truck Tractor</b> S/N: 3HSDMAPT9EN498913 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 550 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 14000 lb Front Axle, 46000 lb Rears, 60000 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 300 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 541,659 Mi
1218	<b>2017 Kenworth T-880 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, Differential Lock, 13200 lb Front Axle, 46000 lb Rears, 4.10:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 40 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, 8-Bag Air Ride Suspension, 214 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: Not Available	1224	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2LJ347492 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 21484.3 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 11R22.5, Paccar Air Ride Suspension, 241 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 591,729 Mi
1219	<b>2017 Kenworth T-880 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKZDP0X6HJ153168 C/W: Paccar 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automatic Transmission, Differential Lock, 13200 lb Front Axle, 46000 lb Rears, 4.10:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 40 in Flat Top Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/70R22.5 Rear Tires, 8-Bag Air Ride Suspension, 214 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 417,218 Mi		

Lot #	Details	Lot #	Details
1225	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49XXKJ240298 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12552 Engine hrs, Engine Brake, Eaton Fuller EEO-17F112C 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT40-14x3 Drive Axles, 2.79:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 485,876 Mi	1231	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5JJ184835 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 20805 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 635,861 Mi
1227	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X8KJ183875 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16708 Engine hrs, Engine Brake, Paccar PO-16F112 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 76 in Sleeper Cab, Bunk Beds, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, PACCAR AG400L Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 688,767 Mi	1232	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2JJ185067 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810S Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Paccar Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 641,766 Mi
1229	<b>2018 Kenworth T680 6x2 T/A Sleeper Truck Tractor</b> S/N: 1XKYAP8XXJJ214004 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 9114.2 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: 423,906 Mi	1234	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X7HJ131595 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 26356.4 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor RT-40-145 Drive Axles, 2.64:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, MOCOOL Electric Sleeper Air Conditioner, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires Usage: 786,697 Mi
1230	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Cummins X15 6 Cylinder Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, 2.64:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	1237	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X9GJ111123 C/W: Paccar 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 685222 mi, 16947 Engine hrs, Engine Brake, Eaton Fuller RTOC16909A 9-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Paccar Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 835,187 Mi

Lot #	Details	Lot #	Details
1238	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49XXGJ478272 C/W: Cummins 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Coolant Heater, 18950 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 52350 lb GVWR, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 520,358 Mi	1243	<b>2012 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49X8CD132030 C/W: Cummins ISX15 6 Cylinder Diesel 450 hp Engine, 24888 Engine hrs, Eaton Fuller 8-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Low Air Leaf Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 658,839 Mi
1239	<b>2016 Kenworth T-680 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKYD49X8GJ119521 C/W: Cummins ISX15 6 Cylinder 15 L 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14935 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.43:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 11R22.5, Airglide 8-Bag Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 589,984 Mi	1244B	<b>2021 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X2MD749580 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 298 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 9790 Engine hrs, Engine Brake, Paccar Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 333,614 Mi
1240	<b>2014 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADP9X8EJ396167 C/W: 6 Cylinder 12.9 L Diesel Engine, Engine Brake, Eaton Fuller FO 16E310C-LAS 10-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, 295/75R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 759,402 Mi	1244A	<b>2023 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X6PD864252 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 483 hp Engine, 2022 US EPA Label, 2176 Engine hrs, Paccar PO-XXF112C Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 80 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 246 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 100,294 Mi
1241	<b>2013 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADP9X7DJ360467 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 23482.6 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, Double Differential Locks, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, 8-Bag Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 632,383 Mi	1244	<b>2012 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49XXCD132434 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2011 US EPA Label, 12389 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Low Air Leaf Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 662,482 Mi
1242	<b>2016 Kenworth 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Cat C15 550 hp Engine, 23273.9 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 84 in Mid Roof Sleeper Cab, Bunk Beds, 295/75R22.5, Paccar Air Ride Suspension, 261 in Wheelbase, Dual Fuel Tanks Usage: Not Available	1247	<b>2020 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X4LD641363 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Paccar Air Ride Suspension, 260 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 529,391 Mi

Lot #	Details	Lot #	Details
1248	<b>2020 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X8LD655121 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2019 US EPA Label, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 559,981 Mi	1254	<b>2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X0HD392213 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 23938 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 80 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 241 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 554,316 Mi
1249	<b>2019 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X9KD626386 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Paccar Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 78 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Carrier Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 387,164 Mi	1255	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X5GD281184 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 425 hp Engine, 2014 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, Paccar Drive Axles, 50000 lb GVWR, 58 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 220 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 697,011 Mi
1251	<b>2018 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9XXJD472866 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 510 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12560.1 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200.0 lb GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 452,679 Mi	1256	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPBDP9X2GD298154 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 705,882 Mi
1252	<b>2018 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X4JD484012 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 12407 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 495,272 Mi	1259	<b>2015 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X8FD249943 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 25589.3 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 247 in Wheelbase, Dual Fuel Tanks Usage: 874,225 Mi
1253	<b>2018 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9X9JD443794 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 566,159 Mi		

Lot #	Details	Lot #	Details
1263	<b>2014 Peterbilt 384 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPVDP9X3ED238345 C/W: 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 431 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19644 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 767,444 Mi	1268	<b>2016 Mack CXU613 Pinnacle 6x4 Pinnacle T/A Sleeper Truck Tractor</b> S/N: 1M1AW21Y2GM058665 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Mack mDrive Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 543,633 Mi
1265	<b>2021 Mack Anthem 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AN4GY5MM021725 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 8734 Engine hrs, Engine Brake, Mack Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 275/70R22.5 Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 356,217 Mi	1269	<b>2013 Mack CXU613 Pinnacle T/A Sleeper Truck Tractor</b> S/N: 1M1AW07Y8DM026830 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 22381 Engine hrs, Engine Brake, Mack mDrive Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 649,467 Mi
1266	<b>2016 Mack CXU613 Pinnacle Heavy Haul T/A Sleeper Truck Tractor</b> S/N: 1M1AW21Y3GM011127 C/W: Mack MP8 6 Cylinder Ultra Low Sulfur Diesel 445 hp Engine, 2015 US EPA Label, CARB Compliant, 19358 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, 4-Bag Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 521,885 Mi	1270	<b>2013 Mack CXU613 Pinnacle 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW07Y3DM033944 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 26768 Engine hrs, Engine Brake, Mack m Drive 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Wheels, 11R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 714,252 Mi
1267	<b>2016 Mack CXU613 Pinnacle 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW21Y5GM011131 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23316 Engine hrs, Engine Brake, Mack mDrive Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel Usage: 539,579 Mi	1271	<b>2013 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW07YXDM024710 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 26951 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 867,974 Mi

Lot #	Details	Lot #	Details
1272	<b>2013 Mack CXU613 Pinnacle 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW07Y2DM024927 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 3053.3 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 916,170 Mi	1278	<b>2021 Freightliner Cascadia 126 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDV6MSMS1241 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 470 hp Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, Detroit DT12 1650 OH 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 72 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 639,539 Mi
1274	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 525 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, 8748 Engine hrs, Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1279	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1275	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDV6MSMS1062 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 10759 Engine hrs, Engine Brake, Detroit DT12-1650-OH 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 569,929 Mi	1280	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDV6MSMS1062 C/W: 6 Cylinder 14.8 L Diesel Engine, 2019 US EPA Label, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, High Rise Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,594 Mi
1276	<b>2021 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDV3MSMK2699 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2020 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10588 Engine hrs, Engine Brake, Detroit D12-1650-OH1 HD 12-Speed Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 575,274 Mi	1281	<b>2020 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDV6MSMS1062 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12963 Engine hrs, Engine Brake, Detroit DT12-1750-DH1HD 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.28:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, RFI & RRI aluminum, 295/75R22.5, Airliner Air Ride Suspension, 223 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 595,352 Mi

Lot #	Details	Lot #	Details
1282	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDR1KLKP4886 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 14815 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52350.0 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 241 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 419,549 Mi	1286	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDR5KLKG0114 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12469 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.28:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 547,943 Mi
1283	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR4KSJX0459 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 20530 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 HD DIRECT DRIVE 12-Speed Automated Transmission, Double Differential Locks, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.28:1 Axle Ratio, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 229 in Wheelbase Usage: 583,671 Mi	1287	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDR0KLKG0120 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12977.45 Engine hrs, Engine Brake, Detroit DT12-1750-DH1 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.28:1 Axle Ratio, 53000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 622,059 Mi
1284	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR5KSKU9140 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 668,444 Mi	1288	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR4JSJV8133 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 21064 Engine hrs, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 733,582 Mi
1285	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR1KSKE1354 C/W: Detroit DD15 6 Cylinder Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 673,198 Mi	1289	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJHHDRXKLKK4794 C/W: 6 Cylinder 14.8 L Diesel 505 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 21120 Engine hrs, Engine Brake, Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 751,190 Mi

Lot #	Details	Lot #	Details
1290	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR5JSJS4461 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 8168 Engine hrs, Engine Brake, Detroit DT12-1650 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.85:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 886,417 Mi	1296	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR9JSJW4056 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12613 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 682,634 Mi
1292	<b>2019 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDRXKSKH2649 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 13264 Engine hrs, Engine Brake, Detroit DT12-1750 DH1 HD Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Sleeper Air Conditioner, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 637,178 Mi	1297	<b>2018 Freightliner Cascadia 126 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDRXJSJR0584 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 703,820 Mi
1294	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR5JSJW4152 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5600 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 227 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 509,020 Mi	1298	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR3JSJW4196 C/W: Detroit DD15 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 53220.0 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Sleeper Air Conditioner, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 569,316 Mi
1295	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR9JSJW4834 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19790 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 541,595 Mi	1299	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR9JSJR1256 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 19133 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 229 in Wheelbase, Dual Fuel Tanks Usage: 596,137 Mi



Lot #	Details	Lot #	Details
1300	<b>2018 Freightliner Cascadia 126 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHHDR6JSJJ1976 C/W: 6 Cylinder 14.8 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 205 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 561,890 Mi	1308	<b>2018 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR6JLJK0565 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52350 lb GVWR, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, PTO, Air Sliding 5th Wheel Usage: 377,792 Mi
1303	<b>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXKDKG6232 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12300 Engine hrs, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 405,441 Mi	1309	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR1JSJP4702 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 13312 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 229 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 532,442 Mi
1305	<b>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR7KSKM6262 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10693 Engine hrs, Engine Brake, Detroit DT12-1650-OH1 HD Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King TriPac Evolution Diesel Sleeper Air Conditioner, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 570,305 Mi	1310	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR0JLJN1486 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17685 Engine hrs, Engine Brake, Detroit DT12-OA-1650 HD 12-Speed Automatic Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 10R22.5, Airliner Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 592,554 Mi
1307	<b>2018 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR8JLJK0566 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.58:1 Axle Ratio, 52350 lb GVWR, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 374,610 Mi	1311	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXJDJV6722 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 17159.39 Engine hrs, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 707,769 Mi

Lot #	Details	Lot #	Details
1312	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDV7JSJX7276 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 525 hp Engine, 2017 US EPA Label, Engine Brake, Detroit DT12-08 1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 927,347 Mi	1316	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDV7JSJG8265 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 470 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OB-1650 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1314	<b>2018 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR9JSJH2465 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 OA-1650 HD OVERDRIVE 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, 70 in High Rise Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 638,610 Mi	1319	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR6HDHU1648 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16139 Engine hrs, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.08:1 Axle Ratio, 52220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 523,283 Mi
1315A	<b>2018 Freightliner Cascadia 125 Evolution 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR9JSHU5419 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 15622 Engine hrs, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 72 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 595,023 Mi	1322	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR6HLHD2273 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21935 Engine hrs, Engine Brake, Detroit DT12-DA-1550 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 599,238 Mi
1315	<b>2018 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR0JSJH2659 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, 19016 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C Automated Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 601,393 Mi	1324	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR0HSH856 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220.0 lb GVWR, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel Usage: 818,543 Mi

Lot #	Details	Lot #	Details
1325	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR4HLHY3100 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1650HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 839,053 Mi	1333	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD51GLGT8527 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,806 Mi
1328	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR7HSJB3487 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19100 Engine hrs, Engine Brake, Detroit DT12-OA-1750HD 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 669,345 Mi	1334	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD55GLGT8529 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 16430 Engine hrs, Engine Brake, Detroit DT12-DA-1750 HD Direct drive 12-Speed Automated Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 403,302 Mi
1329	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDRXHLJD2921 C/W: Detroit 6 Cylinder Diesel 505 hp Engine, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 2.53:1 Axle Ratio, 70 in High Rise Sleeper Cab, Bunk Beds, Air Assist Front Suspension, Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 471,503 Mi	1335	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD52GLHA7463 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1750 HD overdrive 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 53220 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 467,226 Mi
1332	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD53GLGT8531 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Dual Fuel Tanks Usage: 275,108 Mi	1337	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG0GSHM9076 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15221 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 590,734 Mi

Lot #	Details	Lot #	Details
1338	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD5XGSHG5776 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 14064.24 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 604,016 Mi	1342	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD63GSGY7211 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19536 Engine hrs, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 815,269 Mi
1339	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD59GLHJ7377 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21367 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 751,325 Mi	1343	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD69GSGY7214 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, Requires Diesel Exhaust Fluid, 17871 Engine hrs, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 523500 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Sleeper Air Conditioner, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 820,610 Mi
1340	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD52GLHJ7379 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 23263 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 794,520 Mi	1344	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD58GLHH6674 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 24255 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 229,390 Mi
1341	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD65GSGY7212 C/W: 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18562 Engine hrs, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Diesel Sleeper Air Conditioner, Carrier ComfortPro Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 807,085 Mi	1345	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHJ8996 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 23172 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 186,140 Mi

Lot #	Details	Lot #	Details
1346A	<b>2016 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD56GLGX1376 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 23429 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53300.0 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 142,946 Hr	1349	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD5XGLHB7545 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 13983.27 Engine hrs, Engine Brake, Detroit DY12-DA-1750 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 20000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 314,434 Mi
1346	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD57GLHN4931 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 32438 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 686,998 Mi	1350	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSFN3970 C/W: Detroit 6 Cylinder 14.8 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, RigMaster Auxiliary Power Unit, Aluminum Front Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,010 Mi
1347	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHC0226 C/W: 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 20704 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 648,678 Mi	1352	<b>2016 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDV9GLHB8704 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 20803.8 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.42:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 756,429 Mi
1348	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD53GLGY2772 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 21153 Engine hrs, Engine Brake, Detroit DT12-DA-1650 HD 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 775,115 Mi	1353	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, Diagnostic Tool Reading 658025 mi, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase Usage: 658,025 Mi

Lot #	Details	Lot #	Details
1354	<b>2016 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD59GSHM4941 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15905 Engine hrs, Engine Brake, Detroit DT12-DA-1750 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Heater, Thermo King Electric Sleeper Air Conditioner, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 795,866 Mi	1363	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD67ESFL3615 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2013 US EPA Label, 18156 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 591,303 Mi
1356	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD69FSGT0946 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 16058 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 675,160 Mi	1365	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG0DLBZ7795 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel 485 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 934,567 Mi
1359	<b>2015 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG5FSGN8562 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, 1223 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 572,598 Mi	1366	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG3CLBE5345 C/W: Cummins ISX15 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 19511 Engine hrs, Engine Brake, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.36:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 233 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,010,558 Mi
1361	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD5XFSGB3527 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 26209 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, 70 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, Dual Fuel Tanks Usage: 718,803 Mi	1368	<b>2011 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR8BLBC9994 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2011 US EPA Label, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 235 in Wheelbase, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
1369	<b>2020 Freightliner Cascadia 116 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJHPDV1LSLG8954 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, 10374 Engine hrs, Engine Brake, Detroit DT12-1550-DH1 HD DIRECT DRIVE 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 48 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 331,514 Mi	1372	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHDV9FLGF6085 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16006 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Bunk Heater, Sleeper Air Conditioner, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 206 in Wheelbase, Dual Fuel Tanks Usage: 504,179 Mi
1370A	<b>2017 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHDV1HLHS8386 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 14812 Engine hrs, Engine Brake, Detroit DT12 -DB-1450 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 674,114 Mi	1373	<b>2015 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHDV8FLGS3566 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 23296 Engine hrs, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 204 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 640,187 Mi
1370	<b>2017 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGHDVXHSJE2895 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 18912 Engine hrs, Engine Brake, Detroit DT12-OB-1650 HD 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Bunk Heater, TriPac Evolution Auxiliary Power Unit, 11R22.5, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 594,380 Mi	1376	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH3LN214153 C/W: 6 Cylinder 12.8 L Diesel 455 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13469 Engine hrs, Volvo ATO2612F Automated Transmission, Differential Lock, 13200 lb Front Axle, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 260 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 460,300 Mi
1371	<b>2016 Freightliner Cascadia 113 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGHDV0GSGV2873 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 10410 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 207 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 714,389 Mi	1377	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ0LN257111 C/W: Volvo D13M-500 6 Cylinder 12.8 L Diesel 500 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16963 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.85:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 626,097 Mi

Lot #	Details	Lot #	Details
1378	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ7LN257106 C/W: Volvo D13M-500 6 Cylinder 12.8 L Diesel 500 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19124 Engine hrs, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.85:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Front Wheels, 295/75R22.5, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 652,585 Mi	1382	<b>2017 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH0HN966075 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 10704.9 Engine hrs, Engine Brake, Volvo ATO2612D Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 53200 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Volvo Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 427,584 Mi
1379	<b>2020 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXLN207572 C/W: Volvo D13M-455 6 Cylinder 12.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 18958 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 77 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 682,840 Mi	1383	<b>2016 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXGN944339 C/W: Volvo D13J455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 110923 Engine hrs, Engine Brake, Volvo ATO2612D Automatic Transmission, Differential Lock, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 50350 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Rear Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Volvo Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 918,949 Mi
1381A	<b>2018 Volvo VNL 780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH4JN998419 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 21372.1 Engine hrs, Volvo ATO2612F 12-Speed Automated Transmission, 12500 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 50500 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 243 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 774,827 Mi	1387	<b>2019 Volvo VNL760 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1KN220533 C/W: Volvo D13M-425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612F 12-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 77 in Sleeper Cab, Bunk Beds, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1381	<b>2018 Volvo VNL780 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1JN885690 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 16393 Engine hrs, Engine Brake, Volvo ATO2612F Automatic Transmission, Double Differential Locks, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, Air Ride Cab, 70 in High Rise Sleeper Cab, Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Volvo Air Ride Suspension, 243 in Wheelbase, Headache Rack, Dual Fuel Tanks Usage: 682,569 Mi	1388	<b>2018 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH4JN896246 C/W: 6 Cylinder 425 L Ultra Low Sulfur Diesel Engine, Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 491,664 Mi



Lot #	Details	Lot #	Details
1390	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EHXHN992411 C/W: Volvo D13M-455 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 14530 Engine hrs, Engine Brake, Volvo AT2612F 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52500.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 572,127 Mi	1396	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ0GN950489 C/W: Volvo D13J475 6 Cylinder 12.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15488.1 Engine hrs, Volvo Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, 61 in High Rise Sleeper Cab, Thermo King TriPac Evolution Auxiliary Power Unit, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel Usage: 446,048 Mi
1391	<b>2017 Volvo VNL670 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH0HN994457 C/W: Volvo 6 Cylinder 12.8 L Diesel 455 hp Engine, 2017 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 5554.8 Engine hrs, Engine Brake, Volvo Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1397	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15486 Engine hrs, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1392	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612F Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor RS23-160 Drive Axles, 53200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1398	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1GN971218 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 17613 Engine hrs, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 499,969 Mi
1395	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ7GN950490 C/W: 6 Cylinder 12.8 L Diesel 475 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 404,021 Mi	1399	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ2GN950493 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D Automated Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT40-14X C Drive Axles, 52500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 52,397 Mi

Lot #	Details	Lot #	Details
1401	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EJ6GN953655 C/W: Volvo D13J500 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20715.3 Engine hrs, Engine Brake, Volvo ATO2612D Automated Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Volvo Air Ride Suspension, 221 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 743,757 Mi	1412	<b>2021 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR8MN583391 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 500 hp Engine, 2020 US EPA Label, 10134 Engine hrs, Engine Brake, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350.0 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 421,999 Mi
1404	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1FN919814 C/W: Volvo 6 Cylinder 12.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Volvo Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 816,080 Mi	1413	<b>2020 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HCDZAPROLL864851 C/W: Cummins X15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12000 Engine hrs, Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel Usage: 510,481 Mi
1405	<b>2015 Volvo VNL 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH9FN917048 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Volvo ATO2612D Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 53200 lb GVWR, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 257 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 767,370 Mi	1414	<b>2019 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR2KN673102 C/W: Cummins ISX 450ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13601 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295/75R22.5, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 447,771 Mi
1409	<b>2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH5DN139747 C/W: Volvo D13H455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2012 US EPA Label, 24098 Engine hrs, Volvo ATO2612D Automated Transmission, Differential Lock, 12500 lb Front Axle, 19000 lb Rears, Meritor MT-40-14X Drive Axles, 50500 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 922,468 Mi	1415	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR8JN330647 C/W: 6 Cylinder 15.0 L Diesel Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 573,358 Mi
		1416	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR6JN552376 C/W: Cummins X15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 20347 Engine hrs, Engine Brake, Automated Transmission, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 610,189 Mi

Lot #	Details	Lot #	Details
1417	<b>2018 International LT625 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDZAPR5JN355537 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, High Rise Sleeper Cab, Bunk Beds, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 465,913 Mi	1424	<b>2005 Kenworth W900 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKWDB9X55J087913 C/W: Cat C15 6 Cylinder 15.2 L Ultra Low Sulfur Diesel 475 hp Engine, 2004 US EPA Label, CARB Compliant, Engine Brake, Eaton Fuller RTLO-18913A 18-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Spicer DSP41 Drive Axles, 3.55:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 264 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 527,868 Mi
1418	<b>2017 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 3HSDJAPR0HN571233 C/W: 6 Cylinder 15.0 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 19022 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 257 in Wheelbase, Air Sliding 5th Wheel Usage: 496,376 Mi	1425	<b>2002 Kenworth W-900 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKWDB9X12J898376 C/W: Cat C15 6 Cylinder 14.6 L Ultra Low Sulfur Diesel Engine, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 285/75R24.5, 8-Bag Air Ride Suspension, 275 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 169,521 Mi
1420	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR2GN001667 C/W: 6 Cylinder Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24220 Engine hrs, Engine Brake, Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 759,500 Mi	1427	<b>2007 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDDB9X77J199896 C/W: Cat C15 6 Cylinder 15 L Ultra Low Sulfur Diesel Engine, 34630 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, 13200 lb Front Axle, 36000 lb Rears, 3.55:1 Axle Ratio, 46200 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, 11R24.5 Front Tires, 11R24.5 Rear Tires, 8-Bag Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 96,124 Mi
1421	<b>2015 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR0FN709687 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 26769 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 585 mm Wheelbase, Dual Fuel Tanks Usage: 740,860 Mi	1429A	<b>2007 Peterbilt 379 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP5DB9X87D654977 C/W: Cat C15 6 Cylinder 14.6 L Diesel Engine, 4232 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Flex Air Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,428,698 Mi
1423	<b>2016 International ProStar+ T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR2GN070397 C/W: Navistar N13 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 12775 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 536,347 Mi	1430	<b>2006 Peterbilt 379 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP5DB9X86N646242 C/W: 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, 1416.7 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Flat Top Sleeper Cab, Aluminum Wheels, Air Ride Suspension, 273 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,293,428 Mi

Lot #	Details	Lot #	Details
1431	<b>2005 Peterbilt 379 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP5DB9X85D844095 C/W: 6 Cylinder 14.6 L Diesel Engine, 7174 Engine hrs, Eaton Fuller Manual Transmission, Air Ride Cab, High Rise Sleeper Cab, Sleeper Air Conditioner, Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Air Ride Suspension, 306 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 456,054 Mi	1435	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK17LY41196 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 2006 US EPA Label, 27618 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Axle Alliance ART-40.0-4 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Steel, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 942,462 Mi
1432	<b>2007 Freightliner FLD132 Classic XL 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJAPCK07DY22803 C/W: Detroit Series 60 6 Cylinder Diesel 470 hp Engine, 2006 US EPA Label, 5061.8 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in Flat Top Sleeper Cab, Aluminum Wheels, 285/75/24.5 Front Tires, 285/75/24.5 Rear Tires, Air Assist Front Suspension, Airliner Air Ride Suspension, 265 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1436	<b>2000 Sterling A9513 6x4 T/A Sleeper Truck Tractor</b> S/N: 2FWYJSEB4YAF18492 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, 2000 US EPA Label, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 48 in Mid Roof Sleeper Cab, 295/75R22.5, Hendrickson HAS Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 25,121 Mi
1433A	<b>2007 Volvo VNL630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9GHX7N463360 C/W: Volvo D12D465 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 465 hp Engine, 2004 US EPA Label, CARB Compliant, 24792 Engine hrs, Eaton Fuller 13-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 853,800 Mi	1437	<b>2014 Peterbilt 348 4x2 S/A Day Cab Truck Tractor</b> S/N: 2XP3AJ8X5EM243684 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 350 hp Engine, US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Allison Automatic Transmission, 13200 lb Front Axle, 23000 lb Rears, 5.57:1 Axle Ratio, 36200 lb GVWR, Aluminum Wheels, 11R22.5, Air Ride Suspension, 166 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 206,549 Mi
1433	<b>2001 Mack CX613 Vision 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AE06Y41W007521 C/W: Mack 6 Cylinder Diesel Engine, 35346.1 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 183,761 Mi	1438	<b>2013 Peterbilt 337 4x2 S/A Day Cab Truck Tractor</b> S/N: 2XP2AN8X3DM195099 C/W: Paccar PX-8 6 Cylinder 8.3 L Diesel 300 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 12937.4 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-170 Drive Axles, 5.25:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Trac Air Ride Suspension, 155 in Wheelbase Usage: 387,425 Mi
1434	<b>2006 Volvo VNL660 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TG46N429121 C/W: Cummins ISX 400ST 6 Cylinder 15 L Diesel 400 hp Engine, 2005 US EPA Label, 47489 Engine hrs, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Volvo Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,236,518 Mi	1439	<b>2016 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYA48X0GJ119135 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15640 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS23-160 Drive Axles, 2.67:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 764,359 Mi

Lot #	Details	Lot #	Details
1441	<p><b>2015 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X7FJ462460            C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 578813 mi, 15494 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, 4-Bag Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 153,943 Mi</p>	1446	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X5EJ403048            C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 16345 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS U1 Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, 4-Bag Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 842,949 Mi</p>
1442	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X5EJ402496            C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 700,565 Mi</p>	1448	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48XXEJ403059            C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 198 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 732,463 Mi</p>
1443	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X8EJ402508            C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 14173 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, 4-Bag Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 662,093 Mi</p>	1449	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X5EJ403051            C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 391,449 Mi</p>
1444	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X8EJ403061            C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 569,820 Mi</p>	1450	<p><b>2013 Kenworth T660 6x4 T/A Day Cab Truck Tractor</b>            S/N: 1XKAD49X5DJ354598            C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 15231 Engine hrs, Engine Brake, Eaton Fuller FM15E310B-LAS 10-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52000 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Kenworth AG400 8-Bag Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 651,953 Mi</p>
1445	<p><b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKYA48X9EJ403053            C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 879,262 Mi</p>	1451	<p><b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b>            S/N: 1XKAA48X2DJ354973            C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 16004 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks            Usage: 666,396 Mi</p>

Lot #	Details	Lot #	Details
1453	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48X2DJ354956 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 15010 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 645,868 Mi	1458	<b>2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12095.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
1454	<b>2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48X4CJ312822 C/W: 6 Cylinder 15 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 16257 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 667,801 Mi	1459	<b>2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGEBGXHLHX7318 C/W: Cummins ISX15 450 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 11688.5 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 10000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 3.21:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Airliner Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 362,154 Mi
1455	<b>2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48X8CJ312922 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 17677 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 672,971 Mi	1460	<b>2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGDBG0GLHJ8383 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9225 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: 361,622 Mi
1456	<b>2010 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48XXAJ267057 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 18582 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 737,080 Mi	1461	<b>2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGEDV8GLHC5742 C/W: 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 13764 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B-LAS ULTRASHIFT Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 608,764 Mi
1457	<b>2017 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGDDV0HLHT5469 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 487,326 Mi		

Lot #	Details	Lot #	Details
1462	<b>2016 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGDBG2GLHJ8384 C/W: Cummins ISX15 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13043 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: 477,307 Mi	1466	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGDDV4FDGS3568 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 16357 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 640,254 Mi
1463	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGDDV7FLGP9138 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 380 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14498 Engine hrs, Engine Brake, Detroit DT12-08-1450 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.42:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 494,118 Mi	1468	<b>2014 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGEBGXELFT4331 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 19116 Engine hrs, Engine Brake, Eaton Fuller FM-14E310B-LAS-ULTRASHIFT Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 893,098 Mi
1464	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGDDV2FDGS3567 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16777 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 35000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 634,242 Mi	1469	<b>2017 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT-12-DA-1650 HD 12-Speed Automated Transmission, 13300 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 2.50:1 Axle Ratio, 34300.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available
1465	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGDDV6FDGS3569 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 15795 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, Meritor RS-23-161 Drive Axles, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 174 in Wheelbase, Dual Fuel Tanks Usage: 639,215 Mi	1470	<b>2017 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGADV8HSHX0344 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 12508 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-161 Drive Axles, 2.67:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, Dual Fuel Tanks Usage: 484,029 Mi

Lot #	Details	Lot #	Details
1473	<b>2016 Freightliner Cascadia 113 6x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV8GLHE4967 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13257 Engine hrs, Engine Brake, Eaton Fuller FM – 15E310B – LAS ultra shift Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS – 23–160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 446,051 Mi	1479A	<b>2016 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39EH0GN973753 C/W: Volvo D13J425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 23000 lb Rears, 35350 lb GVWR, 11R22.5, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 725,473 Mi
1474	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV3GLHE4990 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 16158 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 169 in Wheelbase, Auto Lube Usage: 632,267 Mi	1479	<b>2011 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGADV9BSAV4562 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000.0 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 158 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 1,010,439 Mi
1476	<b>2015 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV6FLGD8323 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 3046 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.50:1 Axle Ratio, 34700.0 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 170 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 702,905 Mi	1480	<b>2016 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EG8GN947107 C/W: Volvo D13J405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9669 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Dana RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 151 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 328,264 Mi
1477	<b>2014 Freightliner Cascadia 113 6x2 S/A Day Cab Truck Tractor</b> S/N: 3AKBGADV9ESFP0889 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 157 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 781,971 Mi	1481	<b>2014 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39EGXEN156097 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 2607 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12500 lb Front Axle, 22700 lb Rears, Meritor RS23-160 Drive Axles, 35050 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 862,973 Mi
		1482	<b>2014 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39EG7EN156042 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12500 lb Front Axle, 22700 lb Rears, 35050 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 162 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 793,222 Mi



Lot #	Details	Lot #	Details
1484	<b>2014 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39EG9EN156074 C/W: Volvo D13J405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 16911 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12500 lb Front Axle, 22700 lb Rears, Dana RS23-160 Drive Axles, 35050 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 163 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 131,945 Mi	1495	<b>2011 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EH2BN532091 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 22063.2 Engine hrs, Volvo ATO2612D Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 793,525 Mi
1485	<b>2012 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EG4CN547149 C/W: Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 20716 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 695,723 Mi	1496	<b>2010 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TGXAN289476 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, CARB Compliant, 17603 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 691,062 Mi
1488	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EH5CN549825 C/W: Volvo D13H425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Volvo Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, Air Sliding 5th Wheel Usage: 805,262 Mi	1497	<b>2015 International ProStar 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSDGAPN2FH181950 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14013 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 562,020 Mi
1489	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EH1CN549479 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 790,661 Mi	1498	<b>2015 International ProStar 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSDGAPN5FH181957 C/W: Engine Usage: 595,014 Mi
1491	<b>2012 Volvo VNL 6x4 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Volvo 6 Cylinder Diesel Engine, 19773 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.70:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1499	<b>2015 International ProStar 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSDGAPN7FH181958 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16066 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, Differential Lock, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 159 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 616,463 Mi
1493	<b>2011 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19EH5BN532098 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 17971 Engine hrs, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 627,620 Mi	1500	<b>2011 International ProStar 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSCRAPN7BJ363118 C/W: Cummins ISX 6 Cylinder 15.0 L 450 hp Engine, 20544 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 678,201 Mi

Lot #	Details	Lot #	Details
1501	<b>2011 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSCSAPN2BN346289 C/W: 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 9829 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 927,919 Mi	1511	<b>2009 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKDA48X19J247644 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 23908 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,056,932 Mi
1502	<b>2010 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSCSAPN9AN240288 C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2009 US EPA Label, CARB Compliant, 22268 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 841,873 Mi	1512A	<b>2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKDA48X48J220095 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 24067 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: 868,625 Mi
1503	<b>2010 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSCSAPN7AN227460 C/W: 6 Cylinder 15.0 L Diesel 400 kW Engine, 2009 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 909,556 Mi	1512	<b>2008 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKDA48XX8J220523 C/W: 6 Cylinder Diesel Engine, 5288 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 34700 lb GVWR, 275 /80R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 822,776 Mi
1504	<b>2010 International ProStar Premium 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSCSAPN5AN227442 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2009 US EPA Label, 17842 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 275/80R22.5, Air Ride Suspension, 154 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 722,766 Mi	1513	<b>2007 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 3WKDA48X47F171547 C/W: Cummins 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700 lb GVWR, 275 /80R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 803,212 Mi
1505	<b>2013 International 4400SBA 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSMKAANXDH482177 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 270 hp Engine, 2012 US EPA Label, 6300 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 11R22.5, Air Ride Suspension, 152 in Wheelbase Usage: 115,067 Mi	1515	<b>2007 Freightliner Columbia 120 4x2 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Detroit Series 60 6 Cylinder 12.7 L Ultra Low Sulfur Diesel 455 hp Engine, 2005 US EPA Label, 30661.1 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 167 in Wheelbase, Dual Fuel Tanks Usage: Not Available
1506	<b>2012 International 4400SBA 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSMKAAN3CH118942 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel Engine, 9026 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 11R22.5, Air Ride Suspension, 152 in Wheelbase Usage: 156,026 Mi		

Lot #	Details	Lot #	Details
1516	<b>2009 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG89N279234 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2008 US EPA Label, CARB Compliant, 88 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Dana S23-190 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 151 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 621,016 Mi	1523	<b>2007 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG97N465703 C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2005 US EPA Label, 27334 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 150 in Wheelbase Usage: 852,940 Mi
1519	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG18N495764 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, CARB Compliant, 12066 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 197,888 Mi	1525	<b>2007 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG07N466075 C/W: 6 Cylinder 14.9 L Ultra Low Sulfur Diesel 400 hp Engine, 25296 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 150 in Wheelbase Usage: 730,485 Mi
1520	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG48N497086 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, CARB Compliant, 19298 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase Usage: 946,165 Mi	1526	<b>2007 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG17N465775 C/W: 6 Cylinder 14.9 L Diesel Engine, 100923 Engine hrs, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 2.5:1 Axle Ratio, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase Usage: 865,063 Mi
1521	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG38N261643 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, CARB Compliant, 5448 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase, Dual Fuel Tanks Usage: 1,113,057 Mi	1527	<b>2007 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG97N465622 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2006 US EPA Label, CARB Compliant, 27163 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 2.5:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 150 in Wheelbase Usage: 898,197 Mi
1522	<b>2008 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG48N495757 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2007 US EPA Label, Diagnostic Tool Reading 714742 mi, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor Drive Axles, 32000 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 714,458 Mi	1530	<b>2021 Kenworth T440 4x2 S/A Sleeper Truck Tractor</b> S/N: 3WKBAJ8X3MF466110 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 350 hp Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS23-160 Drive Axles, 3.73:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Bunk Heater, Thermo King tripac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, 4-Bag Air Ride Suspension, 202 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 316,849 Mi

Lot #	Details	Lot #	Details
1531	<b>2016 Volvo VNL670 4x2 S/A Sleeper Truck Tractor</b> S/N: 4V4N39EH3GN969258 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 12500 lb Front Axle, 23000 lb Rears, 35500 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 196 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 506,413 Mi	1534A	<b>Peterbilt 6x4 Sleeper Car Carrier Truck</b> S/N: 1NPXL49XXKD494112 C/W: Cummins X15 6 Cylinder 15 L Diesel 500 hp Engine, 2018 US EPA Label, 8420 Engine hrs, Manual Transmission, 14600 lb Front Axle, 40000 lb Rears, 54600 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 295/60R22.5 Front Tires, 255/70R22.5 Rear Tires, Paccar Air Ride Suspension, 264 in Wheelbase, 3 Vehicle Capacity, Hydraulic Lift, Soft Tie Downs Usage: 150,391 Mi
1533D	<b>2017 Autocar 4x2 Spotter Truck</b> S/N: 222254 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 200 hp Engine, 2015 US EPA Label, 20129 Engine hrs, Allison 3000 Automated Transmission, 12300 lb Front Axle, 22700 lb Rears, Meritor RS24-150 Drive Axles, 7.17:1 Axle Ratio, 35000.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 117 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	1534	<b>2008 Ottawa C30 4x2 Spotter Truck</b> S/N: 319043 C/W: Cummins CSB6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel Engine, 34348 Engine hrs, Allison Automated Transmission, 295/75R22.5, 111 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
1533C	<b>2017 Autocar 4x2 Spotter Truck</b> S/N: Not Available C/W: Cummins 6 Cylinder 6.7 L Diesel 185 hp Engine, 2017 US EPA Label, 15438 Engine hrs, Allison 3500 Automatic Transmission, 7.17:1 Axle Ratio, 39200 lb GVWR, 295/75R22.5, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	5000	<b>2013 Chevrolet 3500 4x2 Cargo Van</b> S/N: 1GCZGTCA8D1154240 C/W: GM V8 4.8 L Gasoline Engine, 2013 US EPA Label, GM Automatic Transmission, 4300 lb Front Axle, 6084 lb Rears, 9600 lb GVWR, 246 /75R16, Spring Suspension, 135 in Wheelbase, GM 10 ft Long x 72 in Wide x 56 in High Body Usage: 241,714 Mi
1533B	<b>2017 Autocar 4x2 Spotter Truck</b> S/N: 516G4G4B6HH223948 C/W: Cummins 6 Cylinder Diesel Engine, Allison Automatic Transmission, 295/75R22.5, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 16,162 Hr	5002	<b>2018 Ram ProMaster 2500 4x2 Cargo Van</b> S/N: 3C6TRVDG3JE124755 C/W: Long Wide High Usage: 80,658 Mi
1533A	<b>2017 Autocar Xspotter 4x2 Spotter Truck</b> S/N: 516G4G4B6HH223951 C/W: Cummins QSB6.7 6 Cylinder 6.7 L Diesel 185 hp Engine, 2017 US EPA Label, Allison Automatic Transmission, 295/75R22.5, Spring Suspension, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 22,920 Hr	5004	<b>2018 Ford Transit -250 4x2 Cargo Van</b> S/N: 1FTYR2XM5JKA70693 C/W: ford V6 3.6 L Gasoline 200 hp Engine, 2018 US EPA Label, 6919 Engine hrs, Automatic Transmission, 235/65R16 Front Tires, 235/65R16 Rear Tires, Spring Suspension, 147 in Wheelbase, 10 ft Long x 72 in Wide x 81 in High Body Usage: 129,329 Mi
1533	<b>2014 Ottawa 4x2 Spotter Truck</b> S/N: 337245 C/W: 6 Cylinder Diesel 165 hp Engine, 2012 US EPA Label, 395.9 Engine hrs, Allison 2500 Automatic Transmission, 11R22.5, 115 in Wheelbase, PTO, Wet Kit, Hydraulic Lift 5th Wheel Usage: 1,323 Mi	5005A	<b>2015 Ford Transit 250 4x2 Cargo Van</b> S/N: 1FTNR2XG7FKA78413 C/W: V6 3.5 L Gasoline Engine, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16C, Spring Suspension, 150 in Wheelbase Usage: 235,259 Mi
1534B	<b>2006 Cottrell Auto Hauler T/A 6 Car Open Car Carrier Trailer</b> S/N: 5E0AH14456G066401 C/W: 45000 lb GVWR, Air Ride Suspension, Air Brakes, Soft Ties, Aluminum Wheels, 285 /70R19.5 Tires Usage: Not Available	5005	<b>2016 Ford Transit 250 Cargo Van</b> S/N: 1FTYR1ZMXGKB05096 C/W: V6 3.7 L Gasoline Engine, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 128 in Wheelbase, 9 ft Long x 74 in Wide x 55 in High Body, Curbside Door Usage: 172,856 Mi
		5006	<b>2014 Ford E-250 4x2 Cargo Van</b> S/N: 1FTNE2EWXEDA06193 C/W: V8 4.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 3800 lb Front Axle, 5520 lb Rears, 8900 lb GVWR, 245/75R16, Spring Suspension, 140 in Wheelbase Usage: 83,794 Mi

Lot #	Details	Lot #	Details
5007	<b>2010 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCZGFAAXA1159438 C/W: V8 4.8 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, Spring Suspension, 135 in Wheelbase, 9 ft 8 in Long x 52 in Wide x 48 in High Body, Curbside Door Usage: 151,430 Mi	5026	<b>2017 Ford F-250 STX 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B66HEF24827 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 10000 lb GVWR, 275/70R18 Tires, 6 ft 8 in Bed Usage: 217,336 Mi
5012	<b>2005 Chevrolet 3500 4x2 Cargo Van</b> S/N: 1GCHG35UX51142000 C/W: GM V8 Gasoline Engine, Automatic Transmission, 4300 lb Front Axle, 6084 lb Rears, 9600 lb GVWR, 245/75/16, Spring Suspension, 137 in Wheelbase, 9 ft 4 in Long x 73 in Wide Body Usage: 300,300 Mi	5027	<b>2017 Ford F-250 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B68HED59136 C/W: 6.2 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, weather guard Tool Box, Spray-On Bed Liner, 9900 lb GVWR, 265/70R17 Tires, 7 ft 4 in Bed Usage: 166,743 Mi
5014	<b>2005 Freightliner Sprinter 2500 4x2 Cargo Van</b> S/N: WDYPD744X55838298 C/W: 6 Cylinder Diesel Engine, 2005 US EPA Label, Automatic Transmission, 3860 lb Front Axle, 5360 lb Rears, 8550 lb GVWR, Spring Suspension, 160 in Wheelbase, Long Wide High, Curbside Door Usage: 121,046 Mi	5028	<b>2016 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B69GEC24388 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 9900 lb GVWR, 265/70R17 Tires, 7 ft 5 in Bed Usage: 141,225 Mi
5015A	<b>2019 Chevrolet 3500 Crew Cab Pickup</b> S/N: 1GC4KVC65KF253445 C/W: 6.0 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 11000 lb GVWR, 275/70R18 Tires, 8 ft 6 in Bed Usage: 109,368 Mi	5029	<b>2016 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B68GED27852 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000 lb GVWR, 265/70R17 Tires, 6 ft 8 in Bed Usage: 167,276 Mi
5015	<b>2008 Ford F-350 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTWW31R68EB23890 C/W: Diesel Engine, 6 Speed Manual Transmission, Air Conditioner, Power Windows, PowerStroke, 8 Ft Bed, Side Tool Boxes Usage: 329,179 Mi	5030	<b>2016 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B6XGEA92399 C/W: 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/75R17 Tires, 6 ft 8 in Bed Usage: 138,425 Mi
5019	<b>2023 GMC 2500 AT4 4x4 Crew Cab Pickup</b> S/N: 1GT49PE71PF106020 C/W: 6.6 L V8 Gasoline Engine, 2023 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Spray-On Bed Liner, 10650.0 lb GVWR, 275/70R18 Tires, 6 ft 10 in Bed Usage: 1,187 Mi	5031	<b>2014 Ford F-250 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B69EEB09402 C/W: 6.2 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 265/70R17 Tires, 6 ft 8 in Bed Usage: 308,313 Mi
5022	<b>2014 Chevrolet 2500HD 4x4 Crew Cab Pickup</b> S/N: 1GC1KVC85EF137923 C/W: 6.6 L V8 Diesel Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 10000 lb GVWR, 265/70R17 Tires, 8 ft 6 in Bed Usage: 181,049 Mi	5032	<b>2012 Ford F-250 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B67CEB24591 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires Usage: 57,767 Mi
5023	<b>2020 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5FL8LG171298 C/W: 6.7 L 6 Cylinder Diesel Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 10000 lb GVWR, 6 ft 6 in Bed Usage: 86,278 Mi	5033	<b>2011 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B60BEC02238 C/W: Gasoline Engine, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 6 ft 8 in Bed Usage: 183,959 Mi

Lot #	Details	Lot #	Details
5034	<b>2018 Chevrolet 2500HD 4x4 Extended Cab Pickup</b> S/N: 1GC2KUEGXJZ215348 C/W: 6.0 L V8 Gasoline Engine, 2018 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 9500 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 156,853 Mi	5043	<b>2011 Ford F-250 XL 4x4 Pickup</b> S/N: 1FTBF2B63BEB53711 C/W: 6.2 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft Bed , Liftgate Usage: 94,520 Mi
5035	<b>2010 Chevrolet 2500 4x4 Extended Cab Snow Plow Truck</b> S/N: 1GC5KVBG5AZ265940 C/W: V8 6.0 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, 285/75R16, Spring Suspension, 144 in Wheelbase, Blizzard 9 ft 1-Way Plow, V-Maxx 8500 Poli Slide-In Spreader, 1 Spinners, In-Cab Controls Usage: Not Available	5044	<b>2007 Ford F-250 XL 4x4 Pickup</b> S/N: 1FTSF21P77EA47408 C/W: V8 Diesel Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 200,667 Mi
5036	<b>2003 Chevrolet 2500HD DuraMax Diesel 2500 HD 4x4 Extended Cab Pickup</b> S/N: 1GCHK29183E373458 C/W: 6.6 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, unknown Fuel Tank /w Pump, unknown Tool Box, 6084 lb GVWR, 265/75R16 Tires, 8 ft 0 in Bed Usage: 325,877 Mi	5045	<b>2007 Ford F-250 XL 4x4 Pickup</b> S/N: 1FTSF21P77EA47411 C/W: Diesel Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 245/75R17 Tires, 8 ft 4 in Bed Usage: 114,457 Mi
5038	<b>2014 Chevrolet Silverado 2500HD 4x4 Pickup</b> S/N: Not Available C/W: V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, 96 in Snow Plow, 9500 lb GVWR, 285/70R17 Tires, 8 ft 6 in Bed Usage: Not Available	5046	<b>2001 Ford F-250 XL 4x4 with INGERSOLL-RAND air compressor with reel Pickup</b> S/N: 1FTNF21F41EA91829 C/W: 7.3 L V8 Diesel Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Headache Rack, Drop-In Bed Liner, 8800 lb GVWR, 235/80R16 Tires, 8 ft 4 in Bed Usage: 81,196 Mi
5039	<b>2013 Chevrolet 2500 4x4 Pickup</b> S/N: 1GC0KVC9DZ300590 C/W: 6.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 9500 lb GVWR, 245/75R17 Tires, 8 ft 6 in Bed , SaltDogg Salt Spreader Usage: 119,281 Mi	5047A	<b>2000 Ford F-250 4x4 Pickup</b> S/N: 1FTNF21FXE32676 C/W: 7.3 L V8 Diesel Engine, 2000 US EPA Label, Automatic Transmission, Air Conditioner, Headache Rack, Western 96 in Snow Plow, Rubber Mat Bed Liner, 265/75R16 Tires, 8 ft 6 in Bed Usage: 172,333 Mi
5040	<b>2011 GMC 2500 HD 4x4 Crew Cab Pickup</b> S/N: 1GT120CG7BF157662 C/W: 6.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 9500 lb GVWR, 265/70 R17 Tires, 6 ft 7 in Bed Usage: 162,135 Mi	5047	<b>2000 Ford F-250 XL 4x4 Pickup</b> S/N: Not Available C/W: V10 Gasoline Engine, 2000 US EPA Label, Automatic Transmission, The Boss 90 in Snow Plow, Drop-In Bed Liner, 285/70R17 Tires, 9 ft 4 in Bed Usage: Not Available
5041	<b>2011 Ford F-250 XL 4x4 Pickup</b> S/N: 1FTBF2B67BEC57778 C/W: 6.2 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Rear Power Lift Gate, 10000 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 139,074 Mi	5050	<b>2018 Ram 2500 4x2 Crew Cab Pickup</b> S/N: 3C6UR4HJXJG277352 C/W: 6.4 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 285/70R17 Tires, 8 ft Bed Usage: 110,324 Mi
5042	<b>2011 Ford F-250 Pickup</b> S/N: 1FTBF2B65BEA74783 C/W: 9400 lb GVWR Usage: 325,751 Mi	5053	<b>2016 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FT7W2A69GEA50937 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft 1 in Bed Usage: 74,283 Mi
		5054	<b>2008 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FTSW20R08EA81565 C/W: 6.4 L V8 Diesel Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 10000.0 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 346,584 Mi

Lot #	Details	Lot #	Details
5055	<b>2008 Chevrolet 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GCHC23K38F184149 C/W: 6 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 9200 lb GVWR, 245/75R16 Tires, 8 ft Bed Usage: 208,735 Mi	5066	<b>2013 Chevrolet Silverado 1500 4x4 Crew Cab Pickup</b> S/N: Not Available C/W: 4.8 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 7000 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: Not Available
5056	<b>2012 Ram 2500 4x2 Pickup</b> S/N: 3C6LD4AT9CG238759 C/W: 5.7 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Weather guard Fuel Tank, Weather Guard Tool Box, Drop-In Bed Liner, 245/70R17 Tires, 8 ft 6 in Bed Usage: 143,038 Mi	5067	<b>2018 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EP2JKD33547 C/W: 2.7 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6600 lb GVWR, 265/70R17 Tires, 5 ft 8 in Bed Usage: 149,661 Mi
5057	<b>2008 Chevrolet Silverado 2500HD 4x2 Pickup</b> S/N: 1GCHC24K58E136155 C/W: 6.0 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, 9200 lb GVWR, 245/75R16 Tires, 8 ft Bed Usage: 259,463 Mi	5068	<b>2018 Ford F-150 4x4 Crew Cab Pickup</b> S/N: 1FTEW1E58JKE02773 C/W: V8 Gasoline Engine, 2018 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Drop-In Bed Liner, 7000 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 188,548 Mi
5058	<b>2011 Ford F-250 XL 4x2 Pickup</b> S/N: Not Available C/W: 6.2 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Weatherguard Fuel Tank /w Pump, Drop-In Bed Liner, 9800 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: Not Available	5069	<b>2017 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EP4HFA88155 C/W: 2.7 L 4 Cylinder Gasoline Engine, 2017 US EPA Label, 275/65R18 Tires, 5 ft 5 in Bed Usage: 187,561 Mi
5059	<b>1976 Ford F-250 XLT 4x2 Pickup</b> S/N: F25MCA29780 C/W: V8 Gasoline Engine, Automatic Transmission, 8000 lb GVWR, 7.50R16 Tires, 8 ft 1 in Bed Usage: 59,601 Mi	5070A	<b>2017 Ford F-150 4x4 Crew Cab Cab and Chassis</b> S/N: 1FTEW1EP5HFA88150 C/W: 2.7 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 6500 lb GVWR, 6 ft 4 in Bed Usage: 188,064 Mi
5061	<b>2020 GMC Sierra 1500 4x4 Crew Cab Pickup</b> S/N: 1GTU9DED2LZ171455 C/W: 5.3 L V8 Gasoline Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, Power Sliding Rear Window, Spray-On Bed Liner, 7100 lb GVWR, 265/65/18 Tires, 5 ft 10 in Bed Usage: 115,363 Mi	5070	<b>2017 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP0HFC06196 C/W: 2.7 L 6 Cylinder Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, weather-guard Tool Box, 65000 lb GVWR, 275/65R18 Tires, 7 ft Bed Usage: 135,035 Mi
5063	<b>2019 GMC Sierra 1500 SLT 4x4 Crew Cab Pickup</b> S/N: 3GTU9DED3KG202999 C/W: 5.3 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 7100.0 lb GVWR, 265/65R18 Tires, 6 ft 6 in Bed Usage: 143,112 Mi	5071	<b>2016 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTFW1EG6GKE77468 C/W: 3.5 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, Headache Rack, 7200 lb GVWR, 275/65R18 Tires, 6 ft 5 in Bed Usage: 198,575 Mi
5064	<b>2018 Chevrolet 1500 LT 4x4 Crew Cab Pickup</b> S/N: 3GCUKSEC4JG395484 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, 7600 lb GVWR, 265/65R18 Tires, 6 ft 6 in Bed Usage: 158,473 Mi	5073	<b>2015 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EP0FKD35854 C/W: 2.7 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Spray-On Bed Liner, 6500 lb GVWR, 275/65R18 Tires, 6 ft 6 in Bed Usage: 158,456 Mi

Lot #	Details	Lot #	Details
5075	<b>2014 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: 1FTFW1EF6EKG22707 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, TrailFX Tool Box, 7350 lb GVWR, 265/70R17 Tires, 6 ft 3 in Bed Usage: 188,360 Mi	5085	<b>2017 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EG4HFA35361 C/W: 3.5 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, Spray-On Bed Liner, 7050 lb GVWR, 265/70R15 Tires, 6 ft 6 in Bed Usage: 206,508 Mi
5076	<b>2014 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTFW1EF1EKE10376 C/W: V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Tool Box, Drop-In Bed Liner, 7350 lb GVWR, 265/75R17 Tires, 6 ft 6 in Bed Usage: 189,671 Mi	5086	<b>2017 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EG5HFA35353 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7050.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 159,289 Mi
5078	<b>2014 Ford F-150 XL 4x4 Crew Cab Pickup</b> S/N: Not Available C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Betterbuilt Tool Box, Spray-On Bed Liner, 245 /75r17 Tires, 6 ft Bed Usage: 79,445 Mi	5087	<b>2017 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1E88HFA69808 C/W: 3.5 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 6300 lb GVWR, 265/70R17 Tires, 6 ft 5 in Bed Usage: 159,685 Mi
5079	<b>2013 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTFW1ET1DFA44660 C/W: 3.5 L V6 Gasoline Engine, 2013 US EPA Label, 275/65R18 Tires, 6 ft 6 in Bed Usage: 181,150 Mi	5088	<b>2017 Ford F-150 4x4 Extended Cab Pickup</b> S/N: Not Available C/W: 2.7 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500.0 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: Not Available
5081	<b>2011 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTFW1EF3BKD52797 C/W: 5.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 7200 lb GVWR, 265/70R17 Tires, 5 ft 6 in Bed Usage: 176,473 Mi	5090	<b>2016 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP0GFA49459 C/W: 2.7 L 6 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, 6500 lb GVWR, 245/75R17 Tires, 7 ft Bed Usage: 185,741 Mi
5082	<b>2019 Ram 1500 Laramie 4x4 Crew Cab Pickup</b> S/N: 1C6SRFJT6KN738635 C/W: 5.7 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Spray-On Bed Liner, 7100 lb GVWR, 275/65R18 Tires, 6 ft 0 in Bed Usage: 112,954 Mi	5091	<b>2015 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EGXFKE89599 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7050 lb GVWR, 265/70R17 Tires, 6 ft 10 in Bed Usage: 183,564 Mi
5083	<b>2017 Ram 1500 4x4 Extended Cab Pickup</b> S/N: 1C6RR7FG4HS616446 C/W: 3.6 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 147,434 Mi	5092	<b>2015 Ford F-150 XLT 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EP0FKD84159 C/W: 2.7 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Weather Guard Tool Box, 6500 lb GVWR, 275/65R18 Tires, 6 ft 5 in Bed Usage: 218,916 Mi
5084	<b>2014 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7ST1ES210932 C/W: 5.7 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6800 lb GVWR, 275/60R20 Tires, 6 ft 2 in Bed Usage: 144,597 Mi	5093	<b>2015 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1E86FFC62598 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, weather guard Tool Box, 6300 lb GVWR, 265 /70R17 Tires, 6 ft 6 in Bed Usage: 203,369 Mi



Lot #	Details	Lot #	Details
5094	<b>2015 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTEX1E80FFA90424 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6300 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 237,889 Mi	5100	<b>2011 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1ET8EFA59669 C/W: 3.5 L 6 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Uws Tool Box, Drop-In Bed Liner, 7200 lb GVWR, 275/65R18 Tires, 6 ft 5 in Bed Usage: 218,850 Mi
5095B	<b>2014 Ford F-150 XLT 4x4 Extended Cab Pickup</b> S/N: Not Available C/W: 3.5 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Weatherguard Fuel Tank /w Pump, Weather Guard Tool Box, Drop-In Bed Liner, 7700.0 lb GVWR, 275/65R18 Tires, 6 ft 5 in Bed Usage: Not Available	5101	<b>2004 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTPX14544NB92960 C/W: 5.4 L V8 Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 7200 lb GVWR, 275 /65R18 Tires Usage: 275,506 Mi
5095A	<b>2014 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF8EKE58809 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Aluminium Truck Cap, Spray-On Bed Liner, 7450 lb GVWR, 245 /70R17 Tires, 8 ft Bed Usage: 199,308 Mi	5102	<b>2004 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTPX14594NB12875 C/W: 5.4 L V8 Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Sunroof, Power Sliding Rear Window, 7200.0 lb GVWR, 275/65R18 Tires, 6 ft 7 in Bed Usage: 143,195 Mi
5095	<b>2015 Ford F-150 Extended Cab 4x4 Pickup</b> S/N: 1FTEX1E89FFA90423 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6300 lb GVWR, 245/70R17 Tires, 6 ft 9 in Bed Usage: 225,449 Mi	5106	<b>2018 GMC 1500 4x4 Crew Cab Pickup</b> S/N: 1GTV2LEC9JZ284164 C/W: 5.3 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7200 lb GVWR, 265/70R16 Tires, 6 ft 8 in Bed Usage: 200,182 Mi
5096	<b>2013 Ford F-150 STX 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF3DFC83926 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fisher 90 in Snow Plow, Drop-In Bed Liner, 7350 lb GVWR, 275/65R18 Tires, 6 ft 6 in Bed Usage: 282,204 Mi	5109	<b>2015 GMC 1500 4x4 Crew Cab Pickup</b> S/N: 1GTV2TEC0FZ277627 C/W: 5.3 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7200 lb GVWR, 265/70R17 Tires, 6 ft 8 in Bed Usage: 211,537 Mi
5097	<b>2013 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF0DFB54266 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 7350 lb GVWR, 235/75R17 Tires, 6 ft 6 in Bed Usage: 288,022 Mi	5111	<b>2012 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCRKPEA4CZ327397 C/W: 4.8 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 7000 lb GVWR, 265/70R17 Tires, 6 ft 5 in Bed Usage: 250,399 Mi
5098	<b>2013 Ford F-150 STX 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF8DKG37883 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7350 lb GVWR, 275/65R18 Tires, 7 ft Bed Usage: Not Available	5113	<b>2011 GMC 1500 SLE 4x4 Extended Cab Pickup</b> S/N: 1GTR2VE37BZ352363 C/W: 5.3 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Drop-In Bed Liner, 7000 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 176,529 Mi
5099	<b>2011 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EM3BKD25557 C/W: 3.7 L V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 6900 lb GVWR, 245/70R17 Tires, 6 ft 5 in Bed Usage: 204,025 Mi		

Lot #	Details	Lot #	Details
5114	<b>2010 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCSKREA4AZ146150 C/W: 4.8 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7000 lb GVWR, 265/70R17 Tires, 6 ft 6 in Bed Usage: 316,051 Mi	5126	<b>2016 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CF0GKE06767 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Protech Tool Box, Spray-On Bed Liner, 6750 lb GVWR, 245/70R17 Tires, 8 ft 0 in Bed Usage: 123,732 Mi
5116	<b>2012 GMC 1500 SLE 4x4 Pickup</b> S/N: 1GTN2VE07CZ167168 C/W: 5.3 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Kobalt Tool Box, 6800 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 395,837 Mi	5127	<b>2016 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CF4GKE06769 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Protech Tool Box, Spray-On Bed Liner, 6750.0 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 124,513 Mi
5117	<b>2016 Ford F-150 XL 4x2 Crew Cab Pickup</b> S/N: Not Available C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Protech Tool Box, Spray-On Bed Liner, 6800 lb GVWR, 245/70R17 Tires, 5 ft Bed Usage: 122,416 Mi	5128	<b>2014 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF4EKG36507 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 7050 lb GVWR, 245/70R17 Tires, 8 ft 6 in Bed Usage: 58,712 Mi
5118	<b>2016 Chevrolet 1500 4x2 Crew Cab Pickup</b> S/N: 3GCPCH4G156727 C/W: 4.6 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 226,294 Mi	5129	<b>2014 Ford F-150 4x2 Pickup</b> S/N: 1FTNF1CF0EKG11569 C/W: 5.0 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 7050 lb GVWR, 245/75R17 Tires Usage: 83,514 Mi
5119	<b>2016 Chevrolet 1500 4x2 Crew Cab Pickup</b> S/N: 3GCPCH4G2GG158332 C/W: 4.3 L V6 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 6500 lb GVWR, 265/70R17 Tires, 6 ft Bed Usage: 184,053 Mi	5130	<b>2014 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF7EKG36503 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Spray-On Bed Liner, 7050 lb GVWR, 245/75R17 Tires, 8 ft Bed Usage: 96,502 Mi
5121	<b>2017 Ford F-150 4x2 Extended Cab Pickup</b> S/N: Not Available C/W: 2.6 L 6 Cylinder Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, weather guard Tool Box, Spray-On Bed Liner, 6250 lb GVWR, 245/70R17 Tires, 7 ft Bed Usage: Not Available	5131	<b>2014 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF1EKG52891 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 7050 lb GVWR, 245/75R17 Tires, 8 ft 1.5 in Bed Usage: 98,434 Mi
5122A	<b>2012 Ford F-150 4x2 Extended Cab Pickup</b> S/N: 1FTFX1CF5CKE16386 C/W: 5.0 cid V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 7300 lb GVWR, 235/76R17 Tires, 8 ft Bed Usage: 315,422 Mi	5132	<b>2014 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF8EKG52905 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Betterbuilt Tool Box, Spray-On Bed Liner, 245/75 R17 Tires, 8 ft 6 in Bed Usage: 123,680 Mi
5124	<b>2018 Ford F-150 4x2 Pickup</b> S/N: Not Available C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, ProTech Tool Box, Spray-On Bed Liner, 6750 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 94,059 Mi	5133	<b>2012 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTNF1CF9CKE10525 C/W: 5.0 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, 7050 lb GVWR, 265/70R17 Tires, 8 ft Bed Usage: 232,643 Mi

Lot #	Details	Lot #	Details
5135	<b>2008 Ford F-150 4x2 Pickup</b> S/N: 1FTRF12228KE32146 C/W: 4.2 L V6 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, Spray-On Bed Liner, 6650 lb GVWR, 235/70R17 Tires, 8 ft 8 in Bed Usage: 199,825 Mi	5157	<b>2014 Nissan Frontier 4x2 Extended Cab Pickup</b> S/N: 1N6BD0CT3EN768484 C/W: 4 Cylinder Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, 4700 lb GVWR, 235/75R15 Tires, 6 ft 6 in Bed Usage: 108,703 Mi
5136	<b>2000 Ford F-150 4x2 Pickup</b> S/N: 1FTZF1722YKB09773 C/W: 4.2 L V6 Gasoline Engine, 2000 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, 6000 lb GVWR, 255/70R16 Tires, 8 ft Bed Usage: 252,845 Mi	5158	<b>2010 Toyota Tacoma 4x2 Extended Cab Pickup</b> S/N: 5TETX4CN9AZ742745 C/W: 2.7 L 4 Cylinder Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 4900 lb GVWR, 215/70R15 Tires, 6 ft 5 in Bed Usage: 186,616 Mi
5137	<b>2014 Chevrolet Silverado 1500 4x2 Pickup</b> S/N: 1GCNCPEH1EZ145488 C/W: 4.3 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6700 lb GVWR, 255/70R17 Tires, 8 ft Bed Usage: 181,750 Mi	5159	<b>2016 Ford Expedition XLT 4WD SUV</b> S/N: 1FMJU1JT0GEF26838 C/W: V6 3.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, 3rd Row, Towing Hitch Usage: 112,895 Mi
5138	<b>2006 Chevrolet 1500 4x2 Pickup</b> S/N: 1GCEC14X76Z110171 C/W: V6 Gasoline Engine, Automatic Transmission, Air Conditioner, 6400 lb GVWR, 245/70R17 Tires, 8 ft Bed Usage: 292,186 Mi	5160	<b>2014 Ford Expedition 4WD SUV</b> S/N: 1FMJK1G52EEF18722 C/W: V8 5.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 123,830 Mi
5141	<b>2012 GMC Canyon 4x4 Extended Cab Pickup</b> S/N: 1GTJ6MFE2C8129392 C/W: 3.7 L 5 Cylinder Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 5300 lb GVWR, 235/75R16 Tires, 6 ft Bed Usage: 186,162 Mi	5161	<b>2018 Jeep Grand Cherokee Limited 4WD SUV</b> S/N: 1C4RJFBT1JC386989 C/W: V8 5.7 L Gasoline Engine, 2018 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 64,212 Hr
5143	<b>2015 Nissan Frontier XE 4x4 Dual Cab Pickup</b> S/N: 1N6AD0EV5FN706158 C/W: V6 Gasoline Engine, 2015 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, 5815 lb GVWR, 4 ft 10 in Bed Usage: 213,448 Mi	5162	<b>2017 Jeep Grand Cherokee Limited 4WD SUV</b> S/N: 1C4RJFBG0HC789746 C/W: V6 3.6 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 119,367 Mi
5154	<b>2016 Chevrolet Colorado 4x2 Extended Cab Pickup</b> S/N: 1GCHSBEA6G1247506 C/W: 2.5 L 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 5400 lb GVWR, 265/70R16 Tires, 6 ft 6 in Bed Usage: 88,141 Mi	5163A	<b>2008 Chevrolet TrailBlazer SUV</b> S/N: 1GNDS13SX82215343 C/W: 6 cyl 4.2 L Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Towing Hitch Usage: 329,670 Mi
5155	<b>2016 Nissan Frontier 4x2 Extended Cab Pickup</b> S/N: 1N6BD0CT1GN785710 C/W: 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 4700 lb GVWR, 235/75R15 Tires, 6 ft 6 in Bed Usage: 134,145 Mi	5163	<b>2011 Toyota 4 Runner SR5 4WD SUV</b> S/N: JTEBU5JR7B5036163 C/W: V6 4.0 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 228,873 Mi
5156	<b>2016 Nissan Frontier 4x2 Extended Cab Pickup</b> S/N: Not Available C/W: 4 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, 4700 lb GVWR, 235/75R15 Tires, 6 ft 6 in Bed Usage: Not Available	5164	<b>2022 Kia Seltos AWD SUV</b> S/N: KNDERCAA9N7241736 C/W: 4 cyl 2.0 L Gasoline Engine, 2022 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 17,652 Mi

Lot #	Details	Lot #	Details
5165	<b>2018 Ford Edge SEL AWD SUV</b> S/N: 2FMPK4J94JBB02488 C/W: 4 cyl 2.0 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 145,044 Mi	5176	<b>2015 Ford Fusion SE Automobile</b> S/N: 3FA6P0H78FR100191 C/W: 4 cyl 2.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 91,099 Mi
5166	<b>2018 Ford Escape SE 2WD SUV</b> S/N: Not Available C/W: 4 cyl 1.5 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: Not Available	5177	<b>2015 Ford Fusion SE Automobile</b> S/N: 3FA6P0HD7FR237791 C/W: 4 cyl 1.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 151,372 Mi
5167	<b>2013 Ford Escape SUV</b> S/N: 1FMCU9GX1DUB32154 C/W: 4 cyl 1.6 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 136,075 Mi	5179	<b>2008 Dodge Avenger Automobile</b> S/N: 1B3LC46R18N254155 C/W: V6 2.7 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 160,703 Mi
5168	<b>2012 Ford Escape XLT AWD SUV</b> S/N: 1FMCU9DG7CKC59344 C/W: V6 3.0 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	5180	<b>2007 Dodge Caliber SXT Automobile</b> S/N: 1B3HB48B57D542063 C/W: 4 cyl 2.0 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 163,659 Mi
5169	<b>2010 Ford Escape XLT AWD SUV</b> S/N: 1FMCU9DG9AKC89524 C/W: V6 3.0 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 117,605 Mi	5181	<b>2003 Honda Civic EX Automobile</b> S/N: 2HGES267X3H602745 C/W: 4 cyl 1.7 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 75,882 Mi
5171	<b>2012 Dodge Charger Automobile</b> S/N: 2C3CDXAT5CH260854 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner Usage: 146,133 Mi	5182	<b>2008 Mercedes-Benz R320 CDI 4Matic Automobile</b> S/N: 4JGCB22E28A066403 C/W: V6 3.5 L Diesel Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Towing Hitch Usage: 60,547 Mi
5172	<b>2017 Ford Fusion SE Automobile</b> S/N: 3FA6P0H78HR370962 C/W: 4 cyl 2.5 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 117,298 Mi	5183	<b>2002 Subaru Outback L.L. Bean AWD Station Wagon</b> S/N: 4S3BH806427659827 C/W: 6 cyl 3.0 L Gasoline Engine, 2002 US EPA Label, CARB Compliant, Air Conditioner, Power Windows, Power Locks Usage: 283,768 Mi
5173	<b>2016 Ford Fusion SE Automobile</b> S/N: 3FA6P0HD6GR180484 C/W: 4 cyl 1.5 L Gasoline Engine, 2016 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 73,063 Mi	5185	<b>1981 Motor Coach Industries MC-9 49-Seat Bus (Inoperable)</b> S/N: 1M89CM8A6BP036015 C/W: 6 Cylinder Diesel Engine, 4 Manual Transmission, Lavatory, 12R22.5 Front Tires, 12R22.5 Rear Tires, Air Ride Suspension, 308 in Wheelbase Usage: Not Available
5174	<b>2016 Ford Fusion SE Automobile</b> S/N: 3FA6P0HD3GR160709 C/W: 4 cyl 1.5 L Gasoline Engine, 2016 US EPA Label, CARB Compliant, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 95,235 Mi	5186	<b>2008 IC PB105 4x2 71-Seat School Bus</b> S/N: 4DRBUAAP38B498821 C/W: 6 Cylinder 7.6 L Diesel 220 hp Engine, 2006 US EPA Label, Air Conditioner, Automatic Transmission, 8738 hrs Carrier Engine, 11R22.5, Spring Suspension, 276 in Wheelbase Usage: 172,792 Mi

Lot #	Details	Lot #	Details
5187	<b>1999 International 3800 4x2 22-Seat School Bus</b> S/N: 1HVBBAAN3XH242015 C/W: International 6 Cylinder Diesel Engine, Automatic Transmission, 10R22.5, Air Ride Suspension, 257 in Wheelbase Usage: 174,036 Mi	5202	<b>2020 Rhino PDT-55 Pneumatic Fence Post Driver</b> S/N: 2003345 Usage: Not Available
5188	<b>2003 International 3000IC 4x2 18-Seat School Bus</b> S/N: 4DRBRABP03A957334 C/W: International V8 7.3 L Diesel Engine, US EPA Label, Automatic Transmission, 11R22.5, Spring Suspension, 238 in Wheelbase Usage: 103,256 Mi	5203	<b>2017 Billy Goat OS901SPH Walk-Behind Seeder</b> S/N: 62617697 C/W: 2016 US EPA Label, CARB Compliant, Honda GX270 Gasoline Engine Usage: Not Available
5190	<b>2018 Chevrolet Express 3500 4x2 Cargo Van</b> S/N: 1GAZGNFG2J1343501 C/W: Vortec V8 6.0 L Gasoline Engine, 2018 US EPA Label, CARB Compliant, 5606 Engine hrs, 6-Speed Automatic Transmission, 4300 lb Front Axle, 6084 lb Rears, 9600 lb GVWR, 245 /75R16 Front Tires, 245/75R16 Rear Tires, 160 in Wheelbase Usage: 203,359 Mi	5204	<b>Quantity of Landscaping Tools</b> S/N: Not Available Usage: Not Available
5192	<b>2009 GMC 2500 4x2 12-Seat Passenger Van</b> S/N: 1GJGG25K691110941 C/W: V8 6 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 255/70R16, Spring Suspension, 136 in Wheelbase Usage: 146,776 Mi	5205	<b>Quantity of Landscaping Tools</b> S/N: Not Available Usage: Not Available
5194	<b>2022 Tennant S7 Walk-Behind Electric Floor Sweeper</b> S/N: 125127200693 C/W: 24 in Working Width, Water System, 12 Volt Operating System Usage: Not Available	5206	<b>Mustang LF 88D Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: 2023 US EPA Label, Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
5196	<b>2021 Tennant S6 Walk-Behind Floor Sweeper</b> S/N: 125126800875 C/W: 16 in Working Width, 12 Volt Operating System Usage: Not Available	5207	<b>Mustang LF 88D Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: 2023 US EPA Label, Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
5197	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: 750S2302 C/W: Lanm 750S 20 in Mower Usage: Not Available	5208	<b>2009 Hacer C90T Vibratory Plate Compactor</b> S/N: H0990T50152 C/W: 1 Cylinder 4.4 kW .19 L Gasoline Engine Usage: Not Available
5198	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: 750S2327 C/W: Lanm LAM750 22 in Mower Usage: Not Available	5209	<b>2023 SDLOOL SL80LC Jumping Jack Tamper (Unused)</b> S/N: 042-19 C/W: RM80 1 Cylinder Gasoline Engine Usage: Not Available
5199	<b>Quantity of Stihl Chain Saw</b> S/N: Not Available Usage: Not Available	5210	<b>2023 SDLOOL SL80LC Jumping Jack Tamper (Unused)</b> S/N: 041-28 C/W: Loncin RM80 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
5200	<b>2017 StInternationall BT131 Gasoline Power Auger</b> S/N: 511563226 Usage: Not Available	5212	<b>2014 Wacker Neuson BS50-2I Jumping Jack Tamper</b> S/N: 20282758 C/W: 2014 US EPA Label, Wacker 1 Cylinder 2.2 hp Gasoline Engine Usage: Not Available
5201	<b>2019 MacKissic EA93HSPT Gasoline Power Auger</b> S/N: EA1171 C/W: Does Not Include Auger Bit Usage: Not Available	5213	<b>2013 Wacker Neuson BS50-2I Jumping Jack Tamper (Inoperable)</b> S/N: 20180900 Usage: Not Available
		5214	<b>2007 Wacker BS60 Jumping Jack Tamper (Inoperable)</b> S/N: 5740643 C/W: 1 Cylinder Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
5215	<b>Wacker Neuson BS50-2I Jumping Jack Tamper</b> S/N: 20166481 C/W: 2013 US EPA Label, Wacker 1 Cylinder Gasoline Engine Usage: Not Available	5230	<b>2016 Edco CPM8-9H Gasoline Concrete Scarifier</b> S/N: 160810515 C/W: 2016 US EPA Label, Honda GX270 1 Cylinder 270 cc Gasoline Engine Usage: Not Available
5216	<b>2003 Wacker Neuson Bs600 Jumping Jack Tamper</b> S/N: 5374284 C/W: 2013 US EPA Label, Wacker Neuson 1 Cylinder 80 cc Gasoline Engine Usage: Not Available	5232	<b>2017 Oztec 2.4 OZ Electric Concrete Vibrator</b> S/N: AH3158670 C/W: Single Phase Motor Usage: Not Available
5217	<b>Wacker BS60-2 Jumping Jack Tamper</b> S/N: 5625597 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	5233	<b>2015 Bosch BH2760VCB Electric Demolition Breaker</b> S/N: 502000257 Usage: Not Available
5218	<b>2018 Edco DS185 Electric Walk-Behind Saw</b> S/N: 180410116 C/W: Water Hose Connection, Manual Blade Raise / Lower Usage: 10 Hr	5235	<b>2018 APT 133 Rivet Buster</b> S/N: 1707071 Usage: Not Available
5219	<b>Quantity of Concrete Tools (Unused)</b> S/N: Not Available Usage: Not Available	5236	<b>Generac G0072280 18 kW Skid-Mounted Stand-By Generator Set (Unused)</b> S/N: 3011116861 Usage: Not Available
5220	<b>2016 Trelawny MHS5 SCABBLER Concrete Grinder</b> S/N: T24308 C/W: 12 in Grinding Width Usage: Not Available	5237	<b>2021 MAKINEX GEN-16P-US-240 16 kW Portable Generator Set</b> S/N: 4602618 C/W: Honda GX690 2 Cylinder Gasoline Engine, 250 V / 125 V Rated Voltage, 240 V & 120 V Receptacles Usage: 12 Hr
5221	<b>2020 CS Unitec 153.5200 Pneumatic Concrete Grinder</b> S/N: T134526 C/W: 4 in Grinding Width Usage: Not Available	5238	<b>Northstar 6.5 kW Mobile Generator Set</b> S/N: 10052886 C/W: 2005 US EPA Label, Yanmar L100V6 1 Cylinder 0.43 L Diesel Engine, /6.5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 408 Hr
5222	<b>2020 Oztec CG12E-DC7-H Electric Concrete Grinder</b> S/N: AM1197645 C/W: 5 in Grinding Width, 1 Grinding Disc Usage: Not Available	5239	<b>Onan 3.0DJA 3 kW Skid-Mounted Generator Set</b> S/N: K840734656 C/W: 1 Cylinder Diesel Engine, 3 kVA, /3 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
5223	<b>2019 Edco TL9 Concrete Grinder</b> S/N: 190810315 C/W: 9 in Grinding Width Usage: Not Available	5240	<b>2022 Briggs BGP6500 5 kW Mobile Generator Set</b> S/N: 418724686 C/W: Briggs & Stratton Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
5225	<b>2016 Edco 2GC-NG-11H Gasoline Concrete Grinder</b> S/N: 161110249 C/W: 2016 US EPA Label, CARB Compliant, Honda GXV340 1 Cylinder 338 cc Gasoline Engine, 24 in Grinding Width, 2 Grinding Discs Usage: Not Available	5241	<b>2022 Briggs BGP6500 5 kW Portable Generator Set</b> S/N: 418724688 C/W: Briggs & Stratton Gasoline Engine, /5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
5226	<b>2021 Edco CPL-8-1.5L Electric Concrete Scarifier</b> S/N: 210310190 Usage: Not Available	5242	<b>2017 Tsurumi 6000 kW Portable Generator Set</b> S/N: 61408 C/W: Honda GX 340 Gasoline Engine, /6 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
5229	<b>2016 Edco CPM8-9H Gasoline Concrete Scarifier</b> S/N: 160710167 C/W: 2016 US EPA Label, Honda GX270 1 Cylinder 270 cc Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
5243	<b>2017 Honda EB3000CK2A 3 kW Portable Generator Set</b> S/N: EZGP-1539429 C/W: Honda Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5253	<b>Lincoln 250 G9 Pro 250 A Electric Welder</b> S/N: A1115946 C/W: Performer 18XSL 2 Cylinder Gasoline Engine, Welding Leads Usage: Not Available
5244	<b>2017 Honda 3 kW Portable Generator Set</b> S/N: EZGP-1539363 C/W: Honda Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5254	<b>2016 Miller CST-280 280 A Stick Electric Welder</b> S/N: MG150195G C/W: 3 Phase, 220 V/ 575 V Input, Welding Leads Not Included Usage: Not Available
5245	<b>2017 Honda EB3000CK2A 3 kW Mobile Generator Set</b> S/N: EZGP-1539367 C/W: Honda Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5255	<b>Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 2 in Discharge, Submersible Water Pump Usage: Not Available
5246	<b>2022 Honda EU2200ITAN 2.2 kW Mobile Generator Set</b> S/N: EAMT2622886 C/W: Gasoline Engine, /2.2 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5256	<b>2017 Tsurumi KTZ355 3ph 208/230 V Water Pump</b> S/N: B10985042 C/W: 9 in Intake, 3 in Discharge, Submersible Water Pump Usage: Not Available
5247	<b>2019 Honda EU3000IS1A 3 kW Mobile Generator Set</b> S/N: EZGF-1776476 C/W: Honda Gasoline Engine, /3.0 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5257	<b>2017 Tsurumi KTZ355 3ph 200V Water Pump</b> S/N: B10950853 C/W: 9 in Intake, 3 in Discharge, Submersible Water Pump Usage: Not Available
5249	<b>2017 Honda EU3000IS1A 3 kW Mobile Generator Set</b> S/N: EZGF-167899 C/W: Honda Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5259	<b>2022 Mi-T-M AM1PE1508M 7.2 cfm Mobile Electric Air Compressor</b> S/N: 97023713 C/W: 90 psi Working Pressure, 120V, 1.5 hp Motor Usage: Not Available
5250	<b>2022 Honda EU3000IS1AN 3 kW Mobile Generator Set</b> S/N: EZGF1903391 C/W: Honda Gasoline Engine, /3.0 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5260	<b>2022 Mi-T-M AM1PE1508M Air Compressor</b> S/N: 97023712 C/W: 90 psi Working Pressure, 120V, 1.5 hp Motor Usage: Not Available
5251	<b>2022 Honda EU3000IS1AN 3 kW Mobile Generator Set</b> S/N: EZGF1902228 C/W: Honda Gasoline Engine, /3.0 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5261	<b>2019 Dewalt DXH190HD 190000 BTU Space Heater (Unused)</b> S/N: LN34069519002476 C/W: Kerosene Fueled, Single Phase, 115 V Input Usage: Not Available
5252	<b>Honda EU3000IS1A 3 kW Portable Generator Set</b> S/N: EZGF1671855 C/W: Honda Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	5262	<b>2019 Dewalt DXH170FAVT 170000 BTU Electric Space Heater (Unused)</b> S/N: LN34073019001079 C/W: Propane Fueled, Single Phase, 115 V Input Usage: Not Available
		5263	<b>Flagro F-1500T 1500000 BTU Space Heater</b> S/N: 15002189 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
		5264	<b>Flagro FLE-150 512000 BTU Electric Space Heater</b> S/N: E150104 C/W: 3 Phase, 480 V Input Usage: Not Available

Lot #	Details	Lot #	Details
5265	<b>Flagro FLE-150 512000 BTU Electric Space Heater</b> S/N: E150207 C/W: 3 Phase, 480 V Input Usage: Not Available	5276	<b>2018 Hilti PR30-HVS Laser Level</b> S/N: 102180013 Usage: Not Available
5266	<b>2015 Phoenix Firebird Compact Electric Space Heater</b> S/N: J1560992 C/W: Single Phase, 120 V Input Usage: 2,293 Hr	5277	<b>2016 Diamond MK-2425SSP Walk-Behind Saw (Inoperable)</b> S/N: 1003497 C/W: Water Hose Connection, Manual Blade Raise / Lower, EH72 2 Cylinder 25 hp Engine Usage: 152 Hr
5267	<b>2015 Phoenix Firebird Compact Electric Space Heater</b> S/N: H1552858 C/W: Single Phase, 120 V Input Usage: 5,095 Hr	5278	<b>2017 Hilti DCH 300 Electric Cut-Off Saw</b> S/N: 57521 Usage: Not Available
5268A	<b>2012 Patron E9 Electric Space Heater</b> S/N: 6591 C/W: Single Phase, 240 V Input Usage: Not Available	5279	<b>Quantity of Metal Working Saws &amp; Tools (Unused)</b> S/N: Not Available Usage: Not Available
5268	<b>2013 Patron E9 Electric Space Heater</b> S/N: 6926 C/W: Single Phase, 240 V Input Usage: Not Available	5280	<b>Quantity of Tools</b> S/N: Not Available Usage: Not Available
5269A	<b>2017 Dewalt DXF1000TS Electric Space Heater</b> S/N: 17001167 C/W: Single Phase, 240 V Input Usage: Not Available	5281	<b>Quantity of Big Timber Saws and Tools (Unused)</b> S/N: Not Available Usage: Not Available
5269	<b>2015 Dewalt DXH1000 Space Heater</b> S/N: 13001227 C/W: Single Phase, 120 V Input Usage: Not Available	5282	<b>Quantity of Wood Saws &amp; Tools (Unused)</b> S/N: Not Available Usage: Not Available
5270	<b>2018 EcoBlaze Blaze 6/9E Electric Space Heater</b> S/N: B69189103 C/W: Single Phase, 240 V Input Usage: Not Available	5283	<b>2016 Hilti TE7-C Rotary Hammer</b> S/N: 506626 Usage: Not Available
5271	<b>2015 Phoenix Firebird Compact Electric Space Heater</b> S/N: J1560991 C/W: Single Phase, 120 V Input Usage: 5,072 Hr	5284	<b>Quantity of Torque Wrenches (Unused)</b> S/N: Not Available Usage: Not Available
5272	<b>2015 Phoenix Firebird Compact Electric Space Heater</b> S/N: J1560999 C/W: Single Phase, 120 V Input Usage: 1 Hr	5285	<b>2021 National 550 Electric Walk-Behind Floor Scraper</b> S/N: 550230367 Usage: Not Available
5273	<b>2018 Phoenix Firebird Compact Electric Space Heater</b> S/N: A1879217 C/W: Single Phase, 120 V Input Usage: 1,428 Hr	5286	<b>2013 Edco ALR-BS CHISEL Floor Scraper</b> S/N: 33817 Usage: Not Available
5274A	<b>2014 Ozone Generator</b> S/N: 20120055 C/W: Single Phase Motor Usage: Not Available	5287	<b>2017 Clarke EZ8 Floor 8 in Sander</b> S/N: 31526 Usage: Not Available
5274	<b>Abatement Technologies H5000C Electric Portable Air Scrubber</b> S/N: 5670 C/W: Leeson 5 hp Single Phase Motor Usage: 490 Hr	5288	<b>2017 Clarke OBS-18DC Floor 18 in Sander</b> S/N: 5031281 Usage: Not Available
		5289	<b>2016 Clarke SUPER 7R Sander</b> S/N: S020542 Usage: Not Available
		5290	<b>2019 American FM1700HD Walk-Behind Floor Buffer</b> S/N: S058141 C/W: 15 in Working Width, 120 Volt Operating System Usage: Not Available



Lot #	Details	Lot #	Details
5291	<b>2017 Clarke Pacesetter Walk-Behind Floor Buffer</b> S/N: 4000131187 C/W: 15 in Working Width, 120 Volt Operating System Usage: Not Available	5305	<b>2017 Hilti VC15010XE Vacuum Cleaner</b> S/N: 10491 Usage: Not Available
5292	<b>Quantity of (38) 2023 SKLP SK002 Shackle (Unused)</b> S/N: 041-35 Usage: Not Available	5306	<b>Quantity of (7) Pallets of Thermal Tread &amp; Patio Bluestone Stone (Unused)</b> S/N: Not Available Usage: Not Available
5293	<b>Quantity of (38) 2023 SKLP SK002 Shackle (Unused)</b> S/N: 041-37 Usage: Not Available	5307	<b>Quantity of (7) Pallets of Thermal Tread &amp; Patio Bluestone Stone (Unused)</b> S/N: Not Available Usage: Not Available
5294	<b>Quantity of (38) 2023 SKLP SK002 Shackle (Unused)</b> S/N: 041-34 Usage: Not Available	5308	<b>Quantity of (7) Pallets of Thermal Tread &amp; Patio Bluestone Stone</b> S/N: Not Available Usage: Not Available
5296	<b>2017 National 3395-HER Electric Shot Blaster</b> S/N: 3395-2192 Usage: Not Available	5309	<b>Quantity of (7) Pallets of Thermal Tread &amp; Patio Bluestone Stone (Unused)</b> S/N: Not Available Usage: Not Available
5297A	<b>2013 Ramfan Manhole Blower</b> S/N: 7001120212 Usage: Not Available	5310	<b>Quantity of (7) Pallets of Thermal Tread and Patio Bluestone Stone</b> S/N: Not Available Usage: Not Available
5297	<b>2017 Pinnacle MB-PO813-DC25 Electric Manhole Blower</b> S/N: YN210087658 Usage: Not Available	5311	<b>Quantity of (7) Pallets of Thermal Tread and Patio Bluestone Stone</b> S/N: Not Available Usage: Not Available
5298	<b>Quantity of (2) Electric Metered Diesel Fuel Transfer Pumps (Unused)</b> S/N: Not Available C/W: 12v Usage: Not Available	5312	<b>2023 KJ K2019 20 ft x 19 ft Prefabricated Tiny Home (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
5299	<b>Quantity of (5) 25 ft 800 Amp Booster Cable (Unused)</b> S/N: Not Available Usage: Not Available	5313	<b>2023 KJ K2019 20 ft x 19 ft Prefabricated Tiny Home (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
5300	<b>Quantity of (16) 2023 Auto Darkening Welding Helmet (Unused)</b> S/N: Not Available Usage: Not Available	5314	<b>2023 Suihe 203012R 20 ft x 30 ft x 12 ft PE FABRIC BUILDING Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
5301	<b>2018 Meyer VERSA-VAC Vacuum System</b> S/N: W50098-000D C/W: Kohler CH620 2 Cylinder 19 hp 674 cc Gasoline Engine Usage: Not Available	5315	<b>2023 MH-MBS2533 25 Ft x 33 Ft Metal Shed (Unused)</b> S/N: Not Available Usage: Not Available
5302	<b>2016 Essex-Silver Line EDI-401 Electric Vacuum Cleaner</b> S/N: CVL8831644 C/W: Single Phase Motor Usage: Not Available	5316	<b>2023 HOS HF2N1 19 ft 6 in x 20 ft Portable Folding House (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
5303	<b>2020 Husqvarna S36-240V Electric Vacuum Cleaner</b> S/N: 20205300001 C/W: 3 Phase Motor Usage: 138 Hr	5317	<b>2023 HOS HF2N1 19 ft 6 in x 29 ft 6 in Skid-Mounted Portable Folding House (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available

Lot #	Details	Lot #	Details
5318	<b>2023 HOS HF2N1 19 ft 6 in x 29 ft 6 in Portable Folding House (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available	5332	<b>Quantity of (20) 2023 KJ K1030 100 ft x 3 ft 4 in Galvanized Farm Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5319	<b>2023 HOS HF2N1 19 ft 6 in x 29 ft 6 in Portable Folding House (Unused)</b> S/N: Not Available C/W: ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available	5333	<b>Quantity of (24) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5320	<b>2023 KJ K2215 7 ft 4 in x 5 ft Portable Toilet (Unused)</b> S/N: Not Available C/W: (1) Sink, (1) Shower, (1) Toilet Usage: Not Available	5334	<b>Quantity of (24) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5321	<b>2023 KJ K2215 7 ft 4 in x 5 ft Portable Toilet (Unused)</b> S/N: Not Available C/W: (1) Sink, (1) Shower, (1) Toilet Usage: Not Available	5335	<b>Quantity of (24) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5322	<b>2023 KJ K2113 7 ft x 4 ft 2 Person Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available	5336	<b>Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5323	<b>2023 KJ K2119 22 ft x 23 ft Metal Garage (Unused)</b> S/N: Not Available Usage: Not Available	5337	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5324	<b>2023 KJ K1220 20 ft x 12 ft Metal Garage (Unused)</b> S/N: Not Available Usage: Not Available	5338	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5325	<b>2023 KJ K1119 11 ft x 19 ft Carport (Unused)</b> S/N: Not Available Usage: Not Available	5339	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5326	<b>2023 KJ K1119 11 ft x 19 ft Carport (Unused)</b> S/N: Not Available Usage: Not Available	5340	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5327	<b>2023 KJ K1912 20 ft x 12 ft Livestock Shelter (Unused)</b> S/N: Not Available Usage: Not Available	5341	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5328	<b>2023 KJ K1912 20 ft x 12 ft Livestock Shelter (Unused)</b> S/N: Not Available Usage: Not Available	5342	<b>Quantity of (20) 2023 FENS FEN20 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5329	<b>Quantity of (56) 2023 KJ K3830 10 ft Powder Coated Corral Livestock Panel (Unused)</b> S/N: Not Available Usage: Not Available	5343	<b>Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5330	<b>Quantity of (56) 2023 KJ K3830 10 ft Powder Coated Corral Livestock Panel (Unused)</b> S/N: Not Available Usage: Not Available	5344	<b>Quantity of (24) 2023 Suihe F-X-24 10 ft x 7 ft 6 in Powder Coated WROUGHT IRON Fencing (Unused)</b> S/N: Not Available Usage: Not Available
5331	<b>Quantity of (20) 2023 KJ K1030 100 ft x 3 ft 4 in Galvanized Farm Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5345	<b>Quantity of (24) 2023 Suihe F-X-24 10 ft x 7 ft Powder Coated Fencing (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5346	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	5358	Quantity of (80) 2023 KJ K1221 7 ft x 4 ft Galvanized Temporary Crowd Controlled Site Fence (Unused) S/N: Not Available Usage: Not Available
5347	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	5359	Quantity of (6) 2023 KJ K0720 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5348	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	5360	Quantity of (6) 2023 KJ K0720F 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5349	Quantity of (45) 2023 FENS FEN45 6 ft x 5 ft Powder Coated Fencing (Unused) S/N: 041-33 Usage: Not Available	5361	Quantity of (4) 2023 KJ K1407 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5350	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5362	Quantity of (4) 2023 KJ K1407 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5351	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5363	Quantity of (3) 2023 KJ K2007H 20 ft Steel Bi-Parting 20 ft x 7 ft Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5352	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5364	Quantity of (3) 2023 KJ K2007H 20 ft Steel Heavy Duty Bi-Parting 20 ft x 7 ft Metal Farm Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available
5353	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5365	Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available
5354	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5366	Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available
5355	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Chain Link Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	5367	Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available
5356	Quantity of (60) 2023 KJ K2112 7 ft x 4 ft Galvanized Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available	5368	Quantity of (250) 2023 Rodat Traffic Cones (Unused) S/N: 042-9 C/W: To Fit Rodat RD25 Traffic Cones Usage: Not Available
5357	Quantity of (60) 2023 KJ K2112 7 ft x 4 ft Galvanized Temporary Site Fence (Unused) S/N: Not Available Usage: Not Available	5369	Quantity of (250) 2023 KAIJIAN K1428 Traffic Cones (Unused) S/N: Not Available C/W: To Fit KAIJIAN 1428 HIGHWAY TRAFFIC CONES Usage: Not Available
		5370	Quantity of (250) 2023 KAIJIAN K1428 Traffic Cones (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5371	<b>Quantity of (252) 2023 PVC Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	5381	<b>2016 Toro GrandStand 74505 Zero-Turn 60" Lawn Mower</b> S/N: 316000533 C/W: Hydrostatic Drive, 2016 US EPA Label, 11x4.00-3/3.25 Front Tires, 20x10.50-8 Rear Tires, 60 in Mower Usage: 7,667 Hr
5372	<b>2016 Sumner 2124 Material Hoist</b> S/N: 26421 C/W: 23 ft 9 in Max Lift Height Usage: Not Available	5382	<b>Promark 940007 Walk-Behind Stump Grinder</b> S/N: 000330 C/W: Tier 4, 2014 US EPA Label, Kohler 2 Cylinder 25 hp Gasoline Engine Usage: Not Available
5373	<b>Quantity of (10) 14 in Diamond Blades (Unused)</b> S/N: Not Available Usage: Not Available	5383	<b>Quantity of Tree Sprayer</b> S/N: Not Available C/W: Honda GX390 13 hp Gasoline Engine Usage: Not Available
5374	<b>2023 Kit Containers 2YFT-SDH 5 ft 4 in 2 CY Self-Dumping Hopper (Unused)</b> S/N: A09J1108 C/W: 5 ft 4 in Long x 4 ft 2 in Wide x 3 ft 11 in High Usage: Not Available	5384	<b>Ammann Rammax 1575 Trench Compactor</b> S/N: 61317 C/W: US EPA Label, CARB Compliant, Yanmar 3TNV76-P 3 Cylinder 1.11 L Diesel Engine, 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: Not Available
5375	<b>2023 Kit Containers 2YFT-SDH 5 ft 5 in 2 CY Self-Dumping Hopper (Unused)</b> S/N: A09J1107 C/W: 5 ft 5 in Long x 4 ft 3 in Wide x 3 ft 11 in High Usage: Not Available	5386	<b>2011 American Signal Solar Message Board</b> S/N: 1A9BS3314B2228556 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
5376	<b>2023 Kit Containers 2YFT-SDH 5 ft 3 in 2 cyd Self-Dumping Hopper (Unused)</b> S/N: A11J1100 C/W: 5 ft 3 in Long x 4 ft 1 in Wide x 3 ft 10 in High Usage: Not Available	5387	<b>2016 Wanco WTSP55-LSA Solar Arrow Board</b> S/N: 5F11S1016G1008409 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
5377	<b>2023 Kit Containers 2YFT-SDH 5 ft 3 in 2 cyd Self-Dumping Hopper (Unused)</b> S/N: Not Available C/W: 5 ft 3 in Long x 4 ft 1 in Wide x 4 ft 1 in High Usage: Not Available	5388	<b>Quantity of (2) Wanco WTSP55-LSA-11 Solar Arrow Board</b> S/N: Not Available C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
5378	<b>2017 Toro GrandStand 74505 Zero-Turn Lawn Mower</b> S/N: 400098247 C/W: Hydrostatic Drive, 2016 US EPA Label, 11x4.00-5/3.25 Front Tires, 20x10.50-8 Rear Tires, 60 in Mower Usage: 8,119 Hr	5389A	<b>2008 Thawzall H250 Ground Heater</b> S/N: 1T9BT15138G576566 C/W: Diesel Fueled, 2005 US EPA Label, CARB Compliant, Isuzu 2CA1-H 2 Cylinder 0.57 L Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 6,374 Hr
5379	<b>2016 Toro GrandStand 74505 Zero-Turn 60" Lawn Mower</b> S/N: 316000530 C/W: Hydrostatic Drive, 2016 US EPA Label, 11x4.00-5/3.25 Front Tires, 20x10.50-8 Rear Tires, 60 in Mower Usage: 4,261 Hr	5389	<b>Wacker Neuson Ground Heater</b> S/N: 24279194 C/W: Diesel Fueled, Tier 4, 2015 US EPA Label, CARB Compliant, Kubota Z602-EF02 2 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 6,658 Hr
5380	<b>2016 Toro GrandStand 74505 Zero-Turn 60" Lawn Mower</b> S/N: 316000501 C/W: Hydrostatic Drive, 2016 US EPA Label, 11x4.00-5/3.25 Front Tires, 20x10.50-8 Rear Tires, 60 in Mower Usage: 4,698 Hr	5390	<b>Campo Blaze 1000D/G Space Heater</b> S/N: Not Available C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 240 V Input Usage: 11,149 Hr
		5391	<b>2017 Campo Blaze1000G Space Heater</b> S/N: B1000-17-8907 C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 240 V Input Usage: 7,247 Hr

Lot #	Details	Lot #	Details
5392	<b>2017 Campo Blaze1000G Electric Space Heater</b> S/N: B1000-17-8908 C/W: Multi-Fuel Fueled, Single and 3 Phase, 208 V / 240 V Input Usage: 10,019 Hr	5402	<b>Frost Fighter OHV350 320000 BTU Space Heater</b> S/N: 0410100 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5393	<b>2016 Campo Blaze 600 D/G Turbo 575000 BTU Space Heater</b> S/N: B600-16-8895 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5403	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-18-9304 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5394	<b>2017 Campo Blaze 600G 575000 BTU Electric Space Heater</b> S/N: B600-17-8924 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5405	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-18-9352 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5395	<b>2017 Campo Blaze 600G 575000 BTU Space Heater</b> S/N: B600-17-8926 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5406	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-18-9329 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5396	<b>2016 Campo BLAZE 600G Electric Space Heater</b> S/N: B600-16-8889 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5407	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-18-9743 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5397	<b>2017 Campo EB60E 512000 BTU Electric Space Heater</b> S/N: B60-240480-17-8889 C/W: 3 Phase, 480 V Input Usage: 148 Hr	5408	<b>2017 Campo Blaze 400D/G 399000 BTU Space Heater</b> S/N: B400-16-8992 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5398	<b>2017 Flagro FLE-60 205000 BTU Electric Space Heater</b> S/N: E60-360 C/W: 3 Phase, 480 V Input Usage: Not Available	5409	<b>2013 Campo Blaze 400G 399000 BTU Space Heater</b> S/N: B400-13-8925 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5399	<b>2016 Frost Fighter IDF500P 420000 BTU Electric Space Heater</b> S/N: 1201574538A C/W: Multi-Fuel Fueled, Single Phase, 115 V Input, S/A Trailer Usage: Not Available	5410	<b>2012 Campo Blaze 400G 399000 BTU Electric Space Heater</b> S/N: B400-12-8994 C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
5400	<b>2016 Frost Fighter IDF500P 420000 BTU Electric Space Heater</b> S/N: 120574681 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input, S/A Trailer Usage: Not Available	5411	<b>2018 Flagro FVO-400RC 390000 BTU Electric Space Heater</b> S/N: OV400RC-0360 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available
5401	<b>2014 Frost Fighter IDF500P 420000 BTU Electric Space Heater</b> S/N: 1201374291 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input, S/A Trailer Usage: Not Available	5412	<b>2016 Flagro FVO-400RCBT 390000 BTU Electric Space Heater</b> S/N: 01483 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available

Lot #	Details	Lot #	Details
5413	<b>2016 Flagro FV0-400RCBT 390000 BTU Electric Space Heater</b> S/N: 1482 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	5426	<b>2017 Flagro F-400T 400000 BTU Electric Space Heater</b> S/N: 400-7849 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
5416	<b>2013 EcoBlaze MOFH280-400 396000 BTU Electric Space Heater</b> S/N: MOFH-12-9164 C/W: Diesel Fueled, Single Phase, 120 V Input Usage: Not Available	5427	<b>GreenHeck QEI-30-I-150-G Ventilation Fan</b> S/N: 15514154 C/W: To Fit Greenheck QEI-30-I-150-G ventilation fan Usage: Not Available
5417	<b>2013 Campo EcoBlaze 390000 BTU Space Heater</b> S/N: MOFH-12-9267 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5428	<b>2014 EGS HS20B250 Electric Transformer</b> S/N: 1014141 C/W: Single Phase Motor Usage: Not Available
5418	<b>2015 Flagro FVN-200 200000 BTU Electric Space Heater</b> S/N: 180 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	5429	<b>2014 EGS HS20B250 Electric Transformer</b> S/N: 10141411 C/W: Single Phase Motor Usage: Not Available
5419	<b>2015 Flagro FVN-200 200000 BTU Electric Space Heater</b> S/N: NPV200-185 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	5430	<b>2014 EGS HS20B250 Electric Transformer</b> S/N: 1014143 C/W: Single Phase Motor Usage: Not Available
5420A	<b>2017 Flagro FV0200RC 185000 BTU Space Heater</b> S/N: OV200RC-0200 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	5431B	<b>2013 EGS HS20B250 Electric Transformer</b> S/N: 121133 C/W: Single Phase Motor Usage: Not Available
5420	<b>2015 Flagro FVP-200 200000 BTU Space Heater</b> S/N: 170 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	5431A	<b>2013 EGS HS20B250 Electric Transformer</b> S/N: 121134 C/W: Single Phase Motor Usage: Not Available
5421	<b>2016 Campo Blaze 200 D/G Turbo 175000 BTU Electric Space Heater</b> S/N: B200-16-8946 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	5431	<b>2014 EGS HS20B250 Electric Transformer</b> S/N: 1014149 C/W: Single Phase Motor Usage: Not Available
5423	<b>Chromalox Electric Space Heater</b> S/N: WK196323 Usage: Not Available	5432	<b>2019 CEP 6506-GU Breaker Panel</b> S/N: 127029 Usage: Not Available
5424	<b>2018 Chromalox SDRA60-43RG Space Heater</b> S/N: WK1795746 C/W: 3 Phase, 480 V Input Usage: 1 Hr	5433	<b>2019 Voltec Industries T-Box-6T Power Distribution Unit</b> S/N: V47100030 Usage: Not Available
5425	<b>2015 Chromalox SDRA60-43RG Electric Space Heater</b> S/N: WK1779013 C/W: 3 Phase, 480 V Input Usage: 3 Hr	5434	<b>2016 Voltec Industries T-Box-6T Power Distribution Unit</b> S/N: V44240223 Usage: Not Available
		5435	<b>2016 Voltec Industries T-Box-6T Power Distribution Unit</b> S/N: V43770503 Usage: Not Available
		5436	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1010HB764112 C/W: Tier 4, 2017 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 8,965 Hr

Lot #	Details	Lot #	Details
5438	<b>2016 Magnum MLT-6SK 6 kW Light Tower</b> S/N: 5AJLS1019GB600861 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,158 Hr	5447	<b>2002 Ingersoll Rand P185WJD 185 cfm Mobile Air Compressor</b> S/N: 324025UHL221 C/W: 2001 US EPA Label, John Deere 4045DF150B 4 Cylinder 4.5 L Diesel Engine, S /A Trailer, Lunette Ring Usage: 3,140 Hr
5439	<b>2017 Magnum MLT6SMD 6 kW Light Tower</b> S/N: 5AJLS1015HB482230 C/W: 2016 US EPA Label, Mitsubishi L3E-W464MLD 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Lunette Ring Usage: 2,671 Hr	5448	<b>2017 Multiquip DCA-125SSIU4F Generator Set</b> S/N: 5SLBG1525HL020480 C/W: Tier 4, 2016 US EPA Label, Isuzu BR-4HK1X 4 Cylinder 5.19 L Diesel Engine, 125 kVA /100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: 8,223 Hr
5440	<b>2012 Wacker Neuson LTN-6 6 kW Light Tower</b> S/N: 5XFLN0518CN005272 C/W: 2012 US EPA Label, CARB Compliant, Kohler 3 Cylinder 1.02 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 4,243 Hr	5449	<b>2019 Wacker Neuson G25 19.57 kW Mobile Generator Set</b> S/N: 24507587 C/W: 4 Cylinder Diesel Engine, 30 kVA/31.8 kW Rated 3 Phase Output, 133 V / 460 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring, Surge Brakes Usage: 13,973 Hr
5441	<b>Wacker Neuson LTW6 6 kW Light Tower</b> S/N: 5XFLV0411HN002058 C/W: Tier 4, 2017 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 11,414 Hr	5450	<b>2017 Multiquip DCA-70SSIU4F Generator Set</b> S/N: 5SLBG142XHL020251 C/W: 2017 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA, /40 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 12,692 Hr
5442	<b>2018 Allmand NIGHT LITE NL50 Light Tower</b> S/N: 5AEA1DA13JH001449 C/W: Tier 4, 2017 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,266 Hr	5451	<b>2016 Multiquip DCA-70SSIU4F Generator Set</b> S/N: 5SLBG1421GL018502 C/W: Tier 4, 2016 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.99 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA,/40 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 15,183 Hr
5443A	<b>2008 Multiquip Whisperwatt 7 kW Light Tower</b> S/N: 4CNLT08168B906984 C/W: Tier 4, 2008 US EPA Label, Kubota Z482-D2-ETOC 2 Cylinder .47 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,057 Hr	5452	<b>2012 Multiquip DCA-70US-T2-3 Generator Set</b> S/N: 5SLBG162XCL011426 C/W: US EPA Label, Isuzu 4JJ1X 4 Cylinder 2.9 L Diesel Engine, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA, /40 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 2,743 Hr
5443	<b>2012 Allmand Bros. Maxi-Lite 20 kW Light Tower</b> S/N: 0156MLV13 C/W: 2012 US EPA Label, Isuzu BV4LE1 4 Cylinder 26.3 kW Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Reversible Hitch Usage: 11,989 Hr		
5444	<b>2015 Multiquip 13 ft S/A Light Tower Conversion Trailer</b> S/N: 4GNBL0913FB039860 C/W: 2000 lb GVWR, Torsion Axle, 5 ft Deck Length, 30 in Deck Width, 175/80/13 Tires Usage: Not Available		
5445	<b>2015 Multiquip 9 ft S/A Light Tower Conversion Trailer</b> S/N: 4GNBL0913FB039959 C/W: 2000 lb GVWR, Torsion Axle, 5 ft Deck Length, 30 in Deck Width, 175/80/13 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
5453	<b>2016 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG0915GB043091 C/W: 2016 US EPA Label, CARB Compliant, Isuzu 4LE2T 4 Cylinder 2.1 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 5,152 Hr	5459	<b>Onan QD 5 kW Generator Set</b> S/N: J100163519 C/W: Tier 4, 2010 US EPA Label, Kubota Z482-ET06 2 Cylinder 8.3 kW 0.47 L Diesel Engine, 5 kVA,/5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
5454	<b>2016 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: 4GNBG0911GB043086 C/W: 2016 US EPA Label, CARB Compliant, Isuzu 4LE2T 4 Cylinder 2.1 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 2,363 Hr	5460	<b>1998 Vermeer BC1230A Tow-Behind Wood Chipper</b> S/N: 1VRN15174W1002235 C/W: GM Vortec 6 Cylinder Gasoline Engine, 17 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring, Electric Brakes Usage: 229 Hr
5455	<b>2016 Multiquip DCA25SSU4F Generator Set</b> S/N: 4GNBG0918GB043330 C/W: 2016 US EPA Label, CARB Compliant, Isuzu 4LE2T 4 Cylinder 2.1 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 7,538 Hr	5462	<b>Turf Maker Hydroseeder</b> S/N: 450592 C/W: Steel Tank, Haven Gasoline Powered Pump Usage: Not Available
5456	<b>2016 Multiquip DCA25SSU4F Generator Set</b> S/N: 4GNBG0913GB043607 C/W: 2016 US EPA Label, CARB Compliant, Isuzu 4LE2T 4 Cylinder 2.1 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 6,534 Hr	5463	<b>Badger 500 gal Hydroseeder</b> S/N: 95620-3 C/W: Poly Tank, Gasoline Powered Pump Usage: Not Available
5457	<b>Onan QD 5 kW Generator Set</b> S/N: I120387904 C/W: Tier 4, 2012 US EPA Label, Kubota Z482-ET06 2 Cylinder 8.3 kW 0.47 L Diesel Engine, 5 kVA,/5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available	5464	<b>2019 Fogco HD230T Dust Suppression Cannon</b> S/N: 70000519 C/W: Calpeda 5.5 hp Usage: Not Available
5458	<b>Onan QD 5 kW Generator Set</b> S/N: B130460597 C/W: Tier 4, 2011 US EPA Label, Kubota Z482-ET06 2 Cylinder 8.3 kW 0.47 L Diesel Engine, 5 kVA,/5 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available	5466	<b>2023 SDLOOL SL380 Mini Skid Steer Loader (Unused)</b> S/N: SL380632 C/W: Open Operator Station, Manual Coupler, 46 in Bucket Usage: Not Available
		5467	<b>2023 SDLOOL SL380 Mini Skid Steer Loader (Unused)</b> S/N: SL380633 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, Manual Coupler, 46 in Bucket Usage: Not Available
		5468	<b>2023 SDLOOL 360 Mini Skid Steer Loader (Unused)</b> S/N: SL360230912 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 38 in Bucket Usage: Not Available
		5469	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323760 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, CARB Compliant, Manual Coupler, 42 in Bucket Usage: Not Available
		5470	<b>2023 MMS MS16S Mini Excavator (Unused)</b> S/N: MS16S23902 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 5 Hr



Lot #	Details	Lot #	Details
5471	<b>2023 VICSEC VC15 Mini Excavator (Unused)</b> S/N: VC152307 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5481	<b>2003 Kalmar P50BXPS 4700 lb Pneumatic Tire Forklift</b> S/N: 565413A C/W: 3 Stage Mast, 170 in Max Lift Height, 78 in Lowered Mast Height, 60 in Forks, Side Shift, Nissan H20 4 Cylinder 2.0 L Dual Fuel Engine Usage: 9,101 Hr
5472	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC1323905 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5482	<b>1985 Komatsu FG25 5000 lb Pneumatic Tire Forklift</b> S/N: 134081 C/W: 2 Stage Mast, 118 in Max Lift Height, 78 in Lowered Mast Height, Nissan 4 Cylinder LPG Engine Usage: 924 Hr
5473	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC1323911 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5483	<b>2003 Moffet M5000 5000 lb Truck Mounted Forklift</b> S/N: C20301 C/W: 2 Stage Mast, 120 in Max Lift Height, 97 in Lowered Mast Height, 45 in Forks, Side Shift, Push/Pull Attachment, 2003 US EPA Label, Kubota V2203E 4 Cylinder 36.1 kW 2.2 L Diesel Engine Usage: 4,226 Hr
5474	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC1323904 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5484	<b>2015 Genie ZX-135/70 4WD Diesel Articulating Boom Lift</b> S/N: ZX13515-2745 C/W: 135 ft Max Lift Height, 600 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, 2015 US EPA Label, CARB Compliant, Deutz TD2.9L4 4 Cylinder 74 hp 2.92 L Diesel Engine, 445/50D710 Foam-Filled Tires Usage: 4,273 Hr
5475	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC1323912 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5485	<b>1998 Skyjack SJB-46TK 4WD Dual Fuel Articulating Boom Lift (Inoperable)</b> S/N: 94060 C/W: 46 ft Max Lift Height, 600 lb Max Weight Capacity, Power to Platform, Ford VSG-1134-6007-2 4 Cylinder Dual Fuel Engine, 14-17.5 Tires Usage: 4,191 Hr
5476	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC1323913 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5486B	<b>2011 Genie Z-40/23NRJ Electric Articulating Boom Lift</b> S/N: Z40N11-973 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator Usage: 1,160 Hr
5477	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13C23925 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5486A	<b>2011 Genie Z-40/23N RJ 2WD Electric Articulating Boom Lift</b> S/N: Z40N111051 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Non-Marking Tires Usage: 1,104 Hr
5478	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13C23920 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	5486	<b>2018 Genie Z-45/25J 4WD Diesel Articulating Boom Lift</b> S/N: Z4525F-59186 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2017 US EPA Label, Deutz D2.9 L4 4 Cylinder 49 hp 2.9 L Diesel Engine, 315/55D20 Foam-Filled Tires Usage: 892 Hr
5479	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13C2325 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available		
5480	<b>2023 VICSEC VC5050 .07 ton Stand-On Crawler Dumper (Unused)</b> S/N: VC50516 C/W: Hydrostatic Drive, 2023 US EPA Label, Briggs & Stratton Vanguard 1 Cylinder 6.5 hp 203 cc Gasoline Engine, 7 in Rubber Tracks Usage: Not Available		

Lot #	Details	Lot #	Details
5487	<b>2010 JLG E450AJ 2WD Electric Articulating Boom Lift</b> S/N: 300142483 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 240/55D17.5 Non-Marking Tires Usage: 1,219 Hr	5494	<b>2016 Genie GS-3246 Electric Scissor Lift</b> S/N: GS4616P-139678 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 292 Hr
5488	<b>2012 Genie Z-30/20N RJ 2WD Electric Articulating Boom Lift</b> S/N: Z30N12-14005 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 22x7x17 Solid Tires Usage: 419 Hr	5495	<b>2014 JLG 3246ES Electric Scissor Lift</b> S/N: 200234686 C/W: 31.75 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 374 Hr
5489A	<b>2007 JLG 600SJ 4WD Diesel Telescopic Boom Lift</b> S/N: 0300106508 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2011 US EPA Label, Deutz F4EM 2011 4 Cylinder 48.5 kW Diesel Engine, 15-19.5 Foam-Filled Tires Usage: Not Available	5496	<b>2013 JLG 3246ES Electric Scissor Lift</b> S/N: 200220483 C/W: 31.75 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 494 Hr
5489	<b>2013 JLG 800S 4WD Diesel Telescopic Boom Lift</b> S/N: 0300177298 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, US EPA Label, Deutz D2011 L04 4 Cylinder 62 hp 3.61 L Diesel Engine, 15-625 Foam-Filled Tires, Miller CST280 on board welder Usage: 4,351 Hr	5497	<b>2013 JLG 3246ES Electric Scissor Lift</b> S/N: 200221209 C/W: 31.75 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 547 Hr
5490	<b>2022 JIPK 16A 16 m Towable Lift</b> S/N: HM2022021001 C/W: 16 m Max Lift Height, 200 kg Max Weight Capacity, Jib Usage: Not Available	5498	<b>2013 Genie GS3246 Electric Scissor Lift</b> S/N: GS4613A-114462 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 365 Hr
5491	<b>2013 JLG 4069 LE Electric Scissor Lift</b> S/N: 200219598 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 420 Hr	5499F	<b>2012 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70012749 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 373 Hr
5492	<b>2016 Genie GS-4047 Electric Scissor Lift</b> S/N: GS4716D-3192 C/W: 40 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 423 Hr	5499E	<b>2012 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70011880 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 339 Hr
5493	<b>2014 JLG 3248RS Electric Scissor Lift</b> S/N: 200232395 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 417 Hr	5499D	<b>2012 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70011879 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 330 Hr
		5499C	<b>2012 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70011881 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 327 Hr

Lot #	Details	Lot #	Details
5499B	<b>2014 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70018477 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 171 Hr	5510	<b>2014 Skyjack SJIII-3219 Scissor Lift</b> S/N: 22058330 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 155 Hr
5499A	<b>2015 Skyjack SJ4632 Electric Scissor Lift</b> S/N: 70022092 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 255 Hr	5511	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22064684 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 149 Hr
5499	<b>2013 Genie GS3246 Electric Scissor Lift</b> S/N: GS4613A-114565 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 465 Hr	5512	<b>2013 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22053406 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 210 Hr
5503	<b>2016 Genie GS2632 Scissor Lift</b> S/N: GS3216P-146113 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 347 Hr	5513	<b>2013 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22053421 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 222 Hr
5505	<b>2000 Genie GS-2668 4x4 Diesel Scissor Lift (Inoperable)</b> S/N: GS-24691 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, Kubota D905 3 Cylinder Diesel Engine Usage: 3,248 Hr	5514	<b>2012 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22038580 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 217 Hr
5506	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 200229187 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr	5515	<b>2011 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22025578 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 248 Hr
5507	<b>2018 Skyjack SJIII-3219 Scissor Lift</b> S/N: 22130483 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 132 Hr	5516	<b>2011 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22025576 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 281 Hr
5508	<b>2017 Skyjack SJIII-3219 Scissor Lift</b> S/N: 22119786 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 183 Hr	5517	<b>2014 JLG 1930ES Electric Scissor Lift</b> S/N: 200227694 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 426 Hr
5509	<b>2016 Skyjack SJIII-3219 Scissor Lift</b> S/N: 22093842 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 9 Hr	5518	<b>2014 JLG 1930ES Electric Scissor Lift</b> S/N: 200227651 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr

Lot #	Details	Lot #	Details
5519	<b>2014 JLG 1930ES Electric Scissor Lift</b> S/N: 200227682 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 377 Hr	5527C	<b>2013 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14002260 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 61 Hr
5520	<b>2014 JLG 1930ES Electric Scissor Lift</b> S/N: 200227666 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 382 Hr	5527B	<b>2013 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14002723 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 27 Hr
5521	<b>2012 JLG 1930ES Electric Scissor Lift</b> S/N: 20209998 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 470 Hr	5527A	<b>2013 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14003059 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
5522	<b>2012 JLG 1930ES Electric Scissor Lift</b> S/N: 200212242 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 812 Hr	5527	<b>2014 Genie GS1930 Scissor Lift</b> S/N: GS3014A-129599 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 356 Hr
5523	<b>2012 JLG 1930ES Electric Scissor Lift</b> S/N: 200213740 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 426 Hr	5528	<b>SaltDogg SHPE3000 Salt Spreader</b> S/N: 00264 Usage: Not Available
5526	<b>2014 Genie GS1930 Scissor Lift</b> S/N: GS3014A-135143 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 302 Hr	5530	<b>Western 8 ft Hydraulic Reversing Snow Plow</b> S/N: Not Available Usage: Not Available
5527F	<b>2012 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14001961 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 379 Hr	5531	<b>2020 AM Tank 230N 2376 gal Steel Diesel Tank</b> S/N: 72831 C/W: 120 V Transfer Pump, 12 ft Hose, Fuel Meter, Spill Containment Usage: Not Available
5527E	<b>2012 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14000299 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	5532	<b>Quantity of (200) 2023 KJ K0310 3 ft x 10 ft (0.45 mm Thick) Galvanized Corrugated Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
5527D	<b>2013 Skyjack SJ12 Electric Vertical Mast Lift</b> S/N: 14002717 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 351 Hr	5533	<b>Quantity of (200) 2023 KJ K0310 3 ft x 10 ft (0.45 mm Thick) Galvalume Corrugated Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
		5534	<b>2021 Agrotk EXFLM115 45 in Excavator Flail Mower</b> S/N: EXFLM11521071502 C/W: Quick Coupler Bracket Usage: Not Available
		5535	<b>Bobcat SG30 16 in Skid Steer Stump Grinder</b> S/N: 005600315 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5537	<b>Esco 400 Skid Steer Breaker</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5550	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A04J1700 C/W: Quick Coupler Bracket Usage: Not Available
5538	<b>2023 Top Cat SSSG72 72 in Skid Steer Grader (Unused)</b> S/N: SSSG7223041801D C/W: Quick Coupler Bracket Usage: Not Available	5551	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1721 C/W: Quick Coupler Bracket Usage: Not Available
5539A	<b>2017 Bobcat 60 60 in Skid Steer Sweeper</b> S/N: 71432872 C/W: Quick Coupler Bracket Usage: Not Available	5552	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A04J1915 C/W: Quick Coupler Bracket Usage: Not Available
5540	<b>2015 Bobcat 72 in Skid Steer Sweeper</b> S/N: 783736648 C/W: Quick Coupler Bracket Usage: Not Available	5553	<b>2023 Kit Containers QT-SP-10-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A05J1206 Usage: Not Available
5541	<b>Bobcat Angle Broom 84 in Skid Steer Broom</b> S/N: 231423331 C/W: Quick Coupler Bracket Usage: Not Available	5554	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A04J1707 C/W: Quick Coupler Bracket Usage: Not Available
5542	<b>Cat BA 18 84 in Skid Steer Broom</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5555	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1704 C/W: Quick Coupler Bracket Usage: Not Available
5543	<b>MB 72 in Skid Steer Broom</b> S/N: 129300296129767 C/W: Quick Coupler Bracket Usage: Not Available	5556	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1700 C/W: Quick Coupler Bracket Usage: Not Available
5544	<b>Cat SR18 72 in Skid Steer Snowblower</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5557	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A10J1716 C/W: Quick Coupler Bracket Usage: Not Available
5545	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A04J1719 C/W: Quick Coupler Bracket Usage: Not Available	5558	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A09J1715 C/W: Quick Coupler Bracket Usage: Not Available
5546	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1712 C/W: Quick Coupler Bracket Usage: Not Available	5559	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A10J1709 C/W: Quick Coupler Bracket Usage: Not Available
5547	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1713 C/W: Quick Coupler Bracket Usage: Not Available	5560	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A10J1715 C/W: Quick Coupler Bracket Usage: Not Available
5548	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1711 C/W: Quick Coupler Bracket Usage: Not Available	5561	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused)</b> S/N: A10J1710 C/W: Quick Coupler Bracket Usage: Not Available
5549	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher (Unused)</b> S/N: A03J1710 C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5562	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A10J1709 C/W: Quick Coupler Bracket Usage: Not Available	5574	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A08J1206 C/W: Quick Coupler Bracket Usage: Not Available
5563	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A10J1714 C/W: Quick Coupler Bracket Usage: Not Available	5575	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A08J1200 C/W: Quick Coupler Bracket Usage: Not Available
5564	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A05J1207 C/W: Quick Coupler Bracket Usage: Not Available	5576	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A02J1206 C/W: Quick Coupler Bracket Usage: Not Available
5565	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A10J1713 C/W: Quick Coupler Bracket Usage: Not Available	5577	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A09J1714 C/W: Quick Coupler Bracket Usage: Not Available
5566	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A09J1702 C/W: Quick Coupler Bracket Usage: Not Available	5578	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher S/N: A03J1702 C/W: Quick Coupler Bracket Usage: Not Available
5567	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A10J1712 C/W: Quick Coupler Bracket Usage: Not Available	5579	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A08J1201 C/W: Quick Coupler Bracket Usage: Not Available
5568	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A10J1708 C/W: Quick Coupler Bracket Usage: Not Available	5580	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A05J1200 C/W: Quick Coupler Bracket Usage: Not Available
5569	2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher (Unused) S/N: A13H1701 C/W: Quick Coupler Bracket Usage: Not Available	5581	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A08J1203 C/W: Quick Coupler Bracket Usage: Not Available
5570	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A02J1207 C/W: Quick Coupler Bracket Usage: Not Available	5582	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A26G1714 C/W: Quick Coupler Bracket Usage: Not Available
5571	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A02J1208 C/W: Quick Coupler Bracket Usage: Not Available	5583	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A18G1712 C/W: Quick Coupler Bracket Usage: Not Available
5572	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A09J1208 C/W: Quick Coupler Bracket Usage: Not Available	5584	2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher (Unused) S/N: A11J1213 C/W: Quick Coupler Bracket Usage: Not Available
5573	2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher (Unused) S/N: A09J1209 C/W: Quick Coupler Bracket Usage: Not Available	5585	2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher (Unused) S/N: A11J1212 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5586	<b>2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher (Unused)</b> S/N: A11J1209 C/W: Quick Coupler Bracket Usage: Not Available	5598	<b>2023 Kit Containers QT-45-FF-42 3 ft 10 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A09J4101 C/W: Quick Coupler Bracket Usage: Not Available
5587	<b>2012 Bobcat S70 54 in Skid Steer Snow Blade</b> S/N: APHL00244 C/W: Quick Coupler Bracket Usage: Not Available	5599	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5588	<b>9 ft Skid Steer Snow Blade</b> S/N: 1068570 C/W: Quick Coupler Bracket Usage: Not Available	5600	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5589	<b>2023 Kit Containers QT-SG-S76-V3 76 in Multi-Purpose Skid Steer Grapple Bucket (Unused)</b> S/N: 42111600 C/W: Quick Coupler Bracket Usage: Not Available	5601	<b>9 ft Motor Grader Blade - Fits Cat 12G</b> S/N: Not Available Usage: Not Available
5590	<b>2023 Kit Containers QT-SG-S76-V3 76 in Skid Steer Grapple Bucket (Unused)</b> S/N: A2611012 C/W: Quick Coupler Bracket Usage: Not Available	5602	<b>2023 Kit Containers 84 in Fork Extensions</b> S/N: Not Available Usage: Not Available
5591	<b>2023 Kit Containers QT-SG-S76-V3 76 in Skeleton Skid Steer Grapple Bucket (Unused)</b> S/N: A2211608 C/W: Quick Coupler Bracket Usage: Not Available	5603	<b>2023 Kit Containers 84 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5592	<b>2023 Kit Containers QT-SG-S76-V3 76 in Q/C Log Skid Steer Grapple Bucket (Unused)</b> S/N: A13T1600 C/W: Quick Coupler Bracket Usage: Not Available	5604	<b>2023 Kit Containers 84 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5593	<b>Quantity of (3) Pallets of 2023 Kit Containers QT-45-FF 4 ft 0 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A11J44120 C/W: Quick Coupler Bracket Usage: Not Available	5605	<b>2023 Kit Containers 84 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5594	<b>2023 Kit Containers QT-45-FF 46 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A10J4106 C/W: Quick Coupler Bracket Usage: Not Available	5606	<b>Cat 42 in Q/C Wheel Loader Forks - Fits IT28</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5595	<b>2023 Kit Containers QT-45-FF 3 ft 10 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A10J4109 C/W: Quick Coupler Bracket Usage: Not Available	5607	<b>Cat 56 in Q/C Wheel Loader Forks - Fits IT28</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5596	<b>Quantity of (3) Pallets of 2023 Kit Containers QT-45-FF 4 ft 0 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A11J4U9 C/W: Quick Coupler Bracket Usage: Not Available	5608	<b>JRB 410G 48 in Wheel Loader Forks</b> S/N: 0803-110469-1 C/W: Quick Coupler Bracket Usage: Not Available
5597	<b>2023 Kit Containers QT-45-FF-42 3 ft 10 in Skid Steer Forks - Fits k c (Unused)</b> S/N: A12J4120 C/W: Quick Coupler Bracket Usage: Not Available	5609A	<b>Volvo 45 in Wheel Loader Forks</b> S/N: Not Available Usage: Not Available
		5609	<b>Cat 42 in Q/C Wheel Loader Forks - Fits IT28</b> S/N: Not Available C/W: Quick Coupler Bracket, w/ Extra Forks Usage: Not Available
		5610	<b>2023 VICSEC 13 in Excavator Grapple (Unused)</b> S/N: 040-31 C/W: 25 mm Diameter Pins Usage: Not Available

Lot #	Details	Lot #	Details
5611	<b>2023 VICSEC VCH35 Hydraulic Breaker (Unused)</b> S/N: 040-36 C/W: 50 mm Diameter Pins, 95 mm Center of Pin Boss to Center of Pin Boss, 115 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5622	<b>2023 VICSEC 9 in Hydraulic Excavator Thumb (Unused)</b> S/N: 040-37 C/W: fits 1-2 ton Carrier Usage: Not Available
5612	<b>2015 TOKU TNB-6E Hydraulic Breaker</b> S/N: 6E-10608 C/W: Quick Coupler Bracket Usage: Not Available	5623	<b>Hitachi 25 in Excavator Thumb - Fits ZX120</b> S/N: Not Available Usage: Not Available
5614	<b>1998 Allied 4700 Plate Compactor Attachment</b> S/N: 5161 C/W: Quick Coupler Bracket Usage: Not Available	5624	<b>2023 VICSEC 5 in Excavator Ripper (Unused)</b> S/N: 040-34 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, fits 1-2 ton Carrier Usage: Not Available
5615	<b>2023 VICSEC VCT600 24 in Hydraulic Tilting Excavator Bucket (Unused)</b> S/N: 04032 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5625	<b>2023 AGT EXFLM115 45 in Excavator Flail Mower (Unused)</b> S/N: EXFLM11520231009 C/W: 45 mm Diameter Pins, 305 mm Center of Pin Boss to Center of Pin Boss, 184 mm Inside to Inside Pin Boss Spacing Usage: Not Available
5616	<b>2023 VICSEC VCT600 24 in Hydraulic Tilting Excavator Bucket (Unused)</b> S/N: 040-33 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5626	<b>Quantity of (3) 2023 VICSEC Excavator Auger (Unused)</b> S/N: 041-12 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available
5617	<b>2023 GIYI 42 in Digging Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: CAT3202314 C/W: 80 mm Diameter Pins, 480 mm Center of Pin Boss to Center of Pin Boss, 310 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5627	<b>2023 VICSEC 19 in Excavator Rake (Unused)</b> S/N: 040-30 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, fits 1-2 ton carrier Usage: Not Available
5618	<b>Cat 60 in Cleanup Excavator Bucket</b> S/N: Not Available Usage: Not Available	5628	<b>2023 VICSEC 12 in Excavator Auger (Unused)</b> S/N: 040-41 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available
5619	<b>Komatsu 50 in Digging Excavator Bucket - Fits PC200</b> S/N: Not Available C/W: 74 mm Diameter Pins, 482 mm Center of Pin Boss to Center of Pin Boss, 343 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5629	<b>2023 VICSEC 12 in Excavator Auger (Unused)</b> S/N: 040-42 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, 12 in Bit Usage: Not Available
5620	<b>Link-Belt 41 in Digging Excavator Bucket - Fits 2800</b> S/N: Not Available C/W: 80 mm Diameter Pins, 457 mm Center of Pin Boss to Center of Pin Boss, 343 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5630	<b>2023 VICSEC 16 in Excavator Auger (Unused)</b> S/N: 040-38 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, 16 in. bit Usage: Not Available
5621	<b>36 in Digging Excavator Bucket - Fits Paladin ECR88</b> S/N: J000026501-1 C/W: Quick Coupler Bracket, 58 mm Diameter Pins, 290 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5631	<b>2023 VICSEC 16 in Excavator Auger (Unused)</b> S/N: 040-39 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, 16 in bit Usage: Not Available



Lot #	Details	Lot #	Details
5632	<b>Quantity of (3) 2023 VICSEC 90 mm Excavator Auger (Unused)</b> S/N: 041-11 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5641	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 042-4 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
5633	<b>Quantity of (3) 2023 VICSEC Excavator Auger (Unused)</b> S/N: 041-10 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5642	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 041-41 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
5634	<b>Quantity of (3) 2023 VICSEC Excavator Auger (Unused)</b> S/N: 041-13 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5643	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 042-3 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
5635	<b>2023 VICSEC 19 in Excavator Rake (Unused)</b> S/N: 040-35 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, fits 1-2 ton Carrier Usage: Not Available	5644	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 042-5 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
5636	<b>2023 VICSEC 12 in Excavator Auger (Unused)</b> S/N: 040-40 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing Usage: Not Available	5645	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 041-45 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
5637	<b>2023 VICSEC 12 in Excavator Auger (Unused)</b> S/N: 040-43 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, 12 in Bit Usage: Not Available	5646	<b>Quantity of (3) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 042-49 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, 31 in. Sand Bucker, Ripper, Rake Usage: Not Available
5638	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 042-50 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	5647	<b>1999 Powerscreen 65S 30 in x 65 ft Portable Radial Stacking Conveyor</b> S/N: 6100756 C/W: Lattice Frame, Folding Head Section, Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Cummins 4 Cylinder 80 hp 3.9 L Diesel Engine Usage: 10,036 Hr
5639	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 041-47 C/W: 25 mm Diameter Pins, 90 mm Center of Pin Boss to Center of Pin Boss, 90 mm Inside to Inside Pin Boss Spacing, Quick Hitch, Rake, Ripper, Grabber, Auger, 12 in. Auger Rod, 8 in. Bucket, 20 in. Bucket, 32 in. Bucket Usage: Not Available	5648	<b>1998 Powerscreen 5036 30 in x 50 ft Portable Radial Stacking Conveyor</b> S/N: C9000658 C/W: Channel Frame, Hydraulic Raise, Control Panel, Hydraulic Radial Drive, Cummins 5 Cylinder 3.9 L Diesel Engine Usage: 2,441 Hr
5640	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 041-44 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	5649	<b>2018 Linkit LKS300-3.2 Conveyor</b> S/N: 1271117 Usage: Not Available

Lot #	Details	Lot #	Details
5650	<b>HPSI 33000 Pile Hammer Leads</b> S/N: 47-0344 Usage: Not Available	5665	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1009694 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5651	<b>HPSI 2700 Hydraulic Pile Hammer Leads</b> S/N: 47-0342 Usage: Not Available	5666	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1009082 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
5652	<b>American Hydraulic Pile Hammer Leads</b> S/N: 47-0227 C/W: 61" 37" / 37' HPSI PILE LEADS - JETT Usage: Not Available	5667	<b>40 ft One-Way Storage Container</b> S/N: CICU2573944 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
5653	<b>ICE Hydraulic Pile Hammer Leads</b> S/N: 47-0357 Usage: Not Available	5668	<b>2023 KJ K12 12 ft One-Way Storage Container</b> S/N: K12-036 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
5654	<b>HPSI Pile Lead Head</b> S/N: Not Available Usage: Not Available	5669	<b>2023 CTTN 10 ft One-Way Mini Storage Container</b> S/N: 1000991 C/W: 7 ft 6 in Wide, 8 ft 3 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
5655	<b>HPSI Pile Lead Head</b> S/N: Not Available Usage: Not Available	5670	<b>2023 KJ K09 9 ft One-Way Storage Container</b> S/N: K09-036 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
5656	<b>HPSI Pile Lead Head</b> S/N: 1421 Usage: Not Available	5671	<b>2012 JCB TLT35D Telehandler</b> S/N: JCBTLT35H01541300 C/W: Enclosed Cab, 0 ft Max Lift Height, 2012 US EPA Label, CARB Compliant, 42 in Forks, Side Shift, 27x10-12 Tires Usage: 6,503 Hr
5657	<b>Hydraulic Pile Lead Head</b> S/N: Not Available Usage: Not Available	5672A	<b>Bobcat 743B Skid Steer Loader (Inoperable)</b> S/N: 5009M11002 C/W: Open Operator Station, Manual Coupler, 66 in Bucket Usage: 2,216 Hr
5658	<b>Caldwell 63 in C-Hook Pipe Lifter</b> S/N: Not Available Usage: Not Available	5672	<b>2008 Bobcat S250 Skid Steer Loader (Inoperable)</b> S/N: A5GM11268 C/W: Open Operator Station, 7 Pin Electric Kit, Manual Coupler Usage: 5,881 Hr
5659	<b>2023 KJ K40HC-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5555706 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5674	<b>2011 Ford Escape XLT AWD SUV (Inoperable)</b> S/N: 1FMCU9D7XBKA46676 C/W: 4 cyl 2.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 219,145 Mi
5660	<b>2023 KJ K40HC-4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5555500 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	5675	<b>2011 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2BT1BEC23282 C/W: 6.7 L V8 Diesel Engine Usage: 212,675 Mi
5661	<b>2023 KJ K40HC-4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5555711 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available		
5662	<b>2024 KJ 40 ft One-Way High Cube Storage Container</b> S/N: RXCU0013313 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available		
5663	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1009713 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available		
5664	<b>2023 CTN 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1009689 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available		

Lot #	Details	Lot #	Details
5676	<b>2005 GMC Sierra 2500HD 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1GTHC23275F926273 C/W: Diesel Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 9200 lb GVWR, 245/75R16 Tires, 8 ft Bed Usage: Not Available	5684	<b>2013 Freightliner M2 106 4x2 Van Truck (Inoperable)</b> S/N: 1FVACXDT9DHFB2360 C/W: 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 13322 Engine hrs, 6-Speed Manual Transmission, 10000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 4.3:1 Axle Ratio, 32700 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, Utilimaster 24 ft 0 in Long x 102 in Wide x 91 in High Body, Liftgate Usage: 246,555 Mi
5677	<b>1999 Ford F-250 4x4 Pickup (Inoperable)</b> S/N: 1FTNF21L8XEE72520 C/W: 5.4 L V8 Gasoline Engine, US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, Drop-In Bed Liner, 8800 lb GVWR, 265 /75R16 Tires, 8 ft 4 in Bed Usage: 126,424 Mi	5685	<b>2011 Ford Transit Connect XL 4x2 Cargo Van (Inoperable)</b> S/N: NM0LS6AN3BT058073 C/W: 4 Cylinder 2.0 L Gasoline Engine, Automatic Transmission, 2491 lb Front Axle, 2470 lb Rears, Spring Suspension, 114 in Wheelbase Usage: 135,917 Mi
5679	<b>2007 UD UD2600 4x2 COE S/A Dump Truck (Inoperable)</b> S/N: Not Available C/W: Hino J08E-TE 6 Cylinder 469 cid Ultra Low Sulfur Diesel 230 hp Engine, 2006 US EPA Label, CARB Compliant, 1885 Engine hrs, Allison Automatic Transmission, 11R22.5, Spring Suspension, 162 in Wheelbase, PTO, Galion 14 ft Long x 1 ft 5 in High Steel Body, Pintle Hitch Usage: Not Available	5686E	<b>2019 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3AKJGLDR7KSKM6259 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-1650-OH1 12-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Evaporative Sleeper Air Conditioner, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 664,679 Mi
5680	<b>2008 Guzzler on 2008 Sterling L9500 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 2FZHAZDEX8AAB0904 C/W: 6 Cylinder 12.5 L Diesel 525 hp Engine, 2007 US EPA Label, CARB Compliant, 5088 Engine hrs, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, RT/RTE Series Suspension, 252 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Hydraulic Lift Tailgate, Ingersoll Rand PTO Driven Pump, Ingersoll Rand SIAV 8702 Blower Usage: 20,984 Mi	5686D	<b>2021 Peterbilt 579 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X5MD708228 C/W: 13200 lb Front Axle, 20000 lb Rears, 53200 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5682	<b>2016 Freightliner M2 106 4x2 Van Truck (Inoperable)</b> S/N: 1FVACXDT9GHHE6258 C/W: Cummins ISB 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 9594 Engine hrs, Allison 2550 Automatic Transmission, 10000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 4.56:1 Axle Ratio, 30000 lb GVWR, Air Ride Cab, 295/75R22.5, Spring Suspension, 254 in Wheelbase, Utilimaster 24 ft Long x 102 in Wide x 90 in High Body, Liftgate Usage: 137,983 Mi	5686C	<b>2019 Volvo VNL860 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TJ6KN217388 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 500 hp Engine, 2018 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 14782 Engine hrs, Engine Brake, Eaton Fuller RTOC-18909A 9-Speed Automated Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 51200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 235 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 462,361 Mi
5684A	<b>2007 Ford E-350 Cargo Van</b> S/N: 1FDWE35L67DA58970 C/W: V8 5.4 L Gasoline Engine, Automatic Transmission, 4200 lb Front Axle, 7800 lb Rears, 11500 lb GVWR, 225/75R16, Spring Suspension, 158 in Wheelbase, American Cargo 14 ft Long x 96 in Wide x 78 in High Body, Pintle Hitch Usage: 137,692 Mi		

Lot #	Details	Lot #	Details
5686B	<b>2018 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1FUJGLDR3JLJJ7381 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAO-16810C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	5690C	<b>2017 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG9HDHY8525 C/W: Cummins ISX15 450ST2 6 Cylinder 15.0 L Diesel 450 hp Engine, 2016 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810S-EC 10-Speed Automated Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 507,696 Mi
5686A	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPBD49X9GD344156 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 550 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 68 in High Rise Sleeper Cab, Bunk Beds, Electric Sleeper Air Conditioner, Aluminum Wheels, 295/75R22.5, Paccar Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	5690B	<b>2016 Freightliner Cascadia 125 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED57GLHL2472 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Eberspacher Engine Coolant Heater, 13849 Engine hrs, Engine Brake, Detroit DT12-OA-1750 HD 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 363,443 Mi
5686	<b>2016 Western Star 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJBHD16GLGZ3736 C/W: Detroit DD16 6 Cylinder 15.6 L Ultra Low Sulfur Diesel 600 hp Engine, Requires Diesel Exhaust Fluid, 19258 Engine hrs, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, Double Differential Locks, 13300 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.23:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Carrier Diesel Sleeper Air Conditioner, Carrier Comfort Pro Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 250 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 797,535 Mi	5690A	<b>2015 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGED58FLGA5854 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-DA-1650 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 843,057 Mi
5689	<b>2016 International ProStar+ 122 T/A Day Cab Truck Tractor</b> S/N: 3HSDJSNR5GN003521 C/W: Navistar N13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19566 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 619,957 Mi	5690	<b>2008 Kenworth T800 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKDD40X98J225652 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 500 hp Engine, 2007 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 46000 lb Rears, Dana D46-170HP Drive Axles, 3.73:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, 8-Bag Air Ride Suspension, 201 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 310,300 Mi

Lot #	Details	Lot #	Details
5692	<b>2017 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, Detroit DT12-DB 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 189 in Wheelbase, Dual Fuel Tanks Usage: Not Available	5697	<b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKYA48X3EJ403064 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 157 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5693	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4NC9EG6GN967690 C/W: Volvo D13J405 6 Cylinder 13.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D 12-Speed Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 172 in Wheelbase, Lowboy Ramps, Auto Lube, Dual Fuel Tanks Usage: 559,927 Mi	5698	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKAA48X1DJ354818 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 14979 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 574,266 Mi
5694	<b>1999 Freightliner 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUYSMDB1XP770315 C/W: Cummins M11 6 Cylinder 10.8 L Diesel 370 hp Engine, 1998 US EPA Label, CARB Compliant, 19406 Engine hrs, Eaton Fuller 18-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner 4-Bag Air Ride Suspension, 196 in Wheelbase, Air Sliding 5th Wheel Usage: 707,162 Hr	5699A	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKAA48X3DJ354819 C/W: Cummins ISX 400ST 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, Eaton Fuller FM-15E310B 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5695	<b>2005 Sterling AT9500 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2FWJA3CV25AN68241 C/W: Mercedes-Benz MBE4000 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 2004 US EPA Label, CARB Compliant, 22621 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 46000 lb Rears, Meritor RT-46-164P Drive Axles, 3.91:1 Axle Ratio, 59200 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 166 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 531,799 Mi	5699	<b>2013 Kenworth T660 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKAA48X1DJ354978 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 674,227 Mi
5697A	<b>2016 Kenworth T680 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKYA48X0GJ496726 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2015 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor RS-23-160 Drive Axles, 2.67:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	5700	<b>2015 Peterbilt 579 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XPBA48X6FD299363 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2014 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 3834 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700.0 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Trac Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 854,264 Mi

Lot #	Details	Lot #	Details
5701	<b>2014 Volvo VNL300 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N39EG4EN156046 C/W: Volvo D13H 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, 19968 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, Meritor RS23-160 Drive Axles, 35050 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 163 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: 648,016 Mi	5705	<b>2011 International ProStar Premium 4x2 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3HSCSAPN7BN346031 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2009 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 152 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
5702	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG9CN547339 C/W: Volvo D13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: Not Available	5708	<b>2001 TSE UP-70 Hydraulic Cable Puller (Inoperable)</b> S/N: 1T92S07121S268227 C/W: Yanmar 3 Cylinder Diesel Engine Usage: 588 Hr
5703	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG2CN547201 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 155 in Wheelbase Usage: Not Available	5709	<b>1988 Toyota 5FGC20 Pneumatic Tire Forklift (Inoperable)</b> S/N: 10950 C/W: Enclosed Cab, 2 Stage Mast, 48 in Forks, Side Shift, Fork Positioner, Solid Pneumatic Tires, Tier 4, Toyota 4 Cylinder LPG Engine Usage: 16,544 Hr
5704A	<b>2011 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EH8BN532077 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2010 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Volvo ATO2612D 12-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 885,766 Mi	5710	<b>2014 JLG 660SJ 4WD Diesel Telescopic Boom Lift (Inoperable)</b> S/N: 0300179821 C/W: 66 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Onboard Generator, US EPA Label, Deutz D2011 L04 4 Cylinder 49 hp 3.10 L Diesel Engine, 39x15-22.5 Foam-Filled Tires Usage: 5,645 Hr
5704	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG3CN547109 C/W: Volvo D13H405 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2013 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase, Auto Lube, Dual Fuel Tanks Usage: Not Available	5711	<b>1998 Skyjack SJ9250 RT 4x4 Dual Fuel Scissor Lift (Inoperable)</b> S/N: 50008 C/W: 50 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Stabilizers, Foam Filled Tires, Upper Control Box, Ford VSG 4131 4 Cylinder 35 hp 1.3 L Dual Fuel Engine Usage: 1,402 Hr
		5712	<b>2013 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable)</b> S/N: 22053392 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Power Inverter, Solid Non-Marking Tires, Upper Control Box Usage: 184 Hr
		5713	<b>2012 JLG 1930ES Electric Scissor Lift (Inoperable)</b> S/N: 200211322 C/W: 18.8 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 539 Hr

Lot #	Details	Lot #	Details
5714	<b>2018 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1019JB929502 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 922 Hr	5723	<b>20 ft Double-Ended Storage Container</b> S/N: ZENU2607513 C/W: 7 ft 9 in Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
5715	<b>2018 Campo EB1000 1000000 BTU Space Heater (Inoperable)</b> S/N: 2A9AAA201JA177106 C/W: Diesel Fueled, Tier 4, 2018 US EPA Label, Kubota V1505D 4 Cylinder 1.5 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,883 Hr	5724	<b>20 ft Storage Container</b> S/N: Not Available C/W: 8 ft Wide, 8 ft 5 in High, Fork Pockets, W/ Contents Usage: Not Available
5716	<b>2016 Multiquip DCA70SSIU4F 56 kW Mobile Generator Set</b> S/N: 5SLBG142XGL018224 C/W: 2015 US EPA Label, Isuzu BR-4JJ1X 4 Cylinder 2.9 L Diesel Engine, Requires Diesel Exhaust Fluid, 70 kVA/56 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 40 kVA, /40 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 20,566 Hr	5725	<b>20 ft One-Way Storage Container</b> S/N: Not Available C/W: 8 ft Wide, 8 ft 5 in High, Fork Pockets, W/ Contents Usage: Not Available
5717A	<b>Multiquip QP-3TH Skid-Mounted Water Pump (Inoperable)</b> S/N: 3TH38949 C/W: 3 in Intake, 3 in Discharge, Centrifugal Trash Pump, 2019 US EPA Label, Honda GX240 1 Cylinder 270 cc Gasoline Engine Usage: Not Available	5726	<b>2016 Vermeer S725TX Mini Compact Track Loader</b> S/N: 1VRD070Y0G1000827 C/W: 7 in Track Belts Usage: 441 Hr
5717	<b>Fradan Leaf Vacuum</b> S/N: Not Available C/W: 2015 US EPA Label, Briggs & Stratton Vanguard 2 Cylinder 31 hp Gasoline Engine Usage: Not Available	5727	<b>2018 Toro TX427 Compact Track Loader</b> S/N: 402595337 C/W: 2017 US EPA Label, 6 in Track Belts, Manual Coupler, 34 in Bucket Usage: 632 Hr
5718	<b>40 ft One-Way High Cube Storage Container</b> S/N: ZENU8018721 C/W: 7 ft 8 in Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	5728	<b>2018 Toro TRX-20 Walk-Behind Trencher</b> S/N: 403380277 C/W: 2 Cylinder Gasoline Engine, 3 in Wide x 36 in Long Combination Trencher Chain, 6 in Rubber Tracks Usage: 472 Hr
5719	<b>20 ft One-Way Storage Container</b> S/N: SPRU3000272 C/W: 7 ft 9 in Wide, 7 ft 10 in High, Fork Pockets Usage: Not Available	5729	<b>2016 Wacker Neuson RTKX-SC3 Trench Compactor</b> S/N: 24282990 C/W: Open Operator Station, 2015 US EPA Label, Kohler Engine, 22 in / 33 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 822 Hr
5720	<b>20 ft One-Way Storage Container</b> S/N: ZENU2055245 C/W: 7 ft 9 in Wide, 8 ft 6 in High Usage: Not Available	5730	<b>2016 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70028962 C/W: 32 ft Max Lift Height, 300 lb Max Weight Capacity, Platform Extension Usage: 340 Hr
5721	<b>20 ft One-Way Storage Container</b> S/N: ZENU3050839 C/W: 7 ft 9 in Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	5731	<b>2015 Skyjack SJIII-4632 Electric Scissor Lift</b> S/N: 70022885 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 268 Hr
5722	<b>20 ft One-Way Storage Container</b> S/N: ZENU2055672 C/W: 7 ft 9 in Wide, 8 ft 6 in High Usage: Not Available	5732	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A138840 C/W: 0 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension Usage: 276 Hr
		5733	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22094601 C/W: 19 ft Max Lift Height, 300 lb Max Weight Capacity, Platform Extension Usage: 252 Hr

Lot #	Details	Lot #	Details
5734	<b>2016 Skyjack SJIII 3219 Scissor Lift</b> S/N: 22094975 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 282 Hr	5744B	<b>2016 Rotair D90KA 88 cfm Skid-Mounted Air Compressor</b> S/N: C39492 C/W: 102 psi Working Pressure, 2015 US EPA Label, CARB Compliant, Kubota D1105 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: Not Available
5735	<b>2015 Skyjack SJIII3219 Scissor Lift</b> S/N: 22074280 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform Usage: 146 Hr	5744A	<b>2016 Rotair D90KA 88 cfm Skid-Mounted Air Compressor (Inoperable)</b> S/N: C39491 C/W: 102 psi Working Pressure, 2015 US EPA Label, CARB Compliant, Kubota D1105 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: Not Available
5736	<b>2016 JLG 1932RS Electric Scissor Lift</b> S/N: 0200254344 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension Usage: Not Available	5744	<b>2015 Atlas Copco XAS 185 CD PE Mobile Air Compressor</b> S/N: 4500A1019FR049915 C/W: Cat c2.2 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,588 Hr
5737	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P-157227 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension Usage: 291 Hr	5745	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 403247290 C/W: Kawasaki 2 Cylinder Gasoline Engine Usage: 307 Hr
5738	<b>2014 JLG 20MVL Vertical Mast Lift</b> S/N: 0130021128 C/W: 19 ft Max Lift Height, 450 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 267 Hr	5746	<b>2019 Toro 29521 Ride-On Aerator</b> S/N: 404689797 C/W: 2019 US EPA Label, Kawasaki FS541V 2 Cylinder Gasoline Engine Usage: 360 Hr
5739	<b>2015 Toyota 8FGU25 4500 lb Pneumatic Tire Forklift</b> S/N: 66049 C/W: 3 Stage Mast, 189 in Max Lift Height, 80 in Lowered Mast Height, 72 in Forks, Side Shift, Toyota 4Y ECS 4 Cylinder Dual Fuel Engine Usage: 2,783 Hr	5747	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 403014685 C/W: To Fit toro aerator, 2018 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine Usage: 312 Hr
5740	<b>Cat XQ200 225 kVA Mobile Generator Set</b> S/N: 1A9BS192X4P450026 C/W: 6 Cylinder Diesel Engine, 225 kVA/ Rated 3 Phase Output, 480 V / 240 V / 208 V Rated Voltage, 120 V Rated Voltage, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring Usage: 9,766 Hr	5748	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 403247279 C/W: Kawasaki 2 Cylinder Gasoline Engine Usage: 344 Hr
5741	<b>2018 Magnum MLT-6SK 6 kW Light Tower</b> S/N: 7FSXL101XJB613963 C/W: Kubota D1005 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 4,053 Hr	5749	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 403014679 C/W: 2018 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine Usage: 361 Hr
5742	<b>2016 Wacker Neuson LTN6K-VS 6 kW Light Tower</b> S/N: 24275936 C/W: 2015 US EPA Label, Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,952 Hr	5750	<b>2019 Ryan 554910A Lawnaire V Walk-Behind Aerator</b> S/N: 55491004018 C/W: To Fit Ryan aerator, 2019 US EPA Label, Honda gx120 1 Cylinder Gasoline Engine Usage: Not Available
5743	<b>2016 Doosan P185WDO Mobile Air Compressor</b> S/N: 475930UDAAF63 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 4,035 Hr	5751	<b>2019 Ryan 554910A Lawnaire V Walk-Behind Aerator</b> S/N: 55491004064 C/W: To Fit Ryan aerator, 2019 US EPA Label, Honda gx120 1 Cylinder Gasoline Engine Usage: Not Available
		5752	<b>2019 Ryan 554910A Lawnaire V Walk-Behind Aerator</b> S/N: 55491004063 C/W: To Fit Ryan aerator, 2019 US EPA Label, Honda gx120 1 Cylinder Gasoline Engine Usage: Not Available



Lot #	Details	Lot #	Details
5753C	<b>2015 Bobcat 84 Angle Broom 84 in Skid Steer Broom</b> S/N: 231421039 C/W: Quick Coupler Bracket Usage: Not Available	5766B	<b>2017 Bobcat S570 Skid Steer Loader (Inoperable)</b> S/N: ALM417333 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, Aperture Tires, 55 in Bucket Usage: 2,080 Hr
5753B	<b>Bobcat 84 84 in Skid Steer Broom</b> S/N: 231412413 C/W: Quick Coupler Bracket Usage: Not Available	5766A	<b>2016 Kubota B26TLB Backhoe Utility Tractor</b> S/N: 56120 C/W: Canopy, Air Ride Seat, Differential Lock, Hydrostatic Drive, 24 hp Engine, Kubota TL500 Loader w/Joystick, Kubota BT820 11 in Backhoe Attachment, 215/55-14 Front Tires, 12.4-16 Rear Tires Usage: 558 Hr
5753A	<b>Rome RLS-12 12 ft Box Blade</b> S/N: 6RLS12 C/W: 4 Tire, Hydraulic Usage: Not Available	5766	<b>Quantity of (3) Pallets of Stone</b> S/N: QTY3 Usage: Not Available
5753	<b>2018 Ryan 554910A Lawnaire V Walk-Behind Aerator</b> S/N: 55491003510 C/W: To Fit Ryan aerator, 2018 US EPA Label, Honda gx120 1 Cylinder Gasoline Engine Usage: Not Available	5769D	<b>2005 Mack CXN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AK06Y95N004991 C/W: 6 Cylinder Diesel Engine, Engine Brake, Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 225 in Wheelbase, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 602,026 Mi
5755	<b>2018 Chromalux SDRA 60-43RG Electric Space Heater</b> S/N: 295785017NM-3 C/W: 3 Phase, 460 V Input Usage: Not Available	5769C	<b>2011 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDR3BLAS9916 C/W: 6 Cylinder 14.8 L Diesel 475 hp Engine, Engine Brake, Eaton Fuller FRQ-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.58:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 184 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 916,282 Mi
5757	<b>2017 MovinCool ClimatePro12 Electric Air Conditioner</b> S/N: 03170315H12 C/W: Single Phase Motor Usage: Not Available	5769B	<b>2011 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDRXBLAS9914 C/W: 6 Cylinder 14.8 L Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, Rear Tires, Air Assist Front Suspension, Air Ride Suspension, 186 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 749,716 Mi
5758	<b>2018 Dri-Eaz DRITEC 4000I Dehumidifier</b> S/N: 1800 Usage: Not Available		
5759	<b>2018 Dri-Eaz DRITEC 4000I Electric Dehumidifier</b> S/N: 01804 Usage: Not Available		
5760	<b>2018 Dri-Eaz HVE-LL Flood Extractor</b> S/N: 1440 C/W: 2017 US EPA Label, Kohler 2 Cylinder Gasoline Engine Usage: 27 Hr		
5761	<b>2023 Spectra Precision LL300N Electric Laser Level</b> S/N: 21294933 Usage: Not Available		
5762	<b>Manitowoc KDT0500A-161 Electric Ice Machine</b> S/N: 1120416776 C/W: To Fit koolaire ice machine, koolaire Single Phase Motor Usage: Not Available		
5763	<b>Quantity of (6) Pallets of Blue Stone Flagstone</b> S/N: Not Available Usage: Not Available		
5764	<b>Quantity of (4) Pallets of Blue Stone Flagstone</b> S/N: Not Available Usage: Not Available		
5765	<b>Quantity of (3) Pallets of Stone</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5769A	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9XXHJ151986 C/W: Paccar MX-13 6 Cylinder Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 27065 Engine hrs, Eaton Fuller Automated Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Meritor MT40-14x3 Drive Axles, 2.64:1 Axle Ratio, 53200 lb GVWR, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 256 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 982,811 Mi	5774B	<b>2016 Ford F-550 XL 4x4 Utility Truck (Inoperable)</b> S/N: 1FDUF5HT2GEA85069 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 2017 Knapheide 11 ft 3 in Body, Mi-T-M Gasoline Air Compressor, Air Hose Reel, Product Tank, Hose Reels Usage: 229,564 Mi
5769	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKYDP9X4LJ361587 C/W: 6 Cylinder 12.9 L Diesel 405 hp Engine, 2019 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Paccar P016F112C 12-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Paccar Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 258 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 323,906 Mi	5774A	<b>2003 Ford F-450 4x2 Service Truck (Inoperable)</b> S/N: 1FDXF46PX3EC63656 C/W: Ford Powerstroke V8 6.0 L Diesel 325 hp Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 164 in Wheelbase, Dominator 10 ft Body, Manual Stabilizers, Auto Crane 5005EH 5000 lb 2 Section Electric Crane Usage: Not Available
5772B	<b>2012 International 4400 6x2 S/A Day Cab Truck Tractor</b> S/N: 1HSMKAAN9CH134417 C/W: Allison Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Goodyear Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 132,034 Mi	5774	<b>2006 Volvo VNM200 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4M19GG36N407400 C/W: Volvo D12D395 6 Cylinder 12.1 L Diesel 395 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, 295/75R22.5, Air Ride Suspension, 151 in Wheelbase, Dual Fuel Tanks Usage: Not Available
5772A	<b>2014 Volvo VNL 6x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N39EGXEN156052 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 22700 lb Rears, 35050.0 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 161 in Wheelbase Usage: 783,354 Mi	5776	<b>Cat 74 in .57 cyd General Purpose Skid Steer Bucket</b> S/N: 2795372 Usage: Not Available
5772	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGEDR1CLBJ9115 C/W: 6 Cylinder 14.8 L Diesel 455 hp Engine, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 208 in Wheelbase Usage: Not Available	5777	<b>3-Point Concrete Mixer</b> S/N: Not Available C/W: 540 PTO Usage: Not Available
		5778	<b>New Holland 7 ft 2 Way Snow Plow</b> S/N: 50122 Usage: Not Available
		5779	<b>John Deere Worksite Pro 8 ft 10 in 3.5 cyd Wheel Loader Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket, 920 mm Center of Pin Boss to Center of Pin Boss, 620 mm Inside to Inside Pin Boss Spacing Usage: Not Available
		5780	<b>16 in Concrete Demolition Pulverizer - Fits Excavator</b> S/N: Not Available Usage: Not Available
		5781	<b>2007 Magnum RHB340 Hydraulic Breaker - Fits Komatsu PC 400</b> S/N: NW519484 C/W: 100 mm Diameter Pins, 540 mm Center of Pin Boss to Center of Pin Boss, 380 mm Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
5782	<b>Bobcat 24 in Digging Excavator Bucket</b> S/N: 21436061 C/W: Quick Coupler Bracket Usage: Not Available	5788A	<b>2012 Doosan C185WKUB-T4I 185 cfm Mobile Air Compressor</b> S/N: 439201UDWD95 C/W: 140 psi Working Pressure, 2012 US EPA Label, CARB Compliant, Kubota V2403-M-DI-ET04 4 Cylinder 36.5 kW 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,371 Hr
5783A	<b>2021 Generac SG250 250 kW Skid-Mounted Generator Set</b> S/N: 3009577377 C/W: 2021 US EPA Label, Generac 6 Cylinder 374 hp Natural Gas Engine, /250 kW, Rated Single Phase Output, 120 V / 208 V Rated Voltage Usage: 9 Hr	5788	<b>2012 Doosan C185WKUB-T4I 185 cfm Mobile Air Compressor</b> S/N: 439200UDWD95 C/W: Air Dryer, 120 psi Working Pressure, 2012 US EPA Label, CARB Compliant, Kubota V2403-M-DI-ET04 4 Cylinder 36.5 kW 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 3,067 Hr
5783	<b>Quantity of (6) Pallets of Hardwood Swamp Mats &amp; Wooden Skids</b> S/N: Not Available Usage: Not Available	5789	<b>2018 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1015JB912812 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 10.6 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 4,321 Hr
5784	<b>2013 United Alloy 150 kW Mobile Generator Set</b> S/N: 064725 C/W: 2013 US EPA Label, John Deere 6068HF 6.8 L Diesel Engine, 188 kVA/150 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 100 kVA,/100 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	5790	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1012HB792302 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 2,935 Hr
5785	<b>Wacker Neuson G25 19.5 kW Mobile Generator Set</b> S/N: 24219633 C/W: Diesel Engine, 24.4 kVA/19.5 kW Rated 3 Phase Output, 480 V / 240 V Rated Voltage, 16 kVA,/16 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 2,492 Hr	5791	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1017HB799519 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,658 Hr
5786	<b>Wacker Neuson G25 19.5 kW Skid-Mounted Generator Set</b> S/N: 24298262 C/W: 4 Cylinder Diesel Engine, 24.4 kVA/19.5 kW Rated 3 Phase Output, / 240 V / 480 V Rated Voltage, 16 kVA,/16 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 120 V Receptacles Usage: Not Available	5792	<b>2013 Doosan Light Tower</b> S/N: 4FVLSACA4DU447448 C/W: 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 10,378 Hr
5787	<b>Wacker Neuson G25 19.5 kW Skid-Mounted Generator Set</b> S/N: 24305515 C/W: 2012 US EPA Label, 4 Cylinder Diesel Engine, 24.4 kVA/19.5 kW Rated 3 Phase Output, / 240 V / 480 V Rated Voltage, 16 kVA, /16 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 120 V Receptacles Usage: 1,367 Hr	5793A	<b>2011 Ingersoll Rand LS-60HZ-T4F Light Tower</b> S/N: 429865UHVD92 C/W: Tier 4, 2011 US EPA Label, CARB Compliant, Kubota D1105-BG-ET01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 5,862 Hr
5788B	<b>1997 Ingersoll Rand P100WJD 100 cfm Mobile Air Compressor</b> S/N: 27242SUAH210 C/W: 100 psi Working Pressure, John Deere 3 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,056 Hr	5793	<b>2012 Ingersoll Rand LS-60HZ-T4F Light Tower</b> S/N: 433580UKVD92 C/W: Tier 4, 2011 US EPA Label, CARB Compliant, Kubota D1105-BG-ET01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 2 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 9,506 Hr
		5794	<b>2010 Ingersoll Rand LS-60HZ-T4F Light Tower</b> S/N: 414986UFUD56 C/W: Tier 4, 2010 US EPA Label, CARB Compliant, Kubota D1105-BG-ET01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 9,139 Hr

Lot #	Details	Lot #	Details
5795	<b>Crown HK300 Ground Heater</b> S/N: 5660160 C/W: Kerosene Fueled, Tier 4, 2011 US EPA Label, CARB Compliant, Kubota Z428-D2-ET02 2 Cylinder 9.2 kW 0.47 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 4,459 Hr	5808	<b>2011 JLG 800S 4WD Diesel Telescopic Boom Lift</b> S/N: 0300147512 C/W: 80 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2011 US EPA Label, Deutz D2011 L04 4 Cylinder 62 hp 3.6 L Diesel Engine, 15-625 Tires Usage: 5,710 Hr
5796	<b>Heat King Ground Heater</b> S/N: HK30500 C/W: Single Phase, 115 V Input, S/A Trailer, Lunette Ring Usage: 5,807 Hr	5809	<b>2014 Genie S-65 4WD Diesel Telescopic Boom Lift</b> S/N: S6014-27302 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz D2.9 L4 4 Cylinder 49 hp 2.9 L Diesel Engine, 355/55D625 Foam-Filled Tires Usage: 4,075 Hr
5797	<b>2013 Therm Dynamics TD600 144000 BTU Space Heater (Inoperable)</b> S/N: 080213BTU600 C/W: Kerosene Fueled, 2013 US EPA Label, Cummins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 2,578 Hr	5810	<b>2014 Genie S-60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X1427414 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 2013 US EPA Label, Deutz D2.9 L4 4 Cylinder 49 hp 2.9 L Diesel Engine, 355 /55D625 Foam-Filled Tires Usage: 3,840 Hr
5798	<b>2016 Campo Blaze 200D/G Turbo 175000 BTU Space Heater</b> S/N: B200-16-9026 C/W: Natural Gas Fueled, 120 V Input, S/A Trailer Usage: Not Available	5811	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-157028 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 121 Hr
5799	<b>Campo Blaze 200D/G Turbo 175000 BTU Space Heater</b> S/N: B200198930 C/W: Kerosene Fueled, 110 V Input Usage: Not Available	5813A	<b>2015 Hyster H80FT 7500 lb Pneumatic Tire Forklift</b> S/N: S005V05059N C/W: 3 Stage Mast, 185 in Max Lift Height, 91 in Lowered Mast Height, 72 in Forks, Side Shift, Solid Pneumatic Tires, Vortec V6 4.3 L LPG Engine Usage: Not Available
5800	<b>Campo Blaze 200D/G Turbo 175000 BTU Space Heater</b> S/N: B200-17-9058 C/W: Multi-Fuel Fueled, 120 V Input, S/A Trailer Usage: Not Available	5813	<b>2003 SMV SL52-1200A 52000 kg Pneumatic Tire Forklift</b> S/N: M5938 C/W: Enclosed Cab, Air Conditioner, 2 Stage Mast, 4000 mm Max Lift Height, 91 in Forks, Side Shift, Fork Positioner, Solid Pneumatic Tires Usage: Not Available
5801	<b>2017 Flagro FVO-200 200000 BTU Space Heater</b> S/N: 0V200-1226 C/W: Diesel Fueled, Single Phase, 115 V Input Usage: Not Available	5814	<b>2018 Toyota 8FBM25T 5000 lb Electric Forklift</b> S/N: 10094 C/W: 3 Stage Mast, 185 in Max Lift Height, 88 in Lowered Mast Height, 42 in Forks, Side Shift Usage: 260 Hr
5802	<b>Godwin Pumps GHPU30 Hydraulic Power Pack</b> S/N: 17004346 C/W: 2015 US EPA Label, John Deere 4045TFC 56 kW 4.5 L Diesel Engine Usage: 11,878 Hr	5815	<b>2017 Sumner 2412 Material Hoist</b> S/N: 7097 Usage: Not Available
5804	<b>Quantity of (4) Pallets of 11R17.5 Wheels and Tires</b> S/N: Not Available C/W: 11R17.5, All Tires with Wheels Usage: Not Available	5816	<b>Spider BDS507040 Concrete Placing Boom</b> S/N: 26 Usage: Not Available
5805	<b>Estate Sprayer</b> S/N: Not Available Usage: Not Available	5817	<b>Flagstone (Unused)</b> S/N: Not Available Usage: Not Available
5806	<b>2017 Toro 22324 Mini Compact Track Loader</b> S/N: 400526206 C/W: Open Operator Station, Tier 4, 2016 US EPA Label, CARB Compliant, 10 in Track Belts, 40.5 in Bucket Usage: 546 Hr		

Lot #	Details	Lot #	Details
5818	<b>Quantity of (2) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5834	<b>2016 Hilti VC40-U Vacuum Cleaner</b> S/N: 31550 C/W: Single Phase Motor Usage: Not Available
5819	<b>Quantity of (3) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5836	<b>2017 Miller Electric Bobcat 250 250 A Skid-Mounted Multi-Process Engine Driven Welder</b> S/N: MH411474R C/W: 2016 US EPA Label, CARB Compliant, Kohler CH730 2 Cylinder 725 cc Gasoline Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage Usage: Not Available
5820	<b>Quantity of (2) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5837	<b>Ridgid Electric Pipe Threader</b> S/N: Not Available C/W: To Fit Ridgid Usage: Not Available
5821	<b>Quantity of (2) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5838	<b>2016 Atlas Copco 190 Demolition Breaker</b> S/N: 324440 Usage: Not Available
5822	<b>Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5839	<b>2016 Hilti TE 1000-AVR Demolition Breaker</b> S/N: 050690 Usage: Not Available
5823	<b>Quantity of (2) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available	5840	<b>Collodial Mortar and Grout Mixer</b> S/N: 191528050031AGT Usage: Not Available
5824	<b>2012 Lifeyme 20 ft Work Boat</b> S/N: E0C00435B212 C/W: Aluminum Hull, 8 Passenger Capacity, 20 ft Overall Length, Outboard Tohatsu BFT90A 90 hp Engine Usage: Not Available	5843	<b>2019 Edco 2ECNG15 Concrete Grinder</b> S/N: 180810505 C/W: 22 in Grinding Width, 2 Grinding Discs Usage: Not Available
5825	<b>2012 Kubota RTV1100 4x4 Utility Vehicle</b> S/N: A5KC1HDAPCG037227 C/W: Enclosed Cab, 2 Passenger, Windshield, Rear Screen, Diesel Engine, Locking Front Differential, Brush Guard, Hitch Receiver, Hydraulic Dump Bed Usage: 4,328 Hr	5844	<b>2016 Edco 2GC-NG-11H Gasoline Concrete Grinder (Inoperable)</b> S/N: 160810436 C/W: 2015 US EPA Label, Honda GXV340 1 Cylinder 338 cc Gasoline Engine, 22 in Grinding Width, 2 Grinding Discs Usage: Not Available
5826	<b>2011 Taylor Dun B248 Electric Utility Cart (Inoperable)</b> S/N: 185600 C/W: Open Operator Station, 2 Passenger Usage: Not Available	5845	<b>2021 Edco CD-5 Crete Crush Scabler Concrete Grinder</b> S/N: 210910171 C/W: Pneumatic, 5 head Usage: Not Available
5827	<b>2022 Tennant S6 Walk-Behind Electric Floor Sweeper</b> S/N: 125126800953 C/W: 25 in Working Width, 12 Volt Operating System Usage: Not Available	5846	<b>2020 Oztec CG12E-DC7-H Electric Ceiling Concrete Grinder</b> S/N: AM1199110 C/W: Framework and Electric Motor (appears to be missing grinder components) Usage: Not Available
5829	<b>2017 National 6280HD-COM Electric Walk-Behind Floor Scraper</b> S/N: 6280HD-230029 Usage: Not Available	5847	<b>2021 Edco CPL-8-1.5B Electric Concrete Scarifier (Unused)</b> S/N: 211110056 Usage: Not Available
5830	<b>2021 Edco ALRE Hand Held Pneumatic Floor Scraper</b> S/N: 35760 Usage: Not Available	5848	<b>2021 Edco CPM8-5 Electric Concrete Scarifier (Unused)</b> S/N: 211110017 Usage: Not Available
5831	<b>2021 American Super 7R Edger Sander</b> S/N: S090346 Usage: Not Available	5849	<b>2018 Edco CPM8-5 Electric Concrete Scarifier</b> S/N: 180110430 Usage: Not Available
5832	<b>2017 Hilti VC15010XE Vacuum Cleaner</b> S/N: 10487 Usage: Not Available		
5833	<b>2016 Hilti VC40-U Vacuum Cleaner</b> S/N: 33483 Usage: Not Available		

Lot #	Details	Lot #	Details
5851	<b>2016 Edco CPM8-9H Gasoline Concrete Scarifier (Inoperable)</b> S/N: 160910031 C/W: 2016 US EPA Label, Honda 1 Cylinder 270 cc Gasoline Engine Usage: Not Available	5862	<b>2012 Ford F-250 4x4 Extended Cab Pickup</b> S/N: 1FT7X2B62CEB05203 C/W: 6.2 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Western 96 in Snow Plow, Drop-In Bed Liner, 10000 lb GVWR, 285/70R17 Tires, 8 ft Bed, Saltdogg Salt Spreader Usage: Not Available
5852	<b>2018 Edco TMC-7-2 Edge Grinder</b> S/N: 171010164 Usage: Not Available	5863	<b>Manitex 30102 30 ton Straight Boom on 2004 Peterbilt 357 6x4 Boom Truck (Inoperable)</b> S/N: 1NPALU0XX4N824105 C/W: 6 Cylinder 11.9 L Diesel 431 hp Engine, 2003 US EPA Label, 2770 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, Air Ride Cab, 11R22.5, Dual Steering Boxes, Chalmers Suspension, 276 in Wheelbase, PTO, 60000 lb Capacity, Front Mounted, 30 ft 6 in - 102 ft 4 Section Boom, Johnson 1 Sheave 12.5 ton Capacity Hook Block, 26 ft Min - 46 ft Max Swingaway Jib, PAT DS-85 Load Moment Indicator, Dual Controls, A-Outriggers, Rear Outriggers, 22 ft 3 in x 96 in Bed Usage: 137,467 Mi
5853	<b>2017 Flagro F-400T 400000 BTU Space Heater</b> S/N: 400-7656 C/W: Multi-Fuel Fueled, 120 V Input Usage: Not Available	5865	<b>2006 Ford F-450 XL 4x2 Service Truck (Inoperable)</b> S/N: 1FDXF46P76E871991 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Auto Crane 13 ft Body, Manual Stabilizers, Auto Crane Crane Usage: 233,148 Mi
5854	<b>Quantity of Contractor Supplies</b> S/N: Not Available C/W: Trash Pump, Concrete Screed & Floor Jack Usage: Not Available	5866	<b>1999 Ford F-550 XLT 4x2 Rollback Truck (Inoperable)</b> S/N: 1FDAF56F0XEB25312 C/W: International DIT (Powerstroke) V8 7.3 L Diesel Engine, US EPA Label, Automatic Transmission, 12000 lb Rears, 225/70R19.5, Spring Suspension, 200 in Wheelbase, PTO, Jerr-Dan 19PAVB Rollback Body, 19 ft x 92 in Bed, Aluminum Frame, Jerr-Dan Winch, Hydraulic Wheel Lift Usage: 249,456 Mi
5855	<b>2018 National 3395 Electric Flooring Shot Blaster</b> S/N: 3395H-2023 Usage: Not Available	5867	<b>2006 Ford F-550 4x4 Flatbed Truck (Inoperable)</b> S/N: 1FDAF57P56EC82131 C/W: Ford V8 Ultra Low Sulfur Diesel Engine, 7000 lb Front Axle, 13000 lb Rears, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, 164 in Wheelbase, 10 ft 0 in x 84 in Bed, Hopper, Salt Spreader, Western Snow Plow Usage: 212,534 Mi
5856A	<b>KwiKool KWIB6043 Electric Air Conditioner</b> S/N: 09738 C/W: 60000 BTU, 460 V, 3 Phase Usage: Not Available	5868	<b>National Allegheny 500C Straight Boom on 1994 Ford F800 4x2 Boom Truck (Inoperable)</b> S/N: 1FDXK84E4RVA34886 C/W: 6 Cylinder Diesel Engine, 6346 Engine hrs, 5-Speed Manual Transmission, 33000 lb GVWR, 11R22.5, Spring Suspension, 214 in Wheelbase, Front Mounted, -, Dual Controls, A-Outriggers, 17 ft 6 in x 90 in Bed Usage: 154,597 Mi
5856	<b>2018 GNB EHIMV80M250 Battery Charger</b> S/N: 381973 C/W: 3 Phase Motor Usage: Not Available		
5857	<b>JLG 10054 Telehandler (Inoperable)</b> S/N: 0160038251 C/W: Enclosed Cab, 17.5-25 Tires Usage: 7,993 Hr		
5859	<b>2005 Ford F-350 4x4 Pickup</b> S/N: 1FTWF31P05EA35332 C/W: 6.0 L V8 Diesel Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, 11100 lb GVWR, 275/70R18 Tires, 8 ft Bed Usage: 233,021 Mi		
5860	<b>2017 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6TR5CT9HG586444 C/W: 5.7 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Bed Liner, 9000 lb GVWR, 275 /70R18 Tires, 6 ft 6 in Bed Usage: 189,442 Mi		
5862A	<b>2004 Dodge Ram 2500 SLT 4x4 Pickup</b> S/N: 3D7KU26C44G244042 C/W: 5.9 L 6 Cylinder Diesel Engine, 2004 US EPA Label, 6 Speed Manual Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 9000 lb GVWR, 285/70R17 Tires, 8 ft Bed Usage: 238,279 Mi		

Lot #	Details	Lot #	Details
5869A	<b>1994 Ford LTS9000 6x4 Vacuum Excavator Truck</b> S/N: 1FDZY90X1RVA13787 C/W: Cat 3406C 6 Cylinder 15 L Ultra Low Sulfur Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 64000 lb Rears, 64000 lb GVWR, 385/55R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Suspension, 259 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Boom, 8 in Suction Hose, Blower Usage: 69,013 Mi	5877	<b>2023 Suihe MH20 19 ft 5 in x 7 ft 4 in 20 ft Prefabricated Tiny Home (Unused)</b> S/N: Not Available Usage: Not Available
5871	<b>2012 International 4300 4x2 Service Truck (Inoperable)</b> S/N: 3HAMMAAL8CL536184 C/W: International DT466 6 Cylinder Ultra Low Sulfur Diesel Engine, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 253 in Wheelbase Usage: 166,192 Mi	5878	<b>2023 Suihe MH13 13 ft x 7 ft 4 in 13 ft Prefabricated Tiny Home</b> S/N: Not Available Usage: Not Available
5874	<b>2015 Freightliner Cascadia 125 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGDDV5FLGP9137 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 380 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 23000 lb Rears, Meritor RS-23-161 Drive Axles, 3.42:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 589,029 Mi	5879	<b>2023 Suihe NMO 20 ft x 7 ft 20FT-007B Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available
5875	<b>SHIGEN DGK60DD 60 kVA Generator Set (Inoperable)</b> S/N: NA-D14101000321 C/W: Kubota 4 Cylinder Diesel Engine, 60 kVA /48 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage, 36 kVA,/36 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank Usage: 11,483 Hr	5880	<b>2023 Suihe NMO 20 ft x 7 ft 20FT-007C Mobile Office (Unused)</b> S/N: Not Available Usage: Not Available
5876B	<b>2012 Taylor Dunn SS-025-36 Utility Cart (Inoperable)</b> S/N: 188094 C/W: Open Operator Station, 24V Usage: Not Available	5881	<b>2023 Suihe SMO 12 ft x 8 ft Mobile Office (Unused)</b> S/N: Not Available C/W: ( 1 ) Bathrooms Usage: Not Available
5876A	<b>2012 Taylor Dunn B0-248-48 Utility Cart (Inoperable)</b> S/N: 188075 C/W: Open Operator Station, 2 Passenger, 48V Usage: Not Available	5882	<b>2023 Suihe NT-SH(a) 6 ft 5 in x 7 ft 5 in Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available
5876	<b>2015 Powerboss Nautilus PB45LP Ride-On Floor Sweeper (Inoperable)</b> S/N: 15011630 C/W: 48 in Working Width, Water System, Rear Squeegee, Kubota LPG Engine Usage: 706 Hr	5883	<b>2023 Suihe NT-SH(a) 7 ft 1 in x 6 ft 3 in with Acrylic Shower Partition Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available
		5884	<b>2023 Suihe NT-SH(b) 6 ft 9 in x 6 ft 3 in 1 Person Portable Toilet</b> S/N: Not Available Usage: Not Available
		5885	<b>2023 Suihe NT-SH(b) 6 ft 5 in x 7 ft 5 in Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available
		5886	<b>2023 Suihe NT-SH(b) 7 ft x 5 ft Portable Toilet (Unused)</b> S/N: Not Available C/W: (1) Shower, (1) Sink, (1) Toilet Usage: Not Available
		5887	<b>2023 Suihe ST-SH(a) 7 ft x 5 ft 2 in 1 Person Skid-Mounted Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available
		5888	<b>2023 Suihe ST-SH(b) 7 ft x 5 ft 2 in 1 Person Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available
		5889	<b>2023 Suihe ST-D 7 ft x 4 ft 2 Person Portable Toilet (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5890	2023 Suihe NT-D 4 ft 3 in x 7 ft 02 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	5904	2023 Suihe 203012R 30 ft x 20 ft 20 ft x 30 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available
5891	2023 Suihe NT-D 4 ft 3 in x 7 ft 02 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	5905	2023 Suihe 203012R 30 ft x 20 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available
5892	2023 Suihe ST-S 4 ft x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	5906	2023 Suihe 203012R 30 ft x 20 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available
5893	2023 Suihe FB1920 20 ft x 19 ft Prefabricated Folding Storage Building (Unused) S/N: Not Available Usage: Not Available	5907	2023 Suihe 203012R 20 ft x 30 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available
5894	2023 Suihe S308515R 85 ft x 30 ft x 15 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5908	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
5895	2023 Suihe S308515R 85 ft x 30 ft x 15 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5909	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
5896	2023 Suihe S408020R 40 ft x 80 ft x 20 ft Storage Building S/N: Not Available Usage: Not Available	5910	2023 Suihe C4040 40 ft x 40 ft Container Storage Canopy (Unused) S/N: Not Available Usage: Not Available
5897	2023 Suihe S408020R 80 ft x 40 ft x 20 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5911	2023 Suihe C2040 40 ft x 20 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
5898	2023 Suihe S306515R 65 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5912	2023 Suihe C2040 40 ft x 20 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
5899	2023 Suihe S306515R 65 ft x 30 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5913	2023 Suihe C2040 40 ft x 20 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
5900	2023 Suihe S304015R 40 ft x 30 ft x 15 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5914	2023 Suihe C2040 40 ft x 20 ft Container Shelter Storage Building S/N: Not Available Usage: Not Available
5901	2023 Suihe S304015R 40 ft x 30 ft x 15 ft Storage Building (Unused) S/N: Not Available Usage: Not Available	5915	2023 Suihe C2020 20 ft x 20 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
5902	2023 Suihe 203012R 30 ft x 20 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available	5916	2023 Suihe C2020 20 ft x 20 ft Container Shelter Storage Building (Unused) S/N: Not Available Usage: Not Available
5903	2023 Suihe 203012R 30 ft x 20 ft 20 ft x 30 ft x 12 ft Dome Frame Storage Building (Unused) S/N: Not Available Usage: Not Available	5917	2023 Suihe 2040P 20 ft x 40 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
5918	2023 Suihe 2040P 20 ft x 40 ft Commercial Party Tent (Unused) S/N: Not Available Usage: Not Available	5934	2023 Suihe NWB-10DS-2-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available
5919	2023 Suihe M2020 20 ft x 20 ft Steel Carport (Unused) S/N: Not Available Usage: Not Available	5935	2023 Suihe NWB-10DS-2-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available
5920	2023 Suihe NWB-H35DS-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available	5936	2023 Suihe NWB-H40DR-10 10 ft 40-Drawer Workbench S/N: Not Available Usage: Not Available
5921	2023 Suihe NWB-H35DS-7 Workbench S/N: Not Available Usage: Not Available	5937	2023 Suihe NWB-H40DB-10 10 ft 40-Drawer Workbench (Unused) S/N: Not Available Usage: Not Available
5922	2023 Suihe NWB-H30DS -9.5 9 ft 30-Drawer Workbench S/N: Not Available Usage: Not Available	5938	2023 Suihe NWB-H18DB-7 7 ft 3 in 18-Drawer Workbench S/N: Not Available Usage: Not Available
5923	2023 Suihe NWB-H30DS -9.5 9 ft Workbench S/N: Not Available Usage: Not Available	5939	2023 Suihe NWB-H18DR-7 7 ft 3 in 18-Drawer Workbench S/N: Not Available Usage: Not Available
5924	2023 Suihe NWB-H30DS -9.5 9 ft Workbench S/N: Not Available Usage: Not Available	5940	2023 Suihe NWB-H18DR-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available
5925	2023 Suihe NWB-H30DS -9.5 9 ft Workbench S/N: Not Available Usage: Not Available	5941	2023 Suihe NWB-25DB-10 9 ft 5 in Workbench S/N: Not Available Usage: Not Available
5926	2023 Suihe NWB-H30DS -9.5 9 ft Workbench S/N: Not Available Usage: Not Available	5942	2023 Suihe NWB-25DB-10 9 ft 5 in Workbench S/N: Not Available Usage: Not Available
5927	2023 Suihe NWB-30DS-10 9 ft Workbench S/N: Not Available Usage: Not Available	5943	2023 Suihe NWB-15DR-2 -10 9 ft 5 in Workbench S/N: Not Available Usage: Not Available
5928	2023 Suihe NWB-30DS-10 9 ft 5 in Workbench S/N: Not Available Usage: Not Available	5944	2023 Suihe NWB-15DR-2 -10 9 ft 5 in Workbench S/N: Not Available Usage: Not Available
5929	2023 Suihe NWB-H30DS -9.5 10 ft 30-Drawer 10 ft Workbench (Unused) S/N: Not Available Usage: Not Available	5945	2023 Suihe NWB-20DB-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available
5930	2023 Suihe NWB-18DS-2B-10 10 ft 10 ft Workbench (Unused) S/N: Not Available Usage: Not Available	5946	2023 Suihe NWB-20DB-7 7 ft Workbench (Unused) S/N: Not Available Usage: Not Available
5931	2023 Suihe NWB-18DS-2B-10 10 ft 18-Drawer Workbench (Unused) S/N: Not Available Usage: Not Available	5947	2023 Suihe NWB-H18DB-7 7 ft 3 in Work Bench S/N: Not Available Usage: Not Available
5932	2023 Suihe NWB-20DS-7 7 ft 20-Drawer Workbench (Unused) S/N: Not Available Usage: Not Available	5948	2023 Suihe NWB-10DR-2-7 7 ft 10-Drawer Workbench (Unused) S/N: Not Available Usage: Not Available
5933	2023 Suihe NWB-20DS-7 7 ft 20-Drawer Workbench (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
5949	<b>2023 Suihe NWB-10DR-2-7 7 ft 10-Drawer Workbench (Unused)</b> S/N: Not Available Usage: Not Available	5963	<b>Quantity of (14) 2023 Suihe SP10-14G 10 ft Livestock Gate (Unused)</b> S/N: Not Available Usage: Not Available
5950	<b>Quantity of (60) 2023 Suihe SF-D-60 7 ft x 4 ft Galvanized Temporary Site Fence (Unused)</b> S/N: Not Available Usage: Not Available	5964	<b>2023 Suihe SP10-56 10 ft Powder Coated Corral Livestock Panel (Unused)</b> S/N: Not Available Usage: Not Available
5951	<b>Quantity of (40) 2023 Suihe F-X-40 7 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5965	<b>Quantity of (56) 2023 Suihe SP10-56 10 ft Powder Coated Corral Livestock Panel (Unused)</b> S/N: Not Available Usage: Not Available
5952	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5966	<b>Quantity of (56) 2023 Suihe NP-54-2 10 ft Powder Coated Livestock Panel (Unused)</b> S/N: Not Available Usage: Not Available
5953	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5967	<b>Quantity of (56) 2023 Suihe NP-54-2 10 ft Powder Coated Livestock Panel</b> S/N: Not Available Usage: Not Available
5954	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5968	<b>Quantity of (20) 2023 Suihe SF-D-20 10 ft x 6 ft Galvanized Temporary Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
5955	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5969	<b>Quantity of (20) 2023 Suihe SF-D-20 9 ft 6 in x 6 ft Chain Link Temporary Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
5956	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5970	<b>Quantity of 2023 Suihe F-X-80 Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
5957	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5971	<b>2023 Suihe SG Electric Double Swing Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
5958	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5972	<b>Quantity of (2) 2023 Suihe NFG-20FC-3 20 ft Bi-Parting Farm Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
5959	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5973	<b>2023 Suihe NFG-20FC-3 20 ft Bi-Parting Farm Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
5960	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5974	<b>2023 Suihe NFG-20FC-3 20 ft Bi-Parting Farm Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
5961	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5975	<b>2023 Suihe NFG-20FGP Farm Livestock Gate (Unused)</b> S/N: Not Available Usage: Not Available
5962	<b>Quantity of (30) 2023 Suihe F-X-30 10 ft x 7 ft Fencing (Unused)</b> S/N: Not Available Usage: Not Available	5976	<b>2023 Suihe NFG-20FGP Farm Livestock Gate (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5977	<b>2023 Suihe NFG-20FGP Farm Livestock Gate (Unused)</b> S/N: Not Available Usage: Not Available	5990	<b>2023 Suihe SSGB 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5978	<b>Quantity of (10) 2023 Suihe NG-20S-5 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	5991	<b>2023 Suihe SSD-YS86 86 in Skid Steer Snow Blade (Unused)</b> S/N: 0031787201 Usage: Not Available
5979	<b>Quantity of (10) 2023 Suihe NG-20D-5 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	5992	<b>2023 Suihe SSD-YS86 86 in Skid Steer Snow Blade</b> S/N: Not Available Usage: Not Available
5980	<b>Quantity of (4) 2023 Suihe NG-14D -4 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	5993	<b>2023 Suihe SSD-YS86 86 in Skid Steer Snow Blade (Unused)</b> S/N: 0031787300 Usage: Not Available
5981	<b>Quantity of (4) 14 ft Bi-Parting Driveway Gate</b> S/N: Not Available Usage: Not Available	5994	<b>2023 Suihe SSA Skid Steer Auger (Unused)</b> S/N: 002502090 C/W: Quick Coupler Bracket, Includes (3) Bits Usage: Not Available
5982	<b>Quantity of 2023 Suihe NG-14T -4 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	5995	<b>2023 Suihe SSA 4 ft Skid Steer Auger (Unused)</b> S/N: 002502127 Usage: Not Available
5983	<b>2023 Suihe NG-14Eu-1 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	5996	<b>2023 Suihe SSA 4 ft Skid Steer Auger (Unused)</b> S/N: 002502056 Usage: Not Available
5984	<b>2023 Suihe SSBC 66 in Skid Steer Brush Cutter (Unused)</b> S/N: 001600482 Usage: Not Available	5997	<b>2023 Suihe SSA 4 ft Skid Steer Auger (Unused)</b> S/N: 002502055 Usage: Not Available
5985	<b>2023 Suihe SSBC 66 in Skid Steer Brush Cutter (Unused)</b> S/N: 001600508 Usage: Not Available	5998	<b>2023 Suihe SST-1000/200 Skid Steer Trencher (Unused)</b> S/N: 001701236 C/W: Quick Coupler Bracket Usage: Not Available
5986	<b>2023 Suihe SSBC 66 in Skid Steer Brush Cutter (Unused)</b> S/N: 001600506 Usage: Not Available	5999	<b>2023 Suihe SSBR 72 in 72 in Pickup Skid Steer Sweeper (Unused)</b> S/N: 00600374 Usage: Not Available
5987	<b>2023 Suihe SSTS-G Skid Steer Tree Shear (Unused)</b> S/N: 001200500 C/W: Quick Coupler Bracket Usage: Not Available	6000	<b>2023 Suihe SSBR 72 in Skid Steer Sweeper (Unused)</b> S/N: 00600371 Usage: Not Available
5988	<b>2023 Suihe SSVR-72 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: 001300660 C/W: Quick Coupler Bracket Usage: Not Available	6001	<b>2023 Suihe SSPR 72 in Skid Steer Power Rake (Unused)</b> S/N: 003046208 C/W: Quick Coupler Bracket Usage: Not Available
5989	<b>2023 Suihe SSBH Skid Steer Backhoe (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6002	<b>2023 Suihe SSLR 72 in Skid Steer Landscape Rake (Unused)</b> S/N: 003207206 C/W: Quick Coupler Bracket Usage: Not Available
		6003	<b>2023 Suihe SSGB 7 ft Box Skid Steer Grader (Unused)</b> S/N: 005500084 Usage: Not Available

Lot #	Details	Lot #	Details
6004	2023 Suihe SSGB 7 ft Box Skid Steer Grader (Unused) S/N: 005500085 Usage: Not Available	6017	2023 Suihe SSB-84 84 in 84 in Skeleton Skid Steer Bucket (Unused) S/N: 002300003 Usage: Not Available
6005	2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001803559 Usage: Not Available	6018	2023 Suihe SSB-78 78 in Skeleton Skid Steer Bucket (Unused) S/N: 002200016 C/W: Quick Coupler Bracket Usage: Not Available
6006	2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001803554 Usage: Not Available	6019	2023 Suihe SSB-72 72 in Skeleton 72 in Skeleton Skid Steer Bucket S/N: Not Available Usage: Not Available
6007	2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001803553 Usage: Not Available	6020	2023 Suihe SSB-66 66 in Skeleton Skid Steer Bucket (Unused) S/N: 002000016 Usage: Not Available
6008	2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001803104 C/W: Quick Coupler Bracket Usage: Not Available	6021	2023 Suihe SSM 52 in Skid Steer Concrete Mixer (Unused) S/N: 008000393 C/W: Quick Coupler Bracket Usage: Not Available
6009	2023 Suihe SSR-78 78 in Skid Steer Root Rake (Unused) S/N: 001803195 Usage: Not Available	6022	Quantity of (2) 2023 Suihe N-1CY -2 Self-Dumping Hopper (Unused) S/N: Not Available Usage: Not Available
6010	2023 Suihe SSR-78 2 ft 5 in Skid Steer Root Rake (Unused) S/N: 001803549 Usage: Not Available	6023	2023 Suihe N-1CY -2 Self-Dumping Hopper S/N: Not Available Usage: Not Available
6011	2023 Suihe SSRGB-72 6 ft 4 in Rock Skid Steer Grapple Bucket (Unused) S/N: 001402171 Usage: Not Available	6024	2023 Suihe F-10 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available
6012	2023 Suihe SSRGB-72 Rock Skid Steer Grapple Bucket (Unused) S/N: 001402151 Usage: Not Available	6025	2023 Suihe F-10 10 ft Fork Extensions (Unused) S/N: Not Available Usage: Not Available
6013	2023 Suihe SSRGB-80 80 in Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6026	2023 Suihe VG 004-05-68-01 Vibratory Screen (Unused) S/N: 00405236 C/W: 004-05-68-01 Usage: Not Available
6014	2023 Suihe SSRGB-80 81 in Skid Steer Grapple Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6027	2023 Suihe SH4000 Pressure Washer (Unused) S/N: 0160240692 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 420 cc Gasoline Engine Usage: Not Available
6015	2023 Suihe SSB-4 72 in Multi-Purpose 72 in Multi-Purpose Skid Steer Bucket (Unused) S/N: Not Available Usage: Not Available	6028	2023 Suihe PW Pressure Washer (Unused) S/N: 016240678 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, 420 cc Gasoline Engine Usage: Not Available
6016	2023 Suihe SSB-S Screening Skid Steer Bucket (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6029	2023 Suihe BX-12 Bedding Box (Unused) S/N: Not Available Usage: Not Available
		6030	2023 Suihe BX-9 Bedding Box (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6031	2023 Suihe BX-7 Bedding Box (Unused) S/N: Not Available Usage: Not Available	6046	Quantity of 2023 Suihe DLS Double Leg Chain Sling (Unused) S/N: Not Available Usage: Not Available
6032	2023 Suihe TS x 7 ft x 3.5 ft Trench Shield (Unused) S/N: Not Available Usage: Not Available	6047	Quantity of 2023 Suihe DLS Double Leg Chain Sling (Unused) S/N: Not Available Usage: Not Available
6033	2023 Suihe TS 10 ft x 7 ft x 3.5 ft Trench Shield (Unused) S/N: Not Available Usage: Not Available	6048	Quantity of 2023 Suihe R24 Ratchet Straps (Unused) S/N: Not Available Usage: Not Available
6034	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6049	2023 Suihe A200 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available
6035	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6050	2023 Suihe A200 200 lb Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available
6036	Quantity of (250) 2023 Suihe TC-250 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6051	2023 KJ K2113 7 ft x 4 ft Portable Toilet (Unused) S/N: Not Available C/W: ( 2 ) Bathrooms Usage: Not Available
6037	Quantity of Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6052	2023 KJ K2113 7 ft x 4 ft 2 Person Portable Toilet S/N: Not Available Usage: Not Available
6038	Quantity of 2023 Suihe SW Sawhorses (Unused) S/N: Not Available Usage: Not Available	6053	2023 KJ K2215 7 ft 4 in x 5 ft Portable Toilet (Unused) S/N: Not Available C/W: (1) Shower, (1) Sink, (1) Toilet Usage: Not Available
6039	Quantity of 2023 Suihe BC 9200 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6054	2023 KJ K2215 7 ft 4 in x 5 ft Portable Toilet (Unused) S/N: Not Available C/W: (1) Shower, (1) Sink, (1) Toilet Usage: Not Available
6040	Quantity of 2023 Suihe BC 9200 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6055	2023 KJ K2119 22 ft x 23 ft Metal Garage (Unused) S/N: Not Available Usage: Not Available
6041	Quantity of 2023 Suihe BC Ratchet Binders and 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6056	2023 KJ K2119 22 ft x 23 ft Metal Garage (Unused) S/N: Not Available Usage: Not Available
6042	Quantity of 2023 Suihe BC 5400 lb Ratchet Binders and (10) 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6057	2023 KJ K1220 12 ft x 19 ft Metal Garage (Unused) S/N: Not Available Usage: Not Available
6043	Quantity of 2023 Suihe BC Ratchet Binders and 20 ft Chains (Unused) S/N: Not Available Usage: Not Available	6058	2023 KJ K1220 12 ft x 19 ft Metal Garage (Unused) S/N: Not Available Usage: Not Available
6044	Quantity of 2023 Suihe S38 Shackle (Unused) S/N: Not Available Usage: Not Available	6059	2023 KJ K1119 11 ft x 19 ft Carport (Unused) S/N: Not Available Usage: Not Available
6045	Quantity of 2023 Suihe S38 Shackle (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6060	2023 KJ K1119 11 ft x 19 ft Carport (Unused) S/N: Not Available Usage: Not Available	6076	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6061	2023 KJ K1119 11 ft x 19 ft Carport (Unused) S/N: Not Available Usage: Not Available	6077	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6062	2023 KJ K1119 11 ft x 19 ft Carport (Unused) S/N: Not Available Usage: Not Available	6078	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6063	2023 KJ K1912 12 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6079	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6064	2023 KJ K1912 12 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6080	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6065	2023 KJ K1912 12 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6081	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6066	2023 KJ K1912 12 ft x 20 ft Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6082	Quantity of (22) 2023 KJ K0608 8 ft x 6 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available
6067	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6083	Quantity of (20) 2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6068	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6084	2023 KJ K1830 10 ft 0 in x 6 ft 0 in Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6069	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6085	2023 KJ K1830 10 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6071	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6086	2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6072	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6087	2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6073	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6088	2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6074	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6089	2023 KJ K1830 10 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6075	Quantity of (30) 2023 KJ K0710 10 ft x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6090	2023 KJ K1830 10 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	6104	Quantity of (20) 2023 KJ K1030 100 ft x 40 in Farm Fencing (Unused) S/N: Not Available Usage: Not Available
6091	2023 KJ K1830 10 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	6105	Quantity of (20) 2023 KJ K1030 100 ft x 40 in Farm Fencing (Unused) S/N: Not Available Usage: Not Available
6092	2023 KJ K1830 10 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	6106	Quantity of (200) 2023 KJ K0310 10 ft Galvalume Corrugated Steel Plates (Unused) S/N: Not Available Usage: Not Available
6093	2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	6107	Quantity of (200) 2023 KJ K0310 10 ft Galvalume Corrugated Steel Plates (Unused) S/N: Not Available Usage: Not Available
6094	2023 KJ K1830 10 ft x 6 ft Temporary Construction Site Fence (Unused) S/N: Not Available Usage: Not Available	6108	Quantity of (200) 2023 KJ K0310 10 ft Galvalume Corrugated Steel Plates (Unused) S/N: Not Available Usage: Not Available
6095	2023 KJ K2112 8 ft x 4 ft Crowd Controlled Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available	6109	Quantity of (200) 2023 KJ K0310 10 ft Galvalume Corrugated Steel Plates (Unused) S/N: Not Available Usage: Not Available
6096	Quantity of (60) 2023 KJ K2112 8 ft x 4 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available	6110	Quantity of (3) 2023 KJ K2007H 20 ft x 7 ft Metal Farm Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6097	Quantity of (60) 2023 KJ K2112 8 ft x 4 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available	6111	Quantity of (3) 2023 KJ K2007H 20 ft x 7 ft Metal Farm Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6098	Quantity of (60) 2023 KJ K2112 8 ft x 4 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available	6112	Quantity of (3) 2023 KJ K2007H 20 ft x 7 ft Metal Farm Gate Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6099	2023 KJ K1221 7 ft x 4 ft Crowd Controlled Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available	6113	Quantity of (3) 2023 KJ K2007H 20 ft x 7 ft Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6100	2023 KJ K3830 10 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available	6114	2023 KJ K0720 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6101	Quantity of (56) 2023 KJ K3830 10 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available	6115	Quantity of (6) 2023 KJ K0720F 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6102	Quantity of (20) 2023 KJ K1030 100 ft x 40 in Farm Fencing (Unused) S/N: Not Available Usage: Not Available	6116	Quantity of 2023 KJ K1407 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6103	Quantity of (20) 2023 KJ K1030 100 ft x 40 in Farm Fencing (Unused) S/N: Not Available Usage: Not Available	6117	2023 KJ K1407 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6118	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6131	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6119	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6132	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6120	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6133	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6121	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6134	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6122	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6135	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6123	<b>Quantity of (250) 2023 KJ K1428 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6136	<b>2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6124	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6137	<b>2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6125	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6138	<b>2023 Kit Containers QT-SPE-8 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6126	<b>2023 Kit Containers QT-SP-10-23 120 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6139	<b>2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6127	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6140	<b>2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6128	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6141	<b>2023 Kit Containers QT-SPE-6 72 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6129	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6142	<b>2023 Kit Containers QT-SG-S76-V3 76 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6130	<b>2023 Kit Containers QT-SP-8-23 96 in Skid Steer Snow Pusher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		



Lot #	Details	Lot #	Details
6143	<b>2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6155	<b>2023 Kit Containers QT-45-FF-42 42 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6144	<b>2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6156	<b>2023 Kit Containers QT-CB-075 4 ft 3/4 CY Concrete Bucket Attachment (Unused)</b> S/N: Not Available Usage: Not Available
6145	<b>2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6157	<b>2023 Kit Containers QT-CB-075 4 ft 3/4 CY Concrete Bucket Attachment (Unused)</b> S/N: Not Available Usage: Not Available
6146	<b>2023 Kit Containers QT-SNB-84 84 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6158	<b>2023 Kit Containers QT-TB-60 6 ft Skid Steer Boom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6147	<b>2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6159	<b>2023 Kit Containers 4Y-DH 48 in Self-Dumping Hopper (Unused)</b> S/N: Not Available C/W: 48 in Long x 96 in High Usage: Not Available
6148	<b>2023 Kit Containers QT-DB-S78 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6160	<b>2023 Kit Containers 4Y-DH Self-Dumping Hopper (Unused)</b> S/N: Not Available C/W: 48 in Wide x 96 in High Usage: Not Available
6149	<b>2023 Kit Containers QT-SB-H76-V3 76 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6161	<b>Quantity of (2) 2023 Kit Containers Steel 5 ft x 10 ft (.62 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6150	<b>2023 Kit Containers QT-SB-H76-V3 76 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6162	<b>2023 Kit Containers 5 ft x 10 ft (1 in thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6151	<b>2023 Kit Containers QT-SB-L76-V3 76 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6163	<b>2023 Kit Containers 5 ft x 10 ft (1 in thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6152	<b>2023 Kit Containers QT-TS-40 40 in Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6164	<b>2023 Kit Containers 5 ft x 10 ft (1 in thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6153	<b>2023 TMG QT-RR-70 70 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6165	<b>Quantity of (2) 2023 Kit Containers Steel 5 ft x 10 ft (.75 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
6154	<b>2023 Kit Containers QT-45-FF-42 42 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6166	<b>Quantity of (3) 2023 Kit Containers Steel 5 ft x 10 ft (.5 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available
		6167	<b>Quantity of (3) 2023 Kit Containers Steel 5 ft x 10 ft (.5 in Thick) Steel Plates</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6168	Quantity of (3) 2023 Kit Containers Steel 5 ft x 10 ft (.5 in Thick) Steel Plates S/N: Not Available Usage: Not Available	6182	2023 Top Cat BDRC 48 in Articulating Skid Steer Brush Cutter (Unused) S/N: BDRC23092601D C/W: Quick Coupler Bracket Usage: Not Available
6169	Quantity of (3) 5 ft x 10 ft Steel Plates S/N: Not Available Usage: Not Available	6183	2023 Top Cat BDRC 48 in Articulating Skid Steer Brush Cutter (Unused) S/N: BDRC23092602D C/W: Quick Coupler Bracket Usage: Not Available
6170	2023 Kit Containers WB-90-243 7 ft 5 in Workbench (Unused) S/N: Not Available Usage: Not Available	6184	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092601D Usage: Not Available
6171	2023 Kit Containers WB-90-243 7 ft 6 in Workbench (Unused) S/N: Not Available Usage: Not Available	6185	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092602D Usage: Not Available
6172	2023 Kit Containers WB-90-243 7 ft 6 in Workbench (Unused) S/N: Not Available Usage: Not Available	6186	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092603D Usage: Not Available
6173	2023 Kit Containers WB-90-243 7 ft 6 in Workbench (Unused) S/N: Not Available Usage: Not Available	6187	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092604D Usage: Not Available
6174	2023 Kit Containers WB-90-243 7 ft 5 in Workbench (Unused) S/N: Not Available Usage: Not Available	6188	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092605D Usage: Not Available
6175	2023 Kit Containers WB-90-243 7 ft 5 in Workbench (Unused) S/N: Not Available Usage: Not Available	6189	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092601E C/W: Quick Coupler Bracket Usage: Not Available
6176	2023 Kit Containers WB-90-243 7 ft 5 in Workbench (Unused) S/N: Not Available Usage: Not Available	6190	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092603E Usage: Not Available
6177	2023 Kit Containers WB-90-243 7 ft 5 in Workbench (Unused) S/N: Not Available Usage: Not Available	6191	2023 Mower King SSRC 72 in Skid Steer Brush Cutter S/N: Not Available Usage: Not Available
6178	2023 Kit Containers WB-60-190 5 ft Workbench (Unused) S/N: Not Available Usage: Not Available	6192	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092604E C/W: Quick Coupler Bracket Usage: Not Available
6179	2023 Kit Containers WB-60-190 5 ft Workbench (Unused) S/N: Not Available Usage: Not Available	6193	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092601F Usage: Not Available
6180	2023 Kit Containers ST-57 Workbench S/N: Not Available Usage: Not Available	6194	2023 Mower King SSRC Skid Steer Brush Cutter (Unused) S/N: SSRC23092602F Usage: Not Available
6181	2023 Kit Containers ST-57 4 ft 9 in Workbench (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6195	<b>2023 Mower King SSRC Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23092603F Usage: Not Available	6208	<b>2023 AGT SSHH680 75 mm Q/C Skid Steer Breaker (Unused)</b> S/N: SSHH68023092602D C/W: Quick Coupler Bracket Usage: Not Available
6196	<b>2023 Mower King SSRC Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23092605F Usage: Not Available	6209	<b>2023 AGT SSHH680 75 mm Skid Steer Breaker (Unused)</b> S/N: SSHH68023092601D C/W: Quick Coupler Bracket Usage: Not Available
6197A	<b>Mower King 72 in Skid Steer Brush Cutter</b> S/N: Not Available Usage: Not Available	6210	<b>2023 Top Cat ECSSLR Skid Steer Landscape Rake (Unused)</b> S/N: ECSSLR7223092601E Usage: Not Available
6197	<b>2023 Mower King SSRC Skid Steer Brush Cutter (Unused)</b> S/N: SSRC23092604F Usage: Not Available	6211	<b>2023 Top Cat SSSCR72 Skid Steer Power Rake (Unused)</b> S/N: SSSCR7223092601D C/W: Quick Coupler Bracket Usage: Not Available
6198	<b>2023 Mower King SSEFGC175 72 in Skid Steer Mower (Unused)</b> S/N: SSEFGC17523092601E Usage: Not Available	6212	<b>2023 Top Cat SSSCR72 Skid Steer Power Rake (Unused)</b> S/N: SSSCR7223092602D C/W: Quick Coupler Bracket Usage: Not Available
6199	<b>2023 Top Cat SSFM81 Skid Steer Mulcher (Unused)</b> S/N: SSFM8123092601E C/W: Quick Coupler Bracket Usage: Not Available	6213	<b>2023 Top Cat SSSG72 Skid Steer Grader (Unused)</b> S/N: SSSG7223092601E Usage: Not Available
6200	<b>2023 Top Cat ECSSRB Tree Shear (Unused)</b> S/N: ECSSRB23092601D C/W: Quick Coupler Bracket Usage: Not Available	6214	<b>2023 Mower King SPA84 84 in Skid Steer Dozer (Unused)</b> S/N: SPA8423092601E Usage: Not Available
6201	<b>2023 Top Cat ECSSRB Tree Shear (Unused)</b> S/N: ECSSRB23092601E Usage: Not Available	6215	<b>2023 Mower King SPA84 84 in Skid Steer Dozer (Unused)</b> S/N: SPA8423092602E Usage: Not Available
6202	<b>2023 Mower King SSBX42S Skid Steer Chipper (Unused)</b> S/N: SSBX42S23092602D C/W: Quick Coupler Bracket Usage: Not Available	6216	<b>2023 Mower King SSECAG-Y 14 in Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092607D C/W: Quick Coupler Bracket Usage: Not Available
6203	<b>2023 Mower King SSBX42S Skid Steer Chipper (Unused)</b> S/N: SSBX42S23092601D C/W: Quick Coupler Bracket Usage: Not Available	6217	<b>2023 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092601D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 6 in Augers Usage: Not Available
6204	<b>2023 AGT PD750-PZ Hydraulic Skid Steer Post Driver (Unused)</b> S/N: PD750-PZ23092601F Usage: Not Available	6218	<b>2023 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092603D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 6 in Augers Usage: Not Available
6205	<b>2023 AGT PD750-PZ Hydraulic Skid Steer Post Driver (Unused)</b> S/N: PD750-PZ23092602F Usage: Not Available	6219	<b>2023 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092602D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 6 in Augers Usage: Not Available
6206	<b>2023 AGT SSPOC Skid Steer Pole Clamp (Unused)</b> S/N: SSPOC23092601E Usage: Not Available		
6207	<b>2023 AGT SSPOC Skid Steer Pole Clamp (Unused)</b> S/N: SSPOC23092602E Usage: Not Available		

Lot #	Details	Lot #	Details
6220	<b>2023 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092604D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 6 in Augers Usage: Not Available	6231	<b>2023 Mower King SA 46 in Skid Steer Forks (Unused)</b> S/N: SA23092602F Usage: Not Available
6221	<b>2023 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092608D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 6 in Augers Usage: Not Available	6232	<b>2023 Mower King SA 46 in Skid Steer Forks (Unused)</b> S/N: SA23092601F-06F Usage: Not Available
6222	<b>2023 AGT SSECAG-Y Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092605D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 8 in Augers Usage: Not Available	6233	<b>46 in Skid Steer Forks</b> S/N: Not Available Usage: Not Available
6223	<b>2023 AGT SSECAG-Y Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092606D C/W: Quick Coupler Bracket, Includes 14 in, 12 in, & 8 in Augers Usage: Not Available	6234	<b>46 in Skid Steer Forks</b> S/N: Not Available Usage: Not Available
6224	<b>2023 AGT SSECAG-Y Skid Steer Auger (Unused)</b> S/N: SSECAG-Y23092601E C/W: Quick Coupler Bracket, 14 in Bit, 12 in Bit, 6 in Bit Usage: Not Available	6235J	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6225	<b>2023 Mower King ECSSCT72 6 in Skid Steer Trencher</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6235H	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6226	<b>2023 Mower King SSAB72 72 in Skid Steer Broom (Unused)</b> S/N: SSAB7223092601D C/W: Quick Coupler Bracket Usage: Not Available	6235G	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6227	<b>2023 Mower King SSAB72 72 in Skid Steer Broom (Unused)</b> S/N: SSAB7223092601F Usage: Not Available	6235F	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6228	<b>2023 Top Cat 4IN1BCT Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT23092601E Usage: Not Available	6235E	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6229	<b>2023 Top Cat 4IN1BCT Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT23092602E C/W: Quick Coupler Bracket Usage: Not Available	6235D	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6230	<b>2023 Top Cat 4IN1BCT Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT23092601D C/W: Quick Coupler Bracket Usage: Not Available	6235C	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		6235B	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		6235A	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		6235	<b>46 in Skid Steer Forks</b> S/N: Not Available Usage: Not Available
		6236C	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		6236B	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
		6236A	<b>Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6236	<b>2023 Mower King SA 46 in Skid Steer Forks (Unused)</b> S/N: SA23092601D-06D Usage: Not Available	6250	<b>Quantity of 2023 AGT AGT-TBB Bollards and Bunting Barrier (Unused)</b> S/N: Not Available Usage: Not Available
6237	<b>2023 Mower King TAS-81 Rotary Tiller (Unused)</b> S/N: TAS8123092601D Usage: Not Available	6251	<b>Quantity of 2023 AGT AGT-75TC Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available
6238	<b>2023 Mower King TAS-81 Rotary Tiller (Unused)</b> S/N: TAS8123092602D Usage: Not Available	6252	<b>2023 AGT HPW4000 Pressure Washer (Unused)</b> S/N: HPW400023092601F C/W: 4000 psi Rating, 13 hp 420 cc Engine Usage: Not Available
6239	<b>2023 Mower King TAS-81 Rotary Tiller (Unused)</b> S/N: TAS8123092603D Usage: Not Available	6253	<b>All-Star 80 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6240	<b>2023 AGT EXFLM115 Excavator Flail Mower (Unused)</b> S/N: EXFLM11523092602D Usage: Not Available	6254	<b>All-Star 80 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6241	<b>2023 AGT EXFLM115 Excavator Flail Mower (Unused)</b> S/N: EXFLM11523092601D Usage: Not Available	6255	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6242	<b>2023 AGT EXRC54 54 in Excavator Rotary Mower - Fits Cat 308 (Unused)</b> S/N: EXRC5423092601D Usage: Not Available	6256	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6243	<b>2023 AGT EXRC54 54 in Excavator Rotary Mower - Fits Cat 308</b> S/N: Not Available Usage: Not Available	6257	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6244	<b>2023 AGT ATK-B1000 10000 lb Two-Post Car Lift (Unused)</b> S/N: ATK-B100023092601D Usage: Not Available	6258	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6245	<b>2023 AGT ATK-B1000 10000 lb Two-Post Car Lift (Unused)</b> S/N: ATK-B100023092602D Usage: Not Available	6259	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6246	<b>2023 AGT ST4040C 40 ft x 40 ft Container Storage Canopy (Unused)</b> S/N: ST4040C23092601E Usage: Not Available	6260	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6247	<b>2023 AGT ST3065V 65 ft x 30 ft Storage Building (Unused)</b> S/N: ST3065V23092601E Usage: Not Available	6261	<b>70 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6248	<b>Quantity of 2023 AGT AGT-75TC Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available	6262	<b>72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6249	<b>Quantity of 2023 AGT AGT-TBB Bollards and Bunting Barrier (Unused)</b> S/N: Not Available Usage: Not Available	6263	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6264	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6279	<b>All-Star 72 in Skid Steer Dozer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6265	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6280	<b>All-Star 72 in Straight Skid Steer Dozer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6266	<b>All-Star 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6281	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6267	<b>All-Star 4 ft Tree Shear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6282	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available Usage: Not Available
6268	<b>Skid Steer Tree Shear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6283	<b>All-Star 84 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6269	<b>All-Star Skid Steer Tree Shear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6284	<b>All-Star 84 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6270	<b>Skid Steer Tree Shear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6285	<b>All-Star 74 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6271	<b>16 in Skid Steer Backhoe (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6286	<b>All-Star 74 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6272	<b>Skid Steer Backhoe</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6287	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6273	<b>All-Star 72 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6288	<b>All-Star 68 in Skid Steer Root Rake</b> S/N: Not Available Usage: Not Available
6274	<b>All-Star 72 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6289	<b>All-Star E-Series 78 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6275	<b>All-Star 72 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6290	<b>All-Star 78 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6276	<b>All-Star 72 in Skid Steer Tiller</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6291	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6277	<b>All-Star 72 in Skid Steer Broom</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6292	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6278	<b>All-Star 72 in Skid Steer Broom</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6293	<b>All-Star E-Series 72 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6294	<b>All-Star E-Series 72 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6309	<b>All-Star 78 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6295	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6310	<b>All-Star 78 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6296	<b>68 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6311	<b>All-Star 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6297	<b>Mid-State 60 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6312	<b>All-Star 72 in E-Series Rock Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6298	<b>60 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6313	<b>All-Star E-Series 72 in Root Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6299	<b>Mid-State 48 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6314	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6300	<b>Mid-State 48 in Skid Steer Root Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6315	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6301	<b>All-Star 4 ft Skid Steer Bale Spear (Unused)</b> S/N: Not Available Usage: Not Available	6316	<b>All-Star 66 in Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6302	<b>84 in Skid Steer Landscape Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6317	<b>All-Star 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available
6303	<b>84 in Skid Steer Landscape Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6318	<b>All-Star 68 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6304	<b>All-Star 80 in Rock Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6319	<b>All-Star 60 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6305	<b>All-Star 80 in Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6320	<b>All-Star 60 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6306	<b>All-Star 74 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available	6321	<b>Mid-State E Series 60 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6307	<b>74 in Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6322	<b>All-Star 54 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6308	<b>All-Star E Series 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6323	<b>47 in Root Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6337	<b>All-Star 72 in Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6324	<b>All-Star 80 in Rock Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6338	<b>Mid-State 80 in General Purpose Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6325	<b>All-Star 80 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6339	<b>Mid-State 80 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6326	<b>All-Star 72 in Skeleton Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6340	<b>Mid-State 78 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6327	<b>All-Star 72 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	6341	<b>Mid-State 78 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6328	<b>All-Star 72 in Rock Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6342	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6329	<b>All-Star E Series 72 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6343	<b>All-Star 74 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6330	<b>All-Star 54 in Rock Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6344	<b>Mid-State 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6331	<b>47 in Rock Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6345	<b>Mid-State 72 in High Volume Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6332	<b>All-Star 78 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available	6346	<b>All-Star 68 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6333	<b>All-Star 78 in Skeleton Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6347	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6334	<b>All-Star 72 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6348	<b>Mid-State 84 in Low Profile Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6335	<b>72 in Skeleton Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6349	<b>Mid-State 80 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6336	<b>72 in Skid Steer Grapple Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6350	<b>All-Star 80 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
		6351	<b>All-Star 78 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
		6352	<b>Mid-State 74 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6353	<b>Mid-State 74 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6368	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6354	<b>Mid-State 72 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6369	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6355	<b>Mid-State 68 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6370	<b>All-Star 60 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6356	<b>All-Star 68 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6371	<b>All-Star 60 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6357	<b>Mid-State 68 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6372	<b>All-Star 84 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6358	<b>All-Star 60 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6373	<b>All-Star 80 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6359	<b>All-Star 60 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6374	<b>All-Star 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6360	<b>All-Star 80 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6375	<b>All-Star 72 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6361	<b>Mid-State 80 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6376	<b>All-Star 68 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6362	<b>All-Star 78 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6377	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6363	<b>All-Star 78 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6378	<b>All-Star 80 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6364	<b>All-Star 74 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6379	<b>All-Star 80 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available
6365	<b>All-Star 74 in Low Profile Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6380	<b>All-Star 78 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6366	<b>72 in Low Pro Skid Steer Bucket</b> S/N: Not Available C/W: Teeth Usage: Not Available	6381	<b>All-Star 78 in Skeleton Skid Steer Bucket</b> S/N: Not Available Usage: Not Available
6367	<b>72 in General Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6382	<b>All-Star 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		6383	<b>Mid-State E-Series 72 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6384	<b>All-Star 68 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6399	<b>66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6385	<b>All-Star 68 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6400	<b>All-Star 66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6386	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6401	<b>All-Star 4 ft Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6387	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6402	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6388	<b>All-Star Stump Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6403	<b>All-Star 4 ft Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6389	<b>All-Star Stump Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6404	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6390	<b>All-Star 42 in Stump Skid Steer Bucket (Unused)</b> S/N: Not Available Usage: Not Available	6405	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6391	<b>All-Star Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6406	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available
6392	<b>All-Star Stump Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6407	<b>All-Star 66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6393	<b>All-Star Stump Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6408	<b>All-Star 66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6394	<b>All-Star 48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available	6409	<b>All-Star 46 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6395	<b>All-Star 48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket, Fork Positioner Usage: Not Available	6410	<b>All-Star 66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6396	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available Usage: Not Available	6411	<b>All-Star 66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6397	<b>All-Star Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6412	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available Usage: Not Available
6398	<b>66 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6413	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available Usage: Not Available
		6414	<b>All-Star 46 in Skid Steer Fork Frame</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6415	<b>All-Star 48 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6431	<b>All-Star 4 ft Skid Steer Bale Spear (Unused)</b> S/N: Not Available Usage: Not Available
6416	<b>All-Star 48 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6432	<b>All-Star Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6417	<b>All-Star 48 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6433	<b>All-Star Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6418	<b>All-Star Skid Steer Fork Frame</b> S/N: Not Available Usage: Not Available	6434	<b>All-Star Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6419	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available Usage: Not Available	6435	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6420	<b>All-Star 48 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6436	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6421	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available Usage: Not Available	6437	<b>Quantity of (2) All-Star 3 ft 5 in Quick Attach Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available Usage: Not Available
6422	<b>48 in Skid Steer Fork Frame</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6438	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6423	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available Usage: Not Available	6439	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6424	<b>All-Star Reese Hitch (Unused)</b> S/N: Not Available Usage: Not Available	6440	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6425	<b>Mid-State 80 in Skid Steer Planer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6441	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6426	<b>Mid-State 80 in Skid Steer Planer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6442	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6427	<b>All-Star Skid Steer Receiver Hitch</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6443	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available Usage: Not Available
6428	<b>All-Star Skid Steer Receiver Hitch</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		
6429	<b>All-Star Reese Hitch</b> S/N: Not Available Usage: Not Available		
6430	<b>All-Star Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
6444	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6458	<b>Wacker Neuson 9 ft 2 cyd General Purpose Wheel Loader Bucket</b> S/N: 28442-3-1 Usage: Not Available
6445	<b>All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6459	<b>60 in Skid Steer Forks</b> S/N: 39403-1-1 C/W: Quick Coupler Bracket Usage: Not Available
6446	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6460	<b>60 in Skid Steer Forks</b> S/N: 41940-1-1 C/W: Quick Coupler Bracket Usage: Not Available
6447	<b>Quantity of (2) All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6461	<b>48 in Skid Steer Forks</b> S/N: 157211 Usage: Not Available
6448	<b>All-Star Skid Steer Attachment Mounting Plate</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6462	<b>48 in Skid Steer Forks</b> S/N: 159167 Usage: Not Available
6449	<b>60 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6463	<b>48 in Skid Steer Forks</b> S/N: 159174 Usage: Not Available
6450	<b>24 in Excavator Brush Cutter</b> S/N: Not Available Usage: Not Available	6464	<b>48 in Skid Steer Forks</b> S/N: 159186 Usage: Not Available
6451	<b>Wacker Neuson 47 in Hydraulic Tilting Excavator Bucket</b> S/N: 1000450946 C/W: To Fit Wacker Neuson ET35 EZ36 Usage: Not Available	6465	<b>48 in Skid Steer Forks</b> S/N: 157181 Usage: Not Available
6452	<b>2022 Wacker Neuson 47 in Hydraulic Tilting Excavator Bucket</b> S/N: 1085688 C/W: To Fit Wacker Neuson ET35 EZ36 Usage: Not Available	6466	<b>48 in Skid Steer Forks</b> S/N: 157212 Usage: Not Available
6453	<b>Wacker Neuson 54 in Tilting Excavator Bucket</b> S/N: 1085687 Usage: Not Available	6467	<b>48 in Skid Steer Forks</b> S/N: 157182 Usage: Not Available
6454	<b>Wacker Neuson 54 in Tilting Excavator Bucket</b> S/N: 1085691 Usage: Not Available	6468	<b>48 in Skid Steer Forks</b> S/N: 157198 Usage: Not Available
6455	<b>2022 Wacker Neuson 54 in Excavator Bucket</b> S/N: 1085689 Usage: Not Available	6469	<b>48 in Skid Steer Forks</b> S/N: 157225 Usage: Not Available
6456	<b>Wacker Neuson 54 in Tilting Excavator Bucket</b> S/N: 1079725 Usage: Not Available	6470	<b>48 in Skid Steer Forks</b> S/N: 157200 Usage: Not Available
6457	<b>Wacker Neuson 54 in Tilting Excavator Bucket</b> S/N: 1058801 Usage: Not Available	6471	<b>48 in Skid Steer Forks</b> S/N: 157216 Usage: Not Available
		6472	<b>48 in Skid Steer Forks</b> S/N: 157206 Usage: Not Available
		6473	<b>48 in Skid Steer Forks</b> S/N: 157215 Usage: Not Available
		6474	<b>48 in Skid Steer Forks</b> S/N: 157202 Usage: Not Available

Lot #	Details	Lot #	Details
6475	<b>48 in Skid Steer Forks</b> S/N: 157201 C/W: Quick Coupler Bracket Usage: Not Available	6490	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6476	<b>48 in Skid Steer Forks</b> S/N: 157217 C/W: Quick Coupler Bracket Usage: Not Available	6491	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6477	<b>48 in Skid Steer Forks</b> S/N: 149480 C/W: Quick Coupler Bracket Usage: Not Available	6492	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6478	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6493	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6479	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6494	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6480	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6495	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6481	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6496	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6482	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6497	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6483	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6498	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6484	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6499	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6485	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6500	<b>Bobcat HB22 4 ft Attachment Mounting Plate</b> S/N: A00X21575 Usage: Not Available
6486	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6501	<b>2019 Bobcat HB36 4 ft Attachment Mounting Plate</b> S/N: A01R06686 Usage: Not Available
6487	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6502	<b>RedDOT Corporation WL34 Ventilation Fan</b> S/N: Not Available Usage: Not Available
6488	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6503	<b>RedDOT Corporation WL34 Ventilation Fan</b> S/N: Not Available Usage: Not Available
6489	<b>48 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
6504	Trojan 200CL 72 in Excavator Screening Bucket - Fits Cat 320/321/323, Hyundai R210 Komatsu PC200/220, Deere 160/200/225 Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins Usage: Not Available	6512	Trojan 50CL 42 in Tilting Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins, 260 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6505	Trojan 120CL 60 in Tilting Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	6513	Trojan 200CL 72 in Cleanup Excavator Bucket - Fits Cat 320/321/323, Hyundai R210 Komatsu PC200/220, Deere 160/200/225 Kobelco SK210, Case 210/225, Doosan DX225 (Unused) S/N: Not Available C/W: 80 mm Diameter Pins, 455 mm Center of Pin Boss to Center of Pin Boss, 335 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6506	Trojan 120CL 60 in Tilting Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available	6514	Trojan 72 in Excavator Bucket S/N: XD20230810-1 C/W: 80 mm Diameter Pins Usage: Not Available
6507	Trojan 80CL 48 in Tilting Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused) S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6515	Trojan 120CL 60 in Cleanup Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 60 mm Diameter Pins Usage: Not Available
6508	Trojan 80CL 48 in Tilting Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused) S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6516	Trojan 120CL 60 in Cleanup Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused) S/N: Not Available C/W: 65 mm Diameter Pins Usage: Not Available
6509	Trojan 35CL 42 in Tilting Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6517	Trojan 48 in Excavator Bucket S/N: XD20230810-1 C/W: 50 mm Diameter Pins Usage: Not Available
6510	Trojan 35CL 42 in Tilting Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available	6518	Trojan 48 in Excavator Bucket S/N: XD20230810-1 C/W: 50 mm Diameter Pins Usage: Not Available
6511	Trojan 42 in Excavator Bucket S/N: XD20230810-1 C/W: 45 mm Diameter Pins Usage: Not Available	6519	Trojan 35CL 42 in Cleanup Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available
		6520	Trojan 35CL 42 in Cleanup Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins Usage: Not Available

Lot #	Details	Lot #	Details
6521	<b>Trojan 42 in Excavator Bucket</b> S/N: XD20230810-1 C/W: 45 mm Diameter Pins Usage: Not Available	6529	<b>Trojan 120CL 36 in Digging Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins, 405 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6522	<b>Trojan 42' cleanup bucket 50CL CAT 305 42 in Bucket</b> S/N: XD20230810-1 C/W: 45 mm Diameter Pins Usage: Not Available	6530	<b>Trojan 80CL 30 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6523	<b>Trojan 200CL 48 in Digging Excavator Bucket - Fits Cat 320/321/323, Hyundai R210 Komatsu PC200/220, Deere 160/200/225 Kobelco SK210, Case 210/225, Doosan DX225</b> S/N: Not Available C/W: 80 mm Diameter Pins, 455 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6531	<b>Trojan 80CL 30 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80</b> S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6524	<b>Trojan 48 in Excavator Bucket</b> S/N: XD20230810-1 C/W: 80 mm Diameter Pins Usage: Not Available	6532	<b>Trojan 80CL 30 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6525	<b>Trojan 120CL 42 in Digging Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Diameter Pins, 405 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6533	<b>Trojan 80CL 24 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available
6526	<b>Trojan 120CL 42 in Digging Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Stick Pin Diameter, 65 mm Link Pin Diameter, 405 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6534	<b>Trojan 80CL 24 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins, 300 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6527	<b>Trojan 120CL 36 in Digging Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140 (Unused)</b> S/N: Not Available C/W: 65 mm Stick Pin Diameter, 65 mm Link Pin Diameter, 405 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6535	<b>Trojan 80CL 24 in Digging Excavator Bucket - Fits Cat 307/308, Komatsu PC78/88 Deere /Hitachi 75/85 Case, New Holland, Kobelco SK80, Bobcat E80 (Unused)</b> S/N: Not Available C/W: 50 mm Diameter Pins Usage: Not Available
6528	<b>Trojan 120CL 36 in Digging Excavator Bucket - Fits Cat 311/312/313/314 Kobelco 140 Deere /Hitachi ZX120/135 Case 130/135, Doosan DX140</b> S/N: Not Available C/W: 65 mm Diameter Pins, 405 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available		

Lot #	Details	Lot #	Details
6536	Trojan 50CL 24 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available	6543	Trojan 50CL 12 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins, 260 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6537	Trojan 50CL 24 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available	6544	Trojan 50CL 12 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins, 260 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6538	Trojan 50CL 24 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins Usage: Not Available	6545	Trojan 35CL 12 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6539	Trojan 35CL 24 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6546	Trojan 35CL 12 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6540	Trojan 35CL 24 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6547	Trojan 35CL 12 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G (Unused) S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6541	Trojan 35CL 24 in Digging Excavator Bucket - Fits Cat 303, 303.5, 304 Case, New Holland, Kobelco SK35 Deere/Hitachi 35D/G S/N: Not Available C/W: 40 mm Diameter Pins, 200 mm Center of Pin Boss to Center of Pin Boss, 145 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6548	Trojan 20T-80 Excavator Thumb S/N: Not Available Usage: Not Available
6542	Trojan 50CL 12 in Digging Excavator Bucket - Fits Cat 305, 305.5 Komatsu PC45/50/55 Hyundai R55, Hitachi/Deere 50D/G Case, New Holland, Kobelco SK50 Bobcat E50/341/337 (Unused) S/N: Not Available C/W: 45 mm Diameter Pins, 260 mm Center of Pin Boss to Center of Pin Boss, 170 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6549	Trojan 20T-80 Excavator Thumb S/N: Not Available Usage: Not Available
		6550	Trojan 12T-65 Excavator Thumb S/N: XD20230810-1 Usage: Not Available
		6551	Trojan 12T-65 Excavator Thumb S/N: Not Available Usage: Not Available
		6552	Trojan 8T-50 Excavator Thumb S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6553	Trojan 8T-50 Excavator Thumb S/N: XD20230810-1 Usage: Not Available	6568	2023 Jisan RIPPER345 Excavator Ripper - Fits Cat 345 (Unused) S/N: 0774 Usage: Not Available
6554	Trojan 5T-45 Excavator Thumb S/N: Not Available Usage: Not Available	6569	2023 Jisan RIPPER336D Excavator Ripper - Fits Cat 336 (Unused) S/N: 2642 Usage: Not Available
6555	Trojan 5T-45 Excavator Thumb S/N: Not Available Usage: Not Available	6570	2023 Jisan RIPPER320 Excavator Ripper (Unused) S/N: Not Available Usage: Not Available
6556	Trojan 3.5T-40 Excavator Thumb S/N: Not Available Usage: Not Available	6571	2023 Jisan RIPPER320 Excavator Ripper (Unused) S/N: Not Available Usage: Not Available
6557	Trojan 3.5T-40 Excavator Thumb S/N: Not Available Usage: Not Available	6572	2023 Jisan THUMB30-35H Hydraulic Excavator Thumb S/N: Not Available Usage: Not Available
6558	2023 Jisan JSB400SL Skid Steer Breaker (Unused) S/N: 16183 C/W: Quick Coupler Bracket Usage: Not Available	6573	2023 Jisan THUMB20-25H Excavator Thumb (Unused) S/N: Not Available Usage: Not Available
6559	2023 Jisan JSB400SL Skid Steer Breaker (Unused) S/N: 16172 C/W: Quick Coupler Bracket Usage: Not Available	6574	2023 Jisan THUMB20-25H Hydraulic Excavator Thumb (Unused) S/N: Not Available Usage: Not Available
6560	2023 Jisan JSSR60 Excavator Grapple - Fits Cat 307/307B/308/308B (Unused) S/N: 23071402810 C/W: Max Jaw Opening 1400 mm Usage: Not Available	6575	2023 Jisan THUMB12-15H Hydraulic Excavator Thumb (Unused) S/N: Not Available Usage: Not Available
6561	2023 Jisan JSB2200B Hydraulic Breaker (Unused) S/N: 5307 Usage: Not Available	6576	2023 Jisan THUMB7-8H Hydraulic Excavator Thumb (Unused) S/N: Not Available Usage: Not Available
6562	2023 Jisan JSC160 Plate Compactor Attachment (Unused) S/N: Not Available Usage: Not Available	6577	2023 Jisan THUMB7-8H Hydraulic Excavator Thumb (Unused) S/N: Not Available Usage: Not Available
6563	2023 Jisan BKT34572HD 72 in Excavator Bucket (Unused) S/N: 23080900731 Usage: Not Available	6578	2023 Jisan QCCAT320 Excavator Coupler (Unused) S/N: 230809007100 Usage: Not Available
6564	2023 Jisan BKT336D60HD 60 in Excavator Bucket - Fits Cat 336 (Unused) S/N: 23071402516 Usage: Not Available	6579	2023 Jisan QCCAT320 Excavator Coupler - Fits Cat 320 (Unused) S/N: 23080900796 Usage: Not Available
6565	2023 Jisan BKT32054HD 54 in Digging Excavator Bucket - Fits Cat 320 (Unused) S/N: 2307140257 Usage: Not Available	6580	2023 Handy HSG31 31 in Skid Steer Stump Grinder (Unused) S/N: SG202309211 C/W: Quick Coupler Bracket Usage: Not Available
6566	2023 Jisan BKT336D72HD 72 in Digging Excavator Bucket - Fits Cat 336 (Unused) S/N: 23071402523 Usage: Not Available	6581	2023 Handy HSG31 31 in Skid Steer Stump Grinder (Unused) S/N: SG202309210 C/W: Quick Coupler Bracket Usage: Not Available
6567	2023 Jisan RAKE32065 65 in Excavator Rake - Fits Cat 320 (Unused) S/N: 2538 Usage: Not Available		

Lot #	Details	Lot #	Details
6582	<b>2023 Handy HSSG27 27 in Skid Steer Stump Grinder (Unused)</b> S/N: SG202309684 C/W: Quick Coupler Bracket Usage: Not Available	6594	<b>2023 Handy HVR76 76 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202309304 C/W: Quick Coupler Bracket Usage: Not Available
6583	<b>2023 Handy HSSG27 27 in Skid Steer Stump Grinder (Unused)</b> S/N: SG202309685 C/W: Quick Coupler Bracket Usage: Not Available	6595	<b>2023 Handy HVR76 76 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202309306 C/W: Quick Coupler Bracket Usage: Not Available
6584	<b>2023 Handy HSSG27 27 in Skid Steer Stump Grinder (Unused)</b> S/N: SG202309686 C/W: Quick Coupler Bracket Usage: Not Available	6596	<b>2023 Handy HST48 Skid Steer Trencher</b> S/N: Not Available C/W: Quick Coupler Bracket, 48 in x 8 in Rock & Dirt Combination Chain, Crumbling Shoe Usage: Not Available
6585	<b>2023 Handy HBDM72 72 in Skid Steer Mulcher (Unused)</b> S/N: BDM202309295 C/W: Quick Coupler Bracket Usage: Not Available	6597	<b>2023 Handy HST48 Skid Steer Trencher (Unused)</b> S/N: TR202309526 C/W: Quick Coupler Bracket, 48 in x 8 in Rock & Dirt Combination Chain, Crumbling Shoe Usage: Not Available
6586	<b>2023 Handy HBDM72 72 in Skid Steer Mulcher (Unused)</b> S/N: BDM202309296 C/W: Quick Coupler Bracket Usage: Not Available	6598	<b>2023 Handy HSGB96 8 ft Skid Steer Grader (Unused)</b> S/N: GB202309519 Usage: Not Available
6587	<b>2023 Handy HSDM70 74 in Skid Steer Mulcher</b> S/N: Not Available Usage: Not Available	6599	<b>2023 Handy HSGB96 8 ft Skid Steer Grader (Unused)</b> S/N: GB202309520 Usage: Not Available
6588	<b>2023 Handy HSRC12 60 in Rotating Skid Steer Pole Clamp (Unused)</b> S/N: RC202309518 C/W: Quick Coupler Bracket Usage: Not Available	6600	<b>2023 Handy HHB4500 Skid Steer Horizontal Borer (Unused)</b> S/N: HB202309154 C/W: Quick Coupler Bracket Usage: Not Available
6589	<b>2023 Handy HSRC12 60 in Rotating Skid Steer Pole Clamp (Unused)</b> S/N: RC202309519 C/W: Quick Coupler Bracket Usage: Not Available	6601	<b>2023 Handy HSSB72 72 in Skid Steer Snowblower (Unused)</b> S/N: SB202309101 C/W: Quick Coupler Bracket Usage: Not Available
6590	<b>2023 Handy HSC78 78 in Skid Steer Power Rake (Unused)</b> S/N: SC202309568 C/W: Quick Coupler Bracket Usage: Not Available	6602	<b>2023 Handy HVSB72 72 in Screening Skid Steer Bucket (Unused)</b> S/N: VSB202309529 C/W: Quick Coupler Bracket Usage: Not Available
6591	<b>2023 Handy HSC78 78 in Skid Steer Power Rake (Unused)</b> S/N: SC202309570 C/W: Quick Coupler Bracket Usage: Not Available	6603	<b>2023 Handy HVSB72 72 in Screening Skid Steer Bucket (Unused)</b> S/N: VSB202309528 C/W: Quick Coupler Bracket Usage: Not Available
6592	<b>2023 Handy HSC78 78 in Skid Steer Power Rake (Unused)</b> S/N: SC202309569 C/W: Quick Coupler Bracket Usage: Not Available	6604	<b>2023 Handy HSRP72 78 in Skid Steer Rock Picker (Unused)</b> S/N: RP202309422 C/W: Quick Coupler Bracket Usage: Not Available
6593	<b>2023 Handy HVR76 76 in Skid Steer Vibratory Roller (Unused)</b> S/N: VR202309305 C/W: Quick Coupler Bracket Usage: Not Available	6605	<b>2023 Handy HSRF48 48 in Rotating Skid Steer Forks (Unused)</b> S/N: RF202309131 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6606	2023 Handy CAT336 60 in Excavator Bucket (Unused) S/N: 202309320 Usage: Not Available	6620	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6607	2023 JQ SHELTER JQ212009 19 ft x 7 ft 2 in Expandable 2 Bedroom House (Unused) S/N: Not Available Usage: Not Available	6621	2023 50 ft x 80 ft x 26 ft Storage Building (Unused) S/N: Not Available C/W: Quantity of (4) Boxes - Builds (1) Storage Building Usage: Not Available
6608	2023 JQ SHELTER JQ212009 19 ft x 7 ft 3 in Expandable 2 Bedroom House (Unused) S/N: Not Available Usage: Not Available	6622	2023 80 ft x 40 ft x 24 ft Storage Building (Unused) S/N: Not Available C/W: Quantity of (2) Boxes - Builds (1) Storage Building Usage: Not Available
6609	2023 JQ SHELTER JQ212009 19 ft x 7 ft 3 in Expandable 2 Bedroom House S/N: Not Available Usage: Not Available	6623	2023 70 ft x 30 ft x 22 ft Storage Building (Unused) S/N: Not Available C/W: Quantity of (2) Boxes - Builds (1) Storage Building Usage: Not Available
6610	2023 JQ SHELTER JQ212009 19 ft x 7 ft 3 in Expandable 2 Bedroom House (Unused) S/N: Not Available Usage: Not Available	6624	2023 70 ft x 30 ft x 22 ft Storage Building S/N: Not Available Usage: Not Available
6611	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6625	2023 60 ft x 40 ft x 24 ft Storage Building (Unused) S/N: Not Available C/W: Quantity of (2) Boxes - Builds (1) Storage Building Usage: Not Available
6612	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6626	2023 60 ft x 30 ft x 22 ft Storage Building S/N: Not Available C/W: Quantity of (2) Boxes - Builds (1) Storage Building Usage: Not Available
6613	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6627	Quantity of (2) 2023 40 ft x 30 ft x 22 ft Storage Building (Unused) S/N: Not Available C/W: Quantity of (2) Boxes - Builds (1) Storage Building Usage: Not Available
6614	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6628	2023 HOS HF2N1 3 Unit 19 ft x 20 ft Portable Folding Storage Building (Unused) S/N: Not Available C/W: ( 1 ) Kitchens, ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
6615	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6629	2023 HOS HF2N1 2 Unit 19 ft x 20 ft Skid-Mounted Folding Storage Building (Unused) S/N: Not Available C/W: ( 1 ) Kitchens, ( 2 ) Bedrooms w/, ( 1 ) Bathrooms Usage: Not Available
6616	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6631	2023 HOS HSM2 7 ft x 4 ft 02 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available
6617	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available		
6618	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 7 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available		
6619	2023 JQ SHELTER JQ2212 6 ft 8 in x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6632	2023 HOS HSM2 7 ft x 4 ft 2 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6646A	2023 VICSEC 12 in Excavator Auger (Unused) S/N: 029-39 Usage: Not Available
6633	2023 HOS HSM2 7 ft x 4 ft 2 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6646	Quantity of (2) 2023 VICSEC Excavator Auger (Unused) S/N: 029-40 Usage: Not Available
6634	2023 HOS HSM1 3 ft 8 in x 3 ft 8 in 1 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6647	2023 GIYI Excavator Compaction Wheel - Fits Cat 305/307 (Unused) S/N: 3052301 Usage: Not Available
6635	2023 HOS HSM1 3 ft 8 in x 3 ft 8 in 1 Person Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6648B	2023 VICSEC VCT600 24 in Tilting 24 in Tilting Excavator Bucket (Unused) S/N: 029-35 Usage: Not Available
6638	2023 FENS FEN20 2 ft 5 in x 7 ft Powder Coated Fencing (Unused) S/N: Not Available Usage: Not Available	6648A	2023 VICSEC VCT600 24 in Tilting 24 in Tilting Excavator Bucket (Unused) S/N: 029-30 Usage: Not Available
6639B	2023 FENS FEN20 10 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6648	2023 GIYI Excavator Compaction Wheel - Fits Cat 305/307 (Unused) S/N: 3072320 Usage: Not Available
6639A	2023 FENS FEN20 x 7 ft Fencing (Unused) S/N: Not Available Usage: Not Available	6649	2023 GIYI 6 ft Excavator Bucket - Fits Cat 320 (Unused) S/N: WD23037 Usage: Not Available
6639	2023 FENS FEN20 10 ft x 7 ft Fencing (Unused) S/N: 038-8 Usage: Not Available	6650D	2023 VICSEC Excavator Thumb (Unused) S/N: 029-36 Usage: Not Available
6640	Quantity of (45) 2023 FENS FES45 6 ft x 5 ft Fencing (Unused) S/N: 029-27 Usage: Not Available	6650C	2023 VICSEC 19 in Excavator Rake (Unused) S/N: 029-31 Usage: Not Available
6641	2023 GIYI Skid Steer Backhoe (Unused) S/N: 037-31 C/W: Quick Coupler Bracket Usage: Not Available	6650B	2023 VICSEC 19 in Excavator Rake (Unused) S/N: 029-37 Usage: Not Available
6642	2023 GIYI 46 in Skid Steer Grapple (Unused) S/N: GYZMJ2302 C/W: Quick Coupler Bracket Usage: Not Available	6650A	2023 Vicsec 12 in Excavator Ripper (Unused) S/N: 02929 Usage: Not Available
6643	2023 GIYI Skid Steer Concrete Mixer S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6650	2023 GIYI Excavator Ripper (Unused) S/N: ST320605 Usage: Not Available
6644	2023 GIYI 8 ft Skid Steer Log Splitter (Unused) S/N: 037-30 C/W: Quick Coupler Bracket Usage: Not Available	6651	Quantity of (9) 2023 VICSEC Excavator Attachments (Unused) S/N: 029-19 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available
6645	2023 VICSEC VCH35 Hydraulic Breaker (Unused) S/N: 029-28 Usage: Not Available	6652	Quantity of (3) 2023 VICSEC Excavator Attachments S/N: Not Available C/W: (1) 31 in Sand Bucker, (1) Ripper, (1) Rake Usage: Not Available
6646B	Auger Attachment S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6653	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 029-20 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	6664	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: LAM23098 C/W: 21 in Mower Usage: Not Available
6654	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 029-21 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	6665	<b>2023 LANM LAM750 Remote Control Crawler Lawn Mower (Unused)</b> S/N: LAM23099 Usage: Not Available
6655	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 029-22 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	6666	<b>2023 TRANER TR750 Floor Scrubber</b> S/N: Not Available Usage: Not Available
6656	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 029-24 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	6667	<b>2023 SDLOOL SL80LC Jumping Jack Tamper (Unused)</b> S/N: 029-18 Usage: Not Available
6657	<b>Quantity of (9) 2023 VICSEC Excavator Attachments (Unused)</b> S/N: 029-23 C/W: (1) 8 in Bucket, (1) 20 in Bucket, (1) 32 in Bucket, (1) Quick Coupler, (1) Ripper, (1) Grapple, (1) Rake, (1) 8 in Auger, (1) 12 in Auger Usage: Not Available	6668	<b>2023 SDLOOL SL80R Power Trowel (Unused)</b> S/N: SL80R2310 C/W: 60 in, Lifan 15 hp Gas Engine Usage: Not Available
6658	<b>2023 GIYI 6 ft 5 in Forklift Fork Extensions (Unused)</b> S/N: 037-24 Usage: Not Available	6669	<b>2023 SDLOOL SL80R Ride-On Power Trowel (Unused)</b> S/N: SL80R2311 C/W: 62 in, Lifan 13 hp Gas Engine Usage: Not Available
6659	<b>2023 GIYI 6 ft 5 in Forklift Fork Extensions (Unused)</b> S/N: 037-25 Usage: Not Available	6670	<b>2023 SDLOOL SL90B Vibratory Plate Compactor (Unused)</b> S/N: 029-17 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
6660	<b>Quantity of (136) 2023 VICSEC Bucket Pins (Unused)</b> S/N: Not Available Usage: Not Available	6671	<b>2023 SDLOOL SL80LC Jumping Jack Tamper (Unused)</b> S/N: 037-1 C/W: 2022 US EPA Label, loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
6661	<b>2023 Rodat Traffic Cones (Unused)</b> S/N: 029-26 Usage: Not Available	6672	<b>Quantity of 2023 SKLP SK001 9200 lb Ratchet Binders (Unused)</b> S/N: 029-10 Usage: Not Available
6662	<b>2023 Meco MC22 Golf Cart (Unused)</b> S/N: MC222311 C/W: Battery Charger, 4 Passenger, Canopy, Windshield, Cargo Box Usage: 64 Hr	6673	<b>Quantity of 2023 SKLP SK002 Shackle (Unused)</b> S/N: 029-11 Usage: Not Available
6663	<b>2023 Meco M3 Golf Cart (Unused)</b> S/N: M3230902 C/W: Battery Charger, 2 Passenger, Canopy, Windshield, Cargo Box Usage: Not Available	6674	<b>Quantity of 2023 SKLP SK002 Shackle (Unused)</b> S/N: 029-13 Usage: Not Available
		6675	<b>Quantity of 2023 SKLP SK002 Shackle (Unused)</b> S/N: 029-12 Usage: Not Available
		6676	<b>Quantity of 2023 SKLP SK002 Shackle (Unused)</b> S/N: 029-14 Usage: Not Available

Lot #	Details	Lot #	Details
6677	Quantity of 2023 SKLP SK003 2 in x 27 ft Ratchet Straps (Unused) S/N: 029-15 Usage: Not Available	6692	Quantity of 2023 Welded Steel Fencing (Unused) S/N: Not Available Usage: Not Available
6678	2023 SKLP Multi Station (Unused) S/N: Z146221 Usage: Not Available	6693	Quantity of 2023 Welded Steel Fencing (Unused) S/N: Not Available Usage: Not Available
6679	2023 SKLP Laser Level (Unused) S/N: Not Available Usage: Not Available	6694	Quantity of 2023 Welded Steel Fencing (Unused) S/N: Not Available Usage: Not Available
6680	Quantity of (10) 2023 SKLP Equipment Seats (Unused) S/N: 037-13 Usage: Not Available	6695	Quantity of (6) 2023 Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6681	Quantity of 2023 SKLP Structural Steel (Unused) S/N: 037-20 Usage: Not Available	6696	2023 Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6682	Quantity of 2023 SKLP Structural Steel (Unused) S/N: 037-28 Usage: Not Available	6697	2023 Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6683	2023 19 ft 4 in x 7 ft 4 in 19 Ft x 20 Ft Folding Modular Home (Unused) S/N: Not Available Usage: Not Available	6698	Quantity of (100) 2023 45 in Delineators (Unused) S/N: Not Available Usage: Not Available
6684	2023 19 ft 8 in x 7 ft 3 in 19 Ft x 20 Ft Folding Modular Home (Unused) S/N: Not Available Usage: Not Available	6699	Quantity of 2023 Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6685	2023 MH-MBS2533 25 ft x 33 ft Double Garage Metal Barn Shed (Unused) S/N: Not Available Usage: Not Available	6700	2023 10000 lb Two-Post Car Lift (Unused) S/N: Not Available Usage: Not Available
6686	2023 25 ft x 33 ft Double Garage Metal Barn Shed (Unused) S/N: Not Available Usage: Not Available	6701	2023 10000 lb Two-Post Car Lift (Unused) S/N: Not Available Usage: Not Available
6687	2023 12 ft x 20 ft Steel Carport (Unused) S/N: Not Available Usage: Not Available	6702	2023 100 ton Air/Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available
6688	2023 12 ft x 20 ft Metal Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6703	2023 100 ton Air/Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available
6689	2023 12 ft x 20 ft Metal Livestock Shelter (Unused) S/N: Not Available Usage: Not Available	6704	2023 50 ton Air/Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available
6690	Quantity of 2023 Welded Steel Fencing (Unused) S/N: Not Available Usage: Not Available	6705	2023 Tire Changer (Unused) S/N: Not Available Usage: Not Available
6691	Quantity of 2023 Welded Steel Fencing (Unused) S/N: Not Available Usage: Not Available	6706	2023 Tire Changer (Unused) S/N: Not Available Usage: Not Available
		6707	2023 Tire Changer (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6708	<b>2023 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6724	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6709	<b>2023 Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available	6725	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6710	<b>2023 Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available	6726	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6711	<b>2023 45 Gun Safe</b> S/N: Not Available Usage: Not Available	6727	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6712	<b>2023 116 gal Poly Fuel Tank (Unused)</b> S/N: Not Available Usage: Not Available	6728	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6713	<b>2023 116 gal Poly Fuel Tank (Unused)</b> S/N: Not Available Usage: Not Available	6729	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6714	<b>2023 12 v 20 GPM Transfer Fuel Pump (Unused)</b> S/N: Not Available Usage: Not Available	6730	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6715	<b>Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	6731	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6716	<b>Quantity of (50) 2023 2 in x 27 ft Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	6732	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available
6717	<b>2023 45 Gun Safe</b> S/N: Not Available Usage: Not Available	6733	<b>2023 Raytree REDM50 50 in Drum Mulcher Attachment (Unused)</b> S/N: 20231010015 Usage: Not Available
6718	<b>2023 14 Gun Safe</b> S/N: Not Available Usage: Not Available	6734	<b>2023 Raytree REDM50 50 in Drum Mulcher Attachment (Unused)</b> S/N: 20231025019 Usage: Not Available
6719	<b>2023 14 Gun Safe</b> S/N: Not Available Usage: Not Available	6735	<b>2023 Raytree REDM50 50 in Drum Mulcher Attachment (Unused)</b> S/N: 20231025020 Usage: Not Available
6720	<b>Quantity of (16) 2023 Auto Darkening Welding Helmet (Unused)</b> S/N: Not Available Usage: Not Available	6736	<b>2023 Raytree RTG30 45 in Heavy Duty Skid Steer Stump Grinder (Unused)</b> S/N: 20231025019 C/W: Quick Coupler Bracket Usage: Not Available
6721	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available	6737	<b>2023 Raytree RTG30 Heavy Duty Skid Steer Stump Grinder (Unused)</b> S/N: 20231025020 C/W: Quick Coupler Bracket Usage: Not Available
6722	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available		
6723	<b>Quantity of (24) 2023 SUNTOP S0710 10 ft x 7 ft Powder Coated Steel Site Fence (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6738	<b>2023 Raytree RMSG29 Skid Steer Stump Grinder (Unused)</b> S/N: SG20231025025 C/W: Quick Coupler Bracket Usage: Not Available	6751	<b>2023 Raytree RPF48 68 in Pipe Grapple Skid Steer Forks (Unused)</b> S/N: 20231025013 Usage: Not Available
6739	<b>2023 Raytree RMSG29 Skid Steer Stump Grinder (Unused)</b> S/N: SG20231025031 C/W: Quick Coupler Bracket Usage: Not Available	6752	<b>2023 Raytree RPF48 67 in Pipe Grapple Skid Steer Forks (Unused)</b> S/N: 20231025016 Usage: Not Available
6740	<b>2023 Raytree RMPJ28 45 in Pole Jack (Unused)</b> S/N: 20231025025 Usage: Not Available	6753	<b>2023 Raytree RPF48 68 in Pipe Grapple Skid Steer Forks (Unused)</b> S/N: 20231025017 Usage: Not Available
6741	<b>2023 Raytree RMPJ28 45 in Pole Jack (Unused)</b> S/N: 20231025026 Usage: Not Available	6754	<b>2023 Raysky RM87-96 7 ft 3 in x 4 ft 11 in Skid-Mounted Mobile Toilet</b> S/N: Not Available Usage: Not Available
6742	<b>2023 Raytree RMPJ28 45 in Pole Jack (Unused)</b> S/N: 20231025027 C/W: Quick Coupler Bracket Usage: Not Available	6755	<b>Quantity of (250) 2023 Raysky RM14-28 Traffic Cones (Unused)</b> S/N: Not Available Usage: Not Available
6743	<b>2023 Raytree RMPJ28 45 in Pole Jack (Unused)</b> S/N: 20231025028 Usage: Not Available	6756	<b>Kinshofer 27 in Demolition Pulverizer (Unused)</b> S/N: H203888 Usage: Not Available
6744	<b>2023 Raytree RMTG70 45 in Hydraulic Tire Grabber (Unused)</b> S/N: TG20231025013 Usage: Not Available	6757	<b>Kinshofer P51V-HD-4W Hydraulic Rotating Demolition Grapple (Unused)</b> S/N: GG20746 Usage: Not Available
6745	<b>2023 Raytree RMTG70 45 in Hydraulic Tire Grabber (Unused)</b> S/N: TG20231025014 Usage: Not Available	6758	<b>Kinshofer KFX 32 Hydraulic Breaker - Fits 23-35 Ton Excavator</b> S/N: H210261 C/W: two breaker points Usage: Not Available
6746	<b>2023 Raytree RMTG70 45 in Hydraulic Tire Grabber (Unused)</b> S/N: TG20231025017 Usage: Not Available	6759	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 409869 C/W: 304 mm Center of Pin Boss to Center of Pin Boss, 203 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6747	<b>2023 Raytree RMTG70 45 in Hydraulic Tire Grabber (Unused)</b> S/N: TG20231025018 Usage: Not Available	6760	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 409868 C/W: 304 mm Center of Pin Boss to Center of Pin Boss, 203 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6748	<b>2023 Raytree RMBV78 78 in Screening Skid Steer Bucket (Unused)</b> S/N: 20230920003 Usage: Not Available	6761	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 409867 C/W: 304 mm Center of Pin Boss to Center of Pin Boss, 203 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6749	<b>2023 Raytree RMBV78 78 in Screening Skid Steer Bucket (Unused)</b> S/N: 20231025016 Usage: Not Available	6762	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 409870 C/W: 431 mm Center of Pin Boss to Center of Pin Boss, 292 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6750	<b>2023 Raytree RMBV78 78 in Screening Skid Steer Bucket (Unused)</b> S/N: 20231025019 Usage: Not Available		



Lot #	Details	Lot #	Details
6763	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 409871 C/W: 431 mm Center of Pin Boss to Center of Pin Boss, 292 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6773	<b>2023 Suihe NWB-20DB-7 7 ft Workbench (Unused)</b> S/N: Not Available Usage: Not Available
6764	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 410027 C/W: 482 mm Center of Pin Boss to Center of Pin Boss, 342 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6774	<b>Quantity of (3) Pallets of Blue Stone Flagstone</b> S/N: Not Available Usage: Not Available
6765	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 410025 C/W: 482 mm Center of Pin Boss to Center of Pin Boss, 342 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6775	<b>Quantity of Blue Stone Flagstone</b> S/N: Not Available Usage: Not Available
6766	<b>Kinshofer 16 in Trenching Excavator Bucket (Unused)</b> S/N: 410026 C/W: 482 mm Center of Pin Boss to Center of Pin Boss, 342 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6776	<b>Quantity of (3) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available
6767	<b>Kinshofer CMX-S-S 270-80 12 in Hydraulic Excavator Coupler - Fits 25 Ton Excavator</b> S/N: Not Available Usage: Not Available	6777	<b>Quantity of (4) Pallets of Flagstone (Unused)</b> S/N: Not Available Usage: Not Available
6768	<b>Kinshofer KM 600 Excavator Coupler - Fits 5 Ton Excavator (Unused)</b> S/N: W14844-1-3 C/W: 228 mm Center of Pin Boss to Center of Pin Boss, 176 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6778	<b>Quantity of (1) Pallet of Flagstone</b> S/N: Not Available Usage: Not Available
6769	<b>Kinshofer KM 600 Excavator Coupler (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 228 mm Center of Pin Boss to Center of Pin Boss, 176 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6779	<b>Quantity of (2) Pallets of Flagstone</b> S/N: Not Available Usage: Not Available
6770	<b>Kinshofer KM 600 Excavator Coupler (Unused)</b> S/N: Not Available C/W: 228 mm Center of Pin Boss to Center of Pin Boss, 177 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6780	<b>Quantity of (2) Pallets of Flagstone</b> S/N: Not Available Usage: Not Available
6771	<b>2023 TIF 39 ft x 20 ft Portable Folding House</b> S/N: Not Available Usage: Not Available	6781	<b>Quantity of (2) Pallets of Flagstone</b> S/N: Not Available Usage: Not Available
6772	<b>Quantity of (1) Tool box, (1) Headache Rack, (2) Concrete Trowel Motors</b> S/N: Not Available Usage: Not Available	6782	<b>Flagstone</b> S/N: Not Available Usage: Not Available
		6783	<b>Quantity of (3) Pallets of Flagstone</b> S/N: Not Available Usage: Not Available
		6784	<b>Quantity of (2) Pallets of Flagstone</b> S/N: Not Available Usage: Not Available
		6785	<b>Quantity of (1) Pallet of Flagstone</b> S/N: Not Available Usage: Not Available
		6786	<b>Quantity of Flagstone</b> S/N: Not Available Usage: Not Available
		6787	<b>Blue Stone Flagstone</b> S/N: Not Available Usage: Not Available
		6788A	<b>Altec Milling Head</b> S/N: 1232582 Usage: Not Available
		6788	<b>2021 Top Cat SSSTG200 18 in Skid Steer Stump Grinder</b> S/N: SSSTG20021012001 Usage: Not Available
		6789	<b>2020 Tramac NE 36 Skid Steer Breaker</b> S/N: A01R07458 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6790	<b>45 in Skid Steer Auger</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6807	<b>2022 Baumalight MP360 6 ft 5 in Mulcher Attachment</b> S/N: BL10009769 Usage: Not Available
6791	<b>2019 Cat PR172 72 in Skid Steer Power Rake</b> S/N: RPB00529 Usage: Not Available	6808	<b>LS MRC3048-SC 48 in Brush Cutter Attachment</b> S/N: CA07210037 Usage: Not Available
6792	<b>Quantity of (2) Harley 72 in Skid Steer Power Rake</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6809	<b>LS MBB3048 49 in Box Blade</b> S/N: BA06210058 Usage: Not Available
6793	<b>Bobcat LR 6B 67 in Skid Steer Bucket</b> S/N: 063002878 C/W: Quick Coupler Bracket Usage: Not Available	6810	<b>Brush Hog BX-600 60 in 3-Point Box Blade</b> S/N: Not Available Usage: Not Available
6794A	<b>2019 Ditch Witch 54 in Mini Skid Steer Landscape Rake</b> S/N: Not Available Usage: Not Available	6811	<b>AgriMetal 3-Point Aerator</b> S/N: Not Available Usage: Not Available
6794	<b>72 in Skid Steer Landscape Rake</b> S/N: 1145779 C/W: Quick Coupler Bracket Usage: Not Available	6812	<b>72 in 3-Point Grader Blade</b> S/N: Not Available Usage: Not Available
6795	<b>John Deere BR84 89 in Skid Steer Sweeper</b> S/N: TXBR84XCG0000251 Usage: Not Available	6813	<b>Cat D8K 17 in Crawler Tractor Ripper</b> S/N: Not Available Usage: Not Available
6798	<b>Kubota TE3596 Skid Steer Snow Blade</b> S/N: 1061062K C/W: Quick Coupler Bracket Usage: Not Available	6814	<b>JRB WA320 125 in 2.50 cyd Side Dump Wheel Loader Bucket - Fits Komatsu WA320</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6799	<b>Long OBG2-64 65 in Skid Steer Grapple</b> S/N: 48819 C/W: Quick Coupler Bracket Usage: Not Available	6815	<b>Cat 87 in General Purpose Wheel Loader Bucket - Fits Cat 906</b> S/N: Not Available Usage: Not Available
6800	<b>2021 Bobcat Grpl 68 Indl Bkt 67 in Skid Steer Grapple Bucket</b> S/N: AF0R10037 Usage: Not Available	6816	<b>P &amp; H 3 ft Wheel Loader Material Handling Arm</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6801	<b>76 in Skid Steer Bucket</b> S/N: Not Available Usage: Not Available	6817	<b>87 in Wheel Loader Forks</b> S/N: Not Available Usage: Not Available
6802	<b>73 in Bucket</b> S/N: 562440 C/W: Quick Coupler Bracket Usage: Not Available	6818	<b>Cat 7 ft Wheel Loader Forks</b> S/N: Not Available Usage: Not Available
6803	<b>72 in Skid Steer Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6819	<b>Volvo 72 in Wheel Loader Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6804	<b>Danhauser T3 Skid Steer Post Driver</b> S/N: 11636 C/W: Quick Coupler Bracket Usage: Not Available	6820	<b>61 in Wheel Loader Forks - Fits Cat</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6806	<b>Woods BW15LH 15 ft Batwing Rotary Mower</b> S/N: 1161991 C/W: 540 PTO Usage: Not Available	6821	<b>61 in Wheel Loader Forks</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		6822	<b>Cat 7 ft 5 in Multi-Purpose Wheel Loader Bucket - Fits Cat 908</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6823	<b>Vacuworx MC3B 5 ft Vacuum Lifter</b> S/N: MC3B00076 Usage: Not Available	6836	<b>2021 Tramac NE36 Hydraulic Breaker (Unused)</b> S/N: A01R08570 C/W: 381 mm Center of Pin Boss to Center of Pin Boss, 196 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6824	<b>Kenco Pipe Clamp</b> S/N: 0133 Usage: Not Available	6837	<b>Rotobec RPA3045B 60 in Rotating Bucket Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6825	<b>Kenco PL3500 Pipe Lifter</b> S/N: 3500L 205 C/W: To Fit Kenco 3500 Usage: Not Available	6838	<b>Excavator Grapple</b> S/N: Not Available Usage: Not Available
6826	<b>Hanson TM84 84 in Snow Blower</b> S/N: 4-100103 C/W: 2004 US EPA Label, Kohler Gasoline Engine Usage: Not Available	6839	<b>NPK Plate Compactor Attachment - Fits excavator</b> S/N: MRN32058 Usage: Not Available
6827	<b>72 in Rake Attachment</b> S/N: Not Available Usage: Not Available	6840	<b>Cat 79 in Tilting Ditch Clearing Excavator Bucket</b> S/N: Not Available Usage: Not Available
6828	<b>Cat S325 15 ft Demolition Shear</b> S/N: Not Available Usage: Not Available	6841	<b>Geith BS8B-060 60 in .8 cyd Cleanup Excavator Bucket</b> S/N: K57549 C/W: 375 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6829A	<b>Cat 140DS Hydraulic Breaker</b> S/N: BXB00989 Usage: Not Available	6842	<b>Paladin 24 in Q/C Digging Excavator Bucket (Unused)</b> S/N: J000105366-1 C/W: Quick Coupler Bracket Usage: Not Available
6830	<b>NPK E220 Hydraulic Breaker</b> S/N: 71386 C/W: Quick Coupler Bracket, 89 mm Diameter Pins, 508 mm Center of Pin Boss to Center of Pin Boss, 406 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6843	<b>24 in Q/C Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available
6831	<b>Cat H100S 93 mm Hydraulic Breaker - Fits Cat</b> S/N: 40045-4405 C/W: 65 mm Diameter Pins, 450 mm Center of Pin Boss to Center of Pin Boss, 270 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6844	<b>Paladin 24 in Excavator Bucket (Unused)</b> S/N: J000105365-4 C/W: Quick Coupler Bracket Usage: Not Available
6832	<b>Tasca THH800B Hydraulic Breaker</b> S/N: Not Available Usage: Not Available	6845	<b>Paladin 18 in Digging HD Excavator Bucket (Unused)</b> S/N: J000120840-10 C/W: Quick Coupler Bracket Usage: Not Available
6833	<b>Hydraulic Breaker</b> S/N: Not Available C/W: 202 mm Center of Pin Boss to Center of Pin Boss, 63 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6846	<b>Paladin 18 in Digging HD Excavator Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6834	<b>2015 Kent FX45CP-QA Hydraulic Breaker</b> S/N: Not Available Usage: Not Available	6847	<b>Paladin 18 in Q/C Digging Excavator Bucket (Unused)</b> S/N: J000119276-8 C/W: Quick Coupler Bracket Usage: Not Available
6835	<b>2021 Tramac NE36 Hydraulic Breaker (Unused)</b> S/N: A01R08418 C/W: 381 mm Center of Pin Boss to Center of Pin Boss, 196 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6848	<b>18 in Digging Excavator Bucket (Unused)</b> S/N: J000119275-9 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
6849	<b>12 in Q/C Digging HD Excavator Bucket (Unused)</b> S/N: J000120368-9 Usage: Not Available	6862	<b>36 in Cleanup Excavator Bucket</b> S/N: Not Available Usage: Not Available
6850	<b>Paladin 12 in Digging HD Excavator Bucket (Unused)</b> S/N: J000122369-6 C/W: Quick Coupler Bracket Usage: Not Available	6863	<b>Cat 36 in .38 cyd Cleanup Excavator Bucket - Fits Cat 416D, 420D, 424D, 428D, 430D, 432D, 438D and 442D</b> S/N: BN50800672 C/W: 340 mm Center of Pin Boss to Center of Pin Boss, 210 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6851	<b>12 in Q/C HD Excavator Bucket</b> S/N: Not Available Usage: Not Available	6864	<b>Cat 36 in Digging Excavator Bucket</b> S/N: A4186BK21614 C/W: 203 mm Center of Pin Boss to Center of Pin Boss, 355 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6852	<b>Paladin 12 in Q/C Digging Excavator Bucket (Unused)</b> S/N: J0000121129-5 C/W: Quick Coupler Bracket Usage: Not Available	6865	<b>Rhinox 36 in Excavator Bucket</b> S/N: Not Available Usage: Not Available
6853	<b>Paladin 12 in Digging Excavator Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6866	<b>Hensley 31 in Digging Excavator Bucket</b> S/N: K112515 C/W: 375 mm Center of Pin Boss to Center of Pin Boss, 260 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6854	<b>Paladin 75 in Digging Excavator Bucket</b> S/N: Not Available C/W: 510 mm Center of Pin Boss to Center of Pin Boss, 350 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6867	<b>Cat 298-0185 30 in Excavator Bucket - Fits 336</b> S/N: Z1K14036 Usage: Not Available
6855	<b>Geith 60 in 2.9 cyd Digging Excavator Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	6868	<b>Cat 298-0185 30 in Excavator Bucket - Fits 336F</b> S/N: WAT09125 Usage: Not Available
6856	<b>60 in 3.34 cyd Digging Excavator Bucket</b> S/N: 940X385 C/W: 530 mm Center of Pin Boss to Center of Pin Boss, 390 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6869	<b>Rhinox 24 in Excavator Bucket</b> S/N: 43222 Usage: Not Available
6857	<b>Cat 55 in 2.4 cyd Digging Excavator Bucket - Fits Cat 345, 349</b> S/N: 345-3225 Usage: Not Available	6870	<b>Cat 19 in Cleanup Excavator Bucket</b> S/N: CF190302619 C/W: 355 mm Center of Pin Boss to Center of Pin Boss, 203 mm Inside to Inside Pin Boss Spacing Usage: Not Available
6858	<b>Paladin 42 in Digging Excavator Bucket - Fits Komatsu PC200</b> S/N: J000048595-1 C/W: 460 mm Center of Pin Boss to Center of Pin Boss, 330 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6871	<b>Strickland 18 in Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available
6859	<b>Esco 42 in Digging Excavator Bucket - Fits Hitachi EX-ZX180/200/225/245USLC</b> S/N: RH111361 Usage: Not Available	6872	<b>Werk-Brau 18 in Excavator Bucket</b> S/N: Not Available Usage: Not Available
6860	<b>36 in Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available	6873	<b>18 in Excavator Bucket</b> S/N: Not Available Usage: Not Available
6861	<b>38 in Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available	6874	<b>Quantity of (4) Excavator Bucket</b> S/N: Not Available Usage: Not Available
		6875	<b>Paladin ET90 Excavator Coupler - Fits Excavator (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6876	<b>Gentec HT-2650 Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available	6891	<b>P &amp; H OB-7EE150-4 Crane Hook</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6877	<b>Gentec HT830 Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available	6892	<b>Johnson Blocks OB-12EE650-4 714 Lb Crane Ball</b> S/N: 19-4236 Usage: Not Available
6878	<b>Gentec MT2650 25 in Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available	6893	<b>Quantity of (1) Pallets of Shackle</b> S/N: Not Available Usage: Not Available
6879	<b>Quantity of (9) Excavator Attachments</b> S/N: Not Available C/W: Clam 14 in, Racks 19 in, Buckets 25 in, Auger 12 in Usage: Not Available	6894	<b>Quantity of (38) 2023 Suihe S38 Shackle (Unused)</b> S/N: Not Available Usage: Not Available
6880	<b>2017 McMillen 122712 Excavator Auger</b> S/N: 466313 C/W: Does Not Include Auger Bit Usage: Not Available	6895	<b>Cat 396-0515 5 ft Winch - Fits D6N (Unused)</b> S/N: 1801020 Usage: Not Available
6881	<b>2023 Jisan JSB430BL 5 ft Backhoe Hydraulic Breaker - Fits CAT 416</b> S/N: SB43 2303D722 Usage: Not Available	6896	<b>Johnson Crane Ball</b> S/N: Not Available Usage: Not Available
6882	<b>Teran THH430BH Backhoe Hydraulic Breaker - Fits John Deere 410G</b> S/N: Not Available Usage: Not Available	6897	<b>Headache Ball</b> S/N: Not Available Usage: Not Available
6883	<b>Cat H70 Backhoe Hydraulic Breaker</b> S/N: 000076481 Usage: Not Available	6898A	<b>Ditch Witch Mud Mixing System</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Centrifugal Mud Pump, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
6884	<b>JR 36 in Q/C Digging Backhoe Rear Bucket</b> S/N: 21437237 Usage: Not Available	6898	<b>Vermeer Mud Mixing System</b> S/N: Not Available Usage: Not Available
6885	<b>2020 FRD CW18 WR CP30 17 in Backhoe Compaction Wheel</b> S/N: 18500 C/W: Quick Coupler Bracket Usage: Not Available	6899	<b>Quantity of Drill Bit</b> S/N: Not Available Usage: Not Available
6886	<b>2016 Vermeer PD10 Tracked Pile Hammer</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine Usage: Not Available	6899	<b>2006 Vermeer CS418TM Rock Core Saw</b> S/N: 1VRX080Z961000108 C/W: Kohler 2 Cylinder Gasoline Engine Usage: Not Available
6887	<b>Demag Luffing Jib Jib - Fits Demag AC535</b> S/N: Not Available Usage: Not Available	6900	<b>Quantity of (14) Drill Bit</b> S/N: Not Available C/W: Secoroc, Epiroc, Atlas Copco, Ingersoll Rand Usage: Not Available
6888	<b>Grove 29 ft Swing-Away Jib - Fits Grove RT635C</b> S/N: Not Available Usage: Not Available	6901	<b>Quantity of (14) Drill Bit</b> S/N: Not Available C/W: Secoroc, Epiroc, Atlas Copco, Ingersoll Rand Usage: Not Available
6889	<b>Unknown or N/A Grove 25 ft Swing-Away Jib</b> S/N: Not Available Usage: Not Available	6902	<b>Quantity of Drill Bit</b> S/N: Not Available C/W: Secoroc, Epiroc, Atlas Copco, Ingersoll Rand Usage: Not Available
6890	<b>Grove 29 ft Swing-Away Jib - Fits Grove RT635C</b> S/N: Not Available Usage: Not Available	6903	<b>Quantity of (3) Roller Drill Bit</b> S/N: Not Available C/W: reamers Usage: Not Available

Lot #	Details	Lot #	Details
6904	<b>Quantity of (2) Drill Subs</b> S/N: Not Available C/W: Seller states compatible with: Ingersoll Rand, Atlas Copco, Epiroc, Schramm, Driltech, Reichdrill Usage: Not Available	6918	<b>13 ft Flatbed Body</b> S/N: Not Available Usage: Not Available
6906	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Transmission Usage: Not Available	6919	<b>9 ft Flatbed Body</b> S/N: M007760 Usage: Not Available
6907	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 280 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Transmission Usage: Not Available	6920	<b>9 ft Flatbed Gin Pole Body</b> S/N: Not Available C/W: winch Usage: Not Available
6908	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 280 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Transmission Usage: Not Available	6921	<b>Knapheide 696FJ40 Utility Body</b> S/N: 527257 Usage: Not Available
6909	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 280 280 hp 8.9 L Diesel Engine, w/ Transmission Usage: Not Available	6922	<b>Mack T/A Rear Axle</b> S/N: Not Available Usage: Not Available
6910	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 280 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Transmission Usage: Not Available	6923	<b>T/A Rear Axle</b> S/N: Not Available Usage: Not Available
6911	<b>Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins ISL 280 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Allison Transmission Usage: Not Available	6924	<b>JLG Axle</b> S/N: 899601 C/W: To Fit 944E Usage: Not Available
6912	<b>2009 Cummins ISL 280 Engine</b> S/N: Not Available C/W: Cummins isl 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Allison Transmission Usage: Not Available	6925	<b>Quantity of (6) Skid Steer Bucket Cutting Edge</b> S/N: Not Available Usage: Not Available
6913	<b>AMH FRP2497 Body</b> S/N: Not Available Usage: Not Available	6926	<b>Pneumatic Air Starter</b> S/N: Not Available Usage: Not Available
6914	<b>1996 24 ft 6 in x 8 ft Van Body</b> S/N: 962300024205690 C/W: 26 ft Body Length Usage: Not Available	6927	<b>Quantity of Compaction Wheels</b> S/N: Not Available Usage: Not Available
6915	<b>Body</b> S/N: Not Available Usage: Not Available	6928	<b>Firestone 20.5x25 Tires</b> S/N: Not Available C/W: To Fit Cat 938G Wheel Loader, All Tires with Wheels Usage: Not Available
6916	<b>Vermeer 16 ft Flat Bed</b> S/N: M007697 C/W: Steel, 16 ft Body Length Usage: Not Available	6929	<b>Quantity of (2) 29.5R25 Tires</b> S/N: Not Available Usage: Not Available
6917	<b>Vermeer 16 ft Flat Bed</b> S/N: M008096 C/W: Steel, 16 ft Body Length Usage: Not Available	6930	<b>Quantity of (2) 23.5 R25 Tires</b> S/N: Not Available Usage: Not Available
		6931	<b>Quantity of (3) 1800 R25 Tires</b> S/N: Not Available Usage: Not Available
		6932	<b>Quantity of (3) 23.5 R25 Tires</b> S/N: Not Available Usage: Not Available
		6933	<b>Quantity of (4) 1800 R25 Tires</b> S/N: Not Available C/W: To Fit Cat 16G Usage: Not Available
		6934	<b>Quantity of (2) 29.5R25 Tires</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6935	<b>Quantity of (5) 1400 R24 Tires</b> S/N: Not Available C/W: To Fit Cat 14G Usage: Not Available	6949	<b>2019 Multiquip 45 36 kW Mobile Generator Set</b> S/N: 5SLBG1226KL025196 C/W: 2018 US EPA Label, Isuzu BP-4LE2X 4 Cylinder 19 kW 2.1 L Diesel Engine, 45 kVA/36 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 26 kVA,/26 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 9,054 Hr
6936	<b>Quantity of (4) 11R22.5 Tires</b> S/N: Not Available Usage: Not Available	6950	<b>2015 MMD SDG25A 25 kVA Mobile Generator Set</b> S/N: Not Available C/W: 2015 US EPA Label, Isuzu BZ-4LE2T 4 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring, Electric Brakes Usage: 9,347 Hr
6937	<b>Quantity of (4) Tires</b> S/N: Not Available C/W: To Fit Telehandler Usage: Not Available	6951	<b>2018 Multiquip DCA25SSIU4F 20 kW Mobile Generator Set</b> S/N: Not Available C/W: 2018 US EPA Label, Isuzu 4LE2T 4 Cylinder 2.17 L Diesel Engine, 25 kVA/20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring, Electric Brakes Usage: 1,865 Hr
6938	<b>12.5/80 - 18 Tires</b> S/N: Not Available Usage: Not Available	6953	<b>Multiquip DCA25SSIU 25.2 kW Generator Set</b> S/N: 7017341 C/W: Isuzu C240 4 Cylinder 30.6 hp 2369 cc Diesel Engine, 25 kVA/ Rated 3 Phase Output, 240 V / 680 V Rated Voltage, 14.4 kVA,/ Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 439,630 Hr
6939	<b>225 kW Containerized Generator Set</b> S/N: Not Available C/W: Cat C9 ACERT 6 Cylinder Diesel Engine Usage: 29,438 Hr	6954	<b>2019 Wacker Neuson G25 20 kW Generator Set</b> S/N: 24502286 C/W: Isuzu 4 Cylinder Diesel Engine, 19.57 kVA /24.4 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 16 kVA,/16 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer Usage: 7,648 Hr
6941	<b>2017 Multiquip DCA150SSJU4F 120 kW Mobile Generator Set</b> S/N: 5SLBG1729HL021032 C/W: 2017 US EPA Label, John Deere 6 Cylinder 6.8 L Diesel Engine, 150 kVA/120 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 87 kVA,/87 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 16,488 Hr	6955	<b>2013 Magnum MMG25 9 kW Mobile Generator Set</b> S/N: 5AJGS1318DB307610 C/W: Diesel Engine, /9 kW Rated 3 Phase Output, 600 V / 480 V / 208 V Rated Voltage, /9 kW, Rated Single Phase Output, 120 V / 240 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring Usage: 1,577 Hr
6944	<b>2014 Airman SDG125S 25 kVA Generator Set</b> S/N: 5UABU0918EV002445 C/W: 2015 US EPA Label, Isuzu BZ-4LE2T 4 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Lunette Ring, Electric Brakes Usage: 7,979 Hr	6956	<b>Quantity of (2) Generac Guardian Skid-Mounted Generator Set</b> S/N: 4510647/3900005 C/W: Generac OF9145 2 Cylinder 1 L Engine, 120 V / 240 V Rated Voltage, Sound Attenuated Usage: Not Available
6946	<b>2015 MMD SDG65S 63 kVA Mobile Generator Set</b> S/N: 5UABU1615FN001295 C/W: Tier 4, 2014 US EPA Label, Kubota V3800 4 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage, T/A Trailer, Lunette Ring, Surge Brakes Usage: 3,188 Hr		
6947	<b>2015 Airman MMD SDG40S 38 kVA Mobile Generator Set</b> S/N: 5UABU1213FN001365 C/W: 2014 US EPA Label, Kubota V3300 4 Cylinder 36.5 kW 3.3 L Diesel Engine, 240 V / 480 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 7,634 Hr		
6948	<b>2015 Airman MMD SDG40S 38 kVA Mobile Generator Set</b> S/N: Not Available C/W: 2014 US EPA Label, Kubota V3300 4 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available		

Lot #	Details	Lot #	Details
6957	<b>Quantity of (2) Generac Guardian Skid-Mounted Generator Set</b> S/N: 4459000 C/W: Generac 1.0 L Natural Gas Engine, 120 V / 240 V Rated Voltage Usage: Not Available	6967	<b>2014 Atlas Copco XAS185CD7TBV 185 cfm Mobile Air Compressor</b> S/N: 4500A1014ER047486 C/W: 123 psi Working Pressure, Cat C2.2 4 Cylinder 2.2 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,743 Hr
6958	<b>Power Unit</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine Usage: Not Available	6968	<b>2010 Atlas Copco XAS185CD7 Mobile Air Compressor</b> S/N: 4500A1013AR034822 C/W: Cat 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 2,230 Hr
6959	<b>2012 Sullair 375HH 375 cfm Mobile Air Compressor</b> S/N: Not Available C/W: 200 psi Working Pressure, 2012 US EPA Label, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available	6969	<b>2017 Rotair D185T4F 185 cfm Mobile Air Compressor</b> S/N: 1F91A1210HC445333 C/W: 100 psi Working Pressure, 2017 US EPA Label, Kohler 4 Cylinder 37 kW 1.86 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 93 Hr
6961	<b>1998 Ingersoll Rand P250WJD Air Compressor</b> S/N: 290466UEI359 C/W: John Deere 4 Cylinder Engine, S/A Trailer, Lunette Ring Usage: 5,063 Hr	6970	<b>2016 Doosan P185WDO Mobile Air Compressor</b> S/N: 4FVCABAA6GU477163 C/W: 2016 US EPA Label, Doosan 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 1,361 Hr
6962	<b>2013 Sullivan Palatek DO210PHJD Mobile Air Compressor</b> S/N: 31985 C/W: 2012 US EPA Label, John Deere 4 Cylinder 56 kW 4.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 212 Hr	6971	<b>2012 Ingersoll Rand P185WJD-T4I Mobile Air Compressor</b> S/N: 4FVCABAA4CU437514 C/W: 2012 US EPA Label, John Deere 4 Cylinder 37 kW 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,247 Hr
6963	<b>2013 Sullivan Palatek DO210PHJD Air Compressor</b> S/N: 31959 C/W: John Deere 4 Cylinder 56 kW 4.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 950 Hr	6972	<b>2012 Doosan C185WKUB-T4I Mobile air line leak Air Compressor</b> S/N: 440813UEWD95 C/W: 49 hp Motor, 2012 US EPA Label, Kubota V2403-M-D1-ET04 4 Cylinder 37 kW 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,918 Hr
6964	<b>2013 Ingersoll Rand Mobile Air Compressor</b> S/N: 31578 C/W: 2012 US EPA Label, John Deere 4 Cylinder 56 kW 4.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,279 Hr	6973	<b>2011 Doosan P185WJD-T4I Mobile Air Compressor</b> S/N: 428261UGVD75 C/W: 200 psi Working Pressure, 2011 US EPA Label, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 4,417 Hr
6965	<b>2015 Sullair 185DPQ Air Compressor</b> S/N: 201503060074 C/W: 2014 US EPA Label, Cat C2.2 4 Cylinder 2.2 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,225 Hr	6974	<b>2005 Ingersoll Rand Air Source Plus 185 cfm Mobile Air Compressor</b> S/N: 395764ULRB10 C/W: 150 psi Working Pressure, 2007 US EPA Label, John Deere 4024 4 Cylinder 49 hp 2.4 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 2,820 Hr
6966A	<b>2018 Atlas Copco XAS185KD7 PE T4F Mobile Air Compressor</b> S/N: 4500A1014JR057901 C/W: 2018 US EPA Label, Kubota D1803-T 3 Cylinder 1.8 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 841 Hr	6975	<b>2005 Ingersoll Rand P185WJD Mobile Air Compressor</b> S/N: Not Available C/W: 2005 US EPA Label, John Deere 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,091 Hr
6966	<b>2014 Sullair 185DPQCAI4 185 cfm Mobile Air Compressor</b> S/N: 201406300001 C/W: Cat C2 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available		



Lot #	Details	Lot #	Details
6976	<b>2005 Ingersoll Rand P185WJD Mobile Air Compressor</b> S/N: 4FVCABAA55U356251 C/W: 2005 US EPA Label, John Deere 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,190 Hr	6985	<b>2017 Atlas Copco XAS110KDPE Mobile Air Compressor</b> S/N: APP510368 C/W: 7 bar Working Pressure, 2017 US EPA Label, Kubota D902 3 Cylinder 0.89 L Diesel Engine, S/A Trailer, Electric Brakes Usage: 558 Hr
6977	<b>2005 Ingersoll Rand P-185A-W-JD Mobile Air Compressor</b> S/N: 360310UHPB34 C/W: 200 psi Working Pressure, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	6986	<b>Ingersoll Rand Mobile Air Compressor</b> S/N: Not Available C/W: Deutz 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 805 Hr
6978	<b>2005 Ingersoll Rand Airsource Mobile Air Compressor</b> S/N: 353936UBPB01 C/W: Ingersoll-Rand 4IRX3N2 4 Cylinder 36.5 kW 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 3,688 Hr	6989	<b>2019 Allmand Maxi-Lite II 8 kW Light Tower</b> S/N: 5AEA1HB12KH001448 C/W: Cat C1.1 3 Cylinder 1.3 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Reversible Hitch Usage: 11,980 Hr
6979	<b>1999 Ingersoll Rand P185WIR 185 cfm Mobile Air Compressor</b> S/N: 305975UJJ295 C/W: 100 psi Working Pressure, Ingersoll-Rand 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	6990	<b>2015 Wacker Nesuon LTN6 Light Tower</b> S/N: 5XFLN0512FN004428 C/W: 2014 US EPA Label, Kohler 3 Cylinder 19 kW 1.02 L Diesel Engine, 4 Lamps, Balloon Diffuser, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,109 Hr
6980	<b>1996 Sullair 185DPQJD Air Compressor</b> S/N: E04120471 C/W: S/A Trailer, Lunette Ring Usage: 863 Hr	6991	<b>2018 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1015JB210005 C/W: Tier 4, 2018 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,347 Hr
6981	<b>1994 Ingersoll Rand P175DWD Mobile Air Compressor</b> S/N: 245729UDE326 C/W: Deutz 4 Cylinder Diesel Engine, S/A Trailer Usage: 3,460 Hr	6992	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1015HB799566 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,724 Hr
6982	<b>1999 Ingersoll Rand P130WJD Mobile Air Compressor</b> S/N: 299388 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	6993	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1017HB853823 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,038 Hr
6983	<b>1996 Ingersoll Rand P125WD Mobile Air Compressor</b> S/N: 266547UFG274 C/W: Deutz F3M 1011 F 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	6994	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1014HB799560 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 4,857 Hr
6984	<b>2017 Atlas Copco XAS110KDPE Air Compressor</b> S/N: APP470281 C/W: 7 bar Working Pressure, 2016 US EPA Label, Kubota D902 3 Cylinder 18.5 kW 0.89 L Diesel Engine, S/A Trailer, Lunette Ring, Electric Brakes Usage: 668 Hr	6995	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: Not Available C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: Not Available
		6996	<b>2017 Magnum MLT-6SK Light Tower</b> S/N: 7FSXL1016HB792321 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 6,273 Hr

Lot #	Details	Lot #	Details
6997	<b>6 kW Light Tower</b> S/N: 5AJLS1012GB603214 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 5,356 Hr	7008	<b>2011 Ingersoll-Rand AL4000 Light Tower</b> S/N: 4ZJSL1414B1001185 C/W: Tier 4, Kubota 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring Usage: Not Available
6998	<b>2016 Generac MLT6S 6 kW Light Tower</b> S/N: 5AJLS1015GB601084 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 9,240 Hr	7009	<b>1998 Ingersoll Rand L6-4MH Light Tower</b> S/N: Not Available C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: Not Available
6999	<b>2015 Genie RL4 6 kW Light Tower (Inoperable)</b> S/N: 4ZJSA1010G487 C/W: Tier 4, 2015 US EPA Label, CARB Compliant, Kubota D1105-BG-EF01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,696 Hr	7010	<b>1998 Ingersoll Rand L6-4MH 6 kW Light Tower</b> S/N: 284344ULI823 C/W: Kubota D905BG-2 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available
7000	<b>2020 Generac G4-ECO 3.3 kW Solar Light Tower</b> S/N: 7FSBL1012LB355905 C/W: 2020 US EPA Label, Mitsubishi L2E 2 Cylinder 8 kW 0.6 L Diesel Engine, 4 Lamps, LED Lighting, Power Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 9,156 Hr	7011	<b>1997 Ingersoll Rand L6-4MH 6 kW Light Tower</b> S/N: 271998ULH823 C/W: Kubota D905BG-2 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available
7002	<b>2014 Multiquip LT6D 6 kW Light Tower</b> S/N: 4GNBL1013EB035132 C/W: 2012 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch, Electric Brakes Usage: 3,513 Hr	7012	<b>2017 Magnum PLT240 Light Tower</b> S/N: 3001629237 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
7003	<b>2014 Multiquip LT6D 6 kW Light Tower</b> S/N: Not Available C/W: 2012 US EPA Label, Kohler 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,716 Hr	7013	<b>2017 Magnum PLT240 Light Tower</b> S/N: Not Available C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
7004	<b>2014 Multiquip LT6D 6 kW Light Tower</b> S/N: 4GNBL1010EB035136 C/W: 2012 US EPA Label, Kohler 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,591 Hr	7014	<b>2016 Magnum PLT240 Light Tower</b> S/N: 1604811 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
7006	<b>2011 Magnum 6 kW Light Tower</b> S/N: 5AJLS16119BB002365 C/W: Mitsubishi L3E 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 1,982 Hr	7015	<b>2016 Magnum PLT240 Light Tower</b> S/N: 1604733 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available
7007	<b>2011 Terex AL4000 6 kW Light Tower</b> S/N: AL411-1254 C/W: Tier 4, 2011 US EPA Label, Kubota D1105-BG-ET01 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Lunette Ring, Electric Brakes Usage: Not Available	7016C	<b>Quantity of (2) Magnum Light Tower</b> S/N: Not Available Usage: Not Available
		7016B	<b>Quantity of (4) Chambers Light Tower</b> S/N: Not Available Usage: Not Available
		7016A	<b>Quantity of (6) Terex Light Tower</b> S/N: Not Available Usage: Not Available
		7016	<b>2016 Magnum PLT240 Light Tower</b> S/N: 1604751 C/W: 4 Lamps, LED Lighting, Power Receptacles Usage: Not Available

Lot #	Details	Lot #	Details
7017	<b>2018 Wanco WTMMB-A Solar Message Board</b> S/N: 5F12S1618J1003778 C/W: LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available	7027	<b>Ver-Mac Message Board</b> S/N: Not Available C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available
7018	<b>Ver-Mac Message Board</b> S/N: 2S9US4122FS132257 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7028	<b>2011 Wanco WTMMB Solar Arrow Board</b> S/N: 5F12S1612B1002515 C/W: LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available
7019	<b>2011 Ver-Mac Message Board</b> S/N: 2S9US2147BS132300 C/W: LED Lighting, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7029	<b>2016 Wanco WTSP55-LSA Solar Arrow Board</b> S/N: 5F11S1019G1009554 C/W: S/A Trailer, Lunette Ring Usage: Not Available
7020	<b>2011 Ver-Mac PCMS 1210QS Message Board</b> S/N: 2S9US4128BS132435 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7030	<b>2011 Wanco WTSP Solar Arrow Board</b> S/N: 5F11S101XB1001293 C/W: Solar Powered, S/A Trailer, Lunette Ring Usage: Not Available
7021	<b>2011 Ver-Mac PCMS 1210QS Message Board</b> S/N: 2S9US4129BS132301 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7031	<b>Arrow Board</b> S/N: 03128128 C/W: S/A Trailer, Lunette Ring Usage: Not Available
7022	<b>Ver-Mac Message Board</b> S/N: 2S9US4121BS132437 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7033	<b>2010 Wacker Neuson E3000 ES Ground Heater</b> S/N: 5XFCS1515AN004253 C/W: Diesel Fueled, S/A Trailer, Lunette Ring Usage: 8,215 Hr
7023A	<b>2010 Wanco WTLMB Solar Message Board</b> S/N: 5F12S1616A1002368 C/W: LED Lighting, Electric Winch Raise and Lower, S/A Trailer, Lunette Ring Usage: Not Available	7034	<b>Electric 430 volt, 3 phase / 150KW Ground Heater</b> S/N: 456305481005 C/W: 3 Phase, 430 V Input, Skid mounted Trailer Usage: Not Available
7023	<b>2012 Precision Solar Message Board</b> S/N: 1P91D1716CG301337 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch, Surge Brakes Usage: Not Available	7035	<b>2016 MAC 1.2G 1200000 BTU Space Heater</b> S/N: 504BH2124GB000093 C/W: Diesel Fueled, Tier 4, 2014 US EPA Label, Isuzu 3 Cylinder 1.64 L Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 6,171 Hr
7024	<b>2010 Precision Solar Message Board</b> S/N: 1P91A1712AG301065 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch, Surge Brakes Usage: Not Available	7036	<b>2020 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201891291 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available
7025	<b>2010 Precision Solar Solar Message Board</b> S/N: Not Available C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	7037	<b>2019 Frost Fighter IDH500QR 500000 BTU Space Heater</b> S/N: 1201991501 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available
7026	<b>Ver-Mac Message Board</b> S/N: Not Available C/W: S/A Trailer, Ball Hitch, Surge Brakes Usage: Not Available	7038	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791686 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available
7027A	<b>Ver-Mac Message Board</b> S/N: Not Available C/W: S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available		

Lot #	Details	Lot #	Details
7039	<b>2019 Frost Fighter IDH500QR 500000 BTU Space Heater</b> S/N: 1201991502 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7049	<b>2015 Frost Fighter IDF500 LP/NG 420000 BTU Space Heater</b> S/N: 1201575197 C/W: Propane Fueled, Single Phase, 115 V Input Usage: Not Available
7040	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791611 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7050A	<b>Frost Fighter IDF500 LP/NG 420000 BTU Space Heater</b> S/N: 1201374293 C/W: Propane Fueled, Single Phase, 115 V Input Usage: Not Available
7041	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791689 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7050	<b>Frost Fighter IDF500 LP / NG 420000 BTU Space Heater</b> S/N: 1201574827 C/W: Multi-Fuel Fueled, Single Phase Usage: Not Available
7042	<b>2019 Frost Fighter IDH500QR 500000 BTU Space Heater</b> S/N: 1201991503 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7056	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B40018-9295 C/W: Diesel Fueled, 120 V Input Usage: Not Available
7043	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791687 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7057	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-17-9209 C/W: Kerosene Fueled, 120 V Input Usage: Not Available
7044	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791615 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7058	<b>2018 Campo EB400D 399000 BTU Space Heater</b> S/N: B400-16-8973 C/W: Kerosene Fueled, Single Phase Usage: Not Available
7045	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791612 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7061	<b>2014 HeatStar HS400FAV Space Heater</b> S/N: Not Available C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
7046	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791688 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7062	<b>2014 HeatStar HS400FAV Space Heater</b> S/N: Not Available C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
7047	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791691 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7063	<b>2014 HeatStar HS400FAV Space Heater</b> S/N: Not Available C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
7048	<b>2019 Frost Fighter IDH500QR 490000 BTU Space Heater</b> S/N: 1201791613 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available	7064	<b>2014 HeatStar HS400FAV Space Heater</b> S/N: Not Available C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
		7065	<b>2014 HeatStar HS400FAV Space Heater</b> S/N: Not Available C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
		7066	<b>Frost Fighter IDF-350-II 350000 BTU Electric Space Heater</b> S/N: 08102913-II C/W: Kerosene Fueled, Single Phase Usage: Not Available

Lot #	Details	Lot #	Details
7067	<b>Frost Fighter IDF-350-II 350000 BTU Electric Space Heater</b> S/N: 08102933II C/W: Kerosene Fueled, Single Phase, 115 V Input Usage: Not Available	7079A	<b>Frost Fighter IDH 200 QR 170000 BTU Space Heater</b> S/N: 1201762483 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available
7068	<b>Frost Fighter FVO-400 325000 BTU Space Heater</b> S/N: 0V400-14656 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	7080	<b>Multiquip DAW500SA 500 A Mobile Multi-Process Engine Driven Welder</b> S/N: 5737788 C/W: Tier 4, 2014 US EPA Label, Kubota D1803 27.6 kW 1.8 L Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage, S/A Trailer, Lunette Ring, Electric Brakes Usage: 833 Hr
7069	<b>Flagro FVO-400 325000 BTU Space Heater</b> S/N: OV40014655 C/W: Multi-Fuel Fueled, Single Phase, 115 V Input Usage: Not Available	7081B	<b>2007 Miller Bobcat 225 225 A Multi-Process Engine Driven Welder</b> S/N: LH140859H C/W: 2005 US EPA Label, Kohler H23S 2 Cylinder 674 cc Gasoline Engine, Welding Leads Not Included Usage: 2,744 Hr
7070	<b>Blaze 400 Electric Space Heater</b> S/N: Not Available C/W: Kerosene Fueled, Single Phase, 115 V Input Usage: Not Available	7081A	<b>2016 Miller Trailblazer 302 300 A Multi-Process Engine Driven Welder</b> S/N: MG450451R C/W: 2016 US EPA Label, Kohler CH750 2 Cylinder 747 cc Gasoline Engine, Welding Leads Not Included Usage: Not Available
7071A	<b>Campo Blaze 200 D/G Turbo 175000 BTU Space Heater</b> S/N: Not Available C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available	7081	<b>Multiquip DAW500SA 500 A Mobile Multi-Process Engine Driven Welder</b> S/N: 5736090 C/W: Tier 4, 2013 US EPA Label, Kubota D1803-CR-EF01 27.6 kW 1.8 L Diesel Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage, S/A Trailer, Lunette Ring, Electric Brakes Usage: 1,280 Hr
7071	<b>Topp SH-2500 2500000 BTU Space Heater</b> S/N: Not Available C/W: Single Phase Usage: Not Available	7084	<b>2000 Lincoln Electric Ranger 9 250 A Multi-Process Engine Driven Welder</b> S/N: U1000100001 C/W: Kohler 2 Cylinder Gasoline Engine, Welding Leads, 240 V / 120 V Rated Voltage Usage: Not Available
7072	<b>2015 Flagro FVN-200 200000 BTU Space Heater</b> S/N: NPV200-174 C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available	7085	<b>2010 Gorman-Rupp PA6D60-4045D-SU Trailer-Mounted Water Pump</b> S/N: 16MPF0927AD056649 C/W: 6 in Intake, 6 in Discharge, Water Pump, John Deere 4045DF270B 4 Cylinder 60 kW 4.5 L Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: 1,545 Hr
7073	<b>2017 Flagro FVO-200 200000 BTU Space Heater</b> S/N: OV200-1225 C/W: Multi-Fuel Fueled, Single Phase Usage: Not Available	7086	<b>Godwin Trailer-Mounted Water Pump</b> S/N: 18647751 C/W: 4 in Intake, 4 in Discharge, Centrifugal 2018 US EPA Label, Yanmar 3 Cylinder 1.6 L Diesel Engine, S/A Trailer, Lunette Ring, Surge Brakes Usage: 10,347 Hr
7074	<b>2017 Flagro FVO-200 200000 BTU Space Heater</b> S/N: 0V200-1232 C/W: Multi-Fuel Fueled, Single Phase Usage: Not Available	7087	<b>Electric Power Pack Unit</b> S/N: Not Available Usage: Not Available
7077	<b>2017 Flagro FVO200RC 185000 BTU Space Heater</b> S/N: OV200RC-0204 C/W: Multi-Fuel Fueled, Single Phase Usage: Not Available		
7079B	<b>Frost Fighter IDH 200 QR 170000 BTU Space Heater</b> S/N: 1201762827 C/W: Furnace oil Fueled, Single Phase, 120 V Input Usage: Not Available		

Lot #	Details	Lot #	Details
7088	<b>2018 Barreto E30SGB Walk-Behind Stump Grinder</b> S/N: SG1261 C/W: Hydrostatic Drive, Vanguard 2 Cylinder Gasoline Engine, 16 in Grinding Wheel, 7 in Rubber Tracks Usage: 1,068 Hr	7098C	<b>2016 Wacker Neuson RT Trench Compactor</b> S/N: Not Available C/W: 2015 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 10 in / 15 in Drums Usage: Not Available
7088	<b>2018 Barreto 6 ft S/A Stump Grinder Trailer</b> S/N: 1B9UC0619JL280355 C/W: 2200.0 lb GVWR, Torsion Axle, 5.30-12 Tires Usage: Not Available	7098B	<b>2018 Wacker Neuson RT Trench Compactor</b> S/N: 24474692 C/W: 2018 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 10 in / 15 in Drums Usage: 584 Hr
7090	<b>Rayco RC1220 Tow-Behind Wood Chipper</b> S/N: 1R9851311GW210009 C/W: Tier 4, 2011 US EPA Label, Kubota 4 Cylinder 49.8 kW 3.6 L Diesel Engine, 60 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Ball Hitch, Surge Brakes Usage: 1,139 Hr	7098A	<b>2017 Bomag BMP 8500 Trench Compactor</b> S/N: 101720129817 C/W: Tier 4, 2016 US EPA Label, Kubota D1005 3 Cylinder 14.5 kW 1.0 L Diesel Engine, 11 in / 15 in Drums Usage: 656 Hr
7091	<b>2001 Reinco Straw Blower</b> S/N: 1R97312131P195002 C/W: Kubota Diesel Engine, S/A Carrier, Spring Suspension Usage: 441 Hr	7098	<b>2013 Rammax RW1515 Trench Compactor</b> S/N: 50677 C/W: Hatz 2 Cylinder .99 L Diesel Engine, 32 in Drums, Cordless Remote Control Usage: Not Available
7092	<b>2022 Krone F1600 Round Baler</b> S/N: WMKRP601S01037015 C/W: 540 PTO, 4 ft 5 in Wide x Bales, Net Wrap Usage: Not Available	7099	<b>2010 Wacker Neuson RT-SC2 Trench Compactor</b> S/N: 5932787 C/W: 2009 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: 890 Hr
7093	<b>2018 KM International KM T2 C1M2 T/A Hydraulic Asphalt Recycler</b> S/N: 1K9BU2425JN246462 C/W: Tier 4, Kubota D902-EF01 3 Cylinder 18.2 kW .89 L Diesel Engine, Lunette Ring Hitch Usage: 35 Hr	7100	<b>2010 Wacker Neuson RT-SC2 Trench Compactor</b> S/N: 5932784 C/W: 3 Cylinder Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: 973 Hr
7094	<b>Maddock EM28 4 ft Excavator Cold Planer Attachment</b> S/N: EM28CCDCANNA1919 Usage: Not Available	7101	<b>2009 Wacker Neuson RT-SC2 Trench Compactor</b> S/N: 5872504 C/W: 2008 US EPA Label, Lombardini 3 Cylinder 1.0 L Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: 1,087 Hr
7095	<b>Maddock BHM24 4 ft Excavator Cold Planer Attachment</b> S/N: Not Available Usage: Not Available	7102A	<b>Wacker Neuson RTSC2 Trench Compactor</b> S/N: Not Available C/W: 2012 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 15 in Drums Usage: Not Available
7096	<b>2004 Vermeer CS418 Core Drill</b> S/N: 1VRX091Y643000113 Usage: Not Available	7102	<b>2007 Wacker Neuson RT Trench Compactor</b> S/N: 5765135 C/W: Open Operator Station, 2007 US EPA Label, Lombardini 3 Cylinder 15.50 kW 1028 cc Dual Fuel Engine, 15 in Drums, Articulated Steering Usage: 867 Hr
7097	<b>2017 Ditch Witch C16X Walk-Behind Trencher</b> S/N: DWPC16XAAH0000603 C/W: Hydrostatic Drive, 2 Cylinder Engine, 4 in Wide x 36 in Long 8 in Rubber Tracks Usage: 121 Hr	7103	<b>Wacker Neuson Trench Compactor</b> S/N: Not Available C/W: Tier 4, 2014 US EPA Label, Kubota D902-EF04 3 Cylinder 15.5 kW .89 L Diesel Engine, 22 in / 32 in Drums, Articulated Steering Usage: Not Available
7098E	<b>2011 Wacker Neuson RT Trench Compactor</b> S/N: 20027344 C/W: 2010 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 15 in Drums Usage: Not Available		
7098D	<b>2012 Wacker Neuson RT Trench Compactor</b> S/N: 20134240 C/W: 2012 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 15 in Drums Usage: Not Available		

Lot #	Details	Lot #	Details
7104	<b>Wacker Neuson RT SC2 Trench Compactor</b> S/N: Not Available C/W: 2014 US EPA Label, Kohler 3 Cylinder 1.02 L Diesel Engine, 22 in / 32 in Drums, Articulated Steering Usage: Not Available	7111	<b>PX1000-L .55 ton Mini Dumper (Unused)</b> S/N: JZY202308107 C/W: Briggs & Stratton XR950 208 cc Engine Usage: Not Available
7105	<b>Wacker Neuson RT Trench Compactor</b> S/N: 20296083 C/W: 2014 US EPA Label, Kohler KDW1003 3 Cylinder Engine, 22 in Drums, Remote Control w/ Cord, Articulated Steering Usage: 97 Hr	7112	<b>Ditch Witch SK755 Mini Compact Track Loader</b> S/N: Not Available C/W: Open Operator Station, 9 in Track Belts, Manual Coupler Usage: 1,510 Hr
7106C	<b>2010 Wacker RT Trench Compactor</b> S/N: 5915540 C/W: 2008 US EPA Label, Lombardini 3 Cylinder 19 kW 1.37 L Diesel Engine, 32 in Drums, Remote Control w/ Cord Usage: 1,006 Hr	7113	<b>2007 Vermeer S600TX ride on Compact Track Loader</b> S/N: 1VRZ0508271000676 C/W: Open Operator Station, 7 in Track Belts, Manual Coupler, 41 in Bucket Usage: 1,563 Hr
7106B	<b>2007 Wacker Neuson RT Trench Compactor</b> S/N: 5745006 C/W: Open Operator Station, 2007 US EPA Label, Lombardini 3 Cylinder 15.50 kW 1028 cc Dual Fuel Engine, 14 in Drums, Articulated Steering Usage: 417 Hr	7114	<b>2018 Toro 22321 Mini Compact Track Loader</b> S/N: 402595362 C/W: 2017 US EPA Label, 6 in Track Belts, Manual Coupler Usage: 572 Hr
7106A	<b>Rammax Trench Compactor</b> S/N: Not Available C/W: Hatz 2 Cylinder Diesel Engine, 33 in Drums Usage: Not Available	7115	<b>2023 SDLOOL SL380 Mini Skid Steer Loader (Unused)</b> S/N: SL380607 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 46 in Bucket Usage: Not Available
7106	<b>Wacker RT-SC2 Trench Compactor</b> S/N: Not Available C/W: 2009 US EPA Label, Lombardini 3 Cylinder 1.02 L Diesel Engine, 32 in Drums, Cordless Remote Control, Articulated Steering Usage: Not Available	7116	<b>2023 SDLOOL SL380C Compact Track Loader (Unused)</b> S/N: SL380CR2319 C/W: Joystick Steering, Manual Coupler, 44 in Bucket Usage: Not Available
7107A	<b>Multiquip V304EH Walk Behind Roller</b> S/N: 130302 C/W: 2010 US EPA Label, Honda GX340 1 Cylinder Gasoline Engine, 30 in Drum Usage: Not Available	7117	<b>2023 SDLOOL SL380C Compact Track Loader (Unused)</b> S/N: SL380CR2321 C/W: Open Operator Station, Joystick Steering, 7 in Track Belts, Manual Coupler, 43 in Bucket Usage: Not Available
7107	<b>2023 TRANER TR600 Walk Behind Roller (Unused)</b> S/N: TR6002307 C/W: 2022 US EPA Label, Loncin 1 Cylinder 420 cc Gasoline Engine, 18 in Drum Usage: Not Available	7118	<b>2023 SDLOOL SL380C Compact Track Loader (Unused)</b> S/N: SL380CR2320 C/W: Open Operator Station, Joystick Steering Usage: Not Available
7109	<b>2023 VICSEC VC5050 Self-Loading Crawler Dumper (Unused)</b> S/N: VC505058 C/W: Hydrostatic Drive, vanguard 6.5 1 Cylinder 4.8 kW Gasoline Engine Usage: Not Available	7119	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323749 C/W: Open Operator Station, Manual Coupler, 41 in Bucket Usage: Not Available
7110	<b>2023 VICSEC VC5050 Crawler Dumper (Unused)</b> S/N: VC505059 C/W: Hydrostatic Drive, 1 Cylinder 6.5 hp 203 cc Gasoline Engine, 7 in Rubber Tracks Usage: Not Available	7120	<b>2023 SDLOOL 323W Skid Steer Loader (Unused)</b> S/N: SL323748 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, Manual Coupler, 41 in Bucket Usage: 2 Hr

Lot #	Details	Lot #	Details
7121	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323747 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, Manual Coupler, 42 in Bucket Usage: 3 Hr	7131	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13090 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7122	<b>2023 SDLOOL 323W Mini Skid Steer Loader (Unused)</b> S/N: SL323750 C/W: Open Operator Station, Joystick Steering, 2023 US EPA Label, Manual Coupler, 41 in Bucket Usage: Not Available	7132	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13081 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7123	<b>2023 Power X PX320-L Mini Skid Steer Loader (Unused)</b> S/N: JZY202306546 C/W: Open Operator Station, 2023 US EPA Label, Manual Coupler, 42 in Bucket Usage: 22 Hr	7133	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13091 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7124	<b>PX320-L Mini Skid Steer Loader (Unused)</b> S/N: JZY202307210 C/W: Open Operator Station, Manual Coupler, 42 in Bucket Usage: Not Available	7134	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC13BS624 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7125	<b>PX320-L Mini Skid Steer Loader (Unused)</b> S/N: JZY20237177 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 42 in Usage: Not Available	7135	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13083 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7126	<b>2023 CFG KU45 Mini Excavator (Unused)</b> S/N: KU4523092601F C/W: Enclosed Cab, Air Conditioner, 2023 US EPA Label, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Digging Bucket, Manual Thumb Usage: 2 Hr	7136	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13082 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7127	<b>2023 AGT NT45 Mini Excavator (Unused)</b> S/N: NT4523092601F C/W: Enclosed Cab, Tier 4, 2023 US EPA Label, Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9.5 in Rubber Tracks, 20 in Digging Bucket, Manual Thumb Usage: 1 Hr	7137	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13085 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7128	<b>2023 CFG STE35SR Mini Excavator</b> S/N: Not Available C/W: Enclosed Cab, Swing Boom, 4 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Hydraulic Quick Coupler, 17 in Digging Bucket, Hydraulic Thumb Usage: Not Available	7138	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13089 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7129	<b>2023 MMS MS16S Mini Excavator (Unused)</b> S/N: MS16SBS008 C/W: 2023 US EPA Label, 3 ft Stick, Auxiliary Hydraulic Plumbing, 6 in Rubber Tracks, 16 mm Digging Bucket, Manual Thumb Usage: Not Available	7139	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13080 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7130	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13079 C/W: 2023 US EPA Label, 2 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available		



Lot #	Details	Lot #	Details
7140	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13075 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7150	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR610 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7141	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13076 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7151	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR621 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7142	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13073 C/W: 2023 US EPA Label, 2 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7152	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR620 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7143	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VC13BS623 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7153	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR611 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7144	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR640 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7154	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633962 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7145	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR638 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7155	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633954 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7146	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR642 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7156	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633942 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7147	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR641 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7157	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422591817 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr
7148	<b>2023 MMS MS13C Mini Excavator (Unused)</b> S/N: MS13CR645 C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7158	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633955 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7149	<b>2023 MMS MS13C Mini Excavator</b> S/N: Not Available C/W: Enclosed Cab, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available		

Lot #	Details	Lot #	Details
7159	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633633 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7167	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422567756 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7160	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422633806 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7168	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633635 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7161	<b>2023 FF Industrial FF-13 Mini Excavator (Unused)</b> S/N: 422586234 C/W: Enclosed Cab, 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7169	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422568381 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
7162	<b>2023 VICSEC VC13 Mini Excavator (Unused)</b> S/N: VCR13074 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7170	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633880 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7163	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633931 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7171	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422567921 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
7164	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633935 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	7172	<b>2023 FF Industrial FF-12 Mini Excavator</b> S/N: Not Available C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7165	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633798 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7173	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633618 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7166	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633656 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7174	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633632 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available

Lot #	Details	Lot #	Details
7175	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422633940 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7185	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308061 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7176	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422591794 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7186	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308063 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7177	<b>2023 FF Industrial FF-12 Mini Excavator (Unused)</b> S/N: 422592112 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7187	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308062 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7178	<b>2023 FF Industrial FF-12 Mini Excavator</b> S/N: Not Available C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7188	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308065 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7179	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308055 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7189	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308064 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7180	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308056 C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7190	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308066 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
7181	<b>2023 DLK DK12 Mini Excavator</b> S/N: Not Available C/W: 2023 US EPA Label, CARB Compliant, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7191	<b>2023 VICSEC DY12 Mini Excavator (Unused)</b> S/N: DY12R2307 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7183	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308060 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	7192	<b>2023 DOWAY DY12 Mini Excavator</b> S/N: Not Available C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
7184	<b>2023 DLK DK12 Mini Excavator (Unused)</b> S/N: DK122308059 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	7193	<b>2023 DOWAY DY12 Mini Excavator (Unused)</b> S/N: DY12R2310 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 1 Hr

Lot #	Details	Lot #	Details
7194A	<b>2023 MMS MS12 Mini Excavator (Unused)</b> S/N: MS12R2319 C/W: 2 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 6 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket, Manual Thumb Usage: 1 Hr	7202	<b>Genie Z6034 4WD Diesel Articulating Boom Lift</b> S/N: Not Available C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Deutz 4 Cylinder Diesel Engine Usage: Not Available
7194	<b>2023 MMS MS12 Mini Excavator</b> S/N: Not Available C/W: 2 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 6 in Rubber Tracks, 12 in Digging Bucket, Manual Thumb Usage: Not Available	7203	<b>2001 JLG 600A 4WD Diesel Articulating Boom Lift</b> S/N: Not Available C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Deutz 4 Cylinder Diesel Engine, 14x17.5 Tires Usage: Not Available
7195	<b>2023 AGT L12 Mini Excavator</b> S/N: Not Available C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	7207	<b>2013 Genie Z-45/25J 4WD Diesel Articulating Boom Lift</b> S/N: Not Available C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 2013 US EPA Label, Deutz D2.9 L4 4 Cylinder 49 hp 2.9 L Diesel Engine, 315/55D20 Foam-Filled Tires Usage: Not Available
7196	<b>2023 AGT L12 Mini Excavator (Unused)</b> S/N: 422677100 C/W: 2023 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7209	<b>1999 Genie Z34/22N Articulating Boom Lift</b> S/N: 1446 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 22 x 7 x 17. 3 /4 Solid Tires Usage: 18,523 Hr
7197	<b>2023 AGT L12 Mini Excavator (Unused)</b> S/N: 422677096 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	7210	<b>2019 Haulotte 55XA 4WD Articulating Boom Lift</b> S/N: 2065040 C/W: 55 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 2018 US EPA Label, Kubota Gasoline Engine, 26x12 Tires Usage: Not Available
7198	<b>2023 AGT L12 Mini Excavator (Unused)</b> S/N: 422677294 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	7213	<b>2014 Genie S60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X1427333 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, 2013 US EPA Label, Deutz D29L4 4 Cylinder 36.4 kW 2.92 L Diesel Engine, 355 /55D625 Tires Usage: 2,842 Hr
7199	<b>2023 AGT L12 Mini Excavator (Unused)</b> S/N: 422677223 C/W: 2023 US EPA Label, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket, Manual Thumb Usage: Not Available	7214	<b>2008 JLG 600S 2WD Diesel Telescopic Boom Lift</b> S/N: 0300120620 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Onboard Generator, 15-19.5 Tires Usage: 5,038 Hr
7200	<b>2023 AGT QH12 Mini Excavator</b> S/N: Not Available C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	7215	<b>2008 JLG 600S 4WD Diesel Telescopic Boom Lift</b> S/N: 0300125484 C/W: 60 ft Max Lift Height, Onboard Generator, 4 Cylinder Diesel Engine Usage: 5,983 Hr
7201A	<b>2018 Genie Z62/40 4WD Diesel Articulating Boom Lift</b> S/N: Z62H3951 C/W: 62 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Deutz D2.9 L4 4 Cylinder 49 hp 2.9 L Diesel Engine, 355 /55D625 Tires Usage: 2,037 Hr	7216	<b>1999 JLG 600S 4WD Diesel Telescopic Boom Lift</b> S/N: 0300041579 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, 4 Cylinder Diesel Engine, 15-19.5 Tires Usage: 6,448 Hr

Lot #	Details	Lot #	Details
7218	<b>2005 JLG 460SJ Diesel Telescopic Boom Lift</b> S/N: 0300085611 C/W: 46 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 3 Cylinder Diesel Engine, 12-16.5 Aperture Tires Usage: 6,055 Hr	7230	<b>2016 JLG 260MRT Scissor Lift</b> S/N: 0200252312 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 1.01 L Diesel Engine Usage: 629 Hr
7219	<b>2008 Altec AT37-GW Crawler Carrier Aerial Lift w/ Altec AT37-GW</b> S/N: 0708DE9804 C/W: 300 lb Capacity, Center Mounted, One-Person Articulated Boom, Out and Down Outriggers, Rear Outriggers, Remote Control w /Cord, 12 in Rubber Tracks Usage: 2,052 Hr	7233	<b>2017 JLG 3246ES Electric Scissor Lift</b> S/N: 200263302 C/W: 31.75 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 329 Hr
7220	<b>2013 Genie TZ50/30 50 ft Towable Lift</b> S/N: TZ5013-642 C/W: 50 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 453 Hr	7234	<b>2015 JLG 3246ES Electric Scissor Lift</b> S/N: 0200240860 C/W: 31.75 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 363 Hr
7223	<b>2005 JLG RT3394 4x4 Diesel Scissor Lift</b> S/N: 0200130313 C/W: 10.1 m Max Lift Height, 2000 lb Max Weight Capacity, Platform Extension, Foam Filled Tires, Upper Control Box, 2004 US EPA Label, Deutz F3M 2011 3 Cylinder 49 hp 2.33 L Diesel Engine Usage: Not Available	7235B	<b>Genie GS3246 Scissor Lift</b> S/N: 17780 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 380 Hr
7226	<b>2015 Genie GS-3369RT Scissor Lift</b> S/N: GS6915-7216 C/W: 32.67 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Stabilizers, Upper Control Box, 2014 US EPA Label, Kubota WG972-GL-ET 3 Cylinder 962.0 cc Dual Fuel Engine Usage: 1,121 Hr	7235A	<b>2016 Genie GS-3246 Electric Scissor Lift</b> S/N: GS4616A138079 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 111 Hr
7227	<b>2006 JLG RT3394 Scissor Lift</b> S/N: 0200150160 C/W: 33 ft Max Lift Height, 2250 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box, Deutz 6DZXL03 3 Cylinder 49 hp 2.33 L Diesel Engine Usage: 545 Hr	7238	<b>Genie GS3232 Electric Scissor Lift</b> S/N: 001292 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 179 Hr
7228	<b>2018 Skyjack SJ6832RT 4x4 Dual Fuel Scissor Lift</b> S/N: 37013482 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,690 Hr	7240	<b>2002 Genie GS-2646 Scissor Lift</b> S/N: 42182 C/W: 32 m Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 465 Hr
7229	<b>2006 Genie GS-2668 Scissor Lift</b> S/N: GS680645756 C/W: 26 m Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Upper Control Box, 2 Cylinder Dual Fuel Engine Usage: 1,601 Hr	7245	<b>2008 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27004702 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 209 Hr
		7246	<b>2016 Genie GS2632 Scissor Lift</b> S/N: GS3216P-145906 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 305 Hr

Lot #	Details	Lot #	Details
7247A	<b>2016 Genie GS-2632 Electric Scissor Lift</b> S/N: GS3216P-144746 C/W: 26 m Max Lift Height, Platform Extension, Onboard Generator, Remote Control Usage: Not Available	7257	<b>2016 Haulotte H2632E Scissor Lift</b> S/N: CE501416 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7247	<b>2016 Genie GS2632 Scissor Lift</b> S/N: GS3216P-144777 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 343 Hr	7260	<b>2012 Skyjack SJIII-3219 Electric 24volt Scissor Lift</b> S/N: 22041405 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 140 Hr
7250	<b>Genie GS2632 Electric Scissor Lift</b> S/N: 48792 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 551 Hr	7261D	<b>2015 Snorkel S3219E Electric Scissor Lift</b> S/N: S3219E-04-000400 C/W: 19 ft Max Lift Height, Platform Extension, Onboard Generator, Non-Marking Tires, Remote Control Usage: Not Available
7251	<b>2016 Haulotte 2632E Scissor Lift</b> S/N: CE501306 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7261C	<b>2015 Snorkel S3219E Electric Scissor Lift</b> S/N: S3219E-04-000839 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 812 Hr
7252	<b>2017 Haulotte H2632E Electric Scissor Lift (Inoperable)</b> S/N: CE502300 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7261B	<b>2015 Snorkel S3219E Electric Scissor Lift</b> S/N: S3219E-04-000937 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 769 Hr
7253	<b>2017 Haulotte H2632E Electric Scissor Lift</b> S/N: CE502328 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7261A	<b>2015 Snorkel S3219E Electric Scissor Lift</b> S/N: S3219E-04-000928 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7254	<b>2017 Haulotte H2632E Electric Scissor Lift</b> S/N: CE502327 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7262	<b>2000 JLG 1932E2 Electric Scissor Lift</b> S/N: 0200066658 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7255	<b>2017 Haulotte H2632E Electric Scissor Lift</b> S/N: CE502310 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7265	<b>2017 Genie GS-1930 Scissor Lift</b> S/N: GS30P-177845 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7256	<b>2017 Haulotte H2632E Electric Scissor Lift</b> S/N: CE502329 C/W: 26 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7266	<b>2017 Genie GS-1930 Scissor Lift</b> S/N: GS3016P-158046 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available

Lot #	Details	Lot #	Details
7267	<b>2017 Genie GS-1930 Scissor Lift</b> S/N: GS30P-177702 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7277	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P156910 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 133 Hr
7268	<b>2017 Genie GS-1930 Scissor Lift</b> S/N: GS30P177840 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 104 Hr	7278	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-156833 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 413 Hr
7269	<b>2017 Genie GS-1930 Scissor Lift</b> S/N: GS30P-174638 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 122 Hr	7279	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-154624 C/W: 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 418 Hr
7270	<b>2017 Genie GS1930 Scissor Lift</b> S/N: GS30P-170033 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 250 Hr	7280	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-156603 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7271	<b>2017 Genie GS1930 Scissor Lift</b> S/N: GS30P-171008 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 332 Hr	7282	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A146639 C/W: 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 207 Hr
7272	<b>2017 Genie GS1930 Electric Scissor Lift</b> S/N: GS30P-175880 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: Not Available	7284	<b>2015 Genie GS1930 Scissor Lift</b> S/N: GS3015A-143211 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 240 Hr
7273	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-156647 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 208 Hr	7285	<b>2015 Genie GS1930 Scissor Lift</b> S/N: GS3015A-144578 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 320 Hr
7274	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-157770 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: Not Available	7286	<b>2015 Genie GS1930 Scissor Lift</b> S/N: GS3015A-146455 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 336 Hr
7275	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P-157224 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 388 Hr	7293	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A120587 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
7276	<b>2016 Genie GS1930 Scissor Lift</b> S/N: GS3016P156904 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 400 Hr		

Lot #	Details	Lot #	Details
7294	<b>2011 Genie GS-1930 Electric Scissor Lift</b> S/N: GS3011A-101223 C/W: 19 ft Max Lift Height, Platform Extension, Onboard Generator, Non-Marking Tires, Remote Control Usage: 291 Hr	7306A	<b>2015 Genie GR-20 Vertical Mast Lift</b> S/N: GR15-37990 C/W: 350 lb Max Weight Capacity, Platform Extension, Onboard Generator Usage: Not Available
7295	<b>2020 MEC Micro19 Electric Scissor Lift</b> S/N: 16909633 C/W: 18.4 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 44 Hr	7309	<b>2002 JLG Axxessor 20DVL Vertical Mast Lift</b> S/N: 0130004025 C/W: 19.5 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform, Solid Tires Usage: Not Available
7296	<b>2020 MEC Electric Scissor Lift</b> S/N: 16909632 C/W: 18.4 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Upper Control Box Usage: 88 Hr	7310	<b>2014 Ballymore PS-150H Vertical Mast Lift</b> S/N: 3201-9 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 142 Hr
7298	<b>2018 MEC 1330SE Electric Scissor Lift</b> S/N: 16302985 C/W: 13 ft Max Lift Height, 530 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	7311	<b>2014 Ballymore PS-150H Vertical Mast Lift</b> S/N: 3201-16 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 7,752 Hr
7299A	<b>2016 JLG 41AM Vertical Mast Lift</b> S/N: 0900036700 C/W: Onboard Generator, Stabilizers, Battery Pack Usage: Not Available	7312	<b>2014 Ballymore PS-150H Vertical Mast Lift</b> S/N: 320114 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 1,091 Hr
7299	<b>Ballymore Electric Scissor Lift</b> S/N: Not Available C/W: 500 lb Max Weight Capacity, Platform Extension, Upper Control Box Usage: 104 Hr	7313	<b>2014 Ballymore PS-150H Vertical Mast Lift</b> S/N: 3201-8 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: 1,189 Hr
7301	<b>2016 Genie AWP-30SDC Vertical Mast Lift</b> S/N: AWP16G-86718 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Upper Control Box Usage: Not Available	7314	<b>2015 Ballymore PS-150L Vertical Mast Lift</b> S/N: BA140827-41 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: Not Available
7302B	<b>2015 Genie AWP-25S Vertical Mast Lift</b> S/N: AWP15-83343 C/W: Onboard Generator, Stabilizers, Battery Pack Usage: Not Available	7315	<b>2015 Ballymore PS140H Vertical Mast Lift</b> S/N: BA150701-214 C/W: 12 ft 2 in Max Lift Height, 650 lb Max Weight Capacity, Upper Control Box, Solid Tires Usage: Not Available
7302A	<b>2007 Genie AWP-30S Vertical Mast Lift</b> S/N: AWP07-57539 C/W: 350 lb Max Weight Capacity, Stabilizers, Battery Pack Usage: Not Available	7316	<b>2015 Ballymore PS-140H Vertical Mast Lift</b> S/N: BA150701-165 C/W: 12 ft Max Lift Height, 650 lb Max Weight Capacity Usage: Not Available
7302	<b>Genie AWP 30S Vertical Mast Lift</b> S/N: AWP1479898 C/W: 29 ft 6 in Max Lift Height, 350 lb Max Weight Capacity, Upper Control Box Usage: Not Available	7317	<b>2014 Ballymore PS-140H Vertical Mast Lift</b> S/N: 405246 C/W: 13 ft 8 in Max Lift Height, 450 lb Max Weight Capacity Usage: Not Available
7306B	<b>2014 Genie GR-20 Vertical Mast Lift</b> S/N: GR14-30899 C/W: 350 lb Max Weight Capacity, Platform Extension, Onboard Generator, Remote Control Usage: Not Available	7318	<b>2014 Ballymore PS-150H Vertical Mast Lift</b> S/N: 3301-31 C/W: 15 ft Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box, Solid Tires Usage: 10,007 Hr
		7319	<b>2015 Ballymore PS-140H Vertical Mast Lift</b> S/N: BA150601-107 C/W: 12 ft 2 in Max Lift Height, 650 lb Max Weight Capacity, Upper Control Box, Solid Tires Usage: Not Available



Lot #	Details	Lot #	Details
7320	<b>2007 JLG 1230ES Vertical Mast Lift</b> S/N: A200007621 C/W: Onboard Generator, Non-Marking Tires, Remote Control Usage: 524 Hr	7332	<b>2015 Toyota 8FDU25 4500 lb Pneumatic Tire Forklift</b> S/N: 60500 C/W: 2 Stage Mast, 189 in Max Lift Height, 85 in Lowered Mast Height, 47 in Forks, Side Shift, 2015 US EPA Label, Toyota 3 Cylinder 56 kW 1.79 L Diesel Engine Usage: 2,987 Hr
7321	<b>2013 Skyjack SJ12 Vertical Mast Lift</b> S/N: 14002920 C/W: Onboard Generator, Non-Marking Tires, Remote Control Usage: 270 Hr	7337	<b>2017 Komatsu FG25T-16 Pneumatic Tire Forklift</b> S/N: A413842 C/W: 3 Stage Mast, Full Free Lift, 188 in Max Lift Height, 80 in Lowered Mast Height, 41 in Forks, Side Shift, Solid Pneumatic Tires, Tier 2, 2017 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: Not Available
7322	<b>2013 Skyjack SJ12 Vertical Mast Lift</b> S/N: 14002376 C/W: Platform Extension, Onboard Generator, Non-Marking Tires Usage: 263 Hr	7339	<b>Komatsu FG25T-16 Pneumatic Tire Forklift</b> S/N: A413843 C/W: 3 Stage Mast, Full Free Lift, 188 in Max Lift Height, 80 in Lowered Mast Height, 41 in Forks, Side Shift, Solid Pneumatic Tires, Tier 2, 2017 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 5,129 Hr
7323	<b>2013 Ballymore Amazon Concept Vertical Mast Lift</b> S/N: 00001 C/W: 10 ft 3 in Max Lift Height, 500 lb Max Weight Capacity, Upper Control Box Usage: Not Available	7340	<b>Daewoo G25E Pneumatic Tire Forklift</b> S/N: CW-00375 C/W: 3 Stage Mast, 186 in Max Lift Height, 80 in Lowered Mast Height, 41 in Forks, Side Shift, Solid Pneumatic Tires, Daewoo 4 Cylinder Dual Fuel Engine Usage: 3,381 Hr
7324	<b>2016 Sumner 2124 Material Hoist</b> S/N: 26958 Usage: Not Available	7341C	<b>2021 Doosan G20SC-5 3300 lb Cushion Tire Forklift</b> S/N: FGA03179002099 C/W: 3 Stage Mast, 202 in Max Lift Height, 80 in Lowered Mast Height, 47 in Forks, Side Shift, 2021 US EPA Label, Woodward 4 Cylinder 48.7 kW 2.4 L LPG Engine Usage: 2,334 Hr
7325	<b>2015 Lift Smart MLM-16 Material Hoist (Inoperable)</b> S/N: MLM18-000757 C/W: To Fit LiftSmart MILM-16 STD BASE /FORKS Usage: Not Available	7341B	<b>2015 Doosan G30E-5 5450 lb Pneumatic Tire Forklift</b> S/N: FGA09179003430 C/W: 3 Stage Mast, 189 in Max Lift Height, 60 in Forks, Side Shift, Solid Pneumatic Tires, 2016 US EPA Label, Woodward 4 Cylinder 48.7 kW 2.4 L LPG Engine Usage: 7,588 Hr
7326	<b>Liftsmart MLM-16 Material Hoist</b> S/N: Not Available Usage: Not Available	7342	<b>TCM FCG15-4L 2350 lb Cushion Tire Forklift</b> S/N: A49A00241 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, Tier 2, 2007 US EPA Label, CARB Compliant, Nissan 7NSXB02.147C 4 Cylinder 2.1 L LPG Engine Usage: 2,547 Hr
7327	<b>Ingersoll Rand EU Air Winch Construction Hoist</b> S/N: V1150 C/W: 4 Pod Air Motor Usage: Not Available	7343	<b>2004 Moffett M5500W4W 5500 lb 3x3 Truck Mounted Forklift</b> S/N: D380097 C/W: 2 Stage Mast, 144 in Max Lift Height, 105 in Lowered Mast Height, 47 in Forks, US EPA Label, Kubota V2203-ES 4 Cylinder 2.2 L Diesel Engine Usage: 2,885 Hr
7328	<b>2000 Yale GLC100MGNGAE090BCS 10000 lb Cushion Tire Forklift</b> S/N: B818N01968X C/W: 3 Stage Mast, 191 in Max Lift Height, 88 in Lowered Mast Height, 42 in Forks, 6 Cylinder LPG Engine Usage: Not Available		
7329	<b>Cat DP70 14300 lb Pneumatic Tire Forklift</b> S/N: T20C60143 C/W: Single Stage Mast 177 in Max Lift Height, 130 in Lowered Mast Height, 72 in Forks, Side Shift, Solid Pneumatic Tires, 6 Cylinder Diesel Engine Usage: 15,447 Hr		
7330	<b>2013 Komatsu FG25T-16 4650 lb Pneumatic Tire Forklift</b> S/N: A410046 C/W: 3 Stage Mast, 188 in Max Lift Height, 48 in Forks, Side Shift, Solid Pneumatic Tires, Tier 2, 2013 US EPA Label, 4 Cylinder 2.1 L LPG Engine Usage: 1,069 Hr		

Lot #	Details	Lot #	Details
7344	<b>2019 Hubtek MSU45/2240 9900 lb Multi-Directional Electric Forklift</b> S/N: 67417 C/W: 240.2 in Max Lift Height, 44 in Forks, 72 V, Battery Charger Usage: Not Available	7355	<b>Ballymore 2200 lb Electric Pallet Jack</b> S/N: Not Available C/W: 2200 lb Capacity, Battery Charger Usage: Not Available
7345	<b>Hubtek MSU45/2240 9900 lb Electric Forklift</b> S/N: 67416 C/W: 240.2 in Max Lift Height, 44 in Forks, 72 V, Battery Charger Usage: Not Available	7356	<b>Ballymore 2200 lb Electric Pallet Jack (Unused)</b> S/N: Not Available Usage: Not Available
7346	<b>2023 TRANER TR15 2000 kg Electric Forklift (Unused)</b> S/N: TR15230804 C/W: 2 Stage Mast, 4000 mm Max Lift Height, 84 in Lowered Mast Height, 42 in Forks Usage: 39 Mi	7357	<b>Ballymore 2200 lb Electric Pallet Jack</b> S/N: Not Available C/W: 2200 lb Capacity, Battery Charger Usage: Not Available
7347	<b>2023 TRANER TR20 2000 kg Electric Forklift (Unused)</b> S/N: TRR20230801 C/W: 2 Stage Mast, 4000 mm Max Lift Height, 84 in Lowered Mast Height, 42 in Forks Usage: 39 Mi	7358	<b>Ballymore 2200 lb Electric Pallet Jack</b> S/N: Not Available C/W: 2200 lb Capacity, Battery Charger Usage: Not Available
7348	<b>Clark TMG15 Electric Forklift</b> S/N: TMG2481357484FB C/W: 3 Stage Mast, 188 in Max Lift Height, 48 in Forks, Side Shift, 36 V Usage: Not Available	7359	<b>22 ft 30 cy Roll-Off Container</b> S/N: Not Available C/W: 22 ft Long x 7 ft 10 in Wide x 6 ft 2 in High Usage: Not Available
7349	<b>Toyota 5FBCU25 4000 lb Electric Forklift</b> S/N: 61112 C/W: 3 Stage Mast, 1218 in Max Lift Height, 41 in Forks, Side Shift, 36 V Usage: 14,763 Hr	7360	<b>14 ft Roll-Off Container</b> S/N: Not Available C/W: 14 ft Long x 8 ft Wide x 4 ft High Usage: Not Available
7350	<b>2022 Toyota 9BRU23 4500 lb Electric Forklift</b> S/N: 9BRU23-42812 C/W: 3 Stage Mast, 366 in Max Lift Height, 158 in Lowered Mast Height, 42 in Forks, Side Shift, 36 V, Battery Charger Usage: 616 Hr	7361	<b>2024 Global 16 ft (Unused)</b> S/N: GLO202001 C/W: 16 ft Body Length Usage: Not Available
7351	<b>2022 Toyota 9BRU23 4500 lb Electric Forklift</b> S/N: 9BRU23-42809 C/W: 3 Stage Mast, 366 in Max Lift Height, 151 in Lowered Mast Height, 44 in Forks, Side Shift, 36 V, Battery Charger Usage: 653 Hr	7362	<b>Ox Truck Dump Body</b> S/N: Not Available C/W: Steel, 15 ft 5 in Body Length Usage: Not Available
7352	<b>2021 Toyota 9BRU23 4500 lb Electric Forklift</b> S/N: 9BRU23-41870 C/W: 3 Stage Mast, 366 in Max Lift Height, 156 in Lowered Mast Height, 42 in Forks, Side Shift, Fork Positioner, Push/Pull Attachment, 36 V, Battery Charger Usage: 1,955 Hr	7363	<b>Truck Dump Body</b> S/N: Not Available C/W: Steel, 18 ft Body Length Usage: Not Available
7353	<b>Ballymore 2200 lb Electric Pallet Jack</b> S/N: Not Available C/W: 2200 lb Capacity, Battery Charger Usage: Not Available	7364	<b>Galion 400U-10 Truck Dump Body</b> S/N: B112295 C/W: 10 ft Body Length Usage: Not Available
7354	<b>Ballymore 2200 lb Electric Pallet Jack</b> S/N: Not Available C/W: 2200 lb Capacity, Battery Charger Usage: Not Available	7365	<b>D-Icer Electric Truck Dump Body</b> S/N: 12-00512 C/W: Aluminum, Electric 8 ft 10 in Body Length Usage: Not Available
		7366	<b>2017 Adkins Service Body</b> S/N: 12484-09-2017 C/W: 12 ft Body Length Usage: Not Available
		7367	<b>Reading Service Body</b> S/N: Not Available C/W: Steel, 9 ft Body Length Usage: Not Available
		7368C	<b>Utility Body</b> S/N: 873798 C/W: Steel, 8 ft 4 in Body Length Usage: Not Available
		7368B	<b>Utility Box</b> S/N: Not Available C/W: Steel, 8 ft 4 in Body Length Usage: Not Available

Lot #	Details	Lot #	Details
7368A	<b>Utility Body</b> S/N: 874253 C/W: Steel, 8 ft 4 in Body Length Usage: Not Available	7383	<b>Fisher Salt Spreader</b> S/N: Not Available Usage: Not Available
7368	<b>Knapheide Utility Body</b> S/N: Not Available C/W: Steel, 8 ft 3 in Body Length Usage: Not Available	7384	<b>Monroe MP41R10-ISCT 10 ft 2 Way Snow Plow - Fits Truck</b> S/N: 00061553 Usage: Not Available
7369	<b>Hy-Way Super P 8 ft Salt Spreader</b> S/N: 118270 C/W: To Fit Hi-way, 2016 US EPA Label, Honda Gasoline Engine Usage: Not Available	7385	<b>Meyer SV2-9.5 10 ft Power-V Snow Plow - Fits Truck</b> S/N: 00020709235 Usage: Not Available
7370	<b>Air-Flo Electric Salt Spreader</b> S/N: PSV021962 Usage: Not Available	7386	<b>Blizzard 9000HD 9 ft 1 Way Snow Plow</b> S/N: 11092920037857513 Usage: Not Available
7371	<b>Quantity of (3) SaltDogg Electric Salt Spreader - Fits Truck</b> S/N: Not Available C/W: To Fit Salt Dogg Usage: Not Available	7387	<b>Fisher Storm Guard 9 ft Snow Plow</b> S/N: 13093020968129000 Usage: Not Available
7372	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: Not Available Usage: Not Available	7388	<b>Fisher Storm Guard 9 ft Snow Plow</b> S/N: Not Available Usage: Not Available
7373	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: Not Available Usage: Not Available	7389	<b>Fisher Storm Guard 9 ft Snow Plow</b> S/N: Not Available Usage: Not Available
7374	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: Not Available Usage: Not Available	7390	<b>Western 8 ft 6 in 2 Way Snow Plow</b> S/N: Not Available Usage: Not Available
7375	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: 141029300110 Usage: Not Available	7391	<b>Blizzard 8000HD 8 ft Snow Plow</b> S/N: 11032520784457511 Usage: Not Available
7376	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: 140730300082 Usage: Not Available	7392	<b>Fisher Storm Guard 8 ft Snow Plow</b> S/N: Not Available Usage: Not Available
7377	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: 141029300111 Usage: Not Available	7393	<b>Fisher Storm Guard 8 ft Snow Plow</b> S/N: Not Available Usage: Not Available
7378	<b>SnowEx Super Max II 9300X Salt Spreader (Inoperable)</b> S/N: 140730300084 Usage: Not Available	7394	<b>8 ft Snow Plow</b> S/N: Not Available Usage: Not Available
7379	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: Not Available Usage: Not Available	7395	<b>2010 Boss 8 ft 6 in Snow Plow</b> S/N: BC049000 Usage: Not Available
7380	<b>SnowEx Super Max II 9300X Salt Spreader</b> S/N: Not Available Usage: Not Available	7396	<b>2010 Boss 8 ft 6 in Snow Plow</b> S/N: BC039562 Usage: Not Available
7381	<b>Hydraulic Salt Spreader</b> S/N: Not Available Usage: Not Available	7397	<b>Blizzard 7600HD 7 ft 5 in 1 Way Snow Plow</b> S/N: 10102820006857510 Usage: Not Available
7382	<b>Fisher 500 Salt Spreader</b> S/N: Not Available Usage: Not Available	7398	<b>10 ft 2 Way Snow Plow - Fits Truck</b> S/N: Not Available Usage: Not Available
		7399	<b>Freightliner Truck Hood</b> S/N: Not Available Usage: Not Available
		7400	<b>Truck Hood</b> S/N: Not Available C/W: Freightliner Usage: Not Available

Lot #	Details	Lot #	Details
7401	<b>2024 Global Headache Rack (Unused)</b> S/N: Not Available Usage: Not Available	7419	<b>2023 4-Fuel.com 4F838 Gal 838 gal Skid Mounted Diesel Tank (Unused)</b> S/N: 000001443 C/W: 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available
7402	<b>2024 Global Headache Rack (Unused)</b> S/N: Not Available Usage: Not Available	7420	<b>2023 4-Fuel.com 4F838 Gal 838 gal Skid Mounted Steel Tank (Unused)</b> S/N: 000001444 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment, 120 v pump, 13 ft hose, fuel meter, auto nozzle, spill containment, CE marked Usage: Not Available
7403	<b>Quantity of (2) Fifth Wheel</b> S/N: Not Available Usage: Not Available	7421	<b>2023 Emiliana Serbatoi AM-TANK 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: TF80372 C/W: Automatic Shut-Off Nozzle Usage: Not Available
7404	<b>Pickup Truck Bed</b> S/N: Not Available C/W: Steel, To Fit Ford, 8 ft Body Length Usage: Not Available	7426	<b>2023 4-Fuel.com 4F116 Gal 116 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001445 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available
7405	<b>Pickup Truck Bed</b> S/N: Not Available C/W: Steel, To Fit Ford, 8 ft Body Length Usage: Not Available	7427	<b>2023 4-Fuel.com 4F116 Gal 116 gal Skid Mounted Poly Diesel Tank (Unused)</b> S/N: 000001446 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
7406	<b>Hydraulic Lift Gate</b> S/N: Not Available Usage: Not Available	7431	<b>2023 4-Fuel.com 4F116 Gal 116 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001447 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available
7407	<b>Electric Lift Gate - Fits Truck</b> S/N: 0909156761 C/W: Aluminum, Electric Usage: Not Available	7432	<b>2023 4-Fuel.com 4F116 Gal 116 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001448 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, for pick-up trucks, CE marked Usage: Not Available
7410	<b>Quantity of (4) 275/70R22.5 Tires</b> S/N: Not Available Usage: Not Available	7433	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001449 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available
7411	<b>Quantity of (2) 315/80R22.5 Tires</b> S/N: Not Available Usage: Not Available	7434	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001450 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available
7412	<b>Quantity of (4) 215/75R17.5 Tires</b> S/N: Not Available Usage: Not Available	7435	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001451 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available
7413	<b>Ballymore PLD Electric Portable Loading Dock</b> S/N: 60220900024 Usage: 2 Hr		
7414	<b>2023 4-Fuel.com 4F2330 Gal 2330 gal Skid Mounted Diesel Tank (Unused)</b> S/N: 000001440 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter Usage: Not Available		
7415	<b>2023 4-Fuel.com 4F2330 Gal 2330 gal Skid Mounted Steel Diesel Tank (Unused)</b> S/N: 000001441 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Spill Containment Usage: Not Available		
7416	<b>2023 4-Fuel.com 4F1100 Gal 1100 gal Skid Mounted Steel Diesel Tank (Unused)</b> S/N: 000001442 C/W: 120 V Transfer Pump, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available		

Lot #	Details	Lot #	Details
7436	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001454 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available	7453	<b>2017 Multiquip WBH16F Concrete Buggy</b> S/N: 170124 C/W: Hydrostatic Drive, 2016 US EPA Label, Honda GX390 Gasoline Engine Usage: Not Available
7437	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001452 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available	7454	<b>Multiquip MC94PH8 Portable Concrete Mixer</b> S/N: C1952132 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7438	<b>2023 4-Fuel.com 4F58 Gal 58 gal Portable Poly Diesel Tank (Unused)</b> S/N: 000001453 C/W: 12 v transfer pump, 13 ft hose, auto-nozzle, CE marked Usage: Not Available	7455	<b>2017 Imer WHEELMANII Portable Concrete Mixer</b> S/N: G009531648 C/W: .37 kW Usage: Not Available
7446	<b>2023 Emiliana Serbatoi AM-TANK 29 29 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 14283F C/W: 12 V Transfer Pump, Automatic Shut-Off Nozzle Usage: Not Available	7456	<b>2017 Imer WHEELMANII Portable Concrete Mixer</b> S/N: G009531659 C/W: .37 kW Usage: Not Available
7447	<b>Skid-Mounted Poly Water Tank</b> S/N: Not Available Usage: Not Available	7459	<b>Allen 12HED Concrete Screed</b> S/N: Not Available C/W: Honda GX270 Engine Usage: Not Available
7448	<b>750 gal Skid Mounted Steel Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available	7460A	<b>Greatbear Vibratory Grizzly Screen (Unused)</b> S/N: 22HKNY3891017 C/W: 4 ft 11 in x 4 ft 5 in Double Deck Screen, 72 in Wide Feed Conveyor Usage: Not Available
7449D	<b>Steel Diesel Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump, Fuel Meter Usage: Not Available	7460	<b>Skid Mounted Roll Crusher</b> S/N: Not Available C/W: 24 in Wide Feed Conveyor, Honda GX270 1 Cylinder 9 hp Gasoline Engine Usage: Not Available
7449C	<b>105 gal Steel Diesel Fuel Tank</b> S/N: 104798 C/W: 12 V Transfer Pump, Fuel Meter Usage: Not Available	7461	<b>Quantity of (2) 4 ft 4 in x 20 ft Grizzly Rock Screens</b> S/N: Not Available C/W: 5 in on Center, 4 in Thick Usage: Not Available
7449B	<b>105 gal Steel Diesel Fuel Tank</b> S/N: 159452 C/W: 12 V Transfer Pump, Fuel Meter Usage: Not Available	7462	<b>Quantity of (2) 4 ft 4 in x 20 ft Grizzly Rock Screens</b> S/N: Not Available C/W: 3 in on Center, 4 in Thick Usage: Not Available
7449A	<b>Steel Diesel Fuel Tank</b> S/N: Not Available Usage: Not Available	7463	<b>Quantity of (2) 4 ft 4 in x 20 ft Grizzly Rock Screens</b> S/N: Not Available C/W: 3 in on Center, 4 in Thick Usage: Not Available
7449	<b>400 gal Stainless Steel Vac Tank</b> S/N: Not Available Usage: Not Available	7464A	<b>Quantity of (2) Entrance Grates</b> S/N: Not Available Usage: Not Available
7450	<b>Atlantic Fabritech Steel Tank</b> S/N: Not Available Usage: Not Available	7464	<b>Quantity of (2) 4 ft 4 in x 20 ft Grizzly Rock Screens</b> S/N: Not Available C/W: 5 in on Center, 4 in Thick Usage: Not Available
7452	<b>2017 Multiquip WBH16F Concrete Buggy</b> S/N: 161216 C/W: Hydrostatic Drive, 2017 US EPA Label, Honda Gasoline Engine Usage: Not Available	7465	<b>20 ft Ramp (Unused)</b> S/N: Not Available C/W: To Fit X-Star Usage: Not Available

Lot #	Details	Lot #	Details
7466	<b>20 ft Ramp (Unused)</b> S/N: Not Available C/W: To Fit X-Star Usage: Not Available	7483	<b>2017 Power Breezer PB10-A-06-B Evaporative Cooler</b> S/N: 52F0013994 Usage: Not Available
7467	<b>20 ft Ramp (Unused)</b> S/N: Not Available C/W: To Fit X-Star Usage: Not Available	7490	<b>2013 LEX PH360J3 Power Distribution Unit</b> S/N: D1303066 Usage: Not Available
7468	<b>1984 Adtira GHO1030 Hydraulic Shears Metal Shear</b> S/N: 11193231 Usage: Not Available	7491	<b>2013 LEX PH360J3 Power Distribution Unit</b> S/N: D1303063 Usage: Not Available
7469	<b>Quantity of REV 40HDT Drill</b> S/N: Not Available Usage: Not Available	7493	<b>2016 LEX DB200N1J10DM-63 Power Distribution Unit</b> S/N: H1606065 Usage: Not Available
7470	<b>Shenandoah Hot Oil Heater</b> S/N: 2339 Usage: Not Available	7494	<b>2016 LEX DB200N1J10DM-63 Power Distribution Unit</b> S/N: H1606064 Usage: Not Available
7471	<b>1996 WiWa 35633 Pneumatic Paint Sprayer</b> S/N: Not Available Usage: Not Available	7497	<b>Quantity of (12) Surplus Pressure Treated 8 x 8 x 24 Lumber</b> S/N: Not Available Usage: Not Available
7472	<b>Line Striper</b> S/N: Not Available Usage: Not Available	7498	<b>Quantity of (12) Surplus Pressure Treated 8 x 8 x 24 Lumber</b> S/N: Not Available Usage: Not Available
7473	<b>New York Blower Series 20 GI Electric Fan</b> S/N: Not Available Usage: Not Available	7499	<b>Quantity of (6) Surplus Pressure Treated 10 x 12 x 20 Lumber</b> S/N: Not Available Usage: Not Available
7474	<b>Quantity of (14) Pallets of Shelving</b> S/N: Not Available Usage: Not Available	7500	<b>Quantity of (20) Surplus Pressure Treated 6 x 10 x 20 Lumber</b> S/N: Not Available Usage: Not Available
7475	<b>2017 Linkit LKS300-3.2 Conveyor</b> S/N: 1225317 C/W: Channel Frame Usage: Not Available	7501	<b>Quantity of (20) Surplus Pressure Treated 6 x 8 x 20 Lumber</b> S/N: Not Available Usage: Not Available
7476	<b>2017 Linkit LKS300-3.2 Conveyor</b> S/N: 1229317 C/W: Channel Frame Usage: Not Available	7502	<b>Quantity of (6) Surplus Pressure Treated 10 x 12 x 18 Lumber</b> S/N: Not Available Usage: Not Available
7478	<b>2014 KwiKool SWAC 6043</b> S/N: PR00709 C/W: Propane Fueled Usage: Not Available	7503	<b>Quantity of (20) Surplus Pressure Treated 6 x 10 x 20 Lumber</b> S/N: Not Available Usage: Not Available
7479	<b>2014 KwiKool SWAC 6043</b> S/N: PR00708 C/W: Propane Fueled Usage: Not Available	7504	<b>Quantity of (6) Surplus Pressure Treated 7 x 16 x 18 Lumber</b> S/N: Not Available Usage: Not Available
7480	<b>MovinCool Classic 10 Electric Air Conditioner</b> S/N: 1110119C10 C/W: Single Phase Motor Usage: Not Available	7505	<b>Quantity of (16) Surplus Pressure Treated 8 x 10 x 18 Lumber</b> S/N: Not Available Usage: Not Available
7481	<b>2017 Power Breezer PB10-A-06-B Evaporative Cooler</b> S/N: 52F0013925 Usage: Not Available		
7482	<b>2017 Power Breezer PB10-A-06-B Evaporative Cooler</b> S/N: 52F0013993 Usage: Not Available		

Lot #	Details	Lot #	Details
7506	Quantity of (6) Surplus Pressure Treated 6 x 16 x 18 Lumber S/N: Not Available Usage: Not Available	7520	Quantity of (24) Surplus Pressure Treated 4 x 6 x 16 Lumber S/N: Not Available Usage: Not Available
7507	Quantity of (12) Surplus Pressure Treated 6 x 10 x 18 Lumber S/N: Not Available Usage: Not Available	7521	Quantity of (30) Surplus Pressure Treated 4 x 6 x 16 Lumber S/N: Not Available Usage: Not Available
7508	Quantity of (12) Surplus Pressure Treated 10 x 10 x 16 Lumber S/N: Not Available Usage: Not Available	7522	Quantity of (30) Surplus Pressure Treated 4 x 6 x 16 Lumber S/N: Not Available Usage: Not Available
7509	Quantity of (20) Surplus Pressure Treated 6 x 8 x 16 Lumber S/N: Not Available Usage: Not Available	7523	Quantity of (30) Surplus Pressure Treated 4 x 6 Lumber S/N: Not Available Usage: Not Available
7510	Quantity of (15) Surplus Pressure Treated 8 x 8 x 16 Lumber S/N: Not Available Usage: Not Available	7524	Quantity of (40) 2 in x 9 in x 14 ft Adjoining Planks of Lumber S/N: Not Available Usage: Not Available
7511	Quantity of (15) Surplus Pressure Treated 6 in x 6 in x 16 ft Lumber S/N: Not Available Usage: Not Available	7525	Lumber S/N: Not Available Usage: Not Available
7512	Quantity of (16) Surplus Pressure Treated 6 x 10 x 18 Lumber S/N: Not Available Usage: Not Available	7526	Quantity of (40) 2 in x 9 in x 16 ft Adjoining Planks of Lumber S/N: Not Available Usage: Not Available
7513	Quantity of (16) Surplus Pressure Treated 6 x 10 x 16 Lumber S/N: Not Available Usage: Not Available	7527	Quantity of (18) 8 in x 8 in x 18 ft Beams of Lumber S/N: Not Available Usage: Not Available
7514	Quantity of (24) Surplus Pressure Treated 6 in x 6 in x 20 ft Lumber S/N: Not Available Usage: Not Available	7528	Quantity of (40) 2 in x 9 in x 16 ft Planks of Lumber S/N: Not Available Usage: Not Available
7515	Quantity of (9) Surplus Pressure Treated 10 x 12 x 18 Lumber S/N: Not Available C/W: 12x10x18 Usage: Not Available	7529	Quantity of (40) 2 in x 9 in x 14 ft Adjoining Planks of Lumber S/N: Not Available Usage: Not Available
7516	Lumber S/N: Not Available Usage: Not Available	7530	Quantity of (35) 2 in x 9 in x 16 ft Adjoining Planks of Lumber S/N: Not Available Usage: Not Available
7517	Quantity of (24) Surplus Pressure Treated 6 x 6 x 16 Lumber S/N: Not Available Usage: Not Available	7531	Quantity of (40) 2 in x 9 in x 16 ft Adjoining Planks of Lumber S/N: Not Available Usage: Not Available
7518	Quantity of (24) Surplus Pressure Treated 4 x 12 x 16 Lumber S/N: Not Available Usage: Not Available	7532D	Quantity of (24) 16 ft x 12 in x 4 in Lumber S/N: Not Available Usage: Not Available
7519	Quantity of (24) Surplus Pressure Treated 6 x 8 x 16 Lumber S/N: Not Available Usage: Not Available	7532C	Quantity of (16) 16 ft x 6 in x 10 in Lumber S/N: Not Available Usage: Not Available
		7532B	Quantity of (20) 16 ft x 6 in x 8 in Lumber S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7532A	Quantity of (9) 18 ft x 12 in x 12 in Lumber S/N: Not Available Usage: Not Available	7548	Quantity of (6) 7 ft x 16 ft 8 in (1 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7532	Quantity of (24) 6 in x 8 in x 16 ft Beams of Lumber S/N: Not Available Usage: Not Available	7549	Quantity of (11) 7 ft x 12 ft (1 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7533	Quantity of (7) 40 ft Telephone Pole S/N: Not Available Usage: Not Available	7550	Quantity of (9) 8 ft x 9 ft 7 in (1 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7534	Quantity of (8) 35 ft - 40 ft Telephone Pole S/N: Not Available Usage: Not Available	7551	Quantity of (8) 5 ft 2 in x 9 ft 6 in (.75 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7535	Quantity of (9) 35 ft Telephone Pole S/N: Not Available Usage: Not Available	7552	Quantity of (5) 5 ft 10 in x 10 ft 1 in (1 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7536	Quantity of (10) 35 ft Telephone Pole S/N: Not Available Usage: Not Available	7553	Quantity of (8) 5 ft 3 in x 10 ft 5 in Steel Plates S/N: Not Available Usage: Not Available
7537	Quantity of (10) 30 ft Telephone Pole S/N: Not Available Usage: Not Available	7554	Quantity of (5) 5 ft 3 in x 10 ft 5 in (.75 in Thick) Steel Plates S/N: Not Available Usage: Not Available
7538	Quantity of (6) 20-29 ft Telephone Pole S/N: Not Available Usage: Not Available	7555	Quantity of (10) 6 ft 11 in x 14 ft 3 in Steel Plates S/N: Not Available Usage: Not Available
7539	Quantity of (10) 25 ft Telephone Pole S/N: Not Available Usage: Not Available	7556	Quantity of (9) Assorted Sized Steel Plates S/N: Not Available Usage: Not Available
7540	Quantity of (10) 24 ft Telephone Pole S/N: Not Available Usage: Not Available	7557	Quantity of (10) Assorted Sized Steel Plates S/N: Not Available Usage: Not Available
7541	Quantity of (10) 24 ft Telephone Pole S/N: Not Available Usage: Not Available	7558	Quantity of (11) Steel Plates S/N: Not Available Usage: Not Available
7542	Quantity of (10) 20 ft Telephone Pole S/N: Not Available Usage: Not Available	7559	Quantity of Traffic Control Devices S/N: Not Available C/W: Traffic cones, road barrels, road signs, sign stands Usage: Not Available
7543	Quantity of (10) 20 ft Telephone Pole S/N: Not Available Usage: Not Available	7560	Quantity of (3) Pallets of Road Signs S/N: Not Available Usage: Not Available
7544A	20 ft x 6 ft Trench Shield S/N: Not Available C/W: bars are 3 ft 6 in and 6 ft Usage: Not Available	7561	Quantity of (4) Pallets of Sign Stands S/N: Not Available Usage: Not Available
7544	Quantity of (2) 24 ft x 8 ft Trench Shield S/N: Not Available C/W: 4 in Thick Panels Usage: Not Available	7562	Quantity of (4) Pallets of Type III Road Barrier S/N: Not Available Usage: Not Available
7545	Quantity of Quantity (2) Trench Box Spreaders S/N: Not Available C/W: 6 ft & 7 ft Bars Usage: Not Available		
7547	Bedding Box S/N: Not Available Usage: Not Available		



Lot #	Details	Lot #	Details
7563	<b>2023 40 ft One-Way High Cube Storage Container</b> S/N: VSLU1149135 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	7575	<b>2023 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5550140 C/W: 8 ft 6 in Wide, 9 ft 6 in High Usage: Not Available
7564	<b>Wan Hai Lines SP-WHQ-01 (F) 40 ft One-Way High Cube Storage Container</b> S/N: WHLU5394504 C/W: 8 ft Wide, 9 ft 6 in High, Single Walk Door Usage: Not Available	7576	<b>2023 40HQ 40 ft High Cube Multi-Door Storage Container</b> S/N: MMPU1008276 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7565	<b>40 ft High Cube Storage Container</b> S/N: YMLU8333640 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	7577	<b>2023 40HQ 40 ft One-Way High Cube Storage Container</b> S/N: XHCU5550197 C/W: Lock Box Usage: Not Available
7566	<b>40 ft High Cube Storage Container</b> S/N: GATU8767929 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	7578	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2201402 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7567	<b>40 ft High Cube Storage Container</b> S/N: AXIU1446225 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	7579	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2200920 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7568	<b>40 ft High Cube Storage Container</b> S/N: AXIU1476868 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	7580	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2300046 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7569	<b>JS-D45HJ-D 40 ft One-Way High Cube Storage Container</b> S/N: AXIU1366048 C/W: 8 ft Wide, 9 ft 6 in High, Single Walk Door Usage: Not Available	7581	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2300025 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7570	<b>2023 High Cube Storage Container</b> S/N: MCCU3104236 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	7582	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2200875 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7571	<b>2023 40 ft High Cube 40HQ Storage Container</b> S/N: MCCU3104112 C/W: 0 ft 96 in Wide, 0 ft 114 in High, Lock Box, Fork Pockets Usage: Not Available	7583	<b>2023 QDJQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2200828 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7572	<b>2023 40 ft High Cube 40HQ Storage Container</b> S/N: MCCU3104093 C/W: 0 ft 96 in Wide, 0 ft 114 in High, Lock Box, Fork Pockets Usage: Not Available	7584	<b>2023 Jisan 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2200432 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7573	<b>2023 40HQ 40 ft One-Way High Cube Storage Container</b> S/N: XHCU5550160 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7585	<b>2023 Jisan 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: JPCU2200427 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7574	<b>2023 40HQ 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5550155 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7586	<b>2023 KJ K40HC-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5555521 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available

Lot #	Details	Lot #	Details
7587	<b>2023 KJ K40HC-2 40 ft High Cube Multi-Door Storage Container (Unused)</b> S/N: XHCU5555516 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	7599	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0121790 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7588	<b>2023 KJ K40HC-4 40 ft High Cube Multi-Door Storage Container (Unused)</b> S/N: XHCU5555671 C/W: 9 ft 6 in High, Lock Box Usage: Not Available	7600	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: NYIU0004667 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7589	<b>2023 KJ K40HC-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU5555326 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7601	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0125985 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7590	<b>2023 KJ K40HC-4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: XHCU 5555748 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7602	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: NYIU0005004 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7591	<b>40 ft High Cube Storage Container</b> S/N: TGHU8797644 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7603	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0125990 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7592	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: MMPU1009523 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7604	<b>2023 Suihe QP-SOSQ-1602 40 ft High Cube Multi-Door Storage Container (Unused)</b> S/N: LYPU0121399 C/W: 8 ft Wide, 9 ft High, Lock Box Usage: Not Available
7593	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: CICU4760883 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	7605	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0123067 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7594	<b>2023 40 ft One-Way High Cube Storage Container</b> S/N: XHCU5551296 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	7606	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0121383 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7595	<b>2023 AGT 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU4128564 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7607	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0123072 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7596	<b>2023 AGT 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU4128538 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7608	<b>2023 Suihe NC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0123051 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
7597	<b>2023 AGT 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU4128219 C/W: 40 ft Wide, 9 ft 6 in High Usage: Not Available	7609	<b>2023 Suihe SC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU0160280 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
7598	<b>2023 Suihe NC-40HQ-2 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYPU0125970 C/W: 8 mm Wide, 9 ft 6 in High Usage: Not Available	7610	<b>2023 Suihe SC-40HQ -4 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: LYGU0160275 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available

Lot #	Details	Lot #	Details
7611	<b>2023 40 ft One-Way High Cube Multi-Door Storage Container</b> S/N: CICU4760780 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7625	<b>2023 Suihe NMC-12G 12 ft One-Way Mini Storage Container (Unused)</b> S/N: LYP12-10669 C/W: 7 ft 3 in Wide, 8 ft 6 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
7612	<b>40 ft Storage Container</b> S/N: ICUU4153369 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	7626	<b>2023 KJ K12 12 ft Storage Container (Unused)</b> S/N: K12-033 C/W: 12 ft Wide, 8 ft High, Single Walk Door, Lock Box, Window Usage: Not Available
7613	<b>40 ft High Cube Storage Container</b> S/N: ICUU4154344 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	7627	<b>2023 KJ K12 12 ft Storage Container (Unused)</b> S/N: K12-032 C/W: 8 ft Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available
7614	<b>40 ft Storage Container</b> S/N: ICUU4150903 C/W: 8 mm Wide, 8 ft 6 in High Usage: Not Available	7628	<b>2023 CTN 10FT 10 ft Bulk Storage Container (Unused)</b> S/N: 1000034 C/W: 7 ft 4 in Wide, 8 ft 2 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
7615	<b>40 ft Storage Container</b> S/N: ICUU4153395 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	7629	<b>2023 CTTN 10 ft One-Way Mini Storage Container (Unused)</b> S/N: CTTN1000116 C/W: 7 ft 4 in Wide, 8 ft 4 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
7616	<b>40 ft High Cube Storage Container</b> S/N: TCNU9307502 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	7630	<b>2023 CTTN 10 ft One-Way Mini Storage Container (Unused)</b> S/N: CTTN 1000250 C/W: 7 ft 3 in Wide, 8 ft 4 in High, Window, Fork Pockets Usage: Not Available
7617	<b>2006 SHANG 20 ft 20GP Storage Container</b> S/N: CAXU3226525 Usage: Not Available	7631	<b>2023 CTTN 10 ft One-Way Storage Container (Unused)</b> S/N: CTTN1000163 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available
7618	<b>2005 SHANG 20 ft 20GP Storage Container</b> S/N: CAXU6795736 Usage: Not Available	7632	<b>2023 KJ K09 9 ft Mini Storage Container (Unused)</b> S/N: K09-033 C/W: 9 ft Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available
7619	<b>2006 SHANG 20 ft 20GP Storage Container</b> S/N: CAXU3161574 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	7633	<b>2023 KJ K09 9 ft Storage Container (Unused)</b> S/N: K09-032 C/W: 9 ft Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available
7620	<b>20 ft One-Way Storage Container</b> S/N: SPRU3004262 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	7634	<b>2023 Suihe NMC-9G 9 ft Storage Container (Unused)</b> S/N: LYP9-12130 C/W: 7 ft 3 in Wide, 8 ft 2 in High, Lock Box, Window, Fork Pockets Usage: Not Available
7621	<b>20 ft One-Way Storage Container</b> S/N: SPRU3035427 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available		
7622	<b>22G1 20 ft One-Way Storage Container</b> S/N: SPRU2002917 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available		
7623	<b>22G1 20 ft One-Way Storage Container</b> S/N: SPRU3016303 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available		
7624	<b>2023 Suihe NMC-12G 12 ft One-Way Mini Storage Container (Unused)</b> S/N: LYP12-10656 C/W: 7 ft 3 in Wide, 6 ft 10 in High, Lock Box, Window, Fork Pockets Usage: Not Available		

Lot #	Details	Lot #	Details
7635	<b>2023 Suihe NMC-9G 9 ft Mini Storage Container (Unused)</b> S/N: LYP9-12174 C/W: 7 ft 5 in Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available	7645	<b>2017 Taylor Dun BIGFOOT48V Utility Cart</b> S/N: 207514 C/W: Open Operator Station, 2 Passenger Usage: Not Available
7636	<b>2023 Suihe NMC-9G 9 ft Mini Storage Container (Unused)</b> S/N: LYP9-12125 C/W: 7 ft 5 in Wide, 8 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available	7646	<b>Taylor Dunn B2-48 dump body Utility Cart</b> S/N: 140537 C/W: Open Operator Station, 2 Passenger, Rear Screen, Hydraulic Dump Bed Usage: 4,917 Hr
7637	<b>2023 Suihe NMC-8G 8 ft Storage Container (Unused)</b> S/N: LYP8-12153 C/W: 6 ft 8 in Wide, 7 ft 3 in High, Lock Box, Window, Fork Pockets Usage: Not Available	7647A	<b>Yamaha 450 Grizzly 4x4 ATV</b> S/N: Y4AM03Y860088828 C/W: Electric Start, Yamaha Gasoline Engine Usage: 362 Mi
7638	<b>2023 Suihe NMC-8G 8 ft Mini Storage Container (Unused)</b> S/N: LYP8-12206 C/W: 7 ft Wide, 7 ft 5 in High, Single Walk Door, Lock Box, Window Usage: Not Available	7647	<b>Taylor Dunn B2-10 Utility Cart</b> S/N: 132586 C/W: Enclosed Cab, 4 Passenger, Windshield, Rear Screen Usage: 2,148 Hr
7639	<b>2023 Suihe NMC-8G 8 ft One-Way Storage Container (Unused)</b> S/N: LYP8-12201 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Lock Box, Window Usage: Not Available	7649	<b>New Holland MC35 Mower Tractor</b> S/N: TF00455 C/W: Enclosed Cab, 2001 US EPA Label, New Holland Snow Plow, 1 Front Remotes, Rear Weights, 23x10.50-12 Front Tires, 20x8-10 Rear Tires Usage: 1,159 Hr
7640	<b>2023 Suihe NMC-7G 7 ft Mini Storage Container (Unused)</b> S/N: LYP7-10436 C/W: 6 ft Wide, 7 ft High, Single Walk Door, Lock Box, Window Usage: Not Available	7650	<b>2014 Toro Z Master Zero-Turn Lawn Mower</b> S/N: 314626551 C/W: Hydrostatic Drive, 2018 US EPA Label, 18x6.00-6 Front Tires, 24x12.00-12 Rear Tires, Exmark 72 in Mower Usage: 2,152 Hr
7641	<b>2008 Bobcat Toolcat 4x4 Utility Vehicle</b> S/N: AOW113596 C/W: Enclosed Cab, Air Conditioner, 2 Passenger, Windshield, Diesel Engine, Locking Front Differential, Hitch Receiver, Hydraulic Dump Bed Usage: Not Available	7651	<b>Toro Z Master Zero-Turn Lawn Mower</b> S/N: Not Available C/W: Hydrostatic Drive, 2005 US EPA Label, 13x6.50-6 NHS Front Tires, 26x12.00-12 NHS Rear Tires, Toro 60 in Mower, Dual Fuel Tanks Usage: 2,482 Hr
7642	<b>2015 Polaris 4x4 Utility Vehicle</b> S/N: 3NSRTA571FG497203 C/W: Open Operator Station, 3 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 4,862 Mi	7652	<b>Exmark Lazer Zero-Turn Lawn Mower</b> S/N: 314000356 C/W: Hydrostatic Drive, 2021 US EPA Label, 18.50x6.5-6 NHS Front Tires, 24x12.00-12 Rear Tires, Toro 60 in Mower Usage: 2,816 Hr
7643	<b>2011 Kawasaki Mule 610 4x4 Utility Vehicle</b> S/N: JK1AFE13BB554433 C/W: Open Operator Station, 2 Passenger Usage: Not Available	7653	<b>2019 Toro Grandstand Ride-On Lawn Mower</b> S/N: 4835500183 C/W: Hydrostatic Drive, 11x4.00-5 Front Tires, 20x10.50-8NHS Rear Tires, Toro 60 in Mower Usage: 2,460 Hr
7644	<b>2010 Cub Cadet CX500 4x4 Utility Vehicle</b> S/N: LWGMDTZB9FA000528 C/W: Open Operator Station, 2 Passenger, Windshield, Gasoline Engine, Winch, Hitch Receiver, Manual Dump Bed Usage: 33 Mi	7654	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 402487834 C/W: 2017 US EPA Label, Kawasaki 2 Cylinder Gasoline Engine Usage: 15 Hr
		7655	<b>2018 Toro 29519 Ride-On Aerator</b> S/N: 402148172 C/W: Kawasaki 2 Cylinder Gasoline Engine Usage: 166 Hr

Lot #	Details	Lot #	Details
7656	<b>Scag Ride-On Lawn Mower</b> S/N: Not Available C/W: Hydrostatic Drive, 2017 US EPA Label, 11x4.00-5 Front Tires, 20x10-8 Rear Tires, Scag V-Ride 52 in Front Mower Usage: 2,935 Hr	7672	<b>2014 Ryan Lawnaire V Aerator</b> S/N: 54491006306 C/W: 2013 US EPA Label, Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available
7657	<b>Scag Turf Tiger Zero-Turn Lawn Mower</b> S/N: Not Available C/W: Hydrostatic Drive, 2012 US EPA Label, 13x6.50-6/4.50 Front Tires, 24x12.00-12 Rear Tires, 60 in Mower Usage: 1,154 Hr	7673	<b>2016 Ryan Lawnaire IV Walk-Behind Aerator</b> S/N: GCBM1135022 C/W: US EPA Label, Honda GX120 Gasoline Engine Usage: Not Available
7659	<b>2018 Billy Goat MV650H Walk-Behind Multi-Surface Vacuum</b> S/N: 121117353 Usage: Not Available	7674	<b>2016 Ryan Lawnaire IV Walk-Behind Aerator</b> S/N: 54490810599 C/W: Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available
7660	<b>Billy Goat BC2600HH Walk-Behind Brush Cutter</b> S/N: 121718001 C/W: Honda GXV 390 Engine Usage: Not Available	7675	<b>2015 Ryan Lawnaire IV Walk-Behind Aerator</b> S/N: 54490810251 C/W: Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available
7661	<b>Billy Goat OS552H Walk-Behind Seeder</b> S/N: 041816111 C/W: US EPA Label, Honda Gasoline Engine Usage: Not Available	7677	<b>Ryan Walk-Behind Aerator</b> S/N: 544908A C/W: 2013 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available
7662	<b>2016 Billy Goat OS552H Walk-Behind Seeder</b> S/N: 041816113 C/W: US EPA Label, Gasoline Engine Usage: Not Available	7678	<b>2018 Billy Goat AE401H Walk-Behind Aerator</b> S/N: 71618021 C/W: To Fit Billy Goat AE401H Walk behind lawn aerator, 2018 US EPA Label, Honda GX 120 1 Cylinder 119 cc Gasoline Engine Usage: Not Available
7663	<b>Billy Goat Walk-Behind Seeder</b> S/N: 020518429 C/W: Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available	7679	<b>MTD 31AE6GKH730 3 ft Snow Blower</b> S/N: 1135B80625 C/W: Tecumseh Engine Usage: Not Available
7664	<b>Classen TR-20 Walk-Behind Lawn Dethatcher</b> S/N: 1160019214 C/W: US EPA Label, Honda GX160 Gasoline Engine Usage: Not Available	7680	<b>Honda HS828 2 ft 4 in Snow Blower</b> S/N: SZAK-2037953 C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
7665	<b>2017 Ryan TR20SB Walk-Behind Sod Roller</b> S/N: 54495406839 C/W: US EPA Label, Honda GX160 Gasoline Engine Usage: Not Available	7681	<b>Sweepster C36TWHPDS Power Broom</b> S/N: 0102055 C/W: Honda GX160 Engine Usage: Not Available
7666	<b>Rhino Tool PD-55 Fence Post Driver</b> S/N: Not Available Usage: Not Available	7682	<b>Sweepster WSP36P Power Broom</b> S/N: 0648063 C/W: Honda Gasoline Engine, 32 in Broom Usage: Not Available
7667	<b>2021 Ryan 554910A Walk-Behind Aerator</b> S/N: 554910C06196 C/W: 2021 US EPA Label, Honda GX 120 1 Cylinder 122 cc Gasoline Engine Usage: Not Available	7683	<b>Sweepster C36TWHPDS Power Broom</b> S/N: Not Available C/W: Honda GX160 Engine Usage: Not Available
7668	<b>2018 Ryan 554910A Walk-Behind Aerator</b> S/N: 55491003403 C/W: 2018 US EPA Label, Honda GX 120 1 Cylinder 119 cc Gasoline Engine Usage: Not Available	7684	<b>Gravely 926503 Power Broom</b> S/N: 000361 C/W: 2006 US EPA Label, Tecumseh 1 Cylinder 9 hp Gasoline Engine, 40 in Broom Usage: Not Available
7669	<b>2017 Ryan 554913A Walk-Behind Aerator</b> S/N: Not Available C/W: To Fit Ryan Lawnaire IV Walk behind lawn aerator, 2016 US EPA Label, Honda GX 120 1 Cylinder 119 cc Gasoline Engine Usage: Not Available	7688	<b>2022 Tennant S6 Walk-Behind Electric Floor Sweeper</b> S/N: 1251268-01102 C/W: 16 in Working Width, 120 Volt Operating System Usage: 7 Hr

Lot #	Details	Lot #	Details
7690	<b>2021 Tennant S6 Walk-Behind Electric Floor Sweeper</b> S/N: 125126800832 Usage: Not Available	7701A	<b>Utilityscan SYS-A2 GSSI Utility Scan GPS</b> S/N: 0672 C/W: To Fit GSSI 626 Usage: Not Available
7691	<b>Quantity of (10) Floor Cleaning Tools</b> S/N: Not Available C/W: (2) Nobles Speed Scrub Walk-Behind Scrubbers (1) Advance Micromatic M17E Scrubber (2) Nilfisk Adcolution 20 in Burnishers (2) Karcher Vacuums Usage: Not Available	7701	<b>Trimble CB460 Readout &amp; Antennas</b> S/N: Not Available C/W: Case Usage: Not Available
7692	<b>Quantity of (07) Flooring Equipment</b> S/N: Not Available C/W: Floor Burnishers- Various Models, Orbital Floor Scrubber Usage: Not Available	7703	<b>Digmar Electric Measuring Station</b> S/N: Not Available Usage: Not Available
7693	<b>Quantity of (17) Floor Cleaning Tools</b> S/N: Not Available C/W: (7) Carpet Scrubbers (7) Professional Wet /Dry Vacuums Carious Models (1) Mop Bucket Usage: Not Available	7706	<b>Quantity of (2) Cat Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine, Cat RP6500 & Cat RP3600 Usage: Not Available
7694	<b>Quantity of (15) Floor Cleaning Tools</b> S/N: Not Available C/W: (1) Minuteman C39055 Vacuum (2) Clorox Sprayers (2) Karcher Steam Cleaners (1) Tennant E5 Carpet Scrubber (1)Tennant T1 Carpet Cleaner (11) Windsor Sensor S12 Vacuums Usage: Not Available	7707	<b>Quantity of (2) Cat RP5500 5.5 kW Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine Usage: Not Available
7695	<b>Quantity of (13) Cleaning Tools</b> S/N: Not Available C/W: (3) 2000 psi Pressure Washers (3) 20 in Sweepers (1) 24 in Sweeper (2) Carpet Scrubbers (3) Air Mover (1) Professional Steam Machine (2) Mop Buckets Usage: Not Available	7708	<b>Quantity of (2) Cat RP5500 5.5 kW Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine Usage: Not Available
7696	<b>Quantity of (6) Floor Cleaning Tools</b> S/N: Not Available C/W: (1)Tennant T350 Stand Up Ride-On Floor Scrubber (1)Tennant Orbital floor scrubber (1) Clorox sprayer (2)Tennant BR2000 floor Brunisher (2) Nobles Floor Scrubbers (1) Nilfisk Adcolution 20 in burnisher Usage: Not Available	7709	<b>Quantity of (4) Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine Usage: Not Available
7697	<b>Quantity of (13) Floor Cleaning Tools</b> S/N: Not Available C/W: (8) Floor Burnishes- Various Models (2) Floor Scrubbers (2) Carpet Cleaners (13) Mop Buckets Usage: Not Available	7710	<b>Quantity of (2) Portable Generator Set</b> S/N: Not Available Usage: Not Available
7698	<b>Quantity of (10) Floor Cleaning Tools</b> S/N: Not Available C/W: (1) Nobles Ride-On Floor Scrubber (1) Tennant 5700 Floor Scrubber (3) Nobles Speed Scrub Walk-Behind Scrubber (1) Tennant Floor Scrubber Usage: Not Available	7711	<b>Briggs &amp; Stratton 5 kW Portable Generator Set</b> S/N: Not Available Usage: Not Available
7699	<b>Trimble Laser Level</b> S/N: Not Available Usage: Not Available	7712	<b>Honda EB5000X 5 kW Portable Generator Set</b> S/N: Not Available C/W: Gasoline Engine Usage: Not Available
		7713	<b>Quantity of (4) Generator Set</b> S/N: Not Available Usage: Not Available
		7714	<b>2018 Wacker Neuson GPS 9700 9.7 kW Portable Generator Set</b> S/N: 24450663 C/W: US EPA Label, Briggs & Stratton 18 hp Gasoline Engine, /9.7 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: 1,499 Hr
		7715	<b>2014 Honda E6500U 6.5 kW Portable Generator Set</b> S/N: 1235975 C/W: 2013 US EPA Label, Honda Gasoline Engine, 120 V / 240 V Rated Voltage Usage: Not Available

Lot #	Details	Lot #	Details
7716	<b>2016 Honda EB6500X1 6.5 kVA Mobile Generator Set</b> S/N: EBLC-1021608 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 5.5 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available	7724	<b>2017 Honda EB5000X 5 kVA Mobile Generator Set</b> S/N: EBPC-1039740 C/W: 2017 US EPA Label, Honda 1 Cylinder Gasoline Engine, 4.5 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
7717	<b>2016 Honda EB6500X1 5.5 kW Portable Generator Set</b> S/N: EBLC-1021646 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7725	<b>2017 Honda EB5000X 5 kVA Mobile Generator Set</b> S/N: EBPC-1037706 C/W: 2016 US EPA Label, Honda Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available
7718	<b>2016 Honda EB6500X1 5.5 kW Portable Generator Set</b> S/N: EBLC-1021611 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7726	<b>2017 Honda EB5000X 5 kVA Mobile Generator Set</b> S/N: EBPC-1037704 C/W: 2016 US EPA Label, Honda 1 Cylinder Gasoline Engine, 4.5 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available
7719	<b>2016 Honda EB6500X1 6.5 kVA Mobile Generator Set</b> S/N: EBLC-1021607 C/W: 2015 US EPA Label, Honda 1 Cylinder Gasoline Engine, 5.5 kVA,/ Rated Single Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available	7727	<b>2018 Yamaha 4.5 kW Portable Generator Set</b> S/N: 7XF0206377 C/W: 2018 US EPA Label, Yamaha 1 Cylinder 357 cc Gasoline Engine, /4.5 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7720	<b>2018 Wacker Neuson GP5600A 5.6 kW Portable Generator Set</b> S/N: 24437296 C/W: US EPA Label, Honda GX340 Gasoline Engine, /5.6 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7728	<b>Quantity of (2) Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, 120 V Receptacles Usage: Not Available
7721	<b>2018 Wacker Neuson GP5600A 5.6 kW Portable Generator Set</b> S/N: 24409589 C/W: US EPA Label, Honda GX340 Gasoline Engine, /5.6 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7729	<b>2017 Honda 7 kW Portable Generator Set</b> S/N: EEJD-1058953 C/W: 2017 US EPA Label, Honda 1 Cylinder 389 cc Gasoline Engine, 120 V / 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 1,191 Hr
7722	<b>2018 Wacker Neuson GP5600A 5.6 kW Portable Generator Set</b> S/N: 24437294 C/W: US EPA Label, Honda Gasoline Engine, /5.6 kW, Rated Single Phase Output, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7730	<b>2019 Honda 3 kW Portable Generator Set</b> S/N: EZGF-1801012 C/W: 2019 US EPA Label, Honda 1 Cylinder 196 cc Gasoline Engine, /3 kW, Rated Single Phase Output, 120 V Rated Voltage Usage: Not Available
7723	<b>2018 Wacker Neuson GP5600A 5.6 kW Portable Generator Set</b> S/N: 24452920 C/W: Gasoline Engine, 240 V / 120 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	7731	<b>2016 Honda EU3000IS1A Generator Set</b> S/N: EZGF-1590476 C/W: 2.8 kVA/ Rated 3 Phase Output Usage: Not Available
		7732	<b>2021 Honda 2.2 kW Portable Generator Set</b> S/N: EAMT2429239 C/W: 2021 US EPA Label, Honda 1 Cylinder 121 cc Gasoline Engine, /2.2 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
		7733	<b>2018 Briggs &amp; Stratton P3000 2.6 kW Mobile Generator Set</b> S/N: 1023751298 C/W: 2016 US EPA Label, 171 cc Gasoline Engine, /2.6 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available

Lot #	Details	Lot #	Details
7734	<b>2018 Briggs &amp; Stratton P3000 2.6 kW Mobile Generator Set</b> S/N: 1023751177 C/W: 2016 US EPA Label, 171 L Gasoline Engine, /2.6 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	7748	<b>Quantity of Pipe Handling Tools</b> S/N: 14765 Usage: Not Available
7735	<b>2018 Briggs &amp; Stratton 2.6 kW Portable Generator Set</b> S/N: Not Available C/W: 2016 US EPA Label, 1 Cylinder 171 cc Gasoline Engine, /2.6 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available	7749	<b>Quantity of (8) Pipe Plugs</b> S/N: Not Available Usage: Not Available
7737	<b>Ingersoll-Rand SS3J5.5-WB GP 13.8 cfm Skid-Mounted Air Compressor</b> S/N: CBV767603 C/W: 90 psi Working Pressure, 2021 US EPA Label, Honda 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	7750	<b>RCG Hydrapak Hydraulic Power Pack</b> S/N: B002913 C/W: 2 Cylinder Gasoline Engine Usage: Not Available
7739	<b>Quantity of (2) Skid-Mounted MIG Electric Welder (Unused)</b> S/N: Not Available C/W: Single Phase, Wire Feeder Attachment Usage: Not Available	7751	<b>2022 Rice Hydro HP6500 Hydrostatic Test Pump</b> S/N: 57042 Usage: Not Available
7740	<b>Omark Industries 1700 A Skid-Mounted Stud Electric Welder</b> S/N: 049001-F C/W: 3 Phase, 200 V/ 460 V Input, Welding Leads Not Included Usage: Not Available	7752	<b>2011 Cherne Industries 278-178 Hydrostatic Test Pump</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7741	<b>Lincoln Electric AC-225-S 225 A ARC Electric Welder</b> S/N: 7050107 C/W: Single Phase, 230 V Input, Welding Leads Usage: Not Available	7753	<b>Quantity of (4) Water Pump</b> S/N: Not Available C/W: (2) Multiquip, (1) Honda, (1) Unmarked Usage: Not Available
7742	<b>Quantity of (3) Stick Electric Welder</b> S/N: HH069293 C/W: 3 Phase, 230 V/ 460 V Input, Welding Leads Not Included, (2) 300 A, & (1) 250 A Usage: Not Available	7754	<b>Quantity of (4) Honda Water Pump</b> S/N: Not Available C/W: WB20XT Usage: Not Available
7743	<b>Quantity of (3) 1977 Miller SRH333 300 A Electric Welder</b> S/N: HHO44488 C/W: 3 Phase, 230 V/ 400 V Input Usage: Not Available	7755	<b>Quantity of (2) Water Pump</b> S/N: Not Available Usage: Not Available
7744	<b>Quantity of (2) 36 in Pipe Clamp</b> S/N: Not Available Usage: Not Available	7756	<b>Multiquip Water Pump</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, Diaphragm 2018 US EPA Label, Honda GX120 1 Cylinder 119 cc Gasoline Engine Usage: Not Available
7745	<b>30 in Pipe Clamp</b> S/N: Not Available Usage: Not Available	7757	<b>2015 Tsurumi NK2-15 Electric Submersible Water Pump</b> S/N: B10911495 C/W: 2.5 in Discharge Usage: Not Available
7746	<b>Quantity of (2) 24 in Pipe Clamps</b> S/N: Not Available Usage: Not Available	7758	<b>Quantity of (3) Mustang MP 4800 2 in Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 6 in Intake, 2 in Discharge Usage: Not Available
7747	<b>16 in &amp; 18 in Pipe Clamps</b> S/N: Not Available Usage: Not Available	7759	<b>Mustang LF 88D Reversible Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available
		7760	<b>Mustang LF 88D Reversible Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available



Lot #	Details	Lot #	Details
7761	<b>Mustang LF 88D Reversible Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	7778	<b>2017 APT 264 Chipping Hammer</b> S/N: 4B3 3715 Usage: Not Available
7762	<b>2015 Wacker Neuson BPU2540A Vibratory Plate Compactor</b> S/N: 10458194 C/W: 2014 US EPA Label, Honda GX 160 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	7779	<b>2017 APT 264 Chipping Hammer</b> S/N: 40009282 Usage: Not Available
7763	<b>MBW GPR78 Vibratory Plate Compactor</b> S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available	7780	<b>2021 Hilti TE 1000-AVR Demolition Breaker</b> S/N: 186527 Usage: Not Available
7764	<b>Quantity of (3) Multiquip Vibratory Plate Compactor</b> S/N: Not Available Usage: Not Available	7781	<b>2021 Hilti TE 1000-AVR Demolition Breaker</b> S/N: 186528 Usage: Not Available
7765	<b>Quantity of (2) Vibratory Plate Compactor</b> S/N: Not Available Usage: Not Available	7782	<b>2017 Guardair HT106</b> S/N: 8134 Usage: Not Available
7766	<b>Mustang ML80E Jumping Jack Tamper (Unused)</b> S/N: T005M0022040089226 C/W: 2022 US EPA Label, Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	7783	<b>Accu-turn 1200 Wheel Balancer</b> S/N: 07017559 Usage: Not Available
7767	<b>Quantity of (2) Wacker Neuson Jumping Jack Tamper</b> S/N: Not Available Usage: Not Available	7784	<b>50 ft Metered Diesel Fuel Reel (Unused)</b> S/N: Not Available C/W: 12v pump Usage: Not Available
7768	<b>2006 Wacker BS50-2 Jumping Jack Tamper</b> S/N: 5686139 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	7785	<b>Quantity of (2) Metered Diesel Fuel Transfer Pumps (Unused)</b> S/N: Not Available C/W: 12v Usage: Not Available
7769	<b>2004 Wacker BS60-2I Jumping Jack Tamper</b> S/N: 5500440 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	7786	<b>Quantity of (6) Stihl Cut-off Saws</b> S/N: Not Available Usage: Not Available
7770	<b>Wacker Neuson WM90 Jumping Jack Tamper</b> S/N: Not Available Usage: Not Available	7787	<b>Quantity of (6) Stihl Cut-Off Saw</b> S/N: Not Available Usage: Not Available
7772	<b>2019 Texas Pneumatic TX30PB-1 Demolition Breaker</b> S/N: A3203 Usage: Not Available	7788	<b>Quantity of Cut-Off Saw</b> S/N: Not Available Usage: Not Available
7774	<b>2020 APT 133 Rivet Buster</b> S/N: 1912210M133CN Usage: Not Available	7789	<b>2020 Husqvarna K770 Gasoline Cut-Off Saw</b> S/N: 20204800058 Usage: Not Available
7775	<b>2020 APT 133 Rivet Buster</b> S/N: 1912267M133CN Usage: Not Available	7790	<b>2017 Edco TG-10-11H Gasoline Concrete Grinder</b> S/N: 170210313 C/W: 2016 US EPA Label, Honda 1 Cylinder 338 cc Gasoline Engine, 10 in Grinding Width, 1 Grinding Disc Usage: Not Available
7777	<b>2018 Texas Pneumatic TX-CH3-4B-R Chipping Hammer</b> S/N: 4B33720 Usage: 1 Hr	7791	<b>2019 Edco TL9 Concrete Grinder</b> S/N: 181210095 Usage: Not Available
		7792	<b>2019 Edco TL9 Concrete Grinder</b> S/N: 181210094 Usage: Not Available
		7798	<b>2016 Edco 2ECNG15 Concrete Grinder</b> S/N: 160810559 C/W: 21.5 in Grinding Width, 2 Grinding Discs Usage: Not Available

Lot #	Details	Lot #	Details
7799	<b>2017 Edco 2GC-NG-11H Gasoline Concrete Grinder</b> S/N: 170510185 C/W: 2017 US EPA Label, Honda GXV340 1 Cylinder 338 cc Gasoline Engine, 21.5 in Grinding Width, 2 Grinding Discs Usage: Not Available	7819	<b>2017 Hilti DG150 Electric Concrete Grinder</b> S/N: 101851 Usage: Not Available
7803	<b>2016 Edco 2GC-NG-11H Gasoline Concrete Grinder</b> S/N: 160810438 C/W: 2015 US EPA Label, Honda GXV340 1 Cylinder 338 cc Gasoline Engine, 21.5 in Grinding Width, 2 Grinding Discs Usage: Not Available	7820	<b>2023 Hilti DGH 130 DLX Electric Concrete Grinder</b> S/N: 46962 Usage: Not Available
7804	<b>2021 Edco CPL-8-1.5 Electric Concrete Scarifier</b> S/N: 210710054 Usage: Not Available	7821	<b>2023 Hilti DGH 130 DLX Electric Concrete Grinder</b> S/N: 46948 Usage: Not Available
7806	<b>2021 Edco CPM8-5 Electric Concrete Scarifier</b> S/N: 210810474 Usage: Not Available	7822	<b>Quantity of (2) Mustang CV3500 Concrete Vibrator (Unused)</b> S/N: Not Available Usage: Not Available
7807	<b>2021 Edco CPM8-5 Electric Concrete Scarifier</b> S/N: 211210414 Usage: Not Available	7823	<b>2017 Wacker Neuson M2500 Electric Concrete Vibrator</b> S/N: 10638646 Usage: Not Available
7809	<b>2016 Edco CPM-8-5B/230/1 Electric Concrete Planer</b> S/N: 160810526 Usage: Not Available	7824	<b>2017 Wacker Neuson M2500 Electric Concrete Vibrator</b> S/N: 10638652 Usage: Not Available
7810	<b>2021 Edco CPM8-9H Gasoline Concrete Scarifier</b> S/N: 210910149 C/W: 2018 US EPA Label, Honda GX270 Gasoline Engine Usage: Not Available	7825	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234312 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7811	<b>2021 Edco CPM8-9H Gasoline Concrete Scarifier</b> S/N: 210910058 C/W: 2019 US EPA Label, Honda Gx270 Gasoline Engine Usage: Not Available	7826	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234313 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7813	<b>2017 Edco CPM8-9H Gasoline Concrete Scarifier</b> S/N: 170110399 C/W: 2015 US EPA Label, CARB Compliant, Honda GX270 1 Cylinder Engine Usage: Not Available	7827	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234314 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7814	<b>2020 CS Unitec 153.5200 Pneumatic Concrete Scabbler</b> S/N: T138600 Usage: Not Available	7828	<b>Easy-Kleen Magnum Gold Pressure Washer (Unused)</b> S/N: 234315 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7816	<b>2020 CS Unitec 153.5200 Pneumatic Concrete Scabbler</b> S/N: T134532 Usage: Not Available	7829	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234316 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7817	<b>2020 CS Unitec 153.5200 Pneumatic Concrete Scabbler</b> S/N: T138601 Usage: Not Available	7830	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234317 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available
7818	<b>2017 Hilti DG150 Electric Concrete Grinder</b> S/N: 99464 Usage: Not Available		

Lot #	Details	Lot #	Details
7831	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer</b> S/N: Not Available C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7842	<b>Quantity of (4) Poulan T250L String Trimmer</b> S/N: Not Available C/W: 25 cc Gasoline Engine Usage: Not Available
7832	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234319 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7843	<b>Quantity of (6) Stihl Leaf Blower</b> S/N: 925485 Usage: Not Available
7833	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer</b> S/N: Not Available C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7845	<b>Stihl FS91R String Trimmer</b> S/N: 515250561 Usage: Not Available
7834	<b>Easy-Kleen Magnum Gold GS18 Pressure Washer (Unused)</b> S/N: 234321 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7846	<b>2015 Stihl HS82R Hedge Trimmer</b> S/N: 503540816 C/W: Gasoline Engine Usage: Not Available
7835	<b>Easy-Kleen Magnum Plus GS3 Pressure Washer (Unused)</b> S/N: 234216 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7847	<b>Quantity of (3) Contractor Tools</b> S/N: Not Available C/W: Saw, Mason- Mite Saw, Usage: Not Available
7836	<b>Easy-Kleen Magnum Plus GS3 Pressure Washer (Unused)</b> S/N: 234217 C/W: 4000 psi Rating, Hose, Trailer Mounted, 1 Cylinder 15 hp Engine Usage: Not Available	7849	<b>2017 Milwaukee 4262-1 Magnetic Drill</b> S/N: 5024317100020 Usage: Not Available
7837	<b>Largo 35 Pressure Washer</b> S/N: 17310 C/W: 2400 psi Rating, Water Heater, Electric Operated Usage: Not Available	7850	<b>2018 Hilti DD150-U Core Drill</b> S/N: 087612 Usage: Not Available
7838	<b>2007 Landa HOT420006 Pressure Washer</b> S/N: P100192635 C/W: 2000 psi Rating, Water Heater, Hose, Spray Wand, Electric Operated Usage: Not Available	7851	<b>2017 Hilti DD150-U Core Drill</b> S/N: 066812 Usage: Not Available
7839	<b>2016 Mi-T-M CBA-3504-1MGH Pressure Washer</b> S/N: 10922922 C/W: 3500 psi Rating, Honda GX390T Gasoline Engine Usage: Not Available	7852	<b>2016 Hilti DD200 Core Drill</b> S/N: 100823 Usage: Not Available
7840	<b>Northstar Pressure Washer</b> S/N: Not Available C/W: Honda GX 390 1 Cylinder 389 cc Gasoline Engine Usage: Not Available	7853	<b>2017 Hilti DD-250E Core Drill</b> S/N: 106588 Usage: Not Available
7841	<b>2017 Rhino PD-55 Pneumatic Fence Post Driver</b> S/N: 2001141 Usage: Not Available	7854	<b>2021 Hilti TE7-C Rotary Hammer</b> S/N: 669915 Usage: Not Available
		7855	<b>2021 Hilti TE7-C Rotary Hammer</b> S/N: 669919 Usage: Not Available
		7856	<b>Quantity of (10) 14 in Diamond Blades (Unused)</b> S/N: Not Available Usage: Not Available
		7857	<b>2021 Edco TS-8 Floor Scraper</b> S/N: 210410037 Usage: Not Available
		7858	<b>2021 Essex-Silver SL-8 Electric Floor Sander</b> S/N: 18958 Usage: Not Available
		7859	<b>2015 Edco TS-8-75 Electric Walk-Behind Floor Scraper</b> S/N: 150510333 Usage: Not Available
		7860	<b>2021 National 550 Electric Walk-Behind Floor Scraper</b> S/N: 550230210 Usage: Not Available

Lot #	Details	Lot #	Details
7861	<b>2016 National 550 Electric Walk-Behind Floor Scraper</b> S/N: 550-230210 Usage: Not Available	7885	<b>2018 Hilti VC15010XE Vacuum Cleaner</b> S/N: 12027 Usage: Not Available
7862	<b>2019 National 6280HD-COM Electric Walk-Behind Floor Scraper</b> S/N: 6280HD230117 Usage: Not Available	7886	<b>2018 Hilti VC15010XE Electric Vacuum Cleaner</b> S/N: 18246 Usage: Not Available
7863	<b>2017 National 6280HD-COM Electric Walk-Behind Floor Scraper</b> S/N: 6280HD-230041 Usage: Not Available	7888	<b>2017 Hilti VC15010XE Vacuum Cleaner</b> S/N: 10336 C/W: To Fit Hilti VC 150-10 XE Wet Dry Vacuum Usage: Not Available
7865	<b>2016 Edco ALR-E Floor Scraper</b> S/N: 34653 Usage: Not Available	7889	<b>2017 Hilti VC15010XE Vacuum Cleaner</b> S/N: 10482 C/W: To Fit Hilti VC 150-10 XE Wet Dry Vacuum Usage: Not Available
7867	<b>2017 Clarke EZ8 Floor Sander</b> S/N: S031524 Usage: Not Available	7890	<b>2016 Edco VC15010XE Vacuum Cleaner</b> S/N: 10484 Usage: Not Available
7869	<b>2017 Clarke OBS-18DC Floor Sander</b> S/N: S031280 Usage: Not Available	7891	<b>2021 Hilti DD-WMS 100 Electric Water Management System</b> S/N: 11797 Usage: Not Available
7870	<b>2017 Clarke OBS-18DC Floor Sander</b> S/N: S031271 Usage: Not Available	7892	<b>2019 Hilti DD-WMS 100 Electric Water Management System</b> S/N: 012845 Usage: Not Available
7871	<b>2021 American Super7R Sander</b> S/N: S091212 Usage: Not Available	7894	<b>2016 Mi-T-M MH-0400-0M10 400000 BTU Electric Space Heater</b> S/N: 16500158 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
7872	<b>2021 American Super7R Sander</b> S/N: S089754 Usage: Not Available	7897	<b>2018 Mi-T-M MH-0190-0M10 190000 BTU Space Heater</b> S/N: 180824502 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
7874	<b>2021 Karcher BRC 30/15 C Electric Carpet Extractor</b> S/N: 003492 Usage: Not Available	7898	<b>2018 Mi-T-M MH-0190-0M10 190000 BTU Space Heater</b> S/N: 180825341 C/W: Multi-Fuel Fueled, 120 V Input Usage: Not Available
7875	<b>2022 Karcher SG 4/4 Electric Commercial Steam Cleaner</b> S/N: 017049 Usage: Not Available	7899	<b>2018 Mi-T-M MH-0190-0M10 190000 BTU Space Heater</b> S/N: 180824552 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
7876	<b>2020 Powernail 445FS Pneumatic Flooring Stapler</b> S/N: 445FSX1129 Usage: Not Available	7900	<b>2017 Mi-T-M MH-0190-0M10 190000 BTU Space Heater</b> S/N: 160821112 C/W: Multi-Fuel Fueled, Single Phase, 120 V Input Usage: Not Available
7877	<b>2017 Edco VAC-200 Vacuum System</b> S/N: 17051033 Usage: Not Available	7901	<b>Mi-T-M MH-0400-0M10 400000 BTU Space Heater</b> S/N: 19S0060 C/W: Multi-Fuel Fueled Usage: Not Available
7881	<b>2021 Nilfisk ATTIX50AS/E Electric Vacuum Cleaner</b> S/N: 3520212501562 Usage: Not Available		
7883	<b>2021 Nilfisk ATTIX50AS/E Electric Vacuum Cleaner</b> S/N: 3520212501550 Usage: Not Available		
7884	<b>2017 Hilti VC15010XE Electric Vacuum Cleaner</b> S/N: 12103 Usage: Not Available		

Lot #	Details	Lot #	Details
7902	<b>Mi-T-M MH-0400-0M10 Space Heater</b> S/N: 190S00024 Usage: Not Available	7927	<b>2014 HeatStar HS60CLP Space Heater</b> S/N: 12001933 C/W: Propane Fueled, Single Phase, 120 V Input Usage: Not Available
7903	<b>Mi-T-M 375000 BTU Electric Space Heater</b> S/N: Not Available Usage: Not Available	7928	<b>2021 Enerco HS115TC Electric Space Heater</b> S/N: CL10910021000712 C/W: Propane Fueled Usage: Not Available
7904	<b>Dri-Eaz F535 120000 BTU Space Heater</b> S/N: 1159 C/W: Furnace oil Fueled, Single Phase, 115 V Input Usage: Not Available	7931	<b>2018 Phoenix Firebird Compact Space Heater</b> S/N: A1879222 C/W: Single Phase, 120 V Input Usage: 4,754 Hr
7906	<b>2021 Dewalt DXH170FAVT 170000 BTU Space Heater</b> S/N: LN34073021001129 Usage: Not Available	7932	<b>2017 Phoenix Firebird Compact Space Heater</b> S/N: E1759798 C/W: Single Phase, 120 V Input Usage: 2,187 Hr
7907	<b>2021 Dewalt DXH170FAVT 170000 BTU Space Heater</b> S/N: LN34073021001136 Usage: Not Available	7934	<b>2015 Phoenix Firebird Compact Space Heater</b> S/N: K1572265 C/W: Single Phase, 120 V Input Usage: 2,249 Hr
7908	<b>2019 Dewalt DXH170FAVT 170000 BTU Electric Space Heater</b> S/N: LN34073019001169 C/W: Propane Fueled, Single Phase, 115 V Input Usage: Not Available	7938	<b>2015 Phoenix Firebird Compact Space Heater</b> S/N: J1567026 C/W: Single Phase, 120 V Input Usage: 1,042 Hr
7909	<b>2019 Dewalt DXH170FAVT 170000 BTU Space Heater</b> S/N: LN34073019001215 C/W: Propane Fueled, 115 V Input Usage: Not Available	7940	<b>2015 Phoenix Firebird Compact Electric Space Heater</b> S/N: J1560997 C/W: 120 V Input Usage: 2,111 Hr
7910	<b>2016 Mi-T-M MH-0150-LMT0 150000 BTU Electric Space Heater</b> S/N: HGFM1401786 Usage: Not Available	7943	<b>2015 Phoenix Firebird Compact Space Heater</b> S/N: J1560994 C/W: 120 V Input Usage: 3,451 Hr
7911	<b>2021 HeatStar HSP125R 126000 BTU Space Heater</b> S/N: 9739001680 C/W: Kerosene Fueled, 120 V Input Usage: Not Available	7947	<b>2015 Phoenix Firebird Compact Space Heater</b> S/N: K1572266 C/W: Single Phase, 120 V Input Usage: 4,732 Hr
7912	<b>2021 HeatStar HSP125R 126000 BTU Space Heater</b> S/N: 9740000135 C/W: Kerosene Fueled, 120 V Input Usage: Not Available	7954	<b>Mi-T-M MH-0040-PM10 50000 BTU Space Heater</b> S/N: CH147045 C/W: Propane Fueled Usage: Not Available
7913	<b>2021 HeatStar HSP125R 126000 BTU Space Heater</b> S/N: 9740000136 C/W: Kerosene Fueled, 120 V Input Usage: Not Available	7955	<b>Manhole Blower</b> S/N: Not Available Usage: Not Available
7914	<b>2021 HeatStar HSP125R 126000 BTU Space Heater</b> S/N: 9740000134 C/W: Kerosene Fueled, 120 V Input Usage: Not Available	7956	<b>Quantity of Test Plugs</b> S/N: Not Available Usage: Not Available
7925	<b>2018 Campo EB6/9E Space Heater</b> S/N: B69-18-9178 C/W: 240 V Input Usage: Not Available	7957	<b>2016 Multiquip GBW Balloon Work Lights</b> S/N: G1600527/G160 Usage: Not Available
		7959	<b>2021 National A95-HER Shot Blaster</b> S/N: A95230027 Usage: 4 Hr
		7960	<b>2016 Clarke OASIS-PLUS Ozone Generator</b> S/N: 4000120290 Usage: Not Available

Lot #	Details	Lot #	Details
7962	2017 International TITAN 4000 HydroxI Generator S/N: TZ25413 Usage: Not Available	7980	Quantity of (6) Yard Force YF22-3N1SPVS-SC Lawn Mower (Unused) S/N: Not Available C/W: 22 in Mower Usage: Not Available
7965	2021 Electric Eel EJ1500D Jetter Cleaner S/N: 1629 Usage: Not Available	7981	Quantity of (6) Yard Force YF22-3N1SPVS-SC Lawn Mower (Unused) S/N: Not Available C/W: 2022 US EPA Label, 22 in Mower Usage: Not Available
7966	2021 Electric Eel EJ1500D Jetter Cleaner S/N: 1637 Usage: Not Available	7982	Quantity of (8) Ryobi 18 in Chain Saw S/N: Not Available Usage: Not Available
7967	2021 Electric Eel SR3/8EIC25 Drain Snake S/N: 26239 Usage: Not Available	7983	Quantity of (8) Ryobi 16 in Chain Saw S/N: Not Available Usage: Not Available
7968	2017 Electric Eel CKR1/210TRS Electric Drain Snake S/N: Not Available Usage: Not Available	7984	Quantity of (4) Poulan String Trimmer S/N: Not Available Usage: Not Available
7969	2022 Imperial 921815-5 Floor Roller S/N: 12L7230155 Usage: Not Available	7985	Rhino Rugged 21 pc Landscaping Tools (Unused) S/N: Not Available C/W: (3) # 12 ALUMINUM SCOOP (3) 16" DRAIN SPADE (3) SQ POINT SHOVEL (3) ROOFER SPADE (3) D HANDLE SQ PT SHOVEL (3) ROUND PT SHOVEL (3) SPADE FORK Usage: Not Available
7970	2022 Makinex JHT-HILTI Jackhammer Trolley S/N: 0821-800-0470 Usage: Not Available	7986	Rhino Rugged 21 pc Landscaping Tools S/N: Not Available C/W: (3) # 12 ALUMINUM SCOOP (3) 16" DRAIN SPADE (3) SQ POINT SHOVEL (3) ROOFER SPADE (3) D HANDLE SQ PT SHOVEL (3) ROUND PT SHOVEL (3) SPADE FORK Usage: Not Available
7971	Quantity of (5) 25 ft 800 Amp Booster Cable (Unused) S/N: Not Available Usage: Not Available	7987	Quantity of (6) PowerTrain PT550 General Purpose Engine (Unused) S/N: Not Available C/W: 5.5 hp Gasoline Engine Usage: Not Available
7972	Quantity of (5) 25 ft 800 Amp Booster Cable (Unused) S/N: Not Available Usage: Not Available	7988	Quantity of (6) PowerTrain PT550 General Purpose Engine (Unused) S/N: Not Available C/W: PT550 Usage: Not Available
7973	110 CC ATV (Unused) S/N: L9NACFB3XP1453697 Usage: Not Available	7989	Quantity of (4) PowerTrain PT900 General Purpose Engine (Unused) S/N: Not Available C/W: PT900 Gasoline Engine Usage: Not Available
7974	110 CC ATV (Unused) S/N: L9NACFB37M1620772 Usage: Not Available	7990	Quantity of (4) PT900 9 HP General Horizontal Engine S/N: Not Available C/W: W/ 1" Shaft Usage: Not Available
7975	Real Tree RTK100 Single Seat Go Cart S/N: L9NATDT56M1404576 Usage: Not Available	7991	PowerTrain PT-2203HW Pressure Washer (Unused) S/N: 8-601-0012-2023-06-00020 C/W: 2200 psi Rating, Water Heater, Hose, Spray Wand, Power Train Diesel Engine Usage: Not Available
7976	Real Tree RTK100 Single Seat Go Cart S/N: L9NATDT53M1404521 Usage: Not Available		
7977	2021 Real Tree RT200 Mini Bike Sport Bike S/N: L9NLTNYC2M1501926 Usage: Not Available		
7978	Real Tree RT200 Mini Sport Bike S/N: L9NLTNYC4M1502026 Usage: Not Available		
7979	Champion 100424 Gasoline 37 ton Log Splitter (Unused) S/N: F2204020471 Usage: Not Available		

Lot #	Details	Lot #	Details
7992	<b>Quantity of (5) Murray Pressure Washer (Unused)</b> S/N: Not Available C/W: 3200 psi Rating, Briggs & Stratton CR950 Gasoline Engine Usage: Not Available	8004	<b>Quantity of (3) 60000 BTU Space Heater (Unused)</b> S/N: Not Available C/W: Propane Fueled Usage: Not Available
7993	<b>Quantity of (2) Generac 6500 Watt Generator Set</b> S/N: Not Available Usage: Not Available	8005	<b>Frontier 62 in 10-Drawer Workbench (Unused)</b> S/N: Not Available C/W: peg board, power station Usage: Not Available
7994	<b>Quantity of (2) Generac 6.5 kW Generator Set (Unused)</b> S/N: Not Available C/W: 2018 US EPA Label, Generac 389 cc Gasoline Engine Usage: Not Available	8006	<b>Frontier 62 in 10-Drawer Workbench (Unused)</b> S/N: Not Available C/W: Peg Board, Power Station Usage: Not Available
7995	<b>Quantity of (3) Generac 3.6 kW Generator Set</b> S/N: Not Available Usage: Not Available	8007	<b>62 in Workbench</b> S/N: Not Available Usage: Not Available
7996	<b>Quantity of (3) Generac 3.6 kW Generator Set (Unused)</b> S/N: Not Available C/W: (1) GP3250 & (2) GP3600 Generator Sets Usage: Not Available	8008	<b>Frontier 62 in 10-Drawer Workbench (Unused)</b> S/N: Not Available Usage: Not Available
7997	<b>Quantity of (2) MAC 5200 Air Compressor (Unused)</b> S/N: Not Available Usage: Not Available	8009	<b>25 pc Makita Power Tool Set (Unused)</b> S/N: Not Available C/W: 42 in Frontier Job Box Usage: Not Available
7998	<b>Iron Horse IHD6160V1 11.2 cfm Electric 60 gal Air Compressor (Unused)</b> S/N: BBZ18836 C/W: 135 bar Working Pressure, 240V Single Phase, 6.5 hp Motor, Weg CDS0320M001-S Engine Usage: Not Available	8010	<b>Makita 14 pc Power Tool Kit</b> S/N: Not Available C/W: 18 V LEAF BLOWER / 18 V SUB COMPACT RECIP SAW/ 18 V MINI RECIP SAW / 18 V HAMMER DRIVER DRILL /1/2" HAMMER DRIVER DRILL / 3/4" HAMMER DRILL / 18V IMPACT DRIVER / 18 V SUB COMPACT IMPACT DRIVER / 18 V X 2 BRUSHLESS CORDLESS SLIDING COMPOUND SAW / 1 1/4" ROUTER (2) 18 V BATTERIES / 18V CHARGER / DUFFLE BAG Usage: Not Available
7999	<b>Quantity of (2) 42 in Commercial Barrel Fan (Unused)</b> S/N: Not Available C/W: Big Air Usage: Not Available	8011	<b>Wokin 158 pc Standard &amp; Metric Tool Set (Unused)</b> S/N: Not Available C/W: (1) WOKIN 132 PC SAE & METRIC TOOL CHEST- (1) WOKIN 14 PC COMBINATION WRENCH SET - (1) DOUBLE RING SPANNERS SET W/ 42" JOB SITE TOOL BOX Usage: Not Available
8000	<b>Quantity of (5) 30 in Commercial Barrel Fan (Unused)</b> S/N: Not Available C/W: To Fit Maxx Air Pro Usage: Not Available	8012	<b>Wokin 158 pc Standard &amp; Metric Tool Set (Unused)</b> S/N: Not Available C/W: (1) WOKIN 132 PC SAE & METRIC TOOL CHEST- (1) WOKIN 14 PC COMBINATION WRENCH SET - (1) DOUBLE RING SPANNERS SET W/ 42" JOB SITE TOOL BOX Usage: Not Available
8001	<b>Quantity of (5) 24 in Commercial Tilt Base Barrel Fan (Unused)</b> S/N: Not Available C/W: To Fit Maxx Air Pro Usage: Not Available	8013	<b>Craftsman 15 piece Tool Set</b> S/N: Not Available C/W: 48 in Job Site Box Usage: Not Available
8002	<b>Quantity of (3) 60,000 BTU Space Heater</b> S/N: Not Available C/W: Propane Fueled Usage: Not Available	8014	<b>Craftsman 15 piece Tool Set</b> S/N: Not Available C/W: 48 in Job Site Box Usage: Not Available
8003	<b>Quantity of (3) 60000 BTU Space Heater (Unused)</b> S/N: Not Available C/W: Propane Fueled Usage: Not Available		

Lot #	Details	Lot #	Details
8015	<b>Wokin Hydraulic Jack &amp; Jack Stand Kit (Unused)</b> S/N: Not Available C/W: 42 in Job Site Box Usage: Not Available	8029A	<b>LS XR4155H 4WD Tractor</b> S/N: 2283002274 C/W: Enclosed Cab, Air Conditioner, 3 Forward 1 Reverse, Loader, 2 Front Remotes, Loader Mounting Frame, HID Lights, 3 Rear Remotes, Auxiliary Hydraulics, 540 PTO, 3-Point Hitch, LB3100 16 in Backhoe Attachment, 305/70-16.5 Front Tires, 17.5L-24 Rear Tires Usage: 373 Hr
8016	<b>Wokin 8 pc Hydraulic Jack &amp; Jack Stand Kit</b> S/N: Not Available C/W: 42 in job site box Usage: Not Available	8029	<b>2016 Lay-Mor SM400 Self-Propelled Broom (Inoperable)</b> S/N: 36485 C/W: Enclosed Cab, 7 ft Broom, Water System, Tier 4, 2015 US EPA Label, Kubota V3600-T 4 Cylinder 3.6 L Diesel Engine Usage: 687 Hr
8017	<b>Quantity of (2) Semi Trailer Jack</b> S/N: Not Available Usage: Not Available	8030B	<b>2011 Merlo P40.7 Telehandler (Inoperable)</b> S/N: C047136 C/W: Enclosed Cab, Air Conditioner, 7 m Max Lift Height, 4000 kg Max Lift Capacity, 2010 US EPA Label, 48 in Forks, 17.5-25 Tires Usage: 7,259 Hr
8018	<b>Quantity of (2) Semi Trailer Jack</b> S/N: Not Available Usage: Not Available	8030A	<b>Lift King Rough Terrain Forklift</b> S/N: LK86139 C/W: Enclosed Cab, 2 Stage Mast, 120 in Max Lift Height, 78 in Forks, Side Shift, Fork Positioner, Cummins 6 Cylinder Diesel Engine Usage: 690 Hr
8019	<b>Quantity of (6) Schumacher 200 amp Wheel Battery Charger (Unused)</b> S/N: Not Available C/W: To Fit Schumacher SC1324 Usage: Not Available	8030	<b>2015 Cat TL1255D Telehandler (Inoperable)</b> S/N: ML700327 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, Manual Coupler, Outriggers, 400/75-28 Tires Usage: 1,584 Hr
8020	<b>Quantity of (4) Single Gauge Booster Cables</b> S/N: Not Available C/W: Pro-Start 1000 Usage: Not Available	8031	<b>2019 Yanmar SA24 4WD Utility Tractor</b> S/N: Not Available C/W: Hydrostatic Drive, Tier 4, 2019 US EPA Label, Yanmar YL210 Loader, Quick Coupler, Loader Mounting Frame, Yanmar B65 Backhoe Attachment, 23x8.50-12 Front Tires, 14-17.5 Rear Tires Usage: Not Available
8021	<b>5 pc Patio Furniture Set (Unused)</b> S/N: Not Available Usage: Not Available	8032	<b>2004 Case 590 Super M Series II Backhoe Loader (Inoperable)</b> S/N: N4C309246 C/W: 2004 US EPA Label, 95 in Loader Bucket, Extendable Stick Usage: Not Available
8022	<b>Osaki Massage Chair (Unused)</b> S/N: 31410 Usage: Not Available	8033	<b>1989 John Deere 410C 4x4 Backhoe Backhoe Loader (Inoperable)</b> S/N: T0410CF759350 C/W: Enclosed Cab, 90 in Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket, Extendable stick Usage: 2,421 Hr
8023	<b>Osaki Massage Chair (Unused)</b> S/N: 3205H21062148 Usage: Not Available	8034	<b>1981 John Deere 310A 4x2 Backhoe Loader</b> S/N: 373923T C/W: Open Operator Station, 89 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: Not Available
8024	<b>Seaflo Kayak Personal Watercraft (Unused)</b> S/N: SEFI0519D118 Usage: Not Available		
8025	<b>Seaflo Kayak Personal Watercraft (Unused)</b> S/N: SEFI0572D118 Usage: Not Available		
8026	<b>2004 Lay-Mor 6HC Self-Propelled Broom</b> S/N: 29873 C/W: Open Operator Station, 0 ft Broom, Water System, Kubota 4 Cylinder Diesel Engine Usage: 2,122 Hr		
8027	<b>2003 Lay-Mor 6HC Broom Tractor (Inoperable)</b> S/N: 29452007 C/W: Open Operator Station, 6 ft Broom, Water System, 2003 US EPA Label, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 1,569 Hr		
8028	<b>2011 Superior Broom SM80-J Self-Propelled Broom</b> S/N: 911043 C/W: Enclosed Cab, Air Conditioner, 8 ft 6 in Broom, Water System, 2010 US EPA Label, CARB Compliant, John Deere 4 Cylinder Diesel Engine Usage: 4,597 Hr		



Lot #	Details	Lot #	Details
8035A	<b>1994 Cat 950F Series II Wheel Loader (Inoperable)</b> S/N: 8TK00883 C/W: Enclosed Cab, Air Conditioner, 8.8 cyd 120 in Bucket, 23.5-25 Solid Tires Usage: 8,927 Hr	8044B	<b>2012 Ditch Witch RT115 Tracked Cable Plow</b> S/N: Not Available C/W: Canopy, 2004 US EPA Label, John Deere 4 Cylinder 93 kW 4.5 L Diesel Engine, Hydrostatic Drive, 18 in Rubber Tracks, Ditch Witch 5 ft 5 in Cable Plow, Reel Carrier, Hydraulic Shank Adjustment Usage: Not Available
8035	<b>1993 Cat 950F Series II Wheel Loader (Inoperable)</b> S/N: 5SK00980 C/W: Enclosed Cab, Air Ride Seat, 118 in Multi-Purpose Bucket, 23.5R25 Tires Usage: Not Available	8044A	<b>2000 JLG 600A 2WD Gasoline Articulating Boom Lift (Inoperable)</b> S/N: 0300048984 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Power to Platform, 4 Cylinder Gasoline Engine, 14-17.5 Tires Usage: 5,671 Mi
8036	<b>1979 John Deere 544B Wheel Loader</b> S/N: 311350T C/W: Enclosed Cab, Auxiliary Hydraulics, 36 in Forks, Tires Usage: 7,601 Hr	8044	<b>2015 Bobcat S510 Skid Steer Loader</b> S/N: ALNW11752 C/W: Enclosed Cab (Door missing), 2014 US EPA Label, Turf Tires Usage: Not Available
8037	<b>2016 Cat D7E Crawler Dozer</b> S/N: Not Available C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Powershift Transmission, Tier 4, 120 in Wide PAT Blade, 24 in Single Grouser Track Shoes Usage: Not Available	8045	<b>2015 Vermeer SC652 Stump Grinder (Inoperable)</b> S/N: 1VR7122N2F1000374 C/W: Hydrostatic Drive, Cummins 4 Cylinder 65 hp Diesel Engine, 28 in Grinding Wheel Usage: 7,251 Hr
8038	<b>2004 John Deere 848G Skidder (Inoperable)</b> S/N: 001100 C/W: Air Conditioner, John Deere Single Drum Winch Usage: Not Available	8046A	<b>2015 Mercedes-Benz Sprinter 2500 4x2 Cargo Van (Inoperable)</b> S/N: WD3PE7DC3F5945883 C/W: 4 Cylinder 2.2 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 3970 lb Front Axle, 5360 lb Rears, 8550 lb GVWR, 245/75R16, Spring Suspension, 156 in Wheelbase, Liftgate Usage: 214,752 Mi
8040	<b>2002 Kobelco SK210LC Tracked Excavator (Inoperable)</b> S/N: YQ07U0851 C/W: Air Conditioner, Straight Travel Pedal, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes Usage: 14 Hr	8046	<b>2014 Ford E-250 4x2 Cargo Van</b> S/N: 1FTNE2EW1EDA06194 C/W: V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 3800 lb Front Axle, 245/75R16, Spring Suspension, 140 in Wheelbase Usage: Not Available
8041	<b>2016 Bobcat E50 Mini Excavator</b> S/N: AJ1812878 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, Tier 4, 2016 US EPA Label, CARB Compliant, Swing Boom, 5 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 0.18 cyd Digging Bucket, Hydraulic Thumb Usage: 2,720 Hr	8047	<b>2016 Ford F-250 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2B6XGEC39501 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 10000 lb GVWR, 245/75R17 Tires, 8 ft 5 in Bed Usage: Not Available
8042	<b>2012 Hamm 3410 Smooth Drum Compactor</b> S/N: H1791754 C/W: Open Operator Station, E-Stops, 2011 US EPA Label, Deutz TCD2012 6 Cylinder 134 hp 4.0 L Diesel Engine, 84 in Drum Usage: 3,055 Hr	8048	<b>2012 Ford F-250 XLT 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2BT1CEB57155 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Air Conditioner, Power Windows, Tool Box, 10000 lb GVWR, 265/60R18 Tires, 8 ft 1 in Bed Usage: 315,729 Mi
8043	<b>2018 Cat 232D Two-Speed Skid Steer Loader (Inoperable)</b> S/N: CAT0232DL DPR01210 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 9 Pin Electric Kit, Hydraulic Coupler, no bucket Usage: Not Available		

Lot #	Details	Lot #	Details
8051	<b>2006 Chevrolet Silverado 2500HD 4x4 Crew Cab Pickup</b> S/N: Not Available C/W: 6.6 L V8 Diesel Engine, US EPA Label, Automatic Transmission, Air Conditioner, 285 /75R16 Tires, 6 ft 10 in Bed Usage: Not Available	8060A	<b>2008 International 7400SFA 4x2 Snow Plow Truck</b> S/N: 1HTWDAAR58J662893 C/W: International 6 Cylinder 7.6 L Diesel 260 hp Engine, 2007 US EPA Label, 5117 Engine hrs, Eaton Fuller Automated Transmission, 13220 lb Front Axle, 23000 lb Rears, 36220 lb GVWR, 11R22.5, Spring Suspension, 160 in Wheelbase, PTO, Hydraulic System, Spreader, 1 Spinners, In-Cab Controls, 10 ft Long x 2 ft 6 in High Aluminium Body, Electric Roll Tarp, Rear Hydraulics, Tailgate Chute, Ringfeder Usage: 58,535 Mi
8056	<b>2010 Ford F-150 XL 4x4 Extended Cab Pickup (Inoperable)</b> S/N: 1FTFX1EV2AFD05126 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Headache Rack, Weather Guard and UWS Tool Box, Rubber Mat Bed Liner, 7200 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: Not Available	8062	<b>2004 Ford F-450 XL 4x2 Dump Truck (Inoperable)</b> S/N: 1FDXF46P54ED37874 C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 6000 lb Front Axle, 11000 lb Rears, 225/70R19.5, Spring Suspension, 142 in Wheelbase, Rugby 9 ft Long x 1 ft 8 in High Steel Body, Flat Bed, Manual Roll Tarp Usage: 221,690 Mi
8057B	<b>2017 Chevrolet Silverado 1500 4x4 Extended Cab Pickup</b> S/N: 1GCVKNEC1HZ368968 C/W: 5.3 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 7200 lb GVWR, 265/70R17 Tires, 7 ft Bed Usage: 193,527 Mi	8063	<b>1998 Chevrolet 3500 4x2 Dump Truck</b> S/N: Not Available C/W: Chevy 5.7 V8 5.7 L Gasoline Engine, 1998 US EPA Label, 5-Speed Manual Transmission, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 136 in Wheelbase, PTO, McClain 8 ft 6 in Long x 1 ft 4 in High Steel Body, 2.2 cyd, Capacity, Manual Roll Tarp, Pintle Hitch Usage: Not Available
8057A	<b>2012 Ford F-150 XL 4x2 Pickup (Inoperable)</b> S/N: 1FTMF1CM7CFA52540 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Drop-In Bed Liner, 6450 lb GVWR, 235/75R17 Tires, 6 ft 5 in Bed Usage: Not Available	8064	<b>2003 International 4300 4x2 Vacuum Tanker Truck (Inoperable)</b> S/N: 1HTMKAAL03H556375 C/W: International 6 Cylinder Diesel Engine, Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 168 in Wheelbase, PTO Usage: Not Available
8057	<b>2010 Ford F-150 4x4 Extended Cab Pickup (Inoperable)</b> S/N: 1FTFX1EV7AFB27391 C/W: 5.4 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 7700 lb GVWR, 275 /65R18 Tires, 6 ft 5 in Bed Usage: Not Available	8065	<b>2012 International 4300SBA 4x2 Rear Loader Waste Collection Truck</b> S/N: 1HTMYSKM0CJ628132 C/W: International MaxxFORCE 7 6 Cylinder Diesel 240 hp Engine, Automatic Transmission, 8000 lb Front Axle, 15500 lb Rears, 23500 lb GVWR, 245/70R19.5 Front Tires, 245/70R19.5 Rear Tires, Spring Suspension, 175 in Wheelbase, Loadmaster Collection Body Usage: Not Available
8058	<b>1999 Mack RD688S 6x4 Tri/A Dump Truck (Inoperable)</b> S/N: 1M2P270C2XM046925 C/W: Mack 6 Cylinder Diesel Engine, 44470.6 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, mixed aluminum and steel wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Tag Axle, Spring Suspension, 206 in Wheelbase, Double Frame, 16 ft 11 in Long x 4 ft 3 in High Steel Body, Manual Roll Tarp Usage: 208,385 Mi	8067	<b>2012 Palfinger PK23500 on 2013 Freightliner 114SD 8x4 Boom Truck (Inoperable)</b> S/N: 1FVHG3DV4DHFH7744 C/W: Diesel 450 hp Engine, 10-Speed Manual Transmission Usage: Not Available
8059A	<b>2000 Mack RD688S T/A Dump Truck</b> S/N: 1M2P267C2YM049647 C/W: 6 Cylinder Diesel Engine, 28663 Engine hrs, Engine Brake, Mack T2130 13-Speed Manual Transmission, 11R24.5, Air Lift Pusher Axle, Camelback Spring Suspension, 230 in Wheelbase, Double Frame, 17 ft Long x 4 ft High Steel Body, Flat Bed, Electric Roll Tarp Usage: 61,780 Mi		

Lot #	Details	Lot #	Details
8069	<b>2013 Altec AA755 55 ft on 2013 Freightliner M2 106 4x2 Bucket Truck (Inoperable)</b> S/N: 1FVACXDT6DHFH7828 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, Allison 3500 6-Speed Automatic Transmission, 13000 lb Front Axle, 21000 lb Rears, Meritor MS-21-14X Drive Axles, 6.14:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, 700 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, A-Outriggers, Rear Outriggers, 16 ft 5 in x 94 in Bed, Pintle Hitch Usage: 75,798 Mi	8077	<b>2008 GMC Sierra 3500HD 4x2 Flatbed Truck</b> S/N: Not Available C/W: V8 6.0 L Gasoline Engine, Automatic Transmission, 4500 lb Front Axle, 8600 lb Rears, 225/75R17, Spring Suspension, 135 in Wheelbase, 9 ft 6 in x 96 in Bed, Fuel Tank /w Pump Usage: Not Available
8070	<b>Altec AA755MH 55 ft on 2012 International 4300 SBA 4x2 Bucket Truck (Inoperable)</b> S/N: 3HAMMAAN2CL451519 C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, 700 lb Capacity, Rear Mounted, One-Person Articulated Boom, Utility Body, X-Type Outriggers, Rear Outriggers, 13 ft 6 in x 94 in Bed, Pintle Hitch Usage: Not Available	8081A	<b>Vactor Guzzler on 2006 International 7600 6x4 Vacuum Excavator Truck</b> S/N: Not Available C/W: cat 6 Cylinder Diesel Engine, 2006 US EPA Label, Eaton Fuller 10-Speed Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Spring over Walking Beam Suspension, 271 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Vibrator, Blower Usage: Not Available
8071A	<b>Altec LS40 36 ft on 2008 Freightliner M2 106 4x2 Van Mounted Aerial Lift</b> S/N: 4UZACPK08CZ05148 C/W: 6 Cylinder 7.2 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 10R22.5, Spring Suspension, 160 in Wheelbase, PTO, Rear Mounted, Telescopic Boom, Van Body, 11 ft x 94 in Bed, Pintle Hitch Usage: 53,733 Mi	8081	<b>2009 International 7600 6x4 Vacuum Excavator Truck</b> S/N: Not Available C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 272 in Wheelbase, PTO, Hydraulic System, Double Frame, Steel Debris Tank, Hydraulic Lift Tailgate, Manual Tailgate Locks Usage: Not Available
8071	<b>2010 Altec AA55F 55 ft on 2010 Freightliner M2 106 4x2 Cable Placer Bucket Truck 59599v</b> S/N: Not Available C/W: 315/80R22.5, PTO, Hydraulic System, 300 lb Capacity, Rear Mounted, Two-Person Articulated Boom, Utility Body, Turret Mounted Winch, A-Outriggers, Rear Outriggers Usage: Not Available	8082	<b>Excavac HT280 on 2007 Ford F-650 XL 4x2 Vacuum Excavator Truck</b> S/N: 3FRNF65R37V508479 C/W: Cat C7 6 Cylinder 7.2 L Diesel 230 hp Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 11R22.5, Spring Suspension, 195 in Wheelbase, Steel 500 gal Debris Tank, Full Open Tailgate, Manual Tailgate Locks Usage: 54,439 Mi
8074	<b>2000 GMC C6500 4x2 Flatbed Truck</b> S/N: 1GBJ6H1C3YJ524330 C/W: Long Wide High Usage: 289,009 Mi	8083	<b>Excavac HT460 on 2005 Ford F-650 4x2 Vacuum Excavator Truck</b> S/N: 3FRNF65N45V115200 C/W: Cat C7 6 Cylinder Diesel 210 hp Engine, US EPA Label, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 11R22.5, Spring Suspension, 260 in Wheelbase, Steel Debris Tank, Full Open Tailgate, Manual Tailgate Locks, Pump w/ 4 Cylinder Engine Usage: 71,279 Mi
8077A	<b>2006 Ford F-550 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FDAW56P06EA61263 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 6500 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5, Spring Suspension, 174 in Wheelbase, 10 ft 2 in x 96 in Bed, Receiver Hitch Usage: 183,675 Mi	8084B	<b>2015 International 4300 4x2 Van Truck (Inoperable)</b> S/N: 1HTMNAAL6FH739940 C/W: 6 Cylinder Diesel Engine, 9458 Engine hrs, Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 254 in Wheelbase, Transglobal 24 ft x 96 in Wide x Body, Liftgate Usage: 203,752 Mi

Lot #	Details	Lot #	Details
8086C	<b>2015 International 4300 4x2 Van Truck</b> S/N: Not Available C/W: International 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295 /75R22.5, Spring Suspension, 254 in Wheelbase, Liftgate Usage: Not Available	8089	<b>2013 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBD44DDBZ3210 C/W: Cummins ISX12 6 Cylinder 12.0 L Compressed Natural Gas (CNG) 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor DA-RT-40 Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 209,601 Mi
8086B	<b>2018 Kenworth T370 4x2 Van Truck</b> S/N: 2NKHHM6X8JM209285 C/W: 6 Cylinder 6.7 L Diesel 220 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 7310.0 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, Spicer P20060S Drive Axles, 5.29:1 Axle Ratio, 26000 lb GVWR, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, Brown Industries 23 ft 7 in Long x 96 in Wide x 101 in High Body Usage: 309,300 Mi	8090	<b>2016 Freightliner Cascadia 113 4x2 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGBDV5GLHE5042 C/W: Detroit 6 Cylinder Diesel Engine, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8086A	<b>2015 International 4300 4x2 Van Truck</b> S/N: 1HTMNAAL8FH739938 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 8076 Engine hrs, Allison Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 255 in Wheelbase, Liftgate Usage: 178,616 Mi	8091C	<b>2014 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV9ESFS3363 C/W: 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 3.31:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 190 in Wheelbase, PTO, Wet Kit Usage: 640,839 Mi
8086	<b>2016 International 4300 SBA LP 4x2 Van Truck</b> S/N: 1HTMNAALOGH138864 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, 9128 Engine hrs, Engine Brake, Allison Automatic Transmission, 9000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 255 in Wheelbase, Liftgate Usage: 217,968 Mi	8091B	<b>2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3AKJGED53ESFX1362 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000.0 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8087A	<b>2009 Sterling Acterra 4x2 Cab and Chassis</b> S/N: 2FZACGBS39AAG8170 C/W: Cummins 6 Cylinder Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Airliner Air Ride Suspension, 208 in Wheelbase, 142 in Cab to Axle, 200 in Cab to End of Frame Usage: Not Available	8091A	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEBG5FSFY7925 C/W: 6 Cylinder 15.0 L Diesel 400 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 455,432 Mi
8088	<b>2016 Kenworth T680 6x4 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FO16E310C-LAS Automated Transmission, 12000 lb Front Axle, 34000 lb Rears, Dana Econotrex S21-190 Drive Axles, 3.21:1 Axle Ratio, 46000.0 lb GVWR, Air Ride Cab, 295/75R22.5, Paccar 4-Bag Air Ride Suspension, 181 in Wheelbase Usage: Not Available		

Lot #	Details	Lot #	Details
8092	<b>2014 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH3EN155947 C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8100	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2KJ277829 C/W: 6 Cylinder 15.0 L Diesel 450 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller EED-18F112C Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT40-14x3 Drive Axles, 2.64:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Carrier Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Paccar 8-Bag Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8097C	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR9HSJC2241 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 22491 Engine hrs, Engine Brake, Detroit 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52000 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 228 in Wheelbase Usage: 585,756 Mi	8101	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKYDP9X4HJ139137 C/W: 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, Dana D40-155 Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Bunk Heater, 295/75R22.5, Paccar Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8097	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA 12-Speed Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X4 Drive Axles, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8102C	<b>2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 500 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, Meritor MT40X14X3C Drive Axles, 3.42:1 Axle Ratio, 51200.0 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8099A	<b>2012 Peterbilt 386 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPHD49X9CD127775 C/W: Cummins ISX15 6 Cylinder Diesel 425 hp Engine, 2011 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000.0 lb GVWR, Air Ride Cab, 80 in Mid Roof Sleeper Cab, Carrier PG6000 Auxiliary Power Unit, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 248 in Wheelbase, Air Sliding 5th Wheel Usage: Not Available	8102B	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH8GN968655 C/W: Volvo D13J425 5 Cylinder Ultra Low Sulfur Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo Automatic Transmission, Differential Lock, 12350 lb Front Axle, 38000 lb Rears, Air Ride Cab, 61 in High Rise Sleeper Cab, 295/75R22.5, Volvo Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
8102A	<b>2014 Volvo VNL670 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 4V4NC9EH0EN161561 C/W: Volvo D13H425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 1040.3 Engine hrs, Volvo ATO2612D Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 841,676 Mi	8108	<b>2013 Kenworth T680 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKYA48X1DJ355367 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2012 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FM-15E310B-LAS 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 156 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 442,103 Mi
8103	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3HSDJAPR5GN180707 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 28 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8109	<b>2012 Kenworth T660 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKAA48X8CJ312824 C/W: 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 15350 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275/80R22.5, 4-Bag Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 506,718 Mi
8104	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: Not Available C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8110	<b>2010 Kenworth T660 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3WKAA48X3AF266983 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
8107A	<b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor</b> S/N: 1XKYA48X6EJ403043 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2013 US EPA Label, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana S23-190 Drive Axles, 2.53:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8111	<b>2018 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGBDV5JLJT6070 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Detroit 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 52000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 189 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8107	<b>2014 Kenworth T680 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XKYA48XXEJ403045 C/W: Cummins ISX15 6 Cylinder Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 275/80R22.5, 4-Bag Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel Usage: 790,236 Mi	8113	<b>2017 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGBDV7HLHH2644 C/W: Detroit 6 Cylinder Diesel Engine, Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5, Air Ride Suspension, 192 in Wheelbase, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
8114	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGBDV0GLHE5000 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Engine Brake, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.50:1 Axle Ratio, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 15,490 Mi	8123	<b>2015 Volvo VNL 4x2 T/A Day Cab Truck Tractor</b> S/N: 4V4N39EG2FN927878 C/W: Volvo 6 Cylinder 13.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 19364 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, 33500 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase Usage: 770,183 Mi
8115	<b>2016 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Meritor Drive Axles, 2.50:1 Axle Ratio, 34700 lb GVWR, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8124	<b>2014 Volvo VNL300 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N39EG5EN156055 C/W: 6 Cylinder 12.8 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6035.9 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, Meritor RS23-160/161 Drive Axles, 35050 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 161 in Wheelbase, Dual Fuel Tanks Usage: 755,711 Mi
8116A	<b>2018 Freightliner Cascadia 113 S/A Day Cab Truck Tractor</b> S/N: 1FUBGBDV2JLJT3583 Usage: 555,397 Mi	8125	<b>2014 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N39EG0EN156044 C/W: Volvo 6 Cylinder 12.8 L Diesel Engine, 2021 US EPA Label, Requires Diesel Exhaust Fluid, 16795 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 22700 lb Rears, 35050 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: 458,133 Mi
8116	<b>2015 Freightliner Cascadia 113 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGBDV2FLGD8335 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 172 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8126	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG1CN560800 C/W: Volvo 6 Cylinder 12.8 L Diesel Engine, 2011 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8118	<b>2015 Freightliner Cascadia 113 6x4 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUBGBDV1FLGD8262 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Automated Transmission, Meritor Drive Axles, 2.50:1 Axle Ratio, 295/75R22.5, Air Ride Suspension, 169 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8127	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG2CN547196 C/W: Volvo 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8121	<b>2016 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N39TG7GN965613 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 735,366 Mi	8128	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EG6CN560792 C/W: Volvo 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 168 in Wheelbase, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
8129	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: Not Available C/W: Volvo D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2011 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT2612D Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS-23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8133	<b>2007 Volvo VNL 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG17N487338 C/W: 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 400 hp Engine, 2006 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, Meritor RS23-160 Drive Axles, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 155 in Wheelbase Usage: Not Available
8130	<b>2012 Volvo VNL S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG1CN547354 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, Meritor RS-23160 Drive Axles, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8134	<b>2006 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4M19GG86N407702 C/W: Volvo D12 6 Cylinder Diesel 395 hp Engine, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12500 lb Front Axle, 20000 lb Rears, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: Not Available
8131B	<b>2012 Volvo VNL S/A Day Cab Truck Tractor</b> S/N: 4V4N19EG3CN560782 C/W: Volvo D13H 6 Cylinder 12.8 L Ultra Low Sulfur Diesel Engine, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350.0 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 157 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8135	<b>2006 Volvo VNM 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4M19GGX6N407281 C/W: Volvo D12D395 6 Cylinder 12.1 L Diesel 395 hp Engine, 2005 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 20000 lb Rears, 3.59:1 Axle Ratio, 32350 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, Dual Fuel Tanks Usage: Not Available
8131A	<b>2012 Volvo VNL S/A Day Cab Truck Tractor</b> S/N: 4V4N19EG9CN560799 C/W: Volvo D13 6 Cylinder 12.8 L Diesel 405 hp Engine, 2011 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, 295/75R22.5, Air Ride Suspension, 159 in Wheelbase, Dual Fuel Tanks Usage: Not Available	8138	<b>2011 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1HSCRAPN8BJ363175 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 295/75R22.5, International Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks Usage: 720,597 Mi
8131	<b>2012 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19EH4CN549668 C/W: Volvo D13H425 6 Cylinder 12.8 L Diesel 425 kW Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Volvo Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel Usage: 785,558 Mi	8141	<b>2019 Terberg YT180 4x2 spotter truck hydraulic 5th wheel Spotter Truck (Inoperable)</b> S/N: XLWYT1807K9158018 C/W: Allison Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hydraulic Lift 5th Wheel Usage: Not Available
8132	<b>2010 Volvo VNL 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 4V4N19TGXAN289543 C/W: Cummins ISX 400ST 6 Cylinder 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2009 US EPA Label, Eaton Fuller K0761438 10-Speed Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Volvo Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8142	<b>2019 Terberg YT180 4x2 Spotter Truck (Inoperable)</b> S/N: XLWYT1806K9178020 C/W: Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 130 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
		8143	<b>2019 Terberg YT180 4x2 spotter truck hydraulic 5th wheel Spotter Truck (Inoperable)</b> S/N: XLWYT1802K9138016 C/W: Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 130 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available



Lot #	Details	Lot #	Details
8144	<b>2019 Terberg YT180 4x2 spotter truck 5th wheel Spotter Truck (Inoperable)</b> S/N: XLWYT1805K9128015 C/W: Ultra Low Sulfur Diesel Engine, Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 131 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8152	<b>2017 Autocar 4x2 Spotter Truck (Inoperable)</b> S/N: 516G4G4B2HH222053 C/W: Cummins QSB 6 Cylinder Diesel 185 hp Engine, 10541.5 Engine hrs, Allison 3500 4 Automatic Transmission, 14700 lb Front Axle, Meritor RS24-160 Drive Axles, 7.17:1 Axle Ratio, 39200 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 280/75 R22.5 Rear Tires, 118 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 21,335 Mi
8145	<b>2019 Terberg YT180 4x2 Spotter Truck (Inoperable)</b> S/N: XLWYT1804K9168019 C/W: Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 131 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8153	<b>2015 Autocar 4x2 Spotter Truck (Inoperable)</b> S/N: 516G4G4B9FH219390 C/W: Cummins QSB 6 Cylinder Diesel 185 hp Engine, Allison 3500 4 Automatic Transmission, 14700 lb Front Axle, Meritor RS24-160 Drive Axles, 7.17:1 Axle Ratio, 39200 lb GVWR, Air Ride Cab, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, 115 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8146	<b>2019 Terberg YT182 4x2 Spotter Truck (Inoperable)</b> S/N: XLWYT1823K1896804 C/W: Diesel Engine, Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 130 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8154	<b>2012 Capacity TJ5000 4x2 Spotter Truck</b> S/N: 4LMBL2112CL023400 C/W: Allison Automatic Transmission, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, 113 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8147	<b>2019 Terberg 4x2 Spotter Truck (Inoperable)</b> S/N: XLWYT1826K1886803 C/W: Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 136 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8155	<b>2007 Capacity 4x2 Spotter Truck</b> S/N: Not Available C/W: Diesel Engine, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 121 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8148	<b>2019 Terberg 4x2 Spotter Truck (Inoperable)</b> S/N: XLWYT180XK9208023 C/W: Cummins QSB6.7 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 190 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Allison 6-Speed Automatic Transmission, 310/80R22.5 Front Tires, 310/80R22.5 Rear Tires, 131 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 8,855 Hr	8156	<b>2007 Capacity TJ7000 4x2 Spotter Truck (Inoperable)</b> S/N: 4LMCB21167L018259 C/W: 6 Cylinder Diesel Engine, Allison Transmission, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, 120 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 32,586 Hr
8149	<b>2019 Terberg 4x2 Spotter Truck</b> S/N: XLWYT1829K1376802 C/W: Ultra Low Sulfur Diesel Engine, Allison Automatic Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 131 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8157	<b>2006 Kalmar 30 4x2 Spotter Truck</b> S/N: Not Available C/W: Allison Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, 118 in Wheelbase, Double Frame, Hydraulic Lift 5th Wheel Usage: Not Available
8150	<b>2017 Autocar 4x2 Spotter Truck (Inoperable)</b> S/N: 516G4G4B6HH222055 C/W: Diesel Engine, Allison 3500 4 Automatic Transmission, 14700 lb Front Axle, 7.17:1 Axle Ratio, 39200 lb GVWR, Air Ride Cab, 295 /75R22.5 Front Tires, 280/75R-22.5 Rear Tires, 115 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8158	<b>2006 Capacity TJ7000 4x2 Spotter Truck</b> S/N: Not Available C/W: Cummins Diesel Engine, Allison Automatic Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8151	<b>2017 Autocar 4x2 Spotter Truck (Inoperable)</b> S/N: 516G4G4B4HH222054 C/W: Diesel Engine, Allison 3500 4 Automatic Transmission, 14700 lb Front Axle, 39200 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Hydraulic Lift 5th Wheel Usage: Not Available	8159	<b>2006 Capacity 4x2 Spotter Truck</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine, 11R22.5 Front Tires, 11R22.5 Rear Tires, 121 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available

Lot #	Details	Lot #	Details
8160F	<b>2002 Capacity TJ4000 4x2 Spotter Truck (Inoperable)</b> S/N: 4LMBB51162L013438 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 29,165 Hr	8163	<b>Capacity 4x2 Spotter Truck</b> S/N: Not Available C/W: Cummins Engine, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 108 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8160E	<b>2006 Capacity TJ7000 4x2 Spotter Truck</b> S/N: 4LMCB211X6L017215 C/W: Cummins 6 Cylinder Diesel Engine, Allison Automatic Transmission, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8164	<b>Capacity 4x2 Spotter Truck</b> S/N: Not Available C/W: 295/75R22.5 Front Tires, 11R22.5 Rear Tires, 120 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available
8160D	<b>Capacity TL5000 4x2 Spotter Truck (Inoperable)</b> S/N: 13081 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, 110 in Wheelbase Usage: 21,395 Hr	8165	<b>Kubota RTVX900 Utility Vehicle</b> S/N: A5KB2FDBLHG046029 C/W: Canopy, 2 Passenger, Diesel Engine Usage: 1,788 Hr
8160C	<b>Capacity TJ7000 4x2 Spotter Truck (Inoperable)</b> S/N: 10118 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 2,746 Hr	8167	<b>Scag Turf Tiger Zero-Turn Lawn Mower (Inoperable)</b> S/N: Not Available C/W: 13x6.50-6/4.50 Front Tires, 24x12.00-12 Rear Tires, Scag Turf Tiger Mower Usage: 1,970 Hr
8160B	<b>2002 Capacity TJ5000 4x2 Spotter Truck</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8168A	<b>Wacker Neuson Walk Behind Roller</b> S/N: 0121 C/W: 2 Cylinder Diesel Engine, 32 in Drums Usage: Not Available
8160A	<b>2002 Capacity TJ3000 4x2 Spotter Truck (Inoperable)</b> S/N: 10120 C/W: Cummins 6 Cylinder Diesel Engine, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: 1,402 Hr	8168	<b>Fradan S/A Leaf Vacuum</b> S/N: 3628 C/W: 2012 US EPA Label, Briggs & Stratton Vanguard 2 Cylinder 896 cc Gasoline Engine Usage: Not Available
8160	<b>2002 Capacity 4x2 Spotter Truck</b> S/N: Not Available C/W: 295/75R22.5 Front Tires, 11R22.5 Rear Tires, 110 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8169	<b>Quantity of (3) 1960 Vibrahammer Pile Hammer (Inoperable)</b> S/N: 17780 181053 C/W: Cat 3408 8 Cylinder 475 hp Diesel Engine Usage: Not Available
8161	<b>2006 Kalmar 30 4x2 Spotter Truck</b> S/N: Not Available C/W: Automatic Transmission, 11R22.5 Front Tires, 275/80R22.5 Rear Tires, Hydraulic Lift 5th Wheel Usage: Not Available	8170	<b>1997 Ingersoll Rand P250WJD Air Compressor</b> S/N: 273820UBH359 C/W: John Deere 4 Cylinder Engine, S/A Trailer, Lunette Ring Usage: 424 Hr
8162	<b>2011 Cargotec 4X2 Spotter Truck</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine, 11R22.5 Front Tires, 11R22.5 Rear Tires, 116 in Wheelbase, Hydraulic Lift 5th Wheel Usage: Not Available	8171	<b>2004 Sullair 185 Mobile Air Compressor (Inoperable)</b> S/N: 004-100242 C/W: John Deere Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available
		8172	<b>2004 Sullair 185 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: 004-128871 C/W: US EPA Label, John Deere 4045DF150B 4 Cylinder 60 kW 4.5 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available
		8173	<b>2010 Terex AL4 Light Tower (Inoperable)</b> S/N: 4ZJSL1410A1000596 C/W: S/A Trailer, Lunette Ring Usage: Not Available

Lot #	Details	Lot #	Details
8174	<b>2000 Miller Big Blue 402 P 400 A Engine Driven Welder (Inoperable)</b> S/N: LA166450 C/W: Deutz 4 Cylinder 32.5 kW Diesel Engine, Welding Leads Not Included, 240 V / 120 V Rated Voltage Usage: 9,456 Hr	8177	<b>2013 Eager Beaver 55 GSL Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 112SD5521DL078637 C/W: 132650 lb GVWR, Air Ride Suspension, Lift 3rd- Axles, Hydraulic Removable Gooseneck, Plumbed for Booster Axle, 25 ft Main Deck, 12 ft 2 in Rear Deck, 101.5 in Usable Deck Width, 124 in Widening Width, Deck Over Tires, Manual Ramps, 275/70R22.5 Tires Usage: Not Available
8175C	<b>2017 Volvo VNL T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH2HN971536 C/W: Volvo D13 6 Cylinder Ultra Low Sulfur Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Volvo AT02612D Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 50350.0 lb GVWR, Air Ride Cab, 42 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	8178	<b>2005 Trail King TK110HDG-533 Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ053315B108574 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, S/A Pin-On Booster Axle, Plumbed for Booster Axle, 0 ft 108 in Main Deck, Manual Ramps, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available
8175B	<b>2005 Ford F-350 4x2 Service Truck (Inoperable)</b> S/N: 1FDWF36P55EB57978 C/W: V8 6.0 L Diesel Engine, 2005 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 13000.0 lb GVWR, 245 /75R17, Spring Suspension, 164 in Wheelbase, Knapheide 11 ft Body, Auto Crane 4000 lb 2 Section Electric Crane Usage: Not Available	8180	<b>2007 Eager Beaver 50GSLBT 50 ton Tri/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 112SE25197L072009 C/W: 122700 lb GVWR, Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 24 ft Main Deck, 11 ft Rear Deck, 102 in Usable Deck Width, 102 in Overall Deck Width, 126 in Widening Width, Upper Deck Ramps, Folding Side Extensions, Deck Over Tires, Manual Ramps, 255/70R22.5 Tires Usage: Not Available
8175A	<b>2005 Chevrolet C5500 4x2 Service Truck (Inoperable)</b> S/N: 1GBE5C1245F534068 C/W: GM Duramax 6.6 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5 Front Tires, 245/70R19.5 Rear Tires, Spring Suspension, 149 in Wheelbase, Quality 11 ft Body, Manual Stabilizers, Auto Crane 6006 1 Section Electric Crane Usage: 326,636 Mi	8181	<b>2007 Eager Beaver 50GSL Tri/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 112SD24847L073540 C/W: 121000 lb GVWR, Air Ride Suspension, Hydraulic Removable Gooseneck, S/A Flip Booster Axle, 26 ft Main Deck, 7 ft Rear Deck, 102 in Usable Deck Width, 126 in Widening Width, Folding Side Extensions, Deck Over Tires, 255/70R22.5 Tires Usage: Not Available
8175	<b>2010 Cummins ISL 280 Engine (Inoperable)</b> S/N: 46988892 C/W: Cummins ISL 280 6 Cylinder 280 hp 8.9 L Diesel Engine, w/ Allison Transmission Usage: Not Available	8182	<b>2001 Talbert Manufacturing Inc 13DW-50SA-HRG-1-T1 Tri/A Remv- Gooseneck Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 40FS0503X11020667 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 0 ft 102 in Main Deck, Folding Side Extensions, Deck Over Tires, Manual Ramps, Aluminum Wheels, 255 /70R22.5 Tires Usage: Not Available
8176	<b>2014 Talbert 55 ton Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 40FSK5337F1033843 C/W: Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 9 ft 6 in Upper Deck, 26 ft Main Deck, 12 ft Rear Deck, 102 in Usable Deck Width, Storage Compartments, Folding Side Extensions, Deck Over Tires, 275/70R22.5 Tires Usage: Not Available	8183	<b>1996 Etnyre RTN50TD3-T1 Tri/A Single Drop Removable Gooseneck Lowboy Trailer</b> S/N: 1E9Y28309TE111242 C/W: 121280 lb GVWR, Air Ride Suspension, Air Brakes, Lift 3rd- Axles, Hydraulic Removable Gooseneck, 0 ft Upper Deck, 27 ft 11 in Main Deck, 12 ft 0 in Rear Deck, 101.5 in Usable Deck Width, 125 in Widening Width, Boom Recess, 275/70R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8184	<b>2016 Rogers CR40PL Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: Not Available C/W: 95225 lb GVWR, Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 24 ft Main Deck, 90 in Usable Deck Width, 102 in Overall Deck Width, Folding Side Extensions, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available	8192	<b>2015 Ledwell LW48 48 ft T/A Gooseneck Hydraulic Tail Trailer</b> S/N: 1L9GA72A3FL033926 C/W: Air Ride Suspension, Air Brakes, 9 ft 3.5 in Upper Deck, 20 ft 2 in Main Deck, 7 ft 9 in Rear Deck, 8 ft 0 in 2-Position Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Upper Deck Ramps, Winch, Aluminum Outer Wheels, 235/75R17.5 Tires Usage: Not Available
8185	<b>2005 Trail King T/A Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ050215M077682 C/W: 86000 lb GVWR, Air Ride Suspension, Air Brakes, Mechanical Removable Gooseneck, 25 ft Main Deck, 7 ft Rear Deck, 11 ft 6 in 2-Position Dovetail, 102 in Usable Deck Width, Winch, Upper Deck Ramps, Deck Over Tires, Hydraulic Ramps, 255/70R22.5 Tires Usage: Not Available	8193	<b>2008 Talbert 47 ft T/A Hydraulic Tail Trailer</b> S/N: 40FL0482282028714 C/W: 235/75R17.5 Tires, Air Ride Suspension, Air Brakes Usage: Not Available
8186	<b>1992 Witzco Challenger 35 ton T/A Removable Gooseneck Lowboy Trailer</b> S/N: 1W9A11E20NS061316 C/W: 85020 lb GVWR, Spring Suspension, Air Brakes, 22 ft Main Deck, 95 in Usable Deck Width, 102 in Overall Deck Width, Honda GX390 Gas Powered Self Contained Hydraulic System, 11R22.5 Tires Usage: Not Available	8194	<b>2000 Fontaine HT70A 48 ft T/A Hydraulic Tail Trailer</b> S/N: 4LF3Y4827Y3509313 C/W: 50000.0 lb GVWR, Air Ride Suspension, 7 ft 6 in Upper Deck, 33 ft Main Deck, 7 ft 6 in 2-Position Dovetail, 102 in Usable Deck Width, Self Contained Hydraulic System, Deck Over Tires, Winch, 255/70R22.5 Tires Usage: Not Available
8187	<b>1991 Talbert TWD-30-SRG-T1 30 ton T/A Removable Gooseneck Lowboy Trailer</b> S/N: 40FW04827M3009089 C/W: 69705 lb GVWR, Air Ride Suspension, Air Brakes, Mechanical Removable Gooseneck, 9 ft 5 in Upper Deck, 29 ft Main Deck, 6 ft 10 in Rear Deck, 102 in Usable Deck Width, 126 in Widening Width, Folding Side Extensions, 255 /70R22.5 Tires Usage: Not Available	8195	<b>2004 Trans Spec 48 ft Tri/A Oilfield Step Deck Trailer</b> S/N: 1R9DP48394C167214 C/W: 102000 lb GVWR, Air Ride Suspension, Air Brakes, 245/70R17.5 Tires Usage: Not Available
8189	<b>1986 Liddell 5599453 T/A Double Drop Lowboy Trailer</b> S/N: 1L74M4822GAB00498 C/W: Air Ride Suspension, Air Brakes, 9 ft 6 in Upper Deck, 30 ft Main Deck, 8 ft 6 in Rear Deck, 98 in Usable Deck Width, Deck Over Tires, 11R22.5 Tires Usage: Not Available	8196	<b>2007 Great Dane 53 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 1GRDM06237H701387 C/W: 62000.0 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft 3 in Upper Deck, 41 ft 11 in Main Deck, 102 in Usable Deck Width, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8190	<b>1984 Fontaine HDDFT-1-7048A 60000 lb T/A Double Drop Lowboy Trailer</b> S/N: 1A1348203E1537905 C/W: 9 ft 6 in Upper Deck, 30 ft Main Deck, 8 ft 6 in Rear Deck, 98 in Usable Deck Width, Deck Over Tires, 11R22.5 Tires Usage: Not Available	8198	<b>2014 Fontaine HAVSD12WSA 40000 lb 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 13N248203E1564442 C/W: 69277 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft 0 in Upper Deck, 38 ft 0 in Main Deck, 94 in Usable Deck Width, 98 in Overall Deck Width, Wood Flooring, 255/70R22.5 Tires Usage: Not Available
8191	<b>1999 Trail King 47 ft T/A Rollback Trailer</b> S/N: 1TKA0482XXM016459 C/W: Air Ride Suspension, Air Brakes, Winch, Gas Powered Self Contained Hydraulic System, 215/75R17.5 Tires Usage: Not Available	8199	<b>2014 Fontaine HAVSD12WSA 40000 lb 48 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 13N248200E1565337 C/W: 69277 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft 0 in Upper Deck, 38 ft 0 in Main Deck, 96 in Usable Deck Width, 102 in Overall Deck Width, Wood Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8200	<b>2008 Benson 48 ft T/A Spread Axle Step Deck Trailer</b> S/N: 5DMFACTB48C002328 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 37 ft Main Deck, 10 ft 9 in Rear Deck, 97 in Usable Deck Width, 102 in Overall Deck Width, Storage Compartments, Deck Over Tires, Aluminum Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	8209	<b>1999 MAC 34 ft T/A Aluminum Frameless End Dump Trailer</b> S/N: 5MADN3439XC002808 C/W: Aluminum Frame, Air Ride Suspension, Air Brakes, 34 ft Body, 66 in Side Walls, Aluminum Body, Aluminum Wheels, 295 /75R22.5 Tires Usage: Not Available
8201	<b>2007 Fontaine 80000 lb 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 13N24830571543660 C/W: 69278 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	8210	<b>2020 Clement RKHL3239 32 ft T/A Frameless End Dump Trailer</b> S/N: 5C2BR32B5LM011346 C/W: 72000 lb GVWR, Spring Suspension, Air Brakes, 32 ft Body, 60 in Side Walls, Steel Body, Electric Roll Tarp, High Lift Tailgate, 11R22.5 Tires Usage: Not Available
8202	<b>2006 Fontaine T/A Single Drop Step Deck Trailer</b> S/N: 13N24830561537842 C/W: 69550 lb GVWR, Air Ride Suspension, Air Brakes, 9 ft 11 in Upper Deck, 37 ft 9 in Main Deck, 97 in Usable Deck Width, 102 in Overall Deck Width, Wood Flooring, 255/70R22.5 Tires Usage: Not Available	8211	<b>2017 Trailstar 25 ft 6 in Quad/A Aluminum End Dump Trailer</b> S/N: 4T9DA27D7H1110643 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Lift 1st- 2nd-Axles, 28 ft Body, 60 in Side Walls, Aluminum Body, Aluminum Wheels, 11R22.5 Tires Usage: Not Available
8204	<b>1995 Fontaine HDFT5100048WSAW 40000 lb 48 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 13N248306S1568365 C/W: 70227 lb GVWR, Air Ride Suspension, Air Brakes, 11 ft 0 in Upper Deck, 37 ft 0 in Main Deck, 96 in Usable Deck Width, 102 in Overall Deck Width, Bulkhead, Wood Flooring, 255 /70R22.5 Tires Usage: Not Available	8213	<b>1987 East 37 ft T/A Aluminum Frameless End Dump Trailer</b> S/N: 1E1F9U286HRE08073 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, 37 ft Body, 56 in Side Walls, Aluminum Body, Manual Roll Tarp, 2-Way Tailgate, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available
8205	<b>1994 Dorsey 48 ft Single Drop Step Deck Trailer</b> S/N: 1DTP30Z23RP034018 C/W: 63950 lb GVWR, Spring Suspension, 12 ft Upper Deck, 36 ft 7 in Main Deck, 5 ft 5 in Fixed Dovetail, 98 in Usable Deck Width, Bulkhead, Deck Over Tires, Manual Ramps, Aluminum Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	8214	<b>1987 Hills 26 ft Tri/A Aluminum End Dump Trailer</b> S/N: 1H9DGF320H1022155 C/W: Spring Suspension, 26 ft Body, 64 in Side Walls, Aluminum Body, Manual Roll Tarp, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
8206	<b>1991 Oshkosh 48 ft T/A Spread Axle 48 Ft Spread Axle Step Deck Trailer</b> S/N: 4MLP44823MM563001 C/W: Air Ride Suspension, Air Brakes, 10 mm Upper Deck, 37 ft 2 in Main Deck, 91 in Usable Deck Width, 96 in Overall Deck Width, 255 /70R22.5 Tires Usage: Not Available	8215	<b>2007 Benson T/A Aluminum End Dump Trailer</b> S/N: 5DMDSAGC07M000189 C/W: Spring Suspension, Air Brakes, 34 ft 5 in Body, 77 in Side Walls, Aluminum Body, Manual Roll Tarp, Aluminum Outer Wheels, 285 /75r24.5 Tires Usage: Not Available
8207	<b>2019 East 36 ft Tri/A End Dump Trailer</b> S/N: 1E1D2T385KR065782 C/W: 86000 lb GVWR, Air Ride Suspension, Lift 1st- 2nd- Axles, 36 ft Body, 63 in Side Walls, Aluminum Body, Manual Roll Tarp, Air Lift Tailgate, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	8216	<b>2020 MAC 48 ft T/A Aluminum Moving Floor Trailer</b> S/N: 5MAMN4821LW054031 C/W: 80000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
		8217	<b>2002 Imco 48 ft Tri/A Aluminum Moving Floor Trailer</b> S/N: 1M9L1483X2C343476 C/W: 85000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Lift 1st- Axles, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8218	<b>2011 Peerless 45-CTSSF 43 ft T/A Moving Floor Trailer</b> S/N: 1PLE04528BPF56996 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available	8230	<b>2004 Utility 53 ft T/A Curtain Side Trailer</b> S/N: 1UYTS253X4A260106 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8219	<b>2001 Peerless 45-CTSSF 45 ft T/A Aluminum Moving Floor Trailer</b> S/N: 1PLE045221PH52088 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8231	<b>2004 Utility 52 ft 0 in T/A Curtain Side Trailer</b> S/N: 1UYTS25314A260107 C/W: 29500 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8220	<b>1992 Peerless 45-CTSSF 45 ft T/A Moving Floor Trailer</b> S/N: 1PLE04525NPD80770 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R24.5 Tires Usage: Not Available	8232	<b>2004 Utility Trailer TS2CHA 53 ft T/A Curtain Side Trailer</b> S/N: 1UYTS25334A260108 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8221	<b>1990 Heil 9450 gal T/A Tanker Trailer</b> S/N: 1HLA3A7B2L7H54981 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Aluminum Tank, 4 Compartments, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	8233	<b>2003 Utility 53 ft T/A A-Train Spread Axle Curtain Side Trailer</b> S/N: 1UYTS25393A067007 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available
8222	<b>1997 Krohnert 7000 gal T/A Tanker Trailer</b> S/N: 1K921N2F3V1114135 C/W: 72300 lb GVWR, Spring Suspension, Air Brakes, Stainless Steel Tank, 11R22.5 Tires Usage: Not Available	8234	<b>2003 Utility 53 ft x 102 in T/A Curtain Side Trailer</b> S/N: 1UYTS25353A067005 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8223	<b>2010 Longhorn 6500 gal T/A Vacuum Tanker Trailer</b> S/N: 1L9BT41270G223385 C/W: Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 11R22.5 Tires Usage: Not Available	8235	<b>2012 Transcraft 48 ft T/A Curtain Side Trailer</b> S/N: 1TTF482S9C3682671 C/W: 73000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires, 48 ft Lead Deck Length, 0 ft 102 in Lead Deck Width, Lead Bulkhead Usage: Not Available
8224	<b>2007 Dragon T/A Vacuum Tanker Trailer</b> S/N: 1UNST42207LU52676 C/W: Air Ride Suspension, Air Brakes, Steel Tank, Catwalk w/Guardrails, 11R24.5 Tires Usage: Not Available	8236	<b>2002 NU Van Technology Inc 48ft 48 ft T/A Curtain Side Trailer</b> S/N: 1N9F482P221045266 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8226	<b>2001 Heil HD1040 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN412717T07865 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	8237	<b>2018 Utility 52 ft T/A Flatbed Trailer</b> S/N: 1UYFS2538J5365101 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 98 in Deck Width, 102 in Overall Width Usage: Not Available
8228	<b>1998 Heil 1040 cft T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4128W7T05856 C/W: 70000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, 3 Compartments, 11R22.5 Tires Usage: Not Available	8238	<b>2023 Great Dane 48 ft T/A Flatbed Trailer</b> S/N: 1GR4M9629PH505281 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum Flooring, 295/75R22.5 Tires Usage: Not Available
8229	<b>2013 Transcraft 53 ft T/A Spread Axle Curtain Side Trailer</b> S/N: 1TTF532CXD3738627 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8239	<b>2023 Fontaine 48 ft T/A Flatbed Trailer</b> S/N: 13N148204P1551469 C/W: 70543 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 96 in Deck Width, 102 in Overall Width, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8241	<b>2022 Vanguard National 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 5V8FY48A9NM014743 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 97 in Deck Width, 102 in Overall Width, Bulkhead, Aluminum Flooring, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8252	<b>2003 JET MB0261 40000 lb 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 5JNFC48263H000250 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 96 in Deck Width, 102 in Overall Width, Bulkhead, Wood Flooring, 11R24.5 Tires Usage: Not Available
8244A	<b>2015 Transcraft Eagle II 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF482C8F3897472 C/W: 73000 lb GVWR, Air Ride Suspension, 98 in Deck Width, 102 in Overall Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	8254	<b>1999 Transcraft 48 ft T/A Flatbed Trailer</b> S/N: 1TTF48206X1058794 C/W: 68000 lb GVWR, Spring Suspension, 96 in Deck Width, 102 in Overall Width, Wood Flooring, 11R22.5 Tires Usage: Not Available
8244	<b>2013 East 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1E1H5Y283FR053854 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 96 in Deck Width, 102 in Overall Width, Aluminum Flooring, 11R22.5 Tires Usage: Not Available	8255	<b>1998 Trailmobile 48 ft T/A Flatbed Trailer</b> S/N: 1PTF7ATHXW9007720 C/W: Spring Suspension, Sliding Suspension, 97 in Deck Width, Bulkhead, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
8245	<b>2013 Transcraft TL2000 53 ft T/A Flatbed Trailer</b> S/N: 1TTF532S1D3758482 C/W: 80000 lb GVWR, Spring Suspension, Air Brakes, 102 in Deck Width, 102 in Overall Width, Bulkhead, Wood Flooring, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8256	<b>1998 Ravens 48 ft T/A Flatbed Trailer</b> S/N: 1R1F04721JE881092 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum w/Wood Strips Flooring, 11R22.5 Tires, 92 In x 48 Ft High Flat Usage: Not Available
8246	<b>2012 Reitnouer 48 ft T/A Flatbed Trailer</b> S/N: 1RNF48A22CR025203 C/W: 90000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 96 in Deck Width, 102 in Overall Width, Aluminum Flooring, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	8257	<b>1995 Great Dane 48 ft T/A Flatbed Trailer</b> S/N: 1GRDM9629SM060525 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 96 in Deck Width, 102 in Overall Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
8247	<b>2012 Doonan 80000 lb 53 ft T/A Spread Axle Step Deck Trailer</b> S/N: 1D9BG4826C1609882 C/W: 90000 lb GVWR, Air Ride Suspension, Air Brakes, 9 ft Upper Deck, 41 ft 6 in Main Deck, 0 ft Rear Deck, 96 in Usable Deck Width, 102 in Overall Deck Width, Aluminum Flooring, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	8258	<b>1994 Transcraft 48 ft T/A Flatbed Trailer</b> S/N: 1TTF48205R1041469 C/W: Spring Suspension, Sliding Suspension, 97 in Deck Width, 102 in Overall Width, 295/75R22.5 Tires Usage: Not Available
8248	<b>2007 Reitnouer Max Miser 48 ft T/A Flatbed Trailer</b> S/N: 1RNF48A227R018480 C/W: 90000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 94 in Deck Width, 102 in Overall Width Usage: Not Available	8260	<b>1985 Great Dane 48 ft T/A Flatbed Trailer</b> S/N: 1GRDM9026FM017713 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 96 in Deck Width, Wood Flooring, 11R22.5 Tires Usage: Not Available
8251	<b>2006 Transcraft 40000 lb 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 1TTE4820361080682 C/W: 80000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, 11 ft 0 in Upper Deck, 37 ft 0 in Main Deck, 96 in Usable Deck Width, 102 in Overall Deck Width, Wood Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: 229,621 Mi	8261	<b>2004 Transcraft TX45 45 ft T/A Flatbed Trailer</b> S/N: 1TTF4520942012025 C/W: Air Ride Suspension, Air Brakes, 90 in Deck Width, 96 in Overall Width, Bulkhead, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available
		8264	<b>1989 Dorsey Trailer 45 ft T/A Flatbed Trailer</b> S/N: 1DTP16W26KP027566 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 96 in Deck Width, Bulkhead, Wood Flooring, 11R24.5 Tires Usage: Not Available
		8265	<b>1987 Utility 45 ft T/A Flatbed Trailer</b> S/N: 1UYFS2459HA671809 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 96 in Deck Width, Bulkhead, Wood Flooring, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8271	<b>2009 Stanton TF 42 42 ft T/A Flatbed Oilfield Trailer</b> S/N: 1S9SF43219S834176 C/W: 80000 lb GVWR, Spring Suspension, Air Brakes, 96 in Deck Width, Tail Roller, 295 /75R22.5 Tires Usage: Not Available	8283	<b>2017 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2531H2941067 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8272	<b>2008 ITI DCS-42 T/A Chip Trailer</b> S/N: 1Z92C42278T199320 C/W: Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	8284	<b>2017 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2535H2941069 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King S-700 Refrigeration Unit, 11564 Engine Run Hours, Aluminum Wheels, 295 /75R22.5 Tires Usage: 11,564 Hr
8275	<b>2018 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B0JL064148 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 2017 Carrier NDW236N0-AF-0 Refrigeration Unit, Serial Number SAM91511819, 7817 Engine Run Hours, Aluminum Outer Wheels, 295 /75R22.5 Tires Usage: 7,817 Hr	8285	<b>2017 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536HU898883 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor Usage: Not Available
8276	<b>2018 Wabash RFALHSA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B8JL064141 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 2017 Carrier X4 7500 Refrigeration Unit, Serial Number NDW236N0-AF-0, 8067 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 8,067 Hr	8287	<b>2016 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536GU666315 C/W: Air Ride Suspension, Sliding Suspension, Ducted Floor, Thermo King Smart Reefer 4 Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available
8277	<b>2010 Wabash 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532B4AL354781 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Ducted Floor, Carrier 7300 X4 Refrigeration Unit, 11R22.5 Tires Usage: Not Available	8288	<b>2015 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2539FM989921 C/W: 65000 lb GVWR, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8279	<b>2005 Wabash 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532W45L925095 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Thermo King Refrigeration Unit, 35390 Engine Run Hours, 295/75R22.5 Tires Usage: 35,390 Hr	8289	<b>2015 Utility 3000R 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537FM116409 C/W: 29500 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Mezzanine Floor, Carrier X2 2100 Refrigeration Unit, Serial Number PAP91354883, 16573 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 16,573 Hr
8280	<b>2022 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2530N2523501 C/W: 65000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Side Skirts, 2021 Carrier X4 7500 Refrigeration Unit, Serial Number UAL91664065, 3801 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 3,801 Hr	8290	<b>2014 Utility VSR2A 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536EM859531 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Carrier 7300 X4 Refrigeration Unit, 16979 Engine Run Hours, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: 16,979 Hr
		8291	<b>2014 Utility VSR2A 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2530EM859542 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Carrier 7300x4 Refrigeration Unit, 11726 Engine Run Hours, Aluminum Wheels, 445/50R22.5 Super Single Tires Usage: 11,726 Hr



Lot #	Details	Lot #	Details
8292	<b>2012 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2535CU276848 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, Ducted Floor, Thermo King Refrigeration Unit, 23203 Engine Run Hours, 295/75R22.5 Tires Usage: 23,203 Hr	8301	<b>2012 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0623CW704372 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Mezzanine Floor, Carrier Refrigeration Unit, 31065 Engine Run Hours, Aluminum Wheels, 11R22.5 Tires Usage: 31,065 Hr
8293	<b>2011 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2536BM035802 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier Refrigeration Unit, 295/75R22.5 Tires Usage: 21,942 Hr	8302	<b>2006 Great Dane 7011TZ-1A 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA06216B700946 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, Ducted Floor, Thermo King SB-210 Refrigeration Unit, 11R22.5 Tires Usage: Not Available
8294	<b>2009 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS25309M656303 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier Refrigeration Unit, 11065 Engine Run Hours, Aluminum Outer Wheels Usage: 11,065 Hr	8303	<b>2001 Great Dane 7011TZ-1A 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA06231S037601 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Carrier X2 2500R Refrigeration Unit, 11465 Engine Run Hours, 445/50R22.5 Super Single Tires Usage: Not Available
8295	<b>2006 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25326U734608 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Ducted Floor, Thermo King Refrigeration Unit, 10287 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8304	<b>2000 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0624YW079004 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Carrier Refrigeration Unit, 295/75R22.5 Tires Usage: 11,310 Hr
8296	<b>2017 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0626HW703479 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, Ducted Floor, Carrier Refrigeration Unit, Serial Number RAW91461047, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	8305	<b>2017 CIMC 1RBR5305 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 527SR5327HL009841 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Ducted Floor, Thermo King Smart Reefer 4 Refrigeration Unit, Serial Number 6001208389, 11897 Engine Run Hours Usage: 11,897 Hr
8298	<b>2015 Great Dane 53 ft x 102 in S/A Refrigerated Trailer</b> S/N: 1GRAA0626FB703308 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Carrier Refrigeration Unit, mixed tire size Tires Usage: 18,051 Hr	8306	<b>2013 Kidron Emperor 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 526164824D5000489 C/W: 29484 kg GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 2012 Carrier Refrigeration Unit, Serial Number NAT91287994, 295/75R22.5 Tires Usage: 16,573 Hr
8300	<b>2012 Great Dane 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1GRAA0620CW703051 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, Carrier 2100 X2 Refrigeration Unit, 34108 Engine Run Hours, Aluminum Outer Wheels, 11R22.5 Tires Usage: 34,108 Hr	8307	<b>2014 Utility VS1RA 28 ft x 102 in S/A Multi-Temp Refrigerated Trailer</b> S/N: 1UYVS1286EM805110 C/W: 37000 lb GVWR, Air Ride Suspension, Pintle Hitch, Curbside Door, Carrier Genesis TM 1000 Refrigeration Unit, 2-Zone, (1) Remote Evaporator, 295/75R22.5 Tires Usage: 10,700 Hr

Lot #	Details	Lot #	Details
8314	<b>1986 Dorsey 53 ft x 96 in T/A Refrigerated Trailer</b> S/N: 1DTV61X23GA173802 C/W: 67470 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Curbside Door, Mezzanine Floor, Thermo King Super II 30 Refrigeration Unit, 38013 Engine Run Hours, Aluminum Wheels, 285/75R24.5 Tires Usage: 38,013 Hr	8329	<b>2012 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2531CP301338 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 11R22.5 Tires Usage: Not Available
8315	<b>2022 Atro 53 ft x 102 in T/A Van Trailer</b> S/N: 3ELA6RX2XNG000258 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	8330	<b>2012 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2531CG454835 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8318	<b>2020 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5320LT009174 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Side Skirts, Front/Rear Vents, 295/75R22.5 Tires Usage: Not Available	8331	<b>2011 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2533BG037828 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8319	<b>2020 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5329LT009173 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8332	<b>2009 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25329G685705 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8320	<b>2009 Vanguard VXP 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC53259M901973 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8333	<b>2008 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25398G340413 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8321	<b>2016 Utility 53 Ft T/A 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2531GP494323 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8337	<b>2000 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2530Y3C119905 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8327	<b>2013 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2535DG574915 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8338	<b>2023 Wabash DVCVHPC 53 ft T/A Van Trailer</b> S/N: 1JJV532D7PL365073 C/W: 68000 lb GVWR, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8328A	<b>2013 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS253XDG560301 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available	8340	<b>2017 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D7HL943660 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Front/Rear Vents, 295/75R22.5 Tires Usage: Not Available
8328	<b>2013 Utility VS2DX 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2534DG556244 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8341	<b>2014 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D0EL808886 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
		8342	<b>2014 Wabash DVLSHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D6EL794489 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8343	<b>2013 Wabash TRA/REM VAN DVLSHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D3DL712880 C/W: 68000 lb GVWR, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8351	<b>2010 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D8AL353568 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8344	<b>2013 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5DL737103 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8352	<b>2010 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5AL344858 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8345	<b>2013 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D1DL784208 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8353	<b>2010 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D7AL344845 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
8346	<b>2013 Wabash DVLSHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D7DL713630 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8355A	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W27L038906 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8347	<b>2012 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532DXCL586600 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8355	<b>2007 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W87L043818 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8348	<b>2012 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D5CL585922 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8356	<b>2006 Wabash DVLHSA 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W36L000860 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8349	<b>2012 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532DXCL651073 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8357	<b>2004 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482W74L890289 C/W: 68000.0 lb GVWR, Air Ride Suspension, Air Brakes, 445/50R22.5 Super Single Tires Usage: Not Available
8350	<b>2011 Wabash DVCVHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D7BL366622 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8361	<b>2018 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA0626JB131911 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
		8362	<b>2013 Great Dane CPF-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0628DD445597 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Tires Usage: Not Available

Lot #	Details	Lot #	Details
8363	<b>2013 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627DK234758 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8374	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062XCT566752 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8365	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0629DJ640627 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8375	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0628CK216820 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8366	<b>2013 Great Dane CLD-1214-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622DB700760 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8376	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0626CK216590 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8367	<b>2013 Great Dane SSL131421053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622DJ635656 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Side Skirts, 11R22.5 Tires Usage: Not Available	8377	<b>2012 Great Dane SSL-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622CT568026 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available
8368	<b>2013 Great Dane CSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0621DJ640184 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8378	<b>2012 Great Dane P01-1314-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0629CJ632672 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available
8369	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0621CD440127 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8379E	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627CK216730 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8371	<b>2012 Great Dane PSF-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0628CD440206 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 275/80R22.5 Tires Usage: Not Available	8379D	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627CT566739 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8372	<b>2012 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624CK226082 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8379C	<b>2012 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0628CJ632548 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 11R22. 5 Tires Usage: Not Available
8373	<b>2012 Great Dane PSE-1313-22053 53 ft T/A Van Trailer</b> S/N: 1GRAA0624CD440185 C/W: 68000.0 lb GVWR, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8379B	<b>2012 Great Dane SSL-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0622CT568043 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8379A	<b>2012 Great Dane PSE121422053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0621CT571242 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Lift Gate, 11R22.5 Tires Usage: Not Available	8386	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06229T547962 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8379	<b>2012 Great Dane P01-1314-21053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0628CJ632615 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available	8387	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06219T547998 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8380	<b>2011 Great Dane PSE-1313-22053 53 ft T/A Van Trailer</b> S/N: 1GRAA0624BJ631914 C/W: 68000.0 lb GVWR, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8388	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06259J628871 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8381	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0624BJ631850 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8390	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06269T548144 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8382	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0620BK216969 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, Front/Rear Vents, 295/75R22.5 Tires Usage: Not Available	8391	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06249D434122 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8383	<b>2011 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0627BK216953 C/W: 68000.0 lb GVWR, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8392	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06249T548160 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8384	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0620BB707090 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8393	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06289D433992 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8385A	<b>2011 Great Dane PSL-1311-02099 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA641XBD439733 C/W: 68000 lb GVWR, Spring Suspension, Lift Gate, 275/80R22.5 Tires Usage: Not Available	8394	<b>2009 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06259J628840 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
8385	<b>2011 Great Dane PSE-1313-22053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA0625BK216885 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8399	<b>2009 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06289J628833 C/W: 68000.0 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
		8400	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06269J628880 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8401	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06239J628884 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8411	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06208D433080 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8402	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06239D434113 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8412	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248J625443 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
8403	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06249J628876 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8413	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248G345700 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8405	<b>2009 Great Dane PSE-1314-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06209T549788 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, Front/Rear Vents, 275 /80R22.5 Tires Usage: Not Available	8414	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288G347174 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8406	<b>2009 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X9T548132 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8415	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8D433152 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8407	<b>2009 Great Dane PLT-1113-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP06219B704885 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available	8416	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06228T546437 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available
8408	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06289D434043 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available	8417	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06268T546683 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8409	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248J627113 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8418	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06258D433222 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8410	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06228T546373 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8419	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8G345846 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8421	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8G347189 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8431	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06278T545784 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8422	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06228G347221 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8432	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248J627094 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8423	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238K202430 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8433	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06298J624966 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8424	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288D433196 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8434	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06268T546375 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8426	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06298J624952 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8435	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238G347230 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8427	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06298G347197 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8436	<b>2008 Great Dane SSL131302053 53 ft x 102 in Van Trailer</b> S/N: 1GRAA06288D433375 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8428	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248J624955 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8437	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06278D433335 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8429	<b>2008 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X8J625432 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8438	<b>2008 Great Dane SSL131302053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06278J627106 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, mixed tire sizes Tires Usage: Not Available
8430	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06218J625416 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8439	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06248J625040 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275 /80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8440	<b>2008 Great Dane SSL-1313-02053 53 ft T/A Van Trailer</b> S/N: 1GRAA06208T545447 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8449	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06218T546610 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8441	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06268J624908 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8450	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257J617706 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8442	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238T545412 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8451	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207J618083 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8443	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06218D432875 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8452	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287K293581 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8444	<b>2008 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06258D433043 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8453	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237J617932 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8445	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06218G346867 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8454	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247G340902 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8446	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06238T546611 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8455	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217T538263 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8447	<b>2008 Great Dane SSL-1313-02053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06288T546622 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8456	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297G340880 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8448	<b>2008 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06298J625065 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8457	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257J623862 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
8458	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G344807 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8469	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217G341215 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8459	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277G344605 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8471	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in Van Trailer</b> S/N: 1GRAA062X7J623808 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8460	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277G344748 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8473	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257T540808 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8461	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297T538480 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8478	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287G341194 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8463	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207K293638 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8481	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297G343388 C/W: 68000 lb GVWR, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8464	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287J618011 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8482	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06287J623581 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8465	<b>2007 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06227J623592 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8483	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267G344823 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8466	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247J617941 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8484	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207G344493 C/W: 68000 lb GVWR, Spring Suspension, 11R22.5 Tires Usage: Not Available
8467	<b>2007 Great Dane 53 ft T/A Van Trailer</b> S/N: 1GRAA06237K293620 C/W: 68000 lb GVWR, Air Brakes, Sliding Suspension, 275/70R22.5 Tires Usage: Not Available	8485	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267G344594 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8468	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267J623613 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8486	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297J618194 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	8495	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267G341033 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8487	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06277G340876 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8496	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267J623725 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8488	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247T538399 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, mixed tires Usage: Not Available	8497	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06247D421609 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8489	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217T538313 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8498	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06207J624708 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8490	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06257T540758 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8499	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217D428128 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8491	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X7G344551 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8500C	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X4K256964 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8492	<b>2007 Great Dane 53 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA06257G344375 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8500B	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06217G340971 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8493	<b>2007 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06267D421563 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8500A	<b>2007 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06237G344732 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8494	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297T541248 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8500	<b>2007 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06297G344864 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8501	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276T522194 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8511	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226K283773 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8502	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296T530913 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8514	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296T530880 C/W: Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8503	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256G337604 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension Usage: Not Available	8515	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Turntable Van Trailer</b> S/N: 1GRAA06276G338012 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
8504	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256K283749 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8516	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246T530933 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8505	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276G338138 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8517	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266G338308 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8506	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206J612024 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8518	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256J618479 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8507	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236G341618 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8519	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216K283909 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8509	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236J611773 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8520	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06216J617331 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8510	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J612027 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8522	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J611850 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8523	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206G339700 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8532	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246D421222 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8524	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276K283882 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8533	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D420882 C/W: 68000.0 lb GVWR, Air Brakes, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8525	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276D415866 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8534	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6D421208 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available
8526	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06246G337934 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8535	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X6D415683 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8527	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286G337774 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8536	<b>2006 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D415293 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8528	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06276J612070 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8537	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236G338184 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8529	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206T531206 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8538	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06226T531143 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8530	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06206J611858 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8539	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J611783 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8531	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286K283907 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8540	<b>2006 Great Dane 7411-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06286D415455 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8541	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06256T530939 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8549	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295D413180 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8542	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296G339856 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8550	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225G332925 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8543B	<b>2006 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06296T530894 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8551	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245D410736 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8543A	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06266J611833 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8552	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06265J606081 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8543	<b>2006 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06236G341537 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8553	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285J606261 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8544	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205T519622 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8555	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255T519521 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8545	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205D413309 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8556	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245G336216 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8546	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235G333436 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8558	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285J606180 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8547	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215G333046 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8559	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215G336514 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8548	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06265T519575 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8561	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06205J609347 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8571	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245G335650 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8562	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X5G333269 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8572	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X5G332901 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8564	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235G332707 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8573	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285G332797 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8565	<b>2005 Great Dane 7411T-SSL 53 ft T/A Van Trailer</b> S/N: 1GRAA06235G336515 C/W: 68000 lb GVWR, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8574	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295G333442 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8566	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06235G333419 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8575	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06245J609075 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8567	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255T512830 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8576	<b>2005 Great Dane 7411T-SSLA 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06285T518234 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8568	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295J606205 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8577	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06295G333005 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8569	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06255G333048 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8578	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06215G335587 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8570	<b>2005 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06225J604537 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8580	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06264G331310 C/W: 68000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8581	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06274G331347 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8590	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06204J601800 C/W: 68000 lb GVWR, Spring Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8582	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06244K257091 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8591	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06224K257168 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8583	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06254G331475 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8592	<b>2003 Great Dane 7311TP 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062X3K247955 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8584	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06234J601855 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8593	<b>2003 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06283T500524 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8585	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06254G331461 C/W: Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8595A	<b>2003 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06223J600646 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8586	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06234K256949 C/W: 68000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8596	<b>2002 Great Dane 7311TP-S 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06242D400610 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8587	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06234D408636 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8598	<b>2000 Great Dane 7311TP-SA 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA062XYB120632 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8588	<b>2004 Great Dane 7411T-SSL 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06214T504738 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8600	<b>2014 Hyundai V12530152-JRSW 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C2ET482113 C/W: 30844 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8589	<b>2004 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06204K257105 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available	8601	<b>2014 Hyundai VC2530152-S 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C3ET196142 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8602	<b>2014 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C3ET564058 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8611	<b>2011 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C3BT118116 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8603	<b>2013 Hyundai V12530152-AJS 53 ft x 102 in T /A Spread Axle Van Trailer</b> S/N: 3H3V532C9DT465047 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8612	<b>2011 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C0BT119093 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8604	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C1CT453327 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8613	<b>2011 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C1BT117093 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8605	<b>2012 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C2CT015061 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8614	<b>2011 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C5BT117016 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8606	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C6CT452626 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8615	<b>2011 Hyundai 53 ft T/A Van Trailer</b> S/N: 3H3V532C9BT118086 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8608	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C0CT453612 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8616	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532CX8T141224 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension Usage: Not Available
8609	<b>2012 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C3CT014100 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8617	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C98T248023 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8610A	<b>2012 Hyundai VI2530152-JRSW 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C5CT453900 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8618	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C28T141394 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8610	<b>2012 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C0CT452671 C/W: Spring Suspension, Sliding Suspension, Side Skirts, 275/80R22.5 Tires Usage: Not Available	8619	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C48T249144 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
8620	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C68T250196 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8629	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C98T141456 C/W: 65000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
8621	<b>2008 Hyundai V12530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C88T141335 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8630	<b>2008 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C48T250035 C/W: Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8622	<b>2008 Hyundai 53 ft T/A Van Trailer</b> S/N: 3H3V532C28T141413 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8631	<b>2007 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C87T167013 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available
8623	<b>2008 Hyundai V12530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C38T141341 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8632	<b>2007 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C87T361301 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available
8624	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C48T249130 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8633	<b>2007 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C17T167046 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8625	<b>2008 Hyundai V12530152-JRS 53 ft x 102 in T /A Turntable Van Trailer</b> S/N: 3H3V532C38T141159 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8634	<b>2007 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C37T361223 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8626	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C18T141113 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8637	<b>2006 Hyundai V12530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C36T034075 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8627	<b>2008 Hyundai VI2530152-JSR 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C58T250111 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8638	<b>2006 Hyundai V12530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C96T034064 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8628	<b>2008 Hyundai VI2530152-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C78T141424 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8639	<b>2006 Hyundai VI2530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C26T034147 C/W: 65000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8640	<b>2005 Hyundai VI2530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C35T214073 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, Side Skirts, 295 /75R22.5 Tires Usage: Not Available	8651	<b>2007 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH571003772 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available
8641	<b>2005 Hyundai VI2530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532CX5T214233 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Side Skirts Usage: Not Available	8652	<b>1997 Trailmobile 01JA-1UAY 53 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH9V6005886 C/W: 65000 lb GVWR, Aluminum Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8643	<b>2005 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C35T187022 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8653	<b>2019 Stoughton AVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5322KEA31264 C/W: 70000.0 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8645	<b>2005 Hyundai VI2530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C85T213016 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8655	<b>2004 Stoughton 53 Ft 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53264B697240 C/W: 70000 lb GVWR, Air Ride Suspension, 295 /75R22.5 Tires Usage: Not Available
8647	<b>2004 Hyundai V12530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532CX4T167039 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8656	<b>2004 Stoughton AVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53224B697221 C/W: 70000.0 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8648	<b>2004 Hyundai V12530162-JRS 53 ft x 102 in T /A Van Trailer</b> S/N: 3H3V532C54T167109 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8657	<b>2002 Stoughton AVW-535T-S-C-AR 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53232S569504 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8650	<b>2002 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS25382C852257 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8658	<b>1998 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9539WE435378 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8651C	<b>2007 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH271006872 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8659	<b>1998 Strick 53 ft x 102 in T/A Van Trailer</b> S/N: 1S12E9539WD429876 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8651B	<b>2007 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH671005479 C/W: Air Ride Suspension, Sliding Suspension, 11R22.5 Tires Usage: Not Available	8660	<b>1998 Strick 53 ft T/A Van Trailer</b> S/N: 1S12E953XWD429921 C/W: 65000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8651A	<b>2000 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH8Y1000267 C/W: 77073 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8662	<b>1995 Monon P3-32-A2-53W 53 ft x 102 in T/A Van Trailer</b> S/N: 1NNVX5326SM215858 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension Usage: Not Available

Lot #	Details	Lot #	Details
8663	<b>1994 Kentucky 50 ft x 102 in T/A Van Trailer</b> S/N: 1KKVE5026RL097955 C/W: 65000 lb GVWR, Air Ride Suspension, 255/70R22.5 Tires Usage: Not Available	8674	<b>2012 Great Dane SSE-1913-02048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA962XCK220985 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 275/80R22.5 Tires Usage: Not Available
8664	<b>2004 Kentucky 53 ft x 102 in T/A Van Trailer</b> S/N: 1KKVE53334L214291 C/W: 65000 lb GVWR, Air Ride Suspension, Side Skirts, Curbside Door, 265/70R19.5 Tires Usage: Not Available	8675	<b>2008 Great Dane SSL131302048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96288D432196 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, Ringfeder, 295/75R22.5 Tires Usage: Not Available
8665	<b>2000 Kentucky 53 ft x 102 in T/A Van Trailer</b> S/N: 1KKVE5129YL202372 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Curbside Door, 255/70R22.5 Tires Usage: Not Available	8676	<b>2008 Great Dane 48 ft T/A Van Trailer</b> S/N: 1GRAA962X8G347729 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available
8666	<b>2004 Vanco 53 ft x 102 in T/A Van Trailer</b> S/N: 1VVSV53294F015539 C/W: 68040 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8677A	<b>2007 Great Dane 7441T-SSL 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96207T534998 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8667	<b>2014 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9625EB703061 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8678A	<b>2001 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA96221K237809 C/W: Aluminum/Steel Combination Frame, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8668	<b>2014 Great Dane 48 ft T/A Van Trailer</b> S/N: 1GRAA9628EB703054 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8679	<b>1999 Pines 48 ft T/A Van Trailer</b> S/N: 1PNV482B3XK215465 C/W: Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8669	<b>2013 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9624DB712316 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8680	<b>2013 Stoughton AVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4827DS371840 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8670	<b>2012 Great Dane SSL-1913-02048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9629CK221139 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8681	<b>2013 Stoughton AVW-485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4824DS371844 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8671	<b>2012 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9627CK221138 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8682	<b>2013 Stoughton AVW485T-S-C 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4827DS372339 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8672	<b>2012 Great Dane SSL-1913-02048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9625CK221137 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8683	<b>2013 Stoughton 48 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A4827DS371868 C/W: 70000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available
8673	<b>2012 Great Dane SSL-1913-02048 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9623CK221136 C/W: 68000 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8685	<b>2008 Utility VS2DX 48 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS24878G537531 C/W: 65000.0 lb GVWR, Air Brakes, Sliding Suspension, Side Skirts, 295/75R22.5 Tires Usage: Not Available	8709	<b>2013 Great Dane CCC-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5612DD447254 C/W: 40000 lb GVWR, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8686	<b>2008 Utility VS2DX 48 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS24868G537522 C/W: 65000.0 lb GVWR, Air Brakes, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8710	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5615DK231085 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8687	<b>2008 Utility VS2DX 48 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS24818G321514 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8711	<b>2013 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5618DK230965 C/W: 40000.0 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8697	<b>2012 Great Dane CLS-1204-32045 45 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA9020CB706844 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	8712	<b>2010 Great Dane 28 ft x 102 in Van Trailer</b> S/N: 1GRAA5611AD437701 C/W: 40000.0 lb GVWR, Spring Suspension, Air Brakes, Ringfeder, 295/75R22.5 Tires Usage: Not Available
8698	<b>2010 Great Dane CLD-1304-02045 45 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA9023AB703711 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Air Brakes, Sliding Suspension, 11R22.5 Tires Usage: Not Available	8718	<b>2008 Great Dane SSL-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA56168D432519 C/W: 34000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8699	<b>1994 Great Dane 731TLA 45 ft x 96 in T/A Van Trailer</b> S/N: 1GRAA9029RB112701 C/W: 65000.0 lb GVWR, Spring Suspension, Sliding Suspension, 295/75R22.5 Tires Usage: Not Available	8719	<b>2007 Great Dane S/A Van Trailer</b> S/N: 1GRAA56157K289430 C/W: Spring Suspension, Air Brakes, Pintle Hitch Usage: Not Available
8701	<b>2013 Kentucky 40 ft x 102 in S/A Van Trailer</b> S/N: 1KKVA4010DL233700 C/W: 40000 lb GVWR, Spring Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	8720	<b>2007 Great Dane 28 ft S/A Van Trailer</b> S/N: 1GRAA56107K289562 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, Ringfeder, 295/75R22.5 Tires Usage: Not Available
8702	<b>2013 Kentucky 40 ft x 102 in S/A Van Trailer</b> S/N: 1KKVA4017DL233676 C/W: 40000 lb GVWR, Spring Suspension, Lift Axles, Lift Gate, 275/80R22.5 Tires Usage: Not Available	8722	<b>2014 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2815ES437783 C/W: 18144 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8704	<b>2011 Great Dane PSL-1311-02099 32 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA6416BD439728 C/W: 68000 lb GVWR, Spring Suspension, Lift Gate, 295/75R22.5 Tires Usage: Not Available	8723	<b>2014 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2815ES437881 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8708	<b>2014 Great Dane CSP-1311-02028 28 ft x 102 in S/A Van Trailer</b> S/N: 1GRAA5610EK238043 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	8724	<b>2014 Stoughton 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2812ES437417 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8725	<b>2014 Stoughton DVW-285S-C-WDG 28 ft x 96 in S/A Lead Van Trailer</b> S/N: 1DW1A2810ES437545 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8735	<b>2012 Stoughton DVW-285S-0-DC 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2812CS308395 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8726	<b>2014 Stoughton Van Trailer</b> S/N: 1DW1A2819ES437799 C/W: 4000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8736A	<b>1995 Wabash 28 ft x 96 in S/A Van Trailer</b> S/N: 1JJV281N0SL301899 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 275/80R22.5 Tires, 40000 lb Pup GVWR, Aluminum/Steel Combination Frame Pup Usage: Not Available
8727	<b>2013 Stoughton DVW-2858-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A281XDS373027 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8736	<b>2012 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2815CS308407 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available
8728	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2817DS372576 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8738	<b>2019 Cottrell CX-11HCSD T/A 5 Car Open Car Carrier Trailer</b> S/N: 5EOAJ1446KG182401 C/W: 47000 lb GVWR, Air Ride Suspension, Air Brakes, Soft Ties, Aluminum Wheels, 255 /70R22.5 Tires Usage: Not Available
8729	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2813DS373046 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Air Brakes, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8739	<b>2021 Sun Country T/A 5 Car Open Car Carrier Trailer</b> S/N: 5856C5325MP017551 C/W: 45000 lb GVWR, Spring Suspension, Air Brakes, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available
8730	<b>2013 Stoughton DVW-2858-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2811DS373515 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8740	<b>2022 Kaufman Tri/A 3 Car Open Car Carrier Trailer</b> S/N: 5VGF503XNL004404 C/W: 12000 lb GVWR, Spring Suspension, Electric Brakes, 235/85R16 Tires, 9000 lb Electric Winch Usage: Not Available
8731	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2811DS372946 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8741	<b>2011 Dragon TCT 440 120CC 2/Axle Roll-Off Trailer</b> S/N: 1D9SH4825BC661794 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, Lift 1st- Axles, 11R24.5 Tires Usage: Not Available
8733	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2817DS372739 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8742	<b>2017 Dragon ST6.OR.262 T/A 34 ft Roll-Off Trailer</b> S/N: 591SH3422HC158209 C/W: 72000 lb GVWR, Air Ride Suspension, 11R22.5 Tires Usage: Not Available
8734	<b>2013 Stoughton DVW-285S-C-WDG 28 ft x 102 in S/A Van Trailer</b> S/N: 1DW1A2812DS373409 C/W: 40000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Pintle Hitch, 295/75R22.5 Tires Usage: Not Available	8743	<b>2013 Dragon T/A Roll-Off Trailer</b> S/N: 1D9SH4821DC661049 C/W: Air Ride Suspension, Air Brakes, Lift 1st-Axles, Dragon Roll-Off Unit 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8750	<b>2012 Lucon 7T221TPT Pole Trailer</b> S/N: 1L9PU2211CG423700 C/W: 19500 lb GVWR Lunette Ring Hitch, Spring Suspension, Air Brakes, 3 Sliding Stanchions, 255/70R22.5 Tires Usage: Not Available	8758	<b>1986 Rogers TT22G25 34000 lb 24 ft T/A Gooseneck Equipment Trailer</b> S/N: 1RBK3420XGDD05462 C/W: 54100 lb GVWR, Spring Suspension, 24 ft Main Deck, 96 in Usable Deck Width, 96 in Overall Deck Width, Deck Over Tires, Wood Flooring, 9/17.5 Tires Usage: Not Available
8751A	<b>Sauber 4503-S Pole Trailer</b> S/N: 1F9UZ0913LV048380 C/W: 11100 lb GVWR Lunette Ring Hitch, Electric Brakes, 10.00-15 Tires Usage: Not Available	8759	<b>2022 Trailmax 14000 lb 35 ft T/A Gooseneck Equipment Trailer</b> S/N: 4T93H4022NM402514 C/W: 12000 lb GVWR, Spring Suspension, Electric Brakes, 96 in Usable Deck Width, 235 /80R16 Tires Usage: Not Available
8751	<b>1970 delphia Pole Trailer</b> S/N: 7223 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 2 Stanchions, 7.50-20 Tires Usage: Not Available	8760	<b>2023 Maxey T/A Gooseneck Equipment Trailer</b> S/N: 5R8GF4022PM101302 C/W: 25990.0 lb GVWR, Air Ride Suspension, Electric Brakes, Lift 1st- Axles, 38 ft 0 in Main Deck, 96 in Usable Deck Width, Storage Compartments, Winch, Deck Over Tires, Electric Powered Self Contained Hydraulic System, 235/75R17.5 Tires Usage: Not Available
8752	<b>2011 Silver Eagle S/A Dolly</b> S/N: 1U3JY7813BBK00856 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8761	<b>2022 ROADCLIPPER ENTERPRISES 38 ft T/A Gooseneck Equipment Trailer</b> S/N: Not Available C/W: 25900 lb GVWR, Spring Suspension, Electric Brakes, 97 in Usable Deck Width, Storage Compartments, Deck Over Tires, Electric Powered Self Contained Hydraulic System, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8753	<b>2010 Silver Eagle S/A Dolly</b> S/N: 1U3JY7812ABJ00347 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8762	<b>2000 Towmaster T40T T/A 20 Ton 28 Ft x 8 ft 6 in T/A Equipment Trailer</b> S/N: 4KN TT2425YL161960 C/W: Spring Suspension, Deck Over Tires, 215 /75R17.5 Tires Usage: Not Available
8754	<b>2010 Silver Eagle S/A Dolly</b> S/N: 1U3JY781XABJ00297 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8763	<b>2000 Towmaster 28 ft T/A Equipment Trailer</b> S/N: 4KNFT2322YL163180 C/W: 38500.0 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 23 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8755	<b>2010 Silver Eagle S/A Dolly</b> S/N: 1U3JY7819ABJ00260 C/W: 20000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available	8764	<b>1997 Eager Beaver 28 ft T/A Equipment Trailer</b> S/N: 112H8V311VL048869 C/W: 48380 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 22 ft 0 in Main Deck, 6 ft 0 in Fixed Dovetail, 102 in Usable Deck Width, 215/75R17.5 Tires Usage: Not Available
8756	<b>1997 Trail-Eze 50 ton 45 ft Tri/A Equipment Trailer</b> S/N: 1DA73T758VP013151 C/W: Air Ride Suspension, Air Brakes, 9 ft 2 in Upper Deck, 36 ft 3 in Main Deck, 1 ft 4 in 2-Position Dovetail, 102 in Usable Deck Width, 102 in Overall Deck Width, Storage Compartments, Winch, Deck Over Tires, Wood Flooring, 215/75R17.5 Tires, Hydraulic tilt and axle travel Usage: Not Available	8765	<b>1982 Eager Beaver 26 ft T/A Equipment Trailer</b> S/N: 1120HA245CT200084 C/W: 36000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 21 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 8.25R15 Tires Usage: Not Available
8757	<b>2007 Kaufman 40 ft T/A Gooseneck Equipment Trailer</b> S/N: 15XFR40297L001013 C/W: Spring Suspension, Air Brakes, 9 ft 2 in Upper Deck, 22 ft 3 in Main Deck, 5 ft 1 in Fixed Dovetail, 100 in Usable Deck Width, 100 in Overall Deck Width, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8766	<b>2012 Towmaster T20 25 ft T/A Equipment Trailer</b> S/N: 4KNFT2027CL160014 C/W: 25900 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 20 ft 0 in Main Deck, 5 ft 0 in Fixed Dovetail, 101.5 in Usable Deck Width, 101.5 in Overall Deck Width, Storage Compartments, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 285/85 R 16 Tires Usage: Not Available	8775	<b>1997 Eager Beaver 20HALX 24 ft T/A Equipment Trailer</b> S/N: 112H5V307VL049251 C/W: 47500 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft 0 in Main Deck, 5 ft 2 in Fixed Dovetail, 101 in Usable Deck Width, 101 in Overall Deck Width, Storage Compartments, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8767	<b>2008 Belshe T-4 24 ft Tri/A Equipment Trailer</b> S/N: 16JF0193481044642 C/W: 18000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 19 ft Main Deck, 5 ft Fixed Dovetail, 94.5 in Usable Deck Width, 94.5 in Overall Deck Width, Storage Compartments, Deck Over Tires, Manual Ramps, Wood Flooring, 235/85 R 16 Tires Usage: Not Available	8776	<b>1989 Eager Beaver 20HA 20 ft T/A Equipment Trailer</b> S/N: 112H MV308KT033073 C/W: 47100 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft 0 in Main Deck, 5 ft Fixed Dovetail, 102 in Usable Deck Width, 102 in Overall Deck Width, Deck Over Tires, Spring Assisted Ramps, 215/75R17.5 Tires Usage: Not Available
8769	<b>2001 Belshe T-4 Tri/A Equipment Trailer</b> S/N: 16JF0193211035895 C/W: 18000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 18 ft 10 in Main Deck, 5 ft Dovetail, 94 in Usable Deck Width, Manual Ramps, 235/85R16 Tires Usage: Not Available	8777	<b>1988 Eager Beaver 10 ton 22 ft T/A Equipment Trailer</b> S/N: 1120HA206JT100179 C/W: 24544 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 17 ft Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 8.75R16.5 Tires Usage: Not Available
8771	<b>2003 Towmaster T50 24 ft Tri/A Equipment Trailer</b> S/N: 4KNFT24313L162022 C/W: Lunette Ring Hitch, Spring Suspension, Air Brakes, 24 ft Main Deck, 5 ft Dovetail, 102 in Usable Deck Width, Spring Assisted Ramps, 215/75R17.5 Tires Usage: Not Available	8778	<b>1994 Bame BT20A T/A Equipment Trailer</b> S/N: 1B97A2027MS026005 C/W: 40000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 20 ft Main Deck, 5 ft Fixed Dovetail, 102 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8772	<b>1996 Interstate 24 ft T/A Equipment Trailer</b> S/N: 1JKDLA200TA200065 C/W: 47350 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 19 ft Main Deck, 5 ft 0 in Fixed Dovetail, 102 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available	8779A	<b>2020 Big Tex 14TL-22 22 ft T/A Tilt Deck Trailer</b> S/N: 16VEX2223L2065532 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Storage Compartments, 16 ft Deck Tilting Length, 80 in Deck Width, 235/80R16 Tires Usage: Not Available
8773	<b>2007 Hudson HTD18D 21 ft T/A Equipment Trailer</b> S/N: 10HHTD1D971000012 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 0 ft Upper Deck, 18 ft Main Deck, 5 ft 2 in Fixed Dovetail, 92 in Usable Deck Width, 96 in Overall Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	8779	<b>1998 Towmaster T50 29 ft Tri/A Equipment Trailer</b> S/N: 4KNFT2537WL161346 C/W: 65580 lb GVWR, Lunette Ring Hitch, Spring Suspension, Air Brakes, 24 ft 9 in Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, 101 in Overall Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
8774	<b>2007 Hudson HTD18D 23 ft T/A Equipment Trailer</b> S/N: 10HHTD1D571000010 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 18 ft Main Deck, 5 ft 2 in Fixed Dovetail, 92 in Usable Deck Width, 96 in Overall Deck Width, Deck Over Tires, Spring Assisted Ramps, 235/85R16 Tires Usage: Not Available	8780	<b>2020 Towmaster 18 ft T/A Equipment Trailer</b> S/N: 4KNBF2323LL160447 C/W: 17380.0 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 18 ft Main Deck, 69 in Usable Deck Width, 78 in Overall Deck Width, Spring Assisted Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8781	<b>2016 Load Trail 9700 lb 22 ft T/A Equipment Trailer</b> S/N: 4ZEPS2224G1097657 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft 6 in Main Deck, 5 ft 6 in Fixed Dovetail, 102 in Overall Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	8797	<b>1996 Trail King TK12U 16 ft T/A 16ft T/A Equipment Trailer</b> S/N: 1TKU01621TM014656 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 235/80R16 Tires Usage: Not Available
8782	<b>2011 Moritz 22 ft T/A Equipment Trailer</b> S/N: 4WXB2723B1021040 C/W: Lunette Ring Hitch, Torsion Axle, Electric Brakes, 18 ft Main Deck, 4 ft Fixed Dovetail, 100 in Usable Deck Width, Manual Ramps, Wood Flooring, ST235/80R16 Tires Usage: Not Available	8799	<b>2012 Big Tex 16 ft T/A Equipment Trailer</b> S/N: 16VCX1623C2346922 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 82 in Usable Deck Width, 82 in Overall Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
8784	<b>2006 Towmaster 36320 lb 23.5 ft T/A Equipment Trailer</b> S/N: 4KNFT19256L162653 C/W: 44820 lb GVWR, Spring Suspension, Air Brakes, 18 ft 6 in Main Deck, 5 ft Fixed Dovetail, 96 in Usable Deck Width, 102 in Overall Deck Width, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available	8800	<b>2007 Towmaster 14 ft S/A Tilt Deck Equipment Trailer</b> S/N: 4KNFT14187L164268 C/W: 7000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 76 in Usable Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available
8785	<b>2016 JRC 20 ft T/A Equipment Trailer</b> S/N: 1J9F32029G1361492 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Wood Flooring, 235/80R16 Tires Usage: Not Available	8802	<b>2018 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1729JM001180 C/W: 8800.0 lb GVWR, Ball Hitch, Surge Brakes, 10 ft Main Deck, 52 in Usable Deck Width, Spring Assisted Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
8790	<b>2011 Falcon 11000 lb 20 ft T/A Equipment Trailer</b> S/N: 432FD1161B1000231 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, Aluminum Wheels, 235/85R16 Tires Usage: Not Available	8803	<b>2020 Pratt Industires Cp0614 16 ft T/A Equipment Trailer</b> S/N: 1P9UT2123LN343337 C/W: 12000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 16 ft 9 in Main Deck, 69 in Usable Deck Width, Manual Ramps, 225/75R15 Tires Usage: Not Available
8791	<b>2011 Sure-Trac Equipment Trailer</b> S/N: 5JWU2029B1041720 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 98 in Usable Deck Width, Deck Over Tires, Wood Flooring, 235/80R16 Tires Usage: Not Available	8804	<b>2020 Pratt Industries CP0510 7000 lb 10 ft T/A Equipment Trailer</b> S/N: 1P9UT172XLN343045 C/W: Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
8792	<b>2012 Lucon 16 ft T/A Equipment Trailer</b> S/N: 1L9PU1823CG423109 C/W: 15400 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 72 in Usable Deck Width, 81 in Overall Deck Width, Manual Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	8805	<b>2020 Pratt Industries CP0510 T/A Equipment Trailer</b> S/N: 1P9UT1723LN343307 C/W: 6990.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 8 ft 8 in Main Deck, 60 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
8796	<b>2015 Texas 16 ft T/A Equipment Trailer</b> S/N: 1P9BF1623FL375285 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 96 in Usable Deck Width, Deck Over Tires, Tires Usage: Not Available	8818	<b>2018 MMDI 8 ft T/A Equipment Trailer</b> S/N: 5631F1728JM001333 C/W: 8800.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 8 ft 6 in Main Deck, 60 in Usable Deck Width, Manual Ramps, 225/75R15 Tires Usage: Not Available
		8821	<b>2016 MMDI 17 ft T/A Equipment Trailer</b> S/N: 5631F2025GM015084 C/W: Ball Hitch, Torsion Axle, 3 ft 6 in Upper Deck, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75/R15 Tires Usage: Not Available



Lot #	Details	Lot #	Details
8826	<b>2023 Sure-Trac 18 ft T/A Utility Trailer</b> S/N: 5JW1U1821P3384488 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 82 in Deck Width, 82 in Overall Width, Ramp, Steel Decking, 205/75R15 Tires Usage: Not Available	8841	<b>2016 Cross Country 4HD18TD 18 ft T/A Tilt Deck Trailer</b> S/N: 431FS1821G1000122 C/W: 9996 lb GVWR, Spring Suspension, Surge Brakes, 18 ft Deck Tilting Length, 79 in Deck Width, 225/75R15 Tires Usage: Not Available
8827	<b>2012 Big Tex 7X20 20 ft T/A Utility Trailer</b> S/N: 16VPX2022C3H44829 C/W: 9990 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, 83 in Overall Width, Wood Flooring, 225/75R15 Tires Usage: Not Available	8842	<b>2016 Cross Country 4HD18TD 18 ft T/A Tilt Deck Trailer</b> S/N: 431FS1823G1000493 C/W: 9996 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 18 ft 3 in Deck Tilting Length, 79 in Deck Width, 225/75R15 Tires Usage: Not Available
8828	<b>2012 Big Tex 7X20 20 ft T/A Utility Trailer</b> S/N: 16VPX2022C3H39405 C/W: 9990 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 81 in Deck Width, 83 in Overall Width, 225/75R15 Tires Usage: Not Available	8843	<b>2015 Cross Country 4HD18TD 18 ft T/A Tilt Deck Trailer</b> S/N: 431FS1826F1000289 C/W: 4534 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 18 ft Deck Tilting Length, 80 in Deck Width, 225/75R15 Tires Usage: Not Available
8831	<b>2014 Top Hat HH20X7-14E-F 18 ft T/A Utility Trailer</b> S/N: 4R7BU2025ET133761 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available	8844	<b>2013 Butler LT-1416-WL 14 ft T/A Tilt Deck Trailer</b> S/N: 1BUD16207D1007085 C/W: Lunette Ring Hitch, Spring Suspension Usage: Not Available
8832	<b>2020 Acker Built 16 ft T/A Utility Trailer</b> S/N: 4A91U1626LW150741 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, 205/75R15 Tires Usage: Not Available	8845	<b>2014 Cross Country 11 ft S/A Tilt Deck Trailer</b> S/N: 431FS1012E1000498 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 72 in Deck Width, 225/75R15 Tires Usage: Not Available
8833	<b>2020 Acker Built 16 ft T/A Utility Trailer</b> S/N: 4A91U1629LW150247 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, 205/75R15 Tires Usage: Not Available	8846	<b>2018 Barreto 6.5 ft S/A Tilt Deck Trailer</b> S/N: 1B9UC061XJL280624 C/W: Ball Hitch, Torsion Axle, 6 ft 6 in Deck Tilting Length, 48 in Deck Width, Tires Usage: Not Available
8834	<b>2002 Starlite 14 ft T/A Utility Trailer</b> S/N: 13YFS14262C086470 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 76 in Deck Width, 98 in Overall Width, Wood Flooring, 205/75D15 Tires, C/W Kubota ZD28 & Bob-Cat 942237A Usage: Not Available	8849	<b>2012 Felling 12 ft T/A Dump Utility Trailer</b> S/N: 5FTDH122XC1040489 C/W: 12500 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 82 in Deck Width, Steel Decking, 235/80R16 Tires Usage: Not Available
8838	<b>2018 Cam Superline Equipment Trailer</b> S/N: 5JWCF2623JP065346 C/W: 18400 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 17 ft Deck Tilting Length, 81 in Deck Width, Aluminum Wheels, 215/75R17.5 Tires Usage: Not Available	8850	<b>2017 Felling FT10DTHDG 12 ft T/A Dump Utility Trailer (Inoperable)</b> S/N: 5FTCD1227H1001731 C/W: Lunette Ring Hitch, Spring Suspension, Surge Brakes, Ramp, 225/75R15 Tires Usage: Not Available
8839	<b>2007 Cam Superline 6CAM18STT 19 ft T/A Tilt Deck Trailer</b> S/N: 5JPBU192X7P016768 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 12 ft 11 in Deck Tilting Length, 73 in Deck Width, 235/85R16 Tires Usage: Not Available	8851	<b>2016 Snake River DMP610-7KHD 10 ft T/A Dump Utility Trailer</b> S/N: 5PTBD1027G1024426 C/W: 7380 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 76 in Deck Width, Steel Decking, 225/75R15 Tires Usage: Not Available
		8853	<b>2016 Snake River 8 ft S/A Dump Utility Trailer</b> S/N: 5PTBD0810G1025391 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 60 in Deck Width, 84 in Overall Width, Steel Decking, 225/75R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8854	<b>2016 Snake River DMP610-7K HD 10 ft T/A Dump Utility Trailer</b> S/N: 5PTBD1024G1024691 C/W: 7380.0 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Steel Decking, 225 /75R15 Tires Usage: Not Available	8868	<b>2000 Wells Cargo 20 ft T/A Enclosed Trailer</b> S/N: 1WC200J21Y7005426 C/W: 13200 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 92 in Deck Width, 96 in Overall Width, Side Door 235/85R16 Tires Usage: Not Available
8856	<b>2016 Snake River DMP610-7K 9 ft T/A Dump Utility Trailer</b> S/N: 5PTBD1026G1024711 C/W: 7380 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 72 in Deck Width, 76 in Overall Width, Steel Decking, 225/75R15 Tires Usage: Not Available	8869	<b>2011 Storm 24 ft T/A Enclosed Trailer</b> S/N: 52K1F2420B1000781 C/W: 6400 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 92 in Deck Width, 96 in Overall Width, Ramp, Side Door 235 /85R16 Tires Usage: Not Available
8857	<b>2014 Snake River DMP58-5K 8 ft S/A Dump Utility Trailer</b> S/N: 5PTBD0811E1020598 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 64 in Deck Width, Steel Decking, 225/75R15 Tires Usage: Not Available	8870B	<b>2007 Wells Cargo 18 ft T/A Enclosed Trailer</b> S/N: 1WC200H2678011964 C/W: 10000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 225/75R15 Tires Usage: Not Available
8861	<b>1997 Royal Cargo LARCT52-820-78 37 ft Tri/A Enclosed Trailer</b> S/N: 4PL500R33V1007527 C/W: 10500 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 92 in Deck Width, 96 in Overall Width, Side Door 205/75R15 Tires Usage: Not Available	8870A	<b>2008 Wells Cargo 18 ft T/A Enclosed Trailer</b> S/N: 1WC200H2288014233 C/W: 10000 lb GVWR, Lunette Ring Hitch, Torsion Axle, 225/75R15 Tires Usage: Not Available
8862C	<b>2004 Wells Cargo 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2348004828 C/W: Ball Hitch, Torsion Axle, 96 in Deck Width, Ramp, 225/75R15 Tires Usage: Not Available	8870	<b>2023 H &amp; H trailers 18 ft T/A Enclosed Trailer</b> S/N: 5JW0C182XPM032969 C/W: 7000.0 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 99 in Deck Width, Ramp, Side Door 205/75R15 Tires Usage: Not Available
8862B	<b>2008 Wells Cargo 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2288014224 C/W: 10000.0 lb GVWR, Lunette Ring Hitch, Torsion Axle, 225/75R15 Tires Usage: Not Available	8871	<b>2004 Wells Cargo 18 ft T/A Enclosed Trailer</b> S/N: 1WC200H2448004832 C/W: 10000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 92 in Deck Width, 225/75R15 Tires Usage: Not Available
8862A	<b>2007 Wells Cargo 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2978011965 C/W: 10000.0 lb GVWR, Lunette Ring Hitch, Torsion Axle, 225/75R15 Tires Usage: Not Available	8872	<b>2003 Carmate 18 ft T/A Enclosed Trailer</b> S/N: 5A3C818D33L003603 C/W: 7000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 99 in Deck Width, 102 in Overall Width, Ramp, Side Door 225 /75R15 Tires, Speedaire air compressor Usage: Not Available
8863	<b>2005 Wells Cargo AW2424W 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2758006860 C/W: 10000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Surge Brakes, 225/75R15 Tires Usage: Not Available	8874	<b>2012 Wells Cargo 16 ft T/A Enclosed Trailer</b> S/N: 1W4200G20C8084450 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 80 in Deck Width, Side Door 205/75R15 Tires Usage: Not Available
8864	<b>2005 Wells Cargo 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2958006858 C/W: 10000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 93 in Deck Width, 225/75R15 Tires Usage: Not Available	8879	<b>2022 Anvil 16 ft T/A Enclosed Trailer</b> S/N: 7FYBE1623ND025178 C/W: 7000 lb GVWR, Spring Suspension, Electric Brakes, 80 in Deck Width, 84 in Overall Width, Ramp, Side Door 205/75R15 Tires Usage: Not Available
8865	<b>2004 Wells Cargo AW2424W 24 ft T/A Enclosed Trailer</b> S/N: 1WC200L2148004830 C/W: 10000 lb GVWR, Lunette Ring Hitch, Torsion Axle, 98 in Deck Width, 225/75R15 Tires Usage: Not Available	8881	<b>1997 Vintage 16 ft T/A Enclosed Trailer</b> S/N: 1V9UV1625VE064515 C/W: Lunette Ring Hitch, Torsion Axle, Electric Brakes, 89 in Deck Width, 235/85R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
8882	<b>2009 J &amp; L's Cargo Express 14 ft T/A Enclosed Trailer</b> S/N: 4U01C14279A039286 C/W: Ball Hitch, Torsion Axle, Electric Brakes, 80 in Deck Width, 84 in Overall Width, Aluminum Wheels, 225/75R15 Tires Usage: Not Available	8896	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1926HA988655 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8883	<b>2004 J &amp; L's Cargo Express Shadow Master 14.5 ft T/A Enclosed Trailer</b> S/N: 4U01S14274A021463 C/W: 7000 lb GVWR, Lunette Ring Hitch, Electric Brakes, 80 in Deck Width, Side Door 225/75R15 Tires Usage: Not Available	8897	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1920HA989008 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8887	<b>2019 Cornelius 16 ft Horse Trailer</b> S/N: 4MJSB1623KE074051 C/W: 7000.0 lb GVWR, Surge Brakes, 2 Horse, 66 in Stall Width, 225/75/R15 Tires Usage: Not Available	8898	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1921HA988532 C/W: 7000 lb GVWR, Galvanized Frame Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8888	<b>2017 Dethmers AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1928HA988933 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8899	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1921HA988854 C/W: 7000 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8889	<b>2017 Dethmers AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1921HA988384 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Soft Ties, 225/75R15 Tires Usage: Not Available	8900	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1920HA988800 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, ST225/75R15 Tires Usage: 131 Mi
8890	<b>2017 Demco T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1925HA988811 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8901	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1925HA988436 C/W: 7000 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8891	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1920HA988781 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Soft Ties, 225/75R15 Tires Usage: Not Available	8902	<b>2017 Demco AT7000P T/A Open Car Carrier Trailer</b> S/N: 15DPC1927HA988552 C/W: 7000 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: 51,152 Mi
8892	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1929HA988925 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8903	<b>2017 Dethmers AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1922HA988653 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8893	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1925HA988288 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8904	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1923HA988371 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available
8894	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC192XHA988934 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
8905	<b>2017 Demco AT7000P T/A Open Car Carrier Trailer</b> S/N: 15DPC1923HA988550 C/W: 7000 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: 212 Mi	8920	<b>2000 Slabach T/A (3) T/A 3 Reel Trailer</b> S/N: 5E3SZ28N3Y1000044 C/W: 12000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, 225/75R15 Tires Usage: Not Available
8906	<b>2017 Demco AT7000P T/A Open Car Carrier Trailer</b> S/N: 15DPC1926HA988624 C/W: 7000 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: 87,654 Mi	8921	<b>2015 Roose S/A (1) Reel Trailer</b> S/N: 1R9RP1116FP136998 C/W: 9950 lb GVWR, Lunette Ring Hitch, Electric Brakes, 235/75R17.5 Tires Usage: Not Available
8907	<b>2017 Demco AT7000P S/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1928HA988401 C/W: 7000.0 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8922	<b>2001 Kiefer S/A (1) Reel Trailer</b> S/N: 1DVDC12161A008117 C/W: Torsion Axle, Surge Brakes, Ringfeder, Hydraulic Reel Hoist, 215/75R17.5 Tires Usage: Not Available
8908	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1924HA989027 C/W: 7000 lb GVWR, Galvanized Frame Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8924	<b>Grove 707 16 ft S/A Cart Trailer</b> S/N: Not Available C/W: Pintle Hitch, 9.51-15 Tires, 16 ft Lead Deck Length, 7 ft 10 in Lead Deck Width, Comes w/shelving and stairs. Usage: Not Available
8909	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1923HA988984 C/W: 7000 lb GVWR, Galvanized Frame Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8925	<b>2017 Multiquip WT5C 525 gal T/A Water Tank Trailer</b> S/N: 4GNBM1224HB043926 C/W: 7000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Surge Brakes, Poly Tank, Multiquip Gasoline Powered Pump, 205/75D14 Tires Usage: Not Available
8910	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1923HA988628 C/W: 7000 lb GVWR, Galvanized Frame Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8926	<b>32 ft x 8 ft Portable S/A Mobile Office</b> S/N: 279905 C/W: Self Contained, Air Conditioner, Ball Hitch, Spring Suspension, Electric Brakes, 7-14.5 Tires Usage: Not Available
8915A	<b>2017 Demco AT7000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DPC1922HA988474 C/W: 7000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 225/75R15 Tires Usage: Not Available	8927	<b>Whitley Mfg. 27 ft 0 in x 8 ft Portable S/A Mobile Office</b> S/N: Not Available C/W: Self Contained, ( 1 ) Offices, Air Conditioner, Ball Hitch, Spring Suspension, 7-14.5 Tires Usage: Not Available
8916	<b>2012 Demco AT6000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DP1920XCA986459 C/W: Ball Hitch, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available	8928	<b>2010 Commercial Structures 26 ft x 8 ft 4 in Portable T/A Mobile Office</b> S/N: 9888 C/W: ( 1 ) Offices, ( 1 ) Bathrooms, Air Conditioner, Ball Hitch, Spring Suspension, 8-14.5-14 Tires Usage: Not Available
8919	<b>2014 Kiefer S/A (1) Reel Trailer</b> S/N: 1DVDR1216EK060605 C/W: 7700 lb GVWR, Spring Suspension, Electric Brakes, Hydraulic Reel Hoist, 235 /80R16 Tires Usage: Not Available	8929	<b>27 ft 0 in x 8 ft Portable S/A Mobile Office</b> S/N: Not Available C/W: Self Contained, ( 1 ) Offices, Air Conditioner, Ball Hitch, Spring Suspension, 7-14.5 Tires Usage: Not Available