



Lampman, SK, CAN - Jul 18, 2023

| Lot # | Details   | Lot # | Details  |
|-------|---|-------|--|
| 1     | <b>Labtronics 919 Moisture Tester</b><br>S/N: 29291<br>C/W: Digital Scale, Screens, Charts<br>Usage: Not Available  | 12    | <b>2003 Prairie Star 4952 30 ft Swather</b><br>S/N: 151181<br>C/W: 1913 Machine Hours Showing, Enclosed Cab, Air Conditioner, Hydrostatic Drive, US EPA Label, 500/70R24 Front Tires, 16.5-16.1SL Rear Tires, MacDon 972 30 ft Draper Header, Split P /U Reel, Hydraulic Fore & Aft, Swath Roller<br>Usage: 2,368 Hr   |
| 2     | <b>Koeneders 8 ft Poly Tapered Swath Roller</b><br>S/N: Not Available<br>Usage: Not Available   | 13    | <b>1995 Premier 1900 30 ft Pull Type Swather</b><br>S/N: 100477<br>C/W: 1000 PTO, Batt Reel<br>Usage: Not Available  |
| 3     | <b>2006 Brandt 1070 10 in x 70 ft Swing Grain Auger</b><br>S/N: 80186<br>C/W: 540 PTO, Reverser<br>Usage: Not Available   | 14    | <b>1988 Case IH 3650 Round Baler</b><br>S/N: CCB0014940<br>C/W: Twine Tie, Bale Monitor<br>Usage: Not Available  |
| 4     | <b>1983 Sakundiak HD8-1800S 8 in x 60 ft Grain Auger</b><br>S/N: 35379<br>C/W: 540 PTO, Reverser<br>Usage: Not Available  | 15    | <b>1995 Bourgault 8800 52 ft Air Drill</b><br>S/N: 822531<br>C/W: 8 in Spacing, Single Shoot, On-Row 2.5 in Packer, 3225 225 bu 2 Compartment Tow-Behind Air Tank, Tank S/N 6213 Single Fan, 7 in Auger Loading System, 21.5Lx16.1SL Front Tires 22.5Lx16.1 Rear Tires, Granular<br>Usage: Not Available   |
| 5     | <b>2013 Sakundiak HD8-53 8 in x 53 ft Grain Auger</b><br>S/N: 73433<br>C/W: Vanguard Gasoline Engine, Electric Start, Electric Clutch, Hydraulic Winch, Mover, Lights, Spout<br>Usage: Not Available                  | 16    | <b>Ezee-On 7550 49 ft Air Drill</b><br>S/N: 43237<br>C/W: 8 in Spacing, Single Shoot, Seed Monitor, Steel Packer, 1997 Flexi-Coil 2320 Tow-Behind Air Tank, Tank S/N G2320.A0-T076926<br>Usage: Not Available  |
| 6     | <b>1986 Sakundiak HD7-45 7 in x 45 ft Grain Auger</b><br>S/N: 38694<br>C/W: Power Fist Gasoline Engine, Electric Start<br>Usage: Not Available  | 17    | <b>2011 International 7600 6x4 Grain Truck</b><br>S/N: 1HTWYSHR6BJ354686<br>C/W: International MaxxFace 11 Diesel Engine, 9496 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 14000 lb Front Axle, 40000 lb Rears, 12R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 220 in Wheelbase, PTO, Cascade 20 ft Long x 5 ft High Steel Body, Manual Roll Tarp, Rear Controls<br>Usage: 164,290 Mi |
| 7     | <b>Forever 5-18-108 12 ft Portable Grain Cleaner</b><br>S/N: CANNOT VERIFY<br>C/W: Cascade Mounted Aspirator, Rotary Cleaner, 4 in 15 ft Pencil Auger, 4 in 10 ft Pencil Auger, Spare Screens<br>Usage: Not Available | 18    | <b>2002 International 9400 6x4 Grain Truck</b><br>S/N: 2HSCNAER42C014515<br>C/W: Cummins N14 Plus Diesel 370 hp Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 11R24.5 Front Tires, 11R24.5 Rear Tires, 244 in Wheelbase, PTO, Cascade 20 ft Long x 56 in High Steel Body, Manual Roll Tarp, Auxiliary Air, Air Dump Suspension<br>Usage: 588,866 Mi  |
| 8     | <b>1973 Simonsen N-52G S/A 5 ton Fertilizer Spreader</b><br>S/N: 273N5764<br>C/W: 540 PTO<br>Usage: Not Available   |       |  |
| 9     | <b>70 ft Mid Harrow</b><br>S/N: CANNOT VERIFY<br>C/W: 5 Bar, 3/8 in x 12 in Tines<br>Usage: Not Available   |       |  |
| 10    | <b>1986 Flexi-Coil S95 50 ft Harrow</b><br>S/N: S95A000G014576<br>C/W: 5 Bar, 3/8 in x 11 in Tines, Coil Packer<br>Usage: Not Available   |       |  |
| 11    | <b>1980 Rock-O-Matic 57 80 in Paddle Rock Picker</b><br>S/N: 0179153<br>C/W: 540 PTO, 3 Batt<br>Usage: Not Available  |       |  |

| Lot # | Details  | Lot # | Details  |
|-------|--|-------|--|
| 19    | <b>1973 Chevrolet 4x2 Grain Truck</b><br>S/N: CCE663V143526<br>C/W: V8 Gasoline Engine, 5x2 Manual Transmission, 9.00-20 Front Tires, 9.00-20 Rear Tires, PTO, 16 ft Long x 4 ft 4 in High Steel Body, Manual Roll Tarp<br>Usage: 77,339 Mi  | 27    | <b>Stor King +/- 2400 bu Smooth Wall Hopper Grain Bin</b><br>S/N: 15158<br>C/W: 13 ft Diameter, Double Skids, 6 Leg Hopper, Ladder<br>Usage: Not Available     |
| 20    | <b>2001 Flexi-Coil 67 80 ft S/A Pull-Type Sprayer</b><br>S/N: S6710453301<br>C/W: Hydraulic Driven Pump, 850 gal Poly Tank, Chemical Mix Tank, Rinse Tank, Triple Nozzle Bodies, 18:4-26 Rear Tires, Boom Wheels<br>Usage: Not Available   | 28    | <b>Westeel Rosco +/- 2300 bu 6 Ring Hopper Grain Bin</b><br>S/N: 100327<br>C/W: 14 ft Diameter, Double Skids, Westeel Hopper, Ladder<br>Usage: Not Available   |
| 21    | <b>1979 International 986 2WD Tractor</b><br>S/N: 2510192U18109<br>C/W: Enclosed Cab, 16 Forward 8 Reverse, Torque Amplifier, 117 hp Engine, International 2350 Loader w/Joystick, Custom Built Grapple Bucket, Loader Mounting Frame, 2 Rear Remotes, 540/1000 PTO, 10.00-16SL Front Tires, Dual 18.4x38 Rear Tires<br>Usage: 7,225 Hr  | 29    | <b>Westeel Rosco +/- 2300 bu 6 Ring Hopper Grain Bin</b><br>S/N: 96470<br>C/W: 14 ft Diameter, Double Skids, 6 Leg Hopper, Ladder<br>Usage: Not Available      |
| 22    | <b>1984 Versatile 945 Articulated Tractor</b><br>S/N: 011770<br>C/W: Enclosed Cab, 12 Forward 4 Reverse, Standard, 335 hp Engine, 5 Rear Remotes, Dual 20.8x38 Tires<br>Usage: 8,630 Hr  | 30    | <b>Macleod +/- 1500 bu 4 Ring Hopper Grain Bin</b><br>S/N: Not Available<br>C/W: Single Skids, 8 Leg Hopper, Lid Opener, OPI Cable<br>Usage: Not Available     |
| 23    | <b>2010 Case IH 7120 Combine Harvester</b><br>S/N: YAG208911<br>C/W: 2617 Separator Hours Showing, Air Conditioner, Air Ride Seat, Reverser, Variable Speed Reel, Auto Header Height Control, Fore & Aft, Harvest Monitor System, Yield & Moisture Sensor, AFS Pro 600 Display, 2010 US EPA Label, Pickup S/N - CCC0023288, 2009 Case IH 2016 14 ft, Rock Trap, 20 ft Auger, Lateral Tilt Feederhouse, Grain Tank Extensions, Chaff Spreader, Chopper, 520/85R42 Dual Front Tires, 600/65R28 Rear Tires, Harvest Screen, Calmer Auger Spout<br>Usage: 3,416 Hr | 31    | <b>Macleod +/- 1500 bu 4 Ring Hopper Grain Bin</b><br>S/N: Not Available<br>C/W: 14 ft Diameter, Single Skids, 8 Leg Hopper, OPI Cable<br>Usage: Not Available |
| 24    | <b>2008 Case IH 2142 35 ft Draper Combine Header</b><br>S/N: Y8ZN00545<br>C/W: To Fit Case IH 70 Series Combine, P/U Reel, Hydraulic Fore & Aft, Factory Header Transport Trailer<br>Usage: Not Available  | 32    | <b>Chief Westland +/- 1400 bu 6 Ring Grain Bin</b><br>S/N: Not Available<br>C/W: 14 ft Diameter, Cement Floor<br>Usage: Not Available                          |
| 25    | <b>Westeel Rosco +/- 4000 bu 5 Ring Hopper Grain Bin</b><br>S/N: Not Available<br>C/W: 19 ft Diameter, Triple Skids, 9 Leg Hopper<br>Usage: Not Available  | 33    | <b>Chief Westland +/- 1400 bu 6 Ring Grain Bin</b><br>S/N: Not Available<br>C/W: 14 ft Diameter, Cement Floor<br>Usage: Not Available                          |
| 26    | <b>Westor +/- 3000 bu 4 Ring Hopper Grain Bin</b><br>S/N: 09139<br>C/W: 18 ft Diameter, Triple Skids, Vale Solutions W18 6, 8 Leg Hopper, Ladder, Grain Gauge<br>Usage: Not Available  | 34    | <b>Grain Bin Temperature Probe</b><br>S/N: Not Available<br>C/W: Remote Temperature Sensor, Grain Probe Sampler<br>Usage: Not Available                        |
|       |  | 35    | <b>Flaman GGF80511 5 hp Aeration Fan</b><br>S/N: 201015563<br>C/W: Sock<br>Usage: Not Available  |
|       |  | 36    | <b>Pool C13-3-1-Y 3 hp Aeration Fan</b><br>S/N: C9G31032<br>C/W: 3 hp Engine, Quantity of Cord<br>Usage: Not Available   |
|       |  | 37    | <b>Swather Transport Trailer</b><br>S/N: Not Available<br>Usage: Not Available   |
|       |  | 38    | <b>1979 Flexi-Coil BT Swather Transport Trailer</b><br>S/N: 0589ST9<br>Usage: Not Available  |
|       |  | 39    | <b>Quantity of McKay 2 in Spoons (Unused)</b><br>S/N: Not Available<br>C/W: Approx. 61<br>Usage: Not Available   |

| Lot # | Details   | Lot # | Details |
|-------|---|-------|---------|
| 40    | <b>Quantity of Cultivator Shovels</b><br>S/N: Not Available<br>C/W: (11) Unused, Approx. 200 (Used)<br>Usage: Not Available |       |         |
| 41    | <b>Quantity of Harrows</b><br>S/N: Not Available<br>C/W: To Fit Bourgault 8800 Drill<br>Usage: Not Available                |       |         |
| 42    | <b>Quantity of Crop Lifters</b><br>S/N: Not Available<br>C/W: Approx. 34<br>Usage: Not Available                            |       |         |
| 43    | <b>Quantity of Hose</b><br>S/N: Not Available<br>C/W: 3 in & 1 in<br>Usage: Not Available                                   |       |         |
| 44    | <b>Combine Auger Plastic Spout</b><br>S/N: Not Available<br>Usage: Not Available  |       |         |
| 45    | <b>Versatile Swather Rim</b><br>S/N: Not Available<br>C/W: To Fit 4000 Series<br>Usage: Not Available                       |       |         |
| 46    | <b>Agrator 64 in Rototiller (Inoperable)</b><br>S/N: 38647<br>C/W: 540 PTO<br>Usage: Not Available                          |       |         |