



Houston, TX, USA - Nov 8, 2022

Lot #	Details	Lot #	Details
1B	<b>2015 Gehl R190 Skid Steer Loader</b> S/N: GHL0R190G00172176 C/W: Open Operator Station, Aperture Tires, Manual Coupler, 66 in Bucket Usage: 1,256 Hr	11B	<b>2017 Cat 299D2 XHP Compact Track Loader</b> S/N: CAT0299DCDX202205 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 9 Pin Electric Kit, Manual Coupler, Counterweight Kit Usage: 1,859 Hr
1A	<b>2012 Bobcat S770 Skid Steer Loader</b> S/N: A3P412075 C/W: Manual Coupler, 84 in Bucket Usage: 4,615 Hr	11A	<b>2018 Cat 299D2 XHP Two-Speed Compact Track Loader</b> S/N: CAT0299DVDX202584 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, Manual Coupler, Forks Usage: 2,143 Hr
1	<b>2013 Bobcat S650 Skid Steer Loader</b> S/N: A3NV23090 C/W: Open Operator Station, Manual Coupler, 73 in Bucket Usage: 4,910 Hr	11	<b>2020 Cat 299D3 Two-Speed High Flow XPS Compact Track Loader</b> S/N: CAT0299DEDY901715 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, Hydraulic Coupler, 72 in Grapple Bucket Usage: 594 Hr
2	<b>2017 Kubota SSV65 Skid Steer Loader</b> S/N: JKUS0651H01S13427 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Aperture Tires, Hydraulic Coupler, 68 in Bucket Usage: 2,322 Hr	13C	<b>2017 Cat 299D2 Two-Speed Compact Track Loader</b> S/N: CAT0299DHFD202870 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, Manual Coupler, 86 in Bucket Usage: 3,788 Hr
3	<b>2014 Case SR210 Skid Steer Loader</b> S/N: NEM478335 C/W: Open Operator Station, Joystick Steering, 14 Pin Electric Kit, Manual Coupler, 72 in Bucket Usage: 2,248 Hr	13B	<b>2018 Cat 299D2 Two-Speed Compact Track Loader</b> S/N: CAT0299DAFD203398 C/W: Open Operator Station, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 74 in Bucket Usage: 2,206 Hr
4	<b>2018 Gehl 1050R Skid Steer Loader</b> S/N: GHL0R150D0D195873 C/W: Open Operator Station, Tier 3, 2016 US EPA Label, Manual Coupler, 70 in Bucket Usage: 336 Hr	13A	<b>2018 Cat 299D2 Two-Speed Compact Track Loader</b> S/N: CAT0299DHFD203033 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 9 Pin Electric Kit, Electric Coupler, 80 in Bucket Usage: 2,716 Hr
6B	<b>2003 New Holland LS-180 Skid Steer Loader</b> S/N: LMU015011 C/W: Open Operator Station, 2003 US EPA Label, Manual Coupler, 78 in Bucket Usage: 2,493 Hr	13	<b>2016 Cat 299D2XHP Two-Speed Compact Track Loader</b> S/N: CAT0299DPDX201218 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, 15.5 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 80 in Bucket Usage: 1,423 Hr
8	<b>2002 Bobcat S185 Skid Steer Loader</b> S/N: 519029540 C/W: Open Operator Station, 2002 US EPA Label, Manual Coupler, 60 in Bucket Usage: 5,348 Hr		
9	<b>2000 Bobcat 763 Skid Steer Loader</b> S/N: 512255104 C/W: Open Operator Station, 1999 US EPA Label, 7 and 14 Pin Electric Kit, Manual Coupler Usage: 1,746 Hr		
10	<b>2000 Case 75XT Skid Steer Loader</b> S/N: JAF0318355 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 73 in Bucket Usage: 1,703 Hr		

Lot #	Details	Lot #	Details
14	<b>2018 Bobcat T870 Two-Speed High Flow Compact Track Loader</b> S/N: B47C11800 C/W: Enclosed Cab, Air Conditioner, Ride Control, Joystick Steering, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 17 in Track Belts, 7 Pin Electric Kit, Manual Coupler, 83 in Bucket Usage: 1,596 Hr	24	<b>2015 Bobcat T750 Compact Track Loader</b> S/N: ANKA14155 C/W: Enclosed Cab, Air Conditioner, US EPA Label, 17 in Track Belts, Manual Coupler, 78 in Bucket Usage: 2,572 Hr
15	<b>2017 Bobcat T870 Two-Speed Compact Track Loader</b> S/N: ASWT12148 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Requires Diesel Exhaust Fluid, 17 in Track Belts, Hydraulic Coupler, 84 in Bucket Usage: 3,662 Hr	25	<b>2019 Takeuchi TL10V-2 Two-Speed High Flow Compact Track Loader</b> S/N: 410002671 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2020 US EPA Label, 16 in Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 76 in Bucket Usage: 3,396 Hr
16	<b>2013 Takeuchi TL12 Compact Track Loader</b> S/N: 201200401 C/W: Open Operator Station, Joystick Steering, Tier 4, 2013 US EPA Label, 17 in Track Belts, 14 Pin Electric Kit, Manual Coupler, 83 in Bucket Usage: Not Available	26	<b>2018 Bobcat T740 Compact Track Loader</b> S/N: B3CA13815 C/W: Open Operator Station, Joystick Steering, 2017 US EPA Label, 17 in Track Belts, 7 Pin Electric Kit, Manual Coupler Usage: 2,981 Hr
17	<b>2017 Kubota SVL95-2S Two-Speed Compact Track Loader</b> S/N: JKUC0953K01S36625 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Tier 4, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 18 in Track Belts, Manual Coupler, 72 in Grapple Bucket Usage: Not Available	27	<b>2015 John Deere 319E Compact Track Loader</b> S/N: 1T0319EJEEJ269528 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, Self Leveling, 16 in Track Belts, Manual Coupler, 78 in Bucket, Counterweight Kit Usage: 3,348 Hr
18	<b>2013 Kubota SVL90-2 Compact Track Loader</b> S/N: JKUC0902V01S10576 C/W: Open Operator Station, 17.5 in Track Belts, Hydraulic Coupler, 80 in Bucket Usage: 4,309 Hr	28A	<b>2018 Cat 259D Two-Speed Compact Track Loader</b> S/N: CAT0259DVFTL1856 C/W: Open Operator Station, Air Ride Seat, Joystick Steering, Tier 4, 2018 US EPA Label, 12.5 in Track Belts, 9 Pin Electric Kit, Manual Coupler, 80 in Bucket Usage: 2,525 Hr
19	<b>2017 Bobcat T770 Compact Track Loader</b> S/N: AT6313589 C/W: Open Operator Station, Joystick Steering, US EPA Label, 18 in Track Belts, Manual Coupler, 79 in Bucket Usage: 1,978 Hr	28	<b>2020 Cat 259D3 Two-Speed Compact Track Loader</b> S/N: CAT0259DLCW907286 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Tier 4, 2020 US EPA Label, 15.5 in Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 74 in Bucket Usage: 1,143 Hr
20	<b>2014 Bobcat T770 Two-Speed Compact Track Loader</b> S/N: AN8T13198 C/W: Enclosed Cab, 17.75 in Track Belts, Manual Coupler Usage: 3,379 Hr	29	<b>2017 Cat 259D Two-Speed Compact Track Loader</b> S/N: CAT0259DAFTL13625 C/W: Open Operator Station, Joystick Steering, Tier 4, 2017 US EPA Label, 12.5 in Track Belts, Manual Coupler, 74 in Bucket Usage: 1,605 Hr
22	<b>2011 Cat 289C Two-Speed Compact Track Loader</b> S/N: CAT0289CAJMP01790 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, 17.5 in Track Belts, Manual Coupler, 80 in Bucket Usage: 4,653 Hr	30	<b>2013 Cat 259B 3 Two-Speed Compact Track Loader</b> S/N: CAT0259BPYYZ04194 C/W: Open Operator Station, Joystick Steering, 16 in Track Belts, Manual Coupler, 72 in Multi-Purpose Bucket Usage: 3,178 Hr
23	<b>2011 Cat 289C Two-Speed Compact Track Loader</b> S/N: CAT0289CPJMP02012 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Self Leveling, 18 in Track Belts, Hydraulic Coupler, 79 in Bucket Usage: 5,213 Hr	31	<b>2019 Kubota SVL75-2 Compact Track Loader</b> S/N: 41128 C/W: Open Operator Station, Joystick Steering, 15 in Track Belts, Manual Coupler, 75 in Bucket Usage: 1,993 Hr

Lot #	Details	Lot #	Details
32	<b>2016 Kubota SVL75-2 Compact Track Loader</b> S/N: JKUC0752V01S27908 C/W: Open Operator Station, Joystick Steering, Manual Coupler, 74 in Bucket Usage: 1,073 Hr	44	<b>2009 Cat 299C Two-Speed Compact Track Loader</b> S/N: CAT0299CKJSP00652 C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 18 in Track Belts, Manual Coupler, 79 in Bucket Usage: 2,996 Hr
33	<b>2013 Yanmar T175 Two-Speed Compact Track Loader</b> S/N: MMCT175YD00050313 C/W: Open Operator Station, Joystick Steering, 2012 US EPA Label, 12.5 in Track Belts, Manual Coupler, 66 in Bucket Usage: 2,622 Hr	46	<b>2008 Takeuchi TL130 Compact Track Loader</b> S/N: 21309549 C/W: Open Operator Station, Joystick Steering, 12.5 in Track Belts, Manual Coupler, 74 in Bucket Usage: Not Available
34	<b>2016 Bobcat T630 Compact Track Loader</b> S/N: AJDT13553 C/W: 2015 US EPA Label, 12 in Track Belts, Manual Coupler, 86 in Bucket Usage: 1,711 Hr	47	<b>2006 Cat 247B Compact Track Loader</b> S/N: CAT0247BLMTL03056 C/W: Joystick Steering, 15 in Track Belts, Manual Coupler, 66 in Bucket Usage: 5,011 Hr
35A	<b>2011 Case TR270 Two-Speed Compact Track Loader</b> S/N: JAFTR270HBM438959 C/W: Open Operator Station, Joystick Steering, 2011 US EPA Label, 12.5 in Track Belts, Manual Coupler, 70 in Bucket Usage: 1,760 Hr	48	<b>2015 LS Mtron XR4046H 4WD Utility Tractor</b> S/N: 2229011869 C/W: Enclosed Cab, Differential Lock, Hydrostatic Drive, 2014 US EPA Label, LS LL4102 Loader w/Joystick, Quick Coupler, 74 in Bucket, 2 Rear Remotes, 540 PTO, 3-Point Hitch, 12-16.5 Front Tires, 17.5L-24 Rear Tires Usage: 56 Hr
36	<b>2015 Bobcat T590 Compact Track Loader</b> S/N: ALJU18550 C/W: Enclosed Cab (Door missing), Joystick Steering, 12 in Track Belts, Manual Coupler, 67 in Bucket Usage: 3,136 Hr	48	<b>Modern 72 in 3-Point Tractor Mower</b> S/N: 91810 C/W: 540 PTO Usage: Not Available
37	<b>2015 Bobcat T590 Compact Track Loader</b> S/N: ALJU15929 C/W: Open Operator Station, Tier 4, 2015 US EPA Label, 12.5 in Track Belts, Manual Coupler, 68 in Bucket Usage: 3,046 Hr	49	<b>2019 LS Mtron XR3135H Utility Tractor</b> S/N: 2259000987 C/W: Enclosed Cab, Differential Lock, 6 Forward, Hydrostatic Drive, LS Mtron LL3116 Loader w/Joystick, Quick Coupler, Grapple Bucket, Auxiliary Hydraulics, 540 PTO, 3-Point Hitch, Swing Drawbar, 215/65-14 Front Tires, 43x16.00-20 Rear Tires Usage: 218 Hr
39	<b>2015 Bobcat T590 Compact Track Loader</b> S/N: ALJU14626 C/W: Open Operator Station, 2014 US EPA Label, 13 in Track Belts, Manual Coupler, 72 in Bucket Usage: 2,825 Hr	49	<b>Grapple Bucket</b> S/N: Not Available Usage: Not Available
40B	<b>2019 Manitou 1050RT Compact Track Loader</b> S/N: MAN1050TB0D303501 C/W: Open Operator Station, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 54 in Bucket, Broom Usage: 166 Hr	50	<b>1995 Kubota LA480 4WD Utility Tractor</b> S/N: 13444 C/W: Differential Lock, 8 Forward 8 Reverse, Manual Transmission, Kubota LA480 Loader w/Joystick, Kubota 60 in Bucket, Loader Mounting Frame, 540 PTO, 3-Point Hitch, Drawbar, 7-16 Front Tires, 12.4x24 Rear Tires Usage: 1,350 Hr
40A	<b>2015 Bobcat T450 Compact Track Loader</b> S/N: AUV11998 C/W: Open Operator Station, 2015 US EPA Label, 12.5 in Track Belts, Manual Coupler, 80 in Bucket Usage: 1,939 Hr	51	<b>2015 Kubota L4760 4WD Utility Tractor</b> S/N: L4760D40308 C/W: Differential Lock, 12 Forward 8 Reverse, Left Hand Reverser, Tier 4, 36 kW Engine, 2014 US EPA Label, Front Weights, 1 Rear Remotes, 540 PTO, 27x8.50-15 Front Tires, 44x18.00-20 Rear Tires Usage: 1,438 Hr
40	<b>2015 JCB 190T Compact Track Loader</b> S/N: GE0190TVAF2201824 C/W: Open Operator Station, Joystick Steering, 2016 US EPA Label, 12 in Track Belts, Manual Coupler, 66 in Bucket Usage: 1,000 Hr		

Lot #	Details	Lot #	Details
53	<b>2019 Kubota B26TLB 4WD Utility Tractor</b> S/N: 57707 C/W: Canopy, Hydrostatic Drive, Kubota TL500 Loader w/Joystick, Quick Coupler, Kubota TL2142 60 in Bucket, 540 PTO, Kubota BT820 Backhoe Attachment, 18 in Backhoe Bucket, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 538 Hr	65	<b>2018 Kubota BX23SLB-R 4WD Utility Tractor</b> S/N: 26552 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 15.9 kW Engine, 2018 US EPA Label, Kubota LA340 Loader w/Joystick, 47 in Bucket, Mid-Mount PTO, 1 Rear Remotes, 540 PTO, 3-Point Hitch, Kubota Backhoe Attachment, 12 in Backhoe Bucket, 18x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 610 Hr
55	<b>2019 Kubota B26TLB 4WD Utility Tractor</b> S/N: 57562 C/W: Canopy, Hydrostatic Drive, Tier 4, 2018 US EPA Label, Kubota TL500 Loader w/Joystick, Quick Coupler, 60 in Bucket, 540 PTO, Kubota Backhoe Attachment, 18 in Backhoe Bucket, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 399 Hr	66	<b>2018 Kubota BX23SLB-R 4WD Utility Tractor</b> S/N: 18901 C/W: Hydrostatic Drive, Kubota Loader, 540 PTO, 3-Point Hitch, Kubota Backhoe Attachment, 12 in Backhoe Bucket Usage: 687 Hr
56	<b>2019 Kubota B26 4WD Utility Tractor</b> S/N: 57472 C/W: Canopy, Hydrostatic Drive, Kubota TL500 Loader, Quick Coupler, Kubota TL2124 60 in Bucket, Kubota BT820 Backhoe Attachment, 18 in Backhoe Bucket, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 447 Hr	67A	<b>1994 Massey Ferguson 393 2WD Tractor</b> S/N: C04324 C/W: Enclosed Cab, Air Conditioner, 6 Forward 2 Reverse, Manual Transmission, Massey Ferguson MF236 Loader w/Joystick, Quick Coupler, 2 Mid-Mount Remotes, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Swing Drawbar, 9.5L15 Front Tires, 18.4x30 Rear Tires Usage: 2,174 Hr
60A	<b>2018 Yanmar SA424 4WD Utility Tractor</b> S/N: YMJS0026JJF400851 C/W: Hydrostatic Drive, Yanmar YL210 Loader, Quick Coupler, 52 in Bucket, Yanmar B65 Backhoe Attachment, 12 in Backhoe Bucket, 205/65-12 Front Tires, 350/70-17.5 Rear Tires Usage: 485 Hr	67	<b>2018 Kubota BX23S 4WD Utility Tractor</b> S/N: 18903 C/W: Differential Lock, Hydrostatic Drive, 2017 US EPA Label, Kubota LA340 Loader w/Joystick, 2 Mid-Mount Remotes, Auxiliary Hydraulics, 540 PTO, Kubota BT603 Backhoe Attachment, 16 in Backhoe Bucket, 18x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 781 Hr
60	<b>2019 Kubota B26 4WD Utility Tractor</b> S/N: 57935 C/W: Canopy, Differential Lock, 3 Forward, Hydrostatic Drive, Tier 4, 17.8 kW Engine, 2019 US EPA Label, Kubota TL500 Loader w/Joystick, Quick Coupler, 60 in Bucket, 540 PTO, Kubota BT820 Backhoe Attachment, 18 in Backhoe Bucket, 23x8.50-14 Front Tires, 12.4-16 Rear Tires Usage: 358 Hr	68	<b>1993 John Deere 6300 2WD Tractor</b> S/N: L06300H104648 C/W: Canopy, 12 Forward 3 Reverse, Synchro-Range, Engine Block Heater, John Deere 620 Loader w/Joystick, Loader Mounting Frame, 4 Rear Remotes, 540/1000 PTO, 3-Point Hitch, Ball Hitch, 11L-15 Front Tires, 16.9-30 Rear Tires Usage: 4,794 Hr
61	<b>2019 Kubota BX23SLB-R 4WD Utility Tractor</b> S/N: 31363 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 15.9 kW Engine, 2019 US EPA Label, Kubota LA340 Loader w/Joystick, 48 in Bucket, 540 PTO, Kubota Backhoe Attachment, 12 in Backhoe Bucket, 8x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 707 Hr	69	<b>1986 Case 1594 2WD Tractor</b> S/N: 11527277 C/W: Canopy, 6 Forward 6 Reverse, Manual Transmission, 97 hp Engine, 2 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 34x10.75-16 Front Tires, 18.4x34 Rear Tires Usage: 2,039 Hr
64	<b>2018 Kubota BX23S 4WD Utility Tractor</b> S/N: 25764 C/W: Differential Lock, Hydrostatic Drive, Tier 4, 15.9 kW Engine, 2018 US EPA Label, Kubota LA340 Loader w/Joystick, 2 Mid-Mount Remotes, Auxiliary Hydraulics, 540 PTO, 3-Point Hitch, Kubota BT603 18x8.50-10 Front Tires, 26x12.00-12 Rear Tires Usage: 246 Hr	70	<b>1990 Case 585 2WD Tractor</b> S/N: B500223 B027772 C/W: Canopy, 8 Forward 4 Reverse, Manual Transmission, 1 Rear Remotes, 540 PTO, 3-Point Hitch, Automatic Trailer Hitch, 7.50-16 Front Tires, 16.9x30 Rear Tires Usage: 2,360 Hr

Lot #	Details	Lot #	Details
71	<b>2014 Kubota M9960 4WD Tractor</b> S/N: M9960D54563 C/W: Canopy, Differential Lock, 8 Forward 8 Reverse, Powershift, Creeper, 100 hp Engine, Kubota LA1353 Loader w/Joystick, Quick Coupler, Kubota, 2 Mid-Mount Remotes, High Flow Hydraulics, 2 Rear Remotes, 540/1000 PTO, 3-Point Hitch, 14.9R24 Front Tires, 18.4 x30 Rear Tires Usage: 1,857 Hr	82	<b>2015 John Deere 310L EP 4x4 Backhoe Loader</b> S/N: 1T0310ELKFG285391 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission, 2015 US EPA Label, 84 in Loader Bucket, Extendable Stick, 23 in Backhoe Usage: 3,793 Hr
74	<b>2013 New Holland T9.615S Articulated Tractor</b> S/N: ZDF218214 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Differential Lock, Reverse Drive Mode, 1 Forward 1 Reverse, Power Shift, Cab Suspension, Requires Diesel Exhaust Fluid, 0 ft Front Weights, 4 Rear Remotes, Drawbar, Dual 710/70R42 Tires Usage: 5,882 Hr	83	<b>2015 John Deere 310SK 4x4 Backhoe Loader</b> S/N: 1T0310SKLEE272704 C/W: Open Operator Station, Air Ride Seat, 92.5 in Loader Bucket, Quick Coupler, 24 in Backhoe, Rear Auxiliary Hydraulics Usage: 5,803 Hr
75	<b>2006 John Deere 9520 Scraper Tractor</b> S/N: RW9520E041276 C/W: Enclosed Cab, Air Conditioner, 18 Forward 6 Reverse, PowerShift, 4 Rear Remotes, Scraper Hitch, Dual 710/70R42 Front Tires, Front Wheel Weights, Dual 710/70R42 Rear Tires Usage: 677 Hr	84	<b>2015 John Deere 310K 4x4 Backhoe Loader</b> S/N: 1T0310EKPEG275464 C/W: Open Operator Station, Backhoe Pilot Controls, Powershift Transmission, 86 in Loader Bucket, Quick Coupler, 24 in Backhoe Cleanup Bucket, Rear Auxiliary Hydraulics Usage: 3,240 Hr
78	<b>2012 John Deere 210 4x4 Landscape Loader</b> S/N: 1T8210EKHC0891173 C/W: Open Operator Station, 1.12 cyd 85 in Bucket, 86 in Box Blade, 12-16.5 Front Tires, 19.5-24 Rear Tires Usage: 4,460 Hr	85	<b>2015 John Deere 310K 4x4 Backhoe Loader</b> S/N: 1T0310EKTFG275724 C/W: Backhoe Pilot Controls, Control Pattern Changer, Powershift Transmission, US EPA Label, 84 in Loader Bucket, Quick Coupler, 16 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 3,988 Hr
79	<b>2005 Case 570MXT 4x4 Landscape Loader</b> S/N: JJG0301861 C/W: Open Operator Station, Tier 1, US EPA Label, 81 in Bucket, 85 in Hydraulic Tilting Box Blade w/ Hydraulic Scarifier Usage: 2,001 Hr	86	<b>2014 John Deere 310K 4x4 Backhoe Loader</b> S/N: 1T0310KXAE267383 C/W: Open Operator Station, Backhoe Pilot Controls, Powershift Transmission, 86 in Loader Bucket, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,885 Hr
80	<b>2012 Cat 430EIT 4x4 Backhoe Loader</b> S/N: CAT0430EAMXB00560 C/W: Open Operator Station, Auxiliary Hydraulics, Hydraulic Coupler, 92 in Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket Usage: Not Available	87	<b>2014 John Deere 310K 4x4 Backhoe Loader</b> S/N: 1T0310KXKEE258256 C/W: Open Operator Station, Powershift Transmission, 88 in Loader Bucket, 12 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 4,845 Hr
81A	<b>2018 John Deere 310SL 4x4 Backhoe Loader</b> S/N: 1T0310SLVHF321873 C/W: Open Operator Station, Backhoe Pilot Controls, Powershift Transmission, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 92 in Loader Bucket, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 3,363 Hr	88	<b>2014 Case 580N 4x4 Backhoe Loader</b> S/N: JJGN580NTEC700552 C/W: Open Operator Station, 80 in Loader Bucket, 22 in Backhoe Usage: 3,001 Hr
81	<b>2012 John Deere 410K 4x4 Backhoe Loader</b> S/N: 1T0410KXHCE227051 C/W: Enclosed Cab, Air Conditioner, Ride Control, Control Pattern Changer, Powershift Transmission, 94 in Loader Bucket, Extendable Stick, 30 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 3,145 Hr	89A	<b>2013 Case 580N 4x4 Backhoe Loader</b> S/N: JJGN580NEDC580893 C/W: 82 in Loader Bucket, Extendable Stick, 24 in Backhoe Digging Bucket Usage: 4,008 Hr
		89	<b>2014 Case 580N 4x4 Backhoe Loader</b> S/N: JJGN580NAEC700527 C/W: Open Operator Station, 83 in Loader Bucket, 24 in Backhoe, Rear Auxiliary Hydraulics Usage: 2,651 Hr
		90	<b>2015 JCB 3CX 4x4 Backhoe Loader</b> S/N: GE03CXTTAF2416069 C/W: Open Operator Station, 2014 US EPA Label, 86 in Loader Bucket, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,597 Hr

Lot #	Details	Lot #	Details
92	<b>2010 John Deere 310SJ 4x4 Backhoe Loader</b> S/N: T0310SJ179126 C/W: Backhoe Pilot Controls, Control Pattern Changer, Powershift Transmission, 2009 US EPA Label, Hydraulic Coupler, 92 in Loader Bucket, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics, Hydraulic Thumb Usage: 6,690 Hr	104	<b>2006 Cat 416D 4x4 Backhoe Loader</b> S/N: CAT0416DVBFP16809 C/W: Open Operator Station, 87 in Loader Bucket, Quick Coupler, 24 in Backhoe Digging Bucket Usage: Not Available
93	<b>2008 Cat 420E IT 4x4 Backhoe Loader</b> S/N: CAT0420EHKMW02784 C/W: Open Operator Station, Air Ride Seat, Backhoe Pilot Controls, Control Pattern Changer, Powershift Transmission, Auxiliary Hydraulics, Hydraulic Coupler, 94 in Loader Bucket, Forks, 7 in Backhoe Digging Bucket, Hydraulic Thumb Usage: 7,479 Hr	105	<b>2004 John Deere 310G 4x4 Backhoe Loader</b> S/N: T0310GX928701 C/W: Open Operator Station, 86 in Loader Bucket, 18 in Backhoe Digging Bucket Usage: 3,671 Hr
94	<b>2007 Cat 420E IT 4x4 Backhoe Loader</b> S/N: CAT0420EKKMW01819 C/W: Air Ride Seat, Backhoe Pilot Controls, Control Pattern Changer, Auxiliary Hydraulics, Hydraulic Coupler, 88 in Loader Bucket, 6 in Backhoe Digging Bucket, Hydraulic Thumb Usage: 8,607 Hr	106	<b>1999 John Deere 410E 4x4 Backhoe Loader</b> S/N: T0410EX878740 C/W: Enclosed Cab, 94 in Loader Bucket, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket Usage: Not Available
95	<b>2008 Cat 420E 4x4 Backhoe Loader</b> S/N: CAT0420EKKMW402744 C/W: Open Operator Station, Backhoe Pilot Controls, Control Pattern Changer, Auxiliary Hydraulics, Hydraulic Coupler, 96 in Loader Bucket, Forks, Extendable Stick, Quick Coupler, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 10,169 Hr	108	<b>1999 John Deere 310E 4x4 Backhoe Loader</b> S/N: T0310EX871614 C/W: 1999 US EPA Label, 84 in Loader Bucket, Extendable Stick, 24 in Backhoe Cleanup Bucket Usage: 3,432 Hr
97	<b>2009 John Deere 310SJ 4x4 Backhoe Loader</b> S/N: T0310SJ170951 C/W: Open Operator Station, 2008 US EPA Label, Hydraulic Coupler, 90 in Loader Bucket, 7 in Backhoe Railway Cribbing Bucket,, 48" Forks, Hydraulic Thumb Usage: 6,050 Hr	111	<b>2016 John Deere 310EL 4x2 Backhoe Loader</b> S/N: 1T0310ELHGG301258 C/W: Open Operator Station, Powershift Transmission, 2016 US EPA Label, 86 in, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 2,496 Hr
98	<b>2007 John Deere 310J 4x4 Backhoe Loader</b> S/N: T0310JX150053 C/W: 2007 US EPA Label, 84 in Loader Bucket, 24 in Backhoe Digging Bucket, Rear Auxiliary Hydraulics Usage: 5,734 Hr	112	<b>2014 Case 580 Super N 4x2 Backhoe Loader</b> S/N: JGN58SNAEC705286 C/W: 83 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 3,669 Hr
99	<b>2008 Case 580M Series 3 4x4 Backhoe Loader</b> S/N: N8C500398 C/W: 84 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 4,106 Hr	113	<b>2009 JCB 3CX 4x2 Backhoe Loader</b> S/N: SLP214TC9U0912443 C/W: Open Operator Station, 2008 US EPA Label, Auxiliary Hydraulics, 93 in Loader Bucket, Extendable Stick, 24 in Backhoe Cleanup Bucket, Rear Auxiliary Hydraulics Usage: Not Available
100	<b>2007 John Deere 310SG 4x4 Backhoe Loader</b> S/N: T0310SG962689 C/W: Open Operator Station, Backhoe Pilot Controls, 2006 US EPA Label, 86 in Loader Bucket, 18 in Backhoe Digging Bucket Usage: 1,678 Hr	114	<b>2008 JCB 3CX 4x2 Backhoe Loader</b> S/N: SLP214TC8U0911199 C/W: Enclosed Cab, 92 in Loader Bucket, Extendable Stick, 60 in Backhoe Cleanup Bucket Usage: 5,127 Hr
102	<b>2006 Case 580 Super M Series 2 4x2 Backhoe Loader</b> S/N: N6C411550 C/W: Open Operator Station, 2006 US EPA Label, 84 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 4,287 Hr	115	<b>2008 Cat 416E 4x2 Backhoe Loader</b> S/N: CAT0416EESHA04533 C/W: Open Operator Station, Air Ride Seat, 88 in Loader Bucket, 24 in Backhoe Digging Bucket Usage: 9,396 Hr
		116	<b>2008 New Holland B95 4x2 Backhoe Loader</b> S/N: 031065735 C/W: Open Operator Station, 88 in Loader Bucket, Extendable Stick, 24 in Backhoe Usage: 3,070 Hr

Lot #	Details	Lot #	Details
117	<b>2004 Case 580M Series 2 4x2 Backhoe Loader</b> S/N: N4C303181 C/W: Open Operator Station, Backhoe Pilot Controls, 2003 US EPA Label, 84 in Loader Bucket Usage: 5,460 Hr	127	<b>2016 Komatsu WA380-8 Wheel Loader</b> S/N: KMTWA130EGNA74231 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, 2016 US EPA Label, Hydraulic Coupler, 114 in Bucket, 23.5R25 Tires Usage: 5,775 Hr
119	<b>2007 Allmand TLB-225 4x2 Mini Backhoe Loader</b> S/N: 0006T22507 C/W: 57 in Loader Bucket, 12 in Backhoe Digging Bucket Usage: 687 Hr	128	<b>2014 Cat 938K Wheel Loader</b> S/N: CAT0938KCSWL03103 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Ride Control, 2014 US EPA Label, Hydraulic Coupler, 107 in Bucket, 20.5R25 Tires Usage: 10,509 Hr
120	<b>2005 Komatsu WA600-3 Wheel Loader</b> S/N: 52129 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Command Control Steering, 15 cyd 176 in Bucket, Auto Lube, 35 /65R33 Tires Usage: 17,196 Hr	129	<b>2013 Cat 938K Wheel Loader</b> S/N: CAT0938KASWL01743 C/W: Enclosed Cab, Air Conditioner, Ride Control, 2012 US EPA Label, Hydraulic Coupler, 106 in Bucket, 20.5R25 Tires Usage: 12,392 Hr
121	<b>2011 Kawasaki 92ZV-2 Wheel Loader</b> S/N: 92C15029 C/W: Enclosed Cab, Air Conditioner, 125 in Bucket, 26.5-25 Tires Usage: 8,360 Hr	130	<b>2013 Cat 938K Wheel Loader</b> S/N: CAT0938KLSWL01002 C/W: Enclosed Cab, Air Conditioner, Ride Control, Hydraulic Coupler, 108 in Bucket, Forks, 20.5R25 Tires Usage: 12,384 Hr
122	<b>2015 Cat 966M High Lift Wheel Loader</b> S/N: CAT0966MHKJP00870 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Autoshift, Joystick Steering, Requires Diesel Exhaust Fluid, 124 in Bucket, Auto Lube, 71.5-26.5x25 Solid Tires Usage: Not Available	131	<b>2019 Komatsu WA320-8 Wheel Loader</b> S/N: KMTWA135PKNA38922 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 108 in Bucket, 20.5R25 Tires Usage: 5,752 Hr
123	<b>2006 Cat 966H Wheel Loader</b> S/N: CAT0966HAA6D00201 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, Autoshift, 2005 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, Hydraulic Coupler, 4.01 m3 127 in Bucket, 26.5-25 Tires Usage: 20,203 Hr	132	<b>2018 Cat 930M Wheel Loader</b> S/N: CAT0930MCKTG04271 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Ride Control, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Fusion Coupler, 107.5 in Bucket, 20.5R25 Tires Usage: 9,227 Hr
124	<b>2008 John Deere 744J Wheel Loader</b> S/N: DW744J618816 C/W: Enclosed Cab, Air Conditioner, Traction Control, 129 in Bucket Usage: 15,624 Hr	133	<b>2012 John Deere 624 K Wheel Loader</b> S/N: 1DW624KZPCE645669 C/W: Enclosed Cab, Air Conditioner, 106 in Bucket, 20.5R25 Tires Usage: 9,880 Hr
125	<b>2000 Komatsu WA450-3MC Avance Wheel Loader</b> S/N: A311628 C/W: Enclosed Cab, Air Conditioner, 122 in Bucket, 29.5R25 Tires Usage: 14,851 Hr	134	<b>2007 Cat 930G Wheel Loader</b> S/N: CAT0930GTTWR03171 C/W: Enclosed Cab, Air Conditioner, Autoshift, 20.5R25 Tires, 99 in Bucket Usage: 8,259 Hr
126	<b>2016 Cat 950M Wheel Loader</b> S/N: CAT0950MAEMB02493 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Ride Control, Autoshift, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Hydraulic Coupler, 115 in Bucket, 23.5 R25 Tires Usage: 14,347 Hr	135	<b>2011 John Deere 544K Wheel Loader</b> S/N: 1DW544KZHB0635283 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Autoshift, 2011 US EPA Label, Hydraulic Coupler, 105 in Bucket, Forks, 20.5R25 Tires Usage: 10,694 Hr
		136	<b>2007 Case 621D Wheel Loader</b> S/N: JEE0200661 C/W: Enclosed Cab, Air Conditioner, Autoshift, 102 in Bucket, 20.5-25 Tires Usage: 7,003 Hr

Lot #	Details	Lot #	Details
137	<b>2004 Komatsu WA250-5L Wheel Loader</b> S/N: KMTWA055P57A73413 C/W: 2004 US EPA Label, Hydraulic Coupler, 104 in Bucket, Forks, 20.5R25 Tires Usage: 15,126 Hr	150	<b>2015 Volvo A25G 6X6 Articulated Dump Truck</b> S/N: VCE0A25GH00740141 C/W: Air Conditioner, Engine Brake, Rear View Camera, Air Ride Seat, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Tailgate, 23.5 R25 Tires Usage: 7,580 Hr
139	<b>2019 Prinoth Raptor RT300 Tracked Mulcher Tractor</b> S/N: 10289449 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Requires Diesel Exhaust Fluid, 28.5 in Track Belts, 2019, Prinoth M650M-2050 0 ft 80 in, Mulcher, Winch Usage: 1,101 Hr	151	<b>2010 Terex TA30 Articulated Dump Truck</b> S/N: A8971236 C/W: Air Conditioner, Air Ride Seat, 2010 US EPA Label, Auto Lube, 23.5R25 Tires Usage: 9,371 Hr
140	<b>2007 Gyro-Trac GT-13 Tracked Mulcher Tractor</b> S/N: BCT131038C C/W: Enclosed Cab, Air Conditioner, Joystick Steering, 2006 US EPA Label, 19 in Track Belts, AHWI 0 ft 64 in, Mulcher Usage: 1,614 Hr	152	<b>2006 Terex TA30 Articulated Dump Truck</b> S/N: A8941058 C/W: Air Conditioner, Engine Brake, Auto Lube, 23.5R25 Tires Usage: 10,991 Hr
141	<b>2015 Cat 140M3 Motor Grader</b> S/N: CAT0140MVN9D00459 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Joystick Steering, Rear View Camera, Differential Lock, Pre-Wired for Grade Control, Requires Diesel Exhaust Fluid, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 9,524 Hr	153	<b>2007 Volvo A25D Articulated Dump Truck</b> S/N: A25DV16127 C/W: Air Conditioner, Retarder, 2007 US EPA Label, 23.5x25 Tires Usage: 12,202 Hr
142	<b>2013 John Deere 770GP Motor Grader</b> S/N: 1DW770GPLDE653917 C/W: Enclosed Cab, Air Conditioner, 14 ft Moldboard, Push Block, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 13,041 Hr	154	<b>1988 Cat D400 Articulated Dump Truck</b> S/N: 1MD00142 C/W: Air Conditioner, Engine Brake, 26.5R25 Tires Usage: 7,961 Hr
143	<b>2006 Cat 140H Motor Grader</b> S/N: CAT0140HVAPM02575 C/W: Enclosed Cab, Air Conditioner, Low Profile, 14 ft Moldboard, Push Block, Accumulators, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 11,996 Hr	155	<b>1994 Volvo A25C Articulated Dump Truck</b> S/N: 5350V68105 C/W: 29.5-25 Tires Usage: 19,883 Hr
144	<b>2005 Cat 140H Motor Grader</b> S/N: CAT0140HCAPM02025 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 12 ft Moldboard, Rear Scarifier, 17.5-25 Tires Usage: 8,457 Hr	156	<b>2012 Cat 770G Haul Truck</b> S/N: CAT0770GVKDH00203 C/W: Air Conditioner, Engine Brake, Emergency Steering, Air Ride Seat, Requires Diesel Exhaust Fluid, Auto Lube, 18.00R33 Tires Usage: Not Available
145	<b>2004 Cat 140H Motor Grader</b> S/N: CAT0140HCAPM01604 C/W: Enclosed Cab, Air Conditioner, Low Profile, Air Ride Seat, 14 ft Moldboard, Push Block, Combination Ripper/Scarifier, 17.5R25 Tires Usage: 15,828 Hr	157	<b>1998 Cat 771D Haul Truck</b> S/N: 6JR00305 C/W: Air Conditioner, Retarder, Air Ride Seat, Fast Fuel Fill, 18.00R33 Tires Usage: 38,006 Hr
148	<b>1978 Cat 14G Motor Grader</b> S/N: 96U3281 C/W: Enclosed Cab, Air Conditioner, Differential Lock, 16 ft Moldboard, Push Block, Combination Ripper/Scarifier, 20.5R25 Tires Usage: 11,168 Hr	158	<b>1996 Cat 613C 5000 gal Water Wagon</b> S/N: 8LJ01223 C/W: Enclosed Cab, Mega Tank, Rear Spray, Side Spray, Hydraulic Driven Water Pump, 23.5-25 Tires Usage: 2,969 Hr
		159	<b>1987 Cat 613C 5000 gal Water Wagon</b> S/N: 92X01141 C/W: Open Operator Station, Side Spray, 23.5 R25 Tires Usage: 14,119 Hr
		160	<b>2016 Morooka MST2200VD Crawler Carrier</b> S/N: 228010 C/W: Enclosed Cab, Air Conditioner, Requires Diesel Exhaust Fluid, 12 ft Long Flatbed Dump Body, 29 in Rubber Tracks Usage: 1,384 Hr



Lot #	Details	Lot #	Details
161	<b>2013 Morooka MST2200VD Crawler Carrier</b> S/N: A220136 C/W: Enclosed Cab, Air Conditioner, 2013 US EPA Label, 12 ft Long x 0 ft 15 in High Dump Body, 29 in Rubber Tracks Usage: 3,061 Hr	170	<b>2014 Cat D6T LGP Crawler Dozer</b> S/N: CAT00D6TTZJB01605 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 205 in Wide Angle Blade w/ Dual Tilt, 36 in Single Grouser Track Shoes, Paccar PA56 Winch Usage: Not Available
162	<b>2012 Morooka MST-1500VD Crawler Carrier</b> S/N: 154670 C/W: Enclosed Cab, Air Conditioner, Flat Bed, 27 in Rubber Tracks Usage: 1,695 Hr	171	<b>2009 Cat D6T XW Crawler Dozer</b> S/N: CAT00D6TVSKL00609 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, 138 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, 1 Cylinder Multi-Shank Ripper Usage: 15,831 Hr
163	<b>2012 Morooka MST-1500VD Crawler Carrier</b> S/N: 154671 C/W: Enclosed Cab, Air Conditioner, 10 ft Long x 14 in High Dump Body, 27.5 in Rubber Tracks Usage: 1,440 Hr	172	<b>2019 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NCSGG00892 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Sweeps, 160 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 6,947 Hr
164	<b>Tiger Cat Wheel Feller Buncher</b> S/N: 7263095 C/W: Air Conditioner, Forestry Package, 28L-26 Tires, Felling Saw SW5702 23 in Feller Buncher Usage: Not Available	173	<b>2018 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NCSGG00455 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, 160 in Wide PAT Blade, 32.5 in Single Grouser Track Shoes Usage: 6,923 Hr
165	<b>2015 Komatsu D85EX-15 Crawler Dozer</b> S/N: KMT0D101A01012179 C/W: Enclosed Cab, Air Conditioner, Electric Drive, 2014 US EPA Label, 142 in Wide Semi-U Blade w/ Single Tilt, 26 in Single Grouser Track Shoes Usage: 6,522 Hr	174	<b>2018 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NCSGG00245 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, Sweeps, 160 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 8,133 Hr
166	<b>2002 Cat D7R Series II Crawler Dozer</b> S/N: CAT00D7RJAEC00588 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 139 in Wide Semi-U Blade w/ Single Tilt, 22 in Single Grouser Track Shoes, 4 Cylinder Multi-Shank Ripper Usage: 18,972 Hr	175	<b>2018 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NKS GG00430 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, Sweeps, 160 in Wide PAT Blade, 33 in Single Grouser Track Shoes, Drawbar, Rear Auxiliary Hydraulics Usage: 8,373 Hr
167A	<b>1989 Cat D7H Crawler Dozer</b> S/N: 5BF00476 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, Sweeps, 158 in Wide Straight Blade w/ Dual Tilt, 26 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 9,971 Hr	176	<b>2017 Cat D6N LGP Crawler Dozer</b> S/N: CAT00D6NASGG00174 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, Sweeps, 160 in Wide PAT Blade, 33 in Single Grouser Track Shoes, SystemOne Undercarriage, Rear Auxiliary Hydraulics Usage: 8,537 Hr
168	<b>2017 Cat D6T XW Crawler Dozer</b> S/N: CAT00D6TJMB500258 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, Requires Diesel Exhaust Fluid, Sweeps, 140 in Wide Semi-U Blade w/ Single Tilt, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, 1 Cylinder Multi-Shank Ripper Usage: 5,769 Hr		
169	<b>2014 Cat D6T LGP Crawler Dozer</b> S/N: CAT00D6TPZJB01606 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission w/ Differential Steering, 2014 US EPA Label, 203 in Wide Straight Blade w/ Dual Tilt, 36 in Single Grouser Track Shoes, Paccar PA56-E00100E Winch, Drawbar Usage: 6,104 Hr		

Lot #	Details	Lot #	Details
177	<b>2006 Cat D6N XL Crawler Dozer</b> S/N: CAT00D6NKCK00700 C/W: Open Operator Station, Powershift Transmission w/ Differential Steering, 128 in Wide PAT Blade, 23.5 in Single Grouser Track Shoes, Rear Auxiliary Hydraulics Usage: 12,630 Hr	186	<b>2012 Cat D6K LGP Crawler Dozer</b> S/N: CAT00D6KKDHA01899 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Powershift Transmission, Sweeps, 145 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Allied H5C Winch Usage: 1,395 Hr
178	<b>2017 Komatsu D65PX-18 Crawler Dozer</b> S/N: KMT0D127PFA090089 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Powershift Transmission, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 156 in Wide PAT Blade, 30 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 5,430 Hr	187	<b>2011 Cat D6K LGP Crawler Dozer</b> S/N: CAT00D6KPDHA01786 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Hydrostatic Drive, 2011 US EPA Label, 144 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 5,955 Hr
179	<b>2017 Komatsu D65PX-18 Crawler Dozer</b> S/N: KMT0D127LHA090850 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Powershift Transmission w/ Differential Steering, 158 in Wide Straight Blade w/ Single Tilt, 36 in Single Grouser Track Shoes, Drawbar, Rear Auxiliary Hydraulics Usage: 7,210 Hr	188	<b>2007 Cat D6K LGP Crawler Dozer</b> S/N: CAT00D6KLDHA00369 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Powershift Transmission, Sweeps, 130 in Wide PAT Blade, 30 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 4,343 Hr
180	<b>2006 John Deere 850J LGP Crawler Dozer</b> S/N: T0850JX130921 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Hydrostatic Drive, Sweeps, 172 in Wide PAT Blade, 36 in Single Grouser Track Shoes Usage: 16,923 Hr	189	<b>2012 John Deere 700K LGP Crawler Dozer</b> S/N: 1T0700KXVCE225862 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, 132 in Wide PAT Blade, 30 in Single Grouser Track Shoes Usage: 7,362 Hr
182	<b>2013 Case 1150M Crawler Dozer</b> S/N: NDDC11011 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, Tier 4, 2013 US EPA Label, Sweeps, 132 in Wide PAT Blade, 26 in Single Grouser Track Shoes Usage: 4,400 Hr	190	<b>2019 Komatsu D39PX-24 Crawler Dozer</b> S/N: KMT0D130EJA096299 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Powershift Transmission, 2018 US EPA Label, 118.5 in Wide PAT Blade, 25 in Single Grouser Track Shoes Usage: 4,135 Hr
183	<b>2016 Komatsu D61PX-24 Crawler Dozer</b> S/N: KMT0D129JFA040135 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Air Ride Seat, Hydrostatic Drive, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 150 in Wide PAT Blade, 33.5 in Single Grouser Track Shoes, Drawbar Usage: 6,933 Hr	191	<b>2014 John Deere 650K LGP Crawler Dozer</b> S/N: 1T0650KXKEE257559 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 130 in Wide PAT Blade, 27.5 in Single Grouser Track Shoes, Root Rake Usage: 4,780 Hr
184	<b>2014 Komatsu D61PX-23 Crawler Dozer</b> S/N: KMT0D120C01030893 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, Pre-Wired for Grade Control, Powershift Transmission, 151 in Wide PAT Blade, 34 in Single Grouser Track Shoes Usage: 7,675 Hr	192	<b>2015 Cat D5K2 LGP Crawler Dozer</b> S/N: CAT0D5K2TKYY01691 C/W: Open Operator Station, Air Ride Seat, Pre-Wired for Grade Control, Hydrostatic Drive, Sweeps, 127 in Wide PAT Blade, 26 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 7,532 Hr
185	<b>2015 Cat D6K2 XL Crawler Dozer</b> S/N: CAT00D6KPWMR00722 C/W: Enclosed Cab, Air Conditioner, Pre-Wired for Grade Control, Powershift Transmission w/ Differential Steering, 125 in Wide PAT Blade, 22 in Single Grouser Track Shoes, Drawbar, Rear Auxiliary Hydraulics Usage: 9,085 Hr	193	<b>2012 Cat D5K2 XL Crawler Dozer</b> S/N: CAT0D5K2LKWW00234 C/W: Open Operator Station, Air Ride Seat, Powershift Transmission, 2012 US EPA Label, 108 in Wide PAT Blade, 20 in Single Grouser Track Shoes, SystemOne Undercarriage Usage: 9,609 Hr
		194	<b>2014 Cat D4K2 LGP Crawler Dozer</b> S/N: CAT0D4K2AKRR00363 C/W: Enclosed Cab, Air Conditioner, Air Ride Seat, 2013 US EPA Label, Sweeps, 123 in Wide PAT Blade, 25 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 8,267 Hr

Lot #	Details	Lot #	Details
195	<b>2014 John Deere 550K Crawler Dozer</b> S/N: 1T0550KXTEE258476 C/W: Open Operator Station, Hydrostatic Drive, 115 in Wide PAT Blade, 24 in Single Grouser Track Shoes Usage: 3,977 Hr	207	<b>John Deere 555G Crawler Loader</b> S/N: T0555GW793489 C/W: Open Operator Station, Powershift Transmission, 97.5 in Bucket, 24 in Double Grouser Track Shoes Usage: 4,100 Hr
197	<b>2008 Komatsu D51PX-22 Crawler Dozer</b> S/N: KMT0D080C51B10545 C/W: Open Operator Station, Hydrostatic Drive, 2007 US EPA Label, 128 in Wide PAT Blade, 28 in Single Grouser Track Shoes Usage: 9,313 Hr	209	<b>2013 Bomag BW211PD-40 Padfoot Drum Compactor</b> S/N: 901583261101 C/W: Open Operator Station, 4 Cylinder Diesel Engine, 84 in Drum Usage: 4,763 Hr
198	<b>2003 Cat D5G Crawler Dozer</b> S/N: CAT00D5GPFDH01721 C/W: Open Operator Station, Hydrostatic Drive, 105 in Wide PAT Blade, 20 in Single Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 5,529 Hr	210	<b>Sakai SV505 Padfoot Drum Compactor</b> S/N: VSV1650758 C/W: 2011 US EPA Label, Cummins QSB 4 Cylinder 130 hp 4.5 L Diesel Engine, 84 in Drum Usage: 2,964 Hr
199	<b>1998 Case 850G Crawler Dozer</b> S/N: JJG0253857 C/W: Open Operator Station, Sweeps, 122 in Wide PAT Blade, 24 in Single Grouser Track Shoes, Drawbar Usage: 3,440 Hr	211	<b>2013 Sakai SV510D Vibratory Smooth Drum Compactor</b> S/N: VSV2110221 C/W: Open Operator Station, 2011 US EPA Label, Cummins QSB4.5 4 Cylinder 148 hp 4.5 L Diesel Engine, 84 in Drum Usage: 2,782 Hr
200	<b>2008 Cat D4K LGP Crawler Dozer</b> S/N: CAT00D4KHRRR00143 C/W: Air Ride Seat, Powershift Transmission, 122 in Wide PAT Blade, 24.5 in Single Grouser Track Shoes, SystemOne Undercarriage, Drawbar Usage: 9,939 Hr	212	<b>2007 Ingersoll Rand SD105DX Smooth Drum Compactor</b> S/N: 193139 C/W: Open Operator Station, 2006 US EPA Label, Cummins 4 Cylinder Diesel Engine, 84 in Drum, Padfoot Shell Kit Usage: 113 Hr
201	<b>2004 Cat D3G XL Crawler Dozer</b> S/N: CAT00D3GHJMH01143 C/W: Open Operator Station, Powershift Transmission w/ Differential Steering, 96 in Wide PAT Blade, 15.5 in Single Grouser Track Shoes Usage: Not Available	213	<b>2008 Hamm 3410P Smooth Drum Compactor</b> S/N: H1790373 C/W: Open Operator Station, 2007 US EPA Label, Deutz TDC2012 4 Cylinder 134 hp 4.0 L Diesel Engine, 84 in Drum, Padfoot Shell Kit Usage: 5,793 Hr
202A	<b>1967 Cat D7E Crawler Dozer</b> S/N: 48A9710 C/W: Open Operator Station, Powershift Transmission w/ Lever Steering, Sweeps, 163 in Wide Angle Blade 26 in Single Grouser Track Shoes, Hyster D7F Winch Usage: Not Available	214	<b>2005 Ingersoll Rand SD-77DX TF Smooth Drum Compactor</b> S/N: 184340 C/W: Open Operator Station, 2005 US EPA Label, Cummins B4.5 4 Cylinder 4.5 L Diesel Engine, 66 in Drum, Padfoot Shell Kit Usage: 2,554 Hr
203	<b>1991 Cat D4H Crawler Dozer</b> S/N: 3AC04131 C/W: Open Operator Station, Powershift Transmission w/ Lever Steering, Sweeps, 128 in Wide PAT Blade, 30 in Pyramid Track Shoes, Drawbar Usage: 3,575 Hr	215	<b>2005 Ingersoll Rand SD70DTF Smooth Drum Compactor</b> S/N: 183162 C/W: 2005 US EPA Label, Cummins B4.5 99 hp 4.5 L Diesel Engine, 66 in Drum, Padfoot Shell Kit Usage: 3,957 Hr
204	<b>1993 Komatsu D31P-20A Crawler Dozer</b> S/N: 45450 C/W: Direct Drive, 114 in Wide PAT Blade, 23.5 in Single Grouser Track Shoes, Drawbar Usage: 1,880 Hr	216	<b>2010 Dynapac CA134D Smooth Drum Compactor</b> S/N: 8127US5429 C/W: 2008 US EPA Label, John Deere 5030 5 Cylinder 3.0 L Diesel Engine, 54 in Drum Usage: 2,550 Hr
205	<b>2013 John Deere 755K Crawler Loader</b> S/N: 1T0755KXLDE241689 C/W: Enclosed Cab, Air Conditioner, Hydrostatic Drive, 2013 US EPA Label, 102 in Bucket, 22 in Double Grouser Track Shoes, 2 Cylinder Multi-Shank Ripper Usage: 7,679 Hr	217	<b>2010 Hamm HD140 W-HV Double Drum Roller</b> S/N: H1840080 C/W: Open Operator Station, Swivel Operator Controls, Deutz 4 Cylinder Diesel Engine, 84 in Drums, Water System Usage: Not Available

Lot #	Details	Lot #	Details
218	<b>Dynapac CC222HF Double Drum Roller</b> S/N: 61712128 C/W: Deutz 4 Cylinder Diesel Engine, 57 in Drums, Water System Usage: Not Available	229	<b>2006 Superior Broom DT80CT Self-Propelled Broom</b> S/N: 806349 C/W: Enclosed Cab, Air Conditioner, 8 ft Broom, Water System, Cummins B3.3 4 Cylinder 85 hp 3.3 L Diesel Engine Usage: 1,771 Hr
219	<b>2016 Hyundai HR26T-9 Double Drum Roller</b> S/N: 36002110E118705 C/W: Open Operator Station, Deutz D2011 L 02 I 2 Cylinder 31 hp 1.55 L Diesel Engine, 47 in Drums, Water System Usage: 268 Mi	232	<b>2002 Broce RJ350 Self-Propelled Broom</b> S/N: 402263 C/W: Open Operator Station, 8 ft Broom, Water System, John Deere 4045 4 Cylinder 4.5 L Diesel Engine Usage: 3,583 Hr
220	<b>2018 Bomag BW900-50 Double Drum Roller</b> S/N: 861834072691 C/W: Open Operator Station, 2018 US EPA Label, Honda GX630 2 Cylinder Gasoline Engine, 35.5 in Drums, Water System Usage: 388 Hr	233	<b>2015 Broce BB250B Self-Propelled Broom</b> S/N: 304778 C/W: Open Operator Station, 8 ft Broom, Kubota V1505 4 Cylinder 1.5 L Diesel Engine Usage: 886 Hr
222	<b>2014 Sakai GW750-2 7 Wheel Pneumatic Roller</b> S/N: 1GW220351 C/W: Open Operator Station, Dual Controls, 2013 US EPA Label, Sakai Diesel Engine, 76 in Compaction Width, Water System Usage: 2,887 Hr	234	<b>2011 Lay-Mor 8HC Self-Propelled Broom</b> S/N: 33441 C/W: Open Operator Station, 8 ft Broom, Water System, Kubota 4 Cylinder Diesel Engine Usage: 1,417 Hr
223A	<b>1999 Dynapac CP271 Pneumatic Roller</b> S/N: 23620347 C/W: Open Operator Station, Dual Controls, Cummins 4 Cylinder Diesel Engine Usage: 697 Hr	235	<b>2001 Broce BB250B Self-Propelled Broom</b> S/N: 304871 C/W: Open Operator Station, 8 ft 0 in Broom, Water System, Kubota V1505 4 Cylinder 18.5 kW 1.5 L Diesel Engine Usage: 317 Hr
223	<b>1996 Royce Ride-On Patch Roller</b> S/N: 32531 C/W: 3 Cylinder Diesel Engine, water system Usage: 1,445 Hr	236	<b>2001 Broce BB250B Self-Propelled Broom</b> S/N: 304475 C/W: Open Operator Station, 8 ft Broom, Water System, Kubota V1505 4 Cylinder 35 hp 1.5 L Diesel Engine Usage: 134 Hr
224	<b>2015 Broce RJT-350 Self-Propelled Broom</b> S/N: 409242 C/W: Enclosed Cab, Air Conditioner, 8 ft Broom, Water System, John Deere 4045 4 Cylinder 4.5 L Diesel Engine Usage: 937 Hr	237	<b>Tymco 600 on 2011 International 4300 SBA DuraStar Sweeper Truck</b> S/N: 1HTJTSKN3BH341903 C/W: International MaxxForce 7 6 Cylinder Diesel Engine, 4033 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 21000 lb Rears, 29000 lb GVWR, Aluminum Outer Wheels, 295/75R22.5, Spring Suspension, 154 in Wheelbase, John Deere Auxiliary Engine, Regenerative Air, Dual Controls, Gutter Brooms Usage: 13,973 Mi
225	<b>2015 Laymor SM400 Self-Propelled Broom</b> S/N: 35615 C/W: Enclosed Cab, Air Conditioner, 8 ft Broom, Water System, Kubota 4 Cylinder Diesel Engine Usage: 762 Hr	238	<b>2014 Kenworth T370 4x2 Utility Truck</b> S/N: 2NKHHM7X3EM399355 C/W: Paccar PX7 6 Cylinder 6.7 L Diesel 260 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 3614 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, 2013 Utility fleet 16 ft Body Usage: 29,777 Mi
226	<b>2015 Laymor SM400 Self-Propelled Broom</b> S/N: 35714 C/W: 8 ft Broom, Water System, Kubota 4 Cylinder Diesel Engine Usage: 251 Hr		
227	<b>2015 Lay-Mor SM400 Self-Propelled Broom</b> S/N: 35826 C/W: Open Operator Station, 8 ft Broom, Water System Usage: 490 Hr		
228	<b>2015 Laymor SM400 Self-Propelled Broom</b> S/N: 35830 C/W: Open Operator Station, 8 ft Broom, Water System, Diesel Engine Usage: 824 Hr		

Lot #	Details	Lot #	Details
239	<b>2014 Kenworth T270 4x2 Utility Truck</b> S/N: 2NKHHJ6H7EM418983 C/W: Paccar PX-9 6 Cylinder Diesel 300 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6735 Engine hrs, Engine Brake, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, 4.88:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Rayco Spring Suspension, 154 in Wheelbase, Caseco 11 ft Body Usage: 256,719 Mi	246	<b>2019 Ram 3500 4x4 Crew Cab Utility Truck</b> S/N: 3C7WRTCL5KG600764 C/W: Cummins B6.7 6 Cylinder Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 6000 lb Front Axle, 9850 lb Rears, 14000 lb GVWR, 255/80-17 Front Tires, 255/80-17 Rear Tires, Spring Suspension, 172 in Wheelbase, 9 ft 5 in Body Usage: 36,287 Mi
241	<b>2019 Ram 5500 4x2 Crew Cab Utility Truck</b> S/N: 3C7WRMFL2KG700306 C/W: Cummins B6.7360 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 360 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 1149 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Dodge Spring Suspension, 192 in Wheelbase, PTO, Hydraulic System, Reading CLS132DRW1BA005398 12 ft Body Usage: 14,442 Mi	247	<b>2019 Chevrolet 3500HD 4x2 Utility Truck</b> S/N: 1GB3CVCG9KF146590 C/W: V8 Gasoline Engine, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 162 in Wheelbase, Knapheide 6132D54 11 ft Body Usage: 182,247 Mi
242	<b>2014 Ram 5500 4x2 Utility Truck</b> S/N: 3C7WRMBL2EG115087 C/W: 6 Cylinder 6.7 L Diesel Engine, Exhaust Brake, Automatic Transmission, 7250 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 168 in Wheelbase, 11 ft Body Usage: 390,146 Mi	248A	<b>2013 Ford F-350 XL 4x2 Crew Cab Utility Truck</b> S/N: 1FD8W3G62DEB63461 C/W: V8 6.2 L Gasoline Engine, 2013 US EPA Label, 7532 Engine hrs, Automatic Transmission, 4850 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, Knapheide 9 ft Body Usage: 175,015 Mi
243	<b>2018 Ram 4500 Tradesman 4x4 Crew Cab Utility Truck</b> S/N: 3C7WRLFL0JG318090 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2018 US EPA Label, 895 Engine hrs, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 198 in Wheelbase, PTO, Knapheide 11 ft Body Usage: 74,211 Mi	248	<b>2017 Chevrolet 3500HD 4x2 Utility Truck</b> S/N: 1GB3CYCGXHF218472 C/W: V8 Gasoline Engine, 6362 Engine hrs, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 164 in Wheelbase, 11 ft Body Usage: 180,787 Mi
244	<b>2001 Ford F-450 XL 4x2 Crew Cab Utility Truck</b> S/N: 1FDXW46F31EA38340 C/W: Powerstroke V8 7.3 L Diesel Engine, 6-Speed Manual Transmission, 6000 lb Front Axle, 11000 lb Rears, 15000 lb GVWR, 225/70R19.5 Front Tires, 245/70R19.5 Rear Tires, Spring Suspension, 176 in Wheelbase, 10 ft Body, Weather Guard Fuel Tank w/Pump Usage: 162,950 Mi	249A	<b>2014 Ford F-250 4x4 Crew Cab Utility Truck</b> S/N: 1FD7W2BT7EEB19668 C/W: Powerstroke V8 Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5600 lb Front Axle, 6100 lb Rears, 10000 lb GVWR, 265/70R17 Front Tires, 265/70R17 Rear Tires, Spring Suspension, 172 in Wheelbase, Knapheide 9 ft Body Usage: 239,352 Mi
245	<b>1999 Ford F-450 4x4 Crew Cab Utility Truck</b> S/N: 1FDXW47F7XEA10824 C/W: V8 7.3 L Diesel Engine, Engine Block Heater, 6-Speed Manual Transmission, 15000 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, 9 ft Body Usage: 172,363 Mi	249	<b>2006 Ford F-350 XL Utility Truck</b> S/N: 1FDWF36P46EA49840 C/W: Automatic Transmission Usage: 103,848 Mi
		250	<b>2014 Ford F-250 XL 4x2 Extended Cab Utility Truck</b> S/N: 1FT7X2A66EEB13048 C/W: V8 Gasoline Engine, Automatic Transmission, 4400 lb Front Axle, 6100 lb Rears, 10000 lb GVWR, 265/70R17, Spring Suspension, 157 in Wheelbase, Knapheide 696-50FJ 8 ft 1 in Body, Compressed Air Systems C130GEH34HC-E Gasoline Air Compressor, Air Hose Reel Usage: 129,149 Mi

Lot #	Details	Lot #	Details
251	<b>2013 Ford F-250 XL 4x2 Crew Cab Utility Truck</b> S/N: 1FT7W2AT1DEA31364 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, 9023 Engine hrs, Automatic Transmission, 5000 lb Front Axle, 6100 lb Rears, 10000 lb GVWR, 245/75R17, Spring Suspension, 174 in Wheelbase, 8 ft Body Usage: 132,395 Mi	258	<b>2015 Ford F-550 XL 4x2 Service Truck</b> S/N: 1FDUF5GT8FEA14281 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10136 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 165 in Wheelbase, PTO, 11 ft Body, Auto Crane 6406H 3 Section Hydraulic Crane, Gasoline Air Compressor, Miller Bobcat 250 250 A Gasoline Welder Usage: 239,089 Mi
252	<b>2012 Ford F-250 XL 4x2 Extended Cab Utility Truck</b> S/N: 1FT7X2A66CEB68127 C/W: 6.2 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 265/70R17, Spring Suspension, 155 in Wheelbase, Knapheide 8 ft Body, Gasoline Air Compressor, Air Hose Reel Usage: 204,619 Hr	259	<b>2014 Ford F-550 4x4 Service Truck</b> S/N: 1FDUF5HT1EEB47865 C/W: Powerstroke V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 140 in Wheelbase, Knapheide 10 ft 4 in Body, Ventura ET10KX 2 Section Electric Crane, Ingersoll-Rand Gasoline Air Compressor, Air Hose Reel, Miller Wildcat 200 6500 W Gasoline Welder Usage: 151,694 Mi
253	<b>2010 Dodge Ram 2500 4x2 Utility Truck</b> S/N: 3D6WP2ET8AG179366 C/W: V8 5.7 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, 4750 lb Front Axle, 6000 lb Rears, 8650 lb GVWR, 265/70R17, Spring Suspension, 140 in Wheelbase, Knapheide 8 ft Body Usage: 202,117 Hr	268	<b>2012 Peterbilt 337 4x2 Fuel and Lube Truck</b> S/N: 2NP2HN7X9CM150416 C/W: Paccar PX-8 6 Cylinder 8.3 L Ultra Low Sulfur Diesel 330 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 190024 Engine hrs, Eaton Fuller FRO-12210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Dana S21-170 Drive Axles, 4.56:1 Axle Ratio, 33000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, Niece FL1000 12 ft 0 in Body, ( 6 ) Oil Tanks, 100 gal Waste Oil Tank, 50 gal Coolant Tank, Grease Barrel, Ingersoll-Rand Hydraulic Air Compressor, Air Hose Reel Usage: 219,342 Mi
254	<b>2016 Kenworth T370 4x2 Service Truck</b> S/N: 2NKHHJ6X4GM122314 C/W: Paccar PX-9 6 Cylinder 8.9 L Diesel 330 hp Engine, 2015 US EPA Label, Engine Brake, Allison 3000 Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, Dana S21-170 Drive Axles, 4.78:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 189 in Wheelbase, PTO, Titan 17 ft Body, Hydraulic Stabilizers, Auto Crane 10006H 10000 lb 3 Section Hydraulic Crane, VMAC Predat 40Air Hydraulic Air Compressor, Air Hose Reel, Lincoln 250GXT 11000 W 250 A Welder Usage: 245,767 Mi	269	<b>2004 Chevrolet C7500 4x2 Fuel and Lube Truck</b> S/N: 1GBK7C1C54F500791 C/W: Cat C7 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 8000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 212 in Wheelbase, Double Frame, 20 ft Body, Grease Barrel, Filter Drain Tray, Oil Recovery System, Champion R Series Gasoline Air Compressor Usage: 445,910 Mi
256	<b>2007 International 4300 4x2 Service Truck</b> S/N: 1HTMMAAM27H415400 C/W: International DT466 6 Cylinder Diesel Engine, 2006 US EPA Label, 29304 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 154 in Wheelbase, PTO, 11 ft Body, Manual Stabilizers, Auto Crane 6006EH 6000 lb 3 Section Hydraulic Crane, Gasoline Air Compressor, Air Hose Reel, Predator Pressure Washer Usage: 371,910 Mi	270	<b>1998 GMC C7500 4x2 Fuel and Lube Truck</b> S/N: 1GDJ7H1C0WJ515067 C/W: Cat 3126 6 Cylinder Diesel 157 kW Engine, 6-Speed Manual Transmission, 8100 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 198 in Wheelbase, 18 ft 8 in Body, ( 8 ) Hose Reels, Grease Barrel, Champion GR7-3K Air Compressor Usage: 446,137 Mi
257	<b>2000 Ford F-650 4x2 Service Truck</b> S/N: 3FDNF6545YMA04147 C/W: Cummins ISB 6 Cylinder Diesel 195 hp Engine, 6-Speed Manual Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 194 in Wheelbase, PTO, 11 ft Body, Manual Stabilizers, IMT 4004i 3 Section Hydraulic Crane, IMT DA435HA Hydraulic Air Compressor, Air Hose Reel Usage: 88,559 Mi		

Lot #	Details	Lot #	Details
271	<b>1991 Ford F-700 4x2 Fuel and Lube Truck</b> S/N: 1FDWK74P5MVA11391 C/W: 6 Cylinder Diesel Engine, 5-Speed Manual Transmission, 9.00R20, Spring Suspension, 167 in Wheelbase, 14 ft Body, ( 1 ) Diesel Tank, ( 5 ) Oil Tanks, ( 2 ) Waste Oil Tank, ( 1 ) Coolant Tank, ( 6 ) Hose Reels, Metered Nozzles Usage: 80,125 Mi	277	<b>2010 Peterbilt 384 4000 gal 6x4 Water Truck</b> S/N: 1XPVD09X7AD113611 C/W: Cummins ISM 425V 6 Cylinder 10.8 L Diesel 425 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Air Leaf Air Ride Suspension, 195 in Wheelbase, PTO, Unused 4000 gal Tank, Arms PTO Driven Pump, 7 ft 8 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: Not Available
272	<b>2006 GMC C8500 2000 gal 4x2 Fuel Truck</b> S/N: 1GDM8C1C86F414293 C/W: Cat C7 6 Cylinder Diesel 230 hp Engine, 2005 US EPA Label, 2206 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 166 in Wheelbase, PTO, Double Frame, 2006 Sherman 2000 gal Steel Tank, 2 Reels Usage: 76,381 Mi	279	<b>2012 International 7400 4000 gal 6x4 Water Truck</b> S/N: 1HTWHAAT1CJ685970 C/W: International MaxxForce 6 Cylinder Diesel Engine, 6758 Engine hrs, Exhaust Brake, Eaton Fuller 8LL Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring Suspension, 196 in Wheelbase, PTO, Valew Steel Tank, PTO Driven Pump, 7 ft 6 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Dribble Bar, Side Spray Usage: 40,985 Mi
273	<b>2009 Ford F-750 XLT 2200 gal 4x2 Fuel Truck</b> S/N: 3FRXF75T49V135692 C/W: Cat C7 6 Cylinder 7.2 L Diesel 360 hp Engine, 2008 US EPA Label, Exhaust Brake, 7-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 194 in Wheelbase, PTO, 2010 Smith Tank & Equipment Steel Tank, 4 Compartments, DOT4 Code, 1 Reels w/ Mechanical Register Usage: 105,385 Mi	281	<b>1996 Peterbilt 385 2500 gal 4x2 Water Truck</b> S/N: 1XPGAE7X4TD421422 C/W: Cat 3176 6 Cylinder 10.3 L Diesel 365 hp Engine, 1996 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Aluminum Outer Wheels, 11R24.5, Air Trac Air Ride Suspension, 162 in Wheelbase, PTO, Unused 2500 gal Tank, Arms PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: Not Available
274	<b>2000 International 4700 2800 gal 4x2 Fuel Truck</b> S/N: 1HTSCAAN4YH241494 C/W: International 6 Cylinder Diesel Engine, Manual Transmission, 11R22.5, Spring Suspension, 218 in Wheelbase, PTO, Double Frame, 1992 Trans-Tech 20160 gal Aluminum Tank Usage: 263,475 Mi	284	<b>2012 International 4300 2000 gal 4x2 Water Truck</b> S/N: 1HTMMAAL9CH456818 C/W: 6 Cylinder Diesel Engine, 8837 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, PTO, Lands Unused 2000 gal Steel Tank, PTO Driven Pump, 6 ft 6 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: 215,765 Mi
275	<b>2014 Kenworth T370 4x2 Lube Truck</b> S/N: 2NKHHM7X8EM385614 C/W: Paccar PX-6 6 Cylinder 6.7 L Diesel 260 hp Engine, 2012 US EPA Label, 7364 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 200 in Wheelbase, PTO, Alfred 18 ft Body, Filter Drain Tray, Oil Recovery System, Gasoline Air Compressor Usage: 143,237 Mi	286	<b>2011 International 4300 Deluxe 2000 gal 4x2 Water Truck</b> S/N: 1HTMMAAN5BH322906 C/W: International MaxxForce 7 6 Cylinder 7.6 L Diesel 255 hp Engine, 2009 US EPA Label, 8819 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/75R22.5, international Air Ride Suspension, 154 in Wheelbase, PTO, 2022 Lands Unused 2000 gal Steel Tank, PTO Driven Pump, 6 ft 6 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: 262,920 Mi
276	<b>1999 Mack CS200P 4x2 Lube Truck</b> S/N: VG6BA07A1XB601030 C/W: Renault 6 Cylinder Diesel Engine, Eaton Fuller 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 196 in Wheelbase, 14 ft Body, ( 5 ) Hose Reels, Grease Barrel, Onan 25EGMBG-5692 Gasoline Generator Set, Ingersoll-Rand 2475 Gasoline Air Compressor, (6) Product Tanks Usage: 102,093 Mi		

Lot #	Details	Lot #	Details
287	<b>2011 International 4300 DuraStar 2000 gal 4x2 Water Truck</b> S/N: 1HTMMAAN2BH317887 C/W: International MaxxFord DT 7.6 L Diesel 245 hp Engine, 2009 US EPA Label, Allison Automatic Transmission, 11000 lb Front Axle, 21900 lb Rears, 32900 lb GVWR, 9075 Engine hrs, 295/75R22.5, Spring Suspension, 154 in Wheelbase, PTO, 2022 Lands Unused 2000 gal Steel Tank, ATP PTO Driven Pump, Front Spray, Rear Spray, Side Spray Usage: 266,266 Mi	292	<b>2013 Ford F-750 XLT 2000 gal 4x2 Water Truck</b> S/N: 3FRXF7FG2DV756701 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 325 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18241 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 158 in Wheelbase, PTO, Lands Unused 2000 gal Steel Tank, Access PTO Driven Pump, 7 ft 4 in, Spray Bar, Water Cannon, Front Spray, Rear Spray Usage: 262,132 Mi
288	<b>2009 Kenworth T370 2000 gal 4x2 Water Truck</b> S/N: 2XKHAM8X39M238390 C/W: Paccar PX6-300 6 Cylinder 6.7 L Diesel 300 hp Engine, 2008 US EPA Label, 15724 Engine hrs, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 23000 lb Rears, 6.83:1 Axle Ratio, 25000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Reyco Spring Suspension, 164 in Wheelbase, PTO, Lands Unused 2000 gal Steel Tank, PTO Driven Pump, 6 ft 6 in, Spray Bar, Hose Reel, Front Spray, Rear Spray Usage: 188,125 Mi	294	<b>2006 Ford F-650 2000 gal 4x2 Water Truck</b> S/N: 3FRNF65E26V252055 C/W: Cummins ISB215 6 Cylinder 5.9 L Diesel 215 hp Engine, 2005 US EPA Label, 6-Speed Manual Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 10R22.5, Spring Suspension, 158 in Wheelbase, PTO, 2006 Niece L2000 2000 gal Steel Tank, PTO Driven Pump, 6 ft, Spray Bar, Front Spray, Rear Spray, Dribble Bar, Side Spray Usage: 33,572 Mi
289	<b>2004 Freightliner M2 106 2000 gal 4x2 Water Truck</b> S/N: 1FVACXCS34HN32887 C/W: Mercedes-Benz OM906LA 6 Cylinder 6.4 L Diesel 300 hp Engine, 2003 US EPA Label, 14896 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 152 in Wheelbase, PTO, Lands Unused 2000 gal Steel Tank, Access PTO Driven Pump, 7 ft 6 in, Spray Bar, Water Cannon, Front Spray, Rear Spray Usage: 330,441 Mi	295	<b>1997 International 8200 6x4 Water Truck</b> S/N: 1HSHGAHR9VH493216 C/W: Cummins M11+ 6 Cylinder Diesel 350 hp Engine, 1997 US EPA Label, Engine Brake, Spicer 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5, Air Ride Suspension, 156 in Wheelbase, PTO, Smith 4000 gal Steel Tank, Berkeley PTO Driven Pump, 0 ft, Spray Bar, Hose Reel, Rear Spray, Side Spray, Street Flusher Usage: 590,847 Mi
290	<b>2015 Ford F-750 XL 2000 gal 4x2 Water Truck</b> S/N: 3FRXF7FA3FV727495 C/W: Cummins ISB 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 159 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 7 ft 10 in, Spray Bar, Front Spray, Rear Spray Usage: 60,481 Mi	296	<b>1996 Manitowoc 888 Lattice-Boom Crawler Crane</b> S/N: 8881025 C/W: 150 ft Boom, 110 ft Luffing Jib, Auxiliary Hoist, 5064 lb 6 Sheave Hook Block, 594 lb 45 ton Overhaul Ball, 222780 lb Counterweight, Counterweight Removal System, Air Conditioner, Anti Two-Block, LSI GS820 Load Moment Indicator, 48 in Track Shoes Usage: 6,123 Hr
291	<b>2013 Ford F-750 XL 2000 gal 4x2 Water Truck</b> S/N: 3FRWF7FA2DV759041 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 2000 gal Steel Tank, PTO Driven Pump, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 10,307 Mi	297	<b>2005 Terex HC275 Lattice-Boom Crawler Crane</b> S/N: AC4094 C/W: 223.6 ft Boom, 106 ft Fixed Jib, Auxiliary Hoist, Rooster Sheave, McKissick 5492 lb 6 Sheave 225 ton Hook Block, 1357 lb 20 ton Overhaul Ball, Counterweight Removal System, Air Conditioner, Anti Two-Block, IHI Load Moment Indicator, 48 in Track Shoes Usage: 23,865 Hr
		298	<b>2002 Link-Belt LS-138H Series II Lattice-Boom Crawler Crane</b> S/N: H7J26026 C/W: 70 ft Boom, Self Erecting, Auxiliary Hoist, Liebherr 450 kg 3 Sheave 50 t Hook Block, Counterweight Removal System, Air Conditioner, Anti Two-Block, Link-Belt Load Moment Indicator, 2001 US EPA Label, 36 in Track Shoes, Expandable Width Tracks Usage: Not Available



Lot #	Details	Lot #	Details
299	<b>1975 Link-Belt LS108B 45 ton Lattice-Boom Crawler Crane</b> S/N: 9LG5413 C/W: 69 ft Boom, 12 ton Overhaul Ball, 36 in Track Shoes Usage: Not Available	306	<b>2007 Grove TMS900E 8x4x4 Hydraulic Truck Crane</b> S/N: 226819 C/W: Eaton Fuller 9LL Manual Transmission, 11686 hrs Carrier Engine, Cummins 6 Cylinder Diesel Carrier Engine, Air Conditioner, Grove EKS 4 Load Moment Indicator, 36.8 ft Minimum 141.8 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 33 ft to 55 ft Bifold Swingaway Offset Jib, 1507 lb 55 ton Capacity Johnson 5 Sheave Hook Block, Overhaul Ball, Counterweight Removal System, F@445/65R22.5 R@315/80R22.5 Tires Usage: 83,149 Mi
300	<b>2007 Liebherr LRT1100 100 ton Telescopic Crawler Crane</b> S/N: 074889 C/W: Air Conditioner, Tilt Cab, Anti Two-Block, Load Moment Indicator, 2007 US EPA Label, 38 ft Minimum 171 ft Maximum Boom Length, Auxiliary Hoist, 37 ft to 63 ft Bifold Swingaway Jib, 500 kg 3 Sheave Hook Block, Overhaul Ball, Counterweight Removal System, 35.75 in Triple Grouser Track Shoes, Expandable Width Tracks Usage: 12,148 Hr	307	<b>2016 Terex T780 8x4x4 Hydraulic Truck Crane</b> S/N: 1T9T700UHG120545 C/W: Air Conditioner, Allison 6 Speed Automatic Transmission, 7415 hrs Carrier Engine, Detroit DD13 13.0 L Diesel Carrier Engine, Air Conditioner, Anti Two-Block, Greer Element Load Moment Indicator, 39 ft Minimum 125.5 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 33 ft to 57 ft Extendable Swingaway Offset Jib, 1204 lb 60 ton Capacity Terex 5 Sheave Hook Block, Counterweight Removal System, Goodyear f@445/65R22.5 r@315/80R22.5 Tires, 5th Outrigger, Aluminum Wheels, Toolboxes, Usage: 68,689 Mi
301	<b>2005 Mantis 14010 70 ton Telescopic Crawler Crane</b> S/N: 140147 C/W: Anti Two-Block, PAT DS160 Load Moment Indicator, 37 ft Minimum 111 ft Maximum Boom Length, Auxiliary Hoist, 30 ft to 50 ft Bifold Swingaway Jib, 1514 lb 70 ton Capacity Johnson 5 Sheave Hook Block, Counterweight Removal System, 36 in Triple Grouser Track Shoes Usage: 8,839 Hr	308	<b>2002 Link-Belt 8670 70 ton 8x4x4 Hydraulic Truck Crane</b> S/N: F2J25950 C/W: Air Conditioner, Eaton Fuller 9LL Manual Transmission, 24152 hrs Carrier Engine, Detroit 6 Cylinder Diesel Carrier Engine, Air Conditioner, Anti Two-Block, Microguard 534 Load Moment Indicator, Auxiliary Hoist, Rooster Sheave, 51 ft Bifold Swingaway Offset Jib, 1206 lb 70 ton Capacity Johnson 5 Sheave Hook Block, 356 lb 8.5 ton Capacity Overhaul Ball, 8 ton Counterweight, F@425/65R22.5 R@12R22.5 Tires Usage: 194,115 Mi
302	<b>2002 Mantis 10010MX 50 ton Telescopic Crawler Crane</b> S/N: 100MX103 C/W: Anti Two-Block, Hirschmann DS160 Load Moment Indicator, 37 ft Minimum 111 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 1598 lb 55 ton Capacity Johnson 5 Sheave Hook Block, Counterweight Removal System, 36 in Triple Grouser Track Shoes Usage: 7,385 Hr	309	<b>2008 Link-Belt HTC8660 60 ton 8x4x4 Hydraulic Truck Crane</b> S/N: 1F9L8J8008L028195 C/W: Automatic Transmission, Cat 6 Cylinder Diesel Carrier Engine, Anti Two-Block, Link-Belt Load Moment Indicator, 38 ft Minimum 140 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 35 ft to 58 ft Bifold Swingaway Offset Jib, 1021 lb 50 ton Capacity Johnson 5 Sheave Hook Block, 357 lb 8.5 ton Capacity Overhaul Ball, 7.5 ton Counterweight, Counterweight Removal System, Mixed Tires Usage: 173,839 Mi
303	<b>2008 Mantis 6010 30 ton Telescopic Crawler Crane</b> S/N: 60186 C/W: Air Conditioner, Drum Camera, Anti Two-Block, Load Moment Indicator, 33 ft Minimum 80 ft Maximum Boom Length, 3 Sheave Hook Block, 172 lb 7 ton Capacity Overhaul Ball, 30 in Triple Grouser Track Shoes, Expandable Width Tracks Usage: 5,624 Hr		
305	<b>2010 Link-Belt HTC-8690 8x4x4 Hydraulic Truck Crane</b> S/N: N3K01776 C/W: Automatic Transmission, 15380 hrs Carrier Engine, Cat C13 6 Cylinder Diesel Carrier Engine, Air Conditioner, Anti Two-Block, Load Moment Indicator, 38 ft Minimum 140 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 1492 lb 90 ton Capacity Johnson 6 Sheave Hook Block, 356 lb 8.5 ton Capacity Overhaul Ball Usage: 104,346 Mi		

Lot #	Details	Lot #	Details
310	<b>2007 Link-Belt HTC8660 60 ton Hydraulic Truck Crane</b> S/N: L8J79523 C/W: Air Conditioner, Automatic Transmission, 9967 hrs Carrier Engine, Cat C13 6 Cylinder Diesel Carrier Engine, Anti Two-Block, Microguard 534 Load Moment Indicator, 35.5 ft Minimum 110 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 28.5 ft to 51 ft Bifold Swingaway Offset Jib, 1021 lb 50 ton Capacity Johnson 5 Sheave Hook Block, 356 lb 8.5 ton Capacity Overhaul Ball, 7.5 ton Counterweight, Counterweight Removal System, F@425/65R22.5 R@11R22.5 Tires Usage: 53,592 Mi	315	<b>1999 Terex RT450 50 ton 4x4x4 Rough Terrain Crane</b> S/N: 10814 C/W: Anti Two-Block, Greer RCI510 Load Moment Indicator, Cummins B5.9 6 Cylinder 130 hp 5.9 L Diesel Engine, Rooster Sheave, Extendable Swingaway Offset Jib, Overhaul Ball, General 26.5-25 Tires Usage: 5,701 Hr
311	<b>2015 Grove RT 880E 80 ton 4x4x4 Rough Terrain Crane</b> S/N: 235274 C/W: Tilt Cab, Anti Two-Block, Hirschmann Load Moment Indicator, 2015 US EPA Label, Cummins QSB 6 Cylinder 6.7 L Diesel Engine, 41 ft Minimum 128 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 1276 lb 82.7 ton Capacity Johnson 5 Sheave Hook Block, 558 lb 12 ton Capacity Overhaul Ball, Counterweight Removal System, Titan 29.5-25 Tires Usage: 7,891 Hr	317	<b>1978 Grove RT630 30 ton 4x4x4 Rough Terrain Crane</b> S/N: 41363 C/W: Wylie WW820 Load Moment Indicator, Cummins V8 Diesel Engine, 32 ft Minimum 80 ft Maximum Boom Length, 30 ton Capacity 3 Sheave Hook Block, General 23.5-25 Tires Usage: Not Available
312	<b>2013 Grove RT600E 50 ton 4x4x4 Rough Terrain Crane</b> S/N: 233097 C/W: Air Conditioner, Anti Two-Block, PAT Load Moment Indicator, 2011 US EPA Label, Cummins QSB6.7 6 Cylinder 6.7 L Diesel Engine, 33 ft Minimum 105 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 29 ft to 51 ft Extendable Swingaway Offset Jib, 992 lb 50 ton Capacity Johnson 3 Sheave Hook Block, 354 lb 8.3 ton Capacity Overhaul Ball, Titan 20.5R25 Tires Usage: Not Available	318	<b>2012 Broderson IC-200-3G 15 ton 4x4x4 Carry Deck Crane</b> S/N: 218861200 C/W: Anti Two-Block, Greer MG586 Load Moment Indicator, Cummins QSB 4 Cylinder 3.3 L Diesel Engine, 19 ft Minimum 50 ft Maximum Boom Length, 16 ft to Swingaway Jib, 204 lb 15 ton Capacity Johnson 2 Sheave Hook Block, OTR 385/65D22.5 Tires Usage: 6,826 Hr
313	<b>2008 Grove RT600E 50 ton 4x4x4 Rough Terrain Crane</b> S/N: 228236 C/W: Air Conditioner, Anti Two-Block, Load Moment Indicator, 2008 US EPA Label, Cummins QSB6.7 6 Cylinder 173 hp Diesel Engine, 33 ft Minimum 105 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 29 ft to 51 ft Extendable Swingaway Offset Jib, 982 lb 50 ton Capacity Johnson 3 Sheave Hook Block, 354 lb 8.5 ton Capacity Overhaul Ball, General 23.5-25 Tires Usage: Not Available	319	<b>2011 Broderson IC80-3H 9 ton 4x2 Carry Deck Crane</b> S/N: 63112980 C/W: Greer MG586 Load Moment Indicator, 1718 hrs Crane Operation, Cummins QSB 4 Cylinder 85 hp 3.3 L Diesel Engine, 12 ft Minimum 30 ft Maximum Boom Length, 10 ft Swingaway Jib, 122 lb 10 ton Capacity McKissick Hook Block, 90 lb Overhaul Ball, Destone 8.25-15 Tires Usage: 1,718 Hr
314	<b>2000 Link-Belt RTC8050 50 ton 4x4x4 Rough Terrain Crane</b> S/N: E1J03603 C/W: Anti Two-Block, Microguard 434 Load Moment Indicator, 2000 US EPA Label, Cummins C8.3-C 6 Cylinder 8.3 L Diesel Engine, 35.5 ft Minimum 85 ft Maximum Boom Length, Auxiliary Hoist, Rooster Sheave, 60 ton Capacity Johnson 4 Sheave Hook Block, Overhaul Ball Usage: Not Available	320	<b>2011 Broderson IC80-3H 9 ton 4x2 Carry Deck Crane</b> S/N: 62803980 C/W: Greer MG586 Load Moment Indicator, 2689 hrs Crane Operation, Cummins QSB 4 Cylinder 85 hp 3.3 L Diesel Engine, 11 ft Minimum 30 ft Maximum Boom Length, 122 lb 10 ton Capacity McKissick 1 Sheave Hook Block, 90 lb Overhaul Ball, Mixed 10.00-15 Tires Usage: 2,689 Hr
		321	<b>Broderson IC-80 17000 lb 4x2 Carry Deck Crane</b> S/N: 8778 C/W: 4 Cylinder Diesel Engine, 8 ft Minimum 20 ft Maximum Boom Length, Overhaul Ball, Delnat 9.00-15 Tires Usage: 2,817 Hr
		322	<b>Drott 85RM2 5.5 ton 4x2 Carry Deck Crane</b> S/N: 6223957 C/W: G188B 4 Cylinder Gasoline Engine, 4 ft Minimum 10 ft Maximum Boom Length, 5 ton Capacity Coffing 2 Sheave Hook Block, 9.00-15 Tires Usage: 1,799 Hr

Lot #	Details	Lot #	Details
323	<p><b>National NBT45 90000 lb Straight Boom on 2010 Mack GU813 Granite 10x4 T/A Straight Boom Truck</b></p> <p>S/N: 1M2AX13C6AM010114 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 370 hp Engine, 2009 US EPA Label, Engine Block Heater, Engine Brake, Eaton Fuller RTO-16908LL 8LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Lift Tag Axle, Dual Steering Boxes, Camelback Spring Suspension, 283 in Wheelbase, Double Frame, 90000 lb Capacity, Rear Mounted, 31 ft - 55 ft 4 Section Boom, Johnson 517 lb 2 Sheave 30 ton Capacity Hook Block, Overhaul Ball, Auxiliary Hoist, Rooster Sheve, Anti-Two Block, Manitowoc Load Moment Indicator, Enclosed Cab, w/ Air Conditioner, Out and Down Outriggers, Rear Outriggers, Remote Control w /Cord, 10 ft 7 in x 96 in Bed Usage: 67,637 Mi</p>	328	<p><b>Altec AC35/38-127S 65000 lb Straight Boom on 2006 Sterling LT7500 8x6 Boom Truck</b></p> <p>S/N: 2FZPATDAX6AV33571 C/W: Cat 6 Cylinder 8.8 L Ultra Low Sulfur Diesel Engine, 2005 US EPA Label, 6923.4 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Airliner Air Ride Suspension, 246 in Wheelbase, PTO, Double Frame, 65000 lb Capacity, Rear Mounted, 31 ft - 158 ft 4 Section Boom, McKissick 500 lb 2 Sheave 35 ton Capacity Hook Block, Overhaul Ball, Altec 31 ft 0 in Swingaway Jib, Anti-Two Block, Altec A450266 Load Moment Indicator, Out and Down Outriggers, 5th Outtrigger, 22 ft 6 in x 96 in Bed, Pintle Hitch Usage: 49,828 Mi</p>
324	<p><b>Altec AC38-127S 38 ton Straight Boom on 2013 Peterbilt 365 8x6 Boom Truck</b></p> <p>S/N: 1NPSX5EX2DD201896 C/W: Cummins ISL 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 66000 lb Rears, 80000 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Trac Air Ride Suspension, 290 in Wheelbase, PTO, 76000 lb Capacity, Center Mounted, 31 ft - 127 ft 5 Section Boom, McKissick 370 lb 1 Sheave 20 ton Capacity Hook Block, 205 lb Overhaul Ball 7 ton Capacity, Swingaway Offset Jib, 31 ft Jib Extension, Anti-Two Block, Altec LMAP Load Moment Indicator, Out and Down Outriggers, Rear Outriggers, 22 ft 5 in x 96 in Bed, Aluminum/Steel Combination Frame, Pintle Hitch Usage: Not Available</p>	329	<p><b>National 647 20 ton Straight Boom on 2006 Mack CT713 Granite 6x4 Boom Truck</b></p> <p>S/N: 1M2AL02CX6M003634 C/W: Mack AI 728 cid Diesel 350 hp Engine, 2005 US EPA Label, 12205 Engine hrs, Engine Brake, Allison Automatic Transmission, Double Differential Locks, 20000 lb Front Axle, 40000 lb Rears, 73200 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Air Ride Suspension, 260 in Wheelbase, PTO, Double Frame, 20 ton Capacity, Center Mounted, 20 ft - 47 ft 3 Section Boom, Johnson 182 lb 1 Sheave 12.5 ton Capacity Hook Block, Anti-Two Block, Dual Controls, Out and Down Outriggers, 23 ft x 96 in Bed, Pintle Hitch Usage: 225,911 Mi</p>
326	<p><b>Altec AC38-127S 76000 lb Straight Boom on 2007 International 5600i 8x6 Boom Truck</b></p> <p>S/N: 1HTXSAPT57J430600 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 4475 Engine hrs, Engine Brake, Eaton Fuller 9LL Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 52998 lb Rears, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 288 in Wheelbase, PTO, Double Frame, 76000 lb Capacity, Rear Mounted, 31 ft - 127 ft 5 Section Boom, McKissick 500 lb 3 Sheave 35 ton Capacity Hook Block, Overhaul Ball, 31 ft Swingaway Jib, Anti-Two Block, Out and Down Outriggers, 17 ft 9 in x 96 in Bed Usage: 31,529 Mi</p>	330	<p><b>Manitowoc 2892 28 ton Straight Boom on 2001 Peterbilt 330 6x4 Boom Truck</b></p> <p>S/N: 2NPNLDOX01M554217 C/W: Cat 3126B 6 Cylinder Diesel Engine, 20226 Engine hrs, Eaton Fuller RT-8908LL 8LL Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 4.33:1 Axle Ratio, 60000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Walking Beam Suspension, 240 in Wheelbase, PTO, 56000 lb Capacity, Front Mounted, 28 ft - 92 ft 4 Section Boom, Terex 178 lb 1 Sheave 17.5 ton Capacity Hook Block, 26 ft Min - 46 ft Max Swingaway Jib, Load Moment Indicator, Dual Controls, Out and Down Outriggers, 20 ft x 96 in Bed Usage: 123,522 Mi</p>

Lot #	Details	Lot #	Details
331	<b>2008 IMT 6/45K1 6105 lb Articulated Boom on 2010 Freightliner M2 106 4x2 Crew Cab Boom Truck</b> S/N: 1FVAC2BS9ADAN7840 C/W: Cummins ISC-260 8.3 L Ultra Low Sulfur Diesel 260 hp Engine, 2009 US EPA Label, Engine Block Heater, 11243.4 Engine hrs, Eaton Fuller RT-87098 8-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.58:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Suspension, 246 in Wheelbase, PTO, Double Frame, 6506 lb Capacity, Rear Mounted, 11 ft - 21 ft 10 in 3 Section Boom, Dual Controls, Out and Down Outriggers, Rear Outriggers, Remote Control w/Cord, 16 ft 7 in x 96 in Bed, Pintle Hitch Usage: 79,711 Mi	338	<b>2015 Hitachi ZX470LC-5B Tracked Excavator</b> S/N: HCMJAA70C00030810 C/W: Air Conditioner, Rear View Camera, 2014 US EPA Label, 12 ft 8 in Stick, 36 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 56 in Digging Bucket, Catwalks Usage: 5,918 Hr
332	<b>Manitex 38100S 38 ton Straight Boom on 1999 Sterling LT7501 6x4 Boom Truck</b> S/N: 2FZNRJCB9XAB24920 C/W: Cat 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Walking Beam Suspension, 262 in Wheelbase, PTO, Double Frame, Rear Mounted, 30 ft 6 in - 100 ft 4 Section Boom, 465 lb 3 Sheave Hook Block, 30 ft Min - 55 ft Max Swingaway Jib, Anti-Two Block, PAT DS160 Load Moment Indicator, Out and Down Outriggers, 20 ft x 96 in Bed Usage: 52,470 Mi	339	<b>2013 John Deere 470G LC Tracked Excavator</b> S/N: 1FF470GXHCE470526 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, 2022 US EPA Label, 12 ft 7 in Stick, Boom Check Valves, 35.5 in Triple Grouser Track Shoes, 54 in Bucket, Counterweight Removal System, Catwalks Usage: 4,959 Hr
333	<b>Terex BT3470 34000 lb Straight Boom on 2006 Ford F-750 XL 4x2 Boom Truck</b> S/N: 3FRXF75F76V248462 C/W: Cummins ISB 230 6 Cylinder 5.9 L Diesel 230 hp Engine, 4611 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 240 in Wheelbase, PTO, Double Frame, 34000 lb Capacity, Center Mounted, 27 ft 5 in - 70 ft 3 Section Boom, 1 Sheave Hook Block, 24 ft Min - 41 ft Max Swingaway Jib, Anti-Two Block, A-Outriggers, 19 ft 9 in x 8 in Bed Usage: 33,212 Mi	340	<b>2013 Komatsu PC450LC-8 Tracked Excavator</b> S/N: KMTPC192P02071104 C/W: Air Conditioner, 7 ft 11 in Stick, 24 in Triple Grouser Track Shoes, Rock Guards, 67 in Digging Bucket Usage: Not Available
334	<b>Gradall XL4100 Wheel Excavator</b> S/N: 0413237 C/W: 48 in Cleanup Bucket, Hydraulic Thumb Usage: 10,441 Mi	341	<b>2020 Hyundai HX380L Tracked Excavator</b> S/N: HHKHKA01VL0000452 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 11 ft Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Rock Guards, Hydraulic Quick Coupler, 58 in Digging Bucket Usage: 3,552 Hr
336	<b>2013 Hyundai 520LC-9A Tracked Excavator</b> S/N: HHKHZB06KD0000008 C/W: Air Conditioner, Air Ride Seat, 13 ft 2 in Stick, 31.5 in Triple Grouser Track Shoes, 72 in Digging Bucket, Auto Lube, Catwalks Usage: 5,971 Hr	342	<b>2013 Komatsu PC360LC-10 Tracked Excavator</b> S/N: KMTPC242T54A32698 C/W: Air Conditioner, Rear View Camera, 10 ft 4 in Stick, 33.5 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 14,025 Hr
337	<b>2015 Komatsu PC490LC-10 Tracked Excavator</b> S/N: KMTPC239A54A40856 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 11 ft 1 in Stick, 36 in Triple Grouser Track Shoes, Hydraulic Quick Coupler Usage: 10,055 Hr	343	<b>2013 Komatsu PC360LC-10 Tracked Excavator</b> S/N: KMTPC242L54A33084 C/W: Rear View Camera, 2013 US EPA Label, 10 ft 6 in Stick, 33.5 in Triple Grouser Track Shoes, 56 in Digging Bucket Usage: 6,045 Hr
		344	<b>2014 Link-Belt 350 X3 Tracked Excavator</b> S/N: EKDK49352 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2012 US EPA Label, 13 ft 3 in Stick, 31.5 in Triple Grouser Track Shoes, 37 in Bucket Usage: 6,219 Hr
		345	<b>2014 Link-Belt 350 X3 Tracked Excavator</b> S/N: EKDK47809 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2013 US EPA Label, 10 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 6,811 Hr
		346	<b>2012 Kobelco SK350-9 Tracked Excavator</b> S/N: YC12U2585 C/W: Air Conditioner, Rear View Camera, 11 ft Stick, Auxiliary Hydraulic Plumbing, 32 in Single Grouser Track Shoes, 63 in Digging Bucket Usage: 1,240 Hr

Lot #	Details	Lot #	Details
347	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FLHPD20678 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Rear View Camera, 2019 US EPA Label, 13 ft Stick, 36 in Triple Grouser Track Shoes, 83 in Digging Bucket Usage: 6,575 Hr	355	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336KDKS00629 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, Pre-Wired for Grade Control, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 1.83 cyd Digging Bucket Usage: 5,466 Hr
348	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FCHPD20630 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35 in Triple Grouser Track Shoes, 75 in Digging Bucket Usage: 7,027 Hr	356	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336TDKS00630 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 52 in Digging Bucket Usage: 5,490 Hr
349	<b>2019 Cat 349F L Tracked Excavator</b> S/N: CAT0349FVHPD20449 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, 35 in Triple Grouser Track Shoes, 75 in Digging Bucket Usage: 8,172 Hr	357	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336JDKS00633 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Surround View Cameras, on board Cat E Fence Grade Control, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 5,911 Hr
350	<b>2017 Cat 349F L Tracked Excavator</b> S/N: CAT0349FKBZ210098 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 35.5 in Triple Grouser Track Shoes, 36 in Digging Bucket, Counterweight Removal System Usage: 2,998 Hr	358	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336EDKS00639 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 13 ft Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 50 in Digging Bucket Usage: 6,119 Hr
351	<b>2011 Cat 349E L VG Tracked Excavator</b> S/N: CAT0349EVKCN00209 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, 2011 US EPA Label, 13 ft Stick, 35 in Triple Grouser Track Shoes, 76 in Digging Bucket Usage: 16,096 Hr	359B	<b>2018 Cat 336F L Tracked Excavator</b> S/N: CAT0336FJRKB21251 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 33.5 in Triple Grouser Track Shoes, 59 in Digging Bucket Usage: 4,323 Hr
352	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336TDKS00644 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 49 in Digging Bucket Usage: 4,674 Hr	359A	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336CDKS00254 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 8 in Stick, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 35 in Digging Bucket Usage: 5,987 Hr
353	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336CDKS00626 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, 2019 US EPA Label, 13 ft Stick, 33 in Triple Grouser Track Shoes, 51 in Digging Bucket Usage: 5,290 Hr	359	<b>2018 Cat 336 Tracked Excavator</b> S/N: CAT00336VDKS00425 C/W: Air Conditioner, Straight Travel Pedal, Rear & Side View Cameras, 2019 US EPA Label, 15 ft Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 49 in Digging Bucket Usage: 5,274 Hr
354	<b>2019 Cat 336 Tracked Excavator</b> S/N: CAT00336HDKS00638 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Surround View Cameras, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 47 in Digging Bucket Usage: 5,436 Hr		

Lot #	Details	Lot #	Details
360	<b>2017 Cat 336F L Tracked Excavator</b> S/N: CAT0336FTSSN10020 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 12 ft 9 in Stick, 33.5 in Triple Grouser Track Shoes, 54 in Bucket Usage: 4,885 Hr	368	<b>2019 Cat 330F L Tracked Excavator</b> S/N: CAT0330FCHCK20368 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 56 in Digging Bucket Usage: 5,635 Hr
361	<b>2016 Cat 336F L Tracked Excavator</b> S/N: CAT0336FCSSN00366 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13 ft Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 34 in Triple Grouser Track Shoes, Rock Guards, 42 in Bucket Usage: 6,022 Hr	369A	<b>2019 Cat 330F L Tracked Excavator</b> S/N: CAT0330PAHCK20347 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, 41 in Digging Bucket Usage: 5,022 Hr
362	<b>2016 Cat 336F L Tracked Excavator</b> S/N: CAT0336FVSSN00367 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 2014 US EPA Label, 13 ft Stick, Auxiliary Hydraulic Plumbing, 33.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, Aux Hydraulics Usage: 6,336 Hr	369	<b>2019 Cat 330F L Tracked Excavator</b> S/N: CAT0330FJHCK20361 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 57 in Digging Bucket Usage: 6,488 Hr
363	<b>2015 Cat 336F L Tracked Excavator</b> S/N: CAT0336FERKB00750 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Rear View Camera, Requires Diesel Exhaust Fluid, 12 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 34 in Triple Grouser Track Shoes, 40 in Bucket, Hydraulic Thumb Usage: 6,117 Hr	370	<b>2013 Hyundai Robex 330LC-9A Tracked Excavator</b> S/N: HHKHZ902HD0000024 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Cab Screens, Rear View Camera, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 12 in Shear Usage: 8,806 Hr
364	<b>2014 Cat 336E L Tracked Excavator</b> S/N: CAT0336ETFJH01412 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Cab Screens, Rear View Camera, 2014 US EPA Label, 10 ft 7 in Stick, Stick Check Valve, 33 in Triple Grouser Track Shoes, 47 in Digging Bucket, Hydraulic Thumb Usage: 5,681 Hr	371	<b>2019 Hyundai HX300L Tracked Excavator</b> S/N: HHKH801EK0001825 C/W: Air Conditioner, Rear View Camera, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft Stick, Auxiliary Hydraulic Plumbing, Boom Check Valves, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 63 in Digging Bucket Usage: 4,929 Hr
365	<b>2012 Cat 336EL Tracked Excavator</b> S/N: CAT0366EJBZY00924 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 2011 US EPA Label, 11 ft 7 in Stick, 33.5 in Triple Grouser Track Shoes, Rock Guards, Hydraulic Quick Coupler, 46 in Digging Bucket Usage: 8,062 Hr	372	<b>2016 Link-Belt 300X4 Tracked Excavator</b> S/N: EJEK61591 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 5 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 35 in Bucket Usage: 5,683 Hr
367	<b>2019 Cat 330F L Tracked Excavator</b> S/N: CAT0330FVHCK20265 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Rear View Camera, E-Stops, Tier 4, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft 6 in Stick, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 57 in Digging Bucket Usage: 5,319 Hr	373	<b>2016 Link-Belt 300X4 Tracked Excavator</b> S/N: EJEK61594 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear View Camera, 2015 US EPA Label, 10 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, 34 in Digging Bucket Usage: 6,955 Hr
		374	<b>2015 John Deere 300G LC Tracked Excavator</b> S/N: 1FF300GXJFF730107 C/W: Air Conditioner, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 10 ft Stick, 31 in Triple Grouser Track Shoes, Manual Quick Coupler, 36 in Digging Bucket Usage: 6,526 Hr

Lot #	Details	Lot #	Details
375	<b>2016 Cat 326F L Tracked Excavator</b> S/N: CAT0326FEWGL00792 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 36 in Bucket Usage: 3,501 Hr	384	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXLKF527890 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 39 in Digging Bucket Usage: 3,966 Hr
376	<b>2012 Case CX225SR Tracked Excavator</b> S/N: DAC225K3NCSAK7180 C/W: Air Conditioner, 2011 US EPA Label, 9 ft 10 in Stick, 27.5 in Triple Grouser Track Shoes, 35 in Digging Bucket Usage: 3,962 Hr	385	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXAKF527872 C/W: Air Conditioner, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, Digging Bucket Usage: 3,865 Hr
377	<b>2019 John Deere 210G LC Tracked Excavator</b> S/N: 1FF210GXPKEF527282 C/W: Air Conditioner, Cab Screens, Rear View Camera, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 48 in Digging Bucket, Manual Thumb Usage: 1,977 Hr	386	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXKEKF527875 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 3,890 Hr
378	<b>2019 John Deere 210G LC Tracked Excavator</b> S/N: 1FF210GXJKF527639 C/W: Air Conditioner, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, 42 in Digging Bucket Usage: 2,089 Hr	387	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXCKF527870 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 4,060 Hr
379	<b>2019 John Deere 210G LC Tracked Excavator</b> S/N: 1FF210GXHKF527339 C/W: Air Conditioner, Cab Screens, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, 48 in Digging Bucket, Manual Thumb Usage: 2,427 Hr	388	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXPKEF527878 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 4,112 Hr
380	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXTKF527877 C/W: Air Conditioner, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 43.5 in Digging Bucket Usage: 2,851 Hr	389	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXLKF527873 C/W: Air Conditioner, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 42 in Digging Bucket Usage: 4,025 Hr
381	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXKKF527882 C/W: Air Conditioner, Control Pattern Changer, Rear View Camera, Tier 4, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 3,383 Hr	390	<b>2019 Komatsu PC210LC-11 Tracked Excavator</b> S/N: KMTPC257PKTC80852 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Tier 4, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 46 in Digging Bucket, Auto Lube Usage: 4,472 Hr
382	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXVKF527871 C/W: Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 42 in Digging Bucket Usage: 3,877 Hr	391	<b>2012 John Deere 210G LC Tracked Excavator</b> S/N: 1FF210GXKC520258 C/W: Air Conditioner, Cab Riser, 9 ft 6 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 41 in Digging Bucket Usage: 8,939 Hr
383	<b>2019 John Deere 210G Tracked Excavator</b> S/N: 1FF210GXJKF527883 C/W: Air Conditioner, Air Ride Seat, Control Pattern Changer, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 3,778 Hr		

Lot #	Details	Lot #	Details
392	<b>2014 Case CX210C Tracked Excavator</b> S/N: DAC210K6NES6H1619 C/W: Air Conditioner, Rear View Camera, 2014 US EPA Label, 9 ft 8 in Stick, 31.5 in Triple Grouser Track Shoes, 47 in Digging Bucket, Manual Thumb, Auto Lube Usage: 2,626 Hr	401	<b>2015 Case CX160D Tracked Excavator</b> S/N: DAC160K7NFS7F1110 C/W: Air Conditioner, Air Ride Seat, Rear View Camera, 2015 US EPA Label, 8 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 23.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 44 in Digging Bucket Usage: 6,718 Hr
393	<b>2011 Hyundai 210LC-9 Tracked Excavator</b> S/N: HHIHQ601JB0000667 C/W: Air Conditioner, Straight Travel Pedal, Cab Screens, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 32 in Triple Grouser Track Shoes Usage: 12,245 Hr	402	<b>2015 Cat 314E L CR Tracked Excavator</b> S/N: CAT0314ECZJT01302 C/W: Control Pattern Changer, Rear View Camera, Tier 4, 2014 US EPA Label, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Backfill Blade, 28 in Triple Grouser Track Shoes, 33 in Digging Bucket Usage: 3,649 Hr
394	<b>2019 Cat 320 Tracked Excavator</b> S/N: CAT00320JHEX10420 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, Rear & Side View Cameras, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 45 in Digging Bucket Usage: 4,637 Hr	403	<b>2015 Hyundai Robex 140LC-9A Tracked Excavator</b> S/N: HHKHZ409JF0000536 C/W: Air Conditioner, Straight Travel Pedal, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 27.5 in Triple Grouser Track Shoes, 35 in Digging Bucket Usage: 5,565 Hr
395	<b>2019 Cat 320 Tracked Excavator</b> S/N: CAT00320VHEX02773 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear & Side View Cameras, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes Usage: 1,806 Hr	404	<b>2013 Hitachi ZX135US-5B Tracked Excavator</b> S/N: HCMDAE50C00090206 C/W: Air Conditioner, Straight Travel Pedal, Rear View Camera, Tier 4, 2013 US EPA Label, 9 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Boom Check Valves, Backfill Blade, 28 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 40 in Digging Bucket Usage: 7,509 Hr
397	<b>2018 Cat 320 Tracked Excavator</b> S/N: CAT00320CHEX10399 C/W: Air Conditioner, Air Ride Seat, Surround View Cameras, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, Stick Check Valve, Boom Check Valves, 27.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 60 in Digging Bucket Usage: 4,995 Hr	405	<b>2011 Hitachi ZX135US-3 Tracked Excavator</b> S/N: HCM1R400L00085239 C/W: Air Conditioner, Air Ride Seat, 8 ft 3 in Stick, 28 in Triple Grouser Track Shoes, 35 in Digging Bucket Usage: 9,990 Hr
398	<b>2018 Cat 320 Tracked Excavator</b> S/N: CAT00320KHEX02283 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, Requires Diesel Exhaust Fluid, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, 34 in Digging Bucket Usage: 1,911 Hr	407A	<b>2019 Cat 313F L GC Tracked Excavator</b> S/N: CAT0313FCHDK10392 C/W: Air Conditioner, Straight Travel Pedal, 9 ft 9 in Stick, 27.5 in Triple Grouser Track Shoes, 47 in Digging Bucket Usage: 2,422 Hr
399	<b>2014 Cat 320E L Tracked Excavator</b> S/N: WBK02981 C/W: Air Conditioner, Straight Travel Pedal, Control Pattern Changer, Rear View Camera, Tier 4, 2013 US EPA Label, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 32 in Triple Grouser Track Shoes, 48 in Digging Bucket, Hydraulic Thumb Usage: 5,082 Hr	407	<b>2019 Cat 313F L Tracked Excavator</b> S/N: CAT0313FCPRG10675 C/W: Air Conditioner, Air Ride Seat, Rear & Side View Cameras, Requires Diesel Exhaust Fluid, 9 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, 27.5 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 48 in Digging Bucket Usage: 3,852 Hr
400	<b>2012 Cat 320E L Tracked Excavator</b> S/N: CAT0320EJWBK00762 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Rear View Camera, 9 ft 7 in Stick, 31 in Triple Grouser Track Shoes, Hydraulic Quick Coupler, 42 in Digging Bucket Usage: 8,911 Hr	408	<b>2007 Cat 345C L Tracked Excavator</b> S/N: CAT0345CLPJW01597 C/W: Air Conditioner, Straight Travel Pedal, 2006 US EPA Label, 11 ft Stick, 35.5 in Triple Grouser Track Shoes, Rock Guards, 49.5 in Digging Bucket Usage: 10,636 Hr



Lot #	Details	Lot #	Details
409	<b>2008 Cat 325D L Tracked Excavator</b> S/N: CAT0325DHA3R01182 C/W: Air Conditioner, Straight Travel Pedal, 10 ft 6 in Stick, 31.5 in Triple Grouser Track Shoes, 57.5 in Digging Bucket Usage: 10 Hr	417	<b>2016 Takeuchi TB280FR Mini Excavator</b> S/N: 178500417 C/W: Enclosed Cab, Air Conditioner, Swing Boom, 6 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Stick Check Valve, Backfill Blade, 17.5 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Hydraulic Thumb Usage: Not Available
410	<b>2006 Cat 324D L Tracked Excavator</b> S/N: CAT0324DPLAB00311 C/W: Air Conditioner, Straight Travel Pedal, Air Ride Seat, Control Pattern Changer, 2006 US EPA Label, 9 ft 8 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, Rock Guards, Hydraulic Quick Coupler, 34 in Digging Bucket, Hydraulic Thumb Usage: 6,603 Hr	418	<b>2012 Komatsu PC88MR-8 Tracked Excavator</b> S/N: KMTPC205V01005872 C/W: Air Conditioner, 2011 US EPA Label, Swing Boom, 7 ft 0 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 17.5 in Rubber Tracks, 18 in Digging Bucket Usage: 6,309 Hr
411A	<b>2000 JCB JS160NL Tracked Excavator</b> S/N: SLPJS103YE0702797 C/W: 10 ft Stick, 24 in Triple Grouser Track Shoes, Magnet Usage: 9,939 Hr	419	<b>2004 Komatsu PC78US-6NO Mini Excavator</b> S/N: KMTPC030K01007802 C/W: Enclosed Cab, 2005 US EPA Label, 7 ft 5 in Stick, Backfill Blade, 17.5 in Rubber Tracks, 22 in Digging Bucket, Manual Thumb Usage: 6,700 Hr
412	<b>2005 Volvo EC140B LC Tracked Excavator</b> S/N: EC140V11907 C/W: Air Conditioner, 8 ft 2 in Stick, Auxiliary Hydraulic Plumbing, 29.5 in Triple Grouser Track Shoes, 18 in Digging Bucket, Auto Lube Usage: 1,346 Hr	420	<b>2015 Takeuchi TB260 Mini Excavator</b> S/N: 126100905 C/W: Enclosed Cab, Air Conditioner, 2015 US EPA Label, Swing Boom, 5 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 15.5 in Rubber Tracks, 23 in Digging Bucket, Hydraulic Thumb Usage: 2,213 Hr
413C	<b>2005 Cat 308C SR Tracked Excavator</b> S/N: CAT0308CHCRW01374 C/W: Air Conditioner, 2004 US EPA Label, 5 ft 10 in Stick, Backfill Blade, 17.5 in Track Shoes w/Rubber Inserts, 27.5 in Digging Bucket, Hydraulic Thumb Usage: 4,146 Hr	421	<b>2020 Komatsu PC35MR-5 Mini Excavator</b> S/N: KMTPC263LKE031683 C/W: 2019 US EPA Label, Swing Boom, 5 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, 16 in Digging Bucket Usage: 166 Hr
413	<b>1998 Hitachi EX300 LC-3 Tracked Excavator</b> S/N: 15MP011676 C/W: Tier 3, 10 ft 5 in Stick, 32 in Triple Grouser Track Shoes, 60 in Digging Bucket Usage: 13,399 Hr	422	<b>2019 Cat 305E2CR Mini Excavator</b> S/N: CAT0305EPH5M11150 C/W: Enclosed Cab, Air Conditioner, Tier 4, 2019 US EPA Label, Swing Boom, 5 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 15.5 in Rubber Tracks, 17 in Bucket, Hydraulic Thumb Usage: 1,109 Hr
414	<b>2015 Bobcat E85 Mini Excavator</b> S/N: B34T12627 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2015 US EPA Label, 7 ft 6 in Stick, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 36 in Digging Bucket Usage: 1,609 Mi	423	<b>2017 John Deere 50G Mini Excavator</b> S/N: 1FF050GXTHH285777 C/W: Control Pattern Changer, Tier 4, 2017 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Hydraulic Thumb Usage: 1,619 Hr
415	<b>2015 Bobcat E85 Mini Excavator</b> S/N: B34T12622 C/W: Enclosed Cab, Air Conditioner, Control Pattern Changer, 2011 US EPA Label, 7 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Back Fill Blade Usage: 2,990 Hr	424	<b>2004 Cat 304 CR Mini Excavator</b> S/N: CAT00304KNAD02011 C/W: Tier 3, 2004 US EPA Label, Swing Boom, 4 ft 6 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, Hydraulic Quick Coupler, 22 in Digging Bucket, Hydraulic Thumb Usage: 5,307 Hr
416	<b>2012 Volvo ECR88 Tracked Excavator</b> S/N: VCE0EC88J00015842 C/W: Tier 4, 2012 US EPA Label, Swing Boom, 5 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 18 in Rubber Tracks, 48 in Cleanup Bucket, Thumb Bracket Usage: 7,487 Hr		

Lot #	Details	Lot #	Details
425	<b>2018 Kubota KX040-4 Mini Excavator</b> S/N: 31798 C/W: Swing Boom, 5 ft 3 in Stick, Auxiliary Hydraulic Plumbing, Power Angle Blade, 14 in Rubber Tracks, Manual Quick Coupler, 16 in Digging Bucket Usage: 1,298 Hr	439	<b>2011 Bobcat E32 Mini Excavator</b> S/N: A94H14036 C/W: Swing Boom, 3 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 4,203 Hr
426	<b>2018 John Deere 35G Mini Excavator</b> S/N: 1FF035GXPHK281655 C/W: Control Pattern Changer, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.75 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 1,556 Hr	441	<b>2014 Takeuchi TB230 Mini Excavator</b> S/N: 130000175 C/W: 2014 US EPA Label, Swing Boom, 4 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 18 in Digging Bucket, Hydraulic Thumb Usage: 1,822 Hr
427	<b>2018 John Deere 35G Mini Excavator</b> S/N: 1FF035GXVHK281628 C/W: Control Pattern Changer, 2017 US EPA Label, Swing Boom, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Bucket Usage: 162 Hr	445	<b>Kubota Mini Excavator</b> S/N: 30041 C/W: Control Pattern Changer, 2005 US EPA Label, Swing Boom, 4 ft 8 in Stick, Backfill Blade, 12 in Rubber Tracks, 12 in Digging Bucket Usage: Not Available
429	<b>2006 Bobcat 331 Mini Excavator</b> S/N: 234316191 C/W: Control Pattern Changer, Tier 2, 2006 US EPA Label, Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 16 in Cleanup Bucket Usage: 3,092 Hr	446	<b>Yanmar ViO25-6A Mini Excavator</b> S/N: YMRV1025KGAJ60870 C/W: 2016 US EPA Label, Swing Boom, 4 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Hydraulic Quick Coupler, 12 in Digging Bucket Usage: Not Available
431	<b>2015 Bobcat E35 Mini Excavator</b> S/N: AR1K11547 C/W: Control Pattern Changer, 4 ft 4 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, Manual Quick Coupler, 23 in Digging Bucket Usage: 88 Hr	447	<b>2011 Bobcat 325 Mini Excavator</b> S/N: AAC513637 C/W: Tier 4, 2010 US EPA Label, Swing Boom, 3 ft 5 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11.5 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 3,878 Hr
432	<b>2012 Bobcat E32 Mini Excavator</b> S/N: A94H15472 C/W: Swing Boom, 4 ft 4 in Stick, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket Usage: 2,263 Hr	449	<b>2016 John Deere 26G Mini Excavator</b> S/N: 1FF026GXEFK260807 C/W: Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11 in Rubber Tracks, 24 in Digging Bucket Usage: 648 Hr
433	<b>2016 Bobcat E26 Mini Excavator</b> S/N: B3JE11639 C/W: Swing Boom, 4 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, 24 in Digging Bucket, Hydraulic Thumb Usage: 1,410 Hr	451	<b>2015 John Deere 26G Mini Excavator</b> S/N: 1FF026GXTFK260342 C/W: Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 11 in Rubber Tracks, 23.5 in Digging Bucket Usage: 3,092 Hr
436	<b>2015 John Deere 27D Mini Excavator</b> S/N: 1FF027DXTEG260286 C/W: Control Pattern Changer, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, 12 in Rubber Tracks, Manual Quick Coupler, 24 in Digging Bucket, Back Fill Blade Usage: 331 Hr	452A	<b>2015 JCB 8029 Mini Excavator</b> S/N: JCB08029E02315020 C/W: Swing Boom, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 2,192 Hr
438	<b>2015 John Deere 27DX Mini Excavator</b> S/N: 1FF027DXLEG260296 C/W: 2014 US EPA Label, Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 12 in Rubber Tracks, Manual Quick Coupler, 18 in Digging Bucket, Thumb Bracket Usage: 847 Hr	452	<b>2015 JCB 8029CTS Mini Excavator</b> S/N: JCB08029K02314987 C/W: Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9.5 in Rubber Tracks, 17 in Digging Bucket Usage: 1,874 Hr

Lot #	Details	Lot #	Details
454	<b>Case CX27B Mini Excavator</b> S/N: PV11-30017 C/W: 2006 US EPA Label, Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9.5 in Rubber Tracks Usage: 5,318 Hr	465	<b>2017 John Deere 17G Mini Excavator</b> S/N: 1FF017GXJGK226318 C/W: Control Pattern Changer, Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket Usage: 1,958 Hr
455	<b>2019 Cat 302 CR Mini Excavator</b> S/N: CAT00302VRHM00792 C/W: Swing Boom, 3 ft 10 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9.5 in Rubber Tracks, Expandable Width Tracks, 12 in Digging Bucket Usage: 2,569 Hr	467	<b>2016 John Deere 17G Mini Excavator</b> S/N: 1FF017GXH6K226181 C/W: Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks Usage: 2,600 Hr
456	<b>2015 Bobcat E20 Mini Excavator</b> S/N: B3BL11082 C/W: Swing Boom, 4 ft 2 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, 12 in Digging Bucket Usage: 2,113 Hr	469	<b>2013 John Deere 17D Mini Excavator</b> S/N: 1FF017DXECK221921 C/W: Control Pattern Changer, 2012 US EPA Label, Swing Boom, 3 ft 1 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Manual Quick Coupler Usage: 2,104 Hr
458	<b>2017 Cat 301.7D Mini Excavator</b> S/N: CAT3017DJLJ400491 C/W: Control Pattern Changer, 2018 US EPA Label, Swing Boom, 3 ft 11 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, 11 in Digging Bucket Usage: 2,330 Hr	472	<b>2017 Kubota U17 Mini Excavator</b> S/N: JKUU0173E01H43749 C/W: Swing Boom, 3 ft 1 in Stick, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 18 in Digging Bucket Usage: 937 Hr
459	<b>2018 Kubota KX018-4 Mini Excavator</b> S/N: 44537 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 3 ft 7 in Stick, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks Usage: 2,714 Hr	473	<b>2016 Kubota U17VR1 Mini Excavator</b> S/N: JKUU0173L01H43540 C/W: Swing Boom, 3 ft 1 in Stick, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 18 in Digging Bucket Usage: 2,192 Hr
460	<b>2018 Kubota KX018-4 Mini Excavator</b> S/N: 44329 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 11 in Digging Bucket Usage: 3,566 Hr	490	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421911576 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
462	<b>2018 Kubota KX018-4 Mini Excavator</b> S/N: 44518 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 11 in Digging Bucket Usage: Not Available	491	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923778 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
463	<b>2013 Kubota KX018-4 Mini Excavator</b> S/N: 40616 C/W: Control Pattern Changer, Tier 4, 2013 US EPA Label, 3 ft 7 in Stick, 9 in Rubber Tracks, 11 in Digging Bucket Usage: 3,764 Hr	492	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923797 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
464	<b>2018 John Deere 17G Mini Excavator</b> S/N: 1FF017GXPJK227697 C/W: Control Pattern Changer, Swing Boom, 3 ft Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, Manual Quick Coupler, 12 in Digging Bucket, Thumb Bracket Usage: 1,086 Hr	493	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923794 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available
		494	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923771 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available

Lot #	Details	Lot #	Details
495	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923796 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	506	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081201 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
496	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923759 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	507	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081202 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
498	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923783 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	508	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081203 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available
499	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421923779 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	509	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: TAG8122082005 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
500	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421911569 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	510	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081201 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 47 Hr
501	<b>2022 JF-12 Mini Excavator (Unused)</b> S/N: 421911656 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: Not Available	511	<b>2022 AGROTK YM-12 Mini Excavator (Unused)</b> S/N: YM1222052301 C/W: 2022 US EPA Label, 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 5 Hr
502	<b>2022 AGROTK T12-E Electric Mini Excavator (Unused)</b> S/N: T12E22052901 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	512	<b>2021 Agrotk YM-12 Mini Excavator (Unused)</b> S/N: YM1221110101 C/W: Swing Boom, 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 15 in Digging Bucket Usage: 56 Hr
503	<b>2022 AGROTK T12 Mini Excavator (Unused)</b> S/N: T1222081101 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: 451 Hr	513	<b>2022 AGROTK SSECAG-Y Mini Excavator (Unused)</b> S/N: SSECAGY22082005 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 14 in Digging Bucket, Manual Thumb Usage: Not Available
504	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081001 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	514	<b>2021 Agrotk E-EXCA-12 Mini Excavator</b> S/N: EEXCA1222031901 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket, Manual Thumb Usage: 343 Hr
505	<b>2022 AGROTK H12 Mini Excavator (Unused)</b> S/N: H1222081002 C/W: 2 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 16 in Digging Bucket, Manual Thumb Usage: Not Available	515	<b>2021 AGROTK YM10 Mini Excavator</b> S/N: YM1021052101 C/W: 2 ft 8 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 7 in Rubber Tracks, 17 in Digging Bucket Usage: 195 Hr

Lot #	Details	Lot #	Details
516	<b>2012 Powerscreen Chieftan 1400S Tracked Screen Plant</b> S/N: PID00066EDGC24506 C/W: 4 ft 8 in x 13 ft Vibratory Grizzly Feeder 11 in Wide Fines Discharge Conveyor, 40 in Wide Under Crusher Conveyor, 12 in Wide Left Discharge Conveyor, Cable Remote Control, 4 Cylinder Diesel Engine, 20 in Triple Grouser Track Shoes Usage: Not Available	532	<b>2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: B20220076 Usage: Not Available
517	<b>2007 Extec S5 Tracked Screen Plant</b> S/N: Not Available C/W: 14 ft x 4 ft 5 in Double Deck Screen, 40 in Wide Feed Conveyor, 46 in Wide Under Screen Conveyor, 28 in Wide Left Discharge Conveyor, 28 in Wide Right Discharge Conveyor, Cable Remote Control, 20 in Triple Grouser Track Shoes Usage: Not Available	533	<b>2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: B20220074 Usage: Not Available
518	<b>2000 Morbark HD9 S/A Tub Grinder</b> S/N: 254JJ0104 C/W: John Deere 6081AF001 6 Cylinder Engine, 24 in Rotor, 24 in Discharge Conveyor, S/A Carrier Usage: Not Available	534	<b>Vickwest RS3660S 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: M220729173 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Engine Usage: Not Available
520	<b>Quantity of (2) Crusher Screen</b> S/N: Not Available C/W: 16 ft x 6 ft 4 in Triple Deck Screen Usage: Not Available	535	<b>Vickwest RS3660S 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: M220729174 C/W: Lattice Frame, Folding End Section, Manual Raise, Pintle Ring, WEG 15 hp Engine Usage: Not Available
521	<b>2015 CEC Screen</b> S/N: 1509701 C/W: 8 ft x 4 ft Double Deck Screen, Deutz 3 Cylinder Diesel Engine, 29 in Wide Fines Discharge Conveyor, 29 in Wide Under Screen Conveyor, 18 in Wide Left Discharge Conveyor, 18 in Wide Right Discharge Conveyor Usage: 152 Hr	536	<b>2007 Vermeer T1255III Tracked Surface Miner</b> S/N: 1VR23006971000104 C/W: Enclosed Cab, Air Conditioner, 2006 US EPA Label, 12 ft 3 in Cutting Width, 29.5 in Track Shoes, Cat C18 700 18.1L Diesel Engine Usage: 2,939 Hr
523	<b>2022 Paladin HLSMS2040E 4 Ft 6 In. x 5 Ft Vibratory Screen (Unused)</b> S/N: Not Available C/W: Double Deck Screen Usage: Not Available	537	<b>2015 Roadtec SX-4e Wheel Soil Stabilizer Reclaimer</b> S/N: SX4E3002 C/W: Enclosed Cab, Air Conditioner, Rear View Camera, 100 in Universal Rotor, 16 in Cutting Depth Usage: 1,610 Mi
524	<b>2020 Paladin US70 Vibratory Rock Screen</b> S/N: 10249 C/W: 4 ft 5 in x 4 ft 10 in Double Deck Screen Usage: Not Available	538	<b>2015 Roadtec SX2E Wheel Soil Stabilizer Reclaimer</b> S/N: SX2E107 C/W: Canopy, Requires Diesel Exhaust Fluid, 82 in Universal Rotor, 18 in Cutting Depth Usage: 1,237 Mi
526	<b>TMG RS12 12 ft x 9 ft Adjustable Rock Screen (Unused)</b> S/N: BL2022070024 Usage: Not Available	539	<b>2015 Roadtec SX2E Wheel Soil Stabilizer Reclaimer</b> S/N: SX2E105 C/W: Canopy, Requires Diesel Exhaust Fluid, 82 in Universal Rotor, 16 in Cutting Depth Usage: 996 Hr
528	<b>2022 Suihe 4 Ft 6 In. x 5 Ft Vibratory Screen (Unused)</b> S/N: Not Available Usage: Not Available	540	<b>2014 Roadtec SX2E Wheel Soil Stabilizer Reclaimer</b> S/N: SX2E101 C/W: Enclosed Cab, Air Conditioner, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 83 in Combination Rotor, 10 in Cutting Depth, Water /Emulsion Application System Usage: 50 Hr
530	<b>2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: B20220075 Usage: Not Available	541	<b>2014 Cat RM300 Wheel Soil Stabilizer Reclaimer</b> S/N: CATRM300KBWR00667 C/W: 90 in Rotor Usage: 2,599 Hr
531	<b>2022 Better BE3660C 36 in x 60 ft Portable Radial Stacking Conveyor (Unused)</b> S/N: B20220073 Usage: Not Available		

Lot #	Details	Lot #	Details
542	<b>2004 CMI RS-425B Wheel Soil Stabilizer Reclaimer</b> S/N: 526272 C/W: Tier 3, 2004 US EPA Label, 96 in Soil Rotor, 16 in Cutting Depth Usage: 2,141 Hr	554	<b>2006 Ditch Witch JT921S Directional Drill</b> S/N: CMWJ921SK60000039 C/W: Open Operator Station, Cat 3024C 4 Cylinder Diesel Engine, 34 Drill Rods, 9 in Rubber Tracks Usage: 727 Hr
543	<b>1999 Cat SS250B Wheel Soil Stabilizer Reclaimer</b> S/N: 5GR00177 C/W: 100 in Soil Rotor Usage: 8,789 Hr	555	<b>2015 Vermeer D9X13III Directional Drill</b> S/N: 1VR1120H7F1000356 C/W: Walk Behind, Diesel Engine, 45 Drill Rods, 10 in Rubber Tracks Usage: 2,260 Hr
546	<b>1995 Watson 2500CM Foundation Drill</b> S/N: 100 C/W: Open Operator Station, Cummins 6 Cylinder Diesel Engine, 38 ft Mast, 38 ft Kelly, 24 in Triple Grouser Track Shoes, Expandable Width Tracks Usage: 4,217 Hr	556	<b>2014 Vermeer D9X13III Directional Drill</b> S/N: 1VR1120HXE1000270 C/W: Open Operator Station, 4 Cylinder Diesel Engine, 6 Drill Rods, 10 in Rubber Tracks Usage: Not Available
547	<b>Bay Shore Systems LoDrill on 2004 Cat 330C Foundation Drill</b> S/N: CAT0330CJDKY02062 C/W: Enclosed Cab, Air Conditioner, Tier 3, 2004 US EPA Label, Cat C9 6 Cylinder 345 hp 8.8 L Diesel Engine, 34 in Triple Grouser Track Shoes Usage: 8,471 Hr	558	<b>2006 Vermeer D6X6 Directional Drill</b> S/N: 1VR4100C861000209 C/W: Open Operator Station, Kubota 3 Cylinder Diesel Engine, 24 Drill Rods, 7 in Rubber Tracks, T/A Trailer, Lunette Ring, 300 Gallon Tank Usage: 2,692 Hr
548	<b>2000 Komatsu PC300LC-6K Foundation Drill</b> S/N: K32154 C/W: Enclosed Cab, 6 Cylinder Diesel Engine, LoDrill Boom, 32 in Triple Grouser Track Shoes Usage: Not Available	559	<b>Horizontal Boring Machine</b> S/N: 023 C/W: 2 in Boring Auger, 10 ft Track Length Usage: Not Available
550	<b>CLO 30L on 2006 Peterbilt 335 6x4 Drill Truck</b> S/N: 2NPLLZ0XX6M891621 C/W: John Deere 4 Cylinder Upper Engine, Out and Down Outriggers, Cummins ISC315 6 Cylinder Engine, 10105 Engine hrs, Exhaust Brake, Eaton Fuller RTO11908LL 8LL Manual Transmission, 20000 lb Front Axle, 44000 lb Rears, Dana D46-170HP Drive Axles, 4.78:1 Axle Ratio, 64000 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Walking Beam Suspension, 208 in Wheelbase, Double Frame Usage: 84,146 Mi	560	<b>1990 Vermeer RT650 Tracked Trencher</b> S/N: 1VRE250S5L1000377 C/W: GM 8 Cylinder Diesel Engine, 12 in Wide x 102 in Long Rock Trencher Chain, Discharge Conveyor, 24 in Triple Grouser Track Shoes Usage: 27,348 Hr
551	<b>1995 Vermeer D50X100 Directional Drill</b> S/N: 1VRP170G9S1000111 C/W: Open Operator Station, Cummins 6 Cylinder 140 hp 5.9 L Diesel Engine, 21 Drill Rods, 18 in Triple Grouser Track Shoes Usage: Not Available	561	<b>2016 Vermeer RTX450 4x4 Trencher</b> S/N: 1VR4092U9G1003442 C/W: Hydrostatic Drive, 4 Cylinder Diesel Engine, 6 in Wide x 72 in Long Combination Trencher Chain, Angle Blade Usage: 1,005 Hr
552	<b>2020 Vermeer D23x30III Directional Drill</b> S/N: 1VRN20073L1001431 C/W: Open Operator Station, Deutz 4 Cylinder Diesel Engine, Requires AdBlue, 40 Drill Rods, 12 in Rubber Tracks Usage: 605 Hr	562	<b>2007 Vermeer RT350 4x4 Trencher</b> S/N: 1VRZ0826771000377 C/W: Canopy, Hydrostatic Drive, 3 Cylinder Diesel Engine, Vermeer SO350 7 ft Cable Plow, 5 in Wide x 79 in Long Dirt Trencher Chain, Side Shift Usage: 2,095 Hr
553	<b>2017 Vermeer D20X22III Directional Drill</b> S/N: 1VRA170V7H1000704 C/W: Open Operator Station, 2016 US EPA Label, Deutz 4 Cylinder Diesel Engine, 10.5 in Rubber Tracks Usage: 1,760 Hr	564	<b>2015 Ditch Witch RT45 4x4 Trencher</b> S/N: CMWRT45XTF0002697 C/W: Hydrostatic Drive, Deutz 4 Cylinder Diesel Engine, 6 in Wide x 80 in Long Dirt Trencher Chain, Straight Blade Usage: 883 Hr
		565	<b>2015 Ditch Witch RT45 4x4 Trencher</b> S/N: CMWRT45XAF0003003 C/W: Hydrostatic Drive, Deutz 4 Cylinder Diesel Engine, 6 in Wide x 66 in Long Rock Trencher Chain, Angle Blade, Side Shift Usage: 1,146 Hr

Lot #	Details	Lot #	Details
567	<b>2015 Ditch Witch RT45 4x4 Trencher</b> S/N: CMWRT45XTF0002974 C/W: Hydrostatic Drive, Deutz 4 Cylinder Diesel Engine, 6 in Wide x 66 in Long Dirt Trencher Chain, Straight Blade, Side Shift, Hydraulic Leveling Usage: 1,305 Hr	583	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2723 C/W: 2017 US EPA Label, Honda 1 Cylinder 270 cc Gasoline Engine, 4 in Wide x 36 in Long S/A Trailer, Ball Hitch Usage: 329 Hr
568	<b>1999 Vermeer V-3550A 4x4 Trencher</b> S/N: 1VRS072P7X1001128 C/W: Hydrostatic Drive, Deutz Diesel Engine, 6 in Wide x 65 in Long Combination Trencher Chain, Angle Blade Usage: 1,497 Hr	584	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2740 C/W: Hydrostatic Drive, 2010 US EPA Label, Honda 1 Cylinder Gasoline Engine, 3.5 in Wide x 27 in Long Dirt Trencher Chain, S/A Trailer, Ball Hitch Usage: 690 Hr
569A	<b>2021 Bobcat MT55 Mini Compact Track Loader</b> S/N: B38T15765 C/W: 2021 US EPA Label, 10 in Track Belts, Manual Coupler, 36 in Bucket Usage: 118 Hr	585	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2719 C/W: Hydrostatic Drive, 2010 US EPA Label, Honda 1 Cylinder Gasoline Engine, 4 in Wide x 27 in Long Dirt Trencher Chain, S/A Trailer, Ball Hitch Usage: 752 Hr
570	<b>2018 Ditch Witch SK1050 Compact Track Loader</b> S/N: DWPSK105JJ0000546 C/W: 9 in Track Belts, 44 in Bucket Usage: 956 Hr	587	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2735 C/W: Honda GX270 1 Cylinder 270 cc Gasoline Engine, 4 in Wide x 36 in Long S/A Trailer, Ball Hitch Usage: 500 Hr
574	<b>2018 Ditch Witch SK650 Compact Track Loader</b> S/N: CMWSK650J70000828 C/W: 9 in Track Belts, Manual Coupler Usage: 4,374 Hr	589	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2720 C/W: 2017 US EPA Label, Honda 1 Cylinder 270 cc Gasoline Engine, 4 in Wide x 36 in Long S/A Trailer, Ball Hitch Usage: 782 Hr
575	<b>2015 Toro TX525 Mini Compact Track Loader</b> S/N: 315000159 C/W: Open Operator Station, Tier 4, 2014 US EPA Label, 6 in Track Belts, Manual Coupler, 34 in Bucket Usage: 1,142 Hr	590	<b>2017 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: RTK436 C/W: Hydrostatic Drive, 2014 US EPA Label, Honda 1 Cylinder 688 cc Gasoline Engine, 4 in Wide x 48 in Long Combination Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 742 Hr
577A	<b>2015 Toro 22321 Walk Behind Compact Track Loader</b> S/N: 315000108 C/W: 6 in Track Belts, Manual Coupler, 34 in Bucket Usage: 189 Hr	591	<b>2017 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: RTK434 C/W: Hydrostatic Drive, 2014 US EPA Label, Honda 1 Cylinder 688 cc Gasoline Engine, 4 in Wide x 48 in Long Combination Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 631 Hr
580	<b>Barreto 20RTK Tracked Trencher</b> S/N: RTK439 C/W: Hydrostatic Drive, Honda Gasoline Engine, 5 in Wide x 54 in Long 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 869 Hr	592	<b>2017 Barreto E2036RTKH-6MS Walk-Behind Trencher</b> S/N: RTK560 C/W: Honda 2 Cylinder Gasoline Engine, 6 in Wide x 45 in Long Combination Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 323 Hr
581	<b>2001 Ditch Witch 1820H Walk-Behind Trencher</b> S/N: 1V2285 C/W: Hydrostatic Drive, US EPA Label, Honda 2 Cylinder Gasoline Engine, 6 in Wide x 48 in Long Dirt Trencher Chain Usage: 5,881 Hr		
582	<b>2018 Barreto E924HM-4MS Walk-Behind Trencher</b> S/N: M2738 C/W: 2017 US EPA Label, Honda 1 Cylinder 270 cc Gasoline Engine, 4 in Wide x 36 in Long S/A Trailer, Ball Hitch Usage: Not Available		

Lot #	Details	Lot #	Details
593	<b>2015 Barreto E2036TKH-6MS Walk-Behind Trencher</b> S/N: TK1408 C/W: Hydrostatic Drive, 2014 US EPA Label, Honda 1 Cylinder Gasoline Engine, 4 in Wide x 48 in Long Combination Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 379 Hr	605	<b>2014 Gehl DL1155H Telehandler</b> S/N: DL1155HJF0541690 C/W: 55 ft Max Lift Height, 11000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 5,824 Hr
594	<b>Barreto E2036RTKH-6MS Walk-Behind Trencher</b> S/N: RTK562 C/W: Hydrostatic Drive, Honda 2 Cylinder Gasoline Engine, 6 in Wide x 36 in Long Combination Trencher Chain, 7 in Rubber Tracks, S/A Trailer, Ball Hitch Usage: 498 Hr	607	<b>2015 Cat TL1055C Telehandler</b> S/N: KDE01694 C/W: Enclosed Cab, Air Conditioner, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 60 in Forks, Outriggers, 14.00-24 Aperture Tires Usage: 3,768 Hr
595	<b>Barreto 1318-D Walk-Behind Trencher</b> S/N: Not Available C/W: Tier 3, 2006 US EPA Label, Honda GX340 1 Cylinder 389 cc Gasoline Engine, 4 in Wide x 42 in Long Usage: Not Available	608	<b>2016 SkyTrak 10054 Telehandler</b> S/N: 0160068680 C/W: 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 48 in Forks, Tilt Carriage, Outriggers, Frame Leveling Usage: Not Available
598	<b>2005 Case 586G 13500 lb 4x2 Rough Terrain Forklift</b> S/N: JJG0293158 C/W: 3 Stage Mast, 264 in Max Lift Height, 132 in Lowered Mast Height, 46 in Forks, Side Shift, Tier 1, US EPA Label, CNH 4-39 4 Cylinder 61 hp 3.9 L Diesel Engine Usage: 9,086 Hr	609	<b>2015 SkyTrak 10054 Telehandler</b> S/N: 0160068730 C/W: 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 60 in Forks, Tilt Carriage, Outriggers, Frame Leveling Usage: Not Available
599	<b>2002 Case 580G 6000 lb 4x2 Rough Terrain Forklift</b> S/N: JJG0291894 C/W: 3 Stage Mast, 264 in Max Lift Height, 127 in Lowered Mast Height, 47 in Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 3,164 Hr	610	<b>2013 SkyTrak 10054 Telehandler</b> S/N: 0160050716 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 2012 US EPA Label, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 17.5-25 Foam Filled Tires Usage: 5,424 Hr
600	<b>Case 586E 6000 lb 4x2 Rough Terrain Forklift</b> S/N: JJG0068964 C/W: 2 Stage Mast, 120 in Lowered Mast Height, 48 in Forks, Fork Positioner, Case 4 Cylinder Diesel Engine Usage: 3,758 Hr	611	<b>2015 JLG G10-55A Telehandler</b> S/N: 0160066763 C/W: 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2014 US EPA Label, 60 in Forks, Tilt Carriage, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 370/75-28 Tires Usage: 5,819 Hr
602	<b>2015 JLG G12-55A Telehandler</b> S/N: 0160069004 C/W: Open Operator Station, 55 ft Max Lift Height, 12000 lb Max Lift Capacity, US EPA Label, 48 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 400/75-28 Foam Filled Tires Usage: 4,023 Hr	612	<b>2014 JLG G10-55A Telehandler</b> S/N: 0160061836 C/W: Enclosed Cab, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2014 US EPA Label, 72 in Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Foam Filled Tires Usage: 4,910 Hr
603	<b>2014 Gehl DL1155H Telehandler</b> S/N: DL1155HJF0441680 C/W: Open Operator Station, 55 ft Max Lift Height, 11000 lb Max Lift Capacity, 48 in Forks, Outriggers, 14.00-24 Tires Usage: 3,733 Hr	613	<b>2014 JLG G10-55A Telehandler</b> S/N: Not Available C/W: 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 60 in Forks, Tilt Carriage, Outriggers, Frame Leveling Usage: 8,658 Hr
604	<b>2014 Gehl DL1155H Telehandler</b> S/N: DL1155HJF0541694 C/W: Open Operator Station, 55 ft Max Lift Height, 11000 lb Max Lift Capacity, 48 in Outriggers, Frame Leveling, 14.00-24 Foam Filled Tires Usage: 7,001 Hr	614	<b>2013 JLG G10-55A Telehandler</b> S/N: 0160051510 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 60 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Aperture Tires Usage: Not Available



Lot #	Details	Lot #	Details
615	<b>2014 Gehl RS10-55 Telehandler</b> S/N: RS1055JF0990490 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2014 US EPA Label, 72 in Forks, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 3,911 Hr	627	<b>2014 Gehl RS6-34 Telehandler</b> S/N: RS634DF1022510 C/W: Open Operator Station, 34 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Frame Leveling, 15-19.5 Tires Usage: 3,679 Hr
616	<b>2014 Gehl RS10-55 Telehandler</b> S/N: RS1055JF0990473 C/W: Open Operator Station, 55 ft Max Lift Height, 10000 lb Max Lift Capacity, 2014 US EPA Label, 72 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Tires Usage: 6,026 Hr	628A	<b>2014 Genie GTH-5519 Telehandler</b> S/N: Not Available C/W: Open Operator Station, 19 ft Max Lift Height, 5500 lb Max Lift Capacity, 2014 US EPA Label, 48 in Forks, Manual Coupler, Auxiliary Hydraulic Plumbing, 32-16.5 Tires Usage: 3,313 Hr
617	<b>2012 Genie GTH-1056 Telehandler</b> S/N: GTH101215610 C/W: Open Operator Station, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, 2010 US EPA Label, 72 in Forks, Manual Coupler, Outriggers, Frame Leveling, 14.00-24 Tires Usage: 3,728 Hr	629	<b>2005 Terex TX55-19 Telehandler</b> S/N: 12378 C/W: Open Operator Station, 19 ft 0 in Max Lift Height, 5500 lb Max Lift Capacity, 2005 US EPA Label, 47 in Forks, 12x16.5 Tires Usage: 4,177 Hr
619	<b>2012 JLG 10054 Telehandler</b> S/N: 0160048473 C/W: Open Operator Station, 54 ft Max Lift Height, 10000 lb Max Lift Capacity, 2012 US EPA Label, 60 in Forks, Outriggers, Frame Leveling, Aperture Tires Usage: Not Available	630	<b>Etnyre CT1040 2000 gal on 2001 International 4700 4x2 Asphalt Distributor Truck</b> S/N: 1HTSCAAN41H399405 C/W: International DT466 6 Cylinder Diesel Engine, 2356 Engine hrs, Spicer 5x2 Manual Transmission, 11R22.5, Spring Suspension, 188 in Wheelbase, Double Frame, LPG Burners, Etnyre Pump w/ Wisconsin 4 Cylinder Engine Usage: 24,351 Mi
620	<b>2003 JLG/Gradall G9-43A Telehandler</b> S/N: 0160001790 C/W: Open Operator Station, 43 ft Max Lift Height, 9000 lb Max Lift Capacity, 60 in Forks, Manual Coupler, Frame Leveling, 13.00-24 Aperture Tires Usage: Not Available	632	<b>2013 Carlson CP100 Asphalt Paver</b> S/N: CP2020313 C/W: 8 ft 6 in - 14 ft 6 in Screed, 12 in Triple Grouser Track Shoes Usage: Not Available
621	<b>2015 Genie GTH-844 Telehandler</b> S/N: GTH081520669 C/W: Open Operator Station, 44 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 60 in Forks, Manual Coupler, Frame Leveling, Auxiliary Hydraulic Plumbing, 13.00-24 Tires Usage: 5,807 Hr	633	<b>2002 Blaw-Knox PF-2181 Wheel Asphalt Paver</b> S/N: 21810186 C/W: Dual Controls, Fume Extractor, Blaw-Knox 8 ft - 14 ft Screed Usage: 3,630 Hr
622	<b>2015 Genie GTH-844 Telehandler</b> S/N: GTH081520962 C/W: Open Operator Station, 44 ft Max Lift Height, 8000 lb Max Lift Capacity, 2014 US EPA Label, 60 in Forks, Frame Leveling, Auxiliary Hydraulic Plumbing, 13.00-24 Tires Usage: 2,666 Hr	635	<b>2007 Gomaco Commander III Concrete Paver</b> S/N: 900100825 C/W: 18' Paving Width, 13 Vibrator Circuits, Crawler Mounted, Cat C7 Engine, Engine Block Heater, 18 ft Paving Width, 13 Vibrator Circuits, 12 in Triple Grouser Track Shoes w/Rubber Inserts Usage: 7,035 Hr
624	<b>2012 SkyTrak 8042 Telehandler</b> S/N: 0160045538 C/W: 42 ft Max Lift Height, 8000 lb Max Lift Capacity, 2012 US EPA Label, 72 in Forks, Manual Coupler, Frame Leveling, 15.5-25 Foam Filled Tires Usage: 5,003 Hr	636	<b>Gomaco 2800 Floats</b> S/N: 905200179 Usage: Not Available
626	<b>2015 Gehl RS6-34 Telehandler</b> S/N: RS634DG22775 C/W: Open Operator Station, 35 ft Max Lift Height, 6000 lb Max Lift Capacity, 48 in Forks, Manual Coupler, Frame Leveling, 15-19.5 Tires Usage: 1,183 Hr	640	<b>2014 Prinoth GO-TRACT 3000 Bucket Crawler Carrier</b> S/N: 301104 C/W: Enclosed Cab, Air Conditioner, 15 ft 4 in Body, Insulated Boom Boom, Auxiliary Hydraulics, Two-Man Basket, 41 in Rubber Tracks, Cat C7, Hi-Ranger TM100, Front Bumper Mounted Winch Usage: 2,350 Hr

Lot #	Details	Lot #	Details
642	<b>2007 Prentice 2384 Trailer Mounted Log Loader</b> S/N: PR63038 C/W: Knuckle Boom w/Heel, Catwalks, CTR 426 Delimber Usage: 14,626 Hr	654	<b>2008 Ditch Witch FX30 500 gal Vacuum System</b> S/N: 1DSB122C281702363 C/W: Ball Hitch, Torsion Axle, Remote Control w/ Cord Usage: 1,507 Hr
644	<b>Feed Silo</b> S/N: Not Available Usage: Not Available	655	<b>2006 Vector Technologies 17031 Vacuum System</b> S/N: 1V9PT283161090231 C/W: Spring Suspension, Electric Brakes, Steel Debris Tank, Hydraulic Driven Pump, Blower, 235/85R16 Tires, 2005 US EPA Label, John Deere 6068HF 6 Cylinder 168 kW 6.8 L Diesel Engine Usage: 7,573 Hr
645	<b>2003 Wood/Chuck Chipper Tow-Behind Wood Chipper</b> S/N: 1W9D510133S200156 C/W: Perkins 4 Cylinder Diesel Engine, 14 in Feed Opening, S/A Trailer, Lunette Ring, Electric Brakes Usage: 1,803 Hr	657	<b>2002 Reynolds 18CMX Hydraulic 4 Tire Pull Scraper</b> S/N: 33108 C/W: 20.5R25, Rear Hydraulic Outlets Usage: Not Available
646	<b>2017 Vacstar V800 800 gal S/A Vacuum Excavation Unit</b> S/N: 5E3FT28N6H000011 C/W: Torsion Axle, Steel Debris Tank, Rear Hose Reel, Fresh Water Tank, 215/75R17 Tires, Kubota 3 Cylinder Diesel Engine Usage: 378 Hr	658	<b>2005 Gulf Stream Motor Home</b> S/N: 4UZAADHC55CU52001 C/W: Diesel Engine, Air Conditioner, Allison Automatic Transmission, Clothes Washer & Dryer, 3 Slide Outs, Power Entrance Step, Power Leveling Jacks, Air Ride Suspension Power Awning, Onan 7.5HDKAJ11451A 7.5 kVA Generator Usage: 24,887 Mi
647	<b>2014 Vac-Tron LP533DT T/A Vacuum Excavation Unit</b> S/N: 5HZBF1628ELBE1166 C/W: 12000 lb GVWR, Lunette Ring Hitch, Electric Brakes, Steel Debris Tank, Rear Hose Reel, 6 in Suction Hose, ST235/80R16 Tires, Yanmar 3 Cylinder Diesel Engine Usage: 366 Hr	659	<b>2009 BlueBird All American 4x2 84-Seat School Bus</b> S/N: 1BABNBXA09F263243 C/W: Cummins ISC 8.3 L Diesel 300 hp Engine, 2008 US EPA Label, Allison Automatic Transmission, 11R22.5, Spring Suspension, 272 in Wheelbase Usage: 184,982 Mi
651A	<b>1998 Vac-Tron 500 gal T/A Belh Vacuum Excavation Unit</b> S/N: 16JF01827W1031373 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 225/75/R15 Tires Usage: Not Available	660	<b>2002 International IC 30-Seat School Bus</b> S/N: 1HVBRABN52B943208 C/W: International T444E V8 Diesel 195 hp Engine, Automatic Transmission, 8411 hrs Carrier Engine, 11R22.5, Air Ride Suspension, 220 in Wheelbase Usage: 179,593 Mi
651	<b>2010 Vac-Tron T/A Vacuum Excavation Unit</b> S/N: 5HZBF16260LC01152 C/W: 12000 lb GVWR, Lunette Ring Hitch, Torsion Axle, Electric Brakes, Vac-Tron Steel Debris Tank, Full Open Tailgate, Manual Tailgate Locks, Wash Down System, Vac-Tron Blower, Yanmar 3TNV86 3 Cylinder Diesel Engine Usage: 3,464 Hr	661	<b>2002 International 3800 4x2 27-Seat School Bus</b> S/N: 1HVBBABN72H517425 C/W: International C210 V8 7.3 L Diesel 210 hp Engine, 2001 US EPA Label, Engine Block Heater, Air Conditioner, Automatic Transmission, 18342 hrs Carrier Engine, Wheelchair Lift, 255/70R22.5, International Air Ride Suspension, 218 in Wheelbase Usage: 237,352 Mi
652	<b>2013 Vermeer MC V800LE-HD Vacuum System</b> S/N: Not Available C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Steel Debris Tank, Rear Hose Reel, Fresh Water Tank, 235/75R17.5 Tires, 4 Cylinder Diesel Engine Usage: 1,026 Hr	662	<b>2001 International 3000IC 4x2 66-Seat School Bus</b> S/N: 1HVBRABNX1A912069 C/W: International T444E V8 7.3 L Diesel 195 hp Engine, 2001 US EPA Label, Automatic Transmission, 8063 hrs Carrier Engine, 10R22.5, Spring Suspension, 254 in Wheelbase Usage: 92,899 Mi
653	<b>2013 Vermeer MC V800LE-HD Vacuum System</b> S/N: 1M9FE1227DS284153 C/W: 18000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, Steel Debris Tank, Rear Hose Reel, Fresh Water Tank, 6 in Suction Hose, 215/75R17.5 Tires, 4 Cylinder Diesel Engine Usage: 939 Hr		

Lot #	Details	Lot #	Details
663	<b>2000 International 3800 4x2 72-Seat School Bus</b> S/N: 1HVBBAANXYH321585 C/W: International 6 Cylinder Diesel Engine, Automatic Transmission, 7326 hrs Carrier Engine, 11R22.5, Spring Suspension, 276 in Wheelbase Usage: 154,525 Mi	673	<b>2013 Freightliner Cascadia 132 4x2 Sleeper Van Truck</b> S/N: 1FVAGGDV2DLBZ7893 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, Requires Diesel Exhaust Fluid, Eaton Fuller FOM-16E310C-LAS Automatic Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 274 in Wheelbase, Supreme 26 ft Long x 94 in Wide x 102 in High Body Usage: 757,086 Mi
665	<b>2015 Ford Transit 350 4x2 11-Seat Passenger Van</b> S/N: 1FBZX2ZM5FKA20511 C/W: 3.7 L Gasoline Engine, 2015 US EPA Label, Air Conditioner, Automatic Transmission, 235/65R16, Spring Suspension Usage: 135,989 Mi	674	<b>2019 Hino 268 4x2 Van Truck</b> S/N: 5PVNJ8JV1K4S71575 C/W: 6 Cylinder Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 270 in Wheelbase, Smyrna 25 ft Long x 102 in Wide Body, Liftgate Usage: 154,950 Hr
667	<b>2012 Ford E350 4x2 11-Seat Passenger Van</b> S/N: 1FBSS3BL9CDA99169 C/W: V8 5.4 L Engine, 2012 US EPA Label, Air Conditioner, Automatic Transmission, 245 /75R16, Spring Suspension, 138 in Wheelbase Usage: 264,787 Mi	675A	<b>2012 Hino 268 4x2 Van Truck</b> S/N: 5PVNE8JVXC4S52206 C/W: Hino J08E-VC 469 cid Diesel 220 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, 26 ft Long x 92 in Wide x 101 in High Body, Liftgate Usage: 287,697 Mi
668	<b>2007 Chevrolet Express 3500 4x2 15-Seat Passenger Van</b> S/N: 1GAHG39U271195702 C/W: V8 6.0 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 154 in Wheelbase Usage: 294,328 Mi	676	<b>2015 Peterbilt 337 4x2 Van Truck</b> S/N: 2NP2HJ8X3FM270059 C/W: Paccar PX-9 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 6734 Engine hrs, Eaton Fuller FS08406A 6-Speed Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 4.78:1 Axle Ratio, 35000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 282 in Wheelbase, Morgan 26 ft 5 in Long x 102 in Wide x 108 in High Body Usage: 310,764 Mi
669	<b>2004 Ford E-350 Econoline 4x2 5-Seat Passenger Van</b> S/N: 1FBSS31L44HB42487 C/W: Ecoline V8 Gasoline Engine, Air Conditioner, Automatic Transmission, Wheelchair Lift, 245/75R16, Spring Suspension, 140 in Wheelbase Usage: 275,648 Mi	677	<b>2015 Kenworth T270 4x2 Van Truck</b> S/N: 2NKHHJ6X5FM423690 C/W: Paccar PX-9 6 Cylinder Diesel Engine, 9988 Engine hrs, Engine Brake, Allison Automatic Transmission, 10000 lb Front Axle, 16000 lb Rears, 5.29:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 272 in Wheelbase, Lyncoach 28 ft Long x 102 in Wide x 93 in High Body, Liftgate Usage: 436,065 Mi
670	<b>2009 Ford Econoline E-150 4x2 Passenger Van</b> S/N: 1FTNE14W29DA25418 C/W: Econoline V8 4.6 L Gasoline Engine, 2009 US EPA Label, Air Conditioner, Automatic Transmission, Wheelchair Lift, 225/75R16, Spring Suspension, 139 in Wheelbase, Braun Millennium Series Chair Lift Usage: 366,577 Mi	678	<b>2018 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWFB9JHJP2333 C/W: Detroit DD5 6 Cylinder 5.1 L Diesel 230 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5886 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 270 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: 155,895 Mi
671	<b>1998 International 9800 6x4 COE Sleeper Van Truck</b> S/N: 1HSRUHR8WH558846 C/W: Cummins M11 Diesel Engine, Engine Brake, Eaton Fuller Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, High Rise Sleeper Cab, Bunk Beds, Aluminum Front Wheels, MIXED, Air Ride Suspension, 269 in Wheelbase, Morgan 28 ft Long x 93 in Wide x 91 in High Body, Liftgate Usage: Not Available		
672	<b>2003 Freightliner FL80 6x4 Van Truck</b> S/N: 1FVHBXCS53HJ94764 C/W: Mercedes Benz 6 Cylinder Diesel Engine, Allison 3060P Automatic Transmission, 12000 lb Front Axle, 34000 lb Rears, 5.29:1 Axle Ratio, 46000 lb GVWR, 295/75R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Mickey 26 ft Long x 87 in Wide x 90 in High Body Usage: 361,947 Mi		

Lot #	Details	Lot #	Details
679	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT3GDHK6673 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8618 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.56:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 236 in Wheelbase, Morgan 22 ft Long x 102 in Wide x 92 in High Body, Liftgate Usage: 339,799 Mi	685	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT8EDFU1693 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 220 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 8010 Engine hrs, Allison 2100 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.88:1 Axle Ratio, 26000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 106 in High Body, Liftgate Usage: 285,028 Mi
680	<b>2016 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT6GDGW6288 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 220 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 11612 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 270 in Wheelbase, Morgan 26 ft Long x 102 in Wide x 97 in High Body, Curbside Door, Liftgate Usage: 434,962 Mi	686	<b>2012 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACXBS4CHBR9800 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 270 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 8013 Engine hrs, 6-Speed Manual Transmission, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 254 in Wheelbase, Morgan 24 ft Long x 102 in Wide x 90 in High Body, Liftgate Usage: 229,699 Mi
681	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT4FDGF4389 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel Engine, 10795 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 11R22.5, Spring Suspension, 252 in Wheelbase, Smyrna 25 ft Long x 96 in Wide x 172 in High Body, Liftgate Usage: 510,847 Mi	687	<b>2005 Freightliner M2 106 4x2 Van Truck</b> S/N: 1FVACWDC95HU44977 C/W: Cat C7 6 Cylinder Diesel Engine, 11292 Engine hrs, Automatic Transmission, 8000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Air Ride Suspension, 252 in Wheelbase, Morgan 24 ft Long x 98 in Wide Body Usage: 316,277 Mi
682	<b>2015 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT0FDGL0711 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 9976 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Morgan 24 ft 6 in Long x 102 in Wide x 150 in High Body, Liftgate Usage: 316,594 Mi	689	<b>2020 International MV607 4x2 Van Truck</b> S/N: 3HAEUMM3LL360761 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 3074 Engine hrs, Allison Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 254 in Wheelbase, Smyrna Truck & Cargo 26 ft 2 in Long x 94 in Wide x 101 in High Body, Liftgate Usage: 88,803 Mi
683	<b>2015 Freightliner M2 106 Van Truck</b> S/N: 3ALACWDT7FDGK6297 C/W: Cummins ISB 6 Cylinder Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, 7840 Engine hrs, Eaton Fuller fo-54068-dm Automated Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 255 in Wheelbase, Morgan 24 ft 5 in Long x 102 in Wide x 102 in High Body, Liftgate Usage: 318,329 Mi	690	<b>2018 International 4300 4x2 Van Truck</b> S/N: 1HTMMML5JH539446 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 6624 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 255 in Wheelbase, Mickey 28 ft Long x 98 in Wide x 113 in High Body, Liftgate Usage: 219,777 Mi
684	<b>2014 Freightliner M2 106 4x2 Van Truck</b> S/N: 3ALACWDT1EDFM1468 C/W: Cummins ISB 6.7 L Diesel 240 hp Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 270 in Wheelbase, Morgan 26 ft 6 in Long Body, Liftgate Usage: 242,377 Mi	693A	<b>2012 International 4300 4x2 Van Truck</b> S/N: 3HAMMAAN8CL546294 C/W: 7692 Engine hrs, Automatic Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 255 in Wheelbase, Morgan 24 ft Long x 102 in High Body, Liftgate Usage: 134,314 Mi

Lot #	Details	Lot #	Details
693	<b>2012 International 4300 4x2 Van Truck</b> S/N: 1HTMMAAL5CH675694 C/W: International 6 Cylinder Diesel Engine, 2011 US EPA Label, 10172 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 20000 lb Rears, 25999 lb GVWR, 11R22.5, Air Ride Suspension, 273 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 108 in High Body, Liftgate Usage: 319,750 Mi	705	<b>2017 Chevrolet Express 2500 Cargo Van</b> S/N: 1GCWGAF6H1140096 C/W: V8 6.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension Usage: 153,674 Hr
694	<b>2013 Ford F-750 XL 4x2 Van Truck</b> S/N: 3FRNF7FA9DV035259 C/W: Cummins IBS6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, Automatic Transmission, 1000 lb Front Axle, 21000 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 282 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 102 in High Body, Liftgate Usage: 274,490 Mi	706	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF6H1141670 C/W: V8 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8100 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 134 in Wheelbase, Curbside Door Usage: 159,619 Mi
696A	<b>2013 Chevrolet Express 3500 4x2 Van Truck</b> S/N: 1GB3G4BG5D1121248 C/W: Gasoline Engine, Automatic Transmission, 4300 kg Front Axle, 8600 lb Rears, 12300 lb GVWR, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 178 in Wheelbase, supreme 16 ft 7 in Long x 96 in Wide x 92 in High Body Usage: 214,273 Mi	707	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF1H1142404 C/W: V8 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 134 in Wheelbase, Curbside Door Usage: 162,731 Mi
696	<b>1999 Ford F-800 4x2 Van Truck</b> S/N: 3FENF80C1XMA03114 C/W: Cummins B5.9190 6 Cylinder 5.9 L Diesel 190 hp Engine, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, 295/75R22.5, Spring Suspension, 255 in Wheelbase, Morgan 24 ft Long x 96 in Wide x 90 in High Body, Curbside Door, Liftgate Usage: 278,796 Mi	709	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF0H1141406 C/W: V8 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 134 in Wheelbase, Curbside Door Usage: 160,912 Mi
697	<b>2002 Mack MV300 4x2 COE Van Truck</b> S/N: VG6AF05A82B550490 C/W: 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 206 in Wheelbase, Morgan 24 ft Long x 94 in Wide x 97 in High Body, Liftgate Usage: 138,791 Mi	710	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF5H1140171 C/W: V8 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 134 in Wheelbase, Curbside Door Usage: 156,099 Mi
702	<b>2005 Ford F-350 4x2 Hi Top Cargo Van</b> S/N: 1FTSS34L45HB11667 C/W: V8 5.4 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, 3550 lb Front Axle, 6084 lb Rears, 9400 lb GVWR, 245/75R16, Spring Suspension, 138 in Wheelbase, 11 ft Long x 56 in Wide x 48 in High Body Usage: 74,793 Mi	711	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF4H1141361 C/W: V8 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension, 134 in Wheelbase, Curbside Door Usage: 153,896 Mi
704	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF0H1190847 C/W: V8 4.8 L Gasoline Engine, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16, Spring Suspension, 135 in Wheelbase, GM 10 ft Long x 72 in Wide x 54 in High Body Usage: 231,116 Mi	712	<b>2017 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGAF1H1142581 C/W: 4.8 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension Usage: 155,653 Mi
		713	<b>2014 Chevrolet Express 2500 4x2 Cargo Van</b> S/N: 1GCWGFBAE1115477 C/W: 4.8 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 245/75R16 Front Tires, 245/75R16 Rear Tires, Spring Suspension Usage: 182,117 Mi

Lot #	Details	Lot #	Details
714	<b>2012 GMC Savana G2500 4x2 Cargo Van</b> S/N: 1GTW7FCA0C1183041 C/W: V8 4.8 L Gasoline Engine, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16, Spring Suspension, 134 in Wheelbase, 9 ft 6 in Long x 52 in Wide x 49 in High Body, Curbside Door Usage: 392,287 Mi	721	<b>2011 Hino 338 4x2 Refrigerated Truck</b> S/N: 5PVNV8JT9B4S51867 C/W: Hino J08E-VB 6 Cylinder 469 cid Diesel 260 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 254 in Wheelbase, Carrier 50X Reefer Unit, Mickey 24 ft Long x 86 in Wide x 73 in High Body, Liftgate Usage: 305,434 Mi
715	<b>2010 GMC Savana G2500 4x2 Cargo Van</b> S/N: 1GTZGFBA3A1161143 C/W: V8 4.8 L Gasoline Engine, 2010 US EPA Label, 8043 Engine hrs, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16, Spring Suspension, 137 in Wheelbase, 10 ft Long x 71 in Wide Body Usage: 294,030 Mi	724	<b>1997 International 4900 4x2 Refrigerated Truck</b> S/N: 1HTSDAAP8VH456435 C/W: International DT466 6 Cylinder Ultra Low Sulfur Diesel Engine, Automatic Transmission, Steel wheels, 10R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 206 in Wheelbase, Thermo King CB Reefer Unit, Morgan 18 ft 0 in Long x 96 in Wide x 91 in High Body, Liftgate Usage: 58,766 Mi
716	<b>2008 Ford E-250 4x2 Cargo Van</b> S/N: 1FTNS24L38DA12700 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 3800 lb Front Axle, 5520 lb Rears, 9000 lb GVWR, 225/75R16, Spring Suspension, 138 in Wheelbase, 11 ft Long x 56 in Wide x 50 in High Body Usage: 456,945 Mi	725	<b>2011 Ford E-450 4x2 Refrigerated Truck</b> S/N: 1FDXE4FLXBDA57368 C/W: V8 5.4 L Gasoline Engine, 2011 US EPA Label, 9981.5 Engine hrs, Automatic Transmission, 4600 lb Front Axle, 9600 lb Rears, 14050 lb GVWR, 225/75R16 Front Tires, 215/85R16 Rear Tires, Spring Suspension, 160 in Wheelbase, 12 ft 10 in Long x 86 in Wide x 65 in High Body Usage: 238,939 Mi
718A	<b>2014 Ram Promaster 1500 4x2 Cargo Van</b> S/N: 3C6TRVBG8EE123402 C/W: 6 Cylinder 3.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, 4629 lb Front Axle, 5291 lb Rears, 8550 lb GVWR, 225 /75R16, Spring Suspension, 138 in Wheelbase, 10 ft Long x 72 in Wide Body Usage: 183,419 Mi	726	<b>2010 Ford E-450 4x2 Refrigerated Truck</b> S/N: 1FDXE4FL9ADA84821 C/W: V8 5.4 L Gasoline Engine, 2010 US EPA Label, 5137.8 Engine hrs, Automatic Transmission, 4600 lb Front Axle, 9500 lb Rears, 14050 lb GVWR, 225/75R16, Spring Suspension, 158 in Wheelbase, 12 ft 10 in Long x 86 in Wide x 65 in High Body Usage: 203,785 Mi
718	<b>2016 Ford Transit 150 4x2 Cargo Van</b> S/N: 1FTYE1ZM5GKA75419 C/W: V6 3.7 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5070 lb Rears, 8600 lb GVWR, 235/65R16, Spring Suspension, 130 in Wheelbase, 8 ft 6 in Long x 61 in Wide x 48 in High Body Usage: 178,922 Mi	727	<b>2017 Ford Transit 350HD 4x2 Refrigerated Truck</b> S/N: 1FDLF6PM5HKB21710 C/W: V6 3.7 L Gasoline Engine, 2017 US EPA Label, 5402 Engine hrs, 6-Speed Automatic Transmission, 4130 lb Front Axle, 6500 lb Rears, 9950 lb GVWR, 225/75R16 Front Tires, 195/75R16 Rear Tires, Spring Suspension, 138 in Wheelbase, 10 ft 6 in Long x 90 in Wide x 84 in High Body Usage: 196,014 Mi
719	<b>2013 Chevrolet Express 1500 4x2 Cargo Van</b> S/N: 1GCSGAFX6D1109707 C/W: Gasoline Engine, Automatic Transmission, 265/70R17 Front Tires, 26570R17 Rear Tires, Spring Suspension Usage: 157,655 Mi	728	<b>2019 Isuzu NRR 4x2 COE Refrigerated Truck</b> S/N: JALE5W164K7306124 C/W: Isuzu 4HK1TC Ultra Low Sulfur Diesel 210 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 2442 Engine hrs, Automatic Transmission, 7275 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 176 in Wheelbase, Carrier Reefer Unit, Morgan 18 ft 6 in Long x 96 in Wide x 96 in High Body, Liftgate Usage: 112,027 Mi
720	<b>2006 Volvo VNL 6x4 Refrigerated Truck</b> S/N: 4V5N39GF86N437459 C/W: D12 6 Cylinder 12.1 L Diesel 365 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, 295/75R22.5, Air Ride Suspension, 272 in Wheelbase, Thermo King RD2 SR Reefer Unit, Supreme 26 ft Long x 102 in Wide Body, Liftgate Usage: 1,076,161 Mi		

Lot #	Details	Lot #	Details
729	<b>2001 Ford E-450 Econoline 4x2 Ambulance</b> S/N: 1FDXE45F21HB35581 C/W: Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, Diesel Engine, 225/75R16, Spring Suspension, 155 in Wheelbase, 14 ft Body Usage: 297,080 Mi	739	<b>2009 Dodge Sprinter 2500 4x2 Ambulance</b> S/N: WD0PE7AD795421523 C/W: Automatic Transmission, 3970 lb Front Axle, 5360 lb Rears, 8550 lb GVWR, Mercedes Benz OM642LA V6 Diesel Engine, 2007 US EPA Label, 245/75R16, 142 in Wheelbase, Crestline 11 ft Body Usage: 364,878 Mi
730	<b>1998 Ford E-450 4x2 Ambulance</b> S/N: 1FDXE40F5WHC12202 C/W: Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, Powerstroke V8 7.3 L Diesel Engine, 225/75/16, Spring Suspension, 161 in Wheelbase, Medtec 13 ft 11 in Body Usage: 279,234 Mi	741	<b>2011 International 4300 4x2 Attenuator Truck</b> S/N: 1HTJTSKL8BJ398394 C/W: International MaxxForce 7 Diesel Engine, 5071 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 295/75R22.5, Air Ride Suspension, 194 in Wheelbase, Stake Side Flatbed, Folding Attenuator, Arrow Board, In-Cab Arrow Board Controller, Trinity Highway Products Crash Attenuator Usage: 89,562 Mi
732	<b>2003 Ford Econoline E-350 4x2 Ambulance</b> S/N: 1FDSE35FX3HA44193 C/W: Automatic Transmission, 4600 lb Front Axle, 6048 lb Rears, 9600 lb GVWR, International Powerstroke V8 7.3 L Diesel Engine, 245/75T16, Spring Suspension, 136 in Wheelbase, 12 ft 5 in Body Usage: 469,280 Mi	742	<b>2015 Ford F-650 4x2 Attenuator Truck</b> S/N: 3FRNF6HD5FV699417 C/W: V10 6.8 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 8500 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, Flatbed, Folding Attenuator, In-Cab Attenuator Controller, Arrow Board, In-Cab Arrow Board Controller Usage: 68,080 Mi
733	<b>2003 Ford Econoline E-350 4x2 Ambulance</b> S/N: 1FDSS34F43HA62117 C/W: Automatic Transmission, V8 7.3 L Diesel Engine, 245/75R16, Spring Suspension Usage: 129,063 Mi	743	<b>2015 Kenworth T680 6x4 Cab and Chassis</b> S/N: 1NKYD39X4FJ454780 C/W: Cummins isx12 11.9 L LNG 400 hp Engine, 2014 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 295/75/R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 205 in Wheelbase, 134 in Cab to Axle, Pintle Hitch Usage: 272,551 Mi
734	<b>2002 Ford Econoline E-350 4x2 Ambulance</b> S/N: 1FDSS34FX2HA77350 C/W: 4600 lb Front Axle, 6084 lb Rears, 9400 lb GVWR, Powerstroke V8 7.3 L Diesel Engine, 245/75R16, Spring Suspension, 140 in Wheelbase, 12 ft Body Usage: 336,976 Mi	744	<b>2005 Western Star 4900 6x4 Cab and Chassis</b> S/N: 5KKHALCK55PV04720 C/W: Detroit Series 60 6 Cylinder Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 21500 lb Front Axle, 64880 lb Rears, 74380 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Suspension, 270 in Wheelbase, PTO, 198 in Cab to Axle Usage: 422,800 Mi
735	<b>2002 Ford Econoline E-350 4x2 Ambulance</b> S/N: 1FDSS34F02HA90821 C/W: Automatic Transmission, V8 7.3 L Diesel Engine, 245/75R16, Spring Suspension Usage: 334,563 Mi	746A	<b>1981 Mack RD487S 6x4 Cab and Chassis</b> S/N: 1M2P112C2BA001801 C/W: Mack 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 11R24.5 Front Tires, 11R24.5 Rear Tires, Spring Suspension, 228 in Wheelbase, 149 in Cab to Axle Usage: 768,317 Mi
736	<b>2001 Ford E-350 Econoline 4x2 Ambulance</b> S/N: 1FDSS34F11HB71910 C/W: Automatic Transmission, Diesel Engine, 245/75R16, Spring Suspension, 9 ft 4 in Body Usage: 371,141 Mi		
737	<b>2000 Ford E-350 Econoline 4x2 Ambulance</b> S/N: 1FDSS34F2YHB93439 C/W: Automatic Transmission, 4600 lb Front Axle, 6084 lb Rears, 9400 lb GVWR, Powerstroke V8 7.3 L Diesel Engine, Engine Block Heater, 245/75R16, Spring Suspension, 136 in Wheelbase, 12 ft Body Usage: 342,707 Mi		
738	<b>1997 Ford E-350 4x2 Ambulance</b> S/N: 1FDJS34FXVHA60001 C/W: Automatic Transmission, Powerstroke V8 7.3 L Diesel Engine, 1997 US EPA Label, 245/75/16, Spring Suspension, 139 in Wheelbase, 12 ft Body Usage: 331,412 Hr		

Lot #	Details	Lot #	Details
746	<b>2001 Mack RD690S 6x4 Cab and Chassis</b> S/N: 1M2P264C91M032161 C/W: Mack EM7 728 cid Diesel 300 hp Engine, 2000 US EPA Label, 563 Engine hrs, Allison Automatic Transmission, 11R22.5, Camelback Suspension, 234 in Wheelbase, PTO, Double Frame, 158 in Cab to Axle Usage: 373,337 Mi	752A	<b>2007 Ford F-650 4x2 Cab and Chassis</b> S/N: 3FRNF65F97V424897 C/W: Cummins 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 8500 lb Front Axle, 17500 lb Rears, 26000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Spring Suspension, 192 in Wheelbase, 121 in Cab to Axle Usage: 207,415 Mi
747A	<b>2013 International 4400 4x2 Cab and Chassis</b> S/N: 1HTMKAAN6DH297121 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 270 hp Engine, 2012 US EPA Label, 5058 Engine hrs, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 254 in Wheelbase, 189 in Cab to Axle Usage: 182,326 Mi	752	<b>2015 Ford F-750 Cab and Chassis</b> S/N: 3FRNF7FC6FV688913 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 18066 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 295 /75R22.5, Spring Suspension, 260 in Wheelbase, 186 in Cab to Axle Usage: 426,838 Mi
747	<b>2014 International 4400 4x2 Cab and Chassis</b> S/N: 3HAMKAAN1EL766286 C/W: International MaxxForce DT 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 300 hp Engine, 2013 US EPA Label, 4910 Engine hrs, Allison 3000 Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.29:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 188 in Wheelbase, 120 in Cab to Axle Usage: 125,093 Mi	753	<b>2014 Ford F-550 XL 4x2 Cab and Chassis</b> S/N: 1FDUF5GT1EEB66658 C/W: V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 83 in Cab to Axle Usage: 290,811 Mi
749	<b>2011 International 4300 4x2 Cab and Chassis</b> S/N: 1HTMMAAL7BH322503 C/W: International MaxxForce DT 6 Cylinder 7.6 L Diesel 225 hp Engine, 2009 US EPA Label, 13232 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 254 in Wheelbase, 188 in Cab to Axle Usage: 404,091 Mi	756	<b>2015 Ford F-450 XL 4x2 Cab and Chassis</b> S/N: 1FDUF4GT8FEB87423 C/W: Power Stroke V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225 /70R19.5, Spring Suspension, 165 in Wheelbase, 83 in Cab to Axle Usage: 201,671 Mi
750	<b>2009 International 4300 Dura Star 4x2 Cab and Chassis</b> S/N: 1HTMMAAN99H072418 C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/80R22.5 Front Tires, 12R22.5 Rear Tires, Spring Suspension, 190 in Wheelbase, 118 in Cab to Axle Usage: 115,457 Mi	757	<b>2014 Ford F-450 XL 4x2 Cab and Chassis</b> S/N: 1FDUF4GT8EEB86299 C/W: V8 6.7 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, 83 in Cab to Axle Usage: 226,674 Mi
751	<b>2008 International 4300 Deluxe 4x2 Cab and Chassis</b> S/N: 1HTMMAAL58H539265 C/W: International DT466 6 Cylinder 7.6 L Diesel 225 hp Engine, 2006 US EPA Label, Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, 295/75R22.5, Spring Suspension, 206 in Wheelbase, 138 in Cab to Axle Usage: 183,829 Mi	758	<b>2016 Ram 4500 SLT 4x2 Cab and Chassis</b> S/N: 3C7WRKBL9GG320011 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 325 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, Aluminum Outer Wheels, 225/70R19.5, 168 in Wheelbase, 84 in Cab to Axle, Compressible Liquid Adaptive Suspension System Usage: 132,594 Mi
		759	<b>2014 Ram 4500 4x2 Cab and Chassis</b> S/N: 3C7WRKBLOEG127789 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Air Ride Suspension, 170 in Wheelbase, 84 in Cab to Axle Usage: 168,944 Mi



Lot #	Details	Lot #	Details
760	<b>2012 Ram 4500 SLT 4x2 Cab and Chassis</b> S/N: 3C7WDKCL2CG170430 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 305 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 17900 Engine hrs, Exhaust Brake, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225 /70R19.5, Air Ride Suspension, 192 in Wheelbase, 108 in Cab to Axle Usage: 208,296 Mi	768	<b>2001 Peterbilt 357 6x4 Flatbed Dump Truck</b> S/N: 1NPALT0X31D555294 C/W: Cat C10 6 Cylinder Diesel 350 hp Engine, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 18540 lb Front Axle, 40000 lb Rears, 58540 lb GVWR, Air Ride Cab, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Suspension, 285 in Wheelbase, PTO, Double Frame, Dowell 24 ft Long Steel Body Usage: 537,162 Mi
761	<b>2005 Chevrolet C4500 4x2 Cab and Chassis</b> S/N: 1GBC4C1255F513983 C/W: Duramax V8 6.6 L Diesel Engine, Automatic Transmission, 6250 lb Front Axle, 11000 lb Rears, 16000 lb GVWR, 245/70R19.5, Spring Suspension, 176 in Wheelbase, 108 in Cab to Axle Usage: 243,772 Mi	769	<b>1997 Peterbilt 357 6x4 Flatbed Dump Truck</b> S/N: 1NPALT0X2VD411709 C/W: Cat C10 6 Cylinder 10.3 L Diesel Engine, 1996 US EPA Label, Eaton Fuller 8LL Manual Transmission, 18100 lb Front Axle, 40000 lb Rears, 58100 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson RT/RTE Series Spring Suspension, 284 in Wheelbase, PTO, Double Frame, 24 ft Long x 0 ft High Steel Body, Flat Bed, Cat C10 350 HP 9LL Fuller Transmission 18k lbs Front Axle 44k LBS Hendrickson Spring Double Frame 285' Wheelbase 21FT Flatbed Usage: 90,466 Mi
762	<b>2017 Ford F-350 XL 4x4 Cab and Chassis</b> S/N: 1FDRF3HT3HED25208 C/W: V8 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5990 lb Front Axle, 10040 lb Rears, 14000 lb GVWR, 245/75R17, Spring Suspension, 169 in Wheelbase, 86 in Cab to Axle Usage: 150,065 Mi	771	<b>2013 International 4300 4x2 Flatbed Dump Truck</b> S/N: 1HTMMAAN4DH252513 C/W: International MaxxForce 6 Cylinder Diesel Engine, 7233 Engine hrs, Automatic Transmission, 11000 lb Front Axle, 21000 lb Rears, 295/75R22.5, Air Ride Suspension, 224 in Wheelbase, PTO, 20 ft Long Steel Body, Flat Bed Usage: 151,615 Mi
763	<b>2015 Chevrolet 3500HD 4x2 Cab and Chassis</b> S/N: 1GB3CZC81FF140238 C/W: General Motors Duramax V8 6.6 L Diesel Engine, Requires Diesel Exhaust Fluid, 7921 Engine hrs, Exhaust Brake, Allison Automatic Transmission, 5600 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Air Ride Suspension, 164 in Wheelbase, 84 in Cab to Axle Usage: 125,772 Mi	772	<b>2005 International 4300 4x2 Flatbed Dump Truck</b> S/N: 1HTMMAAN55H692564 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 4216 Engine hrs, Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 200 in Wheelbase, PTO, 15 ft 4 in Long x 0 ft High Steel Body, Flat Bed, Pintle Hitch Usage: 117,968 Mi
764	<b>2015 Chevrolet 2500HD 4x2 Crew Cab Cab and Chassis</b> S/N: 1GB4CYCG1FF184763 C/W: V8 Gasoline Engine, 6-Speed Automatic Transmission, 4400 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 245/75R17, Spring Suspension, 174 in Wheelbase, 58 in Cab to Axle Usage: 244,272 Mi	775	<b>Auto Crane 10006H 10000 lb Straight Boom on 2011 International 4300M7 DuraStar 4x2 Flatbed Truck with Crane</b> S/N: 1HTJTSKL6BH339366 C/W: International MaxxForce 7 V8 Diesel Engine, 6988 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 256 in Wheelbase, PTO, Rear Mounted, 11 ft 11 in - 24 ft 11 in 3 Section Boom, Straight Down Outriggers, 20 ft x 102 in Bed Usage: 140,267 Mi
766	<b>2010 Isuzu NPR 4x2 COE Cab and Chassis</b> S/N: JALE5W160A7301825 C/W: 4 Cylinder Diesel Engine, Automatic Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 133 in Wheelbase, 114 in Cab to Axle Usage: 318,821 Mi		
767	<b>2010 Isuzu NPR 4x2 COE Cab and Chassis</b> S/N: JALE5W169A7301208 C/W: 4 Cylinder Ultra Low Sulfur Diesel Engine, 9209.9 Engine hrs, Automatic Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 134 in Wheelbase, 120 in Cab to Axle Usage: 266,859 Mi		

Lot #	Details	Lot #	Details
776	<b>2014 Freightliner M2 106 Business Class 4x2 Flatbed Truck</b> S/N: 1FVACXC5EHFN0266 C/W: Cummins ISL 6 Cylinder 9 L Ultra Low Sulfur Diesel 270 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6084 Engine hrs, Eaton Fuller FRO11210C 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, Meritor MS21-14X Drive Axles, 4.63:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 272 in Wheelbase, 26 ft 0 in x 100 in Bed Usage: 269,195 Mi	783A	<b>2020 Ford F-550 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD0W5HT0LED87727 C/W: Power Stroke V8 6.7 L Diesel Engine, 2020 US EPA Label, Requires Diesel Exhaust Fluid, Positive Air Shutoff, 1458 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, steel, 225 /70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 203 in Wheelbase, PTO, Reel Loader Usage: 35,250 Mi
777	<b>2010 Hino 268 4x2 Flatbed Truck</b> S/N: 5PVNJ8JV7A4S52205 C/W: Hino J08E-TV 6 Cylinder 7.7 L Diesel 220 hp Engine, 2009 US EPA Label, Eaton Fuller Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, Steel wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 180 in Wheelbase, PTO, 17 ft 10 in x 96 in Bed, Ball hitch Usage: 185,490 Mi	783	<b>2019 Ram 5500 Tradesman 4x4 Crew Cab Flatbed Truck</b> S/N: 3C7WRNFL3KG705715 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 2617 Engine hrs, Exhaust Brake, Automatic Transmission, 7250 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 194 in Wheelbase, 11 ft x 93 in Bed, Fuel Tank /w Pump Usage: 54,635 Mi
778	<b>2010 International 4300 4x2 Crew Cab Flatbed Truck</b> S/N: 1HTMMAAL4AH217979 C/W: International MaxxForce DT 6 Cylinder Diesel Engine, 8960 Engine hrs, Allison Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 262 in Wheelbase, PTO, 20 ft x 102 in Bed Usage: 233,241 Mi	784	<b>2019 Ford F-550 4x4 Crew Cab Flatbed Truck</b> S/N: 1FD0W5HTXKEC30348 C/W: Power Stroke 6.7 V8 Diesel Engine, 2019 US EPA Label, Requires AdBlue, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 203 in Wheelbase, 12 ft 4 in x 92 in Bed Usage: 63,346 Mi
779	<b>2006 International 4300 4x2 Flatbed Truck</b> S/N: 1HTMMAAN66H185481 C/W: International DT466 6 Cylinder 7.6 L Diesel 245 hp Engine, 2005 US EPA Label, 2611 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 236 in Wheelbase, 22 ft x 96 in Bed, Jetstream 4200 Waterjet Unit Usage: 34,777 Mi	785	<b>2017 Ford F-550 XL 4x4 Flatbed Truck</b> S/N: 1FDUF5HY2HEC23447 C/W: V10 6.8 L Gasoline Engine, Automatic Transmission, 5600 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 169 in Wheelbase, 12 ft x 92 in Bed, Liftgate Usage: 34,619 Mi
781	<b>2013 Ford F-750 XLT 4x2 Crew Cab Flatbed Truck</b> S/N: 3FRNW7FC5DV024857 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 7037 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 260 in Wheelbase, 18 ft x 102 in Bed, Hitch Receiver Usage: 31,015 Hr	786	<b>2015 Ford F-550 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD0W5GT6FEA99393 C/W: Power Stroke V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225 /70R19.5, Spring Suspension, 200 in Wheelbase, 11 ft 4 in x 94 in Bed, Pintle Hitch Usage: 200,290 Mi
782	<b>2005 Sterling Acetera 4x2 Flatbed Truck</b> S/N: 2FZACGDC25AP01176 C/W: Cat C7 6 Cylinder 250 hp Engine, 2004 US EPA Label, 8050 Engine hrs, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 255 in Wheelbase, 25 ft 6 in x 102 in Bed, Liftgate Usage: 157,760 Hr	787	<b>2013 Ford F-550 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD0W5GT6DEB35774 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 179 in Wheelbase, 9 ft 4 in x 94 in Bed Usage: 153,820 Mi

Lot #	Details	Lot #	Details
790D	<b>2015 Ford F-450 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD0W4GTXFEA84390 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 6500 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 11 ft x 96 in Bed Usage: 86,455 Mi	794	<b>2018 Ram 3500 4x4 Flatbed Truck</b> S/N: 3C7WRTAL7JG346332 C/W: Cummins 6 Cylinder 6.7 L Diesel 325 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, Automatic Transmission, 6000 lb Front Axle, 9850 lb Rears, 14000 lb GVWR, 235/80R17, Spring Suspension, 145 in Wheelbase, 9 ft x 96 in Bed, Winch Usage: 50,398 Mi
790B	<b>2015 Ford F-450 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD0W4GT0FEB57069 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 5566 Engine hrs, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 198 in Wheelbase, 11 ft 4 in x 98 in Bed, Pintle Hitch Usage: 125,982 Mi	796	<b>2015 Ford F-350 4x2 Flatbed Truck</b> S/N: 1FDRF3GT7FEA02696 C/W: V8 6.7 L Ultra Low Sulfur Diesel 300 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 9094 Engine hrs, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75R17 Front Tires, 245/75R17 Rear Tires, Spring Suspension, 141 in Wheelbase, 9 ft 9 in x 94 in Bed Usage: 195,744 Hr
790A	<b>2016 Ford F-450 4x4 Extended Cab Flatbed Truck</b> S/N: 1FD0X4HT2GED48313 C/W: V8 6.7 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 186 in Wheelbase, 11 ft 4 in x 93 in Bed Usage: 176,575 Mi	797	<b>2013 Chevrolet 3500 HD 4x4 Flatbed Truck</b> S/N: 1GB3KZCG1DF161498 C/W: GM V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 235/80R17 Front Tires, 235/80R17 Rear Tires, Spring Suspension, 162 in Wheelbase, 12 ft 4 in x 92 in Bed Usage: 237,552 Mi
790	<b>2006 Chevrolet C4500 4x4 Flatbed Truck</b> S/N: 1GBE4C3266F416881 C/W: V8 Diesel Engine, Automatic Transmission, 245/70R19.5, Spring Suspension, 152 in Wheelbase, 11 ft 9 in x 96 in Bed, Ball Hitch Usage: 186,895 Mi	798A	<b>2012 Ford F-350 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD8W3GTXCEA11528 C/W: V8 6.7 L Diesel Engine, 2012 US EPA Label, 10452 Engine hrs, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 13300 lb GVWR, 245/75R17, Spring Suspension, 176 in Wheelbase, 9 ft 4 in x 94 in Bed Usage: 155,412 Mi
791A	<b>2012 Dodge Ram 4500 4x2 Crew Cab Flatbed Truck</b> S/N: 3C7WDKFL4CG158727 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, 7339 Engine hrs, Automatic Transmission, 225/70R19.5, Spring Suspension, 10 ft 10 in x 93 in Bed Usage: 142,885 Mi	798	<b>2013 Chevrolet 3500 HD 4x2 Flatbed Truck</b> S/N: 1GB3CZCG6DF172168 C/W: V8 6.0 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 160 in Wheelbase, Double Frame, 12 ft 0 in x 90 in Bed, w" receiver Usage: 140,318 Mi
791	<b>2013 Ford F-450 XL 4x2 Flatbed Truck</b> S/N: 1FDUF4GTXDEB59166 C/W: V8 6.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 12041 Engine hrs, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, 11 ft 6 in x 96 in Bed Usage: 231,730 Mi	800C	<b>2013 Ram 3500 4x2 Crew Cab Flatbed Truck</b> S/N: 3C7WRSC6DG545318 C/W: Cummins V8 6.7 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 5500 lb Front Axle, 9350 lb Rears, 13000 lb GVWR, 235/80R17 Front Tires, 235/80R17 Rear Tires, Spring Suspension, 172 in Wheelbase, 9 ft x 90 in Bed Usage: 297,486 Mi
793	<b>2019 Ram 3500 4x4 Crew Cab Flatbed Truck</b> S/N: 3C7WRTCL3KG600763 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2019 US EPA Label, Exhaust Brake, Automatic Transmission, 6000 lb Front Axle, 9850 lb Rears, 14000 lb GVWR, 265/70R17, Spring Suspension, 173 in Wheelbase, 9 ft x 84 in Bed, Winch, Fuel Tank /w Pump, Receiver Hitch Usage: 88,172 Mi	800B	<b>2013 Ram 3500 4x2 Crew Cab Flatbed Truck</b> S/N: 3C7WRSC8DG575291 C/W: 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 5500 lb Front Axle, 9350 lb Rears, 13000 lb GVWR, 235/80R17, Spring Suspension, 172 in Wheelbase, 9 ft 4 in x 96 in Bed, Pintle Hitch Usage: 135,526 Mi

Lot #	Details	Lot #	Details
800A	<b>2012 Dodge Ram 3500 4x2 Crew Cab Flatbed Truck</b> S/N: 3C7WDSCL7CG264996 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Exhaust Brake, Automatic Transmission, 5500 lb Front Axle, 9350 lb Rears, 13000 lb GVWR, 245/75R17, Spring Suspension, 174 in Wheelbase, 9 ft 4 in x 93 in Bed, Pintle Hitch Usage: 120,149 Mi	809	<b>2004 Chevrolet 3500 4x2 Flatbed Truck</b> S/N: 1GBJC34U44E342297 C/W: V8 6.0 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission, 215/85R16, Spring Suspension, 162 in Wheelbase, 12 ft x 96 in Bed Usage: Not Available
800	<b>2012 Ford F-350 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FD8W3GTXCEA66612 C/W: Power Stroke V8 6.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 13300 lb GVWR, 245 /75R17, Spring Suspension, 176 in Wheelbase, 9 ft 4 in x 94 in Bed Usage: 114,062 Hr	812A	<b>2015 Chevrolet 2500HD 4x2 Crew Cab Flatbed Truck</b> S/N: 1GB4CYC87FF155096 C/W: V8 6.6 L Diesel Engine, 2015 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 245 /75R17, Spring Suspension, 172 in Wheelbase, 9 ft 4 in x 93 in Bed Usage: 105,492 Mi
801	<b>2011 Dodge 3500 4x4 Flatbed Truck</b> S/N: 3D73Y4EL1BG514900 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, 2014 US EPA Label, 5171 Engine hrs, Exhaust Brake, Automatic Transmission, 5500 lb Front Axle, 9350 lb Rears, 12200 lb GVWR, 265 /70R17, Spring Suspension, 142 in Wheelbase, 8 ft 6 in x 96 in Bed Usage: 197,836 Mi	812	<b>1996 Chevrolet 3500 4x2 Crew Cab Flatbed Truck</b> S/N: 1GCHC33J0TF018256 C/W: V8 Gasoline Engine, Automatic Transmission, 4100 lb Front Axle, 7500 lb Rears, 10000 lb GVWR, 235/85R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 165 in Wheelbase, 8 ft 11 in x 81 in Bed, 2" receiver Usage: 99,782 Mi
802	<b>2011 Chevrolet 3500 HD 4x2 Flatbed Truck</b> S/N: 1GB3CZCL1BF220475 C/W: V8 6.6 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 4800 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 140 in Wheelbase, 9 ft 4 in x 98 in Bed Usage: 232,207 Mi	813	<b>2013 Ford F-250 XL 4x2 Extended Cab Flatbed Truck</b> S/N: 1FT7X2A6XDEB27419 C/W: V8 Gasoline Engine, Automatic Transmission, 245/75R17, Spring Suspension, 160 in Wheelbase, 8 ft 6 in x 80 in Bed Usage: 141,927 Mi
806	<b>2008 Ford F-350 XL 4x2 Crew Cab Flatbed Truck</b> S/N: 1FDWW36Y98EC88456 C/W: V10 6.8 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, 4700 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, 245 /75R17, Spring Suspension, 178 in Wheelbase, 9 ft x 96 in Bed Usage: 107,792 Mi	814	<b>2013 GMC 2500 HD 4x4 Crew Cab Flatbed Truck</b> S/N: 1GT12ZCG8DF232750 C/W: V8 Gasoline Engine, Automatic Transmission, 4800 lb Front Axle, 6200 lb Rears, 9900 lb GVWR, 265/70R17, Spring Suspension, 168 in Wheelbase, 8 ft 6 in x 82 in Bed Usage: 173,693 Mi
807	<b>2006 Ford F-350 XL 4x4 Crew Cab Flatbed Truck</b> S/N: 1FDWW37P46EB39701 C/W: V8 6.0 L Diesel Engine, 2006 US EPA Label, Automatic Transmission, 5600 lb Front Axle, 9750 lb Rears, 13000 lb GVWR, 245 /75R17, Spring Suspension, 178 in Wheelbase, 9 ft 0 in x 91 in Bed Usage: 106,809 Mi	815	<b>2012 Chevrolet Silverado 2500HD 4x2 Crew Cab Flatbed Truck</b> S/N: 1GC1CVCG5CF238915 C/W: Chevy Vortec V8 Gasoline Engine, Automatic Transmission, 4400 lb Front Axle, 6200 lb Rears, 9500 lb GVWR, 245/75R17 Front Tires, 245/75R17 Rear Tires, Spring Suspension, 9 ft x 96 in Bed, Ball hitch Usage: 188,431 Mi
808	<b>2006 Dodge Ram 3500 4x4 Crew Cab Flatbed Truck</b> S/N: 3D7MX48C46G114631 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 5200 lb Front Axle, 9350 lb Rears, 12200 lb GVWR, 235/80R17, Spring Suspension, 8 ft 4 in x 96 in Bed Usage: 239,508 Mi	816A	<b>2008 Isuzu NPR 4x2 Flatbed Truck</b> S/N: JALE5W16887302117 C/W: 4 Cylinder Diesel Engine, Automatic Transmission, 6830 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 175 in Wheelbase, 18 ft x 92 in Bed, Liftgate Usage: 266,423 Hr

Lot #	Details	Lot #	Details
816	<b>2009 Isuzu FVR 4x2 Flatbed Truck</b> S/N: 4GTJ7F1B99F700224 C/W: Isuzu 475 cid Ultra Low Sulfur Diesel 260 hp Engine, 2008 US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 19000 lb Rears, 25950 lb GVWR, 11R22.5, Spring Suspension, 225 in Wheelbase, 25 ft x 91 in Bed, Liftgate Usage: 279,771 Mi	825	<b>2007 Altec DM47TR on 2007 Peterbilt 335 4x2 Digger Derrick Truck</b> S/N: 2NPLHZ7X47M687812 C/W: Cummins ISC 260 8.3 L Diesel 260 hp Engine, 2006 US EPA Label, 3102 Engine hrs, Eaton Fuller FSO8406A Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.29:1 Axle Ratio, 33000 lb GVWR, 11R22.5, Rayco Spring Suspension, 192 in Wheelbase, PTO, 47 ft Sheave Height, Rear Mounted, 37 ft Reach, Insulated Upper Boom, 24 in Auger, Pole Guide, Turret Mounted Winch, Altec 11 ft 6 in Body, Out and Down Outriggers, Bumper Mounted Winch Usage: 111,697 Mi
817	<b>2006 Mack CV713 6x4 Roll-Off Truck</b> S/N: 1M2AG11C46M036575 C/W: Mack 6 Cylinder Ultra Low Sulfur Diesel Engine, 22198.7 Engine hrs, 8LL Manual Transmission, Mack Drive Axles, Air Ride Cab, Aluminum Front Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Spring Suspension, 268 in Wheelbase, PTO, Double Frame Usage: 365,967 Mi	826	<b>2016 Terex C4047 on 2017 Freightliner M2 106 4x4 Digger Derrick Truck</b> S/N: 1FVDCXDTXHHHW4349 C/W: Cummins 6 Cylinder Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 3196 Engine hrs, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Air Ride Cab, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 190 in Wheelbase, PTO, 47 ft Sheave Height, Rear Mounted, 35 ft Reach, 18 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, Altec 16 ft Body, A-Outriggers, Rear Outriggers, Bumper Mounted Winch Usage: 42,449 Mi
818	<b>2000 Mack CH612 6x4 Roll-Off Truck</b> S/N: 1M1AA08X1YW019846 C/W: Mack 6 Cylinder Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 2000 lb Rears, 32000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 385 /65R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 246 in Wheelbase, PTO, Double Frame, Other: 2007 Galbreath U5-OR-174 Roll-Off Body, 22 ft Hoist Usage: 373,359 Mi	827	<b>Terex C4047 on 2014 Freightliner M2 106 4x2 Digger Derrick Truck</b> S/N: 3ALACXCXEDFR4978 C/W: Cummins ISL 6 Cylinder Ultra Low Sulfur Diesel 260 hp Engine, Requires Diesel Exhaust Fluid, 59 Engine hrs, Allison 3500RDS 5-Speed Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 5.57:1 Axle Ratio, 33000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, 23680 lb Capacity, Rear Mounted, 47 ft Reach, 18 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, B&G 15 ft Body, A-Outriggers, Rear Outriggers Usage: 48,427 Mi
819	<b>1999 Peterbilt 385 6x4 Rollback Truck</b> S/N: 1XPGD99X5XD496129 C/W: Cummins 6 Cylinder 10.8 L Diesel 370 hp Engine, 1998 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, MIXED Rear Tires, Air Leaf Air Ride Suspension, 250 in Wheelbase, PTO, Jerr-Dan, 24 ft x 95 in Bed, Braden AHU7-14 Winch, Ball Usage: 644,994 Mi	828	<b>2012 Altec DM47 TR on 2013 International 4300 4x2 Digger Derrick Truck</b> S/N: 3HAMMAAN0DL102585 C/W: International 6 Cylinder Diesel Engine, 6162 Engine hrs, Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, 550 lb Capacity, Rear Mounted, Insulated Upper Boom, 24 in Auger, Pole Guide, Turret Mounted Winch, Altec 15 ft Body, A-Outriggers, Rear Outriggers, Bumper Mounted Winch Usage: 73,810 Mi
822	<b>2010 GMC 3500HD 4x2 Crew Cab Tow Truck</b> S/N: 1GT7C4B67AF114610 C/W: V8 Diesel Engine, Automatic Transmission, 4800 lb Front Axle, 8200 lb Rears, 11400 lb GVWR, 245/75R17, Spring Suspension, 168 in Wheelbase, Dynamic Towing Equipment 701BSW Wrecker Body Usage: 172,861 Mi		
823	<b>2007 Dodge Ram 3500 4x4 Tow Truck</b> S/N: 3D7MX46C77G763411 C/W: Cummins ISB 6 Cylinder 5.9 L Diesel 325 hp Engine, 2006 US EPA Label, Automatic Transmission, 5200 lb Front Axle, 9350 lb Rears, 12200 lb GVWR, 245/75R17, Spring Suspension, 140 in Wheelbase, Steel Wrecker Body Usage: 310,954 Mi		

Lot #	Details	Lot #	Details
829	<p><b>2012 Terex C4047 on 2012 International 4300 4x2 Digger Derrick Truck</b>            S/N: 3HAMMAAN3CL439380            C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 11R22.5, Air Assist Front Suspension, Spring Suspension, 186 in Wheelbase, Rear Mounted, 14 in Auger, 15 ft 6 in Body, A-Outriggers, Rear Outriggers            Usage: 96,996 Hr</p>	836	<p><b>2006 Altec AM900-E100 99 ft on 2007 International 7400 6x4 Bucket Truck</b>            S/N: 3HTWGAAT17N422531            C/W: International DT466 6 Cylinder 7.6 L Diesel 260 hp Engine, 2006 US EPA Label, 7429 Engine hrs, Spicer 7-Speed Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, 315/80R22.5, Dual Steering Boxes, Hendrickson RT/RTE Series Walking Beam Suspension, 238 in Wheelbase, PTO, Front Mounted, Insulated Two-Person Articulated Boom, Utility Body, Out and Down Outriggers, 18 m x 96 in Bed            Usage: 51,317 Mi</p>
830	<p><b>2005 Altec DM47TR on 2007 International 4300 4x2 Digger Derrick Truck</b>            S/N: 1HTMMAAN17H347325            C/W: International DT466 6 Cylinder 7.6 L 225 hp Engine, 2006 US EPA Label, Allison Automatic Transmission, 13000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 190 in Wheelbase, PTO, 35 ft Sheave Height, 23790 lb Capacity, Rear Mounted, 18 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, Altec 11 ft 10 in Body, Out and Down Outriggers            Usage: Not Available</p>	837	<p><b>2016 Altec AM55 55 ft on 2017 Freightliner M2 106 4x2 Bucket Truck</b>            S/N: 1FVACXDT6HHHW2715            C/W: Cummins ISB6.7 250 6 Cylinder 6.7 L Ultra Low Sulfur Diesel 250 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 4603 Engine hrs, Allison Automatic Transmission, 13220 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 193 in Wheelbase, PTO, 600 lb Capacity, Rear Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, 16 ft x 94 in Bed            Usage: 47,638 Hr</p>
832	<p><b>Terex C4047 on 2007 Ford F 750 XL 4x2 Digger Derrick Truck</b>            S/N: 3FRXF75S77V511760            C/W: Cat C7 Acert 6 Cylinder 7.2 L Diesel Engine, 2006 US EPA Label, 6336 Engine hrs, 7-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 182 in Wheelbase, PTO, 23250 lb Capacity, Rear Mounted, 47 ft Reach, 18 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, Utility Fleet 14 ft Body, A-Outriggers, Rear Outriggers, Bumper Mounted Winch            Usage: 117,328 Mi</p>	838	<p><b>2014 Altec L42M 42 ft on 2015 Freightliner M2 106 4x2 Bucket Truck</b>            S/N: 1FVACWUDU7FHGA6789            C/W: Cummins ISB 6 Cylinder 6.7 L 250 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5192 Engine hrs, Allison 2500 Automatic Transmission, 10000 lb Front Axle, 19000 lb Rears, 5.57:1 Axle Ratio, 26000 lb GVWR, 11R22.5, Spring Suspension, 160 in Wheelbase, PTO, Center Mounted, One-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, 11 ft 4 in x 94 in Bed, Pintle Hitch            Usage: 86,942 Mi</p>
833	<p><b>Altec AM900-E100 99 ft on 2014 International 7400 6x4 Bucket Truck</b>            S/N: 1HTWGAAT9EH766793            C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 20000 lb Front Axle, 40000 lb Rears, 60000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson, 265 in Wheelbase, Rear Mounted, One-Person Boom, Utility Body, Out and Down Outriggers, Rear Outriggers, 23 ft 5 in x 93 in Bed            Usage: 34,283 Mi</p>	839	<p><b>2012 Altec AM55 55 ft on 2013 Kenworth T370 4x2 Bucket Truck</b>            S/N: 2NKHMM7X2DM369570            C/W: Paccar ISB 6 Cylinder 6.7 L Diesel 260 hp Engine, 2012 US EPA Label, 7701 Engine hrs, Engine Brake, Automatic Transmission, Differential Lock, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 180 in Wheelbase, PTO, Hydraulic System, 600 lb Capacity, Rear Mounted, Two-Person Articulated Boom, Utility Body, A-Outriggers, Rear Outriggers, 13 ft x 96 in Bed, Pintle Hitch            Usage: 77,129 Mi</p>
834	<p><b>Altec A77-TE93 93 ft on 2014 International 7400 6x4 Bucket Truck</b>            S/N: 1HTWJAAT7EH475923            C/W: Maxxforce 6 Cylinder Diesel Engine, 3666 Engine hrs, Allison Automatic Transmission, Differential Lock, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, Air Ride Cab, 385 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Suspension, 262 in Wheelbase, PTO, Double Frame, 800 lb Capacity, Front Mounted, Insulated One-Person Articulated Boom, Flatbed, Boom Tip Mounted Winch, X-Type Outriggers, Rear Outriggers, Pintle Hitch            Usage: 47,003 Mi</p>		

Lot #	Details	Lot #	Details
841	<b>Terex Hi-Ranger 5TC55 55 ft on 2006 International 4300 4x2 Bucket Truck</b> S/N: 1HTMMAAN56H252541 C/W: International DT466 6 Cylinder 7.6 L Ultra Low Sulfur Diesel 245 hp Engine, 2005 US EPA Label, Automatic Transmission, 11R22.5, Spring Suspension, 186 in Wheelbase, PTO, Rear Mounted, Two-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, 16 ft 6 in x 94 in Bed, Pintle Hitch Usage: 143,449 Mi	848	<b>Altec L37MR 37 ft on 2006 Chevrolet C5500 4x2 Bucket Truck</b> S/N: 1GBE5C1286F414839 C/W: Duramax V8 6.6 L Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 132 in Wheelbase, Center Mounted, One-Person Boom, Lower Boom Fiberglass Insert, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers, 11 ft x 94 in Bed Usage: Not Available
842	<b>2013 ETI ETC37IH 37 ft on 2013 Ford F-550 4x2 Bucket Truck</b> S/N: 1FDUF5GT0DEB25548 C/W: Power Stroke V8 6.7 L Ultra Low Sulfur Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, Steel wheels, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Ford Spring Suspension, 137 in Wheelbase, PTO, 350 lb Capacity, Front Mounted, Insulated One-Person Articulated Boom, Utility Body, 12 ft x 96 in Bed, Pintle Hitch Usage: 115,586 Mi	849	<b>Hi-Ranger 5TC 55 ft on 1998 Ford F-800 4x2 Bucket Truck</b> S/N: 1FDXF80C8WVA16928 C/W: Cummins B5.9-210 6 Cylinder Diesel 210 hp Engine, 8242 Engine hrs, Allison Automatic Transmission, 10860 lb Front Axle, 19040 lb Rears, 29900 lb GVWR, 11R22.5, Spring Suspension, 192 in Wheelbase, PTO, 500 lb Capacity, Rear Mounted, Articulated Boom, Flatbed, Rear Outriggers, 12 ft x 96 in Bed, Pintle Hitch Usage: 138,779 Mi
843	<b>2010 ETI ETC35SNT 35 ft on 2011 Ford F-550 XL 4x2 Bucket Truck</b> S/N: 1FDUF5GY5BEB26252 C/W: Ford V10 6.8 L Gasoline 362 hp Engine, Ford 6-Speed Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, Spicer 323252 Drive Axles, 4.88:1 Axle Ratio, 18000 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, PTO, Wet Kit, 300 lb Capacity, Front Mounted, One-Person Articulated Boom, Utility Body, Straight Down Outriggers, 9 ft x 96 in Bed, Receiver Usage: 150,685 Mi	850A	<b>2004 ETI ETT29SNV 29 ft on 2005 Chevrolet C5500 4x2 Bucket Truck</b> S/N: 1GBE5C1285F504118 C/W: V8 6.6 L Diesel Engine, 2005 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 128 in Wheelbase, 350 lb Capacity, Center Mounted, One-Person Telescopic Boom, Utility Body, Onan 5.5HDKBB-2860B Diesel Generator Set, 9 ft x 92 in Bed Usage: 121,552 Mi
844	<b>2010 ETI ETC35SNT 35 ft on 2011 Ford F-550 XL 4x2 Bucket Truck</b> S/N: 1FDUF5GY2BEB26256 C/W: V8 6.8 L Gasoline Engine, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5, Spring Suspension, 141 in Wheelbase, PTO, 300 lb Capacity, Center Mounted, One-Person Articulating-Telescopic Boom, Utility Body, Straight Down Outriggers, 12 ft x 96 in Bed Usage: 157,902 Mi	850	<b>1992 Versalift VST4000I 40 ft on 1992 GMC Topkick 4x2 Bucket Truck</b> S/N: 1GDM7HIJ4NJ521013 C/W: Cat 3116 6 Cylinder Diesel Engine, Automatic Transmission, 8100 lb Front Axle, 19000 lb Rears, 27100 lb GVWR, 11R22.5, Spring Suspension, 155 in Wheelbase, PTO, 350 lb Capacity, Center Mounted, Insulated One-Person Articulated Boom, Utility Body, Out and Down Outriggers, 11 m x 96 in Bed, Pintle Hitch Usage: 74,223 Mi
845	<b>2009 Palfinger ETA37SH 37 ft on 2009 Ford F-550 XL 4x2 Bucket Truck</b> S/N: 1FDAF56Y89EA28475 C/W: V10 6.8 L Gasoline Engine, 225/70R19.5, Spring Suspension, 140 in Wheelbase, PTO, 350 lb Capacity, Center Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, 10 ft x 94 in Bed Usage: 150,035 Mi	854	<b>2005 Mack CV713 6x4 Luger Truck</b> S/N: 1M2AG11C85M016909 C/W: Mack AI-350 6 Cylinder 728 cid Diesel 350 hp Engine, 2004 US EPA Label, 10456 Engine hrs, Engine Brake, Allison Automatic Transmission, Double Differential Locks, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Air Ride Suspension, 188 in Wheelbase Usage: 148,928 Mi
		855	<b>2006 Ford F-750 4x2 Reel Truck</b> S/N: 3FRXF75PX6V347656 C/W: Cat C7 Diesel Engine, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, Spring Suspension, 195 in Wheelbase, PTO, Pintle Hitch Usage: 106,491 Mi

Lot #	Details	Lot #	Details
856	<b>2001 Freightliner FL70 4x2 Ladder Truck</b> S/N: 1FV6HJAA31HG83709 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 210 hp Engine, 2000 US EPA Label, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 234 in Wheelbase, PTO, Double Frame, 20 ft Long Body, Wilkie 101 101 Ft 5 Section Boom, Miller Big 40 Diesel Welder Usage: 214,914 Mi	865	<b>2009 Mack GU713 6x4 Gin Pole Truck</b> S/N: 1M2AX04C39M007191 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 370 hp Engine, 2008 US EPA Label, 14787 Engine hrs, Maxitorque 10-Speed Manual Transmission, 20000 lb Front Axle, 58000 lb Rears, 78000 lb GVWR, Air Ride Cab, 445 /65R22.5 Front Tires, 12R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 350 in Wheelbase, PTO, Double Frame, 21 ft x 100 in Bed, Tail Roll, 32 ft Gin Poles, Braden Winch, Braden Winch, Ringfeder Usage: 143,194 Mi
857	<b>2010 Nissan UD3300 6x2 COE Paint Striping Truck</b> S/N: JNAPC81L2AAR80147 C/W: J08E-UJ 6 Cylinder 7.68 L Diesel 230 hp Engine, Exhaust Brake, Automatic Transmission, 11R22.5, Air Lift Pusher Axle, Spring Suspension, 240 in Wheelbase, Dual Steering, Arrow Board Usage: 89,920 Mi	866	<b>2009 Mack GU713 6x4 Gin Pole Truck</b> S/N: 1M2AX04C79M005606 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 370 hp Engine, 2008 US EPA Label, 18974 Engine hrs, Engine Brake, Maxitorque 10-Speed Manual Transmission, 22800 lb Front Axle, 52880 lb Rears, 75680 lb GVWR, Air Ride Cab, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 340 in Wheelbase, PTO, Double Frame, 20 ft x 102 in Bed, Tail Roll, 29 ft Gin Poles, Rufnek RN100WM-RFO 100000 lb Winch, Rufnek RN30WM-RFO 30000 lb Winch Usage: 168,873 Mi
859	<b>1982 Kenworth W900 6x4 Rigup Bed Truck</b> S/N: 1NKWLL9X3CS197188 C/W: Detroit 6V92 V6 Diesel 335 hp Engine, Eaton Fuller 9-Speed Manual Transmission, 11R24.5, Hendrickson RT/RTE Series Walking Beam Suspension, 232 in Wheelbase, Dual PTO, Double Frame, 13 ft x 96 in Bed, Tail Roll, 27 ft Gin Poles, Braden AMS20 Winch, Braden AMS10 Winch Usage: 221,265 Mi	867	<b>2005 Mack CV713 Granite 6x4 Gin Pole Truck</b> S/N: 1M2AG11CX5M021870 C/W: Mack AMI-370 6 Cylinder 728 cid Diesel 370 hp Engine, 2014 US EPA Label, 24662 Engine hrs, 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, 445/65R22.5 Front Tires, 12.00R24 Rear Tires, Walking Beam Suspension, 386 in Wheelbase, Dual PTO, Double Frame, 23 ft 6 in x 110 in Bed, Tail Roll, 29 ft Triple Pipe Gin Poles, Tulsa G80-SLRFO Winch, Tulsa Winch, Ringfeder, 4-Speed Aux Trans, LSI Robway GS550 LMI Usage: 305,833 Mi
861	<b>2017 Ford F-550 XL 4x4 Crew Cab Bed Truck</b> S/N: 1FD0W5HT0HEE29319 C/W: V8 6.7 L Diesel Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 5628 Engine hrs, Exhaust Brake, Automatic Transmission, 6500 lb Front Axle, 14706 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 204 in Wheelbase, 11 ft x 96 in Bed, Tail Roll, Warn Series 15 15000 lb Winch Usage: 156,141 Mi	868	<b>2004 Mack RD690SX 6x4 Gin Pole Truck</b> S/N: 1M2P338CX4M034592 C/W: Mack AMI-370 6 Cylinder 728 cid Diesel 370 hp Engine, 2003 US EPA Label, 32328 Engine hrs, 10-Speed Manual Transmission, Differential Lock, 425/65R22.5 Front Tires, 12R24.5 Rear Tires, Walking Beam Suspension, 320 in Wheelbase, Dual PTO, Double Frame, 18 ft 6 in x 99 in Bed, Tail Roll, 28 ft Triple Pipe Gin Poles, Tulsa Winch, Tulsa Winch, Tulsa Winch, 4-Speed Aux Trans, LSI GS550 LMI, Usage: 394,378 Mi
862	<b>2011 Mack GU713 6x4 Gin Pole Truck</b> S/N: 1M2AX04C2BM009987 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 405 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 13159 Engine hrs, Engine Brake, Maxitorque 10-Speed Manual Transmission, 23000 lb Front Axle, 58000 lb Rears, 81000 lb GVWR, Air Ride Cab, 445 /65R22.5 Front Tires, 12R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 336 in Wheelbase, PTO, Double Frame, 20 ft x 100 in Bed, Tail Roll, 26 ft Gin Poles, Braden Winch, Tulsa Winch, Ringfeder Usage: 123,312 Mi	869	<b>2003 Mack RD888SX 6x4 Gin Pole Truck</b> S/N: 1M2P278C93M002404 C/W: Mack E7-350 6 Cylinder 728 cid Diesel 350 hp Engine, 2002 US EPA Label, Engine Block Heater, 2388 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, 385 /95R24 Front Tires, 12.00R24 Rear Tires, Walking Beam Suspension, 343 in Wheelbase, Dual PTO, Double Frame, 19 ft 6 in x 105 in Bed, Tail Roll, 28 ft Triple Pipe Gin Poles, Tulsa Winch, Tulsa Winch, Tulsa Winch, 4-Speed Aux Trans, LSI GS550 LMI Usage: 371,561 Mi
864	<b>2009 Mack GU713 6x4 Gin Pole Truck</b> S/N: 1M2AX04C99M005607 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 405 hp Engine, 2008 US EPA Label, 17042 Engine hrs, Engine Brake, Maxitorque 10-Speed Manual Transmission, 22800 lb Front Axle, 52880 lb Rears, 75680 lb GVWR, Air Ride Cab, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 338 in Wheelbase, PTO, Double Frame, 18 ft x 100 in Bed, Tail Roll, 25 ft Gin Poles, Braden Winch, Braden Winch Usage: 130,338 Mi		



Lot #	Details	Lot #	Details
873	<b>2010 Kenworth T800 6x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XKDP4TX2AR262987 C/W: Cummins ISX 600 6 Cylinder 15 L Diesel 600 hp Engine, 2009 US EPA Label, Engine Block Heater, 1885.6 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 89659 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Air Ride Suspension, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 585,534 Mi	877	<b>2006 Kenworth T800 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XKDP4TX46J141626 C/W: Cummins ISX 565 6 Cylinder 15.0 L Diesel 565 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 69000 lb Rears, 3.91:1 Axle Ratio, 81938 lb GVWR, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Air Ride Suspension, 213 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 445,222 Mi
874	<b>2010 Kenworth T800 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XKDP4TX5AJ269107 C/W: Cummins ISX 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 500 hp Engine, 2009 US EPA Label, Engine Block Heater, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 52000 lb Rears, Spicer Drive Axles, 4.56:1 Axle Ratio, 92000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Neway Air Ride Suspension, 256 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 397,400 Mi	878	<b>2008 Peterbilt 388 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XPWDBEXX8D762433 C/W: Cat C15 6 Cylinder 15.2 L Diesel 475 hp Engine, 2007 US EPA Label, 18578 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, 14320 lb Front Axle, 66000 lb Rears, Spicer R46-170H Drive Axles, 4.10:1 Axle Ratio, 74600 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Air Trac Air Ride Suspension, 268 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 381,287 Mi
875	<b>2010 Kenworth T800 Wide Hood 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XKDP4TX3AJ269106 C/W: Cummins ISX 500 6 Cylinder 15.0 L Diesel 500 hp Engine, 2009 US EPA Label, Engine Block Heater, 18772 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Spicer 4-Speed Auxiliary Transmission, Double Differential Locks, 20000 lb Front Axle, 72000 lb Rears, 4.56:1 Axle Ratio, 92000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Neway Air Ride Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 410,733 Mi	879	<b>2008 Peterbilt 388 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XPWDBEX78D762440 C/W: Cat C15 6 Cylinder Diesel Engine, 14133.7 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 14320 lb Front Axle, 46000 lb Rears, 74600 lb GVWR, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Air Trac Air Ride Suspension, 268 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 309,749 Mi
877A	<b>2015 Cat CT660 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 3HSJC00R1FN637836 C/W: 6 Cylinder Diesel Engine, 11927 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Air Ride Suspension, 228 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: 25,551 Mi	880	<b>2008 Peterbilt 379 8x4 Tri/A Day Cab Truck Tractor</b> S/N: 1XPWDBEX78D740325 C/W: Cat C15 6 Cylinder Ultra Low Sulfur Diesel 475 hp Engine, 2007 US EPA Label, 448.1 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 66000 lb Rears, 74600 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Trac Air Ride Suspension, 238 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 134,538 Mi

Lot #	Details	Lot #	Details
882	<b>2013 Western Star 4900 8x4 Tri/A Sleeper Truck Tractor</b> S/N: 5KJNALBG1DPFH2479 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 500 hp Engine, 2012 US EPA Label, Engine Block Heater, 11733.3 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 16-Speed Manual Transmission, Eaton Fuller 4-Speed Auxiliary Transmission, Differential Lock, 20000 lb Front Axle, 66000 lb Rears, Meritor RT-52-185 Drive Axles, 4.89:1 Axle Ratio, 92000 lb GVWR, Air Ride Cab, 40 in Flat Top Sleeper Cab, Thermo King Auxiliary Power Unit, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Air Lift Pusher Axle, Dual Steering Boxes, Neway Air Ride Suspension, 274 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 246,894 Mi	887	<b>2014 Peterbilt 367 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPTD49X1ED224076 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 23019.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Trac Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 448,526 Mi
883	<b>2013 Western Star 4900 8x4 Tri/A Sleeper Truck Tractor</b> S/N: 5KJNALBG8DPFH2480 C/W: Cummins ISX 6 Cylinder 15 L Diesel 500 hp Engine, US EPA Label, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 72000 lb Rears, 92000 lb GVWR, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 242 in Wheelbase, Double Frame, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 296,817 Mi	888	<b>2013 Peterbilt 367 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPTD40X3DD212023 C/W: Cummins ISX15 485 6 Cylinder 15.0 L Diesel 485 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 25997 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, Double Differential Locks, 13200 lb Front Axle, 46000 lb Rears, 59200 lb GVWR, Air Ride Cab, 11R22.5, Air Trac Air Ride Suspension, 208 in Wheelbase, PTO, Air Sliding 5th Wheel Usage: 432,199 Mi
885	<b>2016 Peterbilt 365 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPSD79X3GD365246 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 385 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 21567 Engine hrs, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 202 in Wheelbase, Auto Lube Usage: 596,288 Mi	890	<b>2011 Peterbilt 384 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPVDU9X5BD124521 C/W: Cat C13 6 Cylinder Diesel Engine, 23181 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel Usage: 855,641 Mi
886	<b>2012 Peterbilt 365 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPSD79X5CD166869 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 385 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 24768 Engine hrs, Eaton Fuller 8LL Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, Blower, L-K TRANS-7100 centrifuge Usage: 788,747 Mi	891	<b>2011 Peterbilt 384 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPVD09XXBD116181 C/W: Cummins ISM 6 Cylinder Engine, 27655 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 190 in Wheelbase Usage: 1,065,196 Mi
		892B	<b>2010 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDDU9X4AJ260334 C/W: Cat 6 Cylinder Diesel Engine, 21649 Engine hrs, Engine Brake, 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 44000 lb Rears, 56000 lb GVWR, 295 /75R22.5 Front Tires, 11R22.5 Rear Tires, Neway Air Ride Suspension, 175 in Wheelbase Usage: 94,800 Mi

Lot #	Details	Lot #	Details
892A	<b>2015 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDD49X3FJ447152 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14953 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, AG400 Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 457,242 Mi	897	<b>2013 Cat CT660S 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSJGTKT4DJ160074 C/W: CT13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 475 hp Engine, 2012 US EPA Label, Engine Block Heater, 13561 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 14320 lb Front Axle, 46000 lb Rears, 60320 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Dual Steering Boxes, Hendrickson Air Ride Suspension, 200 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 257,169 Mi
892	<b>2015 Kenworth T880 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKZDP9X3FJ425868 C/W: Paccar MX-13 12.9 L Diesel 430 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, 14710.3 Engine hrs, Engine Brake, Eaton Fuller FRO15210C 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 184 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack Usage: 236,694 Mi	899	<b>2017 Western Star 4900FA 6x4 T/A Day Cab Truck Tractor (Glider Kit)</b> S/N: 5KKXAFCGXHPHZ9166 C/W: Detroit Series 60 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 196 in Wheelbase, Dual Fuel Tanks Usage: 505,737 Mi
893	<b>2013 Kenworth W-900 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKWD49X5DJ338777 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 550 hp Engine, 2012 US EPA Label, 15585 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Spicer Drive Axles, 3.70:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 240 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 441,874 Mi	901	<b>2014 Peterbilt 579 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPBDP9X3ED252376 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 430 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 20706 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 190 in Wheelbase, PTO Usage: 804,955 Mi
895	<b>2011 Freightliner Coronado 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGNDR9BDAZ1590 C/W: Detroit Series 60 12.7 L Petrol 470 hp Engine, 2000 US EPA Label, 16800 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 3.91:1 Axle Ratio, 58000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Airliner Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 393,277 Mi	907	<b>2015 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y9FM053688 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16252 Engine hrs, Engine Brake, M drive Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 204 in Wheelbase Usage: 486,770 Mi
		909	<b>2015 Mack CXU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AW02Y4FM051816 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16947 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/70R22.5, Air Ride Suspension, 188 in Wheelbase, Auto Lube Usage: 527,023 Mi

Lot #	Details	Lot #	Details
911	<b>2015 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y9FM019827 C/W: Mack MP8-445C 6 Cylinder 12.8 L Diesel 445 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10459 Engine hrs, Engine Brake, Maxitorque 10-Speed Manual Transmission, 14320 lb Front Axle, 38000 lb Rears, 52320 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 218 in Wheelbase, Dual Fuel Tanks Usage: 302,666 Mi	916	<b>2013 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y7DM013356 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 415 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 13758 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, 14320 lb Front Axle, 38000 lb Rears, 52320 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 396,649 Mi
912	<b>2015 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07YXFM017620 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 38000 lb Rears, 52320 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 220 in Wheelbase, Dual Fuel Tanks Usage: 159,099 Hr	917	<b>2013 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y9DM013570 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 27653 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 45400 lb Rears, 57400 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 188 in Wheelbase, PTO Usage: 681,716 Mi
913	<b>2015 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y7FM018823 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 445 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 25930 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 221 in Wheelbase, Dual Fuel Tanks Usage: 378,917 Mi	918	<b>2012 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y0CM008971 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 25666 Engine hrs, 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 222 in Wheelbase, PTO, Dual Fuel Tanks Usage: 721,517 Mi
914	<b>2014 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y4EM016736 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 19803 Engine hrs, Engine Brake, 13-Speed Manual Transmission, Differential Lock, 13220 lb Front Axle, 44000 lb Rears, 57220 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 250 in Wheelbase, PTO, Dual Fuel Tanks Usage: 317,447 Mi	919	<b>2012 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y5CM008917 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 21896 Engine hrs, 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 220 in Wheelbase, PTO, Dual Fuel Tanks Usage: 551,040 Mi
915	<b>2014 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN07Y4EM015845 C/W: Mack MP8 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 12269 Engine hrs, Engine Brake, T313 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 347,275 Mi	920	<b>2011 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y6BM007271 C/W: Mack MP8-415C 6 Cylinder 12.8 L Diesel 415 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 9338 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 14320 lb Front Axle, 38000 lb Rears, 52320 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 141,144 Mi

Lot #	Details	Lot #	Details
921	<b>2011 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AN09Y5BM007178 C/W: Mack MP8-415C 6 Cylinder 12.8 L Diesel 415 hp Engine, 2010 US EPA Label, Requires Diesel Exhaust Fluid, 12616 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 145,570 Mi	926	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV6GSHK8224 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14084 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 183 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 512,125 Mi
922	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV4GSGV9629 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 12949 Engine hrs, Engine Brake, Detroit DT12-OB-1550 HD 12-Speed Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 480,758 Mi	927	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV2GDHM4490 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Diagnostic Tool Reading 326861 mi, 13621 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 177,626 Mi
923	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEBG0GLGZ7049 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 13245 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 529,279 Mi	928	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV8GSHM4456 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, Requires Diesel Exhaust Fluid, 15970 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 314,044 Mi
924	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV3GSHM4056 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15097 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 530,243 Mi	929	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED58GDGW3073 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17285 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 540,433 Mi
925	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED56GDHM7411 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 14995 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 711,989 Mi	930	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGBDV5GDGZ5364 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 10593 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel Usage: 273,961 Mi

Lot #	Details	Lot #	Details
931	<b>2016 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED50GDHM2561 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20436 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Dual Fuel Tanks Usage: 774,881 Mi	938	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGED5XFLGL2008 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10864 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 302,369 Mi
932	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDVXFSGK2115 C/W: Detroit DD13 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, 14126.7 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 519,805 Mi	939	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV8FSGJ5938 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16625 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 578,282 Mi
933	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDVXFSGM0453 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 19729 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 513,991 Mi	941	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGED65FDGJ6395 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 15952 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Front Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 200 in Wheelbase, Air Sliding 5th Wheel Usage: 620,872 Mi
934	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV1FSGK5792 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13058 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 190 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 553,621 Mi	942	<b>2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV1ELFY8883 C/W: Detroit DD13 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 435 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 18752.5 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Steel wheels, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 745,364 Mi
935	<b>2015 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 3AKJGEDV9FSGK9301 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 550 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 181 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 511,375 Mi	943	<b>2011 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDV0BSAY6092 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 13970 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 14320 lb Front Axle, 40000 lb Rears, 3.73:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 283,149 Hr

Lot #	Details	Lot #	Details
944	<b>2010 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGEDRXASAU9634 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 560 hp Engine, 2009 US EPA Label, 16519 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor Drive Axles, 3.42:1 Axle Ratio, Air Ride Cab, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 177 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 458,450 Mi	951	<b>2014 Freightliner M2 112 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJC5DV9EHFP2073 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 9402 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.73:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 269,374 Mi
946	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBD91GLHB8001 C/W: Cummins ISX12G 6 Cylinder CNG 400 hp Engine, US EPA Label, Eaton Fuller Ultrashift FO-14E310C-LAS 10-Speed Automatic Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 194 in Wheelbase Usage: 722,543 Mi	952	<b>2017 Volvo VNL 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9DG8HN982601 C/W: D11J405 6 Cylinder 10.8 L Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 7967 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 180 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 237,480 Mi
947	<b>2016 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV8GLGX1535 C/W: Detroit DD13 12.8 L Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15046 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, Meritor RT-40-145A Drive Axles, 3.42:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Suspension, 190 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 627,152 Mi	953	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG3GN960745 C/W: D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13130 Engine hrs, AT2612D Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 490,087 Mi
948	<b>2015 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBD91FLGM4257 C/W: Cummins ISX12 G 6 Cylinder 11.9 L CNG 400 hp Engine, US EPA Label, 7013 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 295 /75R22.5, Airliner Air Ride Suspension, 182 in Wheelbase, Air Sliding 5th Wheel Usage: 233,672 Mi	954	<b>2016 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EG5GN960746 C/W: D13J405 6 Cylinder 12.8 L Diesel 405 hp Engine, Requires Diesel Exhaust Fluid, 16623 Engine hrs, AT2612D Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 178 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 550,220 Mi
949	<b>2012 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGBDV3CSBS4298 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Requires Diesel Exhaust Fluid, 18311 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145A Drive Axles, 3.42:1 Axle Ratio, 46000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 200 in Wheelbase, PTO, Wet Kit Usage: 519,000 Mi	955	<b>2015 Volvo VNL300 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4NC9EH5FN186442 C/W: D13J425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 71022 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 422,734 Mi

Lot #	Details	Lot #	Details
959A	<b>2011 International ProStar+ 122 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSDJSJR7BJ395371 C/W: International MaxxFoCe DT 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 450 hp Engine, 2010 US EPA Label, Engine Block Heater, 12872 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 188 in Wheelbase, PTO, Air Sliding 5th Wheel Usage: 262,697 Mi	965	<b>1996 Peterbilt 379 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XP5DB8X2TD366934 C/W: Cat 3406 6 Cylinder 14.6 L Diesel 475 kW Engine, 1995 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Leaf Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,037,172 Mi
959	<b>2011 International ProStar Premium 6x4 T/A Day Cab Truck Tractor</b> S/N: 3HSCUSJR3BN354591 C/W: Cat C13 6 Cylinder 13.0 L Diesel Engine, 9524 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 52000 lb GVWR, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Hendrickson Air Ride Suspension, 212 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 430,429 Mi	966	<b>1992 Peterbilt 378 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPFD9X5ND320075 C/W: Cat 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 11R24.5, Low Air Leaf Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 403,500 Mi
962	<b>2006 Peterbilt 378 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPFD0X86D637063 C/W: Cat C15 6 Cylinder Diesel Engine, 2005 US EPA Label, 18314.2 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 212 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 384,883 Mi	969	<b>2000 Kenworth T800 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKDD09X8YR843784 C/W: Cummins 6 Cylinder 10.8 L Diesel 330 hp Engine, 1999 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 11R22.5, Air Ride Suspension, 168 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 326,159 Mi
963	<b>2002 Peterbilt 378 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPFD49X72D576247 C/W: Cummins 6 Cylinder Diesel Engine, 2000 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 255/70R22.5 Rear Tires, Air Leaf Air Ride Suspension, 220 in Wheelbase, PTO, Dual Fuel Tanks Usage: 870,985 Mi	970	<b>2007 Freightliner Classic 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJF6DE97DW97577 C/W: Cat 6 Cylinder Diesel Engine, Engine Brake, Meritor 10-Speed Manual Transmission, Air Ride Cab, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 200 in Wheelbase, PTO, Wet Kit, Blower, Headache Rack Usage: 34,285 Mi
964	<b>2003 Peterbilt 385 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XPGDB9X43N801793 C/W: Cat C12 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, 48000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5 Front Tires, 11R22.5 Rear Tires, Air Leaf Air Ride Suspension, 204 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 309,988 Mi	971	<b>2002 Volvo VHD 648T 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4KC9GGX2N326163 C/W: D12C-385 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 385 hp Engine, 2012 US EPA Label, HD 4560P 6-Speed Automatic Transmission, 12859 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.56:1 Axle Ratio, 58859 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 186 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 387,885 Mi
		972	<b>2002 Volvo VHD200AB 6x4 T/A Day Cab Truck Tractor</b> S/N: 4V4KC9GG82N326162 C/W: 6 Cylinder Diesel Engine, Engine Brake, Allison HD4560P 6-Speed Automatic Transmission, 12859 lb Front Axle, 46000 lb Rears, 58859 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Hendrickson Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 441,475 Mi



Lot #	Details	Lot #	Details
973	<b>1999 International 9100 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSFRATR5XC031030 C/W: Cat C10 6 Cylinder Diesel 370 hp Engine, 9-Speed Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 171 in Wheelbase, Air Sliding 5th Wheel Usage: 378,525 Mi	982	<b>2001 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AA14YX1W136948 C/W: Mack E7 6 Cylinder Diesel 400 hp Engine, 2000 US EPA Label, 34728 Engine hrs, Engine Brake, Eaton Fuller 9-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 194 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 930,947 Mi
974	<b>1986 Kenworth W900 6x4 T/A Day Cab Truck Tractor</b> S/N: 1XKWD29X3GS339011 C/W: 6 Cylinder 14.0 L Diesel Engine, 4128 Engine hrs, Eaton Fuller 8LL Manual Transmission, 11R24.5, Spring Suspension, 215 in Wheelbase, PTO, Winch, Rolling Tailboard Usage: 21,831 Mi	983	<b>2004 Mack CV713 Granite 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AG12Y54M013376 C/W: Mack AMI-300 6 Cylinder 728 cid Diesel 300 hp Engine, 2003 US EPA Label, 11542 Engine hrs, Maxitorque 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Hendrickson Air Ride Suspension, 196 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 235,593 Mi
977	<b>2009 Mack CHU613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AN09Y79N004489 C/W: Mack MP8 6 Cylinder 12.7 L Diesel Engine, 9999 Engine hrs, Engine Brake, 13-Speed Manual Transmission, Air Ride Cab, 315 /70R22.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 216 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 441,145 Mi	984	<b>2009 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJGECK99LAK5044 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 20916 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 192 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 527,282 Mi
979	<b>2007 Mack CHN613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AJ06Y57N010910 C/W: Mack 6 Cylinder Diesel Engine, 2008 US EPA Label, 20739 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 202 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 343,542 Hr	985	<b>2008 Freightliner FLD 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJALCK58DZ93539 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2007 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 14320 lb Front Axle, 44000 lb Rears, 58320 lb GVWR, Air Ride Cab, 11R24.5, Airliner Air Ride Suspension, 210 in Wheelbase, Air Sliding 5th Wheel, Headache Rack Usage: 612,302 Hr
980	<b>2004 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M2AA18Y44N155818 C/W: Mack 6 Cylinder Diesel Engine, 34287 Engine hrs, Engine Brake, 13-Speed Manual Transmission, 4.35:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, mRide Air Ride Suspension, 224 in Wheelbase, PTO, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 50,957 Mi	986A	<b>2007 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CG67LX80973 C/W: Detroit Series 60 6 Cylinder Diesel Engine, 874 Engine hrs, Eaton Fuller FRO-13210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.73:1 Axle Ratio, 52000 lb GVWR, 295 /75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 169 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 411,112 Mi
981	<b>2001 Mack CH613 6x4 T/A Day Cab Truck Tractor</b> S/N: 1M1AA13Y01W136037 C/W: Mack E7 6 Cylinder 12.0 L Diesel 355 hp Engine, 2000 US EPA Label, 22067 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 14060 lb Front Axle, 40000 lb Rears, 54060 lb GVWR, Air Ride Cab, Aluminum Wheels, 285/75R24.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 206 in Wheelbase, PTO, Double Frame, Headache Rack, Dual Fuel Tanks Usage: 616,117 Mi		

Lot #	Details	Lot #	Details
986	<b>2008 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CV58DZ95996 C/W: Mercedes Benz 4000 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 450 hp Engine, 9877.7 Engine hrs, Engine Brake, Eaton Fuller FRO-15210B 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Dana DS404 Drive Axles, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Airliner Air Ride Suspension, 191 in Wheelbase Usage: 547,956 Mi	989A	<b>1997 Freightliner FLD 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUFDZYB2VH859531 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 470 hp Engine, 1996 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 264,930 Mi
987C	<b>2007 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJA6CG87LX80957 C/W: Detroit Series 60 6 Cylinder Diesel Engine, 15109 Engine hrs, 10-Speed Manual Transmission, Differential Lock, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 169 in Wheelbase, Air Sliding 5th Wheel Usage: 666,391 Mi	990A	<b>2007 International 8600 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXAHR87J375086 C/W: Cummins 6 Cylinder Ultra Low Sulfur Diesel Engine, Engine Block Heater, 27751 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 174 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 481,354 Mi
987A	<b>2007 Freightliner CST120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJBBC57LX03375 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 295/75R22.5, Airliner Air Ride Suspension, 184 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	990	<b>1994 Freightliner FLD 120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUFDZCYB5RH739905 C/W: Cummins N14 6 Cylinder 14.0 L Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 19000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, 11R22.5, Air Ride Suspension, 173 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Rolling Tailboard, Dual Fuel Tanks Usage: 677,281 Mi
987	<b>2007 Freightliner ST120 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJBBC37LX04461 C/W: Detroit Series 60 6 Cylinder Diesel Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Suspension, 158 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 564,267 Mi	992A	<b>2005 International 9400i 6x4 T/A Day Cab Truck Tractor</b> S/N: 2HSCNAPR95C015662 C/W: Cummins ISX 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 385 hp Engine, 2004 US EPA Label, Engine Block Heater, 17114 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5, Air Ride Suspension, 171 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 522,891 Mi
988	<b>2009 Freightliner Columbia 112 6x4 T/A Day Cab Truck Tractor</b> S/N: 1FUJF0CV19DAM5167 C/W: Mercedes Benz OM460LA 6 Cylinder Diesel 450 hp Engine, 2008 US EPA Label, 11345 Engine hrs, Engine Brake, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 164 in Wheelbase, Lowboy Ramps, Dual Fuel Tanks Usage: 472,438 Mi	992	<b>2006 International 8600 6x4 T/A Day Cab Truck Tractor</b> S/N: 1HSHXAHR06J292959 C/W: 6 Cylinder Diesel Engine, 15400 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 167 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 642,990 Mi
		993A	<b>1991 BMY M931A2 6x6 T/A Day Cab Truck Tractor</b> S/N: 3103118 C/W: Cummins 6 Cylinder 8.3 L Diesel 237 hp Engine, 1990 US EPA Label, 935 Engine hrs, Automatic Transmission, 14.00R20, Spring Suspension, 168 in Wheelbase, Lowboy Ramps Usage: 5,873 Mi

Lot #	Details	Lot #	Details
994	<b>2015 Western Star 4900 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJAED60FPGL6050 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Neway Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 370,905 Mi	998A	<b>2012 Freightliner Coronado 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGNDR2CDBK9405 C/W: Detroit DD15 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 23.15 Engine hrs, Engine Brake, 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 246 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 815,657 Mi
995	<b>2015 Western Star 4900 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJAED60FPGL6047 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 16939 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 13220 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 4.10:1 Axle Ratio, 59220 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Thermo King TriPack Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Neway Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 454,542 Mi	998	<b>2012 Freightliner Coronado 132 SD 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 1FVXFB002CDBL4408 C/W: Detroit Series 60 12.7 L Diesel 470 hp Engine, 1997 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Dynasys Auxiliary Power Unit, Aluminum Wheels, 295 /75R22.5, Air Assist Front Suspension, Airliner Suspension, 260 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 974,729 Mi
996	<b>2015 Peterbilt 365 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPSD79X9FD263741 C/W: Cummins ISX 6 Cylinder 11.9 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 8770 Engine hrs, Engine Brake, Eaton Fuller 8LL Manual Transmission, 13201 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, 11R22.5, Air Trac Air Ride Suspension, 224 in Wheelbase, PTO, Wet Kit Usage: 27,569 Mi	999	<b>2015 Freightliner SD122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGND16FDFZ7506 C/W: Detroit DD16 6 Cylinder 15.6 L Diesel 600 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 14870 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 18000 lb Front Axle, 46000 lb Rears, 64000 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Wheels, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 506,344 Mi
997	<b>2013 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDDP9X7DJ960029 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 18094 Engine hrs, Engine Brake, Eaton Fuller FO-16E313A-MHP ULT Automatic Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 3.55:1 Axle Ratio, 50000 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Flex Air Air Ride Suspension, 246 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 608,915 Mi	1000	<b>2014 Freightliner Coronado 122SD 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGND10EDFK2279 C/W: Detroit DD16 15.6 L Ultra Low Sulfur Diesel 560 hp Engine, Requires Diesel Exhaust Fluid, 15178 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 14600 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.10:1 Axle Ratio, 60600 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Thermo King TriPack Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Neway Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks, Pin On Tag Axle Usage: 454,628 Mi

Lot #	Details	Lot #	Details
1001	<b>2013 Freightliner Coronado 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGNBG2DDFD2928 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 329927 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Auxiliary Power Unit, Aluminum Outer Wheels, 11R24.5, Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 332,261 Mi	1007	<b>2017 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49X2HD348060 C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 862 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 13200 lb Front Axle, 39000 lb Rears, 51200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 933,866 Mi
1003	<b>2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBDP9XXHD448769 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 15897 Engine hrs, Engine Brake, Automatic Transmission, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 446,630 Mi	1008	<b>2012 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49X7CD138935 C/W: Cummins ISX15 15 L Diesel 485 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 13317 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 242 in Wheelbase Usage: 435,063 Mi
1005A	<b>2016 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1NPBDH9X9GD327682 C/W: Cummins 6 Cylinder LNG Engine, 2015 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 38000 lb Rears, 51200 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Flex Air Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1009	<b>2012 Peterbilt 587 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XP4D49X1CD154046 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 17575 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 11R22.5, Low Air Leaf Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 685,651 Mi
1005	<b>2017 Peterbilt 579 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPBD49X9HD415101 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, 23850.4 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 68 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Flex Air Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 659,919 Mi	1010	<b>2013 Peterbilt 386 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPHD49X4DD146798 C/W: Cummins ISX15 450ST 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 17763 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Leaf Air Ride Suspension, 234 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 720,420 Mi

Lot #	Details	Lot #	Details
1011	<b>2012 Peterbilt 386 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPHD49X3CD152008 C/W: Cummins ISX15 485 6 Cylinder 15.0 L Diesel 485 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 14246 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Auxiliary Power Unit, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Leaf Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 554,438 Mi	1016	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X2LJ310489 C/W: Paccar MX-13 6 Cylinder 12.8 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 6543 Engine hrs, Engine Brake, Paccar PO16F112C Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 207,873 Mi
1012	<b>2012 Peterbilt 386 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPHD49X2CD145146 C/W: Cummins ISX15 15 L Diesel 425 hp Engine, Requires Diesel Exhaust Fluid, 15322 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 80 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Low Air Leaf Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 692,788 Mi	1017	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X2LJ425903 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7672 Engine hrs, Engine Brake, Paccar PO16F112C Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 258,995 Mi
1014	<b>2012 Peterbilt 384 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPVDP9X9CD151157 C/W: Paccar MX 6 Cylinder 12.9 L Ultra Low Sulfur Diesel 455 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 15207 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Low Air Leaf Air Ride Suspension, 240 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 541,945 Hr	1018	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X4KJ282015 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 6939 Engine hrs, Engine Brake, Paccar PO-16F112 Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 267,273 Mi
1015	<b>2020 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X5LJ310468 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2019 US EPA Label, Requires Diesel Exhaust Fluid, 7281 Engine hrs, Engine Brake, Paccar PO-16F112C Automatic Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 214,871 Mi	1019	<b>2019 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X6KJ282016 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, 7906 Engine hrs, Engine Brake, Paccar PO-16F113 Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 275/80R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 281,819 Hr

Lot #	Details	Lot #	Details
1022	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X6JJ210360 C/W: Cummins X15 6 Cylinder 15.0 L Diesel 500 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 53209 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 565,041 Mi	1026	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X0GJ468416 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 674 Engine hrs, Engine Brake, Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 62 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Thermo King Tripac Evolution Auxiliary Power Unit, 295/75R22.5, 8 Bag Air Ride Suspension, 224 in Wheelbase, Dual Fuel Tanks Usage: 610,276 Mi
1023	<b>2018 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X2JJ196098 C/W: Cummins X15 450SA 6 Cylinder 15.0 L Diesel 450 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, 19936 Engine hrs, Engine Brake, Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Evolution Auxiliary Power Unit, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 801,322 Mi	1029	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5GJ478311 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Block Heater, 23169.5 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.79:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, AG400L Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 740,512 Mi
1024	<b>2017 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYDP9X1HJ166814 C/W: Paccar MX-13 6 Cylinder 12.9 L Ultra Low Sulfur Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, 16854 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, AG380 Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 360,237 Mi	1032	<b>2012 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKAD49X7CJ323660 C/W: Cummins ISX15 15 L Diesel 450 hp Engine, 2011 US EPA Label, Engine Block Heater, 19791 Engine hrs, Engine Brake, Eaton Fuller UltraShift Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 285/75R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,960 Mi
1025	<b>2016 Kenworth T680 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKYD49X5GJ464389 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-15810S-EC3 10-Speed Automated Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, Dana D40-155 Drive Axles, 2.64:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 76 in High Rise Sleeper Cab, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Paccar Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 518,357 Mi	1033A	<b>2012 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKAD49X1CJ309687 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Block Heater, 19274.7 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 710,036 Mi

Lot #	Details	Lot #	Details
1033	<b>2012 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKAA49X3CJ287619 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 24811 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 13200 lb Front Axle, 34000 lb Rears, 2.53:1 Axle Ratio, 47200 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Flex Air Air Ride Suspension, 224 in Wheelbase, Dual Fuel Tanks Usage: 557,295 Mi	1041	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR4HSHS1426 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 505 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Dual Fuel Tanks Usage: 629,584 Mi
1034A	<b>2010 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW09Y3AN012191 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 415 hp Engine, 2008 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 249 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 862,017 Mi	1042	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG3HSHY7998 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 475 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 21706 Engine hrs, Engine Brake, Eaton Fuller FOM-16E310C-LAS Automatic Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 929,640 Mi
1034	<b>2010 Mack CXU613 6x4 T/A Sleeper Truck Tractor</b> S/N: 1M1AW09Y8AN012199 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 338 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1044	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR3HLHL6544 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 22241 Engine hrs, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, Detroit DA-RT-40.0-4 Drive Axles, 2.53:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 852,776 Mi
1035	<b>2016 Freightliner Cascadia 132 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGHVDV0GSGV2713 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 500 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23058 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps Usage: 697,370 Mi	1048	<b>2017 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXHSHZ8205 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 25504 Engine hrs, Engine Brake, Detroit DT12-DA-1750 HD Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 2.53:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 723,596 Mi
1037	<b>2013 Freightliner Cascadia 132 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHVDV4DLBW1911 C/W: Detroit 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 806,139 Mi		

Lot #	Details	Lot #	Details
1049	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD53GLHS6642 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 23497 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 545,315 Mi	1056	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD58GSHN1573 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 21710 Engine hrs, Engine Brake, Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 275/80R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 514,682 Mi
1051	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD58GSHC6412 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 23666 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 58 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 736,920 Mi	1059	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD58GSGZ5344 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT-12-0A-1650 HD 12-Speed Automated Transmission, 13220 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,516 Mi
1053	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD54GSHE3353 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 20115 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 613,153 Mi	1060	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD6XGSGX5220 C/W: Detroit 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, 22920.9 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Carrier Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 267 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 663,210 Mi
1054	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD59GSGZ5353 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 19481 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 18,889 Mi	1061	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD54GSHJ0101 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 25117 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.58:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 708,338 Mi
1055	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD54GSHC6410 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 17002 Engine hrs, Engine Brake, 12-Speed Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Airliner Air Ride Suspension, 222 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 581,874 Mi	1062	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD56GSHA6885 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 32464 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Dual Fuel Tanks Usage: 721,988 Mi



Lot #	Details	Lot #	Details
1063	<b>2016 Freightliner Cascadia 125 6x2 T/A Sleeper Truck Tractor</b> S/N: 3AKGGLDRXGSGX4749 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 22882 Engine hrs, DT12-DA-1750HD Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 735,777 Hr	1067B	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD52GSGP8233 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 12301 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 532,403 Mi
1065	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD61GSGZ4853 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15527 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 kg Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Bunk Heater, 295 /75R22.5, Airliner Air Ride Suspension, 242 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 486,973 Mi	1067A	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD5XGSHP2845 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 16761 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.31:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 72 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 554,310 Mi
1066	<b>2016 Freightliner Cascadia 125 6x2 T/A Sleeper Truck Tractor</b> S/N: 3AKGGLDR3GSGX4740 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 400 hp Engine, Requires Diesel Exhaust Fluid, 25943 Engine hrs, DT12-DA-1750HD Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.41:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 886,531 Mi	1067	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD53GSHA2339 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase Usage: 647,905 Mi
1067C	<b>2016 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD52GSGW8057 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 14065 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.25:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 525,262 Mi	1068	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHVDV7FLGE4372 C/W: 6 Cylinder Engine, Requires Diesel Exhaust Fluid, 5617 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 52000 lb GVWR, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Assist Front Suspension, Airliner Suspension, 223 in Wheelbase Usage: 258,348 Mi
		1070	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD57FSGR8251 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 13220 lb Front Axle, 40000 lb Rears, Air Ride Cab, 72 in High Rise Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Blower, Dual Fuel Tanks Usage: 709,059 Mi

Lot #	Details	Lot #	Details
1073	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD55FLGD0571 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12-OA-1750 HD 12-Speed Automatic Transmission, 13300 lb Front Axle, 40000 lb Rears, 2.85:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 695,858 Mi	1078	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLD59FLGE3792 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 22711 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 669,932 Mi
1075	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD54FSGB9615 C/W: Detroit Series 60 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 9072 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 753,012 Mi	1079	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD61FSGE5209 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 23187 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 634,609 Mi
1076	<b>2015 Freightliner Cascadia 125 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD50FSGD0952 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 17977 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel Usage: 628,964 Mi	1080	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG3ESFY9191 C/W: Cummins ISX15 400ST 15 L Ultra Low Sulfur Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 22242 Engine hrs, Engine Brake, Eaton Fuller FM-15E310B Automatic Transmission, Differential Lock, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 674,437 Mi
1077	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD58FSGF3878 C/W: Detroit DD15RT 6 Cylinder 15.5 L Ultra Low Sulfur Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 28785.06 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 837,116 Mi	1081	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDV5ESFN6009 C/W: Detroit DD13 12.9 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.21:1 Axle Ratio, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 244 in Wheelbase, Dual Fuel Tanks Usage: 732,158 Mi

Lot #	Details	Lot #	Details
1083	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD50ESFN1297 C/W: Detroit DD15 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1089	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG4DSFH3933 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 14320 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 301,604 Mi
1085	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG4ELBY9314 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 30762 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 488,653 Mi	1090	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG8DSFF7461 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 253 in Wheelbase, Dual Fuel Tanks Usage: 870,697 Mi
1087	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLD64ESFL4303 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 19659 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.62:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 246 in Wheelbase, Dual Fuel Tanks Usage: 881,998 Mi	1091	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG8DSFH3935 C/W: Cummins ISX15 6 Cylinder Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 14320 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Bunk Heater, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 369,048 Mi
1088	<b>2014 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKGGLBG0ESFU5059 C/W: Cummins ISX15 6 Cylinder Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 22260.9 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 863,968 Mi	1092	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG1DSFH3937 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 14320 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 54320 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 352,640 Mi

Lot #	Details	Lot #	Details
1093	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG6DSFH3934 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 14700 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 54700 lb GVWR, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 350,936 Mi	1097	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR3DLFB6911 C/W: Detroit DD15 6 Cylinder 14.8 L Ultra Low Sulfur Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 26325 Engine hrs, Engine Brake, Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 72 in High Rise Sleeper Cab, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 790,214 Mi
1094	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG9DSFH3930 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 14700 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, Air Ride Cab, 58 in Mid Roof Sleeper Cab, Thermo King Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 343,515 Mi	1098	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR4DLBS1415 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 3117 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel Usage: 797,286 Mi
1095	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLBG2DSFH3932 C/W: Cummins ISX15 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTLO-16913A 13-Speed Manual Transmission, 14700 lb Front Axle, 40000 lb Rears, 3.91:1 Axle Ratio, 54700 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Thermo King TriPac Auxiliary Power Unit, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 244 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 396,008 Mi	1100	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDR5DSFH5365 C/W: Detroit DD15 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 19483 Engine hrs, Engine Brake, 13-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Airliner Suspension, 230 in Wheelbase, Air Sliding 5th Wheel Usage: 755,907 Hr
1096	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 3AKJGLDRXDSFB9373 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 30697 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 3.23:1 Axle Ratio, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 275 /80R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 924,531 Mi	1101	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG7CSBJ1614 C/W: Cummins ISX 6 Cylinder Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 3331 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 kg Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Suspension, 237 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 776,969 Mi
		1102	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR9CSBN8044 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, 26664 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 70 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel Usage: 779,568 Mi

Lot #	Details	Lot #	Details
1103	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR4CSBK1211 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, 27090 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, Differential Lock, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 894,485 Mi	1107	<b>2011 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG2BSAW3504 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2009 US EPA Label, 26252 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.42:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Airliner Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 1,155,542 Mi
1104	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG2CSBM2205 C/W: Cummins ISX15 450 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 21404 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, Spicer DS404 Drive Axles, 3.55:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 802,296 Mi	1108A	<b>2011 Freightliner Columbia 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 1FVXA700XBDBB7958 C/W: Cummins 6 Cylinder Diesel Engine, Engine Brake, 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel, Headache Rack Usage: 675,246 Hr
1105	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG1CSBK4956 C/W: Cummins ISX15 6 Cylinder 15 L Ultra Low Sulfur Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 208 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 750,175 Mi	1108	<b>2011 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLBG1CLBC8768 C/W: Cummins ISX15 6 Cylinder 14.9 L Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, 28212 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 952,020 Mi
1106	<b>2012 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGLDR5CLBD1235 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 475 hp Engine, Requires Diesel Exhaust Fluid, 20926 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.36:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 877,706 Mi	1109	<b>2011 Freightliner CA113 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJGHDV2BLAW7586 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, Requires Diesel Exhaust Fluid, 12065 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 38000 lb Rears, Meritor RT-40-145 Drive Axles, 3.73:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Air Assist Front Suspension, Airliner Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 650,097 Mi

Lot #	Details	Lot #	Details
1111	<b>2017 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH6HN983207 C/W: Cummins ISX15 450ST 6 Cylinder 15.0 L Diesel 450 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FAOM-16810C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 275/80R22.5, Volvo Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 485,703 Mi	1116	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH2FN186270 C/W: D13F435 6 Cylinder Ultra Low Sulfur Diesel 435 hp Engine, US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, 12-Speed Automatic Transmission, Differential Lock, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 52500 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Volvo Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 767,856 Mi
1112	<b>2016 Volvo VNL 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH2GN943055 C/W: D13J425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 24594 Engine hrs, Engine Brake, ATO2612D Automatic Transmission, 12350 lb Front Axle, 38000 lb Rears, Meritor MT-40-14X Drive Axles, 2.64:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 63 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 571,636 Mi	1117	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH8FN924699 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 21608 Engine hrs, ATO2612D Automatic Transmission, 12500 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 295/75R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 730,504 Mi
1113	<b>2016 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH6GN951823 C/W: D13J455 6 Cylinder 12.8 L Diesel 455 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 14992 Engine hrs, AT2612D Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 2.47:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 61 in High Rise Sleeper Cab, Bunk Beds, Thermo King Tripac Evolution Auxiliary Power Unit, Aluminum Wheels, 11R22.5, Volvo Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 671,879 Mi	1118A	<b>2015 Volvo 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH1FN919506 C/W: 6 Cylinder Diesel Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 5595 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 55 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, Air Sliding 5th Wheel Usage: 553,887 Hr
1115	<b>2015 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH4FN186271 C/W: D13J435 6 Cylinder 12.8 L Diesel 435 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 19975 Engine hrs, ATO2612D Automatic Transmission, 12500 lb Front Axle, 40000 lb Rears, 3.25:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 220 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 618,549 Mi	1119	<b>2014 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH5EN172118 C/W: D13H425 6 Cylinder 12.8 L Ultra Low Sulfur Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, ATO2612D Automatic Transmission, 12500 lb Front Axle, 40000 lb Rears, Meritor MT-40-14X Drive Axles, 3.08:1 Axle Ratio, 52500 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 410,900 Mi
		1120	<b>2013 Volvo VNL670 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9EH2DN130441 C/W: D13H425 6 Cylinder 12.8 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Drive Line Retarder, Eaton Fuller 9-Speed Manual Transmission, Differential Lock, 12500 lb Front Axle, 48000 lb Rears, 50350 lb GVWR, 51 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5, Volvo Air Ride Suspension, 237 in Wheelbase, Air Sliding 5th Wheel Usage: 862,936 Mi

Lot #	Details	Lot #	Details
1124	<b>2012 Volvo VNM630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4MC9DG7CN541000 C/W: D11H385 6 Cylinder 10.8 L Diesel 385 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Retarder, Automated Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 61 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 206 in Wheelbase Usage: 851,629 Mi	1129	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR9GN029952 C/W: Cummins ISX 400ST 6 Cylinder Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 214 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 529,781 Mi
1126	<b>2012 Volvo VNL 630 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH7CN547944 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 450 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 3.55:1 Axle Ratio, 50350 lb GVWR, Air Ride Cab, 60 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 959,492 Mi	1130	<b>2016 International Prostar+ 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR7GN676494 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 18370 Engine hrs, Engine Brake, Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 86,436 Mi
1127	<b>2016 International Lone Star 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSCXAPRXGN223934 C/W: Cummins ISX15 475 6 Cylinder 15.0 L Diesel 475 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 18750 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 250 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 530,271 Mi	1131	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR7GN296667 C/W: Cummins ISX15 6 Cylinder 15.0 L Ultra Low Sulfur Diesel 450 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 15133 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 569,594 Mi
1128	<b>2017 International Prostar+ 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR6HN429596 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 13070 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275 /80R22.5, Air Ride Suspension, 240 in Wheelbase, Dual Fuel Tanks Usage: 493,034 Hr	1132A	<b>2016 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPRXGN002551 C/W: Cummins ISX15 400ST 15.0 L Diesel 400 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, 13792 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 493,827 Mi

Lot #	Details	Lot #	Details
1133	<b>2015 International Prostar +122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR7FN609781 C/W: Cummins ISX 450ST 6 Cylinder 15.0 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 18601 Engine hrs, Engine Brake, Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 636,062 Mi	1139	<b>2015 International ProStar+122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPRFXFN144218 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 28653 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5, Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 776,154 Mi
1134	<b>2015 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR4FN667307 C/W: Navistar N13 12.4 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 10429 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 455,902 Mi	1140	<b>2014 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR9EN033151 C/W: International 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, 275 /80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 511,245 Mi
1136	<b>2015 International ProStar+122 6x2 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR6FN057845 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel Engine, 1999 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295 /75R22.5, Air Ride Suspension, 224 in Wheelbase, Dual Fuel Tanks Usage: 465,711 Mi	1144	<b>2014 International Prostar+ 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR2EN787315 C/W: Navistar N13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 13096 Engine hrs, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 477,233 Mi
1137	<b>2015 International ProStar+ 122 6x2 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR9FN560723 C/W: International 6 Cylinder Engine, Requires Diesel Exhaust Fluid, 11464 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, Aluminum Outer Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 225 in Wheelbase Usage: 575,398 Hr	1145	<b>2014 International ProStar + 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSNR6EN019854 C/W: Navistar 6 Cylinder Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 49616 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Heater, Aluminum Front Wheels, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: 496,914 Mi
1138	<b>2015 International Prostar+ 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR6FN705630 C/W: Cummins ISX15 6 Cylinder 15 L Diesel 450 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, 9977 Engine hrs, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 34000 lb Rears, 46350 lb GVWR, Air Ride Cab, High Rise Sleeper Cab, Bunk Heater, Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 227 in Wheelbase, Dual Fuel Tanks Usage: 813,760 Mi	1146	<b>2014 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR7EN775295 C/W: Cummins ISX15 450ST 6 Cylinder 15.0 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 15211 Engine hrs, Engine Brake, Automatic Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, 11R22.5, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 474,388 Mi



Lot #	Details	Lot #	Details
1147	<b>2014 International Prostar+122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJAPR4EN757787 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 400 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, 12350 lb Front Axle, 40000 lb Rears, 2.47:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Comfortpro Auxiliary Power Unit, Aluminum Front Wheels, 295 /75R22.5, Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 670,221 Mi	1151	<b>2013 International Prostar LF627 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR9DN134176 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2011 US EPA Label, 15945 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 681,368 Mi
1148	<b>2014 International LF627 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR6EN756851 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 475 hp Engine, 2013 US EPA Label, 14344 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 73 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 238 in Wheelbase, Dual Fuel Tanks Usage: 462,261 Mi	1152B	<b>2011 International ProStar Premium 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSCUAPR1BN372461 C/W: Cummins ISX 6 Cylinder Ultra Low Sulfur Diesel 435 hp Engine, 2009 US EPA Label, Engine Block Heater, 34504 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, 56 in Mid Roof Sleeper Cab, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 938,029 Mi
1149	<b>2013 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR2DN177550 C/W: International MaxxForce 13 12.4 L Ultra Low Sulfur Diesel 475 hp Engine, 2012 US EPA Label, 15512 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 230 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 633,162 Mi	1152A	<b>2012 International ProStar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJRXCN050351 C/W: International MaxxForce 13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, 18624 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12250 lb Front Axle, 40000 lb Rears, 52250 lb GVWR, Air Ride Cab, 56 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 226 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 661,009 Mi
1150	<b>2013 International ProStar +122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR6DN194626 C/W: International MaxxForce 13 6 Cylinder 12.4 L Diesel 450 hp Engine, 2012 US EPA Label, 12722 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 436,842 Mi	1152	<b>2012 International Prostar+ 122 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSDJSJR6CN078728 C/W: International MaxxForce 13 6 Cylinder 12.4 L Ultra Low Sulfur Diesel 450 hp Engine, 2011 US EPA Label, Engine Block Heater, 13972 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.42:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Bunk Beds, Bunk Heater, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 226 in Wheelbase, Dual Fuel Tanks Usage: 428,698 Mi

Lot #	Details	Lot #	Details
1153	<b>2007 Western Star 4900 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJAEAV77PX84643 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, Air Ride Cab, 54 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 230 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 21,818 Mi	1158	<b>2007 Peterbilt 378 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XPFDU9X57D743812 C/W: Cat C13 6 Cylinder 12.5 L Diesel 525 hp Engine, 2006 US EPA Label, 35053 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 36000 lb Rears, 48000 lb GVWR, Air Ride Cab, 63 in Flat Top Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 231 in Wheelbase, PTO, Blower Usage: 991,573 Mi
1154	<b>2006 Western Star 4900 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJAECK56PV19740 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160P Drive Axles, 4.56:1 Axle Ratio, 58000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 228 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	1160	<b>1998 Peterbilt 330 6x4 T/A Sleeper Truck Tractor</b> S/N: 3BPNL79X9WF450455 C/W: Cummins C8.3 6 Cylinder 8.3 L Diesel 250 hp Engine, 10534 Engine hrs, Eaton Fuller FS8206 6-Speed Manual Transmission, 13220 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 53220 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Air Trac Air Ride Suspension, 210 in Wheelbase, PTO, Wet Kit, Dual Fuel Tanks Usage: 190,418 Mi
1155	<b>2004 Western Star 4900 EX 6x4 T/A Sleeper Truck Tractor</b> S/N: 5KJJABCK44PN08661 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 500 hp Engine, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 46000 lb Rears, 54 in High Rise Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Airliner Air Ride Suspension, 274 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 676,296 Mi	1161	<b>2009 Kenworth T800 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKDD40X99J258796 C/W: Cummins ISX 500 6 Cylinder 15.0 L Diesel 500 hp Engine, 2008 US EPA Label, 19638 Engine hrs, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Differential Lock, 14320 lb Front Axle, 46000 lb Rears, Spicer R46-170DH Drive Axles, 3.91:1 Axle Ratio, 60320 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 236 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 490,355 Mi
1156	<b>2001 Kenworth W900 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 1NAWGGGG30R838390 C/W: Cat 3406E 6 Cylinder Diesel 550 hp Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Spicer RS404 Drive Axles, 3.70:1 Axle Ratio, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 285/75R24.5 Front Tires, 11R24.5 Rear Tires, Air Ride Suspension, 260 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks Usage: 420,201 Mi	1163	<b>2004 Kenworth W-900 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 1XKWD49X24J072036 C/W: Cummins ISX 400ST 6 Cylinder 15 L Diesel 400 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 3.55:1 Axle Ratio, 52350 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel Usage: 467,655 Mi
1157	<b>2000 Kenworth W900 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKWDB9X2YR848886 C/W: Cat 3406E 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller RTLO-18913A 13-Speed Manual Transmission, 3.55:1 Axle Ratio, 48000 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Auxiliary Power Unit, Aluminum Wheels, 11R24.5, 8 Bag Air Ride Suspension, 266 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 154,231 Mi	1165	<b>2007 International 9400i 6x4 T/A Sleeper Truck Tractor</b> S/N: 2HSCNAPR87C383785 C/W: Cummins ISX 435ST 6 Cylinder 15.0 L Diesel 435 hp Engine, 2006 US EPA Label, 17948 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 570,097 Mi

Lot #	Details	Lot #	Details
1166	<b>2007 International 9200i 6x4 T/A Sleeper Truck Tractor</b> S/N: 2HSCEAPR17C397608 C/W: Cummins ISX 15 L Diesel 450 hp Engine, US EPA Label, 25219 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 56 in Mid Roof Sleeper Cab, 295/75R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, Dual Fuel Tanks Usage: 756,965 Mi	1173	<b>2006 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK26LV07192 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Axle Alliance Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 245 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 856,019 Mi
1167A	<b>2008 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADB9X68J210018 C/W: Cat 6 Cylinder Diesel Engine, 25907.4 Engine hrs, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 232 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 866,182 Mi	1174	<b>2005 Freightliner Columbia 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJA6CK25LU68117 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 2005 US EPA Label, 24496 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145P Drive Axles, 3.58:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 213 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 684,020 Mi
1167	<b>2009 Kenworth T600 6x4 T/A Sleeper Truck Tractor</b> S/N: 3WKAD40X09F822987 C/W: Cummins ISX 450 6 Cylinder 15.0 L Diesel 450 hp Engine, 47938 Engine hrs, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, 5993 kg Front Axle, Dana D46-170 Drive Axles, 4.10:1 Axle Ratio, 26877 kg GVWR, Air Ride Cab, 42 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R24.5, 8 Bag Air Ride Suspension, 206 in Wheelbase, Dual Fuel Tanks Usage: 1,161,462 Mi	1177	<b>2005 Freightliner FLD120 6x4 T/A Sleeper Truck Tractor (Glider Kit)</b> S/N: 1FVXAJ0005DU12232 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 430 hp Engine, 1992 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 3.73:1 Axle Ratio, Air Ride Cab, 34 in Flat Top Sleeper Cab, Aluminum Front Wheels, 11R24.5, Airliner Air Ride Suspension, 215 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 172,036 Mi
1168A	<b>2008 Kenworth T660 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADB9X68J210004 C/W: Cat C15 15.2 L Diesel 625 hp Engine, 2007 US EPA Label, 54 Engine hrs, Engine Brake, Eaton Fuller RTO16910B Automated Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 275/80R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Flex Air Suspension, 232 in Wheelbase, Air Sliding 5th Wheel Usage: 1,193,239 Mi	1178	<b>2003 Freightliner FLD 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUJAHCG53LK74928 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 500 hp Engine, 2002 US EPA Label, Engine Brake, Eaton Fuller FRO-16210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.78:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 70 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R24.5, Airliner Air Ride Suspension, 240 in Wheelbase, PTO, Air Sliding 5th Wheel, Blower Usage: Not Available
1168	<b>2005 Kenworth T600 6x4 T/A Sleeper Truck Tractor</b> S/N: 1XKADB9XX5J085441 C/W: Cat C15 6 Cylinder Diesel 475 hp Engine, Engine Brake, Eaton Fuller RTLOC16909AT2 13-Speed Manual Transmission, 3.55:1 Axle Ratio, 72 in High Rise Sleeper Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 231 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 160,120 Mi	1179A	<b>2009 Volvo VNL 6x4 T/A Sleeper Truck Tractor</b> S/N: 4V4NC9TH39N270914 C/W: Cummins ISX 450 15.0 L Diesel 450 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 38000 lb Rears, 50350 lb GVWR, Air Ride Cab, 63 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 216 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 531,926 Mi

Lot #	Details	Lot #	Details
1179	<b>2000 Freightliner FLD 120 6x4 T/A Sleeper Truck Tractor</b> S/N: 1FUPCSZB4YPB97453 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 500 hp Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 60 in High Rise Sleeper Cab, Aluminum Outer Wheels, 285/75R24.5 Front Tires, 11R24.5 Rear Tires, Airliner Suspension, 264 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 765,424 Hr	1185	<b>2005 Kenworth T800 4x2 S/A Day Cab Truck Tractor</b> S/N: 3WKDA48X85F084571 C/W: Cummins ISX 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, Dana D46-170H Drive Axles, 3.42:1 Axle Ratio, 34700 lb GVWR, 275/80R22.5, Neway Air Ride Suspension, 150 in Wheelbase Usage: 233,437 Mi
1181	<b>2005 International 9400i 6x4 T/A Sleeper Truck Tractor</b> S/N: 2HSCNSBR65C138722 C/W: Cat C13 6 Cylinder Diesel Engine, 21999 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 234 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 825,881 Mi	1186	<b>2005 Kenworth T300 4x2 S/A Day Cab Truck Tractor</b> S/N: 2XKMAZ7X65M084118 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 300 hp Engine, 2004 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Hendrickson Air Ride Suspension, 150 in Wheelbase Usage: 321,124 Mi
1182	<b>2005 International 9900i 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSCHAPR65N128832 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 500 hp Engine, 2004 US EPA Label, 33651 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 51 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 252 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 1,164,348 Mi	1187	<b>2005 Freightliner Columbia 112 4x2 S/A Day Cab Truck Tractor</b> S/N: 1FUBA5CG65DU37148 C/W: Detroit Series 60 12.7 L 425 hp Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 3.73:1 Axle Ratio, Air Ride Cab, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase Usage: 591,407 Mi
1183B	<b>2014 Kenworth T370 4x2 S/A Day Cab Truck Tractor</b> S/N: 2XKHAM8A7EM409518 C/W: Paccar Diesel Engine, Requires Diesel Exhaust Fluid, 7544 Engine hrs, Eaton Fuller Automated Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Aluminum Wheels, 295/75R22.5 Front Tires, 275/70R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase Usage: 134,832 Mi	1189	<b>2007 Volvo VNL300 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TGX7N487306 C/W: Cummins ISX 6 Cylinder 14.9 L Diesel 400 hp Engine, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 275/80R22.5, Air Ride Suspension, 150 in Wheelbase Usage: 835,666 Mi
1183	<b>2005 International 9200i SBA 6x4 T/A Sleeper Truck Tractor</b> S/N: 3HSCESBR85N137831 C/W: Cat C13 6 Cylinder 12.5 L Diesel Engine, 50307 Engine hrs, Engine Brake, 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 72 in Mid Roof Sleeper Cab, Aluminum Wheels, 10R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 224 in Wheelbase, PTO, Headache Rack Usage: 124,535 Mi	1190	<b>2007 Volvo VNL42T 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4N19TG97N466219 C/W: Cummins ISX 6 Cylinder 15 L Diesel 400 hp Engine, 2006 US EPA Label, 23381 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Automated Transmission, 12000 lb Front Axle, 20000 lb Rears, Dana RS23-160 Drive Axles, 2.50:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Volvo Air Ride Suspension, 150 in Wheelbase Usage: 1,099,939 Mi
		1191	<b>2008 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GH38N487020 C/W: D12 6 Cylinder Diesel 435 hp Engine, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 10000 lb Rears, 2.80:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,429,926 Mi

Lot #	Details	Lot #	Details
1192	<b>2008 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GH28N487087 C/W: D12D435 12.1 L Diesel 435 hp Engine, US EPA Label, 21669 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 10000 lb Rears, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,322,737 Mi	1198	<b>2004 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GFX4N369720 C/W: D12D365 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 365 hp Engine, 2003 US EPA Label, Engine Block Heater, Engine Brake, Meritor 10-Speed Manual Transmission, 12349 lb Front Axle, 10000 lb Rears, 3.07:1 Axle Ratio, 32350 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Volvo Air Ride Suspension, 158 in Wheelbase, Dual Fuel Tanks Usage: 393,896 Mi
1193	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GH77N431886 C/W: D12D435 6 Cylinder 12.1 L Diesel 435 hp Engine, 2005 US EPA Label, 37729 Engine hrs, Engine Brake, Eaton Fuller FRM-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.80:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5, Air Ride Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 1,647,809 Mi	1199	<b>2004 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF24N369727 C/W: D12D365 6 Cylinder 12.1 L Diesel 365 hp Engine, 2002 US EPA Label, 9875 Engine hrs, Engine Brake, Meritor M-13G10A-M13 10-Speed Manual Transmission, 12349 lb Front Axle, 10000 lb Rears, 3.07:1 Axle Ratio, 32350 lb GVWR, 275/80R22.5 Front Tires, 295/75R22.5 Rear Tires, Air Ride Suspension, 156 in Wheelbase, Dual Fuel Tanks Usage: 600,705 Mi
1194	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GG67N435385 C/W: D12 6 Cylinder 12.1 L Ultra Low Sulfur Diesel 395 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, 295/75R22.5, Volvo Air Ride Suspension, 150 in Wheelbase, Dual Fuel Tanks Usage: 352,400 Mi	1202	<b>2007 International 8600 4x2 S/A Day Cab Truck Tractor</b> S/N: 1HSHWSANX7J388342 C/W: Cat 6 Cylinder Engine, 18611 Engine hrs, Eaton Fuller 10-Speed Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 153 in Wheelbase, Dual Fuel Tanks Usage: 456,909 Mi
1195	<b>2007 Volvo VNM 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GH67N458447 C/W: D12D435 6 Cylinder 12.1 L Diesel 435 hp Engine, 2006 US EPA Label, 20542 Engine hrs, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 2.80:1 Axle Ratio, 32000 lb GVWR, 295/75R22.5 Front Tires, 275/80R22.5 Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 1,224,668 Mi	1204	<b>2006 Chevrolet C7500 4x2 S/A Day Cab Truck Tractor</b> S/N: 1GBP7C1GX6F429180 C/W: V8 Gasoline Engine, 5x2 Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, Dual Fuel Tanks Usage: 116,211 Mi
1197	<b>2004 Volvo VNM200 4x2 S/A Day Cab Truck Tractor</b> S/N: 4V4M19GF94N369711 C/W: D12D365 6 Cylinder 12.1 L Diesel 365 hp Engine, 2003 US EPA Label, Engine Brake, Meritor M-13G10A 10-Speed Manual Transmission, 12349 lb Front Axle, Meritor RS23-160 Drive Axles, 3.07:1 Axle Ratio, Air Ride Cab, Aluminum Rear Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 154 in Wheelbase, Dual Fuel Tanks Usage: 421,114 Mi	1205	<b>1991 GMC C7500 4x2 Crew Cab S/A Day Cab Truck Tractor</b> S/N: 1GDM7H1J3MJ519154 C/W: Cat 3116 6 Cylinder 6.6 L Diesel 185 hp Engine, 1991 US EPA Label, 4225 Engine hrs, 6-Speed Manual Transmission, Crew Cab Sleeper Cab, 11R22.5, Spring Suspension, 180 in Wheelbase, Dual Fuel Tanks Usage: 80,973 Mi
		1207	<b>2007 Mack MR688P 4x2 S/A Day Cab Truck Tractor</b> S/N: 1M1K188YX7M033377 C/W: Mack 6 Cylinder Diesel Engine, Allison Manual Transmission, 65000 lb GVWR, 11R22.5, Air Ride Suspension Usage: 570,802 Mi

Lot #	Details	Lot #	Details
1208	<b>2014 International ProStar 4x2 S/A Day Cab Truck Tractor</b> S/N: 3HSDGAPN1EN767401 C/W: Cummins ISX 6 Cylinder 15 L Diesel 425 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 15058 Engine hrs, Engine Brake, Eaton Fuller Automated Transmission, 12350 lb Front Axle, 20000 lb Rears, 32350 lb GVWR, Air Ride Cab, 72 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 295/75R22.5, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 639,814 Mi	1213	<b>2016 Cat CT660S 10x4 Quad/A Dump Truck</b> S/N: 3HTJGTKT3GN207348 C/W: 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Block Heater, 12424 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, 66600 lb GVWR, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, 2 Steerable Air Lift Pusher Axle, Dual Steering Boxes, 330 in Wheelbase, PTO, Double Frame, Benson 21 ft Long x 7 ft High Aluminium Body, Electric Roll Tarp Usage: 107,980 Mi
1209	<b>2014 Volvo VNL300 6x4 CNG T/A Day Cab Truck Tractor</b> S/N: 4V5NC9UG2EN147083 C/W: Cummins ISX12 G 6 Cylinder 11.9 L CNG 400 hp Engine, 2013 US EPA Label, Eaton Fuller FRO-14210C 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 3.70:1 Axle Ratio, 50000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 591,663 Mi	1215	<b>2015 Peterbilt 365 8x4 Tri/A Dump Truck</b> S/N: 1XPSD79XXFD263201 C/W: Cummins ISX12 6 Cylinder Diesel 385 hp Engine, 2014 US EPA Label, 24237.5 Engine hrs, Eaton Fuller 8LL Manual Transmission, 12301 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Trac Air Ride Suspension, 206 in Wheelbase, PTO, 15 ft Long x 3 ft 4 in High Steel Body, Manual Roll Tarp Usage: 641,692 Mi
1210	<b>2014 Freightliner M2 112 4x2 CNG S/A Day Cab Truck Tractor</b> S/N: 1FUBC5DX8EHFM5713 C/W: Cummins CNG Engine, Allison Automatic Transmission, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, Air Ride Cab, 275 /80R22.5, Air Ride Suspension, 176 in Wheelbase Usage: Not Available	1216	<b>2014 Peterbilt 365 8x4 Tri/A Dump Truck</b> S/N: 1XPSD79X8ED225660 C/W: Cummins ISX 6 Cylinder Diesel 425 hp Engine, Requires Diesel Exhaust Fluid, 12517 Engine hrs, Eaton Fuller 8LL Manual Transmission, Differential Lock, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 205 in Wheelbase, PTO, 15 ft Long x 4 ft 4 in High Steel Body, Manual Roll Tarp Usage: 612,505 Mi
1211	<b>2018 Peterbilt 567 12x4 Simple 16 Quad/A Dump Truck</b> S/N: 1NPCLP0X4JD476930 C/W: Paccar MX-13 6 Cylinder 12.9 L Diesel 455 hp Engine, 2017 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, Engine Brake, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 40000 lb Rears, 68000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, 3 Air Lift Pusher Axles, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 284 in Wheelbase, 16 ft Long x 4 ft 6 in High Steel Body, Electric Roll Tarp Usage: 216,944 Mi	1218	<b>2013 Mack GU713 8x4 Tri/A Dump Truck</b> S/N: 1M2AX04Y8DM015873 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 24143 Engine hrs, T310 10-Speed Transmission, Aluminum Outer Wheels, 385/65R22.5 Front Tires, 11R24.5 Rear Tires, Steerable Air Lift Pusher Axle, Air Ride Suspension, 226 in Wheelbase, PTO, 15 ft Long x 4 ft High Body, Electric Roll Tarp Usage: 372,068 Mi
1212	<b>2007 Peterbilt 378 10x4 Quad/A Dump Truck</b> S/N: 1NP5LU9XX7D689495 C/W: Cat C13 12.5 L Diesel 430 hp Engine, 2006 US EPA Label, 11995 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, 2 Steerable Air Lift Pusher Axle, Flex Air Suspension, 242 in Wheelbase, PTO, 17 ft Long x 54 in High Steel Body, Round Bottom, Electric Roll Tarp Usage: 227,494 Mi	1219	<b>2012 Mack GU713 8x4 Tri/A Dump Truck</b> S/N: 1M1AX07Y6CM013926 C/W: Mack MP8-445C 6 Cylinder 12.8 L Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 30356 Engine hrs, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, 14320 lb Front Axle, 38000 lb Rears, 52320 lb GVWR, Air Ride Cab, 11R24.5, Camelback Spring Suspension, 228 in Wheelbase, PTO, 16 ft 6 in Long x 0 ft 48 in High Steel Body, Manual Roll Tarp Usage: 641,056 Mi

Lot #	Details	Lot #	Details
1220	<b>2012 Mack CHU613 8x4 Tri/A Dump Truck</b> S/N: 1M1AN07Y4CM009038 C/W: Mack MP8 6 Cylinder 12.8 L Diesel 505 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 14805 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 14320 lb Front Axle, 44000 lb Rears, 58320:1 Axle Ratio, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, Air Lift Pusher Axle, Air Ride Suspension, 232 in Wheelbase, PTO, 16 ft Long x 4 ft 7 in High Steel Body, Electric Roll Tarp Usage: 273,178 Mi	1228	<b>2007 Mack CTP713 Granite 6x4 T/A Dump Truck</b> S/N: 1M2AT04Y67M006556 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 395 hp Engine, 2006 US EPA Label, 31170 Engine hrs, Engine Brake, T310 10-Speed Manual Transmission, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 206 in Wheelbase, PTO, 14 ft Long x 4 ft High Stainless Steel Body, Electric Roll Tarp Usage: 402,314 Mi
1224	<b>2016 Mack CXU613T Pinnacle 6x4 T/A Dump Truck</b> S/N: 1M1AW22Y2GM079224 C/W: Mack MP7 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Assist Front Suspension, Air Ride Suspension, 208 in Wheelbase, PTO, Unused 16 ft Long x 4 ft 7 in High Steel Body, Electric Roll Tarp Usage: 414,178 Mi	1229A	<b>2006 Mack CXN613 6x4 T/A Dump Truck</b> S/N: 1M1AK07Y56N013896 C/W: Mack 6 Cylinder Diesel Engine, 21332.6 Engine hrs, Engine Brake, Eaton Fuller Automatic Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 176 in Wheelbase, PTO, 14 ft Long x 3 ft 8 in High Steel Body, Manual Roll Tarp Usage: 631,788 Mi
1225A	<b>2016 Mack CXU613 6x4 T/A Dump Truck</b> S/N: 1M1AW07Y9GM053037 C/W: Mack MP8 6 Cylinder Ultra Low Sulfur Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Engine Block Heater, Engine Brake, mDrive Automated Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Aluminum Outer Wheels, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 180 in Wheelbase, PTO, 14 ft Long x 3 ft 9 in High Body, Manual Roll Tarp Usage: 761,776 Mi	1229	<b>2007 Mack CV 713 6x4 T/A Dump Truck</b> S/N: 1M2AG11YX7M061056 C/W: Mack AI 6 Cylinder 12.0 L Diesel 400 hp Engine, 2006 US EPA Label, 10-Speed Manual Transmission, Air Ride Cab, 315/80R22.5 Front Tires, 11R24.5 Rear Tires, Camelback Spring Suspension, 206 in Wheelbase, PTO, 15 ft Long x 4 ft High Steel Body, Round Bottom, Bed Vibrator, Electric Roll Tarp Usage: Not Available
1226	<b>2015 Mack CXU613T 6x2 T/A Dump Truck</b> S/N: 1M1AW22Y2FM051468 C/W: Mack MP7 6 Cylinder Diesel 395 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 21430 Engine hrs, Engine Brake, mDrive Automated Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Aluminum Outer Wheels, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 186 in Wheelbase, PTO, 15 ft Long x 4 ft 5 in High Steel Body, Manual Roll Tarp Usage: 816,119 Mi	1230A	<b>2007 Mack CHN613 6x4 T/A Dump Truck</b> S/N: 1M1AJ06Y37N008590 C/W: Mack 6 Cylinder 12.0 L Diesel Engine, Engine Brake, 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Camelback Spring Suspension, 212 in Wheelbase, PTO, Davis 14 ft Long x 50 in High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: Not Available
1227	<b>2000 Peterbilt 378 6x4 T/A Dump Truck</b> S/N: 1NPFLU9X9YD524981 C/W: Cat C12 6 Cylinder Diesel 380 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 14060 lb Front Axle, 40000 lb Rears, 54060 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5 Front Tires, 11R24.5 Rear Tires, Air Trac Air Ride Suspension, 246 in Wheelbase, PTO, Double Frame, Galion 16 ft Long x 4 ft High Steel Body, Tailgate Chute, Pintle Hitch Usage: 607,759 Mi	1230	<b>2005 Mack CXN613 6x4 T/A Dump Truck</b> S/N: 1M1AK06YX5N005339 C/W: Mack 6 Cylinder Diesel Engine, 30851 Engine hrs, Maxitorque 9-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 180 in Wheelbase, PTO, 14 ft Long x 48 in High Steel Body, Manual Roll Tarp Usage: 681,214 Mi
		1231	<b>2005 Mack CHN613 6x4 T/A Dump Truck</b> S/N: 1M1AJ06Y45N003086 C/W: Mack 6 Cylinder Diesel Engine, 20168 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R24.5, mRide Air Ride Suspension, 195 in Wheelbase, PTO, 14 ft Long x 3 ft 6 in High Steel Body, Electric Roll Tarp Usage: 576,011 Mi

Lot #	Details	Lot #	Details
1232	<b>2007 Freightliner CST120 Century Class S/T 6x4 T/A Dump Truck</b> S/N: 1FUJBBCG47LW34030 C/W: Detroit Series 60 6 Cylinder 12.7 L Diesel 445 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 295/75R22.5, Airliner Air Ride Suspension, 164 in Wheelbase, PTO, 15 ft Long x 4 ft High Steel Body, Manual Roll Tarp Usage: Not Available	1237	<b>2007 Sterling LT9500 6x4 T/A Dump Truck</b> S/N: 2FZHYZDE07AX56682 C/W: Cat C13 6 Cylinder Diesel Engine, 1099.1 Engine hrs, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 20 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 185 in Wheelbase, PTO, Wet Kit, Hydraulic System, Double Frame, 15 ft Long x 4 ft High Steel Body, Electric Roll Tarp Usage: 156,166 Mi
1233	<b>2005 Freightliner Columbia 120 6x4 T/A Dump Truck</b> S/N: 1FUJA6CK55LN63352 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 515 hp Engine, 2004 US EPA Label, 10046 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 171 in Wheelbase, PTO, 14 ft Long x 4 ft 2 in High Steel Body, Electric Roll Tarp Usage: 662,423 Mi	1238	<b>2007 Sterling LT7500 6x4 T/A Dump Truck</b> S/N: 2FZHATDC97AY55643 C/W: Cat C7 6 Cylinder Diesel 300 hp Engine, 2006 US EPA Label, 14310.9 Engine hrs, Eaton Fuller 9-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 59868 lb GVWR, 11R22.5, Hendrickson RT/RTE Series Suspension, 176 in Wheelbase, PTO, Warren 14 ft Long x 3 ft 8 in High Body, Manual Roll Tarp Usage: 226,519 Mi
1234	<b>2008 International 7700 Workstar 6x4 T/A Dump Truck</b> S/N: 1HTTYAHT08J630913 C/W: Cummins 6 Cylinder Diesel Engine, 5783 Engine hrs, Allison Automatic Transmission, 18740 lb Front Axle, 45400 lb Rears, 64140 lb GVWR, Air Ride Cab, 385/65R22.5 Front Tires, 12R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmax Rubber Suspension, 550 in Wheelbase, PTO, 16 ft Long x 4 ft High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 58,632 Mi	1239	<b>2005 Sterling LT9500 6x4 T/A Dump Truck</b> S/N: 2FWJAZCV65AN69573 C/W: Mercedes-Benz OM460LA 6 Cylinder 781 cid Diesel 450 hp Engine, 2004 US EPA Label, 13793 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Airliner Air Ride Suspension, 204 in Wheelbase, PTO, Davis 15 ft Long x 46 in High Steel Body Usage: 576,146 Mi
1235	<b>2005 International 7400 6x4 T/A Dump Truck</b> S/N: 1HTWHAAR45J179315 C/W: International DT466 6 Cylinder 466 cid Diesel Engine, 15948 Engine hrs, Automatic Transmission, Air Ride Cab, 11R22.5, Hendrickson Spring Suspension, 183 in Wheelbase, PTO, Wet Kit, Davis 13 ft 6 in Long x 4 ft 4 in High Steel Body, Bed Vibrator, Electric Roll Tarp Usage: 15,948 Hr	1240	<b>1996 Western Star 4964F 6x4 T/A Dump Truck</b> S/N: 2WKPDCCFXTK940704 C/W: Cat 3406E 6 Cylinder Diesel 355 hp Engine, Eaton Fuller RTX-14710C 10-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 36000 lb Rears, 48000 lb GVWR, Aluminum Front Wheels, 275 /80R22.5 Front Tires, 295/75R22.5 Rear Tires, Hendrickson Air Ride Suspension, 214 in Wheelbase, PTO, 14 ft 4 in Long x 3 ft 9 in High Steel Body, Electric Roll Tarp Usage: Not Available
1236	<b>2002 International 2674 6x4 T/A Dump Truck</b> S/N: 1HTGLATT12H503190 C/W: Cat C10 6 Cylinder 10.3 L Diesel 350 hp Engine, 2001 US EPA Label, 10638 Engine hrs, Engine Brake, Eaton Fuller 8-Speed Manual Transmission, 315/80R22.5 Front Tires, 12R22.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 214 in Wheelbase, PTO, 15 ft Long x 4 ft High Steel Body, Electric Roll Tarp, Pintle Hitch Usage: 176,160 Mi	1241	<b>1995 Kenworth T-800 6x4 T/A Dump Truck</b> S/N: 1XKDD69XXSJ654305 C/W: Cummins N14 6 Cylinder 14.0 L Diesel 370 hp Engine, Eaton Fuller 10-Speed Manual Transmission, Aluminum Front Wheels, 11R22.5 Front Tires, 11R24.5 Rear Tires, 8 Bag Air Ride Suspension, 264 in Wheelbase, PTO, Double Frame, 24 ft Long x 48 in High Steel Body, Flat Bed Usage: 995,278 Mi



Lot #	Details	Lot #	Details
1242	<b>1999 Mack CH613 6x4 T/A Dump Truck</b> S/N: 1M1AA18Y2XW114154 C/W: Mack E7 6 Cylinder Diesel 427 hp Engine, 1999 US EPA Label, 17884 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R24.5, Air Ride Suspension, 224 in Wheelbase, PTO, OX Bodies 15 ft Long x 4 ft 2 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 42,070 Mi	1247	<b>2013 Ford F-750 XL 4x2 S/A Dump Truck</b> S/N: 3FRNF7FA2DV781424 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 250 hp Engine, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Valew 10 ft Long x 24 in High Steel Body, Manual Roll Tarp, Tailgate Chute Usage: 14,875 Mi
1243	<b>1992 Mack RD688S 6x4 Dump Truck</b> S/N: 1M2P267Y4NM011067 C/W: Mack E7 6 Cylinder Diesel Engine, US EPA Label, 870 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Aluminum Rear Wheels, 11R24.5 Front Tires, 11R24.5 Rear Tires, Spring Suspension, 190 in Wheelbase, PTO, Double Frame, 14 ft Long x 45 in High Body, Electric Roll Tarp Usage: 171,239 Mi	1248	<b>2013 Ford F-750 XL 4x2 S/A Dump Truck</b> S/N: 3FRNF7FA6DV026390 C/W: Cummins ISB6.7 6 Cylinder 6.7 L Diesel 200 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 159 in Wheelbase, PTO, Valew 10 ft Long x 2 ft 2 in High Steel Body, Manual Roll Tarp Usage: 73,677 Mi
1244A	<b>1999 International 4700 6x4 T/A Dump Truck</b> S/N: 1HTSCAAN5XH636430 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 12000 lb Front Axle, 11R22.5 Front Tires, 11R24.5 Rear Tires, Spring Suspension, 214 in Wheelbase, PTO, Double Frame, 20 ft Long x 0 ft 48 in High Bisalloy Body Usage: 322,792 Mi	1249	<b>2009 Sterling Acterra 4x2 S/A Dump Truck</b> S/N: 2FZACGBS69AAK8587 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 285 hp Engine, 2008 US EPA Label, 9041 Engine hrs, Engine Brake, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 32000 lb GVWR, 11R22.5, Spring Suspension, 158 in Wheelbase, PTO, Godwin 10 ft Long x 0 ft 42 in High Steel Body, Pintle Hitch Usage: 63,997 Mi
1244	<b>1993 Freightliner FL80 6x4 T/A Dump Truck</b> S/N: 1FVXJLBB1PL490778 C/W: Cummins 6CT 6 Cylinder 8.3 L Diesel 210 hp Engine, 1988 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Aluminum Front Wheels, 11R22.5, Spring Suspension, 174 in Wheelbase, PTO, Double Frame, 13 ft 6 in Long x 42 in High Steel Body, Manual Roll Tarp, Pintle Hitch Usage: 181,484 Mi	1250	<b>2009 Sterling Acterra 4x2 S/A Dump Truck</b> S/N: 2FZACGBS39AAL2726 C/W: Cummins ISC285 6 Cylinder 8.3 L Diesel 285 hp Engine, US EPA Label, Allison Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 295/75R22.5, Spring Suspension, 160 in Wheelbase, PTO, 10 ft Long x 3 ft High Body Usage: Not Available
1245	<b>1977 Mack R685ST 6x4 T/A Dump Truck</b> S/N: R685ST67617 C/W: Mack 6 Cylinder Diesel Engine, Manual Transmission, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Suspension, 216 in Wheelbase, PTO, 14 ft Long x 3 ft 5 in High Steel Body, Manual Roll Tarp Usage: 60,036 Mi	1251	<b>2007 International 4300 4x2 S/A Dump Truck</b> S/N: 1HTMMAAN27H381225 C/W: International 6 Cylinder Diesel Engine, 8175 Engine hrs, 6-Speed Manual Transmission, 11R22.5, Spring Suspension, 218 in Wheelbase, 16 ft Long x 0 ft 8 in High Steel Body, Flat Bed, Pintle Hitch Usage: 135,920 Mi
1246	<b>2017 International 4300 4x2 S/A Dump Truck</b> S/N: 1HTMMMML9HH500465 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 300 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 21000 lb Rears, 31000 lb GVWR, 11R22.5, Hendrickson Air Ride Suspension, 162 in Wheelbase, PTO, 10 ft Long x 2 ft 12 in High Bisalloy Body, Manual Roll Tarp, Pintle Hitch Usage: 79,630 Hr	1253	<b>2005 Ford F-750 4x2 S/A Dump Truck</b> S/N: 3FRXF75F15V209932 C/W: Cummins 6 Cylinder Diesel Engine, 6-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 11R22.5, Spring Suspension, 212 in Wheelbase, PTO, 14 ft Long x 4 ft 3 in High Steel Body, Flat Bed Usage: 174,310 Mi
		1254	<b>2005 Chevrolet C4500 4x2 S/A Dump Truck</b> S/N: 1GBC4C1275F524435 C/W: V8 Diesel Engine, Automatic Transmission, 6250 lb Front Axle, 11000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 152 in Wheelbase, Rhino Bodies 12 ft Long x 3 ft 5 in High Steel Body Usage: 276,019 Mi

Lot #	Details	Lot #	Details
1255	<b>2001 Ford F-550 XL 4x2 S/A Dump Truck</b> S/N: 1FDAF56F21EC03791 C/W: V8 7.3 L Diesel Engine, Automatic Transmission, 6000 lb Front Axle, 13500 lb Rears, 19000 lb GVWR, 225/70R19.5, Spring Suspension, 165 in Wheelbase, Ledwell 11 ft Long x 3 ft 4 in High Steel Body, Manual Roll Tarp Usage: 186,264 Mi	1261	<b>2000 Kenworth T800 6x4 Sleeper High Pressure Truck</b> S/N: 1XKDDU9X0YR853071 C/W: Cat C12 6 Cylinder 12.0 L Diesel Engine, 1999 US EPA Label, Eaton Fuller Automatic Transmission, Differential Lock, 40000 lb Rears, 4.11:1 Axle Ratio, 52000 lb GVWR, 11R24.5, 8 Bag Air Ride Suspension, 247 in Wheelbase, 0 mm Long x 0 mm High Body, (2) Cat C9 engines, 2 Triplex Pumps Usage: 299,826 Mi
1257	<b>1998 International 4700 4x2 S/A Dump Truck</b> S/N: 1HTSCABR7WH514393 C/W: International T444E V8 7.3 L Diesel 230 hp Engine, 1997 US EPA Label, Eaton Fuller Manual Transmission, 12000 lb Front Axle, 23000 lb Rears, 35000 lb GVWR, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, Double Frame, 10 ft Long x 35 in High Steel Body, Electric Roll Tarp, Rear Hydraulics, Pintle Hitch Usage: 204,597 Mi	1263	<b>2014 Camex on 2014 Kenworth T800 8x6 Sleeper Vacuum Excavator Truck</b> S/N: 1NKDX4TX0EJ968290 C/W: Cummins ISX15 6 Cylinder 15.0 L Diesel 550 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, 5601.5 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 64000 lb Rears, 84000 lb GVWR, Air Ride Cab, 38 in Flat Top Sleeper Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R24.5 Rear Tires, Central Tire Inflation System, Dual Steering Boxes, Neway Air Ride Suspension, 264 in Wheelbase, PTO, Double Frame, Steel 15768 L Debris Tank, TC407 Code, Full Open Tailgate, Manual Tailgate Locks, 6 in Suction Hose, Blower Usage: 70,323 Mi
1258	<b>1992 International 2574 6x4 Tanker Truck</b> S/N: 1HTGGA2R5NH403205 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 9-Speed Manual Transmission, 11R24.5, Hendrickson RT/RTE Series Suspension, 200 in Wheelbase, PTO, Double Frame, Steel Tank, 2 Compartments Usage: Not Available	1264	<b>2012 Peterbilt 348 6x4 Vacuum Excavator Truck</b> S/N: 2NP3LN9X2CM160866 C/W: Paccar PX-8 6 Cylinder Ultra Low Sulfur Diesel Engine, Requires Diesel Exhaust Fluid, Engine Block Heater, 22987.0 Engine hrs, Engine Brake, Eaton Fuller FR9210B 10-Speed Manual Transmission, 14600 lb Front Axle, 40000 lb Rears, 54600 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Suspension, 222 in Wheelbase, PTO, Double Frame, Steel 3000 gal Debris Tank, Full Open Tailgate, Manual Tailgate Locks, Fruitland Hydraulic Driven Pump Usage: 52,496 Mi
1259	<b>Vactor Guzzler 2112-HXX-PD on 2013 Peterbilt 367 8x4 Hydro-Excavation Truck</b> S/N: 1NPTX7EX6DD176100 C/W: Cummins ISX12 6 Cylinder 11.9 L Diesel 425 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, 18227 Engine hrs, Engine Brake, Eaton Fuller 18-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, 77020 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Chalmers Rubber Suspension, 308 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Fresh Water Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Telescopic Boom, 8 in Suction Hose, Cat Hydraulic Driven Pump, Ingersoll Rand SIAV8702 Blower, Boiler Usage: 160,055 Mi	1265	<b>Vactor 2115-821RCS15 on 2008 Sterling L9500 6x4 Vacuum Excavator Truck</b> S/N: 2FZHYZDE68AY47392 C/W: Cat C13 6 Cylinder Diesel Engine, Allison Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Walking Beam Suspension, 245 in Wheelbase, Double Frame, Steel Debris Tank, Front Hose Reel, Fresh Water Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Telescopic Boom, 8 in Suction Hose, Roots 821RCS Blower Usage: 172,789 Mi
1260	<b>2013 Vactor 2112 HXX-PD on 2011 Kenworth T800 8x4 Hydro-Excavation Truck</b> S/N: 1NKDX0EX6BJ279369 C/W: Cummins ISM425 6 Cylinder 10.8 L Diesel 425 hp Engine, 2009 US EPA Label, 5900 Engine hrs, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Dana D46-170HP Drive Axles, 3.91:1 Axle Ratio, 78350 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Hendrickson RT/RTE Series Suspension, 302 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Fresh Water Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Boom, 8 in Suction Hose, Hydraulic Driven Pump, Hixon 8702 Blower, 940000 BTU Boiler, Cordless Remote Control Usage: 138,332 Mi		

Lot #	Details	Lot #	Details
1268	<b>Vactron PMD500DT on 2001 International 4700 4x2 Vacuum Excavator Truck</b> S/N: 1HTSCAAL41H385471 C/W: International C195 6 Cylinder Diesel Engine, 2000 US EPA Label, 1223.6 Engine hrs, International 6-Speed Manual Transmission, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 190 in Wheelbase, Steel 500 gal Debris Tank, Rear Hose Reel, 525 gal Fresh Water Tank, Manual Tailgate Locks, Pump w/ Isuzu 3 Cylinder Engine Usage: 18,688 Hr	1276	<b>2004 Keith Huber on 2004 Sterling L7500 6x4 Vacuum Tanker Truck</b> S/N: 2FZHATDC34AN18722 C/W: Cat C7 6 Cylinder 7.2 L Diesel Engine, 2004 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Spring Suspension, 210 in Wheelbase, PTO, Steel 3030 gal Debris Tank, Hydraulic Lift Tailgate, Manual Tailgate Locks, Wittig Hydraulic Driven Pump Usage: Not Available
1270	<b>2005 Fruitland Tool &amp; Mfg RCF500 on 2005 Kenworth T-800 Wide Hood 6x4 Vacuum Tanker Truck</b> S/N: 1XKDD09X55J109436 C/W: Cummins ISM 370 6 Cylinder 10.8 L Diesel 370 hp Engine, 2005 US EPA Label, Engine Block Heater, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Steel Debris Tank, Fresh Water Tank Usage: 114,900 Mi	1277A	<b>2012 Ford F-750 XL 4x2 Vacuum Tanker Truck</b> S/N: 3FRWF7FB0CV467069 C/W: Cummins 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 10000 lb Front Axle, 18960 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 182 in Wheelbase, PTO, Steel Debris Tank Usage: 284,032 Mi
1271	<b>2012 Mack GU713 Granite 6x4 Vacuum Tanker Truck</b> S/N: 1M2AX04C2CM012857 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 395 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 5504 Engine hrs, Engine Brake, T310M 10-Speed Manual Transmission, 18000 lb Front Axle, 44000 lb Rears, 62000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 226 in Wheelbase, PTO, Double Frame, Steel Debris Tank, Fruitland PTO Driven Pump Usage: 116,765 Mi	1279	<b>2016 Schwing S 46 SX 46 m on 2017 Mack GU714 8x4 Concrete Pump Truck</b> S/N: 1M2AX20C1HM001275 C/W: Mack MP7 6 Cylinder 10.8 L Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8150 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, 20000 lb Front Axle, 60000 lb Rears, 80000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Ride Suspension, 294 in Wheelbase, PTO, Hydraulic System, Double Frame, 5187 Pump Hours, Radio Remote Controls Usage: 94,030 Mi
1273	<b>2004 Presvac on 2005 Freightliner M2-106 6x4 Vacuum Tanker Truck</b> S/N: 1FVHCYDC45HU01643 C/W: Cat C7 6 Cylinder 7.2 L Diesel 300 hp Engine, 8688 Engine hrs, Eaton Fuller FR-9210B 10-Speed Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 3.90:1 Axle Ratio, 56000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson TufTrac Spring Suspension, 209 in Wheelbase, PTO, Double Frame, Steel 3000 gal Debris Tank, Hoist, Hydraulic Lift Tailgate, Manual Tailgate Locks, Roper Hydraulic Driven Pump, Wittig Blower Usage: 27,138 Mi	1280	<b>2016 Schwing S32X 32 m on 2017 Mack GU813 6x4 Concrete Pump Truck</b> S/N: 1M2AX13C1HM034959 C/W: Mack MP7 10.8 L Diesel 405 hp Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, 8744 Engine hrs, Engine Brake, Allison 6-Speed Automatic Transmission, 20000 lb Front Axle, 44000 lb Rears, 64000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Suspension, 292 in Wheelbase, PTO, Double Frame, 4823 Pump Hours, Radio and Cable Remote Controls, Boom Light, Hopper Vibrator, Outrigger Pads, Auto Lube Usage: 111,212 Mi
1274	<b>2003 Prevac Systems on 2004 Freightliner FL-80 6x4 Vacuum Tanker Truck</b> S/N: 1FVHBXAK84HM30067 C/W: Cat 6 Cylinder 7.2 L Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 210 in Wheelbase, PTO, Double Frame, Steel 3000 gal Debris Tank, Hydraulic Lift Tailgate, Manual Tailgate Locks, Wittig Hydraulic Driven Pump Usage: Not Available		

Lot #	Details	Lot #	Details
1281	<p><b>2018 Liebherr 37Z4 48 m on 2019 Mack GR64 6x4 Concrete Pump Truck</b>            S/N: 1M2GR2GC6KM003329            C/W: Mack MP7 6 Cylinder 10.8 L Diesel 425 hp Engine, 2018 US EPA Label, Requires Diesel Exhaust Fluid, CARB Compliant, 4104 Engine hrs, Engine Brake, Allison Automatic Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Mack Drive Axles, 66000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 258 in Wheelbase, PTO, Hydraulic System, Double Frame, 519 Pump Hours, Radio Remote Controls, Boom Light, Water Tank Heater, Oil Tank Heater, Hopper Vibrator, Air Cuff Control, Outrigger Pads, Auto Lube            Usage: 50,183 Mi</p>	1284	<p><b>2018 Liebherr 42XXT 42 m on 2019 Mack TE84 8x4 Twin-Steer Concrete Pump Truck</b>            S/N: 1M2TE4NCXKM001057            C/W: Mack MP8 6 Cylinder 12.73 L Ultra Low Sulfur Diesel 445 hp Engine, Requires Diesel Exhaust Fluid, CARB Compliant, 7544 Engine hrs, Engine Brake, 10-Speed Manual Transmission, 40000 lb Front Axle, 46000 lb Rears, MACK Drive Axles, 86000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 234 in Wheelbase, Hydraulic System, Double Frame, 445 Pump Hours, Radio and Cable Remote Controls, Boom Light, Water Tank Heater, Oil Tank Heater, Hopper Vibrator, Air Cuff Control, Outrigger Pads, Auto Lube            Usage: 38,462 Mi</p>
1282	<p><b>2012 Schwing S 45 SX 45 m on 2012 Mack MRU613 8x4 Twin-Steer Concrete Pump Truck</b>            S/N: 1M2AV04C8CM009533            C/W: Mack MP7 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 13587 Engine hrs, Engine Brake, 9-Speed Manual Transmission, Differential Lock, 40000 lb Front Axle, 44000 lb Rears, 84000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 230 in Wheelbase, PTO, Hydraulic System, Double Frame, 9006 Pump Hours, Radio and Cable Remote Controls, Boom Light, Hopper Vibrator, Outrigger Pads, Auto Lube            Usage: 140,911 Mi</p>	1285	<p><b>2006 Alliance M3315 on 2006 Mack MR688S 6x4 Concrete Pump Truck</b>            S/N: 1M2K197C16M029871            C/W: Mack 6 Cylinder Diesel Engine, 30074 Engine hrs, Eaton Fuller 8LL Manual Transmission, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 221 in Wheelbase, PTO, 639 Pump Hours, Radio Remote Controls            Usage: 849,233 Mi</p>
1283	<p><b>2003 Schwing 2525H-6 / S 45 SX 45 m on 2013 Mack MRU613 8x4 Twin-Steer Concrete Pump Truck</b>            S/N: 1M2AV04C2DM010307            C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 425 hp Engine, Requires Diesel Exhaust Fluid, 11694 Engine hrs, Engine Brake, 9-Speed Manual Transmission, 40000 lb Front Axle, 44000 lb Rears, Mack Drive Axles, 84000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Camelback Spring Suspension, 224 in Wheelbase, PTO, Double Frame, 7359 Pump Hours, Radio and Cable Remote Controls, Boom Light, Outrigger Pads, Auto Lube            Usage: 123,587 Mi</p>	1286	<p><b>2005 Alliance M3315 on 2005 Peterbilt 320 6x4 Concrete Pump Truck</b>            S/N: 1NPZL00X45D715884            C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 350 hp Engine, 2012 Engine hrs, Engine Brake, Eaton Fuller RTO14908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 44000 lb Rears, 4.11:1 Axle Ratio, 64000 lb GVWR, Aluminum Wheels, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 223 in Wheelbase, PTO, Double Frame, 649 Pump Hours, Radio Remote Controls            Usage: 253,519 Mi</p>
		1287	<p><b>1998 Mack MR688S 8x4x4 Twin-Steer Concrete Pump Truck</b>            S/N: 1M2K197C2WM011900            C/W: Mack 6 Cylinder Diesel Engine, 23189 Engine hrs, Engine Brake, T2090 9-Speed Manual Transmission, Aluminum Wheels, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Air Assist Front Suspension, Camelback Spring Suspension, 252 in Wheelbase, PTO, Double Frame, Radio Remote Controls, Boom Light, Hopper Vibrator, Outrigger Pads            Usage: 649,037 Mi</p>

Lot #	Details	Lot #	Details
1289	<b>2011 Peterbilt 365 6x4 Mixer Truck</b> S/N: 1NP5L00X3BD115113 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 350 hp Engine, 2009 US EPA Label, 16853 Engine hrs, Eaton Fuller 9LL Manual Transmission, 22000 lb Front Axle, 46000 lb Rears, 68000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Walking Beam Suspension, 224 in Wheelbase, Double Frame, McNeilus 10.5 cyd Mixer Unit Usage: 180,085 Mi	1298	<b>2002 GMC C7500 4x2 Waste Collection Truck</b> S/N: 1GDM7H1C62J516778 C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission, 11000 lb Front Axle, 22000 lb Rears, 33000 lb GVWR, 11R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 155 in Wheelbase, PTO, Presvac Collection Body Usage: 468,270 Mi
1290	<b>2009 Peterbilt 365 6x4 Mixer Truck</b> S/N: 1NP5L00X39D769314 C/W: Cummins 6 Cylinder Diesel Engine, 21719 Engine hrs, Allison Automatic Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 224 in Wheelbase, Double Frame Usage: 233,531 Mi	5000	<b>2022 Top Cat SSDFM60 60 in Disc Skid Steer Mulcher (Unused)</b> S/N: SSDFM6022052301 C/W: Quick Coupler Bracket Usage: Not Available
1291	<b>2008 Peterbilt 365 6x4 Mixer Truck</b> S/N: 1NP5L50X18D759263 C/W: Cummins ISL 6 Cylinder Diesel Engine, 4858 Engine hrs, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 227 in Wheelbase, CBMW 10.5 cyd Mixer Unit Usage: 181,265 Mi	5001	<b>Handy HDM70 60 in Disc Skid Steer Mulcher (Unused)</b> S/N: DM220729145 C/W: Quick Coupler Bracket Usage: Not Available
1293	<b>2009 Volvo VHD 6x4 Mixer Truck</b> S/N: 4V5KC9EG59N270402 C/W: D13 6 Cylinder Diesel 375 hp Engine, 298.8 Engine hrs, Engine Brake, Eaton Fuller RTO-14908LL 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 46000 lb Rears, Meritor RT-46-160 Drive Axles, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 224 in Wheelbase, Double Frame, McNeilus Mixer Unit Usage: 209,878 Mi	5002	<b>2022 Top Cat SSM72-S 60 in Skid Steer Mulcher (Unused)</b> S/N: SSM72S22081001 C/W: Quick Coupler Bracket Usage: Not Available
1294	<b>2009 Volvo VHD 6x4 Mixer Truck</b> S/N: 4V5KC9EG19N270414 C/W: D13 6 Cylinder Diesel 375 hp Engine, Engine Brake, Eaton Fuller 8LL Manual Transmission, Differential Lock, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Assist Front Suspension, Spring Suspension, 222 in Wheelbase, Double Frame Usage: 201,139 Mi	5003	<b>2022 Top Cat SSDFM60 60 in Disc Skid Steer Mulcher (Unused)</b> S/N: SSDFM6022081201 C/W: Quick Coupler Bracket Usage: Not Available
1295	<b>2009 Volvo VHD 6x4 Mixer Truck</b> S/N: 4V5KC9EG99N270399 C/W: D13F375 6 Cylinder 12.8 L Diesel 375 hp Engine, 2008 US EPA Label, 24584 Engine hrs, Engine Brake, Eaton Fuller RTO-14908LL 8LL Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 46000 lb Rears, 4.30:1 Axle Ratio, 66000 lb GVWR, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 220 in Wheelbase, Double Frame, McNeilus Mixer Unit Usage: 246,593 Mi	5004	<b>2022 Top Cat SSDFM60 60 in Disc Skid Steer Mulcher (Unused)</b> S/N: SSDFM6022081202 C/W: Quick Coupler Bracket Usage: Not Available
		5005	<b>2022 Top Cat SSFM81 60 in Skid Steer Mulcher (Unused)</b> S/N: SSFM8122052301 C/W: Quick Coupler Bracket Usage: Not Available
		5006	<b>2021 TopCat SSFM81 60 in Skid Steer Mulcher</b> S/N: SSFM8121102301 C/W: Quick Coupler Bracket Usage: Not Available
		5007	<b>2022 Top Cat SSFM81 60 in Skid Steer Mulcher (Unused)</b> S/N: SSFM8122081201 C/W: Quick Coupler Bracket Usage: Not Available
		5008	<b>2022 Top Cat SSFM81 60 in Skid Steer Mulcher (Unused)</b> S/N: SSFM8122081202 C/W: Quick Coupler Bracket Usage: Not Available
		5009	<b>2022 Mower King SSEFGC175 70 in Flail Skid Steer Mower (Unused)</b> S/N: SSEFGC17522052802 Usage: Not Available

Lot #	Details	Lot #	Details
5010	2022 Handy HBDM72 72 in Skid Steer Mulcher (Unused) S/N: BDM220729119 C/W: Quick Coupler Bracket Usage: Not Available	5022	Landhonor HLABC1420G 42 in Articulating Skid Steer Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5011	2022 Wolverine ZW-SBM-0072W 72 in Sickle Bar Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5023	Landhonor HLABC1420G 42 in Articulating Skid Steer Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5012	2022 Wolverine ZW-SBM-0072W 72 in Sickle Bar Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5024	2021 Blue Diamond 84 in Skid Steer Brush Cutter S/N: 103711 C/W: Quick Coupler Bracket Usage: Not Available
5013	2022 Top Cat SSDFM60 72 in Finishing Skid Steer Mower (Unused) S/N: SSDFM6022081001 C/W: Quick Coupler Bracket Usage: Not Available	5025	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22052301 C/W: Quick Coupler Bracket Usage: Not Available
5014	2022 Mower King SSEFGC175 70 in Flail Skid Steer Mower (Unused) S/N: SSEFGC17522081001 C/W: Quick Coupler Bracket Usage: Not Available	5026	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22052304 C/W: Quick Coupler Bracket Usage: Not Available
5015	2022 Mower King SSEFGC175 70 in Flail Skid Steer Mower (Unused) S/N: SSEFGC17522081101 C/W: Quick Coupler Bracket Usage: Not Available	5027	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22052305 C/W: Quick Coupler Bracket Usage: Not Available
5016	2022 Mower King SSEFGC175 70 in Flail Skid Steer Mower (Unused) S/N: SSEFGC17522081202 C/W: Quick Coupler Bracket Usage: Not Available	5028	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22052302 C/W: Quick Coupler Bracket Usage: Not Available
5017	2022 Mower King SSEFGC175 70 in Skid Steer Flail Mower (Unused) S/N: SSEFGC17522081201 C/W: Quick Coupler Bracket Usage: Not Available	5029	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22052303 C/W: Quick Coupler Bracket Usage: Not Available
5018	2022 Top Cat BDRC 42 in Articulating Skid Steer Mower (Unused) S/N: BDRC22082001 C/W: Quick Coupler Bracket Usage: Not Available	5030	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22082005 C/W: Quick Coupler Bracket Usage: Not Available
5019	2022 Top Cat BDRC 42 in Articulating Skid Steer Mower (Unused) S/N: BDRC22082002 C/W: Quick Coupler Bracket Usage: Not Available	5031	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22082002 C/W: Quick Coupler Bracket Usage: Not Available
5020	2022 Landhonor HL-ABC-1420G 42 in Articulating Skid Steer Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5032	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22082003 C/W: Quick Coupler Bracket Usage: Not Available
5021	2022 Landhonor HL-ABC-1420G 42 in Articulating Skid Steer Mower (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5033	2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused) S/N: SSRC22082001 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5034	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22082004 C/W: Quick Coupler Bracket Usage: Not Available	5046	<b>2022 Top Cat HDRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HDRC22052301 C/W: Quick Coupler Bracket Usage: Not Available
5035	<b>2022 Mower King SC4072 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081005 C/W: Quick Coupler Bracket Usage: Not Available	5047	<b>2022 Top Cat HFRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC22052301 C/W: Quick Coupler Bracket Usage: Not Available
5036	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081002 C/W: Quick Coupler Bracket Usage: Not Available	5048	<b>2022 Top Cat HFRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC22081201 C/W: Quick Coupler Bracket Usage: Not Available
5037	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081001 C/W: Quick Coupler Bracket Usage: Not Available	5049	<b>2022 Top Cat HFRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC22081202 C/W: Quick Coupler Bracket Usage: Not Available
5038	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081003 C/W: Quick Coupler Bracket Usage: Not Available	5050	<b>2022 Top Cat HFRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HFRC22081203 C/W: Quick Coupler Bracket Usage: Not Available
5039	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081004 C/W: Quick Coupler Bracket Usage: Not Available	5051	<b>2022 Top Cat HCRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HCRC22081202 C/W: Quick Coupler Bracket Usage: Not Available
5040	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081201 C/W: Quick Coupler Bracket Usage: Not Available	5052	<b>2022 Top Cat HCRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HCRC22081201 C/W: Quick Coupler Bracket Usage: Not Available
5041	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081205 C/W: Quick Coupler Bracket Usage: Not Available	5053	<b>2022 Top Cat HCRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HCRC22081001 C/W: Quick Coupler Bracket Usage: Not Available
5042	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081204 C/W: Quick Coupler Bracket Usage: Not Available	5054	<b>2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5043	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081203 C/W: Quick Coupler Bracket Usage: Not Available	5055	<b>2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5044	<b>2022 Mower King SSRC 72 in Skid Steer Brush Cutter (Unused)</b> S/N: SSRC22081202 C/W: Quick Coupler Bracket Usage: Not Available	5056	<b>2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5045	<b>2022 Top Cat HDRC72 72 in Skid Steer Brush Cutter (Unused)</b> S/N: HDRC22081201 C/W: Quick Coupler Bracket Usage: Not Available	5057	<b>2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5058	<b>2022 Wolverine ZW-BC-0072W 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5072	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5059	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5073	<b>Suihe 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5060	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5074	<b>Suihe 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5061	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5075	<b>2022 Lisen 72 in Skid Steer Brush Cutter (Unused)</b> S/N: LS22022513 C/W: Quick Coupler Bracket Usage: Not Available
5062	<b>All-Star 72 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5076	<b>2021 Blue Diamond 72 in Skid Steer Brush Cutter</b> S/N: 114310 C/W: Quick Coupler Bracket Usage: Not Available
5063	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5077	<b>Wolverine 72 in Skid Steer Brush Cutter</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5064	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5078	<b>All-Star 72 in Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5065	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5079	<b>72 in Angle Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5066	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5080	<b>2022 Wolverine ZW-IAB-0072W 72 in Angle Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5067	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5081	<b>2022 Wolverine ZW-IAB-0072W 72 in Angle Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5068	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5082	<b>2022 Mower King SSAB72 72 in Angle Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5069	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5083	<b>2022 Mower King SSAB72 72 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7222081201 C/W: Quick Coupler Bracket Usage: Not Available
5070	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5084	<b>2022 Mower King SSAB72 72 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7222052301 C/W: Quick Coupler Bracket Usage: Not Available
5071	<b>All-Star 66 in Skid Steer Brush Cutter (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		



Lot #	Details	Lot #	Details
5085	<b>2022 Mower King SSAB72 72 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7222052302 C/W: Quick Coupler Bracket Usage: Not Available	5098	<b>2022 Suihe YS-86 86 in Angle Skid Steer Dozer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5086	<b>2022 Mower King SSAB72 72 in Angle Skid Steer Broom (Unused)</b> S/N: SSAB7222081101 C/W: Quick Coupler Bracket Usage: Not Available	5099	<b>2022 Suihe YS-86 86 in Angle Skid Steer Dozer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5087	<b>JCT 72 in Angle Skid Steer Broom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5100	<b>2022 Mower King SPA84 84 in Angle Skid Steer Dozer (Unused)</b> S/N: SPA8422081101 C/W: Quick Coupler Bracket Usage: Not Available
5088	<b>2022 Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5101	<b>2022 Mower King SPA84 84 in Angle Skid Steer Dozer (Unused)</b> S/N: SPA8422081102 C/W: Quick Coupler Bracket Usage: Not Available
5089	<b>2022 Wolverine ZW-PBS-0072W 72 in Skid Steer Sweeper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5102	<b>2022 Mower King SPA84 84 in Angle Skid Steer Dozer (Unused)</b> S/N: SPA8422081103 C/W: Quick Coupler Bracket Usage: Not Available
5090	<b>2022 Suihe 72 in Skid Steer Sweeper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5103	<b>TMG Industrial 96 in Skid Steer Dozer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5091	<b>Suihe 72 in Skid Steer Sweeper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5104	<b>72 in Angle Skid Steer Dozer</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5092	<b>Suihe 72 in Skid Steer Sweeper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5105	<b>All-Star 72 in Angle Skid Steer Dozer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5093	<b>2022 Mower King SSBM72 72 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7222081103 C/W: Quick Coupler Bracket Usage: Not Available	5106	<b>All-Star 72 in Straight Skid Steer Dozer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5094	<b>2022 Mower King SSBM72 72 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7222081101 C/W: Quick Coupler Bracket Usage: Not Available	5107	<b>Grouser 96 in PAT Skid Steer Dozer</b> S/N: 10206103 C/W: Quick Coupler Bracket Usage: Not Available
5095	<b>2022 Mower King SSBM72 72 in Skid Steer Sweeper (Unused)</b> S/N: SSBM7222081102 C/W: Quick Coupler Bracket Usage: Not Available	5108	<b>72 in Straight Skid Steer Dozer</b> S/N: Not Available Usage: Not Available
5096	<b>Paladin 72 in Skid Steer Sweeper</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5109	<b>2022 Mower King ECSSCT72 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222052301 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available
5097	<b>2012 Bobcat 60 in Skid Steer Sweeper</b> S/N: 714424288 C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5110	<b>2022 Mower King SSCT 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222052304 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available	5121	<b>Suihe 36 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 6 in Rock & Dirt Chain, Crumbing Shoe Usage: Not Available
5111	<b>2022 Mower King ECSSCT72 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222052302 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available	5122	<b>2022 Handy HST48 48 in Skid Steer Trencher (Unused)</b> S/N: TR220729296 C/W: Quick Coupler Bracket, 4 ft Bar, 8 in. Dirt Chain, Crumbing Shoe Usage: Not Available
5112	<b>2022 Mower King SSCT 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222052303 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available	5123	<b>2022 Handy HST48 48 in Skid Steer Trencher (Unused)</b> S/N: TR220729297 C/W: Quick Coupler Bracket, 4 ft Bar, 8 in. Dirt Chain, Crumbing Shoe Usage: Not Available
5113	<b>2022 Mower King SSCT 36 in 3 ft bar, 6 in. rock &amp; dirt chain, crumbing shoe Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222082001 C/W: Quick Coupler Bracket Usage: Not Available	5124	<b>2022 Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 8 in rock & dirt chain, crumbing shoe Usage: Not Available
5114	<b>2022 Mower King SSCT 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222082002 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available	5125	<b>2022 Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 8 in Dirt Chain, Crumbing Shoe Usage: Not Available
5115	<b>2022 Mower King SSCT 36 in Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222081001 C/W: Quick Coupler Bracket, 3 ft bar, 6 in. rock & dirt chain, crumbing shoe Usage: Not Available	5126	<b>2022 Wolverine ZW-TCR-4820G 48 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 8 in Dirt Chain, Crumbing Shoe Usage: Not Available
5116	<b>2022 Mower King ECSSCT72 Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222081002 Usage: Not Available	5127	<b>2022 Wolverine ZW-TCR-4820G 72 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 8 in Dirt Chain, Crumbing Shoe Usage: Not Available
5117	<b>2022 Mower King ECSSCT72 Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222082004 Usage: Not Available	5128	<b>Bradco 625 36 in Skid Steer Trencher</b> S/N: 292244 C/W: Quick Coupler Bracket Usage: Not Available
5118	<b>2022 Mower King ECSSCT72 Skid Steer Trencher (Unused)</b> S/N: ECSSCT7222082003 Usage: Not Available	5129	<b>48 in Skid Steer Trencher</b> S/N: 1060040 Usage: Not Available
5119	<b>Suihe 36 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 6 in Rock & Dirt Chain, Crumbing Shoe Usage: Not Available	5130	<b>2022 Landhonor HL-TBF-0066W 54 in Skid Steer Trench Backfiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5120	<b>Suihe 36 in Skid Steer Trencher (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 6 in Rock & Dirt Chain, Crumbing Shoe Usage: Not Available	5131	<b>2022 Landhonor HL-TBF-0066W 54 in Skid Steer Trench Backfiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5132	<b>2022 Top Cat SSRB Heavy Duty Skid Steer Tree Shear (Unused)</b> S/N: ECSSRB22052301 C/W: Quick Coupler Bracket Usage: Not Available	5145	<b>2022 Mower King SSBX42S Skid Steer Chipper (Unused)</b> S/N: SSBX42S22071902 C/W: Quick Coupler Bracket Usage: Not Available
5133	<b>2022 Top Cat SSRB Heavy Duty Hydraulic Skid Steer Tree Shear (Unused)</b> S/N: ECSSRB22081001 C/W: Quick Coupler Bracket Usage: Not Available	5146	<b>2022 Mower King SSBX42S Skid Steer Chipper (Unused)</b> S/N: SSBX42S22052702 C/W: Quick Coupler Bracket Usage: Not Available
5134	<b>2022 Top Cat SSRB Heavy Duty Skid Steer Tree Shear (Unused)</b> S/N: ECSSRB22081201 C/W: Quick Coupler Bracket Usage: Not Available	5147	<b>2022 Mower King SSBX42S Skid Steer Chipper (Unused)</b> S/N: SSBX42S22071901 C/W: Quick Coupler Bracket Usage: Not Available
5135	<b>2022 Top Cat SSRB Skid Steer Tree Shear (Unused)</b> S/N: ECSSRB22081202 Usage: Not Available	5148	<b>2022 Mower King SSBX42 Skid Steer Chipper (Unused)</b> S/N: SSBX42S22082002 C/W: Quick Coupler Bracket Usage: Not Available
5136	<b>Tree Terminator Skid Steer Tree Shear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5149	<b>2022 Mower King SSBX42 Skid Steer Chipper (Unused)</b> S/N: SSBX42S22082001 C/W: Quick Coupler Bracket Usage: Not Available
5137	<b>All-Star Skid Steer Tree Shear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5150	<b>2022 Landhonor HL-VPC-0072W 72 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5138	<b>All-Star Skid Steer Tree Shear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5151	<b>2022 Landhonor HL-VPC-0072W 72 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5139	<b>All-Star Skid Steer Tree Shear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5152	<b>2022 Landhonor HL-VPC-0072W 72 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5140	<b>All-Star Skid Steer Tree Shear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5153	<b>2022 Landhonor HL-VPC-0072W 72 in Skid Steer Plate Compactor (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5141	<b>2022 Landhonor HL-TPR-0012D Skid Steer Tree /Post Puller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5154	<b>Kent HP75F3 24 in Plate Compactor</b> S/N: HP75750448 Usage: Not Available
5142	<b>2022 Landhonor HL-TPR-0012D Skid Steer Tree /Post Puller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5155	<b>2022 Suihe 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5143	<b>2022 Landhonor TL-TPR-0012D Skid Steer Tree /Post Puller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5156	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222081202 C/W: Quick Coupler Bracket Usage: Not Available
5144	<b>Landhonor TL-TPR-0012D Skid Steer Tree /Post Puller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5157	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222081201 C/W: Quick Coupler Bracket Usage: Not Available	5169	<b>2022 Landhonor HL-GDR-0096W 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5158	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222082002 C/W: Quick Coupler Bracket Usage: Not Available	5170	<b>2022 Landhonor HL-GDR-0096W 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5159	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222082001 C/W: Quick Coupler Bracket Usage: Not Available	5171	<b>2022 Landhonor HL-GDR-0096W 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5160	<b>2022 Wolverine ZW-VR-0066W 66 in Skid Steer Vibratory Roller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5172	<b>Handy HSGB96 96 in Skid Steer Grader (Unused)</b> S/N: GB220729271 C/W: Quick Coupler Bracket Usage: Not Available
5161	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222052301 C/W: Quick Coupler Bracket Usage: Not Available	5173	<b>2019 Cat BB121 84 in Skid Steer Box Blade</b> S/N: JK500286 C/W: Quick Coupler Bracket, Plumbed for Grade Control Usage: Not Available
5162	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222052302 C/W: Quick Coupler Bracket Usage: Not Available	5174	<b>TMG MSS10 10 Cu Ft Skid Steer Spreader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5163	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5175	<b>TMG MSS10 10 Cu Ft Skid Steer Spreader (Unused)</b> S/N: 3281220701 C/W: Quick Coupler Bracket Usage: Not Available
5164	<b>2022 Mower King SSVR 72 in Skid Steer Vibratory Roller (Unused)</b> S/N: SSVR7222052402 C/W: Quick Coupler Bracket Usage: Not Available	5176	<b>2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5165	<b>2020 73 in Skid Steer Vibratory Roller</b> S/N: YL201100004 Usage: Not Available	5177	<b>2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5166	<b>2022 Top Cat SSSG72 72 in Skid Steer Grader (Unused)</b> S/N: SSSG7222081102 C/W: Quick Coupler Bracket Usage: Not Available	5178	<b>2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5167	<b>2022 Top Cat SSSG72 72 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5179	<b>2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5168	<b>2022 Landhonor HL-GDR-0096W 96 in Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5180	<b>2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5181	2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5192	2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5182	2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5193	2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5183	2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5194	2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5184	2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5195	2022 Handy HSC78 78 in Skid Steer Power Rake (Unused) S/N: SC220724311 C/W: Quick Coupler Bracket Usage: Not Available
5185	2022 Landhonor HL-HAG-0024R 84 in Skid Steer Hay Grappling Hook (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5196	2022 Top Cat SSSCR72 72 in Skid Steer Power Rake (Unused) S/N: SSSCR7222081202 C/W: Quick Coupler Bracket Usage: Not Available
5186	2022 AGROTK SSDH72 78 in Skid Steer Disc Harrow (Unused) S/N: SSDH7222052301 C/W: Quick Coupler Bracket, 18 in Serrated Blades, 7 in Disc Spacing Usage: Not Available	5197	2022 Top Cat SSSCR72 72 in Skid Steer Power Rake (Unused) S/N: SSSCR7222081201 C/W: Quick Coupler Bracket Usage: Not Available
5187	2022 Handy HSRP72 72 in Skid Steer Rock Picker (Unused) S/N: RP220724261 C/W: Quick Coupler Bracket Usage: Not Available	5198	2022 Top Cat SSSCR72 72 in Skid Steer Power Rake (Unused) S/N: SSSCR7222081101 C/W: Quick Coupler Bracket Usage: Not Available
5188	2022 AGROTK SSRPB80 80 in Skid Steer Rock Picker (Unused) S/N: SSRP8022081202 C/W: Quick Coupler Bracket Usage: Not Available	5199	Top Cat SSSCR72 72 in Skid Steer Power Rake (Unused) S/N: SSSCR7222052702 C/W: Quick Coupler Bracket Usage: Not Available
5189	2022 AGROTK SSRPB80 80 in Skid Steer Rock Picker (Unused) S/N: SSRP8022081201 C/W: Quick Coupler Bracket Usage: Not Available	5200	2022 Top Cat SSSCR72 72 in Skid Steer Power Rake S/N: SSSCR7222081001 C/W: Quick Coupler Bracket Usage: Not Available
5190	2022 AGROTK SSRPB80 80 in Skid Steer Rock Picker (Unused) S/N: SSRPB8022052301 C/W: Quick Coupler Bracket Usage: Not Available	5201	2022 Top Cat SSLR 72 in Skid Steer Landscape Rake (Unused) S/N: ECSSLR7222052802 C/W: Quick Coupler Bracket Usage: Not Available
5191	2022 Landhonor HL-PR-0072W 72 in Skid Steer Power Rake (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5202	2022 Top Cat SSLR 72 in Skid Steer Landscape Rake (Unused) S/N: ECSSLR7222081001 C/W: Quick Coupler Bracket Usage: Not Available
		5203	2022 Top Cat SSLR 72 in Skid Steer Landscape Rake (Unused) S/N: ECSSLR7222082002 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5204	<b>2022 Top Cat 72B 72 in Skid Steer Landscape Rake (Unused)</b> S/N: ECSSLR7222081201 C/W: Quick Coupler Bracket Usage: Not Available	5215	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082008 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5205	<b>2022 Top Cat ECSSLR72 72 in Skid Steer Landscape Rake (Unused)</b> S/N: ECSSLR7222082001 C/W: Quick Coupler Bracket Usage: Not Available	5216	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052302 C/W: Quick Coupler Bracket, moil point, tool box Usage: Not Available
5206	<b>2022 Landhonor HL-LDR-0072W 72 in Skid Steer Landscape Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Controller Usage: Not Available	5217	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082007 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5207	<b>2022 Landhonor HL-LDR-0072W 72 in Skid Steer Landscape Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Controller Usage: Not Available	5218	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082006 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5208	<b>2022 Landhonor HL-LDR-0072W 72 in Skid Steer Landscape Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5219	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052308 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5209	<b>2022 Landhonor HL-LDR-0072W 72 in Skid Steer Landscape Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5220	<b>2022 Agrotk SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052306 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available
5210	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081001 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available	5221	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082001 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5211	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052303 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5222	<b>2022 AGROTK SSHH750 Skid Steer Breaker (Unused)</b> S/N: SSHH75022082001 C/W: Quick Coupler Bracket, 2 moil points Usage: Not Available
5212	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052304 C/W: Quick Coupler Bracket, 2 moil point, tool box Usage: Not Available	5223	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081002 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available
5213	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082005 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5224	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081003 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available
5214	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052301 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available		

Lot #	Details	Lot #	Details
5225	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082002 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5235	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081007 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5226	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052307 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5236	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081008 C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available
5227	<b>2022 Agrotk Skid Steer Breaker (Unused)</b> S/N: SSHH68022052310 C/W: Quick Coupler Bracket, Moil Point, Tool Box Usage: Not Available	5237	<b>2022 AGROTK SSHH750 Skid Steer Breaker (Unused)</b> S/N: SSHH75022081201 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5228	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052309 C/W: Quick Coupler Bracket, (2) Moil Points, Tool Box Usage: Not Available	5238	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: PD68022081202 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5229	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052305 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5239	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: PD68022081201 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5230	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081005 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5240	<b>2022 AGROTK SSHH750 Skid Steer Breaker (Unused)</b> S/N: SSHH75022081102 C/W: Quick Coupler Bracket, (2) Moil Points, Tool Box Usage: Not Available
5231	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081006 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5241	<b>2022 AGROTK SSHH750 Skid Steer Breaker (Unused)</b> S/N: SSHH75022081101 C/W: Quick Coupler Bracket, (2) Moil Points, Tool Box Usage: Not Available
5232	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082004 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5242	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081201 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available
5233	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022082003 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5243	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022052801 C/W: Quick Coupler Bracket, (2) moil points, tool box Usage: Not Available
5234	<b>2022 AGROTK SSHH680 Skid Steer Breaker (Unused)</b> S/N: SSHH68022081004 C/W: Quick Coupler Bracket, 2 moil points, tool box Usage: Not Available	5244	<b>2007 Rockram 560R Skid Steer Breaker</b> S/N: 8206755 C/W: Quick Coupler Bracket, Moil Point Usage: Not Available

Lot #	Details	Lot #	Details
5245	<b>Skid Steer Breaker</b> S/N: HJ40093 C/W: Quick Coupler Bracket Usage: Not Available	5256	<b>Suihe 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5246	<b>Skid Steer Breaker</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5257	<b>Suihe 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5247	<b>Skid Steer Breaker</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5258	<b>Suihe 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5248	<b>Teran THH300B-SSL Skid Steer Breaker - Fits Cat 226 (Unused)</b> S/N: CZM3259B53H C/W: Quick Coupler Bracket, With Mount Plate Included to fit Cat 299, Bobcat S185 and all 2.5 - 2.9 Ton Skid Steers - 53mm Tool - Box Type - With Auto - Lubrication Pre-Disposition. All New Teran Hydraulic Hammers Are Supplied With: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available	5259	<b>All-Star 68 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5249	<b>Kent F5 Skid Steer Breaker</b> S/N: F57286 C/W: Quick Coupler Bracket, Seller Comment: USED / NOT NEW Hydraulic Breaker Usage: Not Available	5260	<b>All-Star 68 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5250	<b>Wolverine ZW750 Skid Steer Breaker (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 2 Moil Points, Tool Box Usage: Not Available	5261	<b>All-Star 68 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5251	<b>2022 Wolverine ZW-PD-0750R Skid Steer Post Driver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5262	<b>All-Star 68 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5252	<b>2022 Wolverine ZW-PD-0750R Skid Steer Post Driver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5263	<b>2022 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5253	<b>TMG PD700S 700 ft/lb Skid Steer Post Driver (Unused)</b> S/N: 3271220561 C/W: Quick Coupler Bracket Usage: Not Available	5264	<b>2022 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5254	<b>TMG PD700S 700 ft/lb Skid Steer Post Driver (Unused)</b> S/N: 3271220562 C/W: Quick Coupler Bracket Usage: Not Available	5265	<b>2022 Wolverine ZW-TL-0072W 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5255	<b>2022 Suihe SH75A Skid Steer Post Driver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5266	<b>Wolverine 72 in Skid Steer Tiller (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5267	<b>Bobcat 62 in Skid Steer Tiller</b> S/N: 055202472 C/W: Quick Coupler Bracket Usage: Not Available
		5268	<b>2015 Paladin 103286-HG-0022 80 in Skid Steer Tiller</b> S/N: 398464 C/W: Quick Coupler Bracket Usage: Not Available



Lot #	Details	Lot #	Details
5269	<b>2022 Handy HSSG24X Skid Steer Stump Grinder (Unused)</b> S/N: SG220525285 C/W: Quick Coupler Bracket Usage: Not Available	5281	<b>2022 Landhonor HL-DGB-0084D Skid Steer Backhoe (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 20 in. bucket Usage: Not Available
5270	<b>2022 Handy HSSG24 24 in Skid Steer Stump Grinder (Unused)</b> S/N: SG220729353 C/W: Quick Coupler Bracket Usage: Not Available	5282	<b>2022 Landhonor HL-DGB-0084D Skid Steer Backhoe (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 20 in. bucket Usage: Not Available
5271	<b>2022 Handy HSSG24 24 in Skid Steer Stump Grinder (Unused)</b> S/N: SG220729352 C/W: Quick Coupler Bracket Usage: Not Available	5283	<b>Suihe Skid Steer Backhoe (Unused)</b> S/N: 20220135 C/W: Quick Coupler Bracket, 14 in bucket Usage: Not Available
5272	<b>2022 Handy HSSG24 24 in Skid Steer Stump Grinder (Unused)</b> S/N: SG220729355 C/W: Quick Coupler Bracket Usage: Not Available	5284	<b>Suihe Skid Steer Backhoe (Unused)</b> S/N: 20220136 C/W: Quick Coupler Bracket, 14 in bucket Usage: Not Available
5273	<b>2022 Handy HSSG24 24 in Skid Steer Stump Grinder (Unused)</b> S/N: SG220729354 C/W: Quick Coupler Bracket Usage: Not Available	5285	<b>Wolverine 60 in Multi Shank Skid Steer Scarifier (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5274	<b>2022 Top Cat SSSSTG200 24 in Skid Steer Stump Grinder (Unused)</b> S/N: ECSSTG20022081101 C/W: Quick Coupler Bracket Usage: Not Available	5286	<b>Wolverine 78 in Skid Steer Landplane (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5275	<b>2022 Top Cat SSSSTG200 24 in Skid Steer Stump Grinder (Unused)</b> S/N: ECSSTG20022081102 C/W: Quick Coupler Bracket Usage: Not Available	5287	<b>All-Star 80 in Skid Steer Landplane (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5276	<b>Handy HSCR12 12 in Skid Steer Pole Clamp (Unused)</b> S/N: RC220729300 C/W: Quick Coupler Bracket Usage: Not Available	5288	<b>Mid-State 80 in Skid Steer Landplane (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5277	<b>2022 Handy HRTH43 Skid Steer Rock &amp; Tree Handler (Unused)</b> S/N: RTH220729168 C/W: Quick Coupler Bracket Usage: Not Available	5289	<b>72 in Grader Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, hydraulic scarifier Usage: Not Available
5278	<b>2022 Handy HRTH43 Skid Steer Rock &amp; Tree Handler (Unused)</b> S/N: RTH220729167 C/W: Quick Coupler Bracket Usage: Not Available	5290	<b>84 in Grader Skid Steer Grader (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5279	<b>Handy HSRC12 Skid Steer Pole Clamp (Unused)</b> S/N: RC220525246 C/W: Quick Coupler Bracket Usage: Not Available	5291	<b>Landhonor HL-DCM-0300M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5280	<b>2022 Handy HSRC12 12 in Skid Steer Rotating Pole Clamp (Unused)</b> S/N: RC220724298 C/W: Quick Coupler Bracket Usage: Not Available	5292	<b>2022 Landhonor HL-DCM-0300M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5293	<b>2022 Landhonor HL-DCM-0300M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5294	<b>2022 Landhonor HL-DCM-0300M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5306	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5295	<b>2022 Suihe 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5307	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5296	<b>2022 Suihe 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5308	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5297	<b>2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5309	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5298	<b>2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5310	<b>Suihe 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5299	<b>2022 Wolverine ZW-CM-0250M 48 in Skid Steer Concrete Mixer (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5311	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5300	<b>2022 Kit Containers QT-CB-075 .75 CY Concrete Placement Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5312	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5301	<b>2022 Kit Containers QT-CB-075 .75 cyd Concrete Placement Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5313	<b>All-Star 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5302	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5314	<b>Suihe 78 in Heavy Duty Skid Steer Power Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5303	<b>Suihe 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5315	<b>All-Star 78 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5304	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5316	<b>All-Star 74 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5305	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5317	<b>All-Star 74 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5318	<b>2022 Kinzun 72 in Skid Steer Root Rake (Unused)</b> S/N: LS22022504 C/W: Quick Coupler Bracket Usage: Not Available
		5319	<b>TMG RG72 72 in Skid Steer Root Rake (Unused)</b> S/N: BL2022070240 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5320	<b>TMG RG72 72 in Skid Steer Root Rake (Unused)</b> S/N: BL2022070338 C/W: Quick Coupler Bracket Usage: Not Available	5334	<b>2022 Landhonor HL-RTR-0072W 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5321	<b>TMG RG72 72 in Skid Steer Root Rake (Unused)</b> S/N: BL2022070339 C/W: Quick Coupler Bracket Usage: Not Available	5335	<b>2022 Landhonor HL-RTR-0072W 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5322	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5336	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5323	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5337	<b>All-Star 84 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5324	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5338	<b>2022 Kit Containers QT-RR-70 70 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5325	<b>All-Star 72 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5339	<b>All-Star 80 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5326	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5340	<b>All-Star 80 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5327	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5341	<b>All-Star 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5328	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Grapple Usage: Not Available	5342	<b>All-Star 78 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5329	<b>All-Star 68 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5343	<b>All-Star 74 in Root Heavy Duty Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5330	<b>All-Star 60 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5344	<b>Stout XHD70-6 70 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5331	<b>All-Star 60 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5345	<b>All-Star 74 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5332	<b>Mid-State 60 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5346	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5333	<b>Mid-State 48 in Skid Steer Root Rake (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5347	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5361	<b>All-Star 80 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5348	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5362	<b>All-Star 80 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5349	<b>All-Star 72 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5363	<b>All-Star 72 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5350	<b>All-Star 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5364	<b>All-Star 72 in Rock Skid Steer Grapple</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5351	<b>All-Star E Series 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5365	<b>All-Star 72 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5352	<b>All-Star 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5366	<b>All-Star 72 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5353	<b>All-Star 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5367	<b>2022 Suihe 72 in Rock Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5354	<b>All-Star 68 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5368	<b>2022 Suihe 72 in Rock Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5355	<b>All-Star 60 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5369	<b>Suihe 72 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5356	<b>Kubota AP-RG3080 80 in Root Skid Steer Grapple</b> S/N: 1073420K C/W: Quick Coupler Bracket Usage: Not Available	5370	<b>All-Star 68 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5357	<b>Cat 72 in Root Skid Steer Grapple Bucket - Fits Cat 259</b> S/N: A4209GR30048 C/W: Quick Coupler Bracket Usage: Not Available	5371	<b>All-Star 48 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5358	<b>All-Star 60 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5372	<b>All-Star 48 in Rock Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5359	<b>All-Star 48 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5373	<b>TMG SG84 84 in Skeleton Skid Steer Grapple Bucket (Unused)</b> S/N: BL2022070186 C/W: Quick Coupler Bracket Usage: Not Available
5360	<b>All-Star 48 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5374	<b>TMG SG84 84 in Skeleton Skid Steer Grapple (Unused)</b> S/N: BL2022070184 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5375	<b>Stout HD82-3 82 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5387	<b>All-Star 72 in Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5376	<b>Stout LD82-6 82 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5388	<b>All-Star 72 in Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5377	<b>2022 Kit Containers QT-SG-S76 76 in Skeleton Skid Steer Grapple (Unused)</b> S/N: KC98839 C/W: Quick Coupler Bracket Usage: Not Available	5389	<b>2022 Wolverine ZW-GB-0072W 72 in Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5378	<b>2022 Kit Containers QT-SG-S76 76 in Skeleton Skid Steer Grapple (Unused)</b> S/N: KC99189 C/W: Quick Coupler Bracket Usage: Not Available	5390	<b>65 in Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available
5379	<b>All-Star 78 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5391	<b>80 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5380	<b>All-Star 78 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5392	<b>70 in Root Skid Steer Grapple (Unused)</b> S/N: Not Available Usage: Not Available
5381	<b>All-Star 72 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5393	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5382	<b>All-Star 72 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5394	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5383	<b>Stout HD69-3 69 in Skeleton Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5395	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5384	<b>Bobcat 67 in Skeleton Skid Steer Grapple Bucket</b> S/N: Not Available Usage: Not Available	5396	<b>All-Star Stump Skid Steer Grapple (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5385	<b>2022 Wolverine ZW-GB-0072W 72 in Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5397	<b>2022 Suihe Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 8 in, 12 in & 18 in bits Usage: Not Available
5386	<b>Wolverine 72 in Skid Steer Grapple Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5398	<b>Quantity of (3) 2022 Suihe Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 9 in, 12 in & 18 in Bits Usage: Not Available
		5399	<b>Quantity of (3) 2022 Suihe Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 9 in, 12 in, & 18 in Bits Usage: Not Available

Lot #	Details	Lot #	Details
5400	<b>2022 Suihe Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 9 in, 12 in & 18 in bits Usage: Not Available	5411	<b>2022 AGROTK SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081201 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available
5401	<b>Low 1650CL Skid Steer Auger (Unused)</b> S/N: 32173370 C/W: Quick Coupler Bracket, 6 in., 12 in. & 15 in. Bits Usage: Not Available	5412	<b>2022 AGROTK SSECAG-Y Skid Steer Auger (Unused)</b> S/N: SSECAGY22081202 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available
5402	<b>Low 750 Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in. Bit Usage: Not Available	5413	<b>2022 AGROTK SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081204 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available
5403	<b>Low 750 Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 6 in. & 12 in. Bits Usage: Not Available	5414	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081203 C/W: Quick Coupler Bracket, 14 in Bit Usage: Not Available
5404	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081101 C/W: Quick Coupler Bracket, 14 in bit Usage: Not Available	5415	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5405	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081102 C/W: Quick Coupler Bracket, 14 in bit Usage: Not Available	5416	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5406	<b>2022 AGROTK SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081108 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available	5417	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5407	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081104 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available	5418	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5408	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081106 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available	5419	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5409	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081103 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available	5420	<b>2022 Wolverine ZW-ADB-1218R Skid Steer Auger (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, 12 in, 18 in Bits Usage: Not Available
5410	<b>2022 Mower King SSECAGY Skid Steer Auger (Unused)</b> S/N: SSECAGY22081105 C/W: Quick Coupler Bracket, 8 in 12 in & 14 in bits Usage: Not Available	5421	<b>2021 Blue Diamond 305715 Skid Steer Auger</b> S/N: 125298 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5422	<b>2022 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5434	<b>2022 Kit Containers QT-SNB-90 90 in Snow Skid Steer Bucket (Unused)</b> S/N: KC96924 C/W: Quick Coupler Bracket Usage: Not Available
5423	<b>Suihe 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5435	<b>2022 Kit Containers QT-SNB-90 90 in Snow Skid Steer Bucket (Unused)</b> S/N: KC96953 C/W: Quick Coupler Bracket Usage: Not Available
5424	<b>2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT22052301 C/W: Quick Coupler Bracket Usage: Not Available	5436	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5425	<b>2022 TopCat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT22052701 C/W: Quick Coupler Bracket Usage: Not Available	5437	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5426	<b>2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT22081001 C/W: Quick Coupler Bracket Usage: Not Available	5438	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5427	<b>2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT22081201 C/W: Quick Coupler Bracket Usage: Not Available	5439	<b>All-Star 78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5428	<b>2022 Top Cat 4IN1BCT 72 in Multi-Purpose Skid Steer Bucket (Unused)</b> S/N: 4IN1BCT22081202 C/W: Quick Coupler Bracket Usage: Not Available	5440	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5429	<b>2022 Handy HVS72 64 in Skid Steer Screening Bucket (Unused)</b> S/N: VSB220729265 C/W: Quick Coupler Bracket Usage: Not Available	5441	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5430	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5442	<b>All-Star 84 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5431	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5443	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5432	<b>All-Star 84 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5444	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5433	<b>All-Star 84 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5445	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5446	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5447	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5448	<b>2022 Kit Containers QT-DB-T78 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5461	<b>80 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5449	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5462	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5450	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5463	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5451	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5464	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5452	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5465	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5453	<b>2021 Teran BKT26272BOCE 72 in Skid Steer Bucket - Fits Cat 226-299 (Unused)</b> S/N: 5813 C/W: Quick Coupler Bracket, 0.45m3 with BOCE Usage: Not Available	5466	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5454	<b>All-Star 68 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5467	<b>All-Star 80 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5455	<b>2022 Kit Containers QT-DB-S66 66 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5468	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5456	<b>2022 Kit Containers QT-DB-S66 66 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5469	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5457	<b>2022 Kit Containers QT-DB-S78 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5470	<b>All-Star 74 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5458	<b>Kit Containers 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5471	<b>2022 Kit Containers QT-DB-S78 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5459	<b>All-Star 80 in Snow/Litter Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5472	<b>2022 Kit Containers QT-DB-T78 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5460	<b>Kit Containers 90 in Snow Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5473	<b>All-Star 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5474	<b>Teran BKT26272 72 in Skid Steer Bucket - Fits Cat 226 (Unused)</b> S/N: 8157 C/W: Quick Coupler Bracket, 0.45m3 with 8 HD Tips to fit Cat 226 - 299 Usage: Not Available



Lot #	Details	Lot #	Details
5475	<b>Teran BKT26260 60 in Skid Steer Bucket - Fits Cat 226 (Unused)</b> S/N: 0441 C/W: Quick Coupler Bracket, 0.35m3 with 7 HD Tips to fit Cat 226 - 299 Usage: Not Available	5489	<b>All-Star 72 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5476	<b>All-Star 68 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5490	<b>All-Star 72 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5477	<b>All-Star 68 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5491	<b>2022 Kit Containers 75 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5478	<b>All-Star 72 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5492	<b>2022 Kit Containers 75 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5479	<b>78 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5493	<b>All-Star 68 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5480	<b>72 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5494	<b>All-Star 68 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5481	<b>Cat 72 in Skid Steer Bucket</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5495	<b>All-Star 78 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5482	<b>All-Star 84 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5496	<b>2022 Kit Containers QT-SB-L76 76 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5483	<b>Kit Containers 78 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5497	<b>2022 Kit Containers QT-SB-H76 76 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5484	<b>Kit Containers 66 in Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5498	<b>2022 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5485	<b>All-Star 80 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5499	<b>2022 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5486	<b>All-Star 80 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5500	<b>All-Star 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5487	<b>All-Star 80 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5501	<b>All-Star 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5488	<b>All-Star 80 in Rock Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5502	<b>All-Star 72 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5514	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Positioners Usage: Not Available
5503	<b>All-Star 68 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5515	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5504	<b>All-Star 68 in Skeleton Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5516	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5505	<b>All-Star Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5517	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5506	<b>All-Star Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5518	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5507	<b>All-Star Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5519	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5508	<b>All-Star Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5520	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5509	<b>2022 Kit Containers QT-TS-40 40 in Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5521	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5510	<b>2022 Kit Containers QT-TS-40 40 in Stump Skid Steer Bucket (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5522	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5511	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Positioners Usage: Not Available	5523	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5512	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Positioners Usage: Not Available	5524	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5513	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Fork Positioner Usage: Not Available	5525	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5526	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
		5527	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5528	<b>All-Star 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5541	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081202 C/W: Quick Coupler Bracket Usage: Not Available
5529	<b>2022 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5542	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081004 C/W: Quick Coupler Bracket Usage: Not Available
5530	<b>2022 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5543	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081209 C/W: Quick Coupler Bracket Usage: Not Available
5531	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5544	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081211 C/W: Quick Coupler Bracket Usage: Not Available
5532	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5545	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081208 C/W: Quick Coupler Bracket Usage: Not Available
5533	<b>JBX 4000 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5546	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081207 C/W: Quick Coupler Bracket Usage: Not Available
5534	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081204 C/W: Quick Coupler Bracket Usage: Not Available	5547	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082001 C/W: Quick Coupler Bracket Usage: Not Available
5535	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081206 C/W: Quick Coupler Bracket Usage: Not Available	5548	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081210 C/W: Quick Coupler Bracket Usage: Not Available
5536	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081206 C/W: Quick Coupler Bracket Usage: Not Available	5549	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081010 C/W: Quick Coupler Bracket Usage: Not Available
5537	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081205 C/W: Quick Coupler Bracket Usage: Not Available	5550	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5538	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081204 C/W: Quick Coupler Bracket Usage: Not Available	5551	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081003 C/W: Quick Coupler Bracket Usage: Not Available
5539	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081203 C/W: Quick Coupler Bracket Usage: Not Available	5552	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081201 C/W: Quick Coupler Bracket Usage: Not Available
5540	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA222081202 C/W: Quick Coupler Bracket Usage: Not Available	5553	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082006 C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5554	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082005 C/W: Quick Coupler Bracket Usage: Not Available	5567	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082013 C/W: Quick Coupler Bracket Usage: Not Available
5555	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082004 C/W: Quick Coupler Bracket Usage: Not Available	5568	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5556	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081008 C/W: Quick Coupler Bracket Usage: Not Available	5569	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081210 C/W: Quick Coupler Bracket Usage: Not Available
5557	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081002 C/W: Quick Coupler Bracket Usage: Not Available	5570	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081208 C/W: Quick Coupler Bracket Usage: Not Available
5558	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082002 C/W: Quick Coupler Bracket Usage: Not Available	5571	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081104 C/W: Quick Coupler Bracket Usage: Not Available
5559	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081011 C/W: Quick Coupler Bracket Usage: Not Available	5572	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081205 C/W: Quick Coupler Bracket Usage: Not Available
5560	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082011 C/W: Quick Coupler Bracket Usage: Not Available	5573	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081204 C/W: Quick Coupler Bracket Usage: Not Available
5561	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081107 C/W: Quick Coupler Bracket Usage: Not Available	5574	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082008 C/W: Quick Coupler Bracket Usage: Not Available
5562	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081103 C/W: Quick Coupler Bracket Usage: Not Available	5575	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081102 C/W: Quick Coupler Bracket Usage: Not Available
5563	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081105 C/W: Quick Coupler Bracket Usage: Not Available	5576	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081203 C/W: Quick Coupler Bracket Usage: Not Available
5564	<b>Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081209 C/W: Quick Coupler Bracket Usage: Not Available	5577	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081214 C/W: Quick Coupler Bracket Usage: Not Available
5565	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081106 C/W: Quick Coupler Bracket Usage: Not Available	5578	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22081005 C/W: Quick Coupler Bracket Usage: Not Available
5566	<b>2022 Mower King SA 48 in Skid Steer Forks (Unused)</b> S/N: SA22082014 C/W: Quick Coupler Bracket Usage: Not Available		

Lot #	Details	Lot #	Details
5579	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081001 C/W: Quick Coupler Bracket Usage: Not Available	5591	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081101 C/W: Quick Coupler Bracket Usage: Not Available
5580	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22082010 C/W: Quick Coupler Bracket Usage: Not Available	5592	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081013 C/W: Quick Coupler Bracket Usage: Not Available
5581	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081213 C/W: Quick Coupler Bracket Usage: Not Available	5593	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081012 C/W: Quick Coupler Bracket Usage: Not Available
5582	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081212 C/W: Quick Coupler Bracket Usage: Not Available	5594	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081216 C/W: Quick Coupler Bracket Usage: Not Available
5583	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22082009 C/W: Quick Coupler Bracket Usage: Not Available	5595	2022 Wolverine ZW-PF-0048LH 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Fork Positioners Usage: Not Available
5584	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081009 C/W: Quick Coupler Bracket Usage: Not Available	5596	2022 Wolverine ZW-PF-0048LH 48 in Skid Steer Forks (Unused) S/N: Not Available C/W: Quick Coupler Bracket, Hydraulic Fork Positioners Usage: Not Available
5585	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22082007 C/W: Quick Coupler Bracket Usage: Not Available	5597	2022 Suihe 48 in Skid Steer Forks (Unused) S/N: 20220120 C/W: Quick Coupler Bracket, Side Shift Usage: Not Available
5586	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081007 C/W: Quick Coupler Bracket Usage: Not Available	5598	48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5587	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22082003 C/W: Quick Coupler Bracket Usage: Not Available	5599	48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5588	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081006 C/W: Quick Coupler Bracket Usage: Not Available	5600	48 in Skid Steer Forks S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5589	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081207 C/W: Quick Coupler Bracket Usage: Not Available	5601	2022 Landhonor HL-BS20 Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5590	2022 Mower King SA 48 in Skid Steer Forks (Unused) S/N: SA22081215 C/W: Quick Coupler Bracket Usage: Not Available	5602	2022 Landhonor HL-BS20 Skid Steer Bale Spear (Unused) S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5603	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5617	<b>Quantity of (8) 2022 Mower King EX726 72 in (Unused)</b> S/N: Not Available Usage: Not Available
5604	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5618	<b>Quantity of (7) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5605	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5619	<b>Quantity of (6) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5606	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5620	<b>Quantity of (6) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5607	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5621	<b>Quantity of (6) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5608	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5622B	<b>2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: EX72622052902 Usage: Not Available
5609	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5622A	<b>2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: EX72622052805 Usage: Not Available
5610	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5622	<b>Quantity of (6) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5611	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5623	<b>2022 Suihe 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5612	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5624	<b>2022 Suihe 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5613	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5625	<b>2022 Suihe 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5614	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5626	<b>2022 Suihe 10 ft Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5615	<b>All-Star Skid Steer Fork Frame (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5627	<b>Quantity of (2) 2022 Wolverine ZW-EX-0825 84 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
5616	<b>Quantity of (9) 2022 Mower King EX726 72 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available	5628	<b>Quantity of (2) 2022 Wolverine ZW-EX-0825 84 in Fork Extensions (Unused)</b> S/N: Not Available Usage: Not Available
		5629	<b>All-Star Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5630	<b>All-Star Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5643	<b>2022 Kit Containers 2 in Skid Steer Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5631	<b>All-Star Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5644	<b>All-Star Skid Steer Reese Hitch (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5632	<b>All-Star Skid Steer Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5645	<b>All-Star Skid Steer Reese Hitch (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5633	<b>All-Star Skid Steer Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5646	<b>2022 Landhonor HL-UHA-3000LB 2 in Skid Steer Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5634	<b>All-Star Skid Steer Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5647	<b>2022 Landhonor HL-UHA-3000LB 2 in Skid Steer Utility Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5635	<b>2022 Landhonor HL-BS20 Skid Steer Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5648	<b>2022 Landhonor HL-UHA-3000LB 2 in Skid Steer Utility Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5636	<b>2022 Landhonor HL-BS20 Bale Spear Skid Steer Bale Spear (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5649	<b>Quantity of (2) 2022 Suihe Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available
5637	<b>All-Star Skid Steer Tree Boom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5650	<b>Quantity of (2) 2022 Suihe Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available
5638	<b>All-Star Skid Steer Tree Boom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5651	<b>Quantity of (2) 2022 Suihe Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available
5639	<b>2022 Landhonor HL-TB-6000LB Skid Steer Tree Boom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5652	<b>Quantity of (2) 2022 Suihe Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available
5640	<b>All-Star Skid Steer Reese Hitch (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5653	<b>Quantity of (2) 2022 Suihe Self-Dumping Hopper (Unused)</b> S/N: Not Available Usage: Not Available
5641	<b>All-Star Skid Steer Reese Hitch (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5654	<b>2022 Landhonor HL-IS-0022D 22 in Skid Steer Ice Scraper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5642	<b>2022 Kit Containers 2 in Skid Steer Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5655	<b>2022 Landhonor HL-IS-0022D 22 in Skid Steer Ice Scraper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available

Lot #	Details	Lot #	Details
5656	<b>Skid Steer Door</b> S/N: Not Available Usage: Not Available	5669	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5657	<b>Skid Steer Door</b> S/N: Not Available Usage: Not Available	5670	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5658	<b>Skid Steer Door</b> S/N: Not Available Usage: Not Available	5671	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5659	<b>Skid Steer Door</b> S/N: Not Available Usage: Not Available	5672	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5660	<b>Quantity of (3) 2 in Skid Steer Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5673	<b>Quantity of (4) 2022 Kit Containers Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5661	<b>2022 Landhonor HL-UHA-3000LB 2 in Skid Steer Hitch Receiver (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5674	<b>Quantity of (4) 2022 Kit Containers Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5662	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5675	<b>Quantity of (4) 2022 Kit Containers Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5663	<b>2022 Landhonor HL-IS-0022D 22 in Skid Steer Ice Scraper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5676	<b>Quantity of (4) 2022 Kit Containers Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5664	<b>Quantity of (2) Skid Steer Steel Tracks</b> S/N: Not Available Usage: Not Available	5677	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5665	<b>Landhonor HL-TB-6000LB Skid Steer Tree Boom (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5678	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5666	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5679	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5667	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5680	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5668	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available		



Lot #	Details	Lot #	Details
5681	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5693	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5682	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5694	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5683	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5695	<b>Quantity of (2) 2022 Landhonor HL-UAP-0025T Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5684	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5696	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5685	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5697	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5686	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5698	<b>Quantity of (2) 2022 Landhonor HL-UAP-0025T Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
5687	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5699	<b>2022 HS3100 Hydraulic Pulverizer - Fits Cat 320 (Unused)</b> S/N: 2206210255 Usage: Not Available
5688	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5700	<b>2022 HS3100 Hydraulic Pulverizer - Fits Cat 320 (Unused)</b> S/N: 22062102514 Usage: Not Available
5689	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5701	<b>2022 HS3100 Hydraulic Pulverizer - Fits Cat 320 (Unused)</b> S/N: 22062102512 Usage: Not Available
5690	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5702	<b>2022 HS3100 Hydraulic Pulverizer - Fits Cat 320 (Unused)</b> S/N: 22062102515 Usage: Not Available
5691	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5703	<b>La Bounty CP60 24 in Concrete Crusher</b> S/N: Not Available Usage: Not Available
5692	<b>All-Star Skid Steer Attachment Mounting Plate (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5704	<b>Teran GRAPPLE320930P 90 in - Fits Cat 320 (Unused)</b> S/N: 9316 C/W: B Linkage - W/O Rotating 93 in (1m3) for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available

Lot #	Details	Lot #	Details
5705	<b>Teran GRAPPLE336D45 45 in - Fits Cat 336D (Unused)</b> S/N: 7708 C/W: DB Linkage - for Cat 336D, 336D2, 336E, 336F, 340D2, 340F with Jagged Teeth, Rod Assy & Bracket Usage: Not Available	5716	<b>2018 Paladin SFBK12 12000 lb Hydraulic Breaker</b> S/N: 18C0687 Usage: Not Available
5706	<b>Teran GRAPPLE325D40 40 in - Fits Cat 325D (Unused)</b> S/N: 2124 C/W: CB Linkage - With Jagged Teeth, Rod Assy & Bracket - for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F Usage: Not Available	5717	<b>Furukawa F4575QTV Hydraulic Breaker</b> S/N: FX4751326 Usage: Not Available
5707	<b>Teran GRAPPLEPC22040 40 in Manual - Fits Komatsu PC200 (Unused)</b> S/N: 8174 C/W: For Komatsu PC200, PC210, PC220, PC228, PC230, PC240, PC250, PC270, PC290 With Rod Assy & Bracket Usage: Not Available	5718	<b>Furukawa FX475QTV Hydraulic Breaker</b> S/N: FX4751240 Usage: Not Available
5708	<b>52 in Demolition Grapple</b> S/N: 16320 Usage: Not Available	5719	<b>Furukawa FX475QTV Hydraulic Breaker</b> S/N: FX4751430 Usage: Not Available
5709	<b>Teran TDSH20 Rotating Shear 110 in - Fits Cat 320 (Unused)</b> S/N: 2210188 C/W: Hydraulic Rotating Shear to fit Cat 320, 325D/329D and all 20-28 Ton - 44K-62K Lb Machines. Shear Overall Length 110 in 2,785 mm, Shear Opening 21 in 530mm, Shear Depth 19 in 495mm, 4,475 lbs 2,030 Kg Usage: Not Available	5720	<b>Teran THH2000B Hydraulic Breaker - Fits Cat 320 (Unused)</b> S/N: CE145580K C/W: B Linkage For all 18-25 Ton Excavators - With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Toil Box With Maintenance Tools And Operations Manual. Usage: Not Available
5710	<b>Teran TDGR5 Rotating Grapple (Unused)</b> S/N: 2210171 C/W: Hydraulic Rotating Demolition Grapple for Cat 304-308 and all 4 to 8 Ton Machines 49.6 cin Gap Opening Usage: Not Available	5721	<b>2022 BHB2200-B Hydraulic Breaker - Fits Cat 320 (Unused)</b> S/N: JSB19005024 C/W: 2 Moil Points Usage: Not Available
5711	<b>Hydraulic Shear</b> S/N: Not Available Usage: Not Available	5722	<b>Teran THH2200BCB Hydraulic Breaker - Fits Cat 325D (Unused)</b> S/N: CH14693AK2 C/W: CB Linkage for CAT 325D, 329, 330GC, 335F , All 22-28 Ton Excavators - With Auto Lubrication Pre-Disposition. All New Teran Hydraulic Hammers are supplied with 2 Chisels Moil Point M Type, 2 Hoses, 1 Set of N2 Nitrogen Charging Kit with N2 Bottle (Empty) and Pressure Gauge, 1 Spare Seal Kit, Tool Box with Maintenance Tools and Operations Manual. Usage: Not Available
5712	<b>NYE Concrete Crusher</b> S/N: Not Available Usage: Not Available	5723	<b>2022 THB2200-B Hydraulic Breaker - Fits 19-26 ton (Unused)</b> S/N: JSB19005020 C/W: 2 Moil Points Usage: Not Available
5713	<b>USED NPK GH40 Hydraulic Breaker</b> S/N: 99341 C/W: USED HAMMER/NOT NEW Usage: Not Available	5724	<b>Teran THH3200B Hydraulic Breaker - Fits Cat 336D (Unused)</b> S/N: CIP0570A13KZ C/W: For Cat 330D, 336D and all 32-42 Ton Excavators - With Auto - Lubrication Pre-Disposition. Box Type - All New Teran Hydraulic Hammers are supplied with: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Toil Box With Maintenance Tools And Operations Manual. Usage: Not Available
5714	<b>2018 Paladin SFBK12 12000 lb Hydraulic Breaker</b> S/N: 18C0688 Usage: Not Available		
5715	<b>2017 Paladin SFBK12 12000 lb Hydraulic Breaker</b> S/N: 17C0127 Usage: Not Available		

Lot #	Details	Lot #	Details
5725	<b>Teran THH2000B-A Hydraulic Breaker - Fits Cat 320 (Unused)</b> S/N: CE14904SKZ C/W: For all 18-25 ton Excavators. 135mm Tool - Box Type - W/O Lubrication Pre-Disposition. All New Teran Hydraulic Hammers Are Supplied With 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual Usage: Not Available	5735	<b>2022 HC2000 Excavator Plate Compactor - Fits 18-26 ton (Unused)</b> S/N: 2206200564 C/W: 5.25 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 14.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5726	<b>2022 AGROTK AGT800S Hydraulic Breaker (Unused)</b> S/N: AGT80022081201 Usage: Not Available	5736	<b>Teran CW32036-4W 36 in Compaction Wheel - Fits Cat 320 (Unused)</b> S/N: 2203 C/W: B Linkage - for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F - 4 Wheels Usage: Not Available
5727	<b>Teran THH435EX Hydraulic Breaker - Fits Cat 307 (Unused)</b> S/N: CWC1732854HB2Z C/W: For Cat 307, 308, Komatsu PC78 and all 7-9 Ton Excavators - 75mm Tool - 50mm Pins - With Auto - Lubrication Pre-Disposition. All New Teran Hydraulic Hammers Are Supplied With: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available	5737	<b>Teran CW32024-3W 24 in Compaction Wheel - Fits Cat 320 (Unused)</b> S/N: 2205 C/W: B Linkage - for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F - 24 in - 3 Wheels Usage: Not Available
5728	<b>NPK H12X Hydraulic Breaker</b> S/N: Not Available C/W: Seller Comment: USED / NOT NEW Hydraulic Breaker Usage: Not Available	5738	<b>Teran CW31236-5W 36 in Compaction Wheel - Fits Cat 312 (Unused)</b> S/N: 2204 C/W: 312 Linkage - 5 Wheels Usage: Not Available
5729	<b>Bobcat 880 Hydraulic Breaker</b> S/N: Not Available C/W: Seller Comment: USED / NOT NEW Hydraulic Breaker Usage: Not Available	5739	<b>Teran CWEC14024-3W 24 in Compaction Wheel - Fits Volvo EC140 (Unused)</b> S/N: 2230 C/W: 3 Wheels Usage: Not Available
5730	<b>Cat H120ES Hydraulic Breaker</b> S/N: HHE01127 C/W: Seller Comment: USED / NOT NEW Hydraulic Breaker Usage: Not Available	5740	<b>Teran CW30718-3W 18 in Compaction Wheel - Fits Cat 307 (Unused)</b> S/N: 2216 C/W: For Cat 307 and 308, 3 Wheels Usage: Not Available
5731	<b>Cat H90D Hydraulic Breaker</b> S/N: 6TZ03030 C/W: Seller Comment: USED / NOT NEW Hydraulic Breaker Usage: Not Available	5741	<b>Teran CW305C15-3W 15 in Compaction Wheel - Fits Cat 305 (Unused)</b> S/N: Not Available C/W: 3 Wheels Usage: Not Available
5732	<b>2018 Kent F9FSPWR Hydraulic Breaker</b> S/N: 07948 Usage: Not Available	5742	<b>MCM 22 in Excavator Compaction Wheel</b> S/N: Not Available Usage: Not Available
5733	<b>2020 Hanmen HMB750 Hydraulic Breaker (Unused)</b> S/N: JW43Z2789 Usage: Not Available	5743	<b>SUI 24 in Excavator Compaction Wheel</b> S/N: Not Available Usage: Not Available
5734	<b>2022 HC2000 Excavator Plate Compactor - Fits 18-26 ton (Unused)</b> S/N: 2206200566 C/W: 4.25 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 14.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5744	<b>Teran BKT32048HD 48 in Digging Heavy Duty Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 0591 C/W: 3.25 in Pin Diameter, 17.50 in Center of Pin Boss to Center of Pin Boss, 12.50 in Inside to Inside Pin Boss Spacing, B Linkage - 0.89m <sup>3</sup> for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 6HD Tips Usage: Not Available

Lot #	Details	Lot #	Details
5746	<b>Teran BKT34584HD 84 in Heavy Duty Excavator Bucket - Fits Cat 345 (Unused)</b> S/N: 9673 C/W: TB Linkage - 3.10m3 for Cat 345, 345D, 349D, 349D2, 349E, 349F, 352F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 6RC Tips Usage: Not Available	5753	<b>Teran BKT336D56HD 56 in Heavy Duty Excavator Bucket - Fits Cat 336D (Unused)</b> S/N: 6953 C/W: DB Linkage - 1.48m3 for Cat 336D, 336D2, 336E, 336F, 340D2, 340F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates And 6RC Tips - DB Linkage Usage: Not Available
5747	<b>Teran BKT34572HD 72 in Heavy Duty Excavator Bucket - Fits Cat 345 (Unused)</b> S/N: 2307 C/W: TB Linkage - 2.70m3 for Cat 345, 345D, 349D, 349D2, 349E, 349F, 352F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 5RC Tips Usage: Not Available	5754	<b>Teran BKT31248 48 in Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 5325 C/W: 312 Linkage - 0.67m3 for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F With Reinforcement Plates Side Cutters And 6HD Tips Usage: Not Available
5748	<b>Teran BKT325D66HD 66 in Heavy Duty Excavator Bucket - Fits Cat 325D (Unused)</b> S/N: 1319 C/W: CB Linkage - 1.59m3 for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates and 7RC Tips Usage: Not Available	5755	<b>Teran BKT32042HD 42 in Heavy Duty Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 0634 C/W: B Linkage - 0.76m3 for Cat 320,319D, 320D, 320E, 321D, 323E, 323F, 325F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates And 5HD Tips Usage: Not Available
5749	<b>Teran BKT34560HD 60 in Heavy Duty Excavator Bucket - Fits Cat 345 (Unused)</b> S/N: 2558 C/W: TB Linkage - 2.17m3 for CAT 345, 345D /349D, 349D2, 349E, 349F, 352F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 5RC Tips Usage: Not Available	5756	<b>Quantity of (2) 2022 Paw EB200 Digging Excavator Bucket - Fits PC200, EC210, CAT320, ZX200 (Unused)</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18.75 in Center of Pin Boss to Center of Pin Boss, 13.25 in Inside to Inside Pin Boss Spacing, 24 in & 45 in Usage: Not Available
5750	<b>Teran BKT336D60HD 60 in Heavy Duty Excavator Bucket - Fits Cat 336D (Unused)</b> S/N: 3313 C/W: DB Linkage - 1.60m3 for Cat 336D, 336D2, 336E, 336F, 340D2, 340F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates and 6RC Tips - DB Linkage Usage: Not Available	5757	<b>Quantity of (2) 2022 Paw EB200 Excavator Bucket - Fits PC200, EC210, CAT320, ZX200</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18.75 in Center of Pin Boss to Center of Pin Boss, 13.25 in Inside to Inside Pin Boss Spacing, 24 in & 45 in Usage: Not Available
5751	<b>Teran BKT325D60HD Excavator Bucket (Unused)</b> S/N: 1316 C/W: CB Linkage - 1.39m3 for Cat 325D, 324D, 324E, 326D2, 326F, 328D, 329D, 329D2, 329E, 329F, 330D2, 330F, 335F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates and 6RC Tips Usage: Not Available	5758	<b>Teran BKT32036HD 36 in Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 4883 Usage: Not Available
5752	<b>Teran BKT33056HD 56 in Heavy Duty Excavator Bucket - Fits Cat 330 (Unused)</b> S/N: 9391 C/W: D Linkage - 1.48m3 With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates and 6RC Tips Usage: Not Available	5759	<b>Teran BKTPC22036HD 36 in Heavy Duty Excavator Bucket - Fits Komatsu PC220 (Unused)</b> S/N: 8083 C/W: 0.62m3 for Komatsu PC200, PC210, PC220, PC228, PC230, PC240, PC250, PC270, PC290 with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 5HD Tips Usage: Not Available
		5760	<b>Teran BKT31536 36 in Excavator Bucket - Fits Cat 315 (Unused)</b> S/N: 5174 C/W: 315 Linkage - 0.55m3 for Cat 315,315D, 316E, 316F, 318D2, 318E, 318F with Side Cutters, Reinforcement Plates and 5HD Tips Usage: Not Available

Lot #	Details	Lot #	Details
5761	<b>Teran BKT30336 Excavator Bucket (Unused)</b> S/N: 9455 C/W: 0.17m3 with Side Cutters, Reinforcement Plates and 7HD Tips Usage: Not Available	5770	<b>Teran BKT30424 24 in Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 2435 C/W: 0.17m3 with Side Cutters, Reinforcement Plates and 5HD Tips Usage: Not Available
5762	<b>36 in Cleanup Excavator Bucket - Fits Komatsu PC300</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	5771	<b>Teran BKT30324 24 in Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 0805 C/W: 0.11m3 with Side Cutters, Reinforcement Plates and 5HD Tips Usage: Not Available
5763	<b>Teran BKT32030HD 30 in Heavy Duty Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 0649 C/W: B Linkage - 0.49m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates And 4HD Tips Usage: Not Available	5772	<b>Teran BKT30124 24 in Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 6484 C/W: 0.07m3 with Side Cutters and 5HD Tips Usage: Not Available
5764	<b>Teran BKT31230 30 in Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 3117 C/W: 312 Linkage - 0.44m3 - Fits Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F with Reinforcement Plates and Side Cutters and 4HD Tips Usage: Not Available	5773	<b>24 in Excavator Bucket - Fits Komatsu PC88</b> S/N: 19496022 C/W: 50 mm Pin Diameter, 315 in Center of Pin Boss to Center of Pin Boss, 200 mm Inside to Inside Pin Boss Spacing Usage: Not Available
5765	<b>Teran BKT30430 30 in Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 3227 C/W: 0.21m3 with Side Cutters, Reinforcement Plates and 6HD Tips Usage: Not Available	5774	<b>Teran BKT32018HD 18 in Heavy Duty Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 9200 C/W: B Linkage - 0.29m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 3HD Tips Usage: Not Available
5766	<b>Teran BKT32024HD 24 in Heavy Duty Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 8095 C/W: B Linkage - 0.37m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 3HD Tips Usage: Not Available	5775	<b>Teran BKTEC14018 18 in Excavator Bucket - Fits Volvo EC140 (Unused)</b> S/N: 9577 C/W: 0.25m3 65mm Pin Usage: Not Available
5767	<b>Teran BKT31224 24 in Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 9219 C/W: 312 Linkage - 0.32m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available	5776	<b>Teran BKT31218 18 in Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 3027 C/W: 312 Linkage - 0.25m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available
5768	<b>Teran BKT30724 24 in Excavator Bucket - Fits Cat 307 (Unused)</b> S/N: 9832 C/W: For Cat 307/308 0.21m3 With Side Cutters Reinforcement Plates and 4HD Tips Usage: Not Available	5777	<b>Teran BKT30418 18 in Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 6785 C/W: 0.12m3 with Side Cutters, Reinforcement Plates and 4HD Tips Usage: Not Available
5769	<b>Teran BKT305C24 24 in Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 3341 C/W: 0.16m3 with Side Cutters Reinforcement Plates and 5HD Tips Usage: Not Available	5778	<b>Teran BKT30218 18 in Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 9724 C/W: 0.08m3 with Side Cutters, Reinforcement Plates and 4HD Tips Usage: Not Available
		5779	<b>Teran BKT30118 18 in Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 6469 C/W: 0.05m3 with Side Cutters and 3HD Tips Usage: Not Available

Lot #	Details	Lot #	Details
5780	<b>Teran BKT32012HD 12 in Banana Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 3822 C/W: B Linkage - 0.15m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F with Reinforcement Plates and 2HD Tips Usage: Not Available	5790	<b>66 in Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18.25 in Center of Pin Boss to Center of Pin Boss, 16.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5781	<b>Teran BKT305C12 12 in Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 0520 C/W: 0.08m3 With Side Cutters Reinforcement Plates and 3HD Tips Usage: Not Available	5791	<b>60 in Digging Excavator Bucket</b> S/N: Not Available C/W: 4 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.75 in Inside to Inside Pin Boss Spacing Usage: Not Available
5782	<b>Teran BKT30412 12 in Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 6786 C/W: 0.07m3 with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available	5792	<b>Geith 60 in Excavator Bucket</b> S/N: Not Available C/W: 4.25 in Pin Diameter, 21.5 in Center of Pin Boss to Center of Pin Boss, 19.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5783	<b>Teran BKT30312 12 in Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: Not Available C/W: 0.04m3 with Side Cutters Reinforcement Plates and 3HD Tips Usage: Not Available	5793	<b>Teran 60 in Digging Excavator Bucket - Fits Cat 325</b> S/N: MZ18112614360 C/W: 3.25 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 13.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5784	<b>Teran BKT30212 12 in Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 2688 C/W: 0.04m3 with Side Cutters, Reinforcement Plates and 3HD Tips Usage: Not Available	5794	<b>CP 60 in Digging Excavator Bucket - Fits Hyundai R360LC-7</b> S/N: 15571148791 C/W: 4 in Pin Diameter, 21.75 in Center of Pin Boss to Center of Pin Boss, 17 in Inside to Inside Pin Boss Spacing Usage: Not Available
5785	<b>Teran BKT30112 12 in Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 4829 C/W: 0.03m3 with Side Cutters and 3HD Tips Usage: Not Available	5795	<b>56 in Cleanup Excavator Bucket</b> S/N: Not Available C/W: 3.75 in Pin Diameter, 21 in Center of Pin Boss to Center of Pin Boss, 20 in Inside to Inside Pin Boss Spacing Usage: Not Available
5786	<b>Teran BKT305C33TRAPEZ 33 in Trapezoidal Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 7786 C/W: 0.17 m3 2 Tips 60 degree Angle Usage: Not Available	5796	<b>56 in Digging Excavator Bucket</b> S/N: 10024B C/W: 4 in Pin Diameter, 21.5 in Center of Pin Boss to Center of Pin Boss, 17 in Inside to Inside Pin Boss Spacing Usage: Not Available
5787	<b>Teran BKT30116TRAPEZ 16 in Trapezoidal Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 2807 C/W: 0.025m3 2 Tips 60 degree Angle (9/16 in) Usage: Not Available	5797	<b>John Deere 52 in Digging Excavator Bucket - Fits John Deere 250C</b> S/N: 9764201 C/W: 3.5 in Pin Diameter, 18.75 in Center of Pin Boss to Center of Pin Boss, 16.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5788	<b>Teran BKT31212 12 in Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 2442 C/W: 312 Linkage - 0.10m3 - Fits Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F with Reinforcement Plates and 3HD Tips Usage: Not Available	5798	<b>Cat 44 in Excavator Bucket</b> S/N: Not Available C/W: 3 in Pin Diameter, 17.75 in Center of Pin Boss to Center of Pin Boss, 15 in Inside to Inside Pin Boss Spacing Usage: Not Available
5789	<b>84 in Digging Excavator Bucket</b> S/N: 29260 C/W: 4 in Pin Diameter, 21.50 in Center of Pin Boss to Center of Pin Boss, 15 in Inside to Inside Pin Boss Spacing Usage: Not Available	5799	<b>44 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
5800	<b>Hensley 46 in Excavator Bucket - Fits Komatsu PC220</b> S/N: 44615 C/W: 3 in Pin Diameter, 17.5 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available	5808	<b>Esco 40 in Digging Excavator Bucket</b> S/N: H19186 C/W: 3.50 in Pin Diameter, 20.50 in Center of Pin Boss to Center of Pin Boss, 13.50 in Inside to Inside Pin Boss Spacing Usage: Not Available
5801	<b>48 in Excavator Bucket</b> S/N: 24262 C/W: 3.5 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 14.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5809	<b>36 in Excavator Bucket</b> S/N: Not Available C/W: 45 mm Pin Diameter Usage: Not Available
5802	<b>42 in Digging Excavator Bucket - Fits Hyundai R210</b> S/N: 19843211 C/W: 3.25 in Pin Diameter, 18.50 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available	5810A	<b>36 in Excavator Bucket</b> S/N: Not Available C/W: 1.75 in Pin Diameter, 10.25 in Center of Pin Boss to Center of Pin Boss, 11.75 in Inside to Inside Pin Boss Spacing Usage: Not Available
5803	<b>Cat 42 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available	5810	<b>36 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available
5804	<b>Hensley 42 in Excavator Bucket - Fits Komatsu PC200</b> S/N: 56881 C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available	5811	<b>35 in Digging Excavator Bucket</b> S/N: 13004901 Usage: Not Available
5805A	<b>Geith 42 in Excavator Bucket - Fits John Deere 200CLC</b> S/N: 240114 C/W: 3.5 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 14.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5812B	<b>Tag 34 in Excavator Bucket</b> S/N: Not Available C/W: 2 in Pin Diameter, 11.25 in Center of Pin Boss to Center of Pin Boss, 6.75 in Inside to Inside Pin Boss Spacing Usage: Not Available
5805	<b>Entek 42 in Digging Excavator Bucket - Fits 200DRE</b> S/N: 10313 C/W: 3.25 in Pin Diameter, 18.50 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available	5812A	<b>Balderson 34 in Excavator Bucket</b> S/N: Not Available C/W: 3.5 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 18 in Inside to Inside Pin Boss Spacing Usage: Not Available
5806	<b>Cat 40 in Digging Excavator Bucket - Fits Cat 336D L</b> S/N: Not Available C/W: 3.50 in Pin Diameter, 19.25 in Center of Pin Boss to Center of Pin Boss, 13.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5812	<b>35 in Q/C Digging Excavator Bucket</b> S/N: 18187502 Usage: Not Available
5807	<b>40 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18.50 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available	5813	<b>Esco 30 in Excavator Bucket - Fits Komatsu PC200/210</b> S/N: RH85469 C/W: 3.25 in Pin Diameter, 13 in Center of Pin Boss to Center of Pin Boss, 18 in Inside to Inside Pin Boss Spacing Usage: Not Available
		5814	<b>Paw EB200 24 in Excavator Bucket</b> S/N: 24253 C/W: 3.25 in Pin Diameter, 18.25 in Center of Pin Boss to Center of Pin Boss, 14.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
		5815	<b>24 in Excavator Bucket - Fits Cat 316</b> S/N: Not Available Usage: Not Available
		5816	<b>Adco 24 in Ditching Excavator Bucket</b> S/N: Not Available C/W: 2.5 in Pin Diameter, 24 in Center of Pin Boss to Center of Pin Boss, 14.75 in Inside to Inside Pin Boss Spacing Usage: Not Available

Lot #	Details	Lot #	Details
5817	<b>Hensley 36 in Excavator Bucket - Fits HITACHI ZX350</b> S/N: 70362 C/W: 4 in Pin Diameter, 23.5 in Center of Pin Boss to Center of Pin Boss, 19 in Inside to Inside Pin Boss Spacing Usage: Not Available	5828	<b>Quantity of (2) Q/C Excavator Bucket - Fits Hitachi</b> S/N: Not Available C/W: (1) 12 in, (1) 24 in Usage: Not Available
5818	<b>Hensley 36 in 1.54 cyd Digging Excavator Bucket - Fits ZX350</b> S/N: 1200XS30 C/W: 4 in Pin Diameter, 23 in Center of Pin Boss to Center of Pin Boss, 16.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5829	<b>Quantity of (6) Quantity of Bucket</b> S/N: Not Available Usage: Not Available
5819	<b>SEC 42 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5830	<b>Teran BKT336D66SKEL 66 in Skeleton Excavator Bucket - Fits Cat 336D (Unused)</b> S/N: 8054 C/W: DB Linkage - 1.55m3 for CAT 336D, 336D2, 336E, 336F, 340D2, 340F with Side Cutters, Side Protectors, Heel Shrouds, Lip Protectors, Reinforcement Plates and 5RC Tips - DB Linkage Usage: Not Available
5820	<b>SEC 48 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3 in Pin Diameter, 19.50 in Center of Pin Boss to Center of Pin Boss, 4 in Inside to Inside Pin Boss Spacing Usage: Not Available	5831	<b>Teran BKT32560SKEL 60 in Skeleton Excavator Bucket (Unused)</b> S/N: 6131 C/W: 3.25 in Pin Diameter, 19.25 in Center of Pin Boss to Center of Pin Boss, 15.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5821	<b>SEC 42 in Cleanup Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5833	<b>Teran BKT31260SKEBOCE 60 in Skeleton BOCE Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 5731 C/W: 312 Linkage - 0.55m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available
5822	<b>SEC 42 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5834D	<b>84 in Root Skid Steer Grapple</b> S/N: WT1009063 C/W: Quick Coupler Bracket Usage: Not Available
5823	<b>Tag 36 in Q/C Excavator Bucket</b> S/N: Not Available Usage: Not Available	5834C	<b>72 in Root Skid Steer Grapple</b> S/N: WT1009059 C/W: Quick Coupler Bracket Usage: Not Available
5824	<b>12 in Q/C Digging Excavator Bucket</b> S/N: Not Available Usage: Not Available	5834B	<b>72 in Root Skid Steer Grapple</b> S/N: WT1009056 C/W: Quick Coupler Bracket Usage: Not Available
5825	<b>Tag 12 in Q/C Excavator Bucket</b> S/N: Not Available Usage: Not Available	5834A	<b>72 in Skid Steer Grapple Bucket</b> S/N: WT1008678 C/W: Quick Coupler Bracket Usage: Not Available
5826	<b>Cat 54 in Excavator Bucket - Fits Cat 325</b> S/N: MH203608 C/W: 3 in Pin Diameter, 19.5 in Center of Pin Boss to Center of Pin Boss, 16.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5834	<b>Teran BKT32054SKEL 54 in Skeleton Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 1000 C/W: B Linkage - 1.02m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates And 6HD Tips 80mm Pins Usage: Not Available
5827	<b>60 in 2.9 cyd Digging Excavator Bucket - Fits Komatsu PC300</b> S/N: 48677 C/W: 3.50 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 13.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5835B	<b>72 in Root Skid Steer Grapple</b> S/N: WT1009036 C/W: Quick Coupler Bracket Usage: Not Available



Lot #	Details	Lot #	Details
5835A	<b>84 in Root Skid Steer Grapple</b> S/N: WT1009061 C/W: Quick Coupler Bracket Usage: Not Available	5843	<b>Teran BKT336D72CLN 72 in Cleanup Excavator Bucket - Fits Cat 336D (Unused)</b> S/N: 0742 C/W: DB Linkage - 0.94m3 for Cat 336D, 336D2, 336E, 336F, 340D2, 340F - DB Linkage Usage: Not Available
5835	<b>Teran BKTPC22054SKEL 54 in Skeleton Excavator Bucket - Fits Komatsu PC200 (Unused)</b> S/N: 0632 C/W: 1.02m3 for Komatsu PC200, PC210, PC220, PC228, PC230, PC240, PC250, PC270, PC290 With Side Cutters Side Protectors Heel Shrouds Lip Protectors Reinforcement Plates And 6HD Tips Usage: Not Available	5844	<b>Teran BKT32072CLN 72 in Cleanup Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 2357 C/W: B Linkage - 0.66m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
5836	<b>Teran BKT31248SKEL 48 in Skeleton Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 9597 C/W: 312 Linkage - 0.77m3 for CAT 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F with Side Cutters and 5HD Tips Usage: Not Available	5845	<b>Teran BKT31268CLN 68 in Cleanup Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 9070 C/W: 312 Linkage - 0.44m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available
5837	<b>Teran BKT305C48CLNSKE 48 in Cleanup Skeleton Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 1000 C/W: 0.15m3 with 9HD Tips Usage: Not Available	5846	<b>Teran BKT32060CLN 60 in Cleanup Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 3638 C/W: B Linkage - 0.54m3 for CAT 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
5838	<b>Teran BKT30342CLNSKEL 42 in Cleanup Skeleton Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 3219 C/W: 0.13m3 with 7HD Tips Usage: Not Available	5847	<b>Teran BKTPC22060CLN 60 in Cleanup Excavator Bucket - Fits Komatsu PC220 (Unused)</b> S/N: 5347 C/W: 0.54m3 for Komatsu PC200, PC210, PC220, PC228, PC230, PC240, PC250, PC270, PC290 Usage: Not Available
5839	<b>Teran BKT30236CLNSKEL 36 in Cleanup Skeleton Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 6607 C/W: 0.11m3 with 7HD Tips - 35mm Pins Usage: Not Available	5848	<b>Teran BKT31560CLN 60 in Cleanup Excavator Bucket - Fits Cat 315 (Unused)</b> S/N: 9269 C/W: 315 Linkage - 0.38m3 for Cat 315,315D, 316E, 316F, 318D2, 318E, 318F Usage: Not Available
5840	<b>Teran BKT30324SKEL 24 in Skeleton Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 0407 C/W: 0.11m3 with 5HD Tips Usage: Not Available	5849	<b>Teran BKTPC12060CLN 60 in Cleanup Excavator Bucket - Fits Komatsu PC160 (Unused)</b> S/N: 3259 C/W: 0.38m3 60mm Pin Usage: Not Available
5841	<b>SEC 45 in Excavator Screening Bucket</b> S/N: Not Available C/W: 3.50 in Pin Diameter, 19 in Center of Pin Boss to Center of Pin Boss, 13.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5850	<b>Teran BKT30760CLN 60 in Cleanup Excavator Bucket - Fits Cat 307 (Unused)</b> S/N: 2880 C/W: For Cat 307/308 0.29m3 Usage: Not Available
5842	<b>Teran BKT336D80CLN 80 in Cleanup Excavator Bucket - Fits Cat 336D (Unused)</b> S/N: 3390 C/W: DB Linkage - 1.06m3 for Cat 336D, 336D2, 336E, 336F, 340D2, 340F - DB Linkage Usage: Not Available	5851	<b>Teran BKT31260CLN 60 in Cleanup Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 4952 C/W: 312 Linkage - 0.38m3 for Cat 312,311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available

Lot #	Details	Lot #	Details
5852	<b>Teran BKT32058MUD 58 in Mud BOCE Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 5358 C/W: B Linkage - 0.77 m3 for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F - B Linkage Usage: Not Available	5863	<b>Teran BKT30436CLN 36 in Cleanup Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 5067 C/W: 0.12m3 Usage: Not Available
5853	<b>Teran BKT31248CLN 48 in Cleanup Excavator Bucket - Fits Cat 312 (Unused)</b> S/N: 9600 C/W: 312 Linkage - 0.31m3 for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available	5864	<b>Teran BKT305C36CLN 36 in Cleanup Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 0552 C/W: 0.12m3 Usage: Not Available
5854	<b>Teran BKT30748CLN 48 in Cleanup Excavator Bucket - Fits Cat 307 (Unused)</b> S/N: 3249 C/W: For Cat 307/308 0.23m3 Usage: Not Available	5865	<b>Teran BKT30136CLN 36 in Cleanup Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: Not Available C/W: 0.07m3 30mm Pins Usage: Not Available
5855	<b>Teran BKT305C48CLN 48 in Cleanup Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 5861 C/W: 0.15m3 Usage: Not Available	5866	<b>Teran BKT30236CLN 36 in Cleanup Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 1331 C/W: 0.11m3 Usage: Not Available
5856	<b>Teran BKT30448CLN 48 in Cleanup Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 6092 C/W: 0.15m3 Usage: Not Available	5867	<b>Teran BKT30336CLN 36 in Cleanup Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 2476 C/W: 0.11m3 Usage: Not Available
5857	<b>Teran BKT32047MUD 47 in Mud Excavator Bucket - Fits Cat 320 (Unused)</b> S/N: 5769 C/W: B Linkage - 0.62m3 BOCE for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available	5868	<b>Teran BKT30330CLN 30 in Cleanup Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 2722 C/W: 0.09m3 Usage: Not Available
5858	<b>Teran BKT305C42CLN 42 in Cleanup Excavator Bucket - Fits Cat 305 (Unused)</b> S/N: 4868 C/W: 0.14m3 45mm Pins Usage: Not Available	5869	<b>Teran BKT30230CLN 30 in Cleanup Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 2721 C/W: 0.09m3 Usage: Not Available
5859	<b>Teran BKT30442CLN 42 in Cleanup Excavator Bucket - Fits Cat 304 (Unused)</b> S/N: 0654 C/W: 0.13m3 Usage: Not Available	5870	<b>Teran BKT30130CLN 30 in Cleanup Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 6540 C/W: 0.055m3 Usage: Not Available
5860	<b>Teran BKT30142CLN 42 in Cleanup Excavator Bucket - Fits Cat 301 (Unused)</b> S/N: 6525 C/W: 0.076m3 Usage: Not Available	5871	<b>72 in Cleanup Excavator Bucket</b> S/N: Not Available C/W: 3 in Pin Diameter, 19.5 in Center of Pin Boss to Center of Pin Boss, 15.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5861	<b>Teran BKT30242CLN 42 in Cleanup Excavator Bucket - Fits Cat 302 (Unused)</b> S/N: 6615 C/W: 0.13m3 Usage: Not Available	5872	<b>70 in Cleanup Excavator Bucket</b> S/N: Not Available C/W: 3.50 in Pin Diameter, 15.50 in Center of Pin Boss to Center of Pin Boss, 11.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5862	<b>Teran BKT30342CLN 42 in Cleanup Excavator Bucket - Fits Cat 303 (Unused)</b> S/N: 6719 C/W: 1.75 in Pin Diameter, 8 in Center of Pin Boss to Center of Pin Boss, 5.59 in Inside to Inside Pin Boss Spacing, 0.13m3 Usage: Not Available	5873	<b>60 in Cleanup Excavator Bucket</b> S/N: Not Available Usage: Not Available
		5874	<b>60 in Cleanup Excavator Bucket</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5875	<b>48 in Cleanup Excavator Bucket</b> S/N: Not Available C/W: 3 in Pin Diameter, 17.5 in Center of Pin Boss to Center of Pin Boss, 13.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5886	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22070201918 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5876	<b>Cat 303-1314 24 in .17 cyd Digging Bucket</b> S/N: HD110600206 C/W: 2 in Pin Diameter, 10.5 in Center of Pin Boss to Center of Pin Boss, 8.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5887	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22070201910 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5877	<b>35 in Cleanup Bucket</b> S/N: Not Available Usage: Not Available	5888	<b>Teran RIPPERSK350 Excavator Ripper - Fits Kobelco SK350 (Unused)</b> S/N: 7825 C/W: For Kobelco SK350, SK295 Usage: Not Available
5879	<b>SEC 42 in Digging Excavator Bucket</b> S/N: Not Available C/W: 3 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5889	<b>2022 AGROTK CAT336D Excavator Ripper - Fits Cat 336D (Unused)</b> S/N: CAT336D22052301 C/W: 3.75 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 15.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5880	<b>Teran RIPPER385 Excavator Ripper - Fits Cat 385 (Unused)</b> S/N: 5420 C/W: HB/WB Linkage Usage: Not Available	5890	<b>Teran RIPPER330 Excavator Ripper - Fits Cat 330 (Unused)</b> S/N: 9791 C/W: D Linkage Usage: Not Available
5881	<b>Teran RIPPER345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 3421 C/W: TB Linkage - for Cat 345, 349D, 349D2, 349E, 349F, 352F Usage: Not Available	5891	<b>2022 Handy 42 In Excavator Ripper - Fits Cat 336 (Unused)</b> S/N: 202207291148 C/W: 3.50 in Pin Diameter, 20 in Center of Pin Boss to Center of Pin Boss, 15.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5882	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22070201917 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5892	<b>Teran RIPPER325 Excavator Ripper - Fits Cat 325 (Unused)</b> S/N: 3296 C/W: C Linkage Usage: Not Available
5883	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22020201915 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5893	<b>Teran RIPPER320 Excavator Ripper - Fits Cat 320 (Unused)</b> S/N: 6128 C/W: B Linkage - for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
5884	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22070200199 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5894	<b>Teran RIPPER315 Excavator Ripper - Fits Cat 315 (Unused)</b> S/N: 0830 C/W: 2.75 in Pin Diameter, 18.5 in Center of Pin Boss to Center of Pin Boss, 11.25 in Inside to Inside Pin Boss Spacing, 315 Linkage - for Cat 315, 315D, 316E, 316F, 318D2, 318E, 318F Usage: Not Available
5885	<b>2022 CAT345 Excavator Ripper - Fits Cat 345 (Unused)</b> S/N: 22062003015 C/W: 4.25 in Pin Diameter, 22.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available	5895	<b>Teran RIPPEREC140 - Fits Volvo EC140 (Unused)</b> S/N: 4868 C/W: 65mm Pin Usage: Not Available

Lot #	Details	Lot #	Details
5896	<b>Teran RIPPER312 Excavator Ripper - Fits Cat 312 (Unused)</b> S/N: Not Available C/W: 312 Linkage for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available	5907	<b>2022 AGROTK CAT320 68 in Excavator Rake (Unused)</b> S/N: CAT3206822081201 Usage: Not Available
5897	<b>Teran RIPPER307 Excavator Ripper - Fits Cat 307 (Unused)</b> S/N: 6105 C/W: For Cat 307/308 50mm Pin Usage: Not Available	5908	<b>Teran RAKE31559 59 in - Fits Cat 315 (Unused)</b> S/N: Not Available C/W: 315 Linkage - Root Rake for Cat 315,315 D, 316E, 316F, 318D2, 318E, 318F Usage: Not Available
5898	<b>Teran RIPPER305C Excavator Ripper - Fits Cat 305 (Unused)</b> S/N: Not Available C/W: 45mm Pin Usage: Not Available	5909	<b>Teran RAKE31261 61 in - Fits Cat 312 (Unused)</b> S/N: 2093 C/W: 312 Linkage for Cat 312, 311D, 311F, 312D, 312D2, 312E, 312F, 313D2, 313F, 314D, 314E, 314F, 315F Usage: Not Available
5899	<b>Teran RIPPER304 Excavator Ripper - Fits Cat 304 (Unused)</b> S/N: 2492 C/W: 40mm Pin Usage: Not Available	5910	<b>Teran RAKE30745 45 in - Fits Cat 307 (Unused)</b> S/N: Not Available C/W: For Cat 307 and 308, 13 Tines Usage: Not Available
5900	<b>Teran RIPPER303 Excavator Ripper - Fits Cat 303 (Unused)</b> S/N: Not Available C/W: 40mm Pin Usage: Not Available	5911	<b>Teran RAKE32068 68 in Excavator Rake - Fits Cat 320 (Unused)</b> S/N: 0656 C/W: B Linkage - for Cat 320, 319D, 320D, 320E, 321D, 323E, 323F, 325F Usage: Not Available
5901	<b>Teran RIPPER302 Excavator Ripper - Fits Cat 302 (Unused)</b> S/N: 2694 C/W: 35mm Pin Usage: Not Available	5912	<b>Gentec HT-2650 26 in Hydraulic Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available
5902	<b>Teran RIPPER301 Excavator Ripper - Fits Cat 301 (Unused)</b> S/N: Not Available C/W: 30mm Pin Usage: Not Available	5913	<b>Gentec HT1035 10 in Hydraulic Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available
5903	<b>Teran RIPPER336D Excavator Ripper - Fits Cat 336D (Unused)</b> S/N: 7896 C/W: DB Linkage - for Cat 336D, 336D2, 336E, 336F, 340D2, 340F Usage: Not Available	5914	<b>Gentec HT1440 14 in Hydraulic Excavator Thumb (Unused)</b> S/N: Not Available Usage: Not Available
5904	<b>42 in Excavator Ripper</b> S/N: Not Available C/W: 4 in Pin Diameter, 21 in Center of Pin Boss to Center of Pin Boss, 15 in Inside to Inside Pin Boss Spacing Usage: Not Available	5915	<b>Gentec HT1440 14 in Hydraulic Excavator Thumb</b> S/N: Not Available Usage: Not Available
5905	<b>Excavator Ripper</b> S/N: Not Available Usage: Not Available	5916	<b>Teran THUMB7-8H 20 in Excavator Thumb - Fits Cat 307 (Unused)</b> S/N: 6155 C/W: Hydraulic Thumb for Cat 307,308 and 7-8 Ton Mini Excavators Usage: Not Available
5906	<b>Teran RAKE336D65 65 in - Fits Cat 336D (Unused)</b> S/N: Not Available C/W: DB Linkage - for CAT 336D, 330D,336, 336D2, 336E, 336F, 340D2, 340F with 5RC Tips Usage: Not Available	5917	<b>Teran THUMB5M 11 in - Fits Cat 305 (Unused)</b> S/N: 8159 C/W: Manual Thumb for Cat 305 and 5 Ton Mini Excavators Usage: Not Available
		5918	<b>Teran THUMB4M 10 in - Fits Cat 304 (Unused)</b> S/N: 6240 C/W: Manual Thumb for Cat 304 and 4 Ton Mini Excavators Usage: Not Available

Lot #	Details	Lot #	Details
5919	<b>Teran THUMB2-3.5M 8 in - Fits Cat 303 (Unused)</b> S/N: 0475 C/W: For all 2-3.5 Ton Mini Excavators Usage: Not Available	5934	<b>28 in Excavator Thumb</b> S/N: Not Available C/W: 3.50 in Pin Diameter, 25.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5920	<b>Cat 34 in Excavator Thumb</b> S/N: Not Available Usage: Not Available	5935	<b>22 in Excavator Thumb</b> S/N: Not Available C/W: 3.50 in Pin Diameter, 17.50 in Inside to Inside Pin Boss Spacing Usage: Not Available
5921	<b>Cat 320 18 in Excavator Thumb</b> S/N: 7JW20487 Usage: Not Available	5936	<b>2022 AGROTK CAT320 Excavator Coupler (Unused)</b> S/N: CAT32022081201 Usage: Not Available
5922	<b>Cat 34 in Excavator Thumb</b> S/N: 7JW11463 Usage: Not Available	5937	<b>Excavator Quick Coupler</b> S/N: Not Available Usage: Not Available
5923	<b>34 in Excavator Thumb - Fits Cat 336</b> S/N: Not Available Usage: Not Available	5938	<b>Cat 320 Quick Coupler</b> S/N: Not Available Usage: Not Available
5924	<b>Emaq 32 in Excavator Thumb</b> S/N: Not Available Usage: Not Available	5939	<b>CF Benne Hydraulic Excavator Coupler</b> S/N: Not Available C/W: 4 in Pin Diameter, 22 in Center of Pin Boss to Center of Pin Boss, 16.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5925	<b>22 in Excavator Thumb</b> S/N: Not Available C/W: 3.25 in Pin Diameter Usage: Not Available	5940	<b>Cat Hydraulic Excavator Coupler</b> S/N: P96C0709 C/W: 4.25 in Pin Diameter, 23.5 in Center of Pin Boss to Center of Pin Boss, 17.5 in Inside to Inside Pin Boss Spacing Usage: Not Available
5926	<b>30 in Excavator Thumb</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 21.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5941	<b>Quantity of (2) Excavator Quick Coupler</b> S/N: Not Available C/W: (1) Fleco Coupler, (1) Dromone Coupler Usage: Not Available
5927	<b>Hill 31 in Excavator Thumb</b> S/N: Not Available Usage: Not Available	5942	<b>Quantity of (2) Excavator Quick Coupler</b> S/N: Not Available Usage: Not Available
5928	<b>Hill 35 in Excavator Thumb</b> S/N: Not Available C/W: 32 in, 36 in Usage: Not Available	5943	<b>Quantity of (2) Excavator Quick Coupler</b> S/N: Not Available Usage: Not Available
5929	<b>Quantity of (2) Excavator Thumb</b> S/N: Not Available C/W: 28 in & 32 in Usage: Not Available	5944	<b>Quantity of (2) Excavator Quick Coupler</b> S/N: Not Available Usage: Not Available
5930	<b>Quantity of (2) 35 in Excavator Thumb</b> S/N: Not Available Usage: Not Available	5945	<b>Quantity of (2) Excavator Quick Couplers</b> S/N: Not Available Usage: Not Available
5931	<b>Quantity of (2) Excavator Thumb</b> S/N: Not Available C/W: 24 in & 35 in Usage: Not Available	5946	<b>Hydraulic Excavator Coupler</b> S/N: Not Available C/W: 3 in Pin Diameter, 17.50 in Center of Pin Boss to Center of Pin Boss, 13 in Inside to Inside Pin Boss Spacing Usage: Not Available
5932	<b>Quantity of (2) Hill Excavator Thumb</b> S/N: Not Available C/W: 18 in. & 25 in. Usage: Not Available		
5933	<b>Quantity of (2) Hill 24 in Excavator Thumb</b> S/N: Not Available C/W: 3.5 in Pin Diameter, 9.25 in Inside to Inside Pin Boss Spacing Usage: Not Available		

Lot #	Details	Lot #	Details
5947	<b>2022 HM1200 Excavator Lifting Magnet - Fits 20-25 ton (Unused)</b> S/N: 2206200576 C/W: 3.25 in Pin Diameter, 19.75 in Center of Pin Boss to Center of Pin Boss, 17.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5957	<b>Quantity of (2) Link-Belt Excavator Cab</b> S/N: Not Available Usage: Not Available
5948	<b>2022 HM1200 Excavator Lifting Magnet - Fits 20-25 ton (Unused)</b> S/N: 2206200575 C/W: 3.25 in Pin Diameter, 19.75 in Center of Pin Boss to Center of Pin Boss, 17.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5958	<b>TMG EFM32 32 in Excavator Flail Mower - Fits 3 to 5 ton Excavators (Unused)</b> S/N: 315EFM32467 C/W: 1.75 in Pin Diameter, 10.25 in Center of Pin Boss to Center of Pin Boss, 6.50 in Inside to Inside Pin Boss Spacing Usage: Not Available
5949	<b>2011 Promac 36CMP11 36 in Excavator Disc Mulcher</b> S/N: 765IQFD C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5959	<b>2022 TMG EFM32 32 in Excavator Flail Mower - Fits 3 to 5 ton Excavators (Unused)</b> S/N: 315EFM32451 C/W: 1.75 in Pin Diameter, 10.50 in Center of Pin Boss to Center of Pin Boss, 6.50 in Inside to Inside Pin Boss Spacing Usage: Not Available
5950	<b>2022 AGROTK EXFLM115 45 in Excavator Flail Mower - Fits Cat 307/308 (Unused)</b> S/N: EXFLM11522082001 C/W: 1.75 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 7.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5960	<b>Excavator Plate Compactor</b> S/N: Not Available Usage: Not Available
5951	<b>2022 AGROTK EXFLM115 45 in Excavator Flail Mower - Fits Cat 307/308 (Unused)</b> S/N: EXFLM11522082002 C/W: 1.75 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 7.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	5961	<b>Quantity of (4) Teran 0860523 Bucket Pins - Fits Cat 311,314 (Unused)</b> S/N: Not Available C/W: 65mm x 410mm Usage: Not Available
5952	<b>2022 AGROTK EXRC54 54 in Excavator Brush Cutter (Unused)</b> S/N: EXRC5422082002 C/W: 1.75 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 7.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5962	<b>Quantity of (4) Teran 0875805 Bucket Pins - Fits Cat 320 (Unused)</b> S/N: Not Available C/W: 80mm x 545mm - B Linkage Front & Rear Usage: Not Available
5953	<b>2022 AGROTK EXRC54 54 in Excavator Brush Cutter (Unused)</b> S/N: EXRC5422082001 C/W: 1.75 in Pin Diameter, 12 in Center of Pin Boss to Center of Pin Boss, 7.75 in Inside to Inside Pin Boss Spacing Usage: Not Available	5963	<b>Quantity of (4) Teran 1066734 Bucket Pins - Fits Cat 307, 308 (Unused)</b> S/N: Not Available C/W: 45mm x 356mm Usage: Not Available
5954	<b>Quantity of (2) Excavator Cab</b> S/N: Not Available C/W: 1 Sany, 1 Link-Belt Usage: Not Available	5964	<b>Quantity of (2) Teran 4I5015 Bucket Pins - Fits Cat 330 (Unused)</b> S/N: Not Available C/W: 80mm X 735mm, F-Linkage - Fits Cat 330,330B, 345B, 345C, 350, Usage: Not Available
5955	<b>Quantity of (2) Excavator Cab</b> S/N: Not Available C/W: 1 Takeuchi, 1 Sany Usage: Not Available	5965	<b>Quantity of (2) D &amp; M Machine LW362M Q/C Excavator Mixers</b> S/N: Not Available C/W: 3.25 in Pin Diameter, 19.25 in Center of Pin Boss to Center of Pin Boss, 13.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
5956	<b>Quantity of (2) Sany Excavator Cab</b> S/N: Not Available Usage: Not Available	5966	<b>2008 Lift Technologies LT30 30000 lb Vacuum Lift</b> S/N: Not Available C/W: Hatz 1 Cylinder Diesel Engine, Rack w/6 in, 8 in, 12 in shoes Usage: 15 Hr
		5967	<b>2008 Lift Technologies LT30 30000 lb Vacuum Lift</b> S/N: LT30000050 C/W: Hatz 1 Cylinder Diesel Engine, Rack w/12 in & 20 in shoes Usage: 1,243 Hr

Lot #	Details	Lot #	Details
5968	<b>2010 Tushogg THX4800 48 in Excavator Planer</b> S/N: TH0234 C/W: 3.25 in Pin Diameter, 18 in Center of Pin Boss to Center of Pin Boss, 12 in Inside to Inside Pin Boss Spacing Usage: Not Available	5983	<b>Cat Quick Coupler</b> S/N: PA200354 Usage: Not Available
5969	<b>Paladin 60 in Q/C Wheel Loader Forks - Fits Komatsu WA320-8</b> S/N: J0001097931 Usage: Not Available	5984	<b>Paccar Crawler Tractor Winch</b> S/N: 0503028 Usage: Not Available
5970	<b>Balderson 72 in Q/C Wheel Loader Forks - Fits 950/966</b> S/N: Not Available Usage: Not Available	5985A	<b>Rockland 114</b> S/N: Not Available Usage: Not Available
5971	<b>Cat 96 in Q/C Wheel Loader Forks - Fits Cat 924 /930/938</b> S/N: 148706515 C/W: Quick Coupler Bracket Usage: Not Available	5985	<b>Crawler Tractor Winch</b> S/N: Not Available Usage: Not Available
5972	<b>72 in Over-The-Bucket Wheel Loader Forks</b> S/N: Not Available Usage: Not Available	5986	<b>130 in Dozer Rake - Fits Cat D6</b> S/N: Not Available Usage: Not Available
5973	<b>130 in Wheel Loader Bucket</b> S/N: 6720401 C/W: 3.5 in Pin Diameter Usage: Not Available	5987	<b>94 in Dozer Rake</b> S/N: Not Available Usage: Not Available
5974	<b>114 in Wheel Loader Bucket</b> S/N: Not Available C/W: 2 in Pin Diameter, 26 in Center of Pin Boss to Center of Pin Boss, 30 in Inside to Inside Pin Boss Spacing Usage: Not Available	5988	<b>Set of John Deere 750K Steel Tracks</b> S/N: Not Available Usage: Not Available
5975	<b>Teran BKT938G/H 105 in Wheel Loader Bucket - Fits Cat 938G/H (Unused)</b> S/N: 0865 C/W: 2.60m3 Cat BOCE No Tips Usage: Not Available	5989	<b>Quantity of Crawler Dozer Cutting Edges</b> S/N: Not Available Usage: Not Available
5976	<b>Teran BKT988K 153 in Wheel Loader Bucket - Fits Cat 988K (Unused)</b> S/N: 8416 C/W: 6.35m3 BOCE No Tips Usage: Not Available	5990	<b>Quantity of Crawler Dozer Cutting Edges</b> S/N: Not Available Usage: Not Available
5977	<b>Cat 99 in Q/C Bucket</b> S/N: Not Available Usage: Not Available	5991	<b>10 ft 6 in Excavator Stick - Fits Doosan DX340 / DX350</b> S/N: Not Available C/W: 110 mm Pin Diameter Usage: Not Available
5978	<b>Cat 108 in Q/C Bucket</b> S/N: Not Available Usage: Not Available	5992	<b>Quantity of (36) High Pressure Hydraulic to fit Doosan DX300 DX350 DX420 &amp; DX490 Hose</b> S/N: Not Available Usage: Not Available
5979	<b>Balderson B66-16 156 in Q/C Wheel Loader Bucket</b> S/N: 16726 Usage: Not Available	5993	<b>Quantity of (75) 1 in to 1.5 in High Pressure to fit Doosan DX300 DX350 DX420 &amp; DX490 Hose (Unused)</b> S/N: Not Available C/W: Belts Usage: Not Available
5981	<b>54 in Hydraulic Wheel Loader Pipe Grapple</b> S/N: Not Available Usage: Not Available	5994A	<b>Air Manifold</b> S/N: Not Available Usage: Not Available
5982	<b>Volvo Wheel Loader Quick Coupler - Fits Volvo L220</b> S/N: Not Available Usage: Not Available	5994	<b>Midwestern M10C Sideboom</b> S/N: 6931090 Usage: Not Available
		5995	<b>7 ft Multi Shank Crawler Tractor Ripper</b> S/N: Not Available Usage: Not Available
		5996	<b>Woods 720 72 in 3-Point Tractor Mower</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
5997	<b>Bush Hog 287 3-Point Tractor Mower</b> S/N: 1211228 C/W: 540 PTO Usage: Not Available	6018	<b>Howse 48 in 3-Point Tractor Mower</b> S/N: 0420095340 C/W: 540 PTO Usage: Not Available
5998	<b>Tiger TRB-50C 54 in Side Mower</b> S/N: 5773 C/W: Hydraulic Drive Usage: Not Available	6019	<b>Vibra Shank 14 ft 3-Point Field Cultivator</b> S/N: Not Available C/W: 20 Tines, 16 in Spacing, C-Shanks, Gauge Wheels Usage: Not Available
6000	<b>2022 AGROTK B7 48 in 3-Point No Till Drill (Unused)</b> S/N: B722081001 C/W: 8 in Spacing, Double Shoot, Steel 48 in Packer Usage: Not Available	6020	<b>Land Pride BB2572 72 in 3-Point Tractor Grader</b> S/N: 1612744 Usage: Not Available
6001	<b>2022 AGROTK B7 48 in 3-Point No Till Drill (Unused)</b> S/N: B722081201 C/W: 8 in Spacing, Double Shoot, Steel 48 in Packer Usage: Not Available	6021	<b>John Deere F0900 171 in 3-Point Multi Shank Ripper</b> S/N: Not Available Usage: Not Available
6002	<b>66 in 3-Point Tandem Disc</b> S/N: Not Available C/W: 18 in Notched Front Discs, 18 in Notched Rear Discs, 7 in Spacing Usage: Not Available	6022	<b>70 in Front Loader Attachment</b> S/N: Not Available C/W: to fit IH Tractor Usage: Not Available
6004	<b>74 in Floating Hitch Offset Disc</b> S/N: Not Available C/W: 20 in Notched Front Discs, 20 in Notched Rear Discs, 9 in Spacing, Hitch Leveling Usage: Not Available	6023	<b>Skid Steer Bale Spear</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available
6008	<b>Rome 12 ft Tandem Disc</b> S/N: 6TRCW30 C/W: 33 in Notched Front Discs, 30 in Wave Edge Rear Discs, 30 in Spacing Usage: Not Available	6024	<b>Bale Forks</b> S/N: Not Available Usage: Not Available
6010	<b>Quantity of (2) 3-Point Hitch</b> S/N: Not Available Usage: Not Available	6025	<b>3-Point Bale Forks</b> S/N: Not Available Usage: Not Available
6011	<b>Toro Reelmaster Gang Mower</b> S/N: Not Available Usage: Not Available	6027	<b>Wallenstein GX920-BLK Backhoe Attachment</b> S/N: 3920364 C/W: 19 in Digging Bucket, 3-Point Hitch Usage: Not Available
6012	<b>Rhino FM15 15 ft Front Batwing Rotary Mower</b> S/N: 16758 C/W: 540 PTO Usage: Not Available	6028	<b>66 in 3-Point Tractor Box Blade</b> S/N: Not Available Usage: Not Available
6013	<b>Mohawk Brave 60 in 3-Point Tractor Mower</b> S/N: Not Available C/W: 540 PTO Usage: Not Available	6029	<b>72 in 3-Point Tractor Dozer</b> S/N: Not Available Usage: Not Available
6014	<b>Modern Ag 72 in 3-Point Tractor Mower</b> S/N: 65894 C/W: 540 PTO Usage: Not Available	6030	<b>TMG WC42 4 in 3-Point Tractor Chipper (Unused)</b> S/N: BL2022050144 C/W: 540 PTO Usage: Not Available
6015	<b>2019 Woods 72 in 3-Point Tractor Slope Mower</b> S/N: 10007481785001 C/W: 540 PTO, Hydraulic Drive Usage: Not Available	6031	<b>IMC 30 in 3-Point Tractor Reversible Dirt Scoop</b> S/N: Not Available Usage: Not Available
6016	<b>78 in Brush Cutter Attachment</b> S/N: Not Available Usage: Not Available	6032	<b>TMG WC42 4 in 3-Point Tractor Chipper (Unused)</b> S/N: BL2022050122 C/W: 540 PTO Usage: Not Available
		6033	<b>2022 AGROTK PSM031G Tracked Portable Sawmill (Unused)</b> S/N: PSM031G22052302 C/W: Gasoline Powered, 31 in Max Log Diameter Usage: Not Available



Lot #	Details	Lot #	Details
6034	<b>2022 AGROTK PSM031G Tracked Portable Sawmill (Unused)</b> S/N: PSM031G22052301 C/W: Gasoline Powered, 31 in Max Log Diameter Usage: Not Available	6047	<b>TMG HB70Q Q/C Fits 4 to 7 ton Excavators and Backhoe Loaders Hydraulic Breaker (Unused)</b> S/N: 3277220741 C/W: Moil Point, Tool Box Usage: Not Available
6035	<b>BercoMac 700210 40 in Snow Blower (Unused)</b> S/N: 923547 Usage: Not Available	6049	<b>Teran THH435BH Hydraulic Breaker - Fits Cat 416 (Unused)</b> S/N: CNM1559A59HB1Z Usage: Not Available
6036	<b>BercoMac 700210 40 in Snow Blower (Unused)</b> S/N: 923552 Usage: Not Available	6050	<b>Teran THH435BT Hydraulic Breaker - Fits Cat 416 (Unused)</b> S/N: CW1145PB12 C/W: For Cat 428 - 75mm Tool - Box Type - With Mounting Bracket - With Auto - Lubrication Pre-Disposition. All New Teran Hydraulic Hammers Are Supplied With: 2 Chisels Moil Point M Type, 2 Hoses, 1 Set Of N2 Nitrogen Charging Kit With N2 Bottle And Pressure Gauge, 1 Spare Seal Kit, Tool Box With Maintenance Tools And Operations Manual. Usage: Not Available
6037	<b>BercoMac 700210 40 in Snow Blower (Unused)</b> S/N: 923550 Usage: Not Available	6051	<b>Hydraulic Breaker</b> S/N: Not Available Usage: Not Available
6038	<b>BercoMac 700210 40 in Snow Blower (Unused)</b> S/N: 923551 Usage: Not Available	6052	<b>12 in Backhoe Rear Bucket</b> S/N: Not Available C/W: 1.5 in Pin Diameter, 7 in Center of Pin Boss to Center of Pin Boss, 5 in Inside to Inside Pin Boss Spacing Usage: Not Available
6039	<b>2022 Mower King TAG-81 72 in 3-Point Tractor Tiller (Unused)</b> S/N: TAG8122082003 C/W: 540 PTO Usage: Not Available	6054	<b>Teran BKT41612 12 in Excavator Bucket - Fits Cat 416 (Unused)</b> S/N: 7931 C/W: 0.09m3 for Cat 416,428 with Reinforcement Plates and 3HD Tips Usage: Not Available
6040	<b>2022 Mower King TAG81 72 in 3-Point Tractor Rotary Tiller (Unused)</b> S/N: TAG8122082001 C/W: 540 PTO Usage: Not Available	6055	<b>Teran BKT41618 18 in Excavator Bucket - Fits Cat 416 (Unused)</b> S/N: 5148 Usage: Not Available
6041	<b>2022 Mower King TAG-81 72 in 3-Point Tractor Tiller (Unused)</b> S/N: TAG8122082002 C/W: 540 PTO Usage: Not Available	6056	<b>Teran BKT41624 24 in Excavator Bucket - Fits Cat 416 (Unused)</b> S/N: 0631 Usage: Not Available
6042	<b>2022 Mower King TAG-81 72 in 3-Point Tractor Tiller (Unused)</b> S/N: TAG8122082004 C/W: 540 PTO Usage: Not Available	6057	<b>Teran BKT41630 30 in Excavator Bucket - Fits Cat 416 (Unused)</b> S/N: 9644 Usage: Not Available
6043	<b>2022 Mower King TAS-81 81 in 3-Point Tractor Rotary Tiller (Unused)</b> S/N: TAS8122052301 C/W: 540 PTO Usage: Not Available	6058	<b>Teran BKT41648CLN 48 in Cleanup Excavator Bucket - Fits Cat 416 (Unused)</b> S/N: 2629 C/W: 0.23m3 for Cat 416,428 Usage: Not Available
6044	<b>2018 Furukawa KF9FSP Q/C Backhoe Hydraulic Breaker</b> S/N: F908287 Usage: Not Available	6059	<b>Teran BKT580K48CLN 48 in Cleanup Excavator Bucket - Fits Case 580K (Unused)</b> S/N: 0819 C/W: 0.23m3 for Case 580K/L/M Usage: Not Available
6045	<b>TMG HB70Q Q/C Fits 4 to 7 ton Excavators and Backhoe Loaders Hydraulic Breaker (Unused)</b> S/N: 3277220735 C/W: Moil Point, Tool Box Usage: Not Available		
6046	<b>TMG HB70Q Q/C Fits 4 to 7 ton Excavators and Backhoe Loaders Hydraulic Breaker (Unused)</b> S/N: 3277220732 C/W: moil point, tool box Usage: Not Available		

Lot #	Details	Lot #	Details
6060	<b>Teran BKT580N12 12 in Excavator Bucket - Fits Case 580N (Unused)</b> S/N: 6945 Usage: Not Available	6072	<b>Grove 25 ft Jib</b> S/N: Not Available Usage: Not Available
6061	<b>Teran BKTJD310G12 12 in Excavator Bucket - Fits John Deere JD310G (Unused)</b> S/N: 0507 Usage: Not Available	6073	<b>USTC 110-26E Truck Mounted Crane Boom</b> S/N: 140689 C/W: 26 ft Reach Usage: Not Available
6062	<b>Teran BKTJD310J/K24 24 in Excavator Bucket - Fits John Deere JD310J (Unused)</b> S/N: 9556 Usage: Not Available	6074	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6063	<b>24 in Backhoe Loader Bucket</b> S/N: Not Available C/W: 45 mm Pin Diameter, 295 mm Center of Pin Boss to Center of Pin Boss, 165 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6075	<b>5 ft x 12 ft Endless Sling</b> S/N: Not Available Usage: Not Available
6064	<b>Cat 24 in Ditching Backhoe Rear Bucket - Fits Cat 416C, 426C, 436C, 428C, 438C</b> S/N: 1345874 C/W: 2 in Pin Diameter, 14.5 in Center of Pin Boss to Center of Pin Boss, 8.25 in Inside to Inside Pin Boss Spacing Usage: Not Available	6076	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6065	<b>24 in Backhoe Rear Bucket</b> S/N: Not Available Usage: Not Available	6077	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6066	<b>12 in Backhoe Rear Bucket</b> S/N: Not Available C/W: 45 mm Pin Diameter, 335 mm Center of Pin Boss to Center of Pin Boss, 205 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6078	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6067	<b>18 in Backhoe Rear Bucket</b> S/N: Not Available C/W: 2 in Pin Diameter Usage: Not Available	6079	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6068	<b>24 in Backhoe Rear Bucket</b> S/N: Not Available C/W: 2 in Pin Diameter Usage: Not Available	6080	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6069	<b>Wain-Roy 24 in Q/C Digging Backhoe Rear Bucket</b> S/N: Not Available Usage: Not Available	6081	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available
6070	<b>18 in Backhoe Rear Bucket</b> S/N: Not Available C/W: 45 mm Pin Diameter Usage: Not Available	6082	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available
6071A	<b>48 in Cleanup Backhoe Rear Bucket - Fits John Deere 310E</b> S/N: 4057701 Usage: Not Available	6083	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
6071	<b>18 in Backhoe Loader Bucket</b> S/N: Not Available C/W: 50 mm Pin Diameter, 370 mm Center of Pin Boss to Center of Pin Boss, 255 mm Inside to Inside Pin Boss Spacing Usage: Not Available	6084	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available
		6085	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
		6086	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available
		6087	<b>Quantity of Sling</b> S/N: Not Available Usage: Not Available
		6088	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available
		6089	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6090	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available	6109	<b>Winch</b> S/N: Not Available C/W: Headache Rack, Quantity of Bunks Usage: Not Available
6091	<b>Quantity of Wire Rope Sling</b> S/N: Not Available Usage: Not Available	6110	<b>CA514 10000 lb Winch</b> S/N: 173800 Usage: Not Available
6092	<b>Quantity of Endless Sling</b> S/N: Not Available Usage: Not Available	6112	<b>Quantity of (6) Hydraulic Cylinder</b> S/N: Not Available Usage: Not Available
6093	<b>Quantity of Cable Sling</b> S/N: Not Available Usage: Not Available	6113	<b>Quantity of (2) Auger Bit</b> S/N: Not Available Usage: Not Available
6094	<b>Quantity of Spreader Bars</b> S/N: Not Available C/W: 21 ft, 20 ft, (2) 16 ft Usage: Not Available	6114	<b>Quantity of (2) Log Grapple Set</b> S/N: Not Available Usage: Not Available
6095	<b>Quantity of (2) 252 MT Spreader Bar</b> S/N: Not Available Usage: Not Available	6115	<b>Cascade 42 in Bale Clamp - Fits forklift</b> S/N: 496172T1 C/W: Hydraulic Positioners Usage: Not Available
6096	<b>Crane Hydraulic Outrigger</b> S/N: Not Available Usage: Not Available	6116	<b>Cascade 48 in Bale Clamp - Fits Forklift</b> S/N: 560930T3 C/W: hydraulic positioner Usage: Not Available
6097	<b>Owen 42 in Clam Shell Bucket</b> S/N: Not Available Usage: Not Available	6117	<b>Cascade 35 in Bale Clamp</b> S/N: 2647191R0 C/W: hydraulic positioner Usage: Not Available
6099	<b>Ingersoll Rand UW50A30 12000 lb Air Tugger</b> S/N: RCH82855D Usage: Not Available	6118	<b>Cascade 35 in Bale Clamp</b> S/N: 25DMC57A C/W: Hydraulic Positioners Usage: Not Available
6100	<b>Winch</b> S/N: Not Available Usage: Not Available	6119	<b>48 in Lift Truck Forks - Fits JLG (Unused)</b> S/N: 20201431 C/W: Quick Coupler Bracket Usage: Not Available
6103	<b>Quantity of (2) Ingersoll-Rand K4UL 4000 lb Air Tugger</b> S/N: Not Available Usage: Not Available	6120	<b>Quantity of (8) Komatsu D31B Rollers (Unused)</b> S/N: Not Available Usage: Not Available
6104	<b>Quantity of (2) Ingersoll-Rand FA2.5-24MK1 5000 lb Air Tugger</b> S/N: Not Available Usage: Not Available	6121	<b>Drill Bit</b> S/N: Not Available Usage: Not Available
6105	<b>Quantity of (2) Air Tugger</b> S/N: Not Available C/W: Ingersoll-Rand 5000 lb, Beebe 4400 lb Usage: Not Available	6122	<b>Conveyor Magnetic Roller</b> S/N: Not Available Usage: Not Available
6106	<b>Quantity of (2) Ingersoll-Rand K4UL 4000 lb Air Tugger</b> S/N: Not Available Usage: Not Available	6123	<b>42 in Fork Attachment</b> S/N: Not Available Usage: Not Available
6107	<b>Quantity of (2) Winch</b> S/N: Not Available Usage: Not Available	6124	<b>60 in Forks</b> S/N: Not Available Usage: Not Available
6108	<b>Quantity of (2) Winch</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	6125	<b>Case Forklift Axle</b> S/N: Not Available Usage: Not Available
		6126	<b>Case Rough Terrain Forklift Mast</b> S/N: Not Available C/W: 3 Stage Usage: Not Available

Lot #	Details	Lot #	Details
6127	<b>Quantity of (2) 90 in Lift Truck Forks</b> S/N: Not Available Usage: Not Available	6143	<b>Quantity of Misc. Skid Steer Parts (Unused)</b> S/N: Not Available C/W: Mustang, Manitou & Gehl Skid Steer Parts Usage: Not Available
6128	<b>Quantity of (3) Hydraulic Cylinders</b> S/N: Not Available Usage: Not Available	6144	<b>Quantity of Misc. Skid Steer Parts (Unused)</b> S/N: Not Available C/W: Mustang, Manitou & Gehl Skid Steer Parts Usage: Not Available
6129	<b>Quantity of (3) Hydraulic Cylinders</b> S/N: Not Available Usage: Not Available	6145	<b>Quantity of Misc Skid Steer Parts (Unused)</b> S/N: Not Available C/W: Mustang, Manitou Skid Steer Parts Usage: Not Available
6130	<b>Quantity of Equipment Parts</b> S/N: Not Available Usage: Not Available	6146	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: Mustang, Manitou, Gehl, 5 Pallets, 5 Baskets Usage: Not Available
6131	<b>Quantity of (4) Forks</b> S/N: Not Available C/W: (1) set of 44 in & (1) set of 48 in Usage: Not Available	6147	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: Mustang, Manitou, Gehl, 10 Baskets Usage: Not Available
6132	<b>Quantity of (4) 48 in Lift Truck Forks</b> S/N: Not Available Usage: Not Available	6148	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: Mustang, Manitou, Gahl Usage: Not Available
6133	<b>Quantity of (6) Forks</b> S/N: Not Available C/W: (1) set of 48 in & (2) sets of 42 in Usage: Not Available	6149	<b>Ladder Extensions</b> S/N: Not Available Usage: Not Available
6134	<b>61 in Box Blade</b> S/N: Not Available Usage: Not Available	6150	<b>Quantity of 24 in Auger Bit</b> S/N: Not Available Usage: Not Available
6135	<b>Quantity of Caterpillar Filters</b> S/N: Not Available C/W: Air/Oil/Hydraulic Usage: Not Available	6151	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: cylinders, pumps, rollers, drives Usage: Not Available
6136	<b>Quantity of NAPA Filters (Unused)</b> S/N: Not Available Usage: Not Available	6152	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: 10 Baskets Usage: Not Available
6137	<b>Quantity of Caterpillar Filters (Unused)</b> S/N: Not Available C/W: oil/hydraulic Usage: Not Available	6153	<b>Quantity of Skid Steer Parts</b> S/N: Not Available C/W: 10 Baskets Usage: Not Available
6138	<b>Quantity of Filters</b> S/N: Not Available C/W: Caterpillar and Komatsu Oil/Fuel/Air Usage: Not Available	6154	<b>66 in Lifting Magnet</b> S/N: Not Available Usage: Not Available
6139	<b>Quantity of Filters (Unused)</b> S/N: Not Available C/W: Paccar/Donaldson Usage: Not Available	6155	<b>2022 Suihe Extendable Jib - Fits Forklift (Unused)</b> S/N: Not Available Usage: Not Available
6140	<b>Quantity of Cat Filters (Unused)</b> S/N: Not Available C/W: Air/Cabin Filters Usage: Not Available	6156	<b>Cat Radiator - Fits Cat 3406</b> S/N: Not Available Usage: Not Available
6141	<b>Quantity of Cat Oil/Cabin Filters (Unused)</b> S/N: Not Available Usage: Not Available	6157	<b>2022 Suihe Extendable Jib - Fits Forklift (Unused)</b> S/N: Not Available Usage: Not Available
6142	<b>Quantity of Misc. Skid Steer Parts</b> S/N: Not Available C/W: Mustang, Manitou & Gehl Skid Steer Parts Usage: Not Available		

Lot #	Details	Lot #	Details
6158	<b>Modern Manufacturing 72 in 3-Point Tractor Box Blade</b> S/N: 90246 Usage: Not Available	6175	<b>Quantity of (6) Tires</b> S/N: Not Available C/W: (2) 305/70R19.5 Tires, (4) 285/60R20 Tires Usage: Not Available
6159	<b>72 in 3-Point Grader</b> S/N: Not Available Usage: Not Available	6176	<b>Quantity of (7) 385/65R22.5 Tires</b> S/N: Not Available C/W: Some Tires with Wheels, (3) pallets Usage: Not Available
6160	<b>Ditch Witch 18 in Back Reamer</b> S/N: Not Available Usage: Not Available	6177	<b>Quantity of (6) 800/70R38 Tires</b> S/N: Not Available Usage: Not Available
6161	<b>Ditch Witch 24 in Back Reamer</b> S/N: Not Available Usage: Not Available	6179	<b>Quantity of (8) Aluminum Rims</b> S/N: Not Available Usage: Not Available
6162	<b>Quantity of 2-7/8 in Drill Pipe</b> S/N: Not Available Usage: Not Available	6180	<b>Quantity of (8) Tires</b> S/N: Not Available C/W: 225/70R19.5, 245/70R19.5 Usage: Not Available
6163	<b>Quantity of Pipe</b> S/N: Not Available C/W: 3 in, 8 in Usage: Not Available	6181	<b>Quantity of (6) Tires</b> S/N: Not Available C/W: 17.5-25, 21L-24 Usage: Not Available
6164	<b>Quantity of Pipe</b> S/N: Not Available C/W: 3 in, 8 in Usage: Not Available	6183	<b>Quantity of (4) Fab Four 24 in x 12 in Wheels (Unused)</b> S/N: Not Available C/W: Aluminum Usage: Not Available
6165	<b>Quantity of Pipe</b> S/N: Not Available Usage: Not Available	6184	<b>Quantity of (4) Fab Four 24 in x 12 in Wheels (Unused)</b> S/N: Not Available C/W: Aluminum Usage: Not Available
6166	<b>Quantity of (103) 6 in HDPE</b> S/N: Not Available Usage: Not Available	6185	<b>Quantity of (4) 300-15 Solid Forklift Tires</b> S/N: Not Available C/W: All Tires with Wheels Usage: Not Available
6167	<b>Quantity of HDPE Pipe</b> S/N: Not Available C/W: 12 in, 18 in, 24 in Usage: Not Available	6186	<b>Quantity of (4) 300-15 Solid Forklift Tires</b> S/N: Not Available Usage: Not Available
6168	<b>Quantity of (2) 30 ft Pipe Racks</b> S/N: Not Available Usage: Not Available	6187	<b>Quantity of (24) Assorted Tires</b> S/N: Not Available C/W: 315/80R22.5, 11R22.5, 285/75R24.5, 315/80R22.5, Some Tires with Wheels Usage: Not Available
6169	<b>Quantity of (2) 30 ft Pipe Racks</b> S/N: Not Available Usage: Not Available	6188	<b>Quantity of (4) 285/50R22 Wheels</b> S/N: Not Available Usage: Not Available
6170	<b>Quantity of (2) 29 ft Pipe Racks</b> S/N: Not Available Usage: Not Available	6189	<b>950M Portable Concrete Mixer</b> S/N: 102001226 C/W: Briggs & Stratton 10 hp Engine Usage: Not Available
6171	<b>Quantity of (2) 28 ft Pipe Racks</b> S/N: Not Available Usage: Not Available	6190	<b>2019 Essick EM90SH8 Portable Concrete Mixer</b> S/N: J1957907 C/W: Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available
6172	<b>Quantity of Pipe</b> S/N: Not Available Usage: Not Available		
6173	<b>Quantity of (15) Pipe Racks</b> S/N: Not Available C/W: Assorted Width Usage: Not Available		
6174	<b>Quantity of (4) Tires</b> S/N: Not Available C/W: Firestone 370/75-28 Usage: Not Available		

Lot #	Details	Lot #	Details
6191	<b>Multiquip WM-90 P Portable Concrete Mixer</b> S/N: L1359386 C/W: Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	6210A	<b>14 ft Concrete Screed</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
6192	<b>Multiquip Whiteman WM90PH8 Portable Concrete Mixer</b> S/N: K2059283 C/W: Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	6211	<b>Teran VH200F Concrete Vibrator (Unused)</b> S/N: Not Available C/W: Loncin Engine 200F / 6.5 HP Epa, Dynapac Coupling, With Vibrator Poker V50, 50mm Head Diameter, Flexible Pipe 6.0 Mts Usage: Not Available
6193	<b>Portable Concrete Mixer</b> S/N: 1A27564 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	6212	<b>2020 Loncin S-100 HC Power Trowel (Unused)</b> S/N: 500130 C/W: 36 in, Loncin Gas Engine Usage: Not Available
6196	<b>2021 U.Emme SRL 600 60 in Concrete Mixer (Unused)</b> S/N: 22334 Usage: Not Available	6213A	<b>Wacker Neuson CT48 Power Trowel</b> S/N: Not Available C/W: 48 in, Honda Gas Engine Usage: Not Available
6198	<b>1 cyd Concrete Bucket</b> S/N: Not Available Usage: Not Available	6213	<b>Quantity of (2) Power Trowel</b> S/N: Not Available C/W: 42 in, Gas Engine Usage: Not Available
6199	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	6214	<b>Assorted Inlet Tops</b> S/N: Not Available Usage: Not Available
6200	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	6215	<b>Corecut CC3700 Walk-Behind Saw</b> S/N: CC37658261256900 C/W: Wisconsin V465D1 4 Cylinder Gasoline Engine Usage: 1,012 Hr
6201	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	6216	<b>Target Concrete Walk-Behind Saw</b> S/N: 65050M188584C C/W: Wisconsin 4 Cylinder Gasoline Engine Usage: 9,175 Hr
6202	<b>Gar-Bro Concrete Bucket</b> S/N: Not Available Usage: Not Available	6218	<b>2014 Clemco 2452 6 cu ft Sand Blaster</b> S/N: 55141 Usage: Not Available
6203	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	6219	<b>2014 Clemco 1648 3 cu ft Sand Blaster</b> S/N: C14480 Usage: Not Available
6204	<b>Concrete Bucket</b> S/N: Not Available Usage: Not Available	6220A	<b>Sand Blaster</b> S/N: Not Available Usage: Not Available
6205	<b>Concrete Forms Concrete Forms</b> S/N: Not Available Usage: Not Available	6220	<b>2016 Clemco 1648 3 cu ft Sand Blaster</b> S/N: 58756 Usage: Not Available
6206	<b>Teran GX35 Surface Finishing Concrete Screed (Unused)</b> S/N: Not Available C/W: Model SFH, With Gasoline Engine Honda GX35/1.2HP, With EPA, Speed: 7000 RPM, Starting System Recoil Start, Blade Length: 2.4 M Usage: Not Available	6221	<b>Manhole With a Riser</b> S/N: Not Available Usage: Not Available
6207	<b>Power Concrete Screed</b> S/N: Not Available C/W: 2010 US EPA Label, Honda GX270 1 Cylinder 270 cc Gasoline Engine Usage: Not Available	6222	<b>Quantity of (5) 24 In x 8 Ft Bell End Reinforced Concrete Pipe</b> S/N: Not Available Usage: Not Available
6209	<b>motoscreed Electric Vibratory Beam Screed</b> S/N: Not Available Usage: Not Available	6223	<b>Quantity of (3) 30 In x 8 Ft Bell End Reinforced Concrete Pipe</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6224	<b>Quantity of (8) 24 In x 8 Ft Bell End Reinforced Concrete Pipe</b> S/N: Not Available Usage: Not Available	6238	<b>2013 Wacker Neuson RTSC3 Trench Compactor</b> S/N: 20198875 C/W: US EPA Label, Kohler 3 Cylinder 19 kW Diesel Engine, 24 in Split Drums, Cordless Remote Control Usage: 269 Hr
6225	<b>Quantity of (2) Inlets</b> S/N: Not Available Usage: Not Available	6239	<b>Teran R600H Road Roller (Unused)</b> S/N: Not Available C/W: Model: R600, Gasoline Engine Loncin G390F/13HP, With EPA, Manual Start, Roller Size (Dia. X Width): 426X600mm, Drive type: Hydraulic Pump, Hydraulic Motor, Double Wheels Drive, Vibration type: Automatic, Double Wheels Vibration, Vibration Frequency: 75HZ, Centrifugal Force: 20KN, Water Tank Capacity: 20L, Travel Speed: 0-4 KM/H Usage: Not Available
6226	<b>Quantity of (8) Concrete Risers</b> S/N: Not Available Usage: Not Available	6240	<b>Teran R300H Road Roller (Unused)</b> S/N: Not Available C/W: Model: R300, Gasoline Engine Loncin G200F/6.5HP, With EPA, Manual Start, Roller Size (Dia. X Width): 426X600mm, Drive type: Hydraulic Pump, Hydraulic Motor, Vibration type: Automatic, Vibration Frequency: 75HZ, Centrifugal Force: 20KN, Water Tank Capacity: 20L, Travel Speed: 0-4 KM/H Usage: Not Available
6227	<b>Quantity of (24) Concrete Risers</b> S/N: Not Available Usage: Not Available	6241	<b>Teran Q300H Floor Saw (Unused)</b> S/N: Not Available C/W: Model: Q300, Gasoline Engine Loncin G200F/6.5HP, With EPA, 350mm Concrete Blade, Max. Cutting Depth: 10cm, Adjustable Cutting Depth, Water Tank Capacity: 12L KGS. Usage: Not Available
6228	<b>Quantity of (36) Concrete Risers</b> S/N: Not Available Usage: Not Available	6242	<b>Teran C120 Plate Compactor Attachment (Unused)</b> S/N: Not Available C/W: Loncin Engine 200F / 6.5 HP, With EPA, No Water Tank, Plate Size 62X45cm, Centrifugal Force: 20KN, Max. Compaction Depth: 40cm, Efficiency: 500M2/H Usage: Not Available
6229	<b>Quantity of (7) Sewer Grates</b> S/N: Not Available Usage: Not Available	6243	<b>Teran C80T Plate Compactor Attachment (Unused)</b> S/N: Not Available Usage: Not Available
6230	<b>Quantity of (14) Sewer Grates</b> S/N: Not Available Usage: Not Available	6244	<b>TMG PC90 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin G200F 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
6231	<b>Quantity of (7) Sewer Grates</b> S/N: Not Available Usage: Not Available	6245	<b>2022 AGROTK AGTPC90 Vibratory Plate Compactor (Unused)</b> S/N: AGTPC9022081201 C/W: Loncin G200F 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
6232	<b>Quantity of (6) Sewer Grates</b> S/N: Not Available Usage: Not Available	6246	<b>2022 AGROTK AGTRM80 Vibratory Plate Compactor (Unused)</b> S/N: AGTRM8022081201 C/W: Loncin LC168F-2H 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available
6233A	<b>Multiquip HBC25B Electro Hydraulic Rebar Cutter</b> S/N: 401214 Usage: Not Available		
6233	<b>Quantity of Sewer Grates</b> S/N: Not Available C/W: Manhole Covers Usage: Not Available		
6234	<b>Seal Pave Crack King Pavement Sealer</b> S/N: Not Available C/W: 2020 US EPA Label, Briggs & Stratton 1 Cylinder Gasoline Engine Usage: Not Available		
6235	<b>Quantity of (6) 28 ft Concrete Barrier</b> S/N: Not Available Usage: Not Available		
6236	<b>2016 Wacker Neuson RT Trench Compactor</b> S/N: 24335807 C/W: Open Operator Station, Kohler 3 Cylinder Diesel Engine, 32 in Split Drums, Cordless Remote Control Usage: 401 Hr		
6237	<b>2018 Bomag BMP8500 Trench Compactor</b> S/N: 101720128646 C/W: Tier 4, 2017 US EPA Label, Kubota D1005-EF06 3 Cylinder 14.5 kW 1.0 L Diesel Engine, 20.5 in Drums, Cordless Remote Control, Articulated Steering Usage: Not Available		

Lot #	Details	Lot #	Details
6247	<b>TMG PC150K Reversible Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Kohler CH260 1 Cylinder 6 hp Gasoline Engine Usage: Not Available	6261	<b>10 ft x 6 ft Trench Shield</b> S/N: Not Available C/W: 4 in Thick Panels Usage: Not Available
6248	<b>TMG PC150K Reversible Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Kohler CH260 1 Cylinder 6 hp Gasoline Engine Usage: Not Available	6262	<b>(1) 10 ft x 4 ft x 1 in Steel Plates</b> S/N: Not Available Usage: Not Available
6249	<b>TMG PC90 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin G200F 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available	6263	<b>(1) 10 ft x 6 ft x 1 in Steel Plates</b> S/N: Not Available Usage: Not Available
6250	<b>TMG PC90 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin G200F 1 Cylinder 6.5 hp Gasoline Engine Usage: Not Available	6264	<b>(1) 10 ft x 6 ft x 1 in Steel Plates</b> S/N: Not Available Usage: Not Available
6251	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6265	<b>2014 NTS 9YD Bedding Box</b> S/N: Not Available Usage: Not Available
6252	<b>Mustang LF88 Vibratory Plate Compactor (Unused)</b> S/N: Not Available C/W: Loncin 1 Cylinder 196 cc Gasoline Engine Usage: Not Available	6266	<b>NTS Bedding Box</b> S/N: M14051330 Usage: Not Available
6254	<b>2016 Wacker WP1550A Vibratory Plate Compactor</b> S/N: 10662508 C/W: Honda GX 1 Cylinder Gasoline Engine Usage: Not Available	6268	<b>2022 Kit Containers 1 in x 72 in x 96 in Steel Plates</b> S/N: Not Available Usage: Not Available
6255	<b>Huskie B90 Demolition Breaker (Unused)</b> S/N: Not Available Usage: Not Available	6269	<b>2022 Kit Containers 1 in x 60 in x 96 in Steel Plates</b> S/N: Not Available Usage: Not Available
6256	<b>Wacker Jumping Jack</b> S/N: 338189 C/W: 2016 US EPA Label, Honda GX100 1 Cylinder 99 cc Gasoline Engine Usage: Not Available	6270	<b>Quantity of (2) 2022 Kit Containers 3/4 in x 60 in x 120 in Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
6257	<b>Teran RM80 Jumping Jack Tamper (Unused)</b> S/N: Not Available Usage: Not Available	6271	<b>Quantity of (2) 2022 Kit Containers 3/4 in x 72 in x 96 in Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
6258	<b>Teran RM80 Jumping Jack Tamper (Unused)</b> S/N: Not Available Usage: Not Available	6272	<b>Quantity of (2) 2022 Kit Containers 1/2 in x 60 in x 120 in Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
6259	<b>16 ft x 8 ft Trench Shield</b> S/N: Not Available C/W: 3 in Thick Panels, ( 12 ) 72 in Spreader Bars Usage: Not Available	6273	<b>Quantity of (4) 2022 Kit Containers 5/16 in x 60 in x 120 in Steel Plates (Unused)</b> S/N: Not Available Usage: Not Available
6260	<b>Quantity of 7 ft x 2 ft Trench Shield</b> S/N: 114009 Usage: Not Available	6275	<b>Effer Truck Mounted Knuckle Boom</b> S/N: Not Available Usage: Not Available
		6276	<b>Unibilt Truck Sleeper - Fits Peterbilt Truck</b> S/N: Not Available C/W: 3 ft Body Length Usage: Not Available
		6277	<b>Tulsa Rufnek Winch</b> S/N: Not Available C/W: Headache Rack Usage: Not Available
		6278	<b>Quantity of Mufflers</b> S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6280	<b>Lift Axle</b> S/N: Not Available Usage: Not Available	6297	<b>Peterbilt Truck Hood</b> S/N: Not Available Usage: Not Available
6281	<b>Lift Axle</b> S/N: Not Available Usage: Not Available	6298	<b>Peterbilt Truck Hood</b> S/N: Not Available Usage: Not Available
6282	<b>Lift Axle</b> S/N: Not Available Usage: Not Available	6299	<b>Peterbilt Truck Hood</b> S/N: Not Available Usage: Not Available
6283	<b>Lift Axle</b> S/N: Not Available Usage: Not Available	6300	<b>Quantity of (4) Pickup Bumpers</b> S/N: Not Available Usage: Not Available
6284	<b>Lift Axle</b> S/N: Not Available Usage: Not Available	6301	<b>Quantity of (5) Dodge Ram Bumper</b> S/N: Not Available C/W: To Fit Pickup Usage: Not Available
6285	<b>Quantity of (3) Bumper</b> S/N: Not Available Usage: Not Available	6302	<b>Quantity of (3) Dodge Ram Pickup Bumper</b> S/N: Not Available Usage: Not Available
6286	<b>Quantity of (3) Bumper</b> S/N: Not Available Usage: Not Available	6302	<b>Quantity of (3) Dodge Ram Pickup Bumper</b> S/N: Not Available Usage: Not Available
6287	<b>Fifth Wheel</b> S/N: Not Available Usage: Not Available	6306	<b>Quantity of (7) B&amp;W Receiver Hitches (Unused)</b> S/N: Not Available Usage: Not Available
6288	<b>Quantity of Mixer Truck Parts</b> S/N: Not Available C/W: mount brackets Usage: Not Available	6307	<b>Quantity of (6) B&amp;W Receiver Hitches (Unused)</b> S/N: Not Available Usage: Not Available
6289	<b>Quantity of Mixer Truck Parts - Fits CBMW Mixer</b> S/N: Not Available C/W: mount brackets, drum motor Usage: Not Available	6308	<b>Quantity of (3) Dodge Ram Pickup Bumper</b> S/N: Not Available Usage: Not Available
6290	<b>Quantity of Mixer Truck Parts</b> S/N: Not Available C/W: hydraulic pump, mount bracket, spout Usage: Not Available	6308	<b>Quantity of (3) Dodge Ram Pickup Bumper</b> S/N: Not Available Usage: Not Available
6291	<b>Quantity of Mixer Truck Parts</b> S/N: Not Available C/W: mount brackets Usage: Not Available	6309	<b>Quantity of (5) Dodge Ram Bumper</b> S/N: Not Available C/W: To Fit Pickup Usage: Not Available
6292	<b>Quantity of (6) Fifth Wheel</b> S/N: Not Available Usage: Not Available	6310	<b>Quantity of (3) Dodge Ram Bumper</b> S/N: Not Available C/W: To Fit Pickup Usage: Not Available
6293	<b>Steering Axle</b> S/N: Not Available C/W: spring suspension Usage: Not Available	6312	<b>Quantity of (10) B&amp;W Receiver Hitches</b> S/N: Not Available Usage: Not Available
6294	<b>Trailer Axle</b> S/N: Not Available C/W: Air Brakes, 11R22.5 Tires Usage: Not Available	6315	<b>Quantity of (2) Dodge Ram 8 ft Pickup Truck Bed</b> S/N: Not Available Usage: Not Available
6295	<b>Leer 7 ft Pickup Camper Shell</b> S/N: Not Available Usage: Not Available	6316	<b>Quantity of (7)</b> S/N: Not Available Usage: Not Available
6296	<b>Kenworth Truck Hood</b> S/N: Not Available Usage: Not Available	6317	<b>2018 Chevrolet Tahoe 2nd Row Seats</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6319	<b>Front Brush Guard (Unused)</b> S/N: Not Available Usage: Not Available	6337	<b>Headache Rack</b> S/N: Not Available Usage: Not Available
6320	<b>Quantity of (8) Headache Rack</b> S/N: Not Available Usage: Not Available	6338	<b>Brush Guard Bumper</b> S/N: Not Available Usage: Not Available
6321	<b>Quantity of (6) Tool Box</b> S/N: Not Available Usage: Not Available	6339	<b>Fifth Wheel</b> S/N: Not Available Usage: Not Available
6322	<b>Quantity of (5) Headache Rack</b> S/N: Not Available Usage: Not Available	6340	<b>Fifth Wheel</b> S/N: Not Available Usage: Not Available
6323	<b>Coats 950 Electric Coats 950 Tire Balancer &amp; Coats 5060 AX Tire Machine</b> S/N: Not Available Usage: Not Available	6341	<b>34 ft x 7 ft Loading Ramp</b> S/N: Not Available Usage: Not Available
6324	<b>2014 EME 11000R 11000 lb Gantry Crane</b> S/N: 10286837 Usage: Not Available	6342	<b>Weight Tronix BMS7011-1011 100 ton Platform Scale</b> S/N: 6565 Usage: Not Available
6325	<b>Hydraulic Towing Bar - Fits Truck</b> S/N: Not Available Usage: Not Available	6343	<b>X-STAR TRAILER 25 Ft x 8 ft Portable Bridge (Unused)</b> S/N: Not Available Usage: Not Available
6326	<b>T/A Truck Axle</b> S/N: Not Available Usage: Not Available	6344	<b>X-STAR TRAILER 25 Ft 25 Ft x 8 Ft Bridge (Unused)</b> S/N: Not Available Usage: Not Available
6327	<b>T/A Truck Axle</b> S/N: Not Available Usage: Not Available	6345	<b>X-STAR TRAILER 25 Ft 25 Ft x 8 Ft Bridge (Unused)</b> S/N: Not Available Usage: Not Available
6328	<b>Truck Axle</b> S/N: Not Available C/W: Steel Usage: Not Available	6346	<b>X-STAR TRAILER 25 Ft 25 Ft x 8 Ft Bridge (Unused)</b> S/N: Not Available Usage: Not Available
6329	<b>T/A Truck Axle</b> S/N: Not Available Usage: Not Available	6347	<b>X-STAR TRAILER 25 ft x 8 ft Loading Ramp (Unused)</b> S/N: Not Available Usage: Not Available
6330	<b>Assorted Tail Lights</b> S/N: Not Available Usage: Not Available	6348	<b>X-STAR TRAILER 25 ft x 8 ft Loading Ramp (Unused)</b> S/N: Not Available Usage: Not Available
6331	<b>Quantity of Tail Lights</b> S/N: Not Available Usage: Not Available	6349	<b>X-STAR TRAILER 25 ft x 8 ft Loading Ramp (Unused)</b> S/N: Not Available Usage: Not Available
6332	<b>Quantity of Tail Lights</b> S/N: Not Available Usage: Not Available	6350	<b>X-STAR TRAILER 20 Ft 25 Ft x 8 Ft Loading Ramp (Unused)</b> S/N: Not Available Usage: Not Available
6333	<b>Quantity of Tail Lights</b> S/N: Not Available Usage: Not Available	6351	<b>20 ft x 8 ft Loading Ramp (Unused)</b> S/N: Not Available Usage: Not Available
6334	<b>Quantity of (2) Fifth Wheel</b> S/N: Not Available Usage: Not Available	6352	<b>16 ft 5000 lb Ramp</b> S/N: Not Available Usage: Not Available
6335	<b>Brush Guard Bumper</b> S/N: Not Available Usage: Not Available		
6336	<b>Bumper</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6353	<b>Sage Oil 21120V Lube Station</b> S/N: 1408SA5318 C/W: 4 product tanks, 1 used product tank, 5 hose/reels, filters, 12 ft x 6 ft containment pan Usage: Not Available	6367	<b>Vac Con 4716SM Vacuum Truck Bed</b> S/N: 02126120 Usage: Not Available
6354	<b>B&amp;W Receiver Hitches (Unused)</b> S/N: Not Available Usage: Not Available	6368	<b>2500 Gallon Vacuum Truck Bed</b> S/N: Not Available Usage: Not Available
6355	<b>Quantity of (4) Receiver Hitches</b> S/N: Not Available Usage: Not Available	6369	<b>Global Excotrans 2500 gal Water Tank (Unused)</b> S/N: GL0200620 C/W: Side & Rear Spray Usage: Not Available
6356	<b>Global Excotrans 14 Ft Truck Dump Body (Unused)</b> S/N: Not Available Usage: Not Available	6372	<b>2004 20 ft Refrigerated Truck Body</b> S/N: 05K00041 C/W: Supra 844 Reefer Unit Usage: Not Available
6357	<b>2022 Global Excotrans Truck Dump Body (Unused)</b> S/N: Not Available C/W: 16 ft Body Length, Oval Bottom, Base, Oil Tank, Hinge and 43 Section Piston Usage: Not Available	6373	<b>12 Ft Spray Body</b> S/N: Not Available C/W: hose reel, 3 product tanks Usage: Not Available
6358	<b>Global Excotrans Truck Dump Body (Unused)</b> S/N: Not Available C/W: Steel, 13 ft Body Length Usage: Not Available	6374	<b>Brown 14 ft Van Truck Body</b> S/N: 12007 Usage: Not Available
6359	<b>15 ft Truck Dump Body</b> S/N: Not Available C/W: Steel, 15 ft Body Length, Manual tarp Usage: Not Available	6375	<b>Johnson Truck Bodies 13 ft Refrigerated Truck Body</b> S/N: Not Available Usage: Not Available
6360	<b>17 ft Truck Dump Body</b> S/N: Not Available C/W: Steel, 17 ft Body Length, Manual tarp Usage: Not Available	6376	<b>Reefer Bed Box</b> S/N: 2681303 Usage: Not Available
6361	<b>18 ft Truck Dump Body</b> S/N: Not Available C/W: Steel, 18 ft Body Length, Manual Tarp Usage: Not Available	6377	<b>Reefer Bed box</b> S/N: Not Available Usage: Not Available
6362	<b>Henderson XL1000 Truck Dump Body</b> S/N: MAG09661 C/W: Steel, 17 ft Body Length, 96 in High, Electric Tarp, High Lift Tail Gate, Tank, Hoist Usage: Not Available	6378	<b>Reefer Bed Box</b> S/N: 2711603 Usage: Not Available
6363	<b>Teco Digger Derrick Service Body</b> S/N: 11000521 C/W: 18 in & 30 in bits, pole clamp, 11 ft x 96 in utility bed, hyd outriggers Usage: Not Available	6379	<b>G&amp;H Manufacturing 1560 24 ft Roll-Off Truck Attachment</b> S/N: Not Available C/W: 60000 Lb capacity Usage: Not Available
6364	<b>Terex 17 Ft 6 In x 94 In Bucket Truck Bed - Fits Tandem Axle Truck</b> S/N: IN07005 C/W: (2) one man baskets, material handler, hydraulic outriggers Usage: Not Available	6380	<b>G &amp; H Mfg 1560 25 ft Roll-Off Truck Attachment</b> S/N: 02025525 Usage: Not Available
6365	<b>Knapheide 15 ft x 96 in Utility Truck Body</b> S/N: 200904270147485 Usage: Not Available	6381	<b>Swenson 9 ft Slide-In Salt Spreader</b> S/N: Not Available C/W: Honda 1 Cylinder Gasoline Engine Usage: Not Available
6366	<b>Knapheide 8 ft x 80 in</b> S/N: 201405300350338 C/W: Headache Rack, Truck Box Usage: Not Available	6382	<b>J-I Mfg 9 ft x 90 in Flatbed</b> S/N: Not Available Usage: Not Available
		6383	<b>18 ft x 95 In Flatbed</b> S/N: Not Available C/W: 6 ft dovetail, ramps Usage: Not Available

Lot #	Details	Lot #	Details
6384	<b>2019 Dodge 8 ft Pickup Bed</b> S/N: Not Available C/W: Hitch, Bumper Usage: Not Available	6404	<b>Cat D399 Engine</b> S/N: 35B596 C/W: 16 cylinder Diesel Engine Usage: Not Available
6385	<b>2019 Dodge 8 ft Pickup Bed</b> S/N: Not Available C/W: Hitch, Bumper Usage: Not Available	6405	<b>Cat Engine</b> S/N: 99U09627 C/W: 8 Cylinder 428 hp Diesel Engine Usage: Not Available
6386	<b>2019 Dodge 8 ft Truck Bed</b> S/N: Not Available Usage: Not Available	6406	<b>Cat D353 Engine</b> S/N: 46B9439 C/W: 6 Cylinder Diesel Engine Usage: Not Available
6387	<b>Ram 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6407	<b>Cat Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available
6390	<b>Ford Truck Bed</b> S/N: Not Available Usage: Not Available	6408	<b>Cat Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available
6393	<b>Chevrolet 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6409	<b>Cat 3406B Engine</b> S/N: 3ZN09277 C/W: 6 Cylinder Diesel Engine Usage: Not Available
6394	<b>Chevrolet 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6410	<b>Cat Engine</b> S/N: 62B924 C/W: 6 Cylinder Diesel Engine Usage: Not Available
6395	<b>Chevrolet 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6411	<b>Cat C-15 Engine</b> S/N: JRE00803 C/W: 2005 US EPA Label, 6 Cylinder 534.5 hp 15.2 L Diesel Engine Usage: Not Available
6396	<b>Chevrolet 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6412	<b>Cat D343 6 Cylinder Diesel Engine</b> S/N: 33B6744 Usage: Not Available
6397	<b>2020 Chevrolet 8 ft Pickup Bed</b> S/N: Not Available Usage: Not Available	6414	<b>Cat C7 Engine</b> S/N: KAL76414 C/W: 2004 US EPA Label, C7 Acert 6 Cylinder 350 hp 7.2 L Diesel Engine Usage: Not Available
6398	<b>Pickup Bed</b> S/N: Not Available Usage: Not Available	6415	<b>Cat C2.2 Diesel Engine</b> S/N: G7L26283 Usage: Not Available
6399	<b>Ford 8 ft Pickup Truck Bed</b> S/N: Not Available C/W: Spray on Bed Liner Usage: Not Available	6416	<b>Cummins 6CTA8.3-G2 Engine</b> S/N: 46350694 C/W: Tier 1, US EPA Label, 6 Cylinder 252 hp 8.3 L Diesel Engine Usage: Not Available
6400	<b>Quantity of (2) Dodge Ram 8 ft Pickup Truck Bed</b> S/N: Not Available Usage: Not Available	6417	<b>Cummins 6B Marine Engine</b> S/N: 11488 C/W: 6 Cylinder Engine Usage: Not Available
6401	<b>11 Ft 6 In x 96 In Flatbed Truck Body</b> S/N: Not Available Usage: Not Available	6419	<b>1996 Cummins 4 Cylinder Diesel Engine</b> S/N: Not Available Usage: Not Available
6402	<b>1974 Cummins VTA1710P800 V8 Diesel Engine</b> S/N: 10415975 C/W: hyd torque converter Usage: 111 Hr		
6403	<b>Cat D398B Engine</b> S/N: Not Available C/W: 12 Cylinder Diesel Engine Usage: Not Available		

Lot #	Details	Lot #	Details
6420	<b>1997 Detroit Series 60 Engine</b> S/N: 06R0360437 C/W: 1997 US EPA Label, 500 hp 12.7 L Diesel Engine Usage: 12,016 Hr	6434	<b>Detroit Engine</b> S/N: 6063TK3523 C/W: 6 Cylinder Diesel Engine Usage: Not Available
6421	<b>Detroit Engine</b> S/N: Not Available C/W: 8 Cylinder Diesel Engine Usage: Not Available	6435	<b>Detroit 671 Power Unit</b> S/N: Not Available C/W: 3 Cylinder Engine Usage: Not Available
6422	<b>Detroit Engine</b> S/N: Not Available C/W: 12 Cylinder Diesel Engine Usage: Not Available	6436	<b>Detroit D342 Engine</b> S/N: 3A101 Usage: Not Available
6423	<b>Detroit Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available	6438	<b>Detroit Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available
6424	<b>Detroit Engine</b> S/N: Not Available C/W: 12 Cylinder Diesel Engine Usage: Not Available	6439	<b>John Deere Engine</b> S/N: T04239D168399 C/W: John Deere 4 Cylinder Diesel Engine Usage: Not Available
6425	<b>Detroit Engine</b> S/N: Not Available C/W: 3 Cylinder Diesel Engine Usage: Not Available	6440	<b>GM Engine</b> S/N: Not Available C/W: 2009 US EPA Label, 8 Cylinder 6.0 L Gasoline Engine, Automatic Transmission Usage: Not Available
6426	<b>Detroit Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available	6441	<b>Isuzu 6HK1XN Engine</b> S/N: Not Available C/W: 2001 US EPA Label, 6 Cylinder 200 hp 475 cid Diesel Engine Usage: Not Available
6427	<b>Detroit Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available	6442	<b>Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine, Allison Automatic Transmission Usage: Not Available
6428	<b>Detroit 6V Engine</b> S/N: Not Available C/W: 6 Cylinder Diesel Engine Usage: Not Available	6443	<b>Quantity of (3) 2005 Mercedes-Benz OM460LA Engine</b> S/N: Not Available C/W: 2005 US EPA Label, 6 Cylinder 450 hp 12.8 L Diesel Engine Usage: Not Available
6429	<b>Detroit Engine</b> S/N: Not Available C/W: 12 Cylinder Diesel Engine Usage: Not Available	6444	<b>Mack Maxitorque Transmission</b> S/N: Not Available C/W: Flywheel Usage: Not Available
6430	<b>Detroit Series 60 Engine</b> S/N: Not Available C/W: 1998 US EPA Label, 6 Cylinder 500 hp 12.7 L Diesel Engine Usage: Not Available	6445	<b>Deutz 7ZXL59065 V8 Diesel Engine</b> S/N: Not Available C/W: 2007 US EPA Label, 643 hp 15.8 L Diesel Engine Usage: Not Available
6431	<b>Detroit Engine</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine Usage: Not Available	6446	<b>John Deere 4039T 4 Cylinder Engine</b> S/N: T4039T473731 Usage: Not Available
6432	<b>Detroit 6 Cylinder Engine</b> S/N: Not Available Usage: Not Available	6447	<b>John Deere 6068TF Engine</b> S/N: PE6068T979148 C/W: 6 Cylinder 112 kW Diesel Engine Usage: Not Available
6433	<b>Detroit Series 60 Engine</b> S/N: 06R0123002 C/W: 6 Cylinder Diesel Engine Usage: Not Available	6448	<b>Volvo 6 Cylinder Diesel Engine</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6449	<b>John Deere 6059-T Trailer Mounted Deisel Engine</b> S/N: T06059D475570 C/W: John Deere 6059DF001 6 Cylinder Diesel Engine Usage: 10,976 Hr	6465	<b>TMG TC24 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6450	<b>Doosan DB58 Cylinder Block</b> S/N: Not Available C/W: To Fit Doosan S140 / S175 / S225 Usage: Not Available	6466	<b>TMG TC24 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6451	<b>Cummins B3.9C Engine</b> S/N: 4582 9493 C/W: Cummins 4 Cylinder Diesel Engine Usage: Not Available	6467	<b>TMG TTC26 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6452	<b>John Deere 4.5 L Engine</b> S/N: 4045T088915 C/W: 2000 US EPA Label, John Deere 4 Cylinder 4.5 L Diesel Engine Usage: Not Available	6468	<b>TMG TTC26 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6453	<b>Eaton Transmission</b> S/N: Not Available Usage: Not Available	6469	<b>TMG TC24 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6455	<b>2022 AGROTK ATKB1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATKB100022081101 Usage: Not Available	6470	<b>TMG WB24 Heavy Duty Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available
6456	<b>2022 AGROTK ATKB1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATKB100022082002 Usage: Not Available	6471	<b>Hunter DSP9600 Tire Balancer</b> S/N: AQ8567 Usage: Not Available
6457	<b>2022 AGROTK ATKB1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATKB100022081102 Usage: Not Available	6472	<b>2022 Heavy Duty Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available
6458	<b>2022 AGROTK ATKB1000 10000 lb Two Post Car Lift (Unused)</b> S/N: ATKB100022082001 Usage: Not Available	6473	<b>2022 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6459	<b>TMG ALT95 9500 lb Two Post Car Lift (Unused)</b> S/N: 3272220538 Usage: Not Available	6474	<b>2022 Heavy Duty Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available
6460	<b>TMG ALT95 9500 lb Two Post Car Lift (Unused)</b> S/N: Not Available Usage: Not Available	6475	<b>2022 Heavy Duty Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available
6461	<b>TMG ALT95 9500 lb Two Post Car Lift (Unused)</b> S/N: 3272220539 Usage: Not Available	6476	<b>2022 DQ-0413 Heavy Duty Wheel Balancer (Unused)</b> S/N: Not Available Usage: Not Available
6462	<b>TMG ALS61 6000 lb Portable Mid-Rise Scissor Car Lift (Unused)</b> S/N: Not Available Usage: Not Available	6479	<b>2022 10000 lb Two Post Car lift (Unused)</b> S/N: Not Available Usage: Not Available
6463	<b>TMG ALS61 6000 lb Portable Mid-Rise Scissor Car Lift (Unused)</b> S/N: Not Available Usage: Not Available	6480	<b>Quantity of (2) Post 9000 LB Car Lift</b> S/N: Not Available Usage: Not Available
6464	<b>TMG TC24 Tire Changer (Unused)</b> S/N: Not Available Usage: Not Available	6481	<b>TMG ALS61 6000 lb Portable Mid-Rise Scissor Auto Lift (Unused)</b> S/N: Not Available C/W: 48 in Lift Height Usage: Not Available
		6482	<b>Quantity of 2 In x 3 in 15 GA Steel (Unused)</b> S/N: Not Available Usage: Not Available
		6483	<b>Quantity of 2 7/8 in S10 Steel (Unused)</b> S/N: Not Available C/W: (5) Bundles Usage: Not Available

Lot #	Details	Lot #	Details
6484	<b>Quantity of 2 1/4 in SQ10 Steel (Unused)</b> S/N: Not Available C/W: (5) Bundles Usage: Not Available	6498	<b>TMG MSC2020 20 ft x 20 ft Metal Carport (Unused)</b> S/N: Not Available Usage: Not Available
6485	<b>Quantity of 2 3/8 in x 8 ft 8 in Pipe</b> S/N: Not Available C/W: three bundles Usage: Not Available	6499	<b>TMG MSC2020 20 ft x 20 ft Metal Carport (Unused)</b> S/N: Not Available Usage: Not Available
6486	<b>Quantity of 2 7/8 in SQ10 Steel (Unused)</b> S/N: Not Available C/W: (5) Bundles Usage: Not Available	6500	<b>TMG CP1220F 12 ft x 20 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available
6487	<b>Quantity of 3 5/8 in. S10 Steel (Unused)</b> S/N: Not Available C/W: 5 bundles Usage: Not Available	6501	<b>TMG CP1220F 12 ft x 20 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available
6488	<b>16 ft x 32 ft x 40 ft Pole Barn Package Storage Building (Unused)</b> S/N: Not Available C/W: C/W: 2 x 6 Wood Trusses, 16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	6502	<b>2022 AGROTK ST4080V 80 ft x 40 ft Peak Ceiling Storage Building (Unused)</b> S/N: ST4080V22081101 C/W: 2 boxes Usage: Not Available
6489	<b>16 ft x 32 ft x 40 ft Pole Barn Package Storage Building (Unused)</b> S/N: Not Available C/W: C/W: 2 x 6 Wood Trusses, 16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	6503	<b>2022 Suihe S408020R 80 ft x 40 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6491	<b>16 Ft x 24 Ft x 40 Ft Pole Barn Package Storage Building (Unused)</b> S/N: Not Available C/W: C/W: 2x6 Wood Trusses, 16 ft Treated Timbers, Lumber, Roof Metal ONLY, Ridge Cap & Trim, & Hardware Needed For Assembly Usage: Not Available	6504	<b>2022 Suihe S308515R 85 ft x 30 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6492	<b>18 ft x 25 ft x 10 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available	6505	<b>TMG ST3070 70 ft x 30 ft Straight Wall Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6493	<b>24 ft x 21 ft x 10 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available	6506	<b>TMG ST3070 70 m x 30 m Straight Wall Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6494	<b>18 ft x 21 ft x 6 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available	6507	<b>2022 AGROTK ST3065V 65 ft x 30 ft Peak Ceiling Storage Building (Unused)</b> S/N: ST3065V22081101 Usage: Not Available
6495	<b>12 ft x 21 ft x 10 ft Steel Carport</b> S/N: Not Available Usage: Not Available	6508	<b>2022 AGROTK ST3065V 65 ft x 30 ft Peak Ceiling Storage Building (Unused)</b> S/N: ST3065V22081001 Usage: Not Available
6496	<b>12 ft x 21 ft x 6 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available	6509	<b>2022 Suihe S306515R 65 ft x 30 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
6497	<b>2022 Suihe M2020 20 ft x 20 ft Steel Carport (Unused)</b> S/N: Not Available Usage: Not Available	6510	<b>2022 Suihe S306515R 65 ft x 30 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available
		6511	<b>TMG ST3040 40 ft x 30 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6512	<b>TMG ST3040 40 ft x 30 ft Peak Ceiling Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6527	<b>2022 Suihe C2040 20 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available
6513	<b>TMG ST3040 40 ft x 30 ft Peak Ceiling Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6528	<b>2022 Suihe C2020 20 ft x 20 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available
6514	<b>2022 Suihe S304015R 40 ft x 30 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6529	<b>2022 Suihe 203012R 30 ft x 20 ft x 12 ft Dome Frame Storage Building</b> S/N: Not Available Usage: Not Available
6515	<b>TMG ST2031P 30 ft x 20 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6530	<b>TMG GH3040 30 ft x 40 ft Tunnel Greenhouse Grow Tents and Tent Components (Unused)</b> S/N: Not Available Usage: Not Available
6516	<b>TMG ST2031P 30 ft x 20 ft Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6531	<b>TMG GH3040 30 ft x 40 ft Tunnel Greenhouse Grow Tents and Tent Components (Unused)</b> S/N: Not Available Usage: Not Available
6517	<b>2022 Suihe 203012R 30 ft x 20 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6532	<b>TMG GH2030 20 ft x 30 ft Tunnel Greenhouse Grow Tents and Tent Components (Unused)</b> S/N: Not Available Usage: Not Available
6518	<b>2022 Suihe 203012R 30 ft x 20 ft Dome Frame Storage Building (Unused)</b> S/N: Not Available Usage: Not Available	6533	<b>TMG GH2030 20 Ft x 30 Ft Tunnel Greenhouse Grow Tents and Tent Components (Unused)</b> S/N: Not Available Usage: Not Available
6519	<b>2022 AGROTK ST4040C 40 ft x 40 ft Peak Roof Container Shelter (Unused)</b> S/N: ST4040C22081101 Usage: Not Available	6534	<b>TMG GH1230 12 ft x 30 ft Tunnel Greenhouse Grow Tent (Unused)</b> S/N: Not Available Usage: Not Available
6521	<b>2022 Suihe C4040 40 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6536	<b>2022 25 ft x 33 ft Metal Barn Shed (Unused)</b> S/N: Not Available Usage: Not Available
6522	<b>2022 Suihe C4040 40 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6537	<b>2022 25 ft x 33 ft Metal Barn Shed (Unused)</b> S/N: Not Available Usage: Not Available
6523	<b>2022 Suihe C4040 40 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6538	<b>2022 25 ft x 33 ft Metal Barn Shed (Unused)</b> S/N: Not Available Usage: Not Available
6524	<b>2022 Suihe C2040 20 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6539	<b>TMG MS2119 21 ft x 19 ft Double Garage Metal Shed (Unused)</b> S/N: Not Available Usage: Not Available
6525	<b>2022 Suihe C2040 20 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6540	<b>TMG MS2119 21 ft x 19 ft Double Garage Metal Shed (Unused)</b> S/N: Not Available Usage: Not Available
6526	<b>2022 Suihe C2040 20 ft x 40 ft Container Shelter (Unused)</b> S/N: Not Available Usage: Not Available	6541	<b>10 ft x 10 ft Metal Storage Shed</b> S/N: Not Available Usage: Not Available
		6542	<b>2022 Suihe 6 ft 8 in x 6 ft 4 in Portable Toilet (Unused)</b> S/N: Not Available C/W: sink, shower, toilet Usage: Not Available



Lot #	Details	Lot #	Details
6543	2022 Suihe 7 ft x 5 ft Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6556	3 ft x 3 ft Portable Toilet S/N: Not Available Usage: Not Available
6544	2022 Suihe 7 ft x 6 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6557B	2016 ACSI 10 ft x 6 ft S/A Portable Toilet S/N: 1A9VB5E10G1247672 C/W: Air Conditioner Usage: Not Available
6545	2022 Suihe 7 ft x 6 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6557A	Advanced Containment System 6 ft 2 in x 6 ft 2 in Portable T/A Portable Toilet S/N: 1A9VB5E16G1247675 C/W: Self Contained, ( 1 ) Bathrooms, Air Conditioner Usage: Not Available
6546	2022 Suihe 7 ft x 6 ft 3 in Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6557	Advanced Containment System 10 ft x 6 ft Portable S/A Portable Toilet S/N: 1A9VB5E12G1247673 C/W: Self Contained, Air Conditioner, Ball Hitch Usage: Not Available
6547	2022 Austin SPA2217S 5 ft 8 in x 7 ft 3 in Deluxe Portable Toilet (Unused) S/N: 2206152 C/W: sink, shower, toilet Usage: Not Available	6558	2022 Suihe 19 ft x 20 ft Folding Portable Building (Unused) S/N: Not Available Usage: Not Available
6548	2022 Austin SPA2212S 4 ft x 7 ft 3 in Portable Toilet (Unused) S/N: 2107071 C/W: sink, shower, toilet Usage: Not Available	6559	2022 Suihe 19 ft x 20 ft Folding Portable Building (Unused) S/N: Not Available Usage: Not Available
6549	2022 Kaijian 7 ft 3 in x 5 ft Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6560	TMG SC88 88 in Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6550	2022 Kaijian 7 ft 3 in x 5 ft Portable Toilet (Unused) S/N: Not Available Usage: Not Available	6561	TMG SC80 80 in Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6551	2022 Suihe 7 ft x 4 ft 2 Person Portable Toilet (Unused) S/N: Not Available C/W: ( 2 ) Bathrooms Usage: Not Available	6562	TMG SC80 80 in Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6552	2022 Suihe 7 ft x 4 ft 2 Person Portable Toilet (Unused) S/N: Not Available C/W: ( 2 ) Bathrooms Usage: Not Available	6563	TMG SC35D 35 Drawer Heavy Duty Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6553	2022 Suihe 7 ft x 4 ft Double Portable Toilet (Unused) S/N: Not Available C/W: 2 sinks, 2 toilets Usage: Not Available	6564	TMG SC35D 35 Drawer Heavy Duty Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6554	2022 Austin SST2213 4 ft x 7 ft Double Portable Toilet (Unused) S/N: 2208015 C/W: 2 sinks, 2 toilets Usage: Not Available	6565	2022 Suihe 34D 9 ft Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
6555	2022 Suihe 4 ft x 3 ft 6 in Portable Toilet (Unused) S/N: Not Available C/W: sink, toilet Usage: Not Available	6566	2022 Suihe 34D 9 ft Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
		6567	2022 Suihe 35D 7 ft Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
		6568	TMG WBC30D 10 ft Tool Cabinet (Unused) S/N: Not Available Usage: Not Available
		6569	TMG WBC30D 10 ft Tool Cabinet (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6570	<b>TMG WBC20D 10 ft Tool Cabinet</b> S/N: Not Available Usage: Not Available	6589	<b>2022 Suihe 15D-2 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6571	<b>TMG WBC25D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6590	<b>2022 Suihe 20D 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6572	<b>TMG WBC25D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6591	<b>2022 Suihe 20D 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6573	<b>2022 Suihe 40D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6592	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6574	<b>2022 Suihe 30D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6593	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6575	<b>2022 Suihe 30D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available C/W: 30 Drawers Usage: Not Available	6594	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6576	<b>2022 Suihe 30D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6595	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6577	<b>2022 Suihe 30D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6596	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6578	<b>2022 Suihe 18D 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6597	<b>2022 Suihe 10D-2 7 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available
6580	<b>2022 Suihe 30DB 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6598	<b>TMG WB85XS 85 in Stainless Steel Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6581	<b>2022 Suihe 30DB 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6599	<b>TMG WB85XS 85 in Stainless Steel Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6582	<b>2022 Suihe 30DB 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6600	<b>TMG WB85XS 85 in Stainless Steel Work Bench (Unused)</b> S/N: Not Available Usage: Not Available
6583	<b>2022 Suihe 30D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6601	<b>Quantity of (10) Lonestar 24 ft Livestock Panel (Unused)</b> S/N: Not Available C/W: 1 Gate Usage: Not Available
6584	<b>2022 Suihe 25D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6602	<b>Quantity of (10) Lonestar 24 ft Livestock Panel (Unused)</b> S/N: Not Available C/W: 1 Gate Usage: Not Available
6585	<b>2022 Suihe 25D 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available	6603	<b>Quantity of (10) Lonestar 24 ft Livestock Panel (Unused)</b> S/N: Not Available C/W: 1 Gate Usage: Not Available
6586	<b>2022 Suihe 18D-2B 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available		
6587	<b>2022 Suihe 18D-2B 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available		
6588	<b>2022 Suihe 15D-2 10 ft Tool Cabinet (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6604	Quantity of (10) Lonestar 24 ft Livestock Panel (Unused) S/N: Not Available C/W: 1 Gate Usage: Not Available	6616	Quantity of (47) 2022 BYT MG96 56 ft Ranch Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available
6605	Quantity of (10) Lonestar 24 ft Livestock Panel (Unused) S/N: Not Available C/W: 1 Gate Usage: Not Available	6617	Quantity of (25) 2022 BYT GRP96 9 ft 6 in Galvanized Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available
6606	Quantity of (10) Lonestar 24 ft Livestock Panel (Unused) S/N: Not Available C/W: 1 Gate Usage: Not Available	6618	Quantity of (16) 2022 BYT RPMD10 9 ft 6 in Galvanized Ranch Livestock Panel (Unused) S/N: Not Available C/W: (7) Gates Usage: Not Available
6607	Quantity of (33) 2022 BYT LDPS005 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available	6619	Quantity of (27) 2022 BYT LDPS005 9 ft 6 in Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available
6608	Quantity of (33) 2022 BYT LDPS005 9 ft 6 in Ranch Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available	6620	Quantity of (54) 2022 Kaijian 10 ft x 5 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available Usage: Not Available
6609	Quantity of (31) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available C/W: 4 ft Pole Gate Usage: Not Available	6621	Quantity of (54) 2022 Kaijian 10 ft Galvanized Corral Livestock Panel (Unused) S/N: Not Available C/W: 2 gates Usage: Not Available
6610	Quantity of (31) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available C/W: 4 ft Pole Gate Usage: Not Available	6622	Quantity of (54) 2022 Suihe 10 ft x 5 ft Powder Coated Corral Livestock Panel (Unused) S/N: Not Available C/W: 2 Gates Usage: Not Available
6611	Quantity of (31) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available C/W: 4 ft Pole Gate Usage: Not Available	6623	Quantity of (14) 2022 BYT GRP96 9 ft 6 in Livestock Panel (Unused) S/N: Not Available C/W: (6) Gates Usage: Not Available
6612	Quantity of (31) 2022 BYT MSRP96 9 ft 6 in Mesh Ranch Livestock Panel (Unused) S/N: Not Available C/W: 4 ft Pole Gate Usage: Not Available	6624	Quantity of (10) 2022 BYT RG012 12 m Ranch Panel and Wire Filled Livestock Gate (Unused) S/N: Not Available Usage: Not Available
6613	Quantity of (48) 2022 BYT RG014 14 ft Ranch Livestock Gate (Unused) S/N: Not Available Usage: Not Available	6625	Quantity of (11) 2022 BYT GTP012 12 ft Panels and Livestock Gate (Unused) S/N: Not Available Usage: Not Available
6614	Quantity of (31) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available	6626	Quantity of (24) 2022 BYT HPG04 4 ft Livestock Gate (Unused) S/N: Not Available Usage: Not Available
6615	Quantity of (29) 2022 BYT SPP01 7 ft Sheep Livestock Panel (Unused) S/N: Not Available C/W: (1) Gate Usage: Not Available	6627	Quantity of (2) 2022 BYT TBF50 Heavy Duty Tombstone Livestock Feeder (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6628	Quantity of (2) 2022 BYT TBF50 Heavy Duty Tombstone Livestock Feeder (Unused) S/N: Not Available Usage: Not Available	6645	2022 BYT CC001 10 ft Cattle Chute (Unused) S/N: Not Available Usage: Not Available
6629	Quantity of (2) 2022 BYT TBF50 Heavy Duty Tombstone Livestock Feeder (Unused) S/N: Not Available Usage: Not Available	6647	TMG MS1220L 12 ft x 20 ft Metal Livestock Shelter (Unused) S/N: Not Available Usage: Not Available
6630	Quantity of (20) 6 ft Corral Panels S/N: Not Available Usage: Not Available	6648	TMG MS1220L 12 ft x 20 ft Metal Livestock Shelter (Unused) S/N: Not Available Usage: Not Available
6631	Quantity of (21) 6 ft Corral Panels S/N: Not Available Usage: Not Available	6649	2000 lb Big Daddy Solar Deer Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
6632	Quantity of (20) 6 ft Corral Panels S/N: Not Available Usage: Not Available	6650	600 lb Big Daddy Solar Deer Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
6633	Quantity of (19) 6 ft Corral Panels S/N: Not Available Usage: Not Available	6651	1000 lb Big Daddy Solar Deer Livestock Feeder (Unused) S/N: Not Available Usage: Not Available
6636	Quantity of (10) 2022 BYT FFC762 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available	6652	Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6637	Quantity of (10) 2022 BYT FFC762 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available	6653	Quantity of (24) 2022 Kaijian 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available
6638	Quantity of (10) 2022 BYT FFC762 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available	6654	Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6639	Quantity of (10) 2022 BYT FFC762 330 ft Farm Site Fence (Unused) S/N: Not Available Usage: Not Available	6655	Quantity of (24) 2022 KAIJIAN 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6640	2022 BYT CCT035 50 ft x 10 ft Cattle Crowding Tub (Unused) S/N: Not Available Usage: Not Available	6656	Quantity of (20) 2022 Suihe 10 ft x 6 ft Portable Construction Site Fence (Unused) S/N: Not Available Usage: Not Available
6641	2022 BYT CCT035 50 ft x 10 ft Cattle Crowding Tub (Unused) S/N: Not Available Usage: Not Available	6657	Quantity of (24) 2022 Kaijian 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available
6642	2022 BYT CC0002 12 ft 6 in Stockman Cattle Chute (Unused) S/N: Not Available Usage: Not Available	6658	Quantity of (20) 2022 10 ft x 7 ft Heavy Rackable Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6643	2022 UPPRO 10 ft x 3 ft Cattle Squeeze Chute (Unused) S/N: Not Available Usage: Not Available	6659	Quantity of (20) 2022 10 ft x 7 ft Heavy Rackable Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6644	2022 BYT CC001 10 ft Cattle Chute (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6660	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6675	Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6661	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6676	Quantity of (40) 2022 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6662	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6677	Quantity of (40) 7 ft x 5 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available
6663	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6678	Quantity of (24) 2022 Kaijian 10 ft x 7 ft Powder Coated Site Fence (Unused) S/N: Not Available Usage: Not Available
6664	Quantity of (20) 2022 10 ft x 7 ft Heavy Rackable Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6679	Quantity of (80) 2022 Kaijian 7 ft x 4 ft Galvanized Site Fence (Unused) S/N: Not Available Usage: Not Available
6665	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6680	2022 Kaijian 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6666	Quantity of (20) 2022 10 ft x 7 ft Heavy Duty Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6681	2022 Kaijian 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6668	Quantity of (20) 2022 10 ft x 7 ft Heavy Rackable Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6682	2022 Kaijian 20 ft x 7 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6669	Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6683	2022 Kaijian 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6670	Quantity of (24) 2022 Suihe 10 ft x 7 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6684	2022 Suihe 20 Ft 20 ft Wrought Iron Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6671	Quantity of (24) TMG MG212P 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available C/W: 16 ft driveway gate Usage: Not Available	6685	2022 Kaijian 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6672	TMG MG265P 265 ft Powder Coated Fencing S/N: Not Available Usage: Not Available	6686	2022 Kaijian 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6673	Quantity of (40) 2022 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6687	2022 Suihe 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6674	Quantity of (40) 2022 8 ft x 6 ft Wrought Iron Site Fence (Unused) S/N: Not Available Usage: Not Available	6688	2022 Suihe 20 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available C/W: Wire Mesh Usage: Not Available

Lot #	Details	Lot #	Details
6691	<b>TMG MG20 20 ft Wrought Iron Driveway Gate Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	6703	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available
6692	<b>TMG MG20 20 ft Wrought Iron Driveway Gate Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	6704	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available
6693	<b>2022 20 ft Wrought Iron Driveway Gate (Unused)</b> S/N: Not Available C/W: Wildlife Motif Usage: Not Available	6705	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Horse Motif Usage: Not Available
6694	<b>2022 20 Ft Wrought Iron Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available	6706	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Horse Motif Usage: Not Available
6695	<b>2022 20 ft Wrought Iron Driveway Gate (Unused)</b> S/N: Not Available C/W: Triple Horse Head Motif Usage: Not Available	6707	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available
6696	<b>2022 20 ft Wrought Iron Driveway Gate (Unused)</b> S/N: Not Available C/W: Triple Horse Head Motif Usage: Not Available	6708	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available
6697	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6709	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
6698	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6710	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
6699	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6711	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
6700	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6712	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
6701	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6713	<b>2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available Usage: Not Available
6702	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available	6714	<b>2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused)</b> S/N: Not Available C/W: Deer Motif Usage: Not Available

Lot #	Details	Lot #	Details
6715	2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6727	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Star Motif Usage: Not Available
6716	2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6728	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Star Motif Usage: Not Available
6717	2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6729	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Star Motif Usage: Not Available
6718	2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6730	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6719	2022 Kaijian 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6731	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6720	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6732	2022 Suihe 14 ft Bi-Parting Wrought Iron Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Motif Usage: Not Available
6721	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6733	2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available
6722	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6734	2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6723	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6735	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6724	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Deer Motif Usage: Not Available	6736	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6725	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Star Motif Usage: Not Available	6737	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available
6726	2022 Suihe 20 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Star Motif Usage: Not Available	6738	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available

Lot #	Details	Lot #	Details
6739	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available	6764	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6740	2022 Kaijian 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Cow/Calf Pair Motif Usage: Not Available	6765	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6741	2022 Suihe 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6766	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6742	2022 Suihe 20 ft Metal Farm Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6767	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6743	2022 16 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Buck Motif Usage: Not Available	6768	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6744	2022 16 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Harness Team Motif Usage: Not Available	6769	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6745	2022 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6770	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6746	2022 16 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Double Buck Motif Usage: Not Available	6771	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6747	2022 16 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available C/W: Tree Motif Usage: Not Available	6772	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6748	2022 14 ft Wrought Iron Bi-Parting Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6773	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6760	2022 4 ft Wrought Iron Entry Driveway Gate (Unused) S/N: Not Available Usage: Not Available	6774	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6761	2022 4 ft Wrought Iron Entry Driveway Gate S/N: Not Available Usage: Not Available	6775	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6763	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6776	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available
		6777	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available



Lot #	Details	Lot #	Details
6778	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available	6792	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6779	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available	6793	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6780	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6794	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6781	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6795	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6782	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available	6796	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6783	2022 Kit Containers WB-90-243 25 in. X 90 in. Work Bench (Unused) S/N: Not Available Usage: Not Available	6797	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6784	2022 Kit Containers WB-90-243 25 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6798	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6785	2022 Kit Containers WB-90-243 25 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6799	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6786	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6800	2022 Kit Containers WB-90-243 25 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6787	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6801	2022 Kit Containers WB-90-243 25 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6788	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6802	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6789	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6803	2022 Kit Containers ST-90 31 in x 90 in Shop Table (Unused) S/N: Not Available Usage: Not Available
6790	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6804	2022 Kit Containers ST-90 31 in x 90 in Shop Table (Unused) S/N: Not Available Usage: Not Available
6791	2022 Kit Containers WB-90-243 25 in X 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available	6805	2022 Kit Containers ST-90 31 in x 90 in Shop Table (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6806	2022 Kit Containers ST-90 31 in x 90 in Shop Table (Unused) S/N: Not Available Usage: Not Available	6820	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6807	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6821	2022 Kit Containers ST-57 29 in X 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6808	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6822	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6809	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6823	2022 Kit Containers ST-57 29 in X 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6810	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6824	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6811	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6825	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6812	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6826	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6813	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6827	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available
6814	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6828	29 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
6815	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6829	39 in x 96 in Fab Table S/N: Not Available Usage: Not Available
6816	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6830	5 ft x 8 ft Fab Table S/N: Not Available Usage: Not Available
6817	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6831	5 ft x 8 ft Fab Table S/N: Not Available C/W: Hydraulic Crimper Usage: Not Available
6818	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6832	Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6819	2022 Kit Containers ST-57 29 in x 57 in Welding Table (Unused) S/N: Not Available Usage: Not Available	6833	Quantity of (250) 2022 Kaijian Highway Traffic Cones (Unused) S/N: Not Available Usage: Not Available
		6834	Quantity of (250) 2022 Kaijian Highway Traffic Cones (Unused) S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6835	Quantity of (250) 2022 Kaijian Highway Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6849	Quantity of Traffic Cones (Unused) S/N: Not Available Usage: Not Available
6836	Quantity of (250) 2022 AGROTK 75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6850	Quantity of (4) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6837	Quantity of (250) 2022 AGROTK 75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6850	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6838	Quantity of (250) 2022 AGT 75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6850	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6839	Quantity of (250) 2022 AGT AGT-75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6851	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6840	Quantity of (250) 2022 AGT A280 Reflective Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6851	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6841	Quantity of (250) 2022 AGT 75TC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6851	Quantity of (4) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6842	Quantity of (252) 2022 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6851	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6843	Quantity of (252) 2022 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6852	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6844	Quantity of (252) 2022 PVC Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6852	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6845	Quantity of (100) 2022 45 in Delineators (Unused) S/N: Not Available C/W: bases Usage: Not Available	6852	Quantity of (4) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6846	Quantity of (250) 2022 Suihe Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6853	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6847	Quantity of (252) TMG TC29 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6853	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
6848	Quantity of (252) TMG TC29 Traffic Cones (Unused) S/N: Not Available Usage: Not Available	6853	Quantity of (3) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
		6854	Quantity of (2) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available
		6855	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
6855	Quantity of (3) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6867	JOBOX M990 Print Shack S/N: Not Available Usage: Not Available
6855	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6868	JOBOX M990 Print Shack S/N: Not Available Usage: Not Available
6856	Quantity of (2) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6869	Knaack 119 Print Shack S/N: Not Available Usage: Not Available
6857	Quantity of (3) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6870	Knaack 119 Job Site Box S/N: Not Available Usage: Not Available
6857	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6871	Job Site Box S/N: Not Available Usage: Not Available
6857	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6872	Knaack 119 Job Site Box S/N: Not Available Usage: Not Available
6858	Knaack Job Site Box S/N: Not Available Usage: Not Available	6873	Job Site Box S/N: Not Available Usage: Not Available
6858	Knaack Job Site Box S/N: Not Available Usage: Not Available	6874	Job Site Box S/N: Not Available Usage: Not Available
6858	Knaack Job Site Box S/N: Not Available Usage: Not Available	6875	Quantity of (6) Knaack 91 Job Site Box S/N: Not Available Usage: Not Available
6858	Quantity of (4) Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6876	Knaack Job Site Box S/N: Not Available Usage: Not Available
6859	Knaack Print Shack Job Site Box S/N: Not Available Usage: Not Available	6877	Greenlee Job Site Box S/N: Not Available Usage: Not Available
6860	JOBOX M990 Print Shack S/N: Not Available Usage: Not Available	6878	Quantity of (1) Job Site Box & (1) Tool Box S/N: Not Available Usage: Not Available
6861	Knaack 119 Print Shack S/N: Not Available Usage: Not Available	6879	Quantity of (9) Knaack 16 in x 30 in Job Site Box S/N: Not Available C/W: one pallet Usage: Not Available
6862	Knaack 119 Print Shack S/N: Not Available Usage: Not Available	6880	Quantity of (3) Knaack Job Site Box S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available
6863	Knaack 119 Print Shack S/N: Not Available Usage: Not Available	6880	Knaack Job Site Box S/N: Not Available Usage: Not Available
6864	Knaack 119 Print Shack S/N: Not Available Usage: Not Available	6880	Knaack Job Site Box S/N: Not Available Usage: Not Available
6865	JOBOX M990 Job Site Box S/N: Not Available Usage: Not Available	6881	30 in x 48 in Job Site Box S/N: Not Available C/W: w/ Pipe Wrenches and ¾ in & 1 in Drive Socket Sets Usage: Not Available
6866	Print Shack S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6882	<b>Quantity of (6) Knaack 16 in x 30 in Job Site Box</b> S/N: Not Available Usage: Not Available	6896	<b>Quantity of Wilton 8 in Utility Vises (Unused)</b> S/N: Not Available Usage: Not Available
6883	<b>Job Site Box</b> S/N: Not Available Usage: Not Available	6897	<b>Quantity of (3) Commercial Corporation 42 in Fan</b> S/N: Not Available Usage: Not Available
6884	<b>Job Site Box</b> S/N: Not Available Usage: Not Available	6898	<b>Assorted Contractor Supplies</b> S/N: Not Available C/W: Oxyacetylene Bottle Carts, Wheel Barrow Usage: Not Available
6885	<b>Multiquip Water Pump</b> S/N: 3TH3486 C/W: 3 in Intake, 3 in Discharge, Trash Pump, Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available	6899	<b>Quantity of Contractor Supplies</b> S/N: Not Available C/W: Twine, Misc. Hand Tools, Reflective Vests, Funnels, Rubber Boots, Grinding Discs Usage: Not Available
6886	<b>Greenlee HD2448-27 Job Site Box</b> S/N: Not Available C/W: Contents Usage: Not Available	6900	<b>Flammable Storage Cage</b> S/N: Not Available Usage: Not Available
6887	<b>Ridgid 48ROS 48 in x 24 in Job Site Box</b> S/N: Not Available C/W: Breathing Air Masks and other Safety Equipment Usage: Not Available	6901	<b>Quantity of (2) Durham Flammable Storage Cabinets</b> S/N: Not Available Usage: Not Available
6888	<b>Delta Job Site Box</b> S/N: Not Available C/W: Contractor Supplies Usage: Not Available	6902	<b>Quantity of (2) Flammable Storage Cabinets</b> S/N: Not Available Usage: Not Available
6889	<b>Quantity of (23) Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6903	<b>Scaffolding</b> S/N: Not Available Usage: Not Available
6889	<b>Quantity of Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6904	<b>Work Gloves and Rain Suits (Unused)</b> S/N: Not Available Usage: Not Available
6890	<b>Quantity of Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6905	<b>Assorted Contractor Supplies</b> S/N: Not Available C/W: Tool Boxes, Levels, Hand Trucks Usage: Not Available
6890	<b>Quantity of (22) Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6906	<b>Quantity of Guard Rail</b> S/N: Not Available C/W: 600 ft Usage: Not Available
6891	<b>Quantity of Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6907	<b>50 ft Tower</b> S/N: Not Available Usage: Not Available
6891	<b>Quantity of (21) Knaack Tool Box</b> S/N: Not Available Usage: Not Available	6908	<b>Quantity of Pallet Racking</b> S/N: Not Available Usage: Not Available
6892	<b>Wilton 8 in Utility Vises (Unused)</b> S/N: Not Available Usage: Not Available	6909	<b>Quantity of Pallet Racking</b> S/N: Not Available Usage: Not Available
6893	<b>Quantity of Wilton 8 In Utility Vise</b> S/N: Not Available Usage: Not Available	6910	<b>Quantity of (3) Ridgid Tristands</b> S/N: Not Available C/W: misc tools Usage: Not Available
6894	<b>Quantity of 3/8 In Chain (Unused)</b> S/N: Not Available Usage: Not Available	6911	<b>Keen K450 Welding Rod Oven</b> S/N: 31476 Usage: Not Available
6895	<b>Quantity of Wilton 8 in Utility Vises (Unused)</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6913	<b>Portacool 2000 36 in Fan</b> S/N: 256498 C/W: (2) Water Tanks Usage: Not Available	6931	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available
6914	<b>Quantity of (4) Russ Bassett Tool Cabinet</b> S/N: Not Available Usage: Not Available	6932	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available
6915	<b>B&amp;B pipetools 60 in 10000 lb Pipe Roller</b> S/N: Not Available Usage: Not Available	6933	<b>Quantity of (5) Fuel &amp; Lube Hose Reels</b> S/N: Not Available Usage: Not Available
6916	<b>Quantity of I Beams</b> S/N: Not Available Usage: Not Available	6935	<b>Quantity of (3) Vacuum Cleaner</b> S/N: Not Available Usage: Not Available
6917	<b>Quantity of Pallet Racking</b> S/N: Not Available Usage: Not Available	6936	<b>Quantity of (4) Vacuum Cleaner</b> S/N: Not Available Usage: Not Available
6918	<b>5/8 in Cable (Unused)</b> S/N: Not Available Usage: Not Available	6937	<b>Quantity of (4) Heat Wagon Space Heater</b> S/N: Not Available C/W: Multi-Fuel Fueled, 12 V Input Usage: Not Available
6919	<b>5/8 in (Unused)</b> S/N: Not Available Usage: Not Available	6938	<b>Fan</b> S/N: Not Available Usage: Not Available
6920	<b>5/8 in Cable</b> S/N: Not Available Usage: Not Available	6939	<b>Imperial 40 HP Electric Motor</b> S/N: 542683 Usage: Not Available
6921	<b>5/8 in Cable (Unused)</b> S/N: Not Available Usage: Not Available	6940	<b>Oil Spill Containment Boom</b> S/N: Not Available Usage: Not Available
6922	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6941	<b>Oil Spill Containment Boom</b> S/N: Not Available Usage: Not Available
6923	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6942	<b>Oil Spill Containment Boom</b> S/N: Not Available Usage: Not Available
6924	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6943	<b>Quantity of (2) 3' x 3.5' Metal Transport Carts</b> S/N: Not Available Usage: Not Available
6925	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6944	<b>Quantity of Pallet Racking</b> S/N: Not Available C/W: 42 in x 16 ft Uprights, 96 in Cross Arms, 43 in x 12 ft Uprights, 144 in Cross Arms, Wire Racks Usage: Not Available
6926	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6945	<b>Quantity of Cable</b> S/N: Not Available C/W: one spool Usage: Not Available
6927	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6946	<b>Quantity of Assorted Nails</b> S/N: Not Available Usage: Not Available
6928	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6947	<b>Quantity of Contractor Supplies</b> S/N: Not Available C/W: Flagging tape, foil tape, drill bits Usage: Not Available
6929	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available	6949	<b>Storage Rack</b> S/N: Not Available Usage: Not Available
6930	<b>8 ft Picnic Table</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
6950	<b>Quantity of Pallet Racking</b> S/N: Not Available Usage: Not Available	6966	<b>Quantity of Acetylene Hose</b> S/N: Not Available C/W: one pallet Usage: Not Available
6951	<b>Quantity of Pallet Racking</b> S/N: Not Available Usage: Not Available	6967	<b>Quantity of Expandable Air Ducts</b> S/N: Not Available Usage: Not Available
6952	<b>Quantity of Cable Protector Mats</b> S/N: Not Available Usage: Not Available	6968	<b>51 in x 41 in Trailer Gate/Ramps</b> S/N: Not Available Usage: Not Available
6953	<b>B &amp; B Mega Roller Pipe Stand</b> S/N: Not Available Usage: Not Available	6969A	<b>Quantity of (2) Distribution Panels</b> S/N: Not Available Usage: Not Available
6954	<b>B &amp; B Mega Roller Pipe Stand</b> S/N: Not Available Usage: Not Available	6969	<b>Quantity of Ramps</b> S/N: Not Available C/W: two sets Usage: Not Available
6955	<b>Quantity of Traffic Delineator Bases</b> S/N: Not Available Usage: Not Available	6970	<b>Assorted Shop Tools</b> S/N: Not Available Usage: Not Available
6956	<b>Quantity of (2) Just Rite Cylinder Lockers</b> S/N: Not Available Usage: Not Available	6971	<b>2008 MCM 250 Series Centrifugal Pump</b> S/N: Not Available Usage: Not Available
6957	<b>Quantity of Rebar Chairs</b> S/N: Not Available Usage: Not Available	6972	<b>Quantity of (9) Laundry Carts</b> S/N: Not Available Usage: Not Available
6958	<b>Quantity of 2 ton Embeds, Magnetic Blockouts and Corresponding Lifting Devices</b> S/N: Not Available Usage: Not Available	6973	<b>2008 MCM 118 Series Centrifugal Pump</b> S/N: 4319 Usage: Not Available
6959	<b>Quantity of (7) 4 in Discharge/Suction Hose (Unused)</b> S/N: Not Available Usage: Not Available	6974	<b>2008 MCM 118 Series Centrifugal Pump</b> S/N: Not Available Usage: Not Available
6960	<b>Quantity of (2) Ship Ladder</b> S/N: Not Available Usage: Not Available	6975	<b>Quantity of (3) Hydraulic Pumps</b> S/N: Not Available Usage: Not Available
6961	<b>Ingersoll Rand Electric 120 gal Air Compressor</b> S/N: 1351206 C/W: 3 Phase, 60 hp Motor Usage: Not Available	6976	<b>Quantity of (2) Irrigation Hose Reel</b> S/N: Not Available Usage: Not Available
6962	<b>Schuiz Electric 120 gal Air Compressor</b> S/N: Not Available C/W: 3 Phase, 20 hp Motor Usage: Not Available	6977	<b>Quantity of (2) Irrigation Hose Reel</b> S/N: Not Available Usage: Not Available
6963	<b>Quantity of Misc Tools &amp; Equipment</b> S/N: Not Available C/W: Hand Trucks, Cart, HeatStar 125,000 BTU Heater, Tripod Usage: Not Available	6978	<b>Quantity of Eye Wash Stations</b> S/N: Not Available C/W: one crate Usage: Not Available
6964	<b>Quantity of (3) Fan</b> S/N: Not Available Usage: Not Available	6979	<b>Quantity of Pallet Racking</b> S/N: Not Available C/W: 7 ft x 32 in uprights, 8 ft x 41 in uprights, 10 ft x 48 in uprights, 96 in/120 in/132 in cross arms, wire shelves Usage: Not Available
6965	<b>Quantity of Acetylene Hose</b> S/N: Not Available C/W: one pallet Usage: Not Available	6980	<b>Quantity of Ladder</b> S/N: Not Available C/W: 4 ft, 5 ft, 6 ft, 8 ft, & 16 ft Ladders Usage: Not Available

Lot #	Details	Lot #	Details
6981	<b>Quantity of Ladder</b> S/N: Not Available C/W: 8 ft, 10 ft, 12 ft, & 14 ft Ladders Usage: Not Available	6997	<b>Quantity of (3) Refrigerator</b> S/N: Not Available C/W: Thermo Forma 900 Series, Sanyo Medical freezer, Kenmore refrigerator Usage: Not Available
6982	<b>Quantity of Ladder</b> S/N: Not Available Usage: Not Available	6998	<b>Traulsen Electric Freezer &amp; Refrigerator</b> S/N: Not Available Usage: Not Available
6983	<b>Assorted Extension Ladder</b> S/N: Not Available Usage: Not Available	6999	<b>Traulsen Freezer &amp; Refrigerator</b> S/N: Not Available Usage: Not Available
6984	<b>Assorted A-Frame &amp; Extension Ladder</b> S/N: Not Available Usage: Not Available	7000	<b>Traulsen Refrigerator</b> S/N: Not Available Usage: Not Available
6985	<b>Weg Electric Motor</b> S/N: Not Available C/W: 25 hp Engine Usage: Not Available	7001	<b>Quantity of (2) Hospital Beds</b> S/N: Not Available Usage: Not Available
6986	<b>Weg Electric Motor</b> S/N: Not Available C/W: 25 hp Engine Usage: Not Available	7002	<b>Quantity of (3) Work Bench</b> S/N: Not Available Usage: Not Available
6987	<b>Compressor Pump &amp; Electric Motor</b> S/N: Not Available C/W: Baldor 7.5 hp Motor Usage: Not Available	7003	<b>FMB Electric Horizontal Band Saw</b> S/N: 62142 Usage: Not Available
6988	<b>Quantity of Valves Fittings and Flanges</b> S/N: Not Available Usage: Not Available	7004	<b>Electric Table Saw</b> S/N: Not Available Usage: Not Available
6989	<b>Production Valve</b> S/N: Not Available Usage: Not Available	7005	<b>Electric Horizontal Band Saw</b> S/N: Not Available Usage: Not Available
6990	<b>Thermo Forma 3688 Refrigerator</b> S/N: 803834 Usage: Not Available	7006	<b>Quantity of (2) Tennant Floor Sweeper</b> S/N: 3554151 C/W: 355 and 255 - S/N LD1226 Usage: Not Available
6991	<b>True GDM49 Refrigerator</b> S/N: 7347178 Usage: Not Available	7007	<b>Saw Stop 10 In Contractor Saw (Unused)</b> S/N: Not Available Usage: Not Available
6992	<b>BSI BSPR803W Refrigerator</b> S/N: 16080150 Usage: Not Available	7008	<b>Saw Stop 10 In Contractor Saw (Unused)</b> S/N: Not Available Usage: Not Available
6993	<b>BSI BSPR803W Refrigerator</b> S/N: 14021114 Usage: Not Available	7009	<b>SawStop 10 In Contractor Saw (Unused)</b> S/N: Not Available C/W: Mobile Base Usage: Not Available
6994	<b>BSI BSPR803W Electric Refrigerator</b> S/N: 17041329 C/W: Single Phase Motor Usage: Not Available	7010	<b>Wilton Z412 Band Saw</b> S/N: 17426 Usage: Not Available
6995	<b>Quantity of (4) Refrigerator</b> S/N: Not Available C/W: Isotemp, Puffer Hubbard, Thermo Scientific, True Usage: Not Available	7011	<b>Dayton Electric 8 x 12 in Horizontal Band Saw</b> S/N: Not Available C/W: 1 hp Engine Usage: Not Available
6996	<b>Quantity of (4) Freezer</b> S/N: Not Available Usage: Not Available	7012	<b>Electric Press Brake</b> S/N: Not Available Usage: Not Available
		7013	<b>SawStop 10 In Contractor Saw</b> S/N: Not Available C/W: Mobile Base Usage: Not Available



Lot #	Details	Lot #	Details
7014	<b>Quantity of Saw Stop T-Glide 36 in Fence System (Unused)</b> S/N: Not Available Usage: Not Available	7031	<b>32 in Welding Turn Table</b> S/N: Not Available Usage: Not Available
7015	<b>Quantity of Saw Stop T-Glide 36 in Fence System (Unused)</b> S/N: Not Available Usage: Not Available	7032	<b>Pandjiris Welding Positioner</b> S/N: Not Available Usage: Not Available
7016	<b>Quantity of (41) Conveyor Rollers (Unused)</b> S/N: Not Available C/W: 3 pallets Usage: Not Available	7033	<b>Pandjiris Welding Positioner</b> S/N: 252865 Usage: Not Available
7017	<b>Quantity of (33) Conveyor Rollers (Unused)</b> S/N: Not Available C/W: 3 pallets Usage: Not Available	7034	<b>Ransome 40P Welding Positioner</b> S/N: 1310152 C/W: 4000 lb Usage: Not Available
7018	<b>Electric Shop Press</b> S/N: Not Available Usage: Not Available	7035	<b>56 in Welding Positioner</b> S/N: Not Available Usage: Not Available
7019	<b>Jaw Crusher</b> S/N: Not Available C/W: 14 in x 14 in Jaw Crusher, 5 hp Drive Motor Usage: Not Available	7036	<b>Flygt 5 hp Shredder Pump</b> S/N: 31021810483 Usage: Not Available
7020	<b>Quantity of Pipe Couplings</b> S/N: Not Available C/W: 6 in Coupling, 10 in Coupling , 12 in Coupling Usage: Not Available	7037	<b>The Springfield Machine Tool Co. Electric 22 in Lathe</b> S/N: Not Available Usage: Not Available
7022	<b>Quantity of (4) Work Stations</b> S/N: Not Available Usage: Not Available	7038	<b>Comefri Electric Fan</b> S/N: 201233 Usage: Not Available
7023	<b>Quantity of (4) Work Stations</b> S/N: Not Available Usage: Not Available	7039	<b>Pugmill Discharge Chute</b> S/N: Not Available Usage: Not Available
7024	<b>Pneumatic Jack Hammer &amp; Accessories</b> S/N: Not Available Usage: Not Available	7041	<b>Nakamura SL3BSL Lathe</b> S/N: C35804 C/W: Conveyor Usage: Not Available
7025	<b>PTS Trench Shore System</b> S/N: Not Available Usage: Not Available	7042	<b>Multiquip QP3TH Water Pump</b> S/N: 3TH33202 C/W: 3 in Intake, 3 in Discharge, Centrifugal Water Pump, US EPA Label, Honda GX240 1 Cylinder 270 cc Gasoline Engine Usage: Not Available
7026	<b>Comefri Electric Fan</b> S/N: Not Available Usage: Not Available	7043	<b>Trailer 8 ft Tail Roller</b> S/N: Not Available Usage: Not Available
7027	<b>Bowen 636-B Bucking Unit</b> S/N: 51249901 C/W: Hydraulic Power Pack Usage: Not Available	7044	<b>AC Vents</b> S/N: Not Available Usage: Not Available
7028	<b>Ransome 78 in Welding Positioner</b> S/N: 107346 Usage: Not Available	7046	<b>2017 Power Breezer PB10-A-06-B Electric Fan</b> S/N: 52F0012568 Usage: Not Available
7029	<b>Ransome 160 78 in Welding Positioner</b> S/N: 7356 C/W: 16000 lb Usage: Not Available	7049	<b>Quantity of Pallet Racking Cross Arms</b> S/N: Not Available Usage: Not Available
7030	<b>50 in Welding Turn Table</b> S/N: Not Available Usage: Not Available	7050	<b>Quantity of Torque Wrenches</b> S/N: Not Available Usage: Not Available
		7051	<b>Quantity of Hilti Screws</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7052	<b>Quantity of Dewalt Tools</b> S/N: Not Available C/W: Drills, Grinders, Laser, Circular Saw Usage: Not Available	7066	<b>ICP RGV048LDFADAAAA Air Conditioner</b> S/N: C211372799 Usage: Not Available
7053	<b>Quantity of Hoists</b> S/N: Not Available Usage: Not Available	7068	<b>American Standard YCH240F4L0AA Air Conditioner</b> S/N: 114510092D Usage: Not Available
7054A	<b>Trane Air Conditioner</b> S/N: J31145155D Usage: Not Available	7069	<b>Air Conditioner</b> S/N: Not Available C/W: Split Condenser Only Usage: Not Available
7054	<b>Quantity of Impact Wrenches</b> S/N: Not Available Usage: Not Available	7070	<b>Ruud RA1360AD1NB Air Conditioner</b> S/N: W292162888 C/W: Split Condenser Only Usage: Not Available
7055	<b>American Standard 2A7B3024A1000AA Air Conditioner</b> S/N: 7323KFM5F C/W: Split Condenser Only Usage: Not Available	7071	<b>Quantity of (3) Mini-Split Condensers Air Conditioner</b> S/N: Not Available Usage: Not Available
7056	<b>American Standard 2A7C3036A400AA Air Conditioner</b> S/N: 8444PCN3F C/W: Split Condenser Only Usage: Not Available	7072	<b>Eaton Transmission</b> S/N: Not Available Usage: Not Available
7057	<b>Trane 2TTA0060A4000AA Air Conditioner</b> S/N: 44011JC3F C/W: Split Condenser Only Usage: Not Available	7073	<b>Quantity of (5) Engine Compressors</b> S/N: Not Available Usage: Not Available
7058	<b>Carrier 38AUZA12A0A6A0 Air Conditioner</b> S/N: 0819C91933 C/W: Split Condenser Only Usage: Not Available	7074	<b>Radiator</b> S/N: Not Available Usage: Not Available
7059	<b>Comfort Maker CAS091LAA00AA Air Conditioner</b> S/N: C212190362 Usage: Not Available	7075	<b>Electric Motor</b> S/N: Not Available Usage: Not Available
7060	<b>Rudd RA1360AD1NB Air Conditioner</b> S/N: W522041356 C/W: Split Condenser Only Usage: Not Available	7076	<b>Radiator</b> S/N: Not Available Usage: Not Available
7061	<b>Rudd RA1360AD1NB Air Conditioner</b> S/N: W342023789 C/W: Split Condenser Only Usage: Not Available	7077	<b>Radiator</b> S/N: Not Available Usage: Not Available
7062	<b>Goodman GSC1000904AC Air Conditioner</b> S/N: 1207520437 C/W: Split Condenser Only Usage: Not Available	7078	<b>Electric Motor</b> S/N: Not Available Usage: Not Available
7063	<b>Trane GBC240A4ELA0000 Air Conditioner</b> S/N: 19311743JA Usage: Not Available	7079	<b>Eaton ATC-800 Transfer Control Module</b> S/N: Not Available Usage: Not Available
7064	<b>Trane GBC180A4EL Heating &amp; Cooling System</b> S/N: 18281061JA Usage: Not Available	7082	<b>LT5615CV Air Compressor</b> S/N: Not Available Usage: Not Available
7065	<b>Trane TA120A400AA Air Conditioner</b> S/N: F44193475 Usage: Not Available	7083	<b>LT5615CV Hydraulic Air Compressor</b> S/N: Not Available Usage: Not Available
		7084	<b>Quantity of (8) Shop Lighting Fixtures</b> S/N: Not Available Usage: Not Available
		7085	<b>Republic HRB-302 Regenerative Blower</b> S/N: 100211072 C/W: 1.5 hp Engine Usage: Not Available

Lot #	Details	Lot #	Details
7086	<b>Goulds 1SV5GA4F20 Water Pump</b> S/N: D1406743 C/W: 1 in Intake, 1 in Discharge, Baldor 5 hp Engine Usage: Not Available	7103	<b>Production Valve</b> S/N: Not Available Usage: Not Available
7087	<b>Gardner-Denver ASKAAE Air Compressor</b> S/N: X5B008 Usage: Not Available	7104	<b>Assorted Expansion Joints, Fittings, Pipe Valves, &amp; Centrifugal Pump Repair Kit</b> S/N: Not Available Usage: Not Available
7088	<b>Carraro 4 Speed Manual Transmission</b> S/N: Not Available Usage: Not Available	7105	<b>Mod U Serve Stainless Serving Table</b> S/N: Not Available Usage: Not Available
7089	<b>Boss BUP-2016-MH/E Skid-Mounted Generator Set</b> S/N: C050500802 C/W: 4 Cylinder Diesel Engine, Sound Attenuated, Bottom Mounted Fuel Tank Usage: 7,641 Hr	7106	<b>Kairak MAI1-1EO Electric Condenser</b> S/N: Not Available Usage: Not Available
7090	<b>15 HP Electric Motor &amp; Pump Electric Motor</b> S/N: Not Available Usage: Not Available	7107	<b>York Air Conditioner</b> S/N: W1L6068510 Usage: Not Available
7091	<b>Quantity of (5) Air Manifolds</b> S/N: Not Available Usage: Not Available	7108	<b>York Air Conditioner</b> S/N: N1E6559695 Usage: Not Available
7092	<b>Electric Car Wash Equipment</b> S/N: Not Available Usage: Not Available	7109	<b>Quantity of (11) 4.5 x 6 Utility Carts</b> S/N: Not Available Usage: Not Available
7093	<b>Quantity of (2) Rolling Cantilever Rack</b> S/N: Not Available Usage: Not Available	7110	<b>Quantity of (10) 4.5 x 6 Utility Carts</b> S/N: Not Available Usage: Not Available
7094	<b>Quantity of (2) Rolling Cantilever Rack</b> S/N: Not Available Usage: Not Available	7111	<b>Assorted 3 in PVC Pipe</b> S/N: Not Available C/W: Lengths: 8 ft, 10 ft, 14 ft Usage: Not Available
7095	<b>Quantity of (6) 4 ft x 2 ft Metal Utility Carts</b> S/N: Not Available Usage: Not Available	7112	<b>Assorted 3 in PVC Pipe</b> S/N: Not Available C/W: Lengths: 8 ft, 10 ft, 14 ft Usage: Not Available
7096	<b>Quantity of (8) NIBCO 12 in Valves</b> S/N: Not Available Usage: Not Available	7113	<b>Assorted 3 in PVC Pipe</b> S/N: Not Available C/W: Lengths: 8 ft, 10 ft, 14 ft Usage: Not Available
7097	<b>NIBCO 4/8 in, 5/10 in, 4/10 in, 2/4 in Valves</b> S/N: Not Available Usage: Not Available	7114	<b>Electric Air Compressor</b> S/N: Not Available C/W: 3 Phase, 30 hp Motor Usage: Not Available
7098	<b>NIBCO 18 in Valves</b> S/N: Not Available Usage: Not Available	7115	<b>Quantity of Hilti Rotary Hammer</b> S/N: Not Available C/W: one pallet Usage: Not Available
7099	<b>Quantity of NIBCO (7) 12 in, (3) 4 in Valves</b> S/N: Not Available Usage: Not Available	7116	<b>Quantity of Dewalt Grinders</b> S/N: Not Available Usage: Not Available
7100	<b>NIBCO 18 in Valves</b> S/N: Not Available Usage: Not Available	7117	<b>Quantity of Cisco Meraki Wireless Access Points</b> S/N: Not Available Usage: Not Available
7101	<b>Quantity of (2) Shut-Off Valves</b> S/N: Not Available Usage: Not Available	7118	<b>Quantity of (2) Racks of Magnasync Reel to Reel Recorders</b> S/N: Not Available Usage: Not Available
7102	<b>Virgo Production Valve</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7120	<b>Air Torque PT800 Rack &amp; Pinion</b> S/N: 13191439 Usage: Not Available	7135	<b>Quantity of (3) Carpet Stretchers</b> S/N: Not Available Usage: Not Available
7121	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7136	<b>Edelhoff Stand Alone Hydraulic Snubbing Unit</b> S/N: Not Available Usage: Not Available
7122	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7137	<b>Quantity of Mig Welding Cable</b> S/N: Not Available Usage: Not Available
7123	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7138	<b>Quantity of Regulators &amp; Cutting Torches</b> S/N: Not Available Usage: Not Available
7124	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7139	<b>Qty of 10 in x 13 in Ceramic Tile</b> S/N: Not Available Usage: Not Available
7125	<b>Dayton 600000 BTU Oil-Fired Space Heater</b> S/N: 5629150 C/W: 120 V Input Usage: Not Available	7140	<b>2019 Mighty Lift 72 in Pallet Jack</b> S/N: L18125487 Usage: Not Available
7126	<b>Quantity of (6) Fireproof File Cabinets</b> S/N: Not Available Usage: Not Available	7141	<b>Assorted Step Ladders &amp; Ladder Rails</b> S/N: Not Available Usage: Not Available
7127	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7142	<b>Quantity of (2) Job Site Box</b> S/N: Not Available Usage: Not Available
7128	<b>Quantity of (3) Gator Utility Road Trunk Heavy Duty Cases</b> S/N: Not Available Usage: Not Available	7143	<b>Hose Reel &amp; 2 in Hose</b> S/N: Not Available Usage: Not Available
7129	<b>Quantity of (56) Warehouse Dock Bumpers</b> S/N: Not Available Usage: Not Available	7144	<b>Baldor 510 Grinder/Buffer</b> S/N: F380 Usage: Not Available
7130	<b>2018 Weltom WPC-18000 Portable Air Conditioner</b> S/N: Not Available Usage: Not Available	7145	<b>Okuma L370 Horizontal CNC Lathe</b> S/N: 122004112756 C/W: c/w: Henning Chip Conveyor Usage: Not Available
7131	<b>2018 Weltom WPC-18000 Portable Air Conditioner</b> S/N: W05R61805002 Usage: Not Available	7146	<b>Skid-Mounted Water Pump</b> S/N: Not Available C/W: 2 in Intake, 2 in Discharge, electric motor Usage: Not Available
7132	<b>2018 Weltom WPC-36003 Portable Air Conditioner</b> S/N: W09R61805002 Usage: Not Available	7147	<b>Quantity of Chains</b> S/N: Not Available Usage: Not Available
7133	<b>Weltom WPC-36003 Portable Air Conditioner</b> S/N: W09R61805001 Usage: Not Available	7148	<b>Quantity of 5 ft Bollard Posts</b> S/N: Not Available Usage: Not Available
7134	<b>Skid Mounted Electric Vacuum System</b> S/N: Not Available C/W: 22 kw Usage: Not Available	7149	<b>Electric Transformer</b> S/N: Not Available Usage: Not Available
		7150	<b>Speed Shore Hydraulic Pump</b> S/N: Not Available Usage: Not Available
		7151	<b>Quantity of 6 ft 6 in Bollard Posts</b> S/N: Not Available Usage: Not Available
		7152	<b>Quantity of Impact Wrenches</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7153	<b>Quantity of Impact Wrenches</b> S/N: Not Available Usage: Not Available	7173	<b>Job Box &amp; Contents</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available
7154	<b>Quantity of Ingersoll Rand Impact Wrenches</b> S/N: Not Available Usage: Not Available	7174	<b>Job Box &amp; Contents</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available
7156	<b>Quantity of Impact Wrenches</b> S/N: Not Available Usage: Not Available	7175	<b>Job Box &amp; Contents</b> S/N: Not Available Usage: Not Available
7157	<b>Spool of Cable</b> S/N: Not Available C/W: (1) spool Usage: Not Available	7176	<b>Job Box &amp; Contents</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available
7158	<b>Quantity of Ingersoll Rand Impact Wrenches</b> S/N: Not Available Usage: Not Available	7177	<b>Quantity of Fire Extinguishers</b> S/N: Not Available Usage: Not Available
7159	<b>Shelving</b> S/N: LF117295 Usage: Not Available	7178	<b>Quantity of Fire Extinguishers</b> S/N: Not Available Usage: Not Available
7160	<b>Shelving</b> S/N: LF117924 Usage: Not Available	7179	<b>Harrington HLT1 Hoist Load Tester</b> S/N: Not Available Usage: Not Available
7161	<b>Cat D04M04Y19P4752 Right Hand Door Assembly (Unused)</b> S/N: 3241545 Usage: Not Available	7180	<b>Quantity of (6) Dodge Jack Stands</b> S/N: Not Available Usage: Not Available
7162	<b>Ridgid Job Site Box</b> S/N: Not Available C/W: Contractor Supplies Usage: Not Available	7181	<b>Quantity of (6) Dodge Jack Stands</b> S/N: Not Available Usage: Not Available
7163	<b>Quantity of (8) Uline Steel Compartment Box</b> S/N: Not Available Usage: Not Available	7182	<b>Quantity of (5) Adjust-A-Roller Jack Stands</b> S/N: Not Available Usage: Not Available
7164	<b>PLS PLS-L253-IC Cylindrical Lever Lockset</b> S/N: Not Available Usage: Not Available	7183	<b>Quantity of (5) Adjust-A-Roller Jack Stands</b> S/N: Not Available Usage: Not Available
7165	<b>Quantity of Drilling Equipment</b> S/N: Not Available Usage: Not Available	7185	<b>Ridgid 141 Geared Threader</b> S/N: Not Available Usage: Not Available
7166	<b>Quantity of (6) Xerox Remanufactured Laser Toner Cartridge HP C4127XM</b> S/N: Not Available Usage: Not Available	7186	<b>Quantity of Scaffolding</b> S/N: Not Available Usage: Not Available
7169	<b>Quantity of (2) Desks</b> S/N: Not Available C/W: 56 in x 32 in, 58 in x 60 in L-shaped Usage: Not Available	7187	<b>Quantity of Scaffolding</b> S/N: Not Available Usage: Not Available
7170	<b>Boat Anchor</b> S/N: Not Available Usage: Not Available	7188	<b>29 in x 86 in Equipment Rack</b> S/N: Not Available Usage: Not Available
7171	<b>50 In Fab Table</b> S/N: Not Available Usage: Not Available	7189	<b>40 in x 65 in Propane Bottle Rack</b> S/N: Not Available Usage: Not Available
7172	<b>50 in x 50 in Table</b> S/N: Not Available Usage: Not Available	7190	<b>Quantity of Power Tools</b> S/N: Not Available Usage: Not Available
		7191	<b>Power Tools</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7192	<b>Quantity of Power Tools</b> S/N: Not Available Usage: Not Available	7202	<b>Quantity of Paint Booth Wall Panels</b> S/N: Not Available Usage: Not Available
7193	<b>Quantity of Power Tools</b> S/N: Not Available Usage: Not Available	7203	<b>Quantity of (4) 480V 3PH Electrical PanelBoards</b> S/N: Not Available Usage: Not Available
7194	<b>Quantity of (2) Eye Wash Stations</b> S/N: Not Available Usage: Not Available	7204	<b>Quantity of (2) Liquitote 120 gal Stainless Steel Tank</b> S/N: Not Available Usage: Not Available
7195	<b>Electric Bender</b> S/N: Not Available Usage: Not Available	7205	<b>Electric Industrial Oven</b> S/N: Not Available C/W: Wet Tank Usage: Not Available
7196	<b>Step Ladder</b> S/N: Not Available Usage: Not Available	7206	<b>2014 HayenboerWater MPC-E2 Hydrophore</b> S/N: 504235 Usage: Not Available
7197	<b>JET Hydraulic Pallet Jack</b> S/N: Not Available Usage: Not Available	7207	<b>Quantity of (3) Heat Exchanger</b> S/N: Not Available Usage: Not Available
7198	<b>JET 5500 lb Pallet Jack</b> S/N: 80804635 Usage: Not Available	7208	<b>Quantity of Metal Flanges</b> S/N: Not Available Usage: Not Available
7199	<b>Pallet Jack</b> S/N: Not Available C/W: 6 in Max Lift Height, 48 in Forks Usage: Not Available	7209	<b>Quantity of (2) Pallet Scale</b> S/N: Not Available C/W: 48 in x 48 in Usage: Not Available
7200	<b>Pallet Jack</b> S/N: Not Available C/W: 6 in Max Lift Height, 48 in Forks Usage: Not Available	7210	<b>Quantity of (2) Platform Scales</b> S/N: Not Available C/W: 47 in x 47 in Usage: Not Available
7201	<b>Quantity of Power Tools</b> S/N: Not Available Usage: Not Available	7211	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: 4 Pallets, Insulators, Tools, Shackles Usage: Not Available
7202	<b>Powder Coat Paint Booth</b> S/N: Not Available Usage: Not Available	7212	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: 4 Pallets, Fuses, Clamps, Bolts, Shackles Usage: Not Available
7202	<b>Electric Fan</b> S/N: Not Available Usage: Not Available	7213	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: 5 Pallets, AFL Hydraulic Crimper, Tarps, Tools, Rope, Copper Clad Steel, Straps, Slings, Barbed Wire, Propane Stove Usage: Not Available
7202	<b>Electric Fan</b> S/N: Not Available Usage: Not Available	7214	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: 5 Pallets, Line Covers, Tarps, Chain Hoists, Hose, High Voltage Mats Usage: Not Available
7202	<b>Filter Housing</b> S/N: Not Available Usage: Not Available	7215	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: 5 Pallets, Line Covers, Emergency Blankets, Tools, Outrigger Pads, Tool Boxes, Road Signs Usage: Not Available
7202	<b>Filter Housing</b> S/N: Not Available Usage: Not Available		
7202	<b>Quantity of Paint Booth Wall Panels</b> S/N: Not Available Usage: Not Available		
7202	<b>Quantity of Paint Booth Wall Panels</b> S/N: Not Available Usage: Not Available		
7202	<b>Quantity of Paint Booth Wall Panels</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7216	<b>Quantity of Cable Pulleys</b> S/N: Not Available C/W: 5 baskets Usage: Not Available	7230	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7217	<b>Quantity of Cable Pulleys</b> S/N: Not Available C/W: 3 pallets, 1 basket Usage: Not Available	7231	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7218	<b>Quantity of (2) Jameson Conduit Rodding Systems</b> S/N: Not Available Usage: Not Available	7232	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7219	<b>Quantity of Cable Pulleys</b> S/N: Not Available C/W: 5 pallets Usage: Not Available	7233	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7220	<b>Quantity of Cable Pulleys</b> S/N: Not Available C/W: 3 pallets Usage: Not Available	7234	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7221	<b>Quantity of (3) Reel Stand Bars</b> S/N: Not Available C/W: McKissick 7 Ton Ball Usage: Not Available	7235	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7222	<b>Quantity of Cable Pulleys</b> S/N: Not Available C/W: 2 pallets, 1 basket Usage: Not Available	7236	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7223	<b>Hytorc Hydraulic Pump</b> S/N: Not Available C/W: (2) Enerpac Hydraulic Rams, (2) Pipe Rollers Usage: Not Available	7237	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7224	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7238	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7225	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7239	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7226	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7240	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7227	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7241	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7228	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7242	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available
7229	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available	7243	<b>Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7244	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available	7258	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available
7245	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available	7259	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available
7246	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available	7260	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available
7247	Quantity of (2) Pallets of Lueder Roughback 4 in x 8 in Charcoal Veneer Stone S/N: Not Available Usage: Not Available	7261	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available
7248	Quantity of (2) Pallets of Lueder Roughback 4 in x 8 in Charcoal Veneer Stone S/N: Not Available Usage: Not Available	7262	Quantity of (2) Pallets of Lueder Roughback Veneer Stone S/N: Not Available C/W: (1) Pallet of Buff & (1) Pallet of Charcoal Usage: Not Available
7249	Quantity of (2) Pallets of Lueder Roughback 4 in x 8 in Charcoal Veneer Stone S/N: Not Available Usage: Not Available	7263	Electric Industrial Freezer S/N: Not Available Usage: Not Available
7250	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7264	1000 Gallon Air Compressor Tank S/N: Not Available Usage: Not Available
7251	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7265	Cat Crawler Tractor Drawbar S/N: Not Available Usage: Not Available
7252	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7266	Ditch Witch MM9 500 gal Skid-Mounted Water Tank S/N: Not Available Usage: Not Available
7253	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7267	Quantity of Pump Parts S/N: Not Available Usage: Not Available
7254	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7268	29 in x 90 in Work Bench (Unused) S/N: Not Available Usage: Not Available
7255	Quantity of (2) Pallets of Texas 4 in x 8 in White Veneer Stone S/N: Not Available Usage: Not Available	7269	Quantity of 4 ft LED Tube Lighting S/N: Not Available Usage: Not Available
7256	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7270	Quantity of 4 ft LED Tube Lighting S/N: Not Available C/W: (1) Pallet Usage: Not Available
7257	Quantity of (2) Pallets of Buff Lueders 4 in x 8 in Veneer Stone S/N: Not Available Usage: Not Available	7271	Quantity of 4 ft LED Tube Lighting S/N: Not Available C/W: (1) Pallet Usage: Not Available
		7272	Quantity of 4 ft LED Tube Lighting S/N: Not Available C/W: (1) Pallet Usage: Not Available



Lot #	Details	Lot #	Details
7273	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7288	<b>Volvo 24 in Excavator Bucket</b> S/N: 12120504 C/W: 1.75 in Pin Diameter, 8.50 in Center of Pin Boss to Center of Pin Boss, 6.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
7274	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7289	<b>Volvo 24 in Excavator Bucket</b> S/N: 12102401 C/W: 1.75 in Pin Diameter, 8.5 in Center of Pin Boss to Center of Pin Boss, 6.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
7275	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7290	<b>Volvo 24 in Excavator Bucket</b> S/N: 12121003 C/W: 1.75 in Pin Diameter, 8.5 in Center of Pin Boss to Center of Pin Boss, 6.25 in Inside to Inside Pin Boss Spacing Usage: Not Available
7276	<b>Quantity of Hilti Self-Drilling Hex Head Screws</b> S/N: Not Available C/W: Hilti S-MD 10-16 x 3/4 in M HWH3 Zinc-Plated Self-Drilling Screws, (1) Pallet Usage: Not Available	7291	<b>Quantity of 26 in TBG Pads - Fits 330BL, CL, DL -</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available
7277	<b>Quantity of Hilti Self-Drilling Hex Head Screws</b> S/N: Not Available C/W: Hilti S-MD 10-16 x 3/4 in M HWH3 Zinc-Plated Self-Drilling Screws, (1) Pallet Usage: Not Available	7292	<b>Quantity of Pump Parts</b> S/N: Not Available Usage: Not Available
7278	<b>Quantity of Hilti Self-Drilling Hex Head Screws</b> S/N: Not Available C/W: Hilti S-MD 10-16 x 3/4 in M HWH3 Zinc-Plated Self-Drilling Screws, (1) Pallet Usage: Not Available	7293	<b>Quantity of (2) ProMaxx Product Tank</b> S/N: Not Available C/W: Hose Reels, Pumps Usage: Not Available
7279	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7294	<b>Pump Master 3 Pneumatic Grease Pump w /Barrel</b> S/N: Not Available Usage: Not Available
7281	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7295	<b>Final Drive (Unused)</b> S/N: Not Available Usage: Not Available
7282	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7296	<b>2018 Schlumberger 10000 psi 6 in. Valve</b> S/N: 18150267 Usage: Not Available
7283	<b>Quantity of 4 ft LED Tube Lighting</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7297	<b>Quantity of Cat Parts</b> S/N: Not Available C/W: filters, brackets Usage: Not Available
7284	<b>Quantity of LED Outdoor Area Lights</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7298	<b>Quantity of (12) Aluminum Brackets</b> S/N: Not Available Usage: Not Available
7285	<b>Quantity of LED Outdoor Area Lights</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7299	<b>Quantity of (5) Hydraulic Cylinder</b> S/N: Not Available C/W: Hose Usage: Not Available
7286	<b>Quantity of LED Outdoor Area Lights</b> S/N: Not Available C/W: (1) Pallet Usage: Not Available	7300	<b>Quantity of Electrical Supplies</b> S/N: Not Available Usage: Not Available
7287	<b>Cat Crawler Tractor Drawbar</b> S/N: Not Available Usage: Not Available	7301	<b>Quantity of Assorted Contractor Supplies</b> S/N: Not Available C/W: Slings, Straps, Assorted Tools Usage: Not Available

Lot #	Details	Lot #	Details
7302	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available C/W: Line Covers, Flagging, Sign Stands Usage: Not Available	7318	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available Usage: Not Available
7303	<b>Quantity of (2) Pallets of Utility Contractor Supplies</b> S/N: Not Available Usage: Not Available	7319	<b>2012 VON C124 Portable DC Tester</b> S/N: 100306 Usage: Not Available
7304	<b>Quantity of (5) Pallets of Utility Contractor Supplies</b> S/N: Not Available C/W: Grounding Jumpers, Line Covers, Site Fencing Usage: Not Available	7320	<b>Quantity of 2 in. Discharge Hose</b> S/N: Not Available Usage: Not Available
7305	<b>Quantity of (2) Pallets of Utility Contractor Supplies</b> S/N: Not Available C/W: Line Covers, Flagging, Sign Stands Usage: Not Available	7321	<b>Quantity of Chains</b> S/N: Not Available Usage: Not Available
7306	<b>Quantity of High Voltage Mats</b> S/N: Not Available Usage: Not Available	7322	<b>Quantity of Contractor Supplies</b> S/N: Not Available Usage: Not Available
7307	<b>Quantity of Utility Contractor Supplies</b> S/N: Not Available Usage: Not Available	7323	<b>12 Ft x 21 Ft x 6 Ft Carport (Unused)</b> S/N: Not Available Usage: Not Available
7308	<b>Reliable Equipment Hydraulic Crimper</b> S/N: Not Available Usage: Not Available	7325	<b>JoBox Print Shack Job Site Box</b> S/N: Not Available Usage: Not Available
7309	<b>Quantity of Insulators (Unused)</b> S/N: Not Available Usage: Not Available	7326	<b>Liebert Furnace</b> S/N: Not Available Usage: Not Available
7310	<b>Kubota 80 in Skid Steer Bucket</b> S/N: 1021922K C/W: Quick Coupler Bracket Usage: Not Available	7327	<b>Hobart Refrigerator</b> S/N: Not Available Usage: Not Available
7311	<b>2019 Paladin 84 in Skid Steer Bucket</b> S/N: J0001113029 C/W: Quick Coupler Bracket Usage: Not Available	7328	<b>Allegro Com-Paxial Blower</b> S/N: Not Available C/W: Pressure Tank Usage: Not Available
7312	<b>Quantity of Remote Controls</b> S/N: Not Available Usage: Not Available	7329	<b>Cummins BT150 Transfer Switch</b> S/N: G920477911 Usage: Not Available
7313	<b>Quantity of Remote Controls</b> S/N: Not Available Usage: Not Available	7330	<b>Vermeer Track Idler</b> S/N: Not Available Usage: Not Available
7314	<b>Quantity of Wagner Smith Cable Pulleys</b> S/N: Not Available Usage: Not Available	7331	<b>Ford Automatic Transmission</b> S/N: Not Available C/W: Transfer Case Usage: Not Available
7315	<b>Quantity of (6) Long Air Filters</b> S/N: Not Available C/W: 6 in x 38.5 in Usage: Not Available	7332	<b>Handy HSBP72 72 in Asphalt Float (Unused)</b> S/N: BP221120124 C/W: Quick Coupler Bracket Usage: Not Available
7316	<b>Quantity of Road Signs</b> S/N: Not Available Usage: Not Available	7333	<b>Remco 14-20 Tape Wrapping Machine</b> S/N: 1057 Usage: Not Available
7317	<b>Quantity of Drill Bit</b> S/N: Not Available Usage: Not Available	7334	<b>2021 4-Fuel-com 58 gal Portable Poly Fuel Tank (Unused)</b> S/N: 4F05850821 Usage: Not Available
		7335	<b>2021 4-Fuel-com 58 gal Fuel Tank (Unused)</b> S/N: 4F05851021 Usage: Not Available

Lot #	Details	Lot #	Details
7336	<b>2021 4-Fuel-com 58 gal Fuel Tank (Unused)</b> S/N: 4F05850921 Usage: Not Available	7352	<b>Republic Blower Systems HRB900 Regenerative Blower</b> S/N: 003283 C/W: 7.5 kW Usage: Not Available
7337	<b>GSE 350 Scale</b> S/N: 521318 Usage: Not Available	7353	<b>2015 Weg W22 Electric Motor</b> S/N: 1028958977 C/W: 30 hp Usage: Not Available
7338	<b>Quantity of (7) Ladder</b> S/N: Not Available Usage: Not Available	7354	<b>Republic Blower Systems HRB900 Regenerative Blower</b> S/N: 003259 C/W: 7.5 kW Usage: Not Available
7339	<b>2021 Landhonor HL-IS-0022D 24 in Skid Steer Ice Scaper (Unused)</b> S/N: Not Available C/W: Quick Coupler Bracket Usage: Not Available	7355	<b>Teco Electric Motor</b> S/N: Not Available Usage: Not Available
7340	<b>Quantity of Misc Filters (Unused)</b> S/N: Not Available C/W: Cat, Napa Gold, Carquest, John Deere Usage: Not Available	7356	<b>Lincoln AC 40 HP Electric Motor</b> S/N: 2552151 C/W: 230/460V Usage: Not Available
7342	<b>Quantity of Tube Lights</b> S/N: Not Available Usage: Not Available	7357	<b>Electric Motor</b> S/N: 58576 C/W: 500 hp Engine Usage: Not Available
7343	<b>IVC Industrial Vacuum Vacuum Cleaner</b> S/N: Not Available Usage: Not Available	7358	<b>2012 Becker KDX 3.140 Oil-less Rotary Vane Compressor</b> S/N: 2634755 C/W: Becker 7.5 kW Engine Usage: Not Available
7344	<b>Quantity of (2) Custom Built 12V-24V Jump Packs</b> S/N: Not Available Usage: Not Available	7359	<b>2012 Becker KDX 3.140 Oil-less Rotary Vane Compressor</b> S/N: 2639754 C/W: Becker 7.8 kW Engine Usage: Not Available
7345	<b>Quantity of Contractor Supplies</b> S/N: Not Available C/W: Air Hose, Bolts, Cat Jump Pack, Mirrors, Chains, Ratchet Straps Usage: Not Available	7360	<b>2012 Becker DXLF 2.250 Oil-less Rotary Vane Compressor</b> S/N: 2648460 C/W: Becker 7.8 kW Engine Usage: Not Available
7346	<b>Quantity of Nuts &amp; Bolts</b> S/N: Not Available Usage: Not Available	7361	<b>Baldor Reliance EM4104T Electric Motor</b> S/N: C1609150637 C/W: 30 hp 3 Phase Motor Usage: Not Available
7347	<b>2012 Becker KDX 3.140 Oil-less Rotary Vane Compressor</b> S/N: 2639756 C/W: Becker 7.8 kW Engine Usage: Not Available	7362	<b>Masport Vacuum System</b> S/N: Not Available Usage: Not Available
7348	<b>2012 Becker KDX 3.100 Oil-Less Rotary Vane Compressor</b> S/N: 2817966 Usage: Not Available	7363	<b>2018 Yardney 3660 Water Filtration System (Unused)</b> S/N: 58660 Usage: Not Available
7349	<b>2012 Becker DXLF 2.250 Oil-less Rotary Vane Compressor</b> S/N: 2648462 C/W: Becker 7.8 kW Engine Usage: Not Available	7364	<b>2018 Yardney 3660 Water Filtration System (Unused)</b> S/N: 58664 Usage: Not Available
7350	<b>2011 Becker SV 7.330/2-01 DSF Regenerative Blower</b> S/N: 2617772 C/W: 3.6 kW Usage: Not Available	7365	<b>2018 Yardney 3660 Water Filtration System (Unused)</b> S/N: 58663 Usage: Not Available
7351	<b>Hydraulic Power Pack</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7366	<b>2012 Harrington NERO030C 3 Ton Overhead Chain Hoist</b> S/N: 00104892 Usage: Not Available	7389	<b>Quantity of Clamps and Shackle</b> S/N: Not Available C/W: 8 crates Usage: Not Available
7368	<b>Stainless Steel Stove</b> S/N: Not Available C/W: 6 burners Usage: Not Available	7390D	<b>Trimble SPS882 Rover Receiver</b> S/N: 5146476846 Usage: Not Available
7369	<b>2011 Grieve WRC446-500 Walk-In Industrial Oven</b> S/N: 102358A0211 Usage: Not Available	7390C	<b>Trimble TSC3 Data Collector</b> S/N: RS52C89772 Usage: Not Available
7370	<b>Stratasys Dimension BST768 3D Printer</b> S/N: 15000102 Usage: Not Available	7390B	<b>Trimble TSC3 Data Collector</b> S/N: RS50C88578 Usage: Not Available
7371	<b>Stainless Steel Food Warmer</b> S/N: Not Available Usage: Not Available	7390	<b>Quantity of (4) Quantity of 150 Ton Shackle</b> S/N: Not Available Usage: Not Available
7372	<b>Traulsen Commercial Food Warmer</b> S/N: Not Available Usage: Not Available	7391B	<b>Trimble SNR921 Machine Grade Control Radio</b> S/N: 2834J522SQ Usage: Not Available
7373	<b>Traulsen Smart Chill Refrigerator</b> S/N: Not Available Usage: Not Available	7391A	<b>Trimble SNR921 Machine Grade Control Radio</b> S/N: 2105J304SQ Usage: Not Available
7376	<b>Amarillo C350 Right Angle Gear Drive</b> S/N: 234382 Usage: Not Available	7391	<b>2022 Spectra LL300N Self-Leveling Rotary Laser Level (Unused)</b> S/N: 21294947 C/W: Tripod, Grade Rod Usage: Not Available
7377	<b>Product Tank</b> S/N: Not Available Usage: Not Available	7392A	<b>Trimble CB450 Grade Control Display</b> S/N: 0599J008SV Usage: Not Available
7380	<b>Kifco B140x350 Water Reel</b> S/N: Not Available Usage: Not Available	7392	<b>2022 Spectra AL20M 20X Automatic Level Laser Level</b> S/N: 908689 C/W: Tripod, Grade Rod Usage: Not Available
7382	<b>Quantity of (2) Plastic Barrier</b> S/N: Not Available Usage: Not Available	7393	<b>Electra Dahien UIB436 Electric Pizza Oven</b> S/N: V25545 Usage: Not Available
7383	<b>Load Locks</b> S/N: Not Available Usage: Not Available	7394	<b>True Refrigerator</b> S/N: Not Available Usage: Not Available
7384	<b>Load Locks</b> S/N: Not Available Usage: Not Available	7395	<b>2014 Udo Kleusberg Pressure Vessel</b> S/N: Not Available C/W: Kubota V1505 3 Cylinder Diesel Engine Usage: Not Available
7385	<b>Pallet Racking</b> S/N: Not Available Usage: Not Available	7396	<b>10 in x 86 in Hydraulic Cylinder</b> S/N: Not Available Usage: Not Available
7386	<b>Quantity of Hilti Shear Nails</b> S/N: Not Available Usage: Not Available	7397	<b>Quantity of Parts Bins</b> S/N: Not Available Usage: Not Available
7387	<b>Quantity of Hilti Anchor Rods</b> S/N: Not Available Usage: Not Available	7398	<b>Wood Packer Electric Fire Wood Bundler</b> S/N: Not Available Usage: Not Available
7388	<b>Oil Field Valve Bray 04-05000-11204</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7399	<b>Quantity of (2) Wood-Paker Electric Firewood Bundler</b> S/N: Not Available Usage: Not Available	7417	<b>Lennox Residential Air Conditioner</b> S/N: Not Available Usage: Not Available
7401	<b>GBE 2-12 Pipe Roller</b> S/N: 7212 Usage: Not Available	7418	<b>Predator Water Pump</b> S/N: Not Available C/W: 2 in Intake, 2 in Discharge, Water Pump, 1 Cylinder 212 cc Gasoline Engine Usage: Not Available
7402	<b>Quantity of (2) Welding Jigs</b> S/N: Not Available C/W: (2) Pallets Usage: Not Available	7419	<b>Traulsen Stainless Steel Food Prep Station</b> S/N: Not Available C/W: 2 Door Refrigerator Usage: Not Available
7403	<b>Quantity of Tie Down Brackets</b> S/N: Not Available Usage: Not Available	7420	<b>Traulsen Commercial Stainless Steel 2 Door Refrigerator Blodgett Oven Combo</b> S/N: Not Available Usage: Not Available
7404	<b>Hose</b> S/N: Not Available Usage: Not Available	7421	<b>Traulsen Stainless Steel Food Prep Station</b> S/N: Not Available C/W: 3 Door Refrigerator Usage: Not Available
7405	<b>2017 Alkota HZ535DKS Pressure Washer</b> S/N: PL39900 C/W: Water Heater, Hose, Spray Wand, Trailer Mounted, Kubota D902 3 Cylinder Diesel Engine, Poly Tank Usage: Not Available	7422	<b>Winston 4000A Series CVAP Commercial Food Holding Cabinet</b> S/N: Not Available C/W: Food Temp, Texture Settings Thermostat Controls, Digital Timer Usage: Not Available
7407	<b>Eaton Transformer</b> S/N: Not Available C/W: Breaker Box Usage: Not Available	7424	<b>Quantity of Cabinets (Unused)</b> S/N: Not Available C/W: Self-Closing Doors & Drawers Usage: Not Available
7408	<b>Eaton Transformer</b> S/N: Not Available C/W: Breaker Box Usage: Not Available	7426	<b>Skid Mounted Electric Reverse Osmosis Water Filtration System</b> S/N: Not Available C/W: Control Panel, Electric Motors, Element Filters Usage: Not Available
7409	<b>5 ft x 5 ft Control Cab</b> S/N: Not Available Usage: Not Available	7427	<b>Quantity of Cabinets</b> S/N: Not Available C/W: Self-Closing Doors & Drawers Usage: Not Available
7410	<b>Quantity of (2) Funk Mud Pump Drive</b> S/N: Not Available Usage: Not Available	7428	<b>Rotan HD101EM-1U2B2 GP Internal Gear Pump</b> S/N: Not Available Usage: Not Available
7411	<b>Quantity of (2) Transmission</b> S/N: Not Available C/W: Durst Usage: Not Available	7429	<b>Sorgel Transformer</b> S/N: Not Available C/W: 3 phase, 60 hz, 45 kva Usage: Not Available
7412	<b>Durst Hydraulic Pump Transmission</b> S/N: Not Available Usage: Not Available	7431	<b>Quantity of (6) International Parts Aluminum 22.5 x 11.75 Wheels (Unused)</b> S/N: Not Available Usage: Not Available
7413	<b>Quantity of (2) Transmission</b> S/N: Not Available C/W: Darwin, John Deere Usage: Not Available	7432	<b>Self-Dumping Hopper</b> S/N: 6046 Usage: Not Available
7414	<b>Quantity of (3) Transmission</b> S/N: Not Available C/W: (1) Darwin, (2) Twin Disc Usage: Not Available	7433	<b>Quantity of (2) 25 Ft Polyester Round Sling (Unused)</b> S/N: Not Available Usage: Not Available
7416	<b>LANG Stainless Steel Commercial Restaurant Cook Station</b> S/N: Not Available C/W: (1) Oven, (2) Cook Tops, (1) Griddle Usage: Not Available		

Lot #	Details	Lot #	Details
7434	<b>Quantity of Euro House Premium Porcelain Tiles</b> S/N: Not Available C/W: (1) pallet Usage: Not Available	7456	<b>Quantity of (4) Hydraulic Pumps</b> S/N: Not Available C/W: 3 Phase Usage: Not Available
7436	<b>12 ft x 6 ft Containment Box</b> S/N: Not Available Usage: Not Available	7457	<b>Ridgid 400A Pipe Threader</b> S/N: Not Available Usage: Not Available
7438	<b>Quantity of 4 1/2 In. Steel Bollards (Unused)</b> S/N: Not Available C/W: (1) Pallet of 5 ft & (1) Pallet of 7 ft Usage: Not Available	7458	<b>Dutchess Dough Divider</b> S/N: Not Available Usage: Not Available
7439	<b>Quantity of (3) Copeland Electric Air Compressor</b> S/N: Not Available Usage: Not Available	7459	<b>Quantity of (10) Recycling Cans</b> S/N: Not Available Usage: Not Available
7441	<b>2019 Digi Track Falcon F2 Locator Transmitters</b> S/N: 30152890 / 30092877 C/W: Set of (2) Locator Transmitters, (1) Monitor, (3) Batteries, (1) Battery Charger Usage: Not Available	7460	<b>Quantity of Tools</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, (2) Hitachi EC2510E Air Compressors, Ridgid 6800w Generator- Inop, 3 in Trash Pump- Inop Usage: Not Available
7443	<b>Quantity of (19) 60 Gallon Garbage Cans</b> S/N: Not Available Usage: Not Available	7463	<b>Ametek Hydraulic Oil Tester</b> S/N: Not Available Usage: Not Available
7444	<b>Quantity of (2) Knaack Job Site Boxes</b> S/N: Not Available Usage: Not Available	7464	<b>Central Machinery Socket Set</b> S/N: Not Available Usage: Not Available
7445	<b>Quantity of (10) Bundles of Scaffolding</b> S/N: Not Available Usage: Not Available	7466	<b>Quantity of (5) Scaffolding Uprights</b> S/N: Not Available Usage: Not Available
7446	<b>Quantity of Milwaukee Portable Saws</b> S/N: Not Available Usage: Not Available	7467	<b>Harnischfeger HC-100-10 10 Ton Overhead Chain Hoist</b> S/N: Not Available Usage: Not Available
7447	<b>American Standard YCH240F4L0AA Heating &amp; Cooling System</b> S/N: 114510146D Usage: Not Available	7468	<b>Quantity of (4) Hamilton Forged Steel Casters</b> S/N: Not Available Usage: Not Available
7450	<b>2012 Becker DXLF 2.250 Rotary Vane Compressor</b> S/N: 2648261 C/W: Becker 7.8 kW Engine Usage: Not Available	7469	<b>Quantity of (15) Fire Extinguisher</b> S/N: Not Available Usage: Not Available
7451	<b>Skip Pan with Hoists &amp; Wire Rope Cable</b> S/N: Not Available Usage: Not Available	7470	<b>Quantity of (7) Diaphragm Pumping Unit</b> S/N: Not Available C/W: 2 in Intake, 2 in Discharge Usage: Not Available
7452	<b>Troy-Bilt 397 Electric Computer Wheel Balancer</b> S/N: Not Available Usage: Not Available	7471	<b>Electric Motor</b> S/N: Not Available Usage: Not Available
7453	<b>Quantity of Radiator (Unused)</b> S/N: Not Available C/W: To Fit Gehl and Mustang Skid Steer Loaders, assorted size, four pallets Usage: Not Available	7472	<b>Quantity of (19) 60 Gallon Garbage Cans</b> S/N: Not Available Usage: Not Available
7455	<b>Howse 30 in 3-Point Dirt Scoop</b> S/N: Not Available Usage: Not Available	7473	<b>Quantity of Impact Wrenches</b> S/N: Not Available Usage: Not Available
		7474	<b>Quantity of Pallet Racking</b> S/N: Not Available C/W: 48 in x 12 ft uprights, 144 in cross arms, one pallet Usage: Not Available

Lot #	Details	Lot #	Details
7475	<b>Quantity of Pallet Racking</b> S/N: Not Available C/W: 36 in x 8 ft uprights, 96 in cross arms, two pallets Usage: Not Available	7495	<b>GBC Titan 1264WF Electric Laminator</b> S/N: 2B00194G Usage: Not Available
7476	<b>Anchor</b> S/N: Not Available Usage: Not Available	7496	<b>Herd 3-Point Broadcaster</b> S/N: Not Available Usage: Not Available
7477	<b>Quantity of Power Tools</b> S/N: Not Available Usage: Not Available	7498	<b>Lincoln 25M Electric Wire Feeder</b> S/N: U1140800146 Usage: Not Available
7478	<b>2016 Tennant 5680 Walk-Behind Floor Scrubber</b> S/N: 568010802008 C/W: 32 in Working Width, Rear Squeegee, 12 Volt Operating System Usage: 161 Hr	7502	<b>Little Beaver 8 Power Auger</b> S/N: 34868 C/W: Honda GX240 1 Cylinder Gasoline Engine Usage: Not Available
7479	<b>Quantity of Guard Rails</b> S/N: Not Available Usage: Not Available	7503	<b>Quantity of (2) Gardner-Denver Vacuum /Blower Pumps</b> S/N: Not Available C/W: PTO, 2 Shafts Usage: Not Available
7480	<b>Food Transport Cart</b> S/N: Not Available Usage: Not Available	7504	<b>Generac NP-66G 6 kW Skid-Mounted Portable Generator Set</b> S/N: 3075843 C/W: GN480 1 Cylinder 480 cc Gasoline Engine, 120 V 240 V Rated Voltage Usage: Not Available
7482	<b>Strickland Hydraulic Quick Coupler</b> S/N: 12117 Usage: Not Available	7505	<b>Multiquip GAW-180HEA 170 A Stick Engine Driven Welder</b> S/N: 5720893 C/W: Honda GX340 1 Cylinder 10 hp .3 L Gasoline Engine, Welding Leads Not Included Usage: Not Available
7483	<b>Husky 50 in Tool Cabinet</b> S/N: Not Available C/W: c/w: Contents Usage: Not Available	7506	<b>Carrier 25HBR342A520 Air Conditioner</b> S/N: 1908E03082 Usage: Not Available
7485	<b>KSR Centrifugal Pump</b> S/N: Not Available C/W: Siemens Engine Usage: Not Available	7507	<b>Quantity of (5) Street Lights</b> S/N: Not Available C/W: poles Usage: Not Available
7486	<b>Basket</b> S/N: Not Available Usage: Not Available	7508	<b>Quantity of (4) Quantity of Street Lights</b> S/N: Not Available C/W: Poles Usage: Not Available
7488	<b>BlueBird SC550 Walk Behind Sod Harvester</b> S/N: 103239544 C/W: 2010 US EPA Label, Honda GX160 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	7509	<b>Challenge 5062684 80 gal Air Compressor</b> S/N: Not Available C/W: 230, 5 hp Motor Usage: Not Available
7489	<b>Gulf Coast Tool TPWA-10000 Hydrostatic Test Pump</b> S/N: 22486 Usage: Not Available	7510	<b>Ingersoll-Rand 120 gal Air Compressor</b> S/N: CBV504461 C/W: 230V 3 phase, 15 hp Motor Usage: Not Available
7490	<b>DeVilbiss 432 Electric Air Compressor</b> S/N: 160760 C/W: 3 Phase, 5 hp Motor Usage: Not Available	7511	<b>C &amp; P 7.1 cfm Electric 30 gal Air Compressor</b> S/N: Not Available C/W: 90 psi Working Pressure, 120V, 5 hp Motor Usage: Not Available
7491	<b>Thermal Arc Ultima 150 Electric Welder</b> S/N: Not Available Usage: Not Available	7512	<b>Speedaire WW2966 Electric 85 gal Air Compressor</b> S/N: D003974 C/W: 3 Phase Usage: Not Available
7494	<b>Quantity of Valves &amp; Elbows</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7513	<b>Iron Horse Electric 60 gal Air Compressor</b> S/N: Not Available Usage: Not Available	7529	<b>Mi-T-M AC1-HE02-05HD 5.1 cfm 5 gal Air Compressor</b> S/N: 20157477 C/W: 120V, 2 hp Motor Usage: Not Available
7514	<b>Dewalt Electric 25 gal Air Compressor</b> S/N: Not Available Usage: Not Available	7530	<b>120 gal Air Compressor</b> S/N: Not Available C/W: 230V single phase, 10 hp Motor Usage: Not Available
7515	<b>Dewalt Electric 25 Gallon Air Compressor</b> S/N: Not Available Usage: Not Available	7533A	<b>Quantity of (2) Hydraulic V-Twin Air Compressor</b> S/N: Not Available Usage: Not Available
7516	<b>Husky Electric 30 gal Air Compressor</b> S/N: Not Available Usage: Not Available	7533	<b>Quantity of (2) Eagle 5 gal Tire Blaster &amp; Air Tanks</b> S/N: Not Available Usage: Not Available
7517	<b>Husky Electric 30 gal Air Compressor</b> S/N: Not Available Usage: Not Available	7534	<b>Extremem Power In-Ground Pool Pump</b> S/N: Not Available C/W: 2 hp Engine Usage: Not Available
7518	<b>TMG GAC40 40 gal Air Compressor (Unused)</b> S/N: 3253220828 C/W: Loncin 1 Cylinder Gasoline Engine Usage: Not Available	7535	<b>2022 Suihe Pressure Washer (Unused)</b> S/N: Not Available C/W: 4000 psi Rating, Water Heater, Hose, Jiang Dong JF420 1 Cylinder 420 cc Gasoline Engine Usage: Not Available
7519	<b>TMG GAC40 40 gal Air Compressor (Unused)</b> S/N: 3252220853 C/W: Loncin 1 Cylinder Gasoline Engine Usage: Not Available	7536	<b>Easy-Kleen Magnum 3600 Pressure Washer (Unused)</b> S/N: 223706 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Electric Operated Usage: Not Available
7520	<b>Emglo J11HGA Mobile Air Compressor</b> S/N: B051800015 C/W: Honda GX340 Gasoline Engine Usage: Not Available	7537	<b>Easy-Kleen Magnum 4000 Gold Pressure Washer (Unused)</b> S/N: 224025 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
7521	<b>Iron Horse 10 gal Twin Tank Air Compressor</b> S/N: Not Available C/W: Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available	7538	<b>Easy-Kleen Magnum 4000 Gold Pressure Washer (Unused)</b> S/N: 224026 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGD4552GM 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
7522	<b>PowerTrain 10 gal Twin Tank Air Compressor</b> S/N: Not Available C/W: 1 Cylinder 7 hp Gasoline Engine Usage: Not Available	7539	<b>Easy-Kleen Magnum Gold Pressure Washer (Unused)</b> S/N: 224027 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
7523	<b>Campbell Hausfeld Electric 26 gal Air Compressor</b> S/N: Not Available Usage: Not Available	7540	<b>Easy-Kleen Magnum Gold Pressure Washer (Unused)</b> S/N: 224028 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available
7524	<b>Powertrain Electric 10 gal Vertical Air Compressor</b> S/N: Not Available Usage: Not Available		
7525	<b>Powertrain 10 gal Vertical Air Compressor</b> S/N: Not Available Usage: Not Available		
7526	<b>Quantity of (2) Electric Makita MAC210Q 2 Gallon Electric Air Compressor</b> S/N: Not Available Usage: Not Available		
7527	<b>Mi-T-M AC1-HH04-05G Air Compressor</b> S/N: Not Available C/W: Honda GX120 1 Cylinder Gasoline Engine Usage: Not Available		
7528	<b>2005 Sears Electric 12 gal Air Compressor</b> S/N: Not Available C/W: 100 psi Working Pressure, 1 hp Motor Usage: Not Available		



Lot #	Details	Lot #	Details
7541	<b>Easy-Kleen Magnum 4000 Gold Pressure Washer (Unused)</b> S/N: 224029 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 240 cc Gasoline Engine Usage: Not Available	7551	<b>All American 8357L Pressure Washer</b> S/N: Not Available C/W: Water Heater, Kubota D1105-ET03 3 Cylinder 18.5 kW 1.1 L Diesel Engine Usage: 1,006 Hr
7542	<b>Easy-Kleen Magnum 4000 Gold Pressure Washer (Unused)</b> S/N: 224030 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 420 cc Gasoline Engine Usage: Not Available	7552	<b>Simpson Pressure Washer (Unused)</b> S/N: Not Available C/W: 3100 psi Rating, Hose, Spray Wand, Kohler 6.5 hp Gasoline Engine Usage: Not Available
7543	<b>Easy-Kleen Magnum Gold Pressure Washer (Unused)</b> S/N: 224032 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGS4452GM 1 Cylinder 15 hp 240 cc Gasoline Engine Usage: Not Available	7553	<b>Simpson Pressure Washer</b> S/N: 157876 C/W: 3400 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
7544	<b>Easy-Kleen Magnum 4000 Gold Pressure Washer (Unused)</b> S/N: 224031 C/W: 4000 psi Rating, Water Heater, Hose, Spray Wand, Lifan NCLGD4452GM 1 Cylinder 15 hp 240 L Gasoline Engine Usage: Not Available	7554	<b>Simpson MS61124-S-R Pressure Washer</b> S/N: 157881 C/W: 3400 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder 6.5 hp 196 cc Gasoline Engine Usage: Not Available
7545	<b>Simpson Pressure Washer</b> S/N: 09211036080 C/W: 4200 psi Rating, Hose, Spray Wand, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available	7555	<b>Murray Pressure Washer</b> S/N: Not Available C/W: 3300 psi Rating, Hose, Spray Wand, Briggs & Stratton CR950 1 Cylinder 208 cc Gasoline Engine, Reconditioned Usage: Not Available
7546	<b>Simpson Pressure Washer</b> S/N: 02224007338 C/W: 4200 psi Rating, Hose, Spray Wand, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available	7557	<b>Murray Pressure Washer</b> S/N: Not Available C/W: 3200 psi Rating Usage: Not Available
7547	<b>Simpson Pressure Washer</b> S/N: 158107 C/W: 4000 psi Rating, Hose, Spray Wand, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available	7558	<b>Murray Pressure Washer</b> S/N: Not Available C/W: 3200 psi Rating Usage: Not Available
7548	<b>Simpson Pressure Washer</b> S/N: 158108 C/W: 4000 psi Rating, Hose, Spray Wand, Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available	7559	<b>Quantity of (5) 2022 AGROTK 180C Pressure Washer (Unused)</b> S/N: 180C2208100105 C/W: 3000 psi Rating, 7.0 hp 212 cc Engine Usage: Not Available
7549	<b>Quantity of (3) Pressure Washer</b> S/N: Not Available C/W: Homelite, Karcher 2700 psi, Ryobi 2700 psi Usage: Not Available	7560	<b>Simpson Pressure Washer</b> S/N: Not Available C/W: 2800 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
7550	<b>Shark BG373537 Pressure Washer</b> S/N: 11072530100049 C/W: 3500 psi Rating, Hose, Spray Wand, Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available	7561	<b>Simpson Pressure Washer</b> S/N: 12205750 C/W: 2800 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available
		7562	<b>Wokin 857207 1400 Watt Electric Pressure Washer</b> S/N: Not Available Usage: Not Available
		7563	<b>Wokin 857207 1400 Watt Electric Pressure Washer</b> S/N: Not Available Usage: Not Available
		7564	<b>Wokin 857207 1400 Watt Electric Pressure Washer</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7565	<b>Quantity of (4) Pressure Washer</b> S/N: Not Available C/W: Hose, Spray Wand, (3) Electric, (1) Gas Powered Usage: Not Available	7581	<b>Lincoln DC600 Electric Welder</b> S/N: AC518915 Usage: Not Available
7566	<b>Quantity of (4) Pressure Washer</b> S/N: Not Available C/W: Hose, Spray Wand, (3) Electric, (1) Gas Powered Usage: Not Available	7582	<b>Millermatic 35 Electric Welder</b> S/N: 057565 C/W: Compressed Gas Cylinder Usage: Not Available
7567	<b>Simpson Pressure Washer</b> S/N: 157045 C/W: 3100 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available	7583	<b>Ultra Arc UA1000 1000 A Stick Electric Welder</b> S/N: 1770 C/W: 3 Phase 460 V Required, Welding Leads Usage: Not Available
7569	<b>Mi-T-M HDC-3505-Z022 Pressure Washer</b> S/N: 97013686 C/W: 3500 psi Rating, Water Heater, Lifan 2V78F-30QS 2 Cylinder 24 hp Gasoline Engine Usage: Not Available	7584	<b>Hobart Excel-Arc 8065CV 650 A Stick Electric Welder</b> S/N: 195WS02534 C/W: 3 Phase 240 V Required, Wire Feeder Attachment, Welding Leads Usage: Not Available
7571	<b>Simpson Pressure Washer</b> S/N: 156446 C/W: 3500 psi Rating, Hose, Spray Wand, Kohler 1 Cylinder Gasoline Engine Usage: Not Available	7585	<b>Power Cut 1250 Plasma Cutter</b> S/N: PAJ312020 C/W: 1 1/4 in, 230/460 Volt, Cart, Accessories Usage: Not Available
7573	<b>Quantity of (2) Miller Electric Welder</b> S/N: Not Available C/W: Deltaweld 302, Idealarc DC600, 22A/60 wire feeders Usage: Not Available	7587	<b>Lincoln Weldonpower 225G7 Electric Welder</b> S/N: Not Available C/W: 2 Cylinder Gasoline Engine, Welding Leads Not Included Usage: Not Available
7574	<b>2015 Miller Blue Star 185 Engine Driven Welder</b> S/N: MF340256R C/W: Kohler 1 Cylinder Gasoline Engine Usage: 1,332 Hr	7588	<b>2012 Lincoln VRTEX360 Electric Welder</b> S/N: U8120500018 C/W: Welding Leads Usage: Not Available
7575	<b>Lincoln R35-325 Electric Welder</b> S/N: Not Available Usage: Not Available	7589	<b>Lincoln Idealarc TM-300 300 A Stick Electric Welder</b> S/N: AC369674 C/W: Single Phase 230 V Required, Welding Leads Not Included Usage: Not Available
7576	<b>Hobart Brothers TR-300 Electric Welder</b> S/N: Not Available Usage: Not Available	7590	<b>1976 Miller MPS 20 90 A Portable Spot Electric Welder</b> S/N: HG080077 C/W: Single Phase 230 V Required, Welding Leads Not Included Usage: Not Available
7577	<b>Miller CP-302 Electric Welder</b> S/N: Not Available C/W: Wire Feeder Attachment, Miller S-22A Wire Feeder Usage: Not Available	7592	<b>Quantity of Lincoln Electric Welder</b> S/N: Not Available C/W: one pallet Usage: Not Available
7578	<b>Quantity of Welder, Plasma Cutter &amp; Supplies</b> S/N: Not Available C/W: Miller Gold Star 452 Electric Welder, Thermal Dynamics Pak Master 75XL Plus, Centech Battery Charger, Helmet & Leads Usage: Not Available	7593	<b>Lincoln DC-60 Skid-Mounted Electric Welder</b> S/N: SPLC43604 C/W: 3 Phase 230 V Required Usage: Not Available
7579	<b>2011 Miller Delta-Fab 375 A Stick Electric Welder</b> S/N: MB011249U C/W: 3 Phase 230 V Required, Welding Leads Not Included Usage: Not Available	7594	<b>Quantity of (5) Lincoln Red-D-Arc FX450 500 A Skid-Mounted Electric Welder</b> S/N: Not Available C/W: 3 Phase Welding Leads Not Included Usage: Not Available
7580	<b>Lincoln R35-250 Electric Welder</b> S/N: AC301756 Usage: Not Available	7595	<b>Lincoln Intervertec STT II Electric Welder</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7596	<b>Quantity of (4) Lincoln V350 350 A Skid-Mounted Electric Welder</b> S/N: Not Available C/W: 3 Phase 20 V Required, Welding Leads Usage: Not Available	7611	<b>Quantity of (2) 50 ft Twin Welding Hose Reel</b> S/N: Not Available Usage: Not Available
7597	<b>Miller Diversion 180 180 A TIG Electric Welder</b> S/N: MB020679J C/W: Single Phase 17 V Required, Welding Leads Usage: Not Available	7612	<b>Quantity of Welding Supplies</b> S/N: Not Available Usage: Not Available
7598	<b>Miller Maxstar 210 Electric Welder</b> S/N: Not Available Usage: Not Available	7613	<b>Quantity of Victor Welding Gauges &amp; Torches</b> S/N: Not Available Usage: Not Available
7599	<b>Quantity of (4) Miller XMT 350 350 A Skid-Mounted Electric Welder</b> S/N: Not Available C/W: 3 Phase Welding Leads Usage: Not Available	7614	<b>Quantity of (3) Pallets of Assorted Welding Materials</b> S/N: Not Available C/W: Lincoln LH70 Rods, Esab Spoolarc 81, Cor Met F40 Usage: Not Available
7600	<b>Quantity of (6) Miller XMT350 Electric Welder</b> S/N: Not Available Usage: Not Available	7635	<b>2004 Miller Electric Plasma Cutter</b> S/N: LE164068 C/W: Leads Usage: Not Available
7601	<b>Quantity of (4) Miller XMT 350 350 A Skid-Mounted Electric Welder</b> S/N: Not Available C/W: 3 Phase Welding Leads Usage: Not Available	7637	<b>Thermal Arc Ultima 150 Electric Welder</b> S/N: Not Available Usage: Not Available
7602	<b>Quantity of (4) Miller Electric XMT304 350 A Electric Welder</b> S/N: Not Available C/W: 3 Phase Welding Leads Usage: Not Available	7638	<b>Quantity of (3) Pneumatic Double Diaphragm Pumps</b> S/N: Not Available Usage: Not Available
7603	<b>Thermal Dynamics Pakmaster 38XL Electric Plasma Cutter</b> S/N: Not Available Usage: Not Available	7639	<b>Quantity of (3) Wokin 729516 Grease Hand Pumps</b> S/N: Not Available Usage: Not Available
7604	<b>Thermal Arc WC100B Electric Welder</b> S/N: Not Available Usage: Not Available	7640	<b>Quantity of (3) Wokin 729516 Hand Grease Pumps</b> S/N: Not Available Usage: Not Available
7606	<b>Henkel Enterprises KT50 Rod Oven</b> S/N: 614459 Usage: Not Available	7641	<b>Cellular Concrete Technologies M100 Stable Air Aerator</b> S/N: Not Available Usage: Not Available
7607	<b>Lincoln Cool Arc 40 Electric Welder</b> S/N: U1140807031 C/W: Welding Leads Usage: Not Available	7642	<b>Enerpac Hydraulic Power Pack</b> S/N: Not Available Usage: Not Available
7608	<b>Quantity of (16) 2022 Auto Darkening Welding Helmet (Unused)</b> S/N: Not Available C/W: two boxes Usage: Not Available	7643	<b>Esoc Series 250E Electric Diesel Engine Fuel Primer</b> S/N: 2500512 Usage: Not Available
7609	<b>Quantity of (3) Kobalt Welding Helmets</b> S/N: Not Available Usage: Not Available	7644	<b>Quantity of (2) Metered 12v Diesel Fuel Pump (Unused)</b> S/N: Not Available C/W: Fuel Pump Usage: Not Available
7610	<b>Quantity of (3) Kobalt Auto Darkening Variable Shade Multi Function Welding Helmets</b> S/N: Not Available Usage: Not Available	7645	<b>Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 2 in Discharge Usage: Not Available

Lot #	Details	Lot #	Details
7646	<b>Quantity of (3) Mustang MP 4800 Electric Submersible Water Pump (Unused)</b> S/N: Not Available C/W: 2 in Discharge Usage: Not Available	7659	<b>Quantity of (3) AGT WP80 Water Pump (Unused)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 1 Cylinder 7.5 hp Gasoline Engine Usage: Not Available
7647	<b>Quantity of (2) 2022 20 GPM Fuel Transfer 12V Pump (Unused)</b> S/N: Not Available Usage: Not Available	7660	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7648	<b>2022 DC12V Diesel Transfer Pump (Unused)</b> S/N: Not Available Usage: Not Available	7661	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7649	<b>2022 AC110V Diesel Transfer Pump (Unused)</b> S/N: Not Available Usage: Not Available	7662	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7650	<b>2022 AC110V Diesel Transfer Pump (Unused)</b> S/N: Not Available Usage: Not Available	7663	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7651	<b>2022 SERIES FM40 Auto Re-coil Wheel w/DC Fuel Pump (Unused)</b> S/N: 500131 Usage: Not Available	7664	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7652	<b>2022 AGROTK HRF3415 Hose Reel (Unused)</b> S/N: HRF341522081202 Usage: Not Available	7665	<b>TMG 80TWP 3 in Semi-Trash Water Pump (Unused)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7653	<b>2022 AGROTK HRF3415 Hose Reel (Unused)</b> S/N: HRF341522081201 Usage: Not Available	7666	<b>2015 Wacker Neuson PT2A Water Pump</b> S/N: 24243998 C/W: 2 in Intake, 2 in Discharge, Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available
7654	<b>Quantity of (3) AGT WP80 Water Pump (Unused)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 1 Cylinder 7.5 hp Gasoline Engine Usage: Not Available	7667	<b>2015 Wacker Neuson PT2A Water Pump</b> S/N: 24255587 C/W: 2 in Intake, 2 in Discharge, 1 Cylinder Gasoline Engine Usage: Not Available
7655	<b>Quantity of (3) AGT WP80 Water Pump (Unused)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 1 Cylinder 7.5 hp Gasoline Engine Usage: Not Available	7668	<b>2022 AGT WP-80DF3 Quantity of (5) Water Pump (Unused)</b> S/N: WP802208120105 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7656	<b>Quantity of (3) AGT WP80 Water Pump (Unused)</b> S/N: Not Available C/W: 3 in Intake, 3 in Discharge, 1 Cylinder 7.5 hp Gasoline Engine Usage: Not Available	7669	<b>Quantity of (10) 2022 AGT WP-80DF3 Water Pump (Unused)</b> S/N: WP802205230110 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7657	<b>Quantity of (5) 2022 AGT WP-80DF3 Water Pump (Unused)</b> S/N: WP802208100105 C/W: 80 mm Intake, 80 mm Discharge, Water Pump, Gasoline Engine Usage: Not Available		
7658	<b>Quantity of (5) 2022 AGT WP-80DF3 Water Pump (Unused)</b> S/N: WP802208110105 C/W: 80 mm Intake, 80 mm Discharge, Water Pump, Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
7670	<b>Quantity of (10) 2022 AGROTK WP-80DF3 Water Pump (Unused)</b> S/N: WP802208120110 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	7683	<b>TMG 12000GE 12 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available
7671	<b>25 gal Diesel Transfer Fuel Tank</b> S/N: Not Available Usage: Not Available	7684	<b>TMG 12000GE 9 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available
7672	<b>Quantity of (2) Fuel Boss 10 gpm Fuel Transfer Pumps</b> S/N: Not Available Usage: Not Available	7685	<b>TMG 12000GE 12 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available
7673	<b>AMR-3G330D 3000 psi Pressure Washer Pump</b> S/N: Not Available Usage: Not Available	7686	<b>Sun SI8000LXU 8 kW Generator Set</b> S/N: GCBCT16008998 C/W: 2013 US EPA Label, Honda GX390 1 Cylinder Gasoline Engine, /8 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available
7674	<b>AMR-3G330D 3000 psi Pressure Washer Pump</b> S/N: Not Available Usage: Not Available	7687	<b>Predator 7 kW Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7676	<b>Teran WP80L Water Pump (Unused)</b> S/N: Not Available C/W: Gasoline Engine Water Pump, 3 in Hose Diameter, Loncin 200F - 6.5 HP With Epa, Manual Start, 4-Stroke, Air-Cooled, Fuel Tank 3.5L Usage: Not Available	7688	<b>Generac 6500 Watts Generator Set</b> S/N: 3002544922 C/W: 1 Cylinder Gasoline Engine, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 82 Hr
7677	<b>Generac Guardian 22 kW Stand-By Generator Set</b> S/N: Not Available C/W: 2 Cylinder Natural Gas Engine Usage: Not Available	7689	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac Gforce 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 517 Hr
7678	<b>Generac Guardian 22 kW Stand-By Generator Set</b> S/N: Not Available C/W: 2 Cylinder Natural Gas Engine Usage: Not Available	7690	<b>Generac 6500 Watts Generator Set</b> S/N: 3002490347 C/W: 1 Cylinder Gasoline Engine Usage: 350 Hr
7679	<b>Generac Evolution 22 kW Stand-By Generator Set</b> S/N: Not Available C/W: 2 Cylinder Natural Gas Engine Usage: Not Available	7691	<b>Generac XC6500 Portable Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: 500 Hr
7680	<b>TMG 12000GE 9 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available	7692	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac Gforce 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 592 Hr
7681	<b>TMG 12000GE 9 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available		
7682	<b>TMG 12000GE 9 kW Portable Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder 459 cc Gasoline Engine, 240 V & 120 V Receptacles Usage: Not Available		

Lot #	Details	Lot #	Details
7693	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac Gforce 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 660 Hr	7703	<b>Champion 4375 Watt Dual Fuel Portable Generator Set</b> S/N: Not Available C/W: 1 Cylinder Engine Usage: Not Available
7694	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac G-Force 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 252 Hr	7704	<b>Champion 4375 Watt Dual Fuel Portable Generator Set</b> S/N: Not Available C/W: 1 Cylinder Engine Usage: Not Available
7695	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 76 Hr	7705	<b>Champion 4375 Watt Dual Fuel Portable Generator Set</b> S/N: Not Available C/W: 1 Cylinder Engine Usage: Not Available
7696	<b>Generac XC6500 6.5 kW Generator Set</b> S/N: Not Available C/W: Generac G-Force 1 Cylinder 426 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 547 Hr	7706	<b>Teran GENSET 5 kW Generator Set (Unused)</b> S/N: Not Available C/W: Gasoline Genset Model: PG6500E, Type: Brush/Single Phase, Voltage Regulate: AVR, Frequency HZ: 60, Rated AC Voltage V: 120 /240, Max AC Output KW: 6.5, Rated AC Output KW: 5.5, Power Factor COS: COS=1. Overall Dimension 718mm L X 540mm W X 570mm H Usage: Not Available
7697	<b>Generac XC6500E Portable Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, 240 V & 120 V Receptacles Usage: 211 Hr	7707	<b>Champion 3400 Watt Inverter Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7698B	<b>North Star 5500 Generator Set</b> S/N: Not Available C/W: Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available	7708	<b>Honda EU2000I 2 kW Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, /2 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7698A	<b>North Star 5500 Generator Set</b> S/N: Not Available C/W: Honda GX270 1 Cylinder Gasoline Engine Usage: Not Available	7710	<b>Honda EU2200i 2.2 kW Generator Inverter Generator Set</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, /2.2 kW, Rated Single Phase Output, 120 V Rated Voltage, 120 V Receptacles Usage: Not Available
7698	<b>2017 Wacker GP5600A Generator Set</b> S/N: 24314431 C/W: Honda GX340 1 Cylinder Gasoline Engine Usage: Not Available	7711	<b>Quantity of Landscaping Tools &amp; Equipment</b> S/N: Not Available C/W: Edger, Drills, Straps, 3 in Pump, Pressure Washer Usage: Not Available
7699	<b>Westinghouse 4.8 kW Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder Dual Fuel Engine Usage: Not Available	7712	<b>Quantity of 3/8 In Chains</b> S/N: Not Available C/W: binders, one pallet Usage: Not Available
7700	<b>Westinghouse 4.8 kW Generator Set (Unused)</b> S/N: Not Available C/W: 1 Cylinder Dual Fuel Engine Usage: Not Available	7713	<b>Quantity of 3/8 in Chains and Binders</b> S/N: Not Available C/W: one pallet Usage: Not Available
7701	<b>Guardian QP55G Generator Set</b> S/N: 3658561 C/W: 2 Cylinder Engine Usage: Not Available	7714	<b>Quantity of 3/8 in Chains and Binders</b> S/N: Not Available Usage: Not Available
7702	<b>Ryobi 4000 Watt Generator Set</b> S/N: Not Available Usage: Not Available	7715	<b>Quantity of 3/8 in Chains and Binders</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7716	<b>Quantity of 3/8 in Chains and Binders</b> S/N: Not Available Usage: Not Available	7731	<b>Quantity of 2022 Mackman 5400 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available
7717	<b>Quantity of 3/8 In Chains</b> S/N: Not Available Usage: Not Available	7732	<b>Quantity of 2022 Mackman 13000 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available
7718	<b>Quantity of 3/8 in Chains and Binders</b> S/N: Not Available Usage: Not Available	7733	<b>Quantity of 2022 Mackman 13000 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available
7719	<b>Quantity of 3/8 in Chains</b> S/N: Not Available Usage: Not Available	7734	<b>Quantity of 2022 Mackman 9200 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available
7720	<b>Quantity of 3/8 in Chains</b> S/N: Not Available Usage: Not Available	7735	<b>Quantity of 2022 Mackman 9200 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available
7721	<b>Quantity of (10) 2022 Suihe 5/16 In. Chains (Unused)</b> S/N: Not Available C/W: binders Usage: Not Available	7736	<b>Quantity of (4) 2022 Mackman 3/8 in x 13 ft legs G80 Chain Sling Set (Unused)</b> S/N: Not Available Usage: Not Available
7722	<b>Quantity of (10) 2022 Suihe 3/8" Chains (Unused)</b> S/N: Not Available C/W: Binders Usage: Not Available	7738	<b>Quantity of (4) 2022 Mackman 1/2 in x 23 ft legs G80 Adjustable Chain Sling Set (Unused)</b> S/N: Not Available Usage: Not Available
7723	<b>Quantity of 2022 Suihe (5) Ratchet Binders, (10) Chains (Unused)</b> S/N: Not Available Usage: Not Available	7739	<b>Quantity of (4) Snow Chains</b> S/N: Not Available Usage: Not Available
7724	<b>Quantity of (10) 2022 Suihe 3/8" Chains (Unused)</b> S/N: Not Available C/W: Binders Usage: Not Available	7741	<b>Quantity of (38) 2022 Suihe Shackles (Unused)</b> S/N: Not Available Usage: Not Available
7725	<b>Quantity of Chains</b> S/N: Not Available C/W: 5/16 in, 3/8 in & Binders Usage: Not Available	7742	<b>Quantity of Shackle</b> S/N: Not Available Usage: Not Available
7726	<b>Quantity of 3/8 in Chains</b> S/N: Not Available C/W: binders Usage: Not Available	7743	<b>Quantity of 2022 Mackman 1 to 3 ton Flat Webbing Sling (Unused)</b> S/N: Not Available Usage: Not Available
7727	<b>Quantity of 3/8 in Chains</b> S/N: Not Available C/W: binders Usage: Not Available	7745	<b>Quantity of 2022 Mackman 2 to 12 ton 20 ft Round Lifting Sling (Unused)</b> S/N: Not Available Usage: Not Available
7728	<b>Quantity of 3/8 in Chains</b> S/N: Not Available C/W: binders Usage: Not Available	7746	<b>Quantity of Mackman 2- 12 Ton Flat Webbing Sling (Unused)</b> S/N: Not Available Usage: Not Available
7729	<b>Quantity of 3/8 In. Chains</b> S/N: Not Available C/W: binders Usage: Not Available	7747	<b>Quantity of (16) 2022 Suihe Ratchet Tie Down (Unused)</b> S/N: Not Available Usage: Not Available
7730	<b>Quantity of 2022 Mackman 5400 lb Ratchet Binder &amp; Chains (Unused)</b> S/N: Not Available Usage: Not Available	7748	<b>Quantity of (22) 2022 Suihe Webbing Sling (Unused)</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7749	<b>Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	7763	<b>Quantity of Ridgid Pipe Threader &amp; Cutters</b> S/N: Not Available Usage: Not Available
7750	<b>Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	7764	<b>Quantity of Ridgid Pipe Dies &amp; Cutters</b> S/N: Not Available Usage: Not Available
7751	<b>Quantity of (50) 2022 2 in x 27 ft Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	7765	<b>Quantity of (3) Concrete Saws</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, (2) Stihl TS420 & (1) Wacker Neuson Usage: Not Available
7752	<b>Quantity of 1 1/2 In. x 15 Ft Tuff Tow Ratchet Straps (Unused)</b> S/N: Not Available Usage: Not Available	7766	<b>2022 Suihe 12000 lb Heavy Duty Electric Winch (Unused)</b> S/N: Not Available Usage: Not Available
7754	<b>Quantity of Contractor Tools</b> S/N: Not Available C/W: Pole Saw, Lights, Cable Locator, Drills, Blower Usage: Not Available	7767	<b>2022 Suihe 12000 lb Heavy Duty Electric Winch (Unused)</b> S/N: Not Available Usage: Not Available
7755	<b>Quantity of (7) Torque Wrenches</b> S/N: Not Available C/W: Klutch torque multiplier Usage: Not Available	7768	<b>Quantity of Yuni Air Tools (Unused)</b> S/N: Not Available Usage: Not Available
7757B	<b>Blackeslee DD-60 60 Quart Baking Mixer</b> S/N: 11665390EDD Usage: Not Available	7769	<b>Quantity of Yuni Air Tools (Unused)</b> S/N: Not Available Usage: Not Available
7757A	<b>Bizerba GSP-H Automatic Gravity Slicer</b> S/N: 11448939 Usage: Not Available	7770	<b>Quantity of 2022 Mackman HHL Hydraulic Gear Puller (Unused)</b> S/N: Not Available Usage: Not Available
7757	<b>Biro Deli/Meat Slicer</b> S/N: Not Available Usage: Not Available	7771	<b>2022 Hammer PH65A Demolition Hammer (Unused)</b> S/N: Not Available Usage: Not Available
7758	<b>Quantity of Air Tools</b> S/N: Not Available C/W: Air Saw, Air Impact, Grinders, Cutters Usage: Not Available	7772	<b>2022 Hydraulic Cylinder &amp; Piston Repair Tools (Unused)</b> S/N: Not Available Usage: Not Available
7759	<b>Quantity of Power Tools</b> S/N: Not Available C/W: Demolition hammer, circular saw, tape measure, Hilti powder actuated tool Usage: Not Available	7773	<b>Quantity of Pipe Tools</b> S/N: Not Available Usage: Not Available
7760	<b>Quantity of Electric Angle Grinder</b> S/N: Not Available Usage: Not Available	7775	<b>Quantity of (6) Pneumatic Impact Wrenches</b> S/N: Not Available C/W: Ingersoll-Rand, Blue Point Usage: Not Available
7761	<b>Quantity of Electric Angle Grinder</b> S/N: Not Available Usage: Not Available	7776	<b>Quantity of Tools</b> S/N: Not Available C/W: Hilti DX351 Tool, Bosch/Hilti Drill Bits Usage: Not Available
7762A	<b>Quantity of (3) Pneumatic Demolition Breaker</b> S/N: Not Available C/W: Bits Usage: Not Available	7777	<b>Quantity of (10) Shock Absorbing Lanyard Safety Supplies (Unused)</b> S/N: Not Available Usage: Not Available
7762	<b>Quantity of Air Tools</b> S/N: Not Available C/W: 1/2 in & 3/4 in Air Impacts, Sanders Usage: Not Available	7778	<b>Quantity of Tools</b> S/N: Not Available C/W: Lineman's Hoists, 3/4 Ton Chain Hoist, Hydraulic Crimper Usage: Not Available



Lot #	Details	Lot #	Details
7779	<b>Quantity of Operator Seats (Unused)</b> S/N: Not Available Usage: Not Available	7796	<b>APT 190 Jack Hammer</b> S/N: 318096 C/W: Assorted Bits Usage: Not Available
7780	<b>Quantity of (2) Roper Whitney Rotary Crimper Machine</b> S/N: Not Available Usage: Not Available	7797	<b>Quantity of (2) 42 in Barrel Fan</b> S/N: Not Available Usage: Not Available
7781	<b>Quantity of Heavy Duty Oil Field Work Lights</b> S/N: Not Available Usage: Not Available	7798	<b>Quantity of (2) Goldbatt Commercial Tile Saws</b> S/N: Not Available Usage: Not Available
7782	<b>Quantity of (2) Hydraulic Torque Wrenches</b> S/N: Not Available Usage: Not Available	7799	<b>Goldbatt Pro Series Tile Saws</b> S/N: Not Available Usage: Not Available
7783	<b>Quantity of Masonry Concrete Bits</b> S/N: Not Available Usage: Not Available	7800	<b>Wokin 901510 163 pc 6 Drawer Rolling Chest Tool Box</b> S/N: Not Available Usage: Not Available
7784	<b>Quantity of Radio Chargers &amp; Accessories</b> S/N: Not Available Usage: Not Available	7801	<b>Wokin 901510 163 pc 6 Drawer Rolling Chest Tool Box</b> S/N: Not Available Usage: Not Available
7785	<b>Quantity of High Speed Drill Bit</b> S/N: Not Available Usage: Not Available	7802	<b>Quantity of (2) Wokin 901501 6 Drawer Rolling Chest Tool Box</b> S/N: Not Available Usage: Not Available
7786	<b>Quantity of (2) White Boards</b> S/N: Not Available Usage: Not Available	7803	<b>Quantity of (2) Wokin 600 lb Convertible Hand Truck/Cart</b> S/N: Not Available Usage: Not Available
7788	<b>2022 Mackman HRS-60-SVD Rotating Trolleys (Unused)</b> S/N: S326839 Usage: Not Available	7804	<b>Quantity of (2) Wokin 600 lb Convertible Hand Truck/Cart</b> S/N: Not Available Usage: Not Available
7789	<b>Quantity of 2022 Mackman HHP-1000GH Hydraulic Hand Pump &amp; Cylinders (Unused)</b> S/N: Not Available Usage: Not Available	7805	<b>Quantity of (2) Wokin 1000 lb Hand Truck</b> S/N: Not Available Usage: Not Available
7790	<b>Quantity of (3) Hydraulic Torque Wrenches</b> S/N: Not Available Usage: Not Available	7806A	<b>RGC 28400 Platform Hoist</b> S/N: 16080143 C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7791	<b>Filing Cabinet</b> S/N: Not Available Usage: Not Available	7806	<b>Quantity of (2) Wokin 1000 lb Hand Truck</b> S/N: Not Available Usage: Not Available
7792	<b>Quantity of Radio Chargers &amp; Accessories</b> S/N: Not Available Usage: Not Available	7807	<b>Quantity of (10) 14 in Diamond Blades (Unused)</b> S/N: Not Available Usage: Not Available
7793	<b>Quantity of High Speed Drill Bit</b> S/N: Not Available Usage: Not Available	7808	<b>Huskie B65 Electric Demolition Breaker</b> S/N: Not Available Usage: Not Available
7794	<b>Quantity of Surveying Equipment</b> S/N: Not Available C/W: laser levels, tripods Usage: Not Available	7809	<b>Cal Hawk 4 ton Power Puller</b> S/N: Not Available Usage: Not Available
7795	<b>Anderson Hickey File Cabinet</b> S/N: Not Available Usage: Not Available	7810	<b>Quantity of (5) 25 ft 800 Amp Booster Cable (Unused)</b> S/N: Not Available Usage: Not Available
7796A	<b>Olympia 5/16 in. x 50 ft Cable Drum Machine</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7811D	<b>Multiquip HBC25B Electro Hydraulic Rebar Cutter</b> S/N: 401204 Usage: Not Available	7828	<b>Quantity of (2) 5 in Vice</b> S/N: Not Available Usage: Not Available
7811C	<b>Wacker Neuson Concrete Vibrator</b> S/N: 10815489 Usage: Not Available	7829	<b>Quantity of (2) Wokin 736150 50 ton Bottle Jack</b> S/N: Not Available Usage: Not Available
7811B	<b>Wacker Neuson Concrete Vibrator</b> S/N: 10815483 Usage: Not Available	7830	<b>Quantity of (3) Wokin 855025 14 in Metal Cutoff Saw</b> S/N: Not Available Usage: Not Available
7811A	<b>Wacker Neuson Concrete Vibrator</b> S/N: 10815492 Usage: Not Available	7831	<b>Quantity of (2) 12/24 v LED Amber Light Bars</b> S/N: Not Available Usage: Not Available
7811	<b>Quantity of (2) Mustang CV3500 Concrete Vibrator (Unused)</b> S/N: Not Available Usage: Not Available	7832	<b>Quantity of (2) 12/24 v LED Amber Light Bars</b> S/N: Not Available Usage: Not Available
7815	<b>Dewalt DXAEC210 Battery Charger</b> S/N: Not Available Usage: Not Available	7834	<b>Quantity of (3) Wokin 8 in Bench Vise</b> S/N: Not Available Usage: Not Available
7816	<b>Quantity of (3) Welding/Cutting Kits</b> S/N: Not Available Usage: Not Available	7835	<b>Quantity of (3) Wokin 736803 3 ton Jack Stands</b> S/N: Not Available Usage: Not Available
7817	<b>Dewalt D25550 Electric Rotary Hammer</b> S/N: Not Available Usage: Not Available	7836	<b>Quantity of (2) 10 ton Porta Powers</b> S/N: Not Available Usage: Not Available
7818	<b>Quantity of (2) Makita LS1219L 10 in Slide Compound Miter Saw</b> S/N: Not Available Usage: Not Available	7837	<b>Quantity of (2) Anzo USA 40 in LED Light Bars</b> S/N: Not Available Usage: Not Available
7819	<b>Stark Sand Blasting Cabinet</b> S/N: Not Available Usage: Not Available	7838	<b>Black Bull 8 in Slow Speed Bench Grinder</b> S/N: Not Available Usage: Not Available
7820	<b>Quantity of (3) Magnetic Pick-Up Sweepers</b> S/N: Not Available Usage: Not Available	7839	<b>Quantity of (4) Stark 8 ton Long Ram Double Pump Jack</b> S/N: Not Available Usage: Not Available
7821	<b>Quantity of (3) 42 in Bolt Cutters</b> S/N: Not Available Usage: Not Available	7840	<b>1/4 in Pneumatic Riveter</b> S/N: Not Available Usage: Not Available
7822	<b>Quantity of (2) Stark 2200W Demolition Breaker</b> S/N: Not Available Usage: Not Available	7841	<b>Quantity of (2) Eagle EGA700 Pneumatic Grease Guns</b> S/N: Not Available Usage: Not Available
7824	<b>Valley 2 3/4 Ton Floor Jack</b> S/N: Not Available Usage: Not Available	7842	<b>Quantity of (2) Polishmasters 11 in Waxer / Polisher</b> S/N: Not Available Usage: Not Available
7825	<b>Quantity of (2) Valley 2 3/4 Ton Floor Jack</b> S/N: Not Available Usage: Not Available	7843	<b>Reverse Osmosis System</b> S/N: Not Available Usage: Not Available
7826	<b>Quantity of (2) Anzo USA 40 in LED Light Bars</b> S/N: Not Available Usage: Not Available	7844	<b>Pneumatic Stapler / Nailer</b> S/N: Not Available Usage: Not Available
7827	<b>Quantity of (3) Wokin 736502 2 ton Trolley Jack</b> S/N: Not Available Usage: Not Available	7845	<b>Quantity of (2) Stark 29 pc Socket Sets</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7846	Quantity of (2) AWP 14 in Pro Tool Bag S/N: Not Available Usage: Not Available	7863	Quantity of (2) 22 ton Air Hydraulic Bottle Jack S/N: Not Available Usage: Not Available
7847	AWP 14 in Pro Tool Bag S/N: Not Available Usage: Not Available	7864	Quantity of (3) Wokin 736110 10 ton Bottle Jack S/N: Not Available Usage: Not Available
7848	Quantity of (2) Heavy Duty Pneumatic Staplers S/N: Not Available Usage: Not Available	7865	Quantity of (2) Black Bull 8 in Slow Speed Bench Grinder S/N: Not Available Usage: Not Available
7849	Quantity of (2) Suction Blow Guns S/N: Not Available Usage: Not Available	7866	Quantity of (2) Black Bull 8 in Slow Speed Bench Grinder S/N: Not Available Usage: Not Available
7850	Quantity of (2) Air Scraper Kits S/N: Not Available Usage: Not Available	7867	Quantity of (2) Makita XRM08 Job Site Speaker S/N: Not Available Usage: Not Available
7851	Quantity of (3) 3/8 in x 50 ft Hose Reels S/N: Not Available Usage: Not Available	7868	Quantity of (3) Makita CT226B 18 v Combo Kits S/N: Not Available Usage: Not Available
7852	Quantity of (2) 4500 lb Wood Power Winch S/N: Not Available Usage: Not Available	7869	Quantity of Wokin 4 1/2 in Aluminum Oxide Flap Grinding Discs S/N: Not Available Usage: Not Available
7853	Wood Power 8000 lb Winch S/N: Not Available Usage: Not Available	7870	Quantity of (2) Makita XTP02Z 18 v 23 ga Pin Nailers S/N: Not Available Usage: Not Available
7854	Wood Power 8000 lb Winch S/N: Not Available Usage: Not Available	7871	Quantity of (2) Makita CX200 RB Combo Kit S/N: Not Available Usage: Not Available
7855	Quantity of (2) Tack Life Multi-Purpose Circular Saw S/N: Not Available Usage: Not Available	7872	Quantity of (2) Makita LCT209W 2 pc Impact Driver & Drill Kits S/N: Not Available Usage: Not Available
7856	Quantity of (2) Tach Life Multi-Purpose Circular Saw S/N: Not Available Usage: Not Available	7873	Quantity of (2) Makita GA7021 7 in Angle Grinder S/N: Not Available Usage: Not Available
7857	Quantity of (2) Tach Life Multi-Purpose Circular Saw S/N: Not Available Usage: Not Available	7874	Quantity of (3) Torq 30 pc Screw Driver Sets S/N: Not Available Usage: Not Available
7858	Quantity of (2) Wokin 736703 3 ton Low Profile Floor Jack S/N: Not Available Usage: Not Available	7875	Quantity of (2) 20 ft x 25 ft Fema Tarps S/N: Not Available Usage: Not Available
7860	Quantity of (4) Pro Start 20 ft 4 Gauge Heavy Duty Booster Cable S/N: Not Available Usage: Not Available	7876	Quantity of (3) Makita AN923 Framing Nailers S/N: Not Available Usage: Not Available
7861	Quantity of (2) Eagle 3/8 in x 50 ft Auto Hose Reels S/N: Not Available Usage: Not Available	7877	Quantity of (3) Makita 5477NB Hypoid Saws S/N: Not Available Usage: Not Available
7862	Quantity of (3) 2.4 hp Horizontal Shaft Gas Engine S/N: Not Available Usage: Not Available	7878	Quantity of (2) Makita XSL02Z 18 v Slide Compound Miter Saws S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
7879	Quantity of (3) Tire Mount/Dismount Tool S/N: Not Available Usage: Not Available	7896	Quantity of (2) Teran 7H1680 Grease Pump (Unused) S/N: Not Available C/W: Included 5 ft Long 1.5 Mts Steel-Wired Hose Couplings on both ends and 5 Grease Nipples Usage: Not Available
7880	Quantity of (2) Makita HP2050 Hammer Drills S/N: Not Available Usage: Not Available	7897	Quantity of (10) Teran 8F9866 Grease Guns (Unused) S/N: Not Available C/W: 6 in Pipe Usage: Not Available
7881	Quantity of (2) Makita JV0600K Jig Saws S/N: Not Available Usage: Not Available	7898	Quantity of (4) 100 Ft Heavy Duty Extension Cable (Unused) S/N: Not Available Usage: Not Available
7882	Quantity of (2) 6 Ton Jack Stands S/N: Not Available Usage: Not Available	7899	Quantity of (3) 1 Gauge 25 Ft 1000 AMP Booster Cable (Unused) S/N: Not Available Usage: Not Available
7883	Quantity of (3) Makita HR2641 Rotary Hammers S/N: Not Available Usage: Not Available	7900	Quantity of (2) Big Red 2 ton Double Gear Come-A-Longs S/N: Not Available Usage: Not Available
7884	Quantity of (2) Makita JV0600K Top Handle Jig Saws S/N: Not Available Usage: Not Available	7901	Quantity of (2) 4 1/2 in Handheld Masonry Tile Saws S/N: Not Available Usage: Not Available
7885	Skil 100 ft Range 360 Degree Laser Kit S/N: Not Available Usage: Not Available	7902	Quantity of (3) 2000 lb Trailer Jack S/N: Not Available Usage: Not Available
7886	Quantity of (2) Wokin Tool 98 pc Socket Sets S/N: Not Available Usage: Not Available	7903	Quantity of (3) Stanley Hard Hats S/N: Not Available Usage: Not Available
7887	Quantity of (2) Wokin Tool 98 pc Socket Sets S/N: Not Available Usage: Not Available	7904	Quantity of (2) Makita XDT131 Impact Driver S/N: Not Available Usage: Not Available
7888	Quantity of (2) 14 In. Metal Cutoff Saw (Unused) S/N: Not Available Usage: Not Available	7905	Quantity of (2) 2000 lb ATV Winch S/N: Not Available Usage: Not Available
7890	22 ton Air Hydraulic Floor Jack S/N: Not Available Usage: Not Available	7906	Quantity of (3) Stainless Steel Roll Around Tool Box S/N: Not Available Usage: Not Available
7891	Quantity of (2) 2000 lb ATV Winch S/N: Not Available Usage: Not Available	7907	Schumacher 250 amp Battery Charger S/N: Not Available Usage: Not Available
7892	Quantity of (2) Makita 9557PB Angle Grinders S/N: Not Available Usage: Not Available	7908	Schumacher 200 amp Battery Charger S/N: Not Available Usage: Not Available
7893	Quantity of (2) Long Shank Pneumatic Impact Wrenches S/N: Not Available Usage: Not Available	7909	Quantity of (3) 1 ton Chain Construction Hoist S/N: Not Available Usage: Not Available
7894	Quantity of (3) Makita KP0800 3 1/4 in Planers S/N: Not Available Usage: Not Available	7910	Quantity of (2) Stark 21 pc 3/4 in DR Socket Sets S/N: Not Available Usage: Not Available
7895	Quantity of (6) Makita Impact Wrench S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7911	Quantity of (2) 10 pc Combination Wrench Sets S/N: Not Available Usage: Not Available	7928	2022 50 Ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available
7912	Quantity of (3) Makita KP0800 Planer S/N: Not Available Usage: Not Available	7929	2022 50 Ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available
7913	Simplified Stretch Plastic Wrap Machine S/N: Not Available Usage: Not Available	7930	20 Ton Shop Press S/N: Not Available Usage: Not Available
7914A	Quantity of (2) Cart Jacks S/N: Not Available Usage: Not Available	7932	3/4 in Hose Coil S/N: Not Available Usage: Not Available
7914	Lee Mfg 5 ft x 5 ft Electric Lift Table S/N: Not Available Usage: Not Available	7933C	Quantity of Fluorescent Lighting Fixtures S/N: Not Available Usage: Not Available
7915	Aluminum Diamond Plate Truck Tool Box S/N: Not Available Usage: Not Available	7933B	Quantity of (5) Pallets of Assorted Contractor Supplies S/N: Not Available C/W: Misc. Parts, Cables, Slings Usage: Not Available
7916	2022 400 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	7933A	Quantity of (4) Pallets of Assorted Contractor Supplies S/N: Not Available C/W: Misc. Parts, Ground Jumpers, Safety Flagging, High Voltage Mats Usage: Not Available
7917	2022 400 lb Steel Anvil (Unused) S/N: Not Available Usage: Not Available	7933	Quantity of Contractor Supplies S/N: Not Available Usage: Not Available
7918	2022 Suihe 200 lbs Cast Iron Anvil (Unused) S/N: Not Available Usage: Not Available	7934	Water Pump S/N: Not Available C/W: 2 in Intake, 2 in Discharge Usage: Not Available
7919	2022 AGROTK AGT-SP100 100 Ton Air /Hydraulic Shop Press (Unused) S/N: SP10022081001 Usage: Not Available	7935	MMO-80010J Milling Machine S/N: 937720 Usage: Not Available
7920	TMG SP100 100 Ton Air/Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available	7936	Quantity of (2) Pallets of Assorted Valves & Pipe Fittings S/N: Not Available Usage: Not Available
7921	TMG Industrial SP150 Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available	7937	Quantity of (2) 10 Ton Porta Power Hydraulic Body Frame Repair Kit (Unused) S/N: Not Available Usage: Not Available
7923	2022 100 Ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available	7938	Assorted Copper Tubing S/N: Not Available C/W: 3/8 in, 1 1/8 in Usage: Not Available
7924	2022 AGROTK AGT-SP100 100 ton Air /Hydraulic Shop Press (Unused) S/N: SP10022081201 Usage: Not Available	7939	Quantity of Military Radios S/N: Not Available C/W: Bolt Cutters Usage: Not Available
7925	2022 AGROTK AGT-SP75 75 ton Air/Hydraulic Shop Press (Unused) S/N: SP7522081201 Usage: Not Available	7940	Quantity of Qty of Restaurant Machines S/N: Not Available C/W: Meat Slicer, Film Wrappers, Saw Usage: Not Available
7926	2022 AGROTK AGT-SP75 75 Ton Air/Hydraulic Shop Press (Unused) S/N: SP7522081001 Usage: Not Available		
7927	2022 50 Ton Hydraulic Shop Press (Unused) S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7941	<b>Quantity of (2) 18500 BTU Air Conditioner</b> S/N: Not Available Usage: Not Available	7961	<b>Quantity of (2) Thermo Scientific Medical Freezers</b> S/N: Not Available Usage: Not Available
7942	<b>Quantity of Hydraulic Hose</b> S/N: Not Available Usage: Not Available	7962	<b>Zeiss EM10C High Resolution Electron Microscope</b> S/N: Not Available C/W: Camera Controller, Exposure Control, Goniometer Usage: Not Available
7943	<b>Quantity of (4) Copeland Condensing Units</b> S/N: Not Available C/W: one pallet Usage: Not Available	7963	<b>Hobart L800 Commercial Mixer</b> S/N: 111030235 Usage: Not Available
7944	<b>Quantity of (3) ECI 900 Control Panel</b> S/N: Not Available Usage: Not Available	7964	<b>Cooler</b> S/N: Not Available Usage: Not Available
7945	<b>Reliance 980 Examination Chair</b> S/N: 10573 Usage: Not Available	7965	<b>4 Bank Deep Fryer</b> S/N: Not Available Usage: Not Available
7947	<b>Quantity of (2) Wascomat Clothes Washer</b> S/N: Not Available Usage: Not Available	7966	<b>Fry Master 2 Vat Electric Fryer</b> S/N: Not Available Usage: Not Available
7948	<b>Quantity of (2) Wascomat Clothes Washer</b> S/N: Not Available Usage: Not Available	7967	<b>L Shaped Office Desk</b> S/N: Not Available Usage: Not Available
7949	<b>Hilti Ceiling Clips (Unused)</b> S/N: Not Available Usage: Not Available	7968	<b>Scotsman ITS700SG-31 Ice Machine</b> S/N: Not Available C/W: Ice Cart Usage: Not Available
7950	<b>Quantity of (14) Space Heater</b> S/N: Not Available C/W: 480 V Input, Q Mark, Indeeco Usage: Not Available	7969	<b>Scotsman F1222L-1D Ice Machine</b> S/N: 15081320014464 C/W: Ice Cart Usage: Not Available
7951	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7970	<b>Ice O Matic ICEU220HA3 Ice Machine</b> S/N: 14101280012446 Usage: Not Available
7952	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7972	<b>Leer L462LASE Freezer</b> S/N: 141103391 Usage: Not Available
7953	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7973	<b>60 Quart Dough Mixer</b> S/N: Not Available Usage: Not Available
7954	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7975	<b>Quantity of (9) Primo Water Dispensers</b> S/N: Not Available C/W: one pallet Usage: Not Available
7955	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7976	<b>Coca-Cola Refrigerator</b> S/N: 8181853 Usage: Not Available
7956	<b>Quantity of Work Gloves (Unused)</b> S/N: Not Available Usage: Not Available	7977	<b>True GDM-30-LD Refrigerator</b> S/N: 8156965 Usage: Not Available
7958	<b>Packing Machine</b> S/N: Not Available Usage: Not Available	7978	<b>Delfield Refrigerator</b> S/N: Not Available Usage: Not Available
7959	<b>Hirayama HA300MII Auto Clave</b> S/N: 910882617 Usage: Not Available		
7960	<b>Kenmore Stackable Washer and Dryer</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
7979	<b>Randell BC-5 Blast Chiller</b> S/N: W18523711 Usage: Not Available	8002	<b>Walk-Behind Stump Grinder</b> S/N: Not Available C/W: 2021 US EPA Label, Kohler Command Pro 1 Cylinder 14 hp 429 cc Gasoline Engine, 12 in Grinding Wheel Usage: Not Available
7981	<b>Randell BC-5 Blast Chiller</b> S/N: Not Available Usage: Not Available	8003	<b>Quantity of (8) Ryobi 40 V Snow Blower</b> S/N: Not Available Usage: Not Available
7982	<b>Fry Master 3 Vat Gas Fryer</b> S/N: Not Available Usage: Not Available	8004	<b>Quantity of (2) Little Wonder Walk Behind Blowers</b> S/N: Not Available C/W: 1 Cylinder 6 hp Gasoline Engine Usage: Not Available
7983	<b>Biro Meat Grinder</b> S/N: Not Available Usage: Not Available	8005	<b>Massimo 34 in Walk Behind Crawler Snow Blower (Unused)</b> S/N: 2010P0653 C/W: Loncin 1 Cylinder 375 cc Gasoline Engine Usage: Not Available
7984	<b>Mettler Toledo Deli Meat Thermal Label Printer</b> S/N: B536385353 Usage: Not Available	8006	<b>Troy-Bilt Storm 2665 26 in Self Propelled Snow Blower</b> S/N: 1J036B10004 C/W: Troy-Bilt 1 Cylinder 243 cc Gasoline Engine Usage: Not Available
7985	<b>Therma Tek 6 Burner Gas Stove</b> S/N: Not Available Usage: Not Available	8007	<b>Cub Cadet 2X 26 in Snow Blower</b> S/N: 1F049B40338 C/W: Cub Cadet 1 Cylinder Gasoline Engine Usage: Not Available
7986	<b>Blodgett Electric Double-Stacked Oven</b> S/N: Not Available Usage: Not Available	8008	<b>Yard Force 24 in Dual Stage Snow Blower</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7987	<b>Hobart KA7EM Double Oven</b> S/N: Not Available Usage: Not Available	8009	<b>Yard Force 24 in Dual Stage Snow Blower</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
7988	<b>Primo Commercial Stand Mixer</b> S/N: Not Available Usage: Not Available	8010	<b>Cub Cadet 52 in Ag Tractor Snow Blower</b> S/N: Not Available Usage: Not Available
7989	<b>Steromaster MK2 Autoclave</b> S/N: 466474 Usage: Not Available	8011	<b>2000 Brouwer MK213 Sod Cutter</b> S/N: 4717 C/W: Honda GX160 1 Cylinder Gasoline Engine Usage: Not Available
7990	<b>Blodgett Double-Stacked Oven</b> S/N: Not Available Usage: Not Available	8012	<b>TMG GWC6 Tow-Behind Wood Chipper (Unused)</b> S/N: Not Available C/W: Kohler Command Pro 1 Cylinder 14 hp 429 cc Gasoline Engine, 6 in Feed Opening, Ball Hitch Usage: Not Available
7991	<b>Double Stack Pizza Oven</b> S/N: Not Available Usage: Not Available	8013	<b>Quantity of (2) Craftsman 42 in Lawn Sweepers</b> S/N: Not Available Usage: Not Available
7996	<b>Armor 64 Gun Safe</b> S/N: 2105280200112 Usage: Not Available	8014	<b>Assorted Landscaping Tools (Unused)</b> S/N: Not Available C/W: 24 pcs: (6) 16 in Bulldog Drain Spades, (6) Wood Handle Garden Hoes, (6) Round Point Shovels, (6) Wood Handle Spade Forks Usage: Not Available
7997	<b>Armor 64 Gun Safe</b> S/N: 2105281150195 Usage: Not Available		
7998	<b>Armor 40 Gun Fire Safe</b> S/N: 210424071870096 Usage: Not Available		
7999	<b>Armor 40 Gun Fire Safe</b> S/N: 2107240740159 Usage: Not Available		
8000	<b>Armor 24 Gun Safe</b> S/N: Not Available Usage: Not Available		
8001	<b>Chevrolet Tailgate 48 in Metal Bench</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
8015	<b>Quantity of Ames True Temper Landscape Tools</b> S/N: Not Available C/W: (6) Scotts Spades Shovels, (6) Plastic Lawn Rakes, (6) Metal Garden Rakes, (6) Shovels Usage: Not Available	8030	<b>Valley Universal Class III/IV Receiver Hitch</b> S/N: Not Available Usage: Not Available
8016	<b>Quantity of (3) Tractor Roll Bars</b> S/N: Not Available Usage: Not Available	8031	<b>Valley Universal Class III/IV Receiver Hitch</b> S/N: Not Available Usage: Not Available
8017	<b>9 Ton Log Splitter</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	8033	<b>Valley Universal Class III/IV Receiver Hitch</b> S/N: Not Available Usage: Not Available
8018	<b>9 Ton Log Splitter</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	8034	<b>Quantity of (5) 5 gal Utility Jugs</b> S/N: Not Available Usage: Not Available
8019	<b>Quantity of (6) 1 gal RL Flowmaster Sprayers (Unused)</b> S/N: Not Available Usage: Not Available	8035	<b>Green Wind Mill</b> S/N: Not Available Usage: Not Available
8020	<b>Echo Back Pack Leaf Blower</b> S/N: Not Available Usage: Not Available	8036	<b>Quantity Of (2) 7 ft Kayak</b> S/N: Not Available C/W: 1 Passenger Usage: Not Available
8021	<b>Quantity of (3) Wokin 685006 6 cu ft Wheel Barrow</b> S/N: Not Available Usage: Not Available	8037	<b>Bigfoot Shooting Target</b> S/N: Not Available Usage: Not Available
8022	<b>Quantity of (3) Wokin 685006 6 cu ft Wheel Barrow</b> S/N: Not Available Usage: Not Available	8038	<b>Alien Shooting Target</b> S/N: Not Available Usage: Not Available
8023	<b>Quantity of (3) 16 in Chain Saw</b> S/N: Not Available Usage: Not Available	8039	<b>Quantity of (4) Wildlife Shooting Targets (Unused)</b> S/N: Not Available Usage: Not Available
8024	<b>Stihl Magnum Chain Saw</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, 20 in Bar Usage: Not Available	8040	<b>Quantity of (4) Wildlife Shooting Targets (Unused)</b> S/N: Not Available Usage: Not Available
8025	<b>Quantity of (4) Tractor Seats</b> S/N: Not Available Usage: Not Available	8041	<b>Quantity of (3) Knaack 139 Tool Cabinet</b> S/N: Not Available C/W: Reflective Vests Usage: Not Available
8026	<b>Quantity of (2) Husqvarna Deluxe Tractor Seats</b> S/N: Not Available Usage: Not Available	8042	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Contractor Supplies Usage: Not Available
8027	<b>Quantity of (2) Husqvarna Deluxe Tractor Seats</b> S/N: Not Available Usage: Not Available	8043	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Contractor Supplies Usage: Not Available
8028	<b>Quantity of (2) Makita XBU02Z-C Brushless Blowers</b> S/N: Not Available Usage: Not Available	8044	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available
8029	<b>Quantity of (2) Makita XHRU02Z Cordless String Trimmer</b> S/N: Not Available Usage: Not Available	8045	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available
		8046	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available



Lot #	Details	Lot #	Details
8047	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available	8062	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor supplies Usage: Not Available
8048	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available	8063	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor supplies Usage: Not Available
8049	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available	8064	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available
8050	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor Supplies Usage: Not Available	8064	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available
8053	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc. Contractor Supplies Usage: Not Available	8064	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available
8053	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available	8065	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available
8053	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available	8065	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Assorted Contractor Supplies Usage: Not Available
8054	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available	8065	<b>Knaack Job Site Box</b> S/N: Not Available Usage: Not Available
8055	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available	8066	<b>2006 Princeton Z2-3TX 4500 lb 3x3 Truck Mounted Forklift</b> S/N: 112527 C/W: 2 Stage Mast, 118 in Max Lift Height, 98 in Lowered Mast Height, 47 in Forks, Side Shift, Kubota 3 Cylinder Diesel Engine Usage: Not Available
8056	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Misc Contractor supplies Usage: Not Available	8069	<b>Mitsubishi FD55N1 12000 lb Cushion Tire Forklift</b> S/N: AF28D80027 C/W: 3 Stage Mast, 93 in Lowered Mast Height, 47 in Forks, Side Shift, Perkins 4 Cylinder Diesel Engine Usage: 3,599 Hr
8057	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available	8070	<b>2009 Mitsubishi FD50K 11000 lb Diesel Pneumatic Tire Forklift</b> S/N: AF28BZ0242 C/W: 3 Stage Mast, 189 in Max Lift Height, 93 in Lowered Mast Height, 47 in Forks, Side Shift, 6 Cylinder Diesel Engine Usage: 9,764 Hr
8058	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available	8071	<b>2012 Cat PD9000 9000 lb Diesel Pneumatic Tire Forklift</b> S/N: AT19D50224 C/W: 3 Stage Mast, 89 in Lowered Mast Height, 46 in Forks, Side Shift, Cat 6 Cylinder Diesel Engine Usage: 10,270 Hr
8059	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available		
8060	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: Miscellaneous Contractor Supplies Usage: Not Available		
8061	<b>Quantity of (3) Knaack Job Site Box</b> S/N: Not Available C/W: misc Contractor supplies Usage: Not Available		

Lot #	Details	Lot #	Details
8072	<b>Daewoo 8000 ton Diesel Pneumatic Tire Forklift</b> S/N: Not Available C/W: 3 Stage Mast, 167 in Max Lift Height, 96 in Lowered Mast Height, 72 in Forks, Side Shift, 4 Cylinder Diesel Engine, NO BRAKES Usage: 491 Hr	8093	<b>Toyota 8FGCU25 4500 lb Cushion Tire Forklift</b> S/N: 80124 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, 4 Cylinder LPG Engine Usage: 3,248 Hr
8076	<b>Daewoo G30P-5 5550 lb Dual Fuel Pneumatic Tire Forklift</b> S/N: FGA0C133002056 C/W: 3 Stage Mast, 186 in Max Lift Height, 83 in Lowered Mast Height, 42 in Forks, Side Shift, US EPA Label, 4 Cylinder Dual Fuel Engine Usage: 5,580 Hr	8094	<b>Toyota 8FGCU25 1700 lb Cushion Tire Forklift</b> S/N: 40126 C/W: 4 Stage Mast, 276 in Max Lift Height, 95 in Lowered Mast Height, 42 in Forks, Side Shift, Toyota 4YECS 4 Cylinder 38 kW 2.23 L LPG Engine Usage: 2,750 Hr
8077	<b>2008 Daewoo D30S Pneumatic Tire Forklift</b> S/N: GT307395 C/W: 3 Stage Mast, 182 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Side Shift, 2000 US EPA Label, 4 Cylinder Diesel Engine Usage: Not Available	8096	<b>Toyota 7FGCU25 4500 lb Cushion Tire Forklift</b> S/N: 89436 C/W: 3 Stage Mast, 189 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, 2004 US EPA Label, 4 Cylinder 33 kW 2.23 L LPG Engine Usage: Not Available
8080	<b>Clark 4850 lb Diesel Pneumatic Tire Forklift</b> S/N: 10592 C/W: 3 Stage Mast, 188 in Max Lift Height, 84 in Lowered Mast Height, 59 in Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 4,594 Hr	8097	<b>Hyster S50FT 5000 lb Cushion Tire Forklift</b> S/N: G187V03024M C/W: 2 Stage Mast, 82 in Max Lift Height, 60 in Lowered Mast Height, 40 in Forks, 2014 US EPA Label, 4 Cylinder LPG Engine Usage: Not Available
8082	<b>2012 Toyota 8FGU25 4500 lb Dual Fuel Pneumatic Tire Forklift</b> S/N: 39900 C/W: 2 Stage Mast, 189 in Max Lift Height, 30 in Lowered Mast Height, 41 in Forks, Side Shift, 2012 US EPA Label, Toyota 4 Cylinder 2.23 L Dual Fuel Engine Usage: Not Available	8098	<b>Hyster S50XL Cushion Tire Forklift</b> S/N: D187V09734V C/W: 3 Stage Mast, 82 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: Not Available
8083	<b>2011 Nissan MP1F2A25LS 4300 lb LPG Pneumatic Tire Forklift</b> S/N: P1F29H5227 C/W: 3 Stage Mast, 177 in Max Lift Height, 83 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 6,502 Hr	8099A	<b>Cat GC15K 2700 lb Cushion Tire Forklift</b> S/N: 2EM02977 C/W: 3 Stage Mast, 189 in Max Lift Height, 81 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 1,671 Hr
8084	<b>2016 Toyota 8FGCU25 4250 lb Cushion Tire Forklift</b> S/N: 21016 C/W: 2 Stage Mast, 80 in Max Lift Height, 57 in Lowered Mast Height, 37 in Forks, 2008 US EPA Label, Toyota 4 Cylinder LPG Engine Usage: 10,140 Hr	8099	<b>Crown 4550 ton Cushion Tire Forklift</b> S/N: 9A196141 C/W: 3 Stage Mast, 188 in Max Lift Height, 85 in Lowered Mast Height, 52 in Forks, Auxiliary Hydraulic Plumbing, Side Shift, 4 Cylinder LPG Engine Usage: 2,917 Hr
8091	<b>1992 Toyota 02-5FD30 6000 lb Cushion Tire Forklift</b> S/N: FD30-61002 C/W: 3 Stage Mast, 185 in Max Lift Height, 88 in Lowered Mast Height, 42 in Forks, Side Shift, Toyota 4 Cylinder Diesel Engine Usage: 4,120 Hr	8100	<b>Clark GSC25MB 4500 lb Cushion Tire Forklift</b> S/N: 04346410FA C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 48 in Forks, 4 Cylinder Diesel Engine Usage: 4,648 Hr
8092	<b>2009 Toyota 42FGC18 3300 lb LPG Pneumatic Tire Forklift</b> S/N: 404FGC2518262 C/W: 3 Stage Mast, 185 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 5,676 Hr	8101A	<b>Nissan CPJ01A18PV 2850 lb Cushion Tire Forklift</b> S/N: CPJ01-9N2417 C/W: 3 Stage Mast, 193 in Max Lift Height, 82 in Lowered Mast Height, 36 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: Not Available
		8101	<b>Nissan KCPH01A15PV Cushion Tire Forklift</b> S/N: KCPH01P903183 C/W: 3 Stage Mast, 82 in Lowered Mast Height, 40 in Forks, Side Shift, Nissan 4 Cylinder LPG Engine Usage: 4,542 Hr

Lot #	Details	Lot #	Details
8103	<b>Raymond EF-4D-R45TT 4500 lb Electric Forklift</b> S/N: EF13AF52357 C/W: 2 Stage Mast, 250 in Max Lift Height, 114 in Lowered Mast Height, 24 in Forks, 36 V, Battery Charger Usage: Not Available	8114	<b>2015 JLG 66SJ 4WD Diesel Telescopic Boom Lift</b> S/N: 0300200827 C/W: 66 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,877 Hr
8104	<b>Raymond 2040DR40TN 4000 lb Electric Forklift</b> S/N: 020D9034395 C/W: 2 Stage Mast, 126 in Max Lift Height, 111 in Lowered Mast Height, 28 in Forks, 24 V, Battery Charger Usage: Not Available	8115	<b>2015 Genie S-65 4WD Diesel Telescopic Boom Lift</b> S/N: S6015A30427 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Hydraulic Leveling, Power to Platform, 2015 US EPA Label, Deutz D2.9L4 4 Cylinder 36.4 kW 2.9 L Diesel Engine, 355 /55D625 Tires Usage: 4,413 Hr
8105	<b>Raymond 204DR30TT 3000 lb Electric Forklift</b> S/N: 0208726411 C/W: 2 Stage Mast, 216 in Max Lift Height, 96 in Lowered Mast Height, 28 in Forks, 24 V, Battery Charger Usage: 7,361 Hr	8116	<b>2014 Genie S-65 4WD Diesel Telescopic Boom Lift</b> S/N: S6014A29110 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 6,077 Hr
8106	<b>Raymond 204DR30TT 3000 lb Electric Forklift</b> S/N: 0208726412 C/W: 2 Stage Mast, 216 in Max Lift Height, 100 in Lowered Mast Height, 24 in Forks, 24 V, Battery Charger Usage: 3,290 Hr	8117	<b>2015 Genie S-60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X15A30201 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 4,035 Hr
8108	<b>2015 Genie S125 4WD Diesel Telescopic Boom Lift</b> S/N: S12515D1200 C/W: 125 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 3,163 Hr	8118	<b>2015 Genie S-60 4WD Diesel Telescopic Boom Lift</b> S/N: S60X15A30045 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,497 Hr
8110	<b>2012 Genie S125 4WD Diesel Telescopic Boom Lift</b> S/N: S12512D220 C/W: 125 ft 2 in Max Lift Height, 500 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine, IN445/50D710 Tires Usage: 4,345 Hr	8119	<b>2013 Genie S-60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X1325130 C/W: 60 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, 2012 US EPA Label, Deutz 3 Cylinder 49 hp 2.3 L Diesel Engine, 355/55D625 Foam-Filled Tires Usage: 3,428 Hr
8111	<b>2015 JLG 860SJ 4WD Diesel Telescopic Boom Lift</b> S/N: 0300202011 C/W: 86 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,480 Hr	8120	<b>2012 Genie S-60X 4WD Diesel Telescopic Boom Lift</b> S/N: S60X1223277 C/W: 60 ft Max Lift Height, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 1,659 Hr
8112	<b>2013 Genie S-85 4WD Diesel Telescopic Boom Lift</b> S/N: S851310075 C/W: 85 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 6,178 Hr	8123	<b>2015 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451520542 C/W: 45 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 1,879 Hr
8113	<b>2008 Genie S-85 4WD Diesel Telescopic Boom Lift</b> S/N: S80087152 C/W: 85 ft Max Lift Height, Jib, Oscillating Axle, Extendable Axles, Power to Platform, Deutz 4 Cylinder Diesel Engine, Track Shoes Usage: 7,029 Hr		

Lot #	Details	Lot #	Details
8124	<b>2015 Genie S-45 4WD Diesel Telescopic Boom Lift</b> S/N: S451521599 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,223 Hr	8132	<b>2014 Genie S-40 4WD Diesel Telescopic Boom Lift</b> S/N: S401419899 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 3,041 Hr
8125	<b>2015 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451521623 C/W: 45 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 4,135 Hr	8136	<b>2012 JLG 800AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300156482 C/W: 80 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,944 Hr
8126	<b>2014 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451419811 C/W: 45 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,690 Hr	8137	<b>2012 JLG 800AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300155952 C/W: 80 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,381 Hr
8127	<b>2014 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451419829 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,952 Hr	8138	<b>2014 Genie Z-80/60 4WD Diesel Articulating Boom Lift</b> S/N: Z80145102 C/W: 80 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,972 Hr
8128	<b>2014 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451418951 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 3,763 Hr	8139	<b>2014 Genie Z80/60 4WD Diesel Articulating Boom Lift</b> S/N: Z80145100 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,889 Hr
8129	<b>2014 Genie S-45 4WD Diesel Telescopic Boom Lift</b> S/N: S451419211 C/W: 45 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 4,571 Hr	8140	<b>2014 Genie Z-80/60 4WD Diesel Telescopic Boom Lift</b> S/N: Z80144770 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,274 Hr
8130	<b>2013 Genie S45 4WD Diesel Telescopic Boom Lift</b> S/N: S451317906 C/W: 45 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Perkins 404d-22 4 Cylinder Diesel Engine Usage: 5,216 Hr	8142	<b>2013 Genie Z80 4WD Diesel Articulating Boom Lift</b> S/N: Z80133884 C/W: 78 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,831 Hr
8131	<b>2014 Genie S-40 4WD Diesel Telescopic Boom Lift</b> S/N: S401419685 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 2,926 Hr	8143	<b>2013 Genie Z-80/60 4WD Diesel Telescopic Boom Lift</b> S/N: Z80134580 C/W: 80 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,904 Hr

Lot #	Details	Lot #	Details
8144	<b>2014 JLG 600AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300186903 C/W: 60 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 4 Cylinder Diesel Engine Usage: 2,566 Hr	8152	<b>2006 Genie Z-60/34 4WD Diesel Articulating Boom Lift</b> S/N: Z60065553 C/W: 60 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 3,754 Hr
8145	<b>2014 Genie Z-60/34 4WD Diesel Articulating Boom Lift</b> S/N: Z601414065 C/W: 60 ft 4 in Max Lift Height, Jib, Hydraulic Leveling, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 2,638 Hr	8153	<b>2015 JLG 450 AJ 4WD Diesel Articulating Boom Lift</b> S/N: 0300208927 C/W: 45 ft Max Lift Height, 550 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,238 Hr
8146	<b>2014 Genie Z-60/34 2WD Diesel Articulating Boom Lift</b> S/N: Z601414059 C/W: 60 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 2,482 Hr	8156	<b>2013 Genie Z45/25 4WD Diesel Articulating Boom Lift</b> S/N: Z452513A48376 C/W: 46 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Onboard Generator, Deutz 3 Cylinder Diesel Engine Usage: 2,978 Hr
8147	<b>2014 Genie Z-60/34 2WD Diesel Articulating Boom Lift</b> S/N: Z601414010 C/W: 60 ft 4 in Max Lift Height, Jib, Oscillating Axle, Hydraulic Leveling, Deutz 3 Cylinder Diesel Engine Usage: 2,360 Hr	8160	<b>2018 Genie Z45/25J Electric Articulating Boom Lift</b> S/N: Z4525F-59209 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 245 Hr
8148	<b>2013 Genie Z60-34 4WD Diesel Articulating Boom Lift</b> S/N: Z601313029 C/W: 60 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 2,923 Hr	8161	<b>2018 Genie Z45/25J Electric Articulating Boom Lift</b> S/N: Z4525F59207 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 334 Hr
8149	<b>2013 Genie Z-60/34 4WD Diesel Articulating Boom Lift</b> S/N: Z601313036 C/W: 60 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 3,587 Hr	8162	<b>2018 Genie Z4525J Electric Articulating Boom Lift</b> S/N: Z4525F59211 C/W: 45 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 167 Hr
8150	<b>2013 Genie Z80/60 4WD Diesel Articulating Boom Lift</b> S/N: Z80134555 C/W: 80 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,311 Hr	8163	<b>2018 Genie Z45/25J Electric Articulating Boom Lift</b> S/N: Z4525F60243 C/W: 45 ft Max Lift Height, Jib, Power to Platform Usage: 123 Hr
8151	<b>2008 Genie Z60-34 4WD Diesel Articulating Boom Lift</b> S/N: Z60089342 C/W: 60 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine Usage: 651 Hr	8165	<b>2013 Genie Z-40/23N Electric Articulating Boom Lift</b> S/N: Z40N132290 C/W: 40 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 941 Hr
		8166	<b>2014 Genie Z-34/22N Electric Articulating Boom Lift</b> S/N: Z34N1411306 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Non-Marking Tires Usage: 665 Hr

Lot #	Details	Lot #	Details
8167	<b>2014 Genie Z-34/22N Electric Articulating Boom Lift</b> S/N: Z34N1411032 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, Non-Marking Tires Usage: 659 Hr	8180	<b>2018 Skyjack SJ6832RT Dual Fuel 4x4 Scissor Lift</b> S/N: 37011557 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box, US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 435 Hr
8168	<b>2013 Genie Z34/22 Electric Articulating Boom Lift</b> S/N: Z34139357 C/W: 34 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform Usage: 517 Hr	8181	<b>2014 MEC 3259ERT Electric 4x4 Scissor Lift</b> S/N: 13100176 C/W: 32 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Stabilizers, Foam Filled Tires, Upper Control Box Usage: 141 Hr
8169	<b>2014 JLG E300AJP Electric Articulating Boom Lift</b> S/N: 0300194246 C/W: 30 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Power to Platform, 25 x 7 x 12 Solid Tires Usage: 152 Hr	8183	<b>2015 Genie GS2669RT Diesel 4x4 Scissor Lift</b> S/N: GS69157070 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Diesel Engine Usage: 768 Hr
8172	<b>2014 Genie GS4390RT Diesel Scissor Lift</b> S/N: GS901449354 C/W: 43 ft Max Lift Height, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, Deutz 3 Cylinder Diesel Engine Usage: 1,920 Hr	8184	<b>2015 Genie GS2669RT Diesel 4x4 Scissor Lift</b> S/N: GS69157164 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2014 US EPA Label, Kubota 4 Cylinder Diesel Engine Usage: 1,315 Hr
8173	<b>2014 Genie GS4390 Diesel 4x4 Scissor Lift</b> S/N: GS901449324 C/W: 43 ft Max Lift Height, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, US EPA Label, Deutz 3 Cylinder Diesel Engine Usage: 1,843 Hr	8185	<b>2014 Genie GS2669RT Dual Fuel 4x4 Scissor Lift</b> S/N: GS69144008 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 835 Hr
8174	<b>2014 Genie GS3369RT Dual Fuel 4x4 Scissor Lift</b> S/N: GS69144009 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Deutz 3 Cylinder Dual Fuel Engine Usage: 1,537 Hr	8186	<b>2014 Genie GS2669RT Dual Fuel 4x4 Scissor Lift</b> S/N: GS69143996 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 885 Hr
8177	<b>2018 Skyjack SJ6832RT Dual Fuel Scissor Lift</b> S/N: 37013510 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 3 Cylinder Dual Fuel Engine Usage: 334 Hr	8187	<b>2014 Genie GS2669RT Dual Fuel 4x4 Scissor Lift</b> S/N: GS69143988 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 1,110 Hr
8178	<b>2014 Skyjack SJ6832RT Dual Fuel 4x4 Scissor Lift</b> S/N: 37004998 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Power to Platform, Foam Filled Tires, Upper Control Box, 2014 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 3,489 Hr		
8179	<b>2018 Skyjack SJ6832RT Dual Fuel Scissor Lift</b> S/N: 37011574 C/W: 32 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, US EPA Label, Deutz 4 Cylinder Dual Fuel Engine Usage: 617 Hr		

Lot #	Details	Lot #	Details
8188	<b>2014 Genie GS2669RT Dual Fuel 4x4 Scissor Lift</b> S/N: GS69144010 C/W: 26 ft Max Lift Height, 1500 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota 3 Cylinder Dual Fuel Engine Usage: 963 Hr	8199	<b>2016 JLG 3246ES Electric Scissor Lift</b> S/N: M200001934 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 443 Hr
8189	<b>2014 Skyjack SJ6826 RT Dual Fuel 4x4 Scissor Lift</b> S/N: 37004875 C/W: 26 ft Max Lift Height, 1250 lb Max Weight Capacity, Platform Extension, Power to Platform, Foam Filled Tires, Upper Control Box, 2013 US EPA Label, Kubota Engine Usage: 1,795 Hr	8200	<b>2015 JLG 3246ES Electric Scissor Lift</b> S/N: M200001113 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 380 Hr
8190	<b>2016 JLG M4069LE Electric Scissor Lift</b> S/N: 0200251747 C/W: 40 ft Max Lift Height, 800 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 530 Hr	8201	<b>2015 JLG 3246ES Electric Scissor Lift</b> S/N: 0200248947 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 344 Hr
8192	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200237498 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 499 Hr	8202	<b>2015 JLG 3246ES Electric Scissor Lift</b> S/N: M200000301 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 477 Hr
8193	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200238086 C/W: 32 ft Max Lift Height, 705 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 416 Hr	8203	<b>2015 JLG 3246ES Electric Scissor Lift</b> S/N: 0200248364 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 260 Hr
8195	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200239941 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 586 Hr	8204	<b>2016 Genie GS3246 Electric Scissor Lift</b> S/N: GS4616F138701 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 66 Hr
8196	<b>2015 JLG 3248RS Electric Scissor Lift</b> S/N: 0200244466 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 459 Hr	8206	<b>2016 Genie GS3246 Electric Scissor Lift</b> S/N: GS4616P139600 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 17 Hr
8197	<b>2014 JLG 3248RS Electric Scissor Lift</b> S/N: 0200234807 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 581 Hr	8207	<b>2016 Genie GS3246 Electric Scissor Lift</b> S/N: GS4616A138196 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 401 Hr
8198	<b>2016 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70027340 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 190 Hr	8208	<b>2015 Genie GS-3246 Electric Scissor Lift</b> S/N: GS4615A137554 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 105 Hr
		8209	<b>2015 Genie GS3246 Electric Scissor Lift</b> S/N: GS4615A137602 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 311 Hr

Lot #	Details	Lot #	Details
8210	<b>2015 Genie GS3246 Electric Scissor Lift</b> S/N: GS4615A137589 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1 Hr	8221	<b>2014 Genie GS-3232 Electric Scissor Lift</b> S/N: GS3214A120354 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Stabilizers, Solid Non-Marking Tires, Upper Control Box Usage: 290 Hr
8212	<b>2015 Genie GS3246 Electric Scissor Lift</b> S/N: GS4615137263 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 368 Hr	8223	<b>2016 Genie GS-2646 Electric Scissor Lift</b> S/N: GS4616A138157 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 474 Hr
8213	<b>2014 Genie GS3246 Electric Scissor Lift</b> S/N: GS4614A117881 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 447 Hr	8224	<b>2015 Genie GS-2646 Electric Scissor Lift</b> S/N: GS4615A136637 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 460 Hr
8214	<b>2014 Genie GS3246 Electric Scissor Lift</b> S/N: GS4614A117872 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 497 Hr	8225	<b>2015 Genie GS2646 Electric Scissor Lift</b> S/N: GS4615A137147 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 408 Hr
8215	<b>2014 Genie GS3246 Electric Scissor Lift</b> S/N: GS4614A117853 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8226	<b>2014 Genie GS2646 Electric Scissor Lift</b> S/N: GS4614A135089 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 361 Hr
8216	<b>2014 Genie GS3246 Electric Scissor Lift</b> S/N: GS4614A117854 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8228	<b>2014 Genie GS2646 Electric Scissor Lift</b> S/N: GS4614A135157 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 23 Hr
8217	<b>Genie GS3246 Electric Scissor Lift</b> S/N: 138229 C/W: 32 ft Max Lift Height, 700 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 400 Hr	8229	<b>2014 Genie GS2646 Electric Scissor Lift</b> S/N: GS4614A135512 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8219B	<b>2014 Skyjack SJIII 4632 Electric Scissor Lift</b> S/N: 70018840 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 285 Hr	8230	<b>2013 Genie GS-2646 Electric Scissor Lift</b> S/N: GS4613A114051 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 347 Hr
8219A	<b>2015 Skyjack SJIII4632 Electric Scissor Lift</b> S/N: 70024677 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 338 Hr	8231	<b>2014 Skyjack SJIII4626 Electric Scissor Lift</b> S/N: 70019062 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 293 Hr
8220	<b>2015 Genie GS3232 Electric Scissor Lift</b> S/N: GS3215A141681 C/W: 32 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 52 Hr	8232	<b>2013 Skyjack SJIII4626 Electric Scissor Lift</b> S/N: 70013941 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 103 Hr



Lot #	Details	Lot #	Details
8233	<b>2013 Skyjack SJIII4626 Electric Scissor Lift</b> S/N: 70015253 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 196 Hr	8241	<b>2016 Genie GS2632 Electric Scissor Lift</b> S/N: GS3216A142667 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 232 Hr
8234	<b>2013 Skyjack SJIII4626 Electric Scissor Lift</b> S/N: 70013943 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 301 Hr	8242	<b>2016 Genie GS2632 Electric Scissor Lift</b> S/N: GS3216P146082 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 415 Hr
8235	<b>2013 Skyjack SJIII-4626 Electric Scissor Lift</b> S/N: 70015254 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 307 Hr	8243	<b>2016 Genie GS2632 Electric Scissor Lift</b> S/N: GS3216P145493 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr
8236	<b>2013 Skyjack SJIII-4626 Electric Scissor Lift</b> S/N: 70013945 C/W: 26 ft Max Lift Height, 1000 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 283 Hr	8244	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136949 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 209 Hr
8237	<b>2015 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27023119 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 159 Hr	8245	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136948 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 317 Hr
8238	<b>2015 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27026286 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 221 Hr	8246	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136943 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 326 Hr
8239A	<b>2014 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27021524 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 298 Hr	8247	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136944 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 323 Hr
8239	<b>2015 Skyjack SJIII 3226 Electric Scissor Lift</b> S/N: 27026756 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 143 Hr	8248	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A141975 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 323 Hr
8240	<b>2013 Skyjack SJ3226 Electric Scissor Lift</b> S/N: 70015251 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 277 Hr	8249	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136947 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
		8250	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A141973 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 26 Hr

Lot #	Details	Lot #	Details
8251	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136946 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 360 Hr	8262	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A119910 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 42 Hr
8252	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136935 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 375 Hr	8263	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A119303 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 367 Hr
8253	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136934 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8264	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A119301 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 337 Hr
8254	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A136950 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 24 Hr	8266	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A120404 C/W: 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8256	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A139137 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 329 Hr	8268	<b>2013 Genie GS-2632 Electric Scissor Lift</b> S/N: GS3213A117220 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 336 Hr
8257	<b>2015 Genie GS2632 Electric Scissor Lift</b> S/N: GS3215A140130 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 250 Hr	8269	<b>Genie 2632 Electric Scissor Lift</b> S/N: 151203 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 28 Hr
8258	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A119900 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 301 Hr	8270	<b>Genie GS2632 Electric Scissor Lift</b> S/N: 139290 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 421 Hr
8259	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A119883 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 476 Hr	8271	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: 0200253004 C/W: 25 ft 4 in Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 246 Hr
8260	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A136457 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 367 Hr	8272	<b>2016 JLG 2632ES Electric Scissor Lift</b> S/N: 0200253132 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 1,710 Hr
8261	<b>2014 Genie GS2632 Electric Scissor Lift</b> S/N: GS3214A117799 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 370 Hr	8273	<b>2015 JLG 2632ES Electric Scissor Lift</b> S/N: 0200243909 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 365 Hr

Lot #	Details	Lot #	Details
8274	<b>2015 JLG 2630ES Electric Scissor Lift</b> S/N: 0200252942 C/W: 26 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 291 Hr	8284	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22077125 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 80 Hr
8275	<b>2015 JLG 2632ES Electric Scissor Lift</b> S/N: 0200252762 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 305 Hr	8285	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22084409 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 61 Hr
8276	<b>2015 JLG 2632ES Electric Scissor Lift</b> S/N: 0200252922 C/W: 26 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 177 Hr	8286	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22077126 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 202 Hr
8277	<b>2015 Genie GS2032 Electric Scissor Lift</b> S/N: GS3215A139372 C/W: 20 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 139 Hr	8287	<b>2015 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22084755 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 157 Hr
8278	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22088729 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 86 Hr	8288	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22062725 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 139 Hr
8279	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22088731 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 120 Hr	8289	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22070856 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 168 Hr
8280	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22088738 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 116 Hr	8291	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22065483 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 157 Hr
8281	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22103708 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 244 Hr	8292	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22061441 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 209 Hr
8282	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22088695 C/W: 19 ft Max Lift Height, Platform Extension, Solid Non-Marking Tires, Upper Control Box Usage: 205 Hr	8293	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22066098 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 155 Hr
8283	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22087612 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 133 Hr	8294	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22065204 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 124 Hr

Lot #	Details	Lot #	Details
8296	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22063525 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 171 Hr	8308	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200244816 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 137 Hr
8297	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22066026 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 191 Hr	8309	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200244476 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 390 Hr
8299	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22066422 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 168 Hr	8310	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200247821 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 412 Hr
8300	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22066417 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 181 Hr	8311	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200243365 C/W: 18 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 416 Hr
8301	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22064792 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 141 Hr	8312	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200247835 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 425 Hr
8302	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22063945 C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 154 Hr	8313	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200244453 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 455 Hr
8303	<b>2014 Skyjack SJIII3219 Electric Scissor Lift</b> S/N: Not Available C/W: 19 ft Max Lift Height, 550 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 161 Hr	8314	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200244786 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 458 Hr
8306	<b>Skyjack SJIII-3219 Electric Scissor Lift</b> S/N: 22065227 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 151 Hr	8318	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200226845 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 357 Hr
8307	<b>2015 JLG 1932RS Electric Scissor Lift</b> S/N: 0200244791 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 411 Hr	8319	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200227133 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 473 Hr

Lot #	Details	Lot #	Details
8320	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200236571 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8331	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016A151112 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 293 Hr
8321	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200235717 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 382 Hr	8332	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016A150396 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 295 Hr
8322	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200236574 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 411 Hr	8333	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016A151384 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 560 Hr
8323	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200239007 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 469 Hr	8335	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P151979 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 232 Hr
8324	<b>2014 JLG 1932RS Electric Scissor Lift</b> S/N: 0200234436 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 532 Hr	8336	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016A150698 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8325	<b>JLG 1932RS Electric Scissor Lift</b> S/N: 0200235379 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 391 Hr	8337	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P151951 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 238 Hr
8327	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P152005 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 300 Hr	8338	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P152041 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 288 Hr
8328	<b>Genie GS-1930 Electric Scissor Lift</b> S/N: GS30P164566 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 144 Hr	8339	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P151998 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 297 Hr
8329	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P155246 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 555 Hr	8340	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P152105 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 334 Hr
8330	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P155898 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 243 Hr	8341	<b>2016 Genie GS1930 Electric Scissor Lift</b> S/N: GS3016P155929 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 406 Mi

Lot #	Details	Lot #	Details
8342	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140310 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 126 Hr	8352	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140327 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 290 Hr
8343	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A139526 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 171 Hr	8353	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140323 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 488 Hr
8344	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147894 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 209 Hr	8356	<b>2015 Genie GS-1930 Electric Scissor Lift</b> S/N: GS3015A148260 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 572 Hr
8345	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140325 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 298 Hr	8357	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A148163 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 303 Hr
8346	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140329 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 324 Hr	8358	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A149301 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 331 Hr
8347	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A139531 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 310 Hr	8359	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A143245 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 435 Hr
8348	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140311 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 324 Hr	8360	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A143274 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 228 Hr
8349	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140386 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 319 Hr	8361	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147821 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 379 Hr
8350	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140320 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 330 Hr	8362	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147887 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 315 Hr
8351	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A140316 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 380 Hr	8363	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A148039 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 335 Hr

Lot #	Details	Lot #	Details
8364	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147988 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 351 Hr	8374	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A132527 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 346 Hr
8365	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A148014 C/W: 18 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 364 Hr	8375	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A127760 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 461 Hr
8366	<b>2015 Genie GS1930 Electric Scissor Lift</b> S/N: GS3015A147392 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 386 Hr	8377	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A128932 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 356 Hr
8367	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A128021 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8378	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A128634 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 124 Hr
8368	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A132912 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 229 Hr	8381	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A134374 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available
8369	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A127771 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8382	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A127331 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 155 Hr
8370	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A132580 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 256 Hr	8383	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A128484 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 199 Hr
8371	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A139237 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 271 Hr	8384	<b>2014 Genie GS-1930 Electric Scissor Lift</b> S/N: GS3014A127289 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 159 Hr
8372	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A132636 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 355 Hr	8385	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A138512 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 319 Hr
8373	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A133016 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 339 Hr	8386	<b>2014 Genie GS1930 Electric Scissor Lift</b> S/N: GS3014A136380 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 326 Hr

Lot #	Details	Lot #	Details
8387	<b>2014 Genie GS-1930 Electric Scissor Lift</b> S/N: GS3014A138138 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 439 Hr	8403	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200255696 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 153 Hr
8388	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A120906 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 319 Hr	8404	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: 0200256617 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 438 Hr
8389	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A124109 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 466 Hr	8405	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200247066 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 312 Hr
8395	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A124199 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 178 Hr	8406	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200247088 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 112 Hr
8396	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A124115 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 305 Hr	8407	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200248444 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 402 Hr
8397	<b>2013 Genie GS1930 Electric Scissor Lift</b> S/N: GS3013A125703 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 532 Hr	8408	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200248787 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 403 Hr
8398	<b>2012 Genie GS1930 Electric Scissor Lift</b> S/N: GS3012A113445 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8409	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200248478 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 426 Hr
8400	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003030 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 261 Hr	8410	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200248792 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 435 Hr
8401	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003455 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 402 Hr	8411	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200247659 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 468 Hr
8402	<b>2016 JLG 1930ES Electric Scissor Lift</b> S/N: M200003180 C/W: 19 ft Max Lift Height, 500 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 463 Hr		



Lot #	Details	Lot #	Details
8412	<b>2015 JLG 1930ES Electric Scissor Lift</b> S/N: 0200251789 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 354 Hr	8426	<b>2014 Genie GR-20 Vertical Mast Lift</b> S/N: GR1430904 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: 37 Hr
8413	<b>2017 Haulotte H1931E Electric Scissor Lift</b> S/N: 2027372 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: Not Available	8428	<b>2014 Genie GR20 Vertical Mast Lift</b> S/N: GR1430943 C/W: 20 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 355 Hr
8414	<b>2015 Hybrid HB1430 Electric Scissor Lift</b> S/N: D0211376 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 67 Hr	8430	<b>2014 Genie GR20 Vertical Mast Lift</b> S/N: GR1430261 C/W: 19 ft Max Lift Height Usage: 329 Hr
8415	<b>2015 Hybrid HB1430 Electric Scissor Lift</b> S/N: D0211429 C/W: 14 ft Max Lift Height, 670 lb Max Weight Capacity, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 204 Hr	8431	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1326337 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: 135 Hr
8416	<b>2016 Ballymore PS-140H-DRV Vertical Mast Lift</b> S/N: RDBA16081162 C/W: 13 ft Max Lift Height Usage: Not Available	8432	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1328254 C/W: 20 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 480 Hr
8419	<b>2018 JLG 20MVL Vertical Mast Lift</b> S/N: 0130034049 C/W: 19 ft Max Lift Height Usage: Not Available	8433	<b>2013 Genie GR-20 Vertical Mast Lift</b> S/N: GR1327781 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: 119 Hr
8420	<b>2017 Genie GR20 Vertical Mast Lift</b> S/N: GRP48951 C/W: 19 ft Max Lift Height Usage: 409 Hr	8434	<b>2013 Genie GR-20 Vertical Mast Lift</b> S/N: GR1328609 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: 360 Hr
8421	<b>2016 Genie GR20 Vertical Mast Lift</b> S/N: GR16P43791 C/W: 20 ft Max Lift Height, Power to Platform Usage: 578 Hr	8435	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1328580 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 25 Hr
8422	<b>2016 Genie GR20 Vertical Mast Lift</b> S/N: GR16P43764 C/W: 19 ft Max Lift Height Usage: 338 Hr	8436	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1328368 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 381 Hr
8423	<b>2015 Genie GR20 Vertical Mast Lift</b> S/N: GR1539178 C/W: 20 ft Max Lift Height, Power to Platform Usage: 362 Hr	8437	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1328598 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 487 Hr
8424	<b>2015 Genie GR20 Vertical Mast Lift</b> S/N: GR1539030 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 283 Hr	8438	<b>2013 Genie GR20 Vertical Mast Lift</b> S/N: GR1328833 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity, Power to Platform Usage: 309 Hr
8425	<b>2014 Genie GR20 Vertical Mast Lift</b> S/N: GR1430433 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: 400 Hr	8439	<b>2013 JLG 20MVL Vertical Mast Lift</b> S/N: 0130019209 C/W: 19 ft Max Lift Height Usage: 489 Hr

Lot #	Details	Lot #	Details
8440	<b>2014 Skyjack SJ16 Vertical Mast Lift</b> S/N: 14004505 C/W: 16 ft Max Lift Height Usage: 244 Hr	8456	<b>Cat G379 350 kW Skid-Mounted Generator Set</b> S/N: 350TH119 C/W: Cat 8 Cylinder Diesel Engine, 438 kVA /350 kW Rated 3 Phase Output, 230 V / 460 V Rated Voltage Usage: Not Available
8441	<b>2014 Genie AWP-25S Vertical Mast Lift</b> S/N: AWP1480206 C/W: 25 ft Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8457	<b>2006 Multiquip DCA3005562 300 kVA Mobile Generator Set</b> S/N: 38602 C/W: 2005 US EPA Label, Komatsu SAA6D125E-2 6 Cylinder 431 hp 11.0 L Diesel Engine, 300 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,364 Hr
8444	<b>2014 Genie AWP-30S Vertical Mast Lift</b> S/N: AWP1480252 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	8458	<b>Onan 275 kW Generator Set</b> S/N: H880150567 C/W: Cummins 6 Cylinder Diesel Engine, 343 kVA/275 kW Rated 3 Phase Output Usage: 1,756 Hr
8446	<b>2015 Genie GR12 Vertical Mast Lift</b> S/N: GR1538815 C/W: 11 ft 4 in Max Lift Height Usage: Not Available	8459	<b>Onan Generator Set</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine Usage: 1,149 Hr
8447	<b>2015 Genie GR12 Vertical Mast Lift</b> S/N: GR1538665 C/W: 11 ft 4 in Max Lift Height Usage: 128 Hr	8460	<b>Cummins Generator Set</b> S/N: Not Available C/W: Cummins 6 Cylinder Diesel Engine, Sound Attenuated Usage: 31,668 Hr
8448	<b>2015 Genie GR12 Vertical Mast Lift</b> S/N: GR1538813 C/W: 11 ft Max Lift Height Usage: 83 Hr	8461	<b>2007 Cat C9 225 kW Generator Set</b> S/N: G5A01186 C/W: Cat 6 Cylinder Diesel Engine, 225 kVA /281 kW Rated 3 Phase Output Usage: Not Available
8449	<b>2015 Genie GR12 Vertical Mast Lift</b> S/N: GR1538809 C/W: 11 ft 4 in Max Lift Height Usage: Not Available	8462	<b>2007 Cat C9 225 kW Generator Set</b> S/N: G5A01192 C/W: Cat 6 Cylinder Diesel Engine, 281 kVA /225 kW Rated 3 Phase Output Usage: 4,868 Hr
8450	<b>Quantity of 3 Ton Chain Hoists</b> S/N: Not Available Usage: Not Available	8463	<b>2018 Hess 220S 220 kW Skid-Mounted Generator Set</b> S/N: HM0502SYH200NG01067 C/W: Daewoo 6 Cylinder Natural Gas Engine, 275 kVA/220 kW Rated 3 Phase Output, 203 V / 480 V Rated Voltage Usage: 3,311 Hr
8451	<b>2020 Cat SR-4B 600 kW Mobile Generator Set</b> S/N: 9FG00936 C/W: Cat 12 Cylinder Diesel Engine, /600 kW Rated 3 Phase Output, T/A Trailer, Gooseneck, Electric Brakes Usage: Not Available	8464	<b>2017 Hess 220S 220 kW Skid-Mounted Generator Set</b> S/N: Not Available C/W: Daewoo GE12TI 6 Cylinder Natural Gas Engine, 275 kVA/220 kW Rated 3 Phase Output, 203 V / 480 V Rated Voltage Usage: 4,814 Hr
8452	<b>2006 Cat 750F 544 kW Skid-Mounted Generator Set</b> S/N: CAT00000K4BZ07454 C/W: Cat Diesel Engine, 600 kVA/544 kW Rated 3 Phase Output, 230 V / 400 V Rated Voltage, Sound Attenuated Usage: 21,038 Hr	8465	<b>Cat 205 kW Generator Set</b> S/N: 6EG01022 C/W: Cat 6 Cylinder Diesel Engine, 256 kVA /205 kW Rated 3 Phase Output Usage: Not Available
8453	<b>2007 Katolight D450F 450 kW Skid-Mounted Stand-By Generator Set</b> S/N: 1241545 C/W: 2006 US EPA Label, Detroit Series 60 6 Cylinder 685 hp 14 L Diesel Engine, 563 kVA /450 kW Rated 3 Phase Output, 120 V / 480 V Rated Voltage Usage: 10,730 Hr		
8455	<b>2006 MQ Power DCA-400SSV 400 kW Mobile Generator Set</b> S/N: 3789765 C/W: Volvo 6 Cylinder Diesel Engine, 400 kVA /400 kW Rated 3 Phase Output, Sound Attenuated, Tri/A Trailer, Lunette Ring, Surge Brakes Usage: 16,501 Hr		

Lot #	Details	Lot #	Details
8466	<b>Cat Generator Set</b> S/N: 00543 C/W: 6 Cylinder Diesel Engine Usage: Not Available	8475	<b>2012 Cat APS150 150 kW Mobile Generator Set</b> S/N: 1A9BS1828CP450784 C/W: 2012 US EPA Label, Perkins 6 Cylinder 171.5 kW 6.6 L Diesel Engine, 184 kVA/150 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, ABB Switch Gear, 1 Switches, T/A Trailer, Lunette Ring, Electric Brakes Usage: 3,419 Hr
8467	<b>Cat D343 200 kW Mobile Generator Set</b> S/N: 200TH329 C/W: Cat 6 Cylinder Diesel Engine, 250 kVA /200 kW Rated 3 Phase Output, T/A Trailer, Lunette Ring Usage: 4,521 Hr	8476	<b>John Deere 6076 125 kW Generator Set</b> S/N: Not Available C/W: John Deere 6 Cylinder Diesel Engine, 156 kVA/125 kW Rated 3 Phase Output Usage: Not Available
8468	<b>2012 Magnum MMG180 162 kW Skid-Mounted Generator Set</b> S/N: 1205751 C/W: 2012 US EPA Label, John Deere 6068HF 217 kW 6.8 L Diesel Engine, 202 kVA/162 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 137 kVA,/137 kW, Rated Single Phase Output, 240 V Rated Voltage, 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank Usage: 18,488 Hr	8477	<b>A.Wies Jzn. C.V. 115 kVA Skid-Mounted Generator Set</b> S/N: 226AWP110483 C/W: Volvo 6 Cylinder Diesel Engine, 115 kVA/ Rated 3 Phase Output, 220 V / 380 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank Usage: 10 Hr
8469	<b>2007 Magnum MMG180 144 kW Skid-Mounted Generator Set</b> S/N: 073480 C/W: 2007 US EPA Label, John Deere 6068HF 6 Cylinder 187 kW 6.8 L Diesel Engine, 171 kVA/ Rated 3 Phase Output, 208 V / 480 V Rated Voltage, /120 kW, Rated Single Phase Output, 240 V Rated Voltage, 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank Usage: 17,896 Hr	8478	<b>100 kW Skid-Mounted Generator Set</b> S/N: 2965 C/W: Diesel Engine, 125 kVA/100 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage Usage: 3,161 Hr
8470	<b>Onan 1750DVF15R28747A 175 kW Skid-Mounted Generator Set</b> S/N: C860808198 C/W: 6 Cylinder Diesel Engine, 219 kVA/175 kW Rated 3 Phase Output, 144 kVA,/115 kW, Rated Single Phase Output Usage: Not Available	8479	<b>Cummins 100 kW Skid-Mounted Generator Set</b> S/N: 45898469 C/W: Cummins 6BTA5.9-G1 161 hp 5.9 L Diesel Engine, 125 kVA/100 kW Rated 3 Phase Output, 480 V / 208 V Rated Voltage Usage: 7,498 Hr
8471	<b>Cummins 175 kW Mobile Generator Set</b> S/N: LM2210040796 C/W: Cummins 6 Cylinder Diesel Engine, 219 kVA/175 kW Rated 3 Phase Output, Sound Attenuated, T/A Trailer, Lunette Ring Usage: 5,110 Hr	8480	<b>John Deere 100 kW Skid-Mounted Generator Set</b> S/N: PE4045L983096 C/W: 2015 US EPA Label, John Deere 4045AFM85E 4 Cylinder 121 kW 4.5 L Engine, 124 kVA/99 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage Usage: Not Available
8472	<b>Stadco Generator Set</b> S/N: Not Available C/W: Deutz 8 Cylinder Diesel Engine Usage: Not Available	8481	<b>Stamford Skid-Mounted Generator Set</b> S/N: M07121821301 C/W: John Deere Powertech 6 Cylinder 6.8 L Engine, 187 kVA/150 kW Rated 3 Phase Output, 480 V Rated Voltage Usage: Not Available
8473	<b>Generator Set</b> S/N: Not Available C/W: Deutz 8 Cylinder Diesel Engine Usage: Not Available	8482	<b>2013 Multiquip DCA125SSI 100 kW Mobile Generator Set</b> S/N: 7501063 C/W: 2012 US EPA Label, John Deere 4045HFG93 4 Cylinder Diesel Engine, 125 kVA /100 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 72 kVA,/72 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, T/A Trailer, Ball Hitch, Surge Brakes Usage: 15,485 Hr
8474	<b>Onan 140DFD 140 kVA Generator Set</b> S/N: 0869147625 C/W: Cummins Diesel Engine, /140 kW Rated 3 Phase Output Usage: 1,974 Hr		

Lot #	Details	Lot #	Details
8485	<b>Whisperwatt DCA-85USJ 82 kVA Skid-Mounted Generator Set</b> S/N: 8400374 C/W: 2005 US EPA Label, John Deere 4045TF275 4 Cylinder 84 kW 4.5 L Diesel Engine, 82 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, /60 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 6,493 Hr	8497	<b>2012 Doosan HP1600WCU 1600 cfm Mobile Air Compressor</b> S/N: 432118UIVE09 C/W: 150 psi Working Pressure, Cummins 6 Cylinder Diesel Engine, T/A Trailer, Lunette Ring Usage: 5,562 Hr
8486	<b>Generac 99A03635-S 80 kW Skid-Mounted Generator Set</b> S/N: 2049111 C/W: Generac 4 Cylinder Diesel Engine, 100 kVA/80 kW Rated 3 Phase Output, 120 V / 240 V Rated Voltage Usage: Not Available	8498	<b>2011 Doosan HP1600WCU-T3 1600 cfm Mobile Air Compressor</b> S/N: 429026UHVB83 C/W: 150 psi Working Pressure, Cummins 6 Cylinder Diesel Engine, 2-Axle Trailer, Lunette Ring Usage: 7,945 Hr
8487	<b>Onan 75.0DYC 75 kW Diesel Generator Set</b> S/N: J790457520 C/W: Allis-Chalmers 670T 6 Cylinder Diesel Engine, 93.8 kVA/75 kW Rated 3 Phase Output, 277 V / 480 V Rated Voltage, 62.5 kVA,/50 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 120 V Receptacles Usage: 1,119 Hr	8499	<b>2011 Doosan HP1600WCU-T3 1600 cfm Mobile Air Compressor</b> S/N: 427452UFVB83 C/W: 150 psi Working Pressure, Cummins 6 Cylinder Diesel Engine, 2-Axle Trailer Usage: 6,190 Hr
8488	<b>Olympian D60P4S 60 kW Generator Set</b> S/N: OLY00000KD4P00925 C/W: Diesel Engine, 60 kVA,/60 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage Usage: 460 Hr	8500	<b>2018 Atlas Copco 900 900 cfm Mobile Air Compressor</b> S/N: H0P081870 C/W: 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, S/A Trailer, Ball Hitch, Surge Brakes Usage: 4,224 Hr
8490	<b>Generator Set</b> S/N: 4B2568 C/W: 4 Cylinder Diesel Engine Usage: 4,938 Hr	8501	<b>2015 Doosan HP750WCU-T4F Mobile Air Compressor</b> S/N: 469808UBZF32 C/W: Cummins 6 Cylinder Diesel Engine, T/A Trailer, Lunette Ring, Electric Brakes Usage: 7,177 Hr
8491	<b>Quantity of (2) Northern Lights M40C3 40 kW Generator Set</b> S/N: 944252125 C/W: 4 Cylinder Diesel Engine, S/N: 0442-51170 Usage: Not Available	8502	<b>2012 Atlas Copco XAS750JDIT4HB 750 cfm Mobile Air Compressor</b> S/N: HOP081063 C/W: 125 psi Working Pressure, John Deere 6 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 7,937 Hr
8494	<b>2007 Multiquip DCA25USI 20 kW Generator Set</b> S/N: 8103009 C/W: 2007 US EPA Label, Isuzu AA-4LE2 4 Cylinder 26.8 kW 2179 cc Diesel Engine, 25 kVA /20 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 14.4 kVA,/14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, S/A Trailer, Lunette Ring Usage: 1,859 Hr	8503	<b>2018 Atlas Copco XATS375 Mobile Air Compressor</b> S/N: APP534271 C/W: 130 psi Working Pressure, Kubota V2403-CR-T-EF02 4 Cylinder 63 hp 2.4 L Diesel Engine, S/A Trailer, Lunette Ring Usage: 708 Hr
8495A	<b>Multiquip DCA25SSIU 25 kW Mobile Generator Set</b> S/N: 7106252 C/W: Isuzu QD-60 4 Cylinder 30 hp Diesel Engine, 25 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch Usage: 3,572 Hr	8504	<b>2008 Ingersoll Rand XP375WCU 375 cfm Mobile Air Compressor</b> S/N: 395026UKRB12 C/W: Cummins B3 4 Cylinder 125 hp 3.9 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 4,941 Hr
		8505	<b>2011 Sullair 260DUQ 260 cfm Air Compressor</b> S/N: 201106300080 C/W: John Deere 4 Cylinder Diesel Engine Usage: 3,406 Hr
		8506	<b>Leroi 250 250 cfm Mobile Air Compressor</b> S/N: Not Available C/W: 100 psi Working Pressure, Perkins 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,868 Hr

Lot #	Details	Lot #	Details
8507	<b>Sullivan D210010JD0S 210 cfm Air Compressor</b> S/N: 26822 C/W: 150 psi Working Pressure, 4 Cylinder 74 hp Diesel Engine Usage: 2,689 Hr	8520	<b>2005 Sullair 185DPQ JD 185 cfm Mobile Air Compressor</b> S/N: 004151778 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,974 Hr
8509	<b>2015 Atlas Copco XAS185KD IT4 185 cfm Mobile Air Compressor</b> S/N: H0P049632 C/W: 150 psi Working Pressure, Kubota V2403-M-DI-ET02 48 hp 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,866 Hr	8521	<b>Sullair 185 Skid-Mounted Air Compressor</b> S/N: Not Available C/W: John Deere 5030TF270B 3.0 L Diesel Engine Usage: 923 Hr
8510	<b>2011 Atlas Copco XAS185JDRSC 185 cfm Mobile Air Compressor</b> S/N: 4500A101XBR038951 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 2,276 Hr	8522	<b>2011 Ingersoll Rand P185WJD 185 cfm Mobile Air Compressor</b> S/N: 428071UGVD75 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Sand Blast Pot Usage: 2,007 Hr
8511	<b>2010 Atlas Copco XAS185JD 185 cfm Mobile Air Compressor</b> S/N: 4500A1016AR033115 C/W: 123 psi Working Pressure, John Deere 4024TF281A 4 Cylinder 2.4 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,781 Hr	8523	<b>2006 Ingersoll Rand P185WJD Skid-Mounted Air Compressor</b> S/N: 366362UB0015 C/W: John Deere 4 Cylinder Diesel Engine Usage: 2,592 Hr
8512	<b>2016 Doosan P185 185 cfm Mobile Air Compressor</b> S/N: 476397UDAAF63 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 5,424 Hr	8524	<b>2005 Ingersoll Rand P185 WJDR Mobile Air Compressor</b> S/N: 351174UK0221 C/W: John Deere 4045DF150B 60 kW 4.5 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 52 Hr
8513	<b>2012 Doosan Air Compressor</b> S/N: 441049UEWD75 C/W: John Deere 4024TF281C 4 Cylinder 37 kW 2.4 L Diesel Engine Usage: 217 Hr	8525	<b>2002 Ingersoll Rand P185W 185 cfm Skid-Mounted Air Compressor</b> S/N: 329806UEM297 C/W: John Deere 4045DF 4 Cylinder 60 kW 4.5 L Diesel Engine Usage: 1,222 Hr
8516	<b>2013 Sullair 185 185 cfm Mobile Air Compressor</b> S/N: 201306060117 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,684 Hr	8526	<b>Quincey Mobile Air Compressor</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,806 Hr
8517	<b>2013 Sullair 185 185 cfm Mobile Air Compressor</b> S/N: 201312140052 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 551 Hr	8527	<b>2009 Sullair 3009A Electric Air Compressor</b> S/N: 200905290043 C/W: 125 PSIG Usage: Not Available
8518	<b>2012 Sullair 185 185 cfm Mobile Air Compressor</b> S/N: 201212200061 C/W: John Deere 4 Cylinder Diesel Engine, T/A Trailer, Ball Hitch Usage: 1,453 Hr	8528	<b>Quincy Electric Air Compressor</b> S/N: Not Available C/W: 3 Phase, 50 hp Motor Usage: Not Available
8519	<b>2005 Sullair 185 cfm Mobile Air Compressor</b> S/N: 004151776 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,800 Hr	8529A	<b>Atlas Copco GAU-610 Skid-Mounted Electric Air Compressor</b> S/N: ARP 759237 C/W: 3 Phase, 60 hp Motor Usage: 43,621 Hr
		8529	<b>Sullair Electric Air Compressor</b> S/N: 816N233 Usage: 15,873 Hr
		8530	<b>Parker TF-TWR1600R-A1 Air Dryer</b> S/N: 140904527 Usage: 32,158 Hr

Lot #	Details	Lot #	Details
8531	<b>Parker TF-TWR1600R-A1 Air Dryer</b> S/N: 141005259 Usage: 12,948 Hr	8545	<b>2015 NWT Trailer-Mounted Water Pump</b> S/N: PP22502 C/W: 4 in Intake, 4 in Discharge, Self Priming Centrifugal Water Pump, Deutz D914L04 4 Cylinder 55 kW Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,220 Hr
8532	<b>Parker TF-TWR1600R-A1 Air Dryer</b> S/N: 140904552 Usage: 15,839 Hr	8547	<b>2015 Goodwin Trailer-Mounted Water Pump</b> S/N: M14626381/09 C/W: 6 in Intake, 6 in Discharge, 2014 US EPA Label, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch, Electric Brakes Usage: 8,499 Hr
8533	<b>Parker TF-TWR1600R-A1 Air Dryer</b> S/N: 140504252 Usage: 15,504 Hr	8549	<b>Skid-Mounted Water Pump</b> S/N: Not Available C/W: 12 in Intake, 11 in Discharge, John Deere 6 Cylinder Diesel Engine Usage: 3,277 Hr
8534A	<b>Air Dryer</b> S/N: Not Available Usage: Not Available	8550A	<b>Aqua-Dyne C500 DS Tri-Plex Mud Pump</b> S/N: 5087 C/W: 2 in Intake, 2 in Discharge, Triplex Mud Pump Usage: Not Available
8534	<b>Air Tech TWR1350-HP Air Dryer</b> S/N: Not Available Usage: 1,501 Hr	8550	<b>Goulds Skid-Mounted Water Pump</b> S/N: 218B554 C/W: 6 in Intake, 8 in Discharge, Centrifugal Usage: Not Available
8538	<b>Pioneer PP66S12L71 Trailer-Mounted Water Pump</b> S/N: PP24516 C/W: 6 in Intake, 6 in Discharge, Centrifugal 2014 US EPA Label, John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	8551	<b>2016 Miller 509 A Mobile Engine Driven Welder</b> S/N: MG150086E C/W: Perkins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 6,957 Hr
8539	<b>Pioneer P66S12L71 6 in Trailer-Mounted Water Pump</b> S/N: PP19970 C/W: 6 in Intake, 6 in Discharge, Centrifugal 2012 US EPA Label, Deutz D914L04 4 Cylinder 74 hp 4.3 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	8552	<b>Lincoln Vantage 500 500 A Mobile Stick Engine Driven Welder</b> S/N: Not Available C/W: Perkins 4 Cylinder Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: 7,433 Hr
8540	<b>Pioneer P66S12L71 6 in Trailer-Mounted Water Pump</b> S/N: PKG0705 C/W: 6 in Intake, 6 in Discharge, Centrifugal 2011 US EPA Label, Deutz D914L04 4 Cylinder 78 hp 4.3 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	8554	<b>2016 Miller Big Blue 500 Pro 500 A Mobile Engine Driven Welder</b> S/N: 14DSB0511GC000671 C/W: 2015 US EPA Label, Perkins 4 Cylinder 2.2 L Diesel Engine, S/A Trailer, Ball Hitch Usage: Not Available
8541	<b>Pioneer P66S12L71 6 in Trailer-Mounted Water Pump</b> S/N: PKG0703 C/W: 6 in Intake, 6 in Discharge, Centrifugal 2012 US EPA Label, Deutz D914L04 4 Cylinder 74 hp 4.3 L Diesel Engine, S/A Trailer, Lunette Ring Usage: Not Available	8555	<b>2016 Miller Big Blue 400 Pro 400 A Mobile Engine Driven Welder</b> S/N: MG200017E C/W: Kubota 4 Cylinder Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: Not Available
8543	<b>2015 NWT Trailer-Mounted Water Pump</b> S/N: PP22503 C/W: 4 in Intake, 4 in Discharge, Self Priming Centrifugal Water Pump, Deutz D914 4 Cylinder 55 kW Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,834 Hr	8557	<b>2014 Miller 400 A Mobile Engine Driven Welder</b> S/N: ME280025E C/W: Deutz 3 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 6,583 Hr
8544	<b>2015 NWT Trailer-Mounted Water Pump</b> S/N: PP22507 C/W: 4 in Intake, 4 in Discharge, Self Priming Centrifugal Water Pump, Deutz D914 4 Cylinder 55 kW Diesel Engine, S/A Trailer, Ball Hitch Usage: 896 Hr	8558	<b>2013 Miller 400 A Engine Driven Welder</b> S/N: ME410010E C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 7,148 Hr

Lot #	Details	Lot #	Details
8559	<b>1997 Miller Big 40G 350 A Skid-Mounted Engine Driven Welder</b> S/N: KH543095 C/W: 3 Cylinder Gasoline Engine, Welding Leads Not Included Usage: 788 Hr	8569	<b>Lincoln SA-250 250 A Skid-Mounted Engine Driven Welder</b> S/N: A1202187 C/W: 3 Cylinder Diesel Engine, Welding Leads Usage: Not Available
8560	<b>2008 Miller Trailblazer 302 Skid-Mounted Multi-Process Engine Driven Welder</b> S/N: LJ090049Q C/W: 2012 US EPA Label, Kubota D722-ET01 3 Cylinder Diesel Engine Usage: Not Available	8570	<b>1996 Miller Trailblazer 251 251 A Skid-Mounted Engine Driven Welder</b> S/N: KG274140 C/W: 1998 US EPA Label, Oman Performer 2 Cylinder 20 hp Gasoline Engine, Welding Leads Not Included Usage: 1,478 Hr
8561	<b>1995 Miller 302 300 A Engine Driven Welder</b> S/N: KF993144 Usage: Not Available	8572	<b>1984 Miller AEAD200LE Engine Driven Welder</b> S/N: JE776418 C/W: Onan 2 Cylinder Gasoline Engine Usage: Not Available
8562	<b>2017 Lincoln Vantage 300 300 A Mobile Engine Driven Welder</b> S/N: U1170203388 C/W: 2016 US EPA Label, Kubota 4 Cylinder 22 hp Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: 1,039 Hr	8573	<b>Quantity of (2) Lincoln Idealarc DC-600 Skid-Mounted Electric Welder</b> S/N: Not Available Usage: Not Available
8563	<b>2016 Lincoln Vantage 300 300 A Mobile Stick Engine Driven Welder</b> S/N: Not Available C/W: Tier 4, 2015 US EPA Label, Kubota V1505 4 Cylinder 16.4 kW 1.5 L Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: 5,613 Hr	8574	<b>Red-D-Arc E500 4 Bank 500 A Skid-Mounted Stick Electric Welder</b> S/N: Not Available C/W: 3 Phase 480 V Required, Welding Leads Not Included Usage: Not Available
8564	<b>2013 Lincoln Vantage300 300 A Mobile Engine Driven Welder</b> S/N: Not Available C/W: 2012 US EPA Label, Kubota 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 4,618 Hr	8575	<b>Red-D-Arc E500 4 Bank 500 A Skid-Mounted Stick Electric Welder</b> S/N: Not Available C/W: 3 Phase 480 V Required, Welding Leads Not Included Usage: Not Available
8565	<b>2014 Lincoln Vantage 300 400 A Mobile Engine Driven Welder</b> S/N: U1140203971 C/W: Tier 4, 2013 US EPA Label, Kubota V1505-BG-EF02 4 Cylinder 16.4 kW 1.5 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 4,400 Hr	8576	<b>Red-D-Arc E500 4 Bank 500 A Skid-Mounted Stick Electric Welder</b> S/N: Not Available C/W: 3 Phase 480 V Required, Welding Leads Not Included Usage: Not Available
8566	<b>2007 Lincoln Vantage 300 400 A Mobile Engine Driven Welder</b> S/N: U1070802812 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 5,944 Hr	8577	<b>Red-D-Arc E500 4 Bank 500 A Skid-Mounted Stick Electric Welder</b> S/N: Not Available C/W: 3 Phase 480 V Required, Welding Leads Not Included Usage: Not Available
8567	<b>2003 Lincoln Classic 300D 300 A Skid-Mounted Engine Driven Welder</b> S/N: C1030100021 C/W: Perkins 4 Cylinder Diesel Engine, Welding Leads Usage: 5,088 Hr	8579	<b>Multiquip GAW-180HEA 170 A Stick Engine Driven Welder</b> S/N: 5682945 C/W: Honda GX340 1 Cylinder 10 hp .3 L Gasoline Engine, Welding Leads Not Included Usage: Not Available
8568	<b>Hobar GCC-300-W 300 A Engine Driven Welder</b> S/N: 79WS21179 C/W: Wisconsin V465D Gasoline Engine Usage: 62 Hr	8581	<b>Multiquip GAW-180HEA 170 A Stick Engine Driven Welder</b> S/N: 5702843 C/W: Honda GX340 1 Cylinder 10 hp .3 L Gasoline Engine, Welding Leads Not Included Usage: Not Available
		8582	<b>Miller 6 Pack Welder Rack</b> S/N: LE161736 Usage: Not Available

Lot #	Details	Lot #	Details
8583	<b>Miller 6 Pack Welder Rack</b> S/N: Not Available Usage: Not Available	8595B	<b>Multiquip DCA25SSIU 25 kW Mobile Generator Set</b> S/N: 7106242 C/W: Isuzu QD-60 4 Cylinder 30 hp Diesel Engine, 25 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, /14.4 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, S/A Trailer, Ball Hitch Usage: 51 Hr
8586	<b>2021 Doosan LCV6 6 kW Light Tower</b> S/N: 4FVLSBAA0MU499748 C/W: 2019 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 4,511 Hr	8595	<b>2016 Magnum MLT-3060M 6 kW Light Tower</b> S/N: 3003508303 C/W: 2018 US EPA Label, Mitsubishi L3E 3 Cylinder 19 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 2,231 Hr
8587	<b>2019 Doosan LCV6 6 kW Light Tower</b> S/N: 4FVLSBAA9KU195484 C/W: 2018 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, LED Lighting, S/A Trailer, Ball Hitch Usage: 12,582 Hr	8596	<b>2015 Magnum MLT-6SK 6 kW Light Tower</b> S/N: 5AJLS1010FB501697 C/W: 2014 US EPA Label, Kubota D1005-BFG-EF02 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 1,729 Hr
8588	<b>2019 Generac MLT6SK-HERC 6 kW Light Tower</b> S/N: 7FSBL1017KB727169 C/W: 2018 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 1,756 Hr	8597	<b>2015 Magnum MLT-6SK 6 kW Light Tower</b> S/N: 5AJLS1013FB506408 C/W: Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,221 Hr
8589	<b>2014 Magnum MLT4200 20 kW Light Tower</b> S/N: 1413169 C/W: 2014 US EPA Label, Isuzu BZ-4LE2T 4 Cylinder 30 kW Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,619 Hr	8598	<b>2013 Magnum MLT3060K 6 kW Light Tower</b> S/N: 1313428 C/W: 2013 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,479 Hr
8590	<b>2018 Magnum MLT6SM 6 kW Light Tower</b> S/N: 3003595707 C/W: 2018 US EPA Label, Mitsubishi 3 Cylinder Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,819 Hr	8599	<b>2017 Terex RL-4 6 kW Light Tower</b> S/N: RL4J6474 C/W: 2017 US EPA Label, Kohler KDW1003 3 Cylinder 19 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer Usage: 5,014 Hr
8591	<b>2017 Magnum MLT3060K 6 kW Light Tower</b> S/N: 1305000 C/W: 2013 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 10.8 kW 1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 3,288 Hr	8600	<b>2016 Allmand Bros. NL5000 8 kW Light Tower</b> S/N: 0600091 C/W: 2015 US EPA Label, Kubota D1005 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 5,657 Hr
8592	<b>2017 Magnum MLT3060K 6 kW Light Tower</b> S/N: 3001454133 C/W: Tier 4, 2015 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 7,414 Hr	8601	<b>2012 Allmand Bros. Night-Lite Pro II 8 kW Light Tower</b> S/N: 2632PRO212 C/W: Tier 4, 2012 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 11,217 Hr
8593	<b>2016 Magnum MLT3060MV 6 kW Light Tower</b> S/N: 3002261922 C/W: 2017 US EPA Label, Mitsubishi L3E 3 Cylinder 19 kW 1 L Diesel Engine, 4 Lamps, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,250 Hr	8602	<b>2015 Allmand Bros. Nite-Lite Pro II 8 kW Light Tower</b> S/N: 0234PRO215 C/W: Tier 4, Kubota D1105 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,398 Hr
8594	<b>2016 6 kW Light Tower</b> S/N: 5AJLS1013GB371660 C/W: Tier 4, 2015 US EPA Label, Kubota 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 4,759 Hr		



Lot #	Details	Lot #	Details
8603	<b>2013 Allmand Bros. Night-Lite Pro II 8 kW Light Tower</b> S/N: 0691PRO213 C/W: Tier 4, 2012 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring Usage: 3,715 Hr	8611	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0519FN005544 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 13 hp 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,506 Hr
8604	<b>2015 Allmand Bros. Nite-Lite Pro II 8 kW Light Tower</b> S/N: O236PRO215 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 2,775 Hr	8612	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0515FN005508 C/W: Tier 4, 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 13 hp 1 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,442 Hr
8605	<b>2012 Allmand Bros. Night-Lite Pro II 8 kW Light Tower</b> S/N: 2315PRO212 C/W: Tier 4, 2011 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 5,375 Hr	8613	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0513FN005510 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 13 hp 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,499 Hr
8606	<b>2013 Allmand Bros. Night-Lite Pro II 8 kW Light Tower</b> S/N: 0756PRO213 C/W: Tier 4, 2012 US EPA Label, Kubota D1005 3 Cylinder 10.8 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Reversible Hitch Usage: 4,875 Hr	8614	<b>2015 Wacker Neuson LTN-6 6 kW Light Tower</b> S/N: 5XFLN0517NF005333 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,504 Hr
8607	<b>2018 Wacker Neuson LTV6K 6 kW Light Tower</b> S/N: WNCLTV02VPUM06087 C/W: Tier 4, 2018 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Electric Winch Raise and Lower, S/A Trailer, Ball Hitch Usage: 5,312 Hr	8615	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0510FN005500 C/W: Tier 4, 2015 US EPA Label, Kubota D1005-BG-EF02 13 hp 1 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer Usage: 1,626 Hr
8608	<b>2015 Wacker Neuson LTN-6 6 kW Light Tower</b> S/N: 5XFLN0514FN005502 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 13 hp 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,631 Hr	8617	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0516FN005517 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 13 hp 1 L Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,565 Hr
8609	<b>2015 Wacker Neuson LTN-6 6 kW Light Tower</b> S/N: 5XFLN0518FN005499 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,177 Hr	8618	<b>2011 Chicago Pneumatic CPLT M10 6 kVA Light Tower</b> S/N: 5F13D1412B003309 C/W: Kohler KDW10036E 3 Cylinder Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 6,798 Hr
8610	<b>2015 Wacker Neuson 6 kW Light Tower</b> S/N: 5XFLN0517FN005512 C/W: 2015 US EPA Label, Kubota D1005-BG-EF02 13 hp 1 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,449 Hr	8619	<b>2003 Ingersoll-Rand L8-4MH 8.5 kW Light Tower</b> S/N: 336231UCN819 C/W: 2002 US EPA Label, Kubota D1105-BG-E 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring, Electric Brakes Usage: 543 Hr
		8620	<b>2003 Terex AL4080D-4MH 8.0 kW Light Tower</b> S/N: EYF05060 C/W: 2003 US EPA Label, Isuzu 3KB1 3 Cylinder 15.7 hp Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Lunette Ring, Electric Brakes Usage: 769 Hr

Lot #	Details	Lot #	Details
8621	<b>1995 Boss BB02MH Light Tower</b> S/N: 9562503 C/W: Honda GX340 1 Cylinder 10.7 hp 389 cc Gasoline Engine, 2 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: Not Available	8635	<b>2022 AM Tank 2300N 2376 gal Skid Mounted Steel Fuel Tank (Unused)</b> S/N: 77771 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8622	<b>2016 Work Area Solar Message Board</b> S/N: 1P91D1211GG301212 C/W: Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: Not Available	8636	<b>2022 4-Fuel.com 4F2330 Gal 2330 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F23004822 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8623	<b>2007 Wanco Solar Message Board</b> S/N: 161871000369 C/W: S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available	8637	<b>2022 4-Fuel.com 4F2330 Gal 2330 L Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F23004922 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8624	<b>2005 Wanco Solar Message Board</b> S/N: Not Available C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	8638	<b>2022 AM Tank 1800 1800 gal Skid Mounted Steel Fuel Tank (Unused)</b> S/N: 77772 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8625	<b>2005 Wanco Solar Message Board</b> S/N: Not Available C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available	8639	<b>2022 AM Tank 1300 1300 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 76918 C/W: 120 V Transfer Pump, 14 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8626	<b>2013 Wanco Solar Arrow Board</b> S/N: 5F11S1012D1002778 C/W: S/A Trailer, Ball Hitch Usage: Not Available	8640	<b>2022 AM Tank 1300 1300 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 77773 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8627	<b>2013 National Signal Solar Arrow Board</b> S/N: 1N9AL1014DF272094 C/W: S/A Trailer, Ball Hitch Usage: Not Available	8641	<b>2022 AM Tank 800 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 77774 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8628	<b>2013 National Signal Arrow Board</b> S/N: 1N9AL1014DF272046 C/W: Solar Powered, S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available	8642	<b>2022 4-Fuel.com 4F838 Gal 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F83804922 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8629	<b>2006 Wanco Solar Arrow Board</b> S/N: 101061000126 C/W: S/A Trailer, Ball Hitch Usage: Not Available	8643	<b>2022 4-Fuel.com 4F838 Gal 838 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F83804822 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available
8630	<b>2006 Wanco Solar Arrow Board</b> S/N: 61004636 C/W: S/A Trailer, Ball Hitch Usage: Not Available		
8631	<b>Aero Solar Arrow Board</b> S/N: Not Available C/W: S/A Trailer, Lunette Ring Usage: Not Available		
8632	<b>Arrowmaster Arrow Board</b> S/N: Not Available C/W: S/A Trailer, Ball Hitch Usage: Not Available		
8633	<b>5000 gal Tank</b> S/N: T287274 Usage: Not Available		
8634	<b>Skid Mounted Steel Fuel Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available		

Lot #	Details	Lot #	Details
8644	<b>2022 4-Fuel.com 4F300 Gal 300 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F03006022 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	8653	<b>2022 AM Tank 116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 47412L C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available
8645	<b>2022 4-Fuel.com 4F300 Gal 300 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 4F03005922 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	8654	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116234/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8646	<b>2022 AM Tank 250H 257 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 77775 C/W: 120 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	8655	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116235/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8647	<b>2022 AM Tank 250 257 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 77776 C/W: 120 V Transfer Pump, 130 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle, Spill Containment Usage: Not Available	8656	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116237/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8648	<b>2019 AM Tank 250 gal Steel Diesel Fuel Tank</b> S/N: 69120 C/W: 12 V Transfer Pump, Fuel Meter, Spill Containment Usage: Not Available	8657	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116232/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8649	<b>2022 Yuni D860DC 210 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 2208221 C/W: 12 V Transfer Pump, 50 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8658	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116233/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8650	<b>2022 Yuni D620DC 160 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 2022067 C/W: 12 V Transfer Pump, 50 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8659	<b>2022 4-Fuel.com 4F116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F116236/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8651	<b>2022 AM Tank 116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 47414L C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8660	<b>TMG DFT116 116 gal Poly Diesel Fuel Tank (Unused)</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available
8652	<b>2022 AM Tank 116 116 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 47413L C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8661	<b>TMG DFT116 116 gal Poly Diesel Fuel Tank (Unused)</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available
		8662	<b>TMG DFT116 116 gal Poly Diesel Fuel Tank (Unused)</b> S/N: Not Available C/W: 12 V Transfer Pump Usage: Not Available

Lot #	Details	Lot #	Details
8663	<b>2022 Yuni D430DC 110 gal Skid Mounted Steel Diesel Fuel Tank (Unused)</b> S/N: 2022066 C/W: 12 V Transfer Pump, 13 ft Hose, Fuel Meter, Automatic Shut-Off Nozzle Usage: Not Available	8673	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058328/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8664	<b>2022 AM Tank 58 gal 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 51221A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8674	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058329/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8665	<b>2022 AM Tank 58 gal 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 51222A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8675	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058327/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8666	<b>2022 AM Tank 58 gal 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 51220A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8676	<b>2022 AM Tank 29 29 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 11597E C/W: 12 V Transfer Pump, 10 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8667	<b>2022 AM Tank 58 gal 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 51219A C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8677	<b>2022 AM Tank 29 29 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 11596E C/W: 12 V Transfer Pump, 10 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8668	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058325/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8678	<b>2022 AM Tank 29 29 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 11595E C/W: 12 V Transfer Pump, 10 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8669	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058324/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8680	<b>2022 4-Fuel.com 4F26 26 gal Portable Poly Diesel Trolley Fuel Tank (Unused)</b> S/N: 4F026040/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available
8670	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058326/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8681	<b>Quantity of (2) Fuel Tanks</b> S/N: Not Available Usage: Not Available
8671	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058323/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8682	<b>Quantity of (4) Fuel Tanks</b> S/N: Not Available Usage: Not Available
8672	<b>2022 4-Fuel.com 4F58 58 gal Portable Poly Diesel Fuel Tank (Unused)</b> S/N: 4F058322/22 C/W: 12 V Transfer Pump, 13 ft Hose, Automatic Shut-Off Nozzle Usage: Not Available	8683	<b>Quantity of (3) Fuel Tanks</b> S/N: Not Available Usage: Not Available
		8684	<b>Better Built 100 gal Steel Fluid Transfer Fuel Tank</b> S/N: BF052385 Usage: Not Available
		8685	<b>UWS 100 gal Tool Box &amp; Fuel Tank</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8686	<b>1000 gal Diesel Fuel Tank</b> S/N: Not Available C/W: 115 V Transfer Pump, Fuel Meter Usage: Not Available	8702	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available
8687	<b>2022 Big Slick Skid Mounted Oil &amp; Lube Skid (Unused)</b> S/N: Not Available C/W: (4) Hose Reels Usage: Not Available	8703	<b>3000 gal Skid-Mounted Fuel Tank</b> S/N: Not Available C/W: Fill-Rite Pump Usage: Not Available
8688	<b>2022 Fuel Solution Srl Pneumatic Wheeled Grease Pump (Unused)</b> S/N: Not Available Usage: Not Available	8704	<b>Skid-Mounted Tank</b> S/N: Not Available Usage: Not Available
8689	<b>2022 Fuel Solution Srl 4FHose Reel 65 Ft NPT 1 in (Unused)</b> S/N: Not Available Usage: Not Available	8705	<b>2000 Gal Oil Tank Tank</b> S/N: Not Available Usage: Not Available
8690	<b>2022 Fuel Solution Srl 65 ft NPT 1 in Hose Reel (Unused)</b> S/N: Not Available Usage: Not Available	8706	<b>Fuel Tank</b> S/N: Not Available C/W: 115 V Transfer Pump, Fuel Meter, Containment Basin Usage: Not Available
8691	<b>Fuel Solution 65 Ft Hose Reel (Unused)</b> S/N: Not Available Usage: Not Available	8707	<b>Skid-Mounted Tank</b> S/N: Not Available Usage: Not Available
8692	<b>1500 gal Poly Water Tank</b> S/N: Not Available C/W: Stand Usage: Not Available	8708	<b>Product Tank</b> S/N: Not Available C/W: Transfer Pump, Fuel Meter Usage: Not Available
8693	<b>22 ft x 10 ft Spill Containment Basin</b> S/N: Not Available C/W: Fill Rite 12 V 20 gpm pump w/hose, readout Usage: Not Available	8709	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available
8694	<b>Fuel Tank</b> S/N: Not Available C/W: 115 V Transfer Pump, Fuel Meter, Containment Basin Usage: Not Available	8710	<b>Tank</b> S/N: Not Available Usage: Not Available
8695	<b>Diesel Fuel Tank</b> S/N: Not Available Usage: Not Available	8711	<b>Tank</b> S/N: Not Available Usage: Not Available
8697	<b>6000 gal Product Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available	8712	<b>Fuel Tank</b> S/N: Not Available C/W: Transfer Pump, Containment Basin Usage: Not Available
8699	<b>4000 gal Skid Mounted Convault Fuel Tank</b> S/N: Not Available C/W: 2 Compartments Usage: Not Available	8713	<b>1000 gal Oil Tank</b> S/N: Not Available C/W: w/ Spill Containment Usage: Not Available
8700	<b>Skid Mounted Steel 3000 gal Product Tank</b> S/N: 0R557 C/W: Fuel Meter, Spill Containment Usage: Not Available	8714	<b>Steel 1000 gal Product Tank</b> S/N: Not Available Usage: Not Available
8701	<b>Skid-Mounted Fuel Tank</b> S/N: Not Available C/W: Fill-Rite Pump Usage: Not Available	8715	<b>ConVault WRN E 700/300 3SF Concrete 1000 gal Fuel Tank</b> S/N: S632218 C/W: 2 Compartments Usage: Not Available
		8716	<b>Skid Mounted Concrete 1000 gal Fuel Tank</b> S/N: Not Available C/W: Fuel Meter Usage: Not Available

Lot #	Details	Lot #	Details
8717	<b>Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump, Fuel Meter, Containment Basin, Hose Reel Usage: Not Available	8732	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
8718	<b>Fuel Tank</b> S/N: Not Available C/W: 12 V Transfer Pump, Fuel Meter Usage: Not Available	8733	<b>Tank</b> S/N: Not Available Usage: Not Available
8719	<b>Product Tank Containment Basin</b> S/N: Not Available Usage: Not Available	8734	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin, Hose Reel Usage: Not Available
8720	<b>350 gal Spill Containment Basin</b> S/N: Not Available Usage: Not Available	8735	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
8721	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8736	<b>Product Tank</b> S/N: A60850763 Usage: Not Available
8722	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available	8737	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
8723	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8738	<b>Product Tank</b> S/N: Not Available Usage: Not Available
8724	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8739	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin Usage: Not Available
8725	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8740	<b>Product Tank</b> S/N: Not Available Usage: Not Available
8726	<b>Product Tank</b> S/N: A60850764 Usage: Not Available	8741	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
8727	<b>Product Tank</b> S/N: Not Available Usage: Not Available	8742	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin, Hose Reel Usage: Not Available
8728	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8743	<b>Product Tank</b> S/N: Not Available C/W: Containment Basin, Hose Reel Usage: Not Available
8729	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8744	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
8730	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8745	<b>Product Tank</b> S/N: Not Available Usage: Not Available
8731	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available	8746	<b>Product Tank</b> S/N: Not Available C/W: Hose Reel Usage: Not Available
		8747	<b>500 gal Spill Containment Basin</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8748	<b>275 gal Spill Containment Basin</b> S/N: Not Available Usage: Not Available	8762	<b>2022 Suihe 40 ft High Cube Storage Container</b> S/N: DFOC017856 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8749	<b>100 gal Spill Containment Basin</b> S/N: Not Available Usage: Not Available	8763	<b>2022 Suihe QP-SOSQ-1602 40 ft High Cube Storage Container</b> S/N: QT22402188 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8750	<b>Product Tank Containment Basin</b> S/N: Not Available C/W: 5 ft x 4 ft Usage: Not Available	8764	<b>2022 Suihe 40 ft High Cube Storage Container</b> S/N: LYPU0077824 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Side Doors Usage: Not Available
8751	<b>Quantity of (6) 2022 Fuel Solution Srl 4B-100 /75-A Interlocking Traffic and Construction Barrier (Unused)</b> S/N: Not Available C/W: 3 White, 3 Red Usage: Not Available	8765	<b>2022 Suihe QP-SOSQ-1602 40 ft High Cube Storage Container</b> S/N: QT22402189 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8752	<b>Quantity of (6) 2022 Fuel Solution Srl 4B-100 /75-A Interlocking Traffic and Construction Barrier (Unused)</b> S/N: Not Available C/W: 3 White, 3 Red Usage: Not Available	8766	<b>2022 Suihe 40 ft High Cube Storage Container</b> S/N: LYPU0075035 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Side Doors Usage: Not Available
8753	<b>Teran TDT116GL Poly Fuel Tank (Unused)</b> S/N: 46572L C/W: 12 V Transfer Pump, 13 ft Hose Usage: Not Available	8767	<b>2022 Suihe QP-SOSQ-1712 40 ft High Cube Storage Container</b> S/N: QT22401910 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8754	<b>Teran TDT58GL Poly Fuel Tank (Unused)</b> S/N: 49906A C/W: 12 V Transfer Pump, 13 ft Hose Usage: Not Available	8768	<b>2022 Suihe QP-SOSQ-1712 40 ft High Cube Open-Sided Storage Container</b> S/N: LYPU0075040 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8755A	<b>2022 45 ft x 8 ft ISO Tank Skid</b> S/N: NCSE22S00894 Usage: Not Available	8769	<b>2022 CX20-41S0/2 40 ft High Cube Open-Sided Storage Container</b> S/N: XHCU5472469 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8755	<b>Teran TDT116GL Poly Fuel Tank (Unused)</b> S/N: 46571L C/W: 12 V Transfer Pump, 13 ft Hose Usage: Not Available	8770	<b>2022 40 ft High Cube Open-Sided Storage Container</b> S/N: JSCU5132018 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8756	<b>72 in Conveyor Belt</b> S/N: Not Available Usage: Not Available	8771	<b>2022 40 ft High Cube Open-Sided Storage Container</b> S/N: MMPU1000830 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8757	<b>72 in Conveyor Belt</b> S/N: Not Available Usage: Not Available	8772	<b>2022 40 ft High Cube Open-Sided Storage Container</b> S/N: MMPU1001076 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available
8758	<b>72 in Conveyor Belt</b> S/N: Not Available Usage: Not Available		
8759	<b>72 in Conveyor Belt</b> S/N: Not Available Usage: Not Available		
8760	<b>72 in Conveyor Belt</b> S/N: Not Available Usage: Not Available		
8761	<b>Stearns Separator Magnet</b> S/N: Not Available Usage: Not Available		

Lot #	Details	Lot #	Details
8773	<b>2022 40 ft High Cube Storage Container (Unused)</b> S/N: VSLU1147786 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8788	<b>2007 40 ft High Cube Storage Container</b> S/N: TCNU9966813 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
8774	<b>2022 AGROTK 40 ft High Cube Storage Container</b> S/N: CICU3422330 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8789	<b>40 ft High Cube Storage Container</b> S/N: TRLU7098616 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
8775	<b>2022 AGROTK 40 ft High Cube Storage Container</b> S/N: CICU3422310 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, side doors Usage: Not Available	8790	<b>40 ft High Cube Storage Container</b> S/N: TRIU5185110 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8776	<b>2022 40 ft High Cube Open-Sided Storage Container</b> S/N: PPLU1208703 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box Usage: Not Available	8792	<b>40 ft Storage Container</b> S/N: TTNU4042595 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8777	<b>2022 40 ft High Cube Storage Container</b> S/N: PPLU1208690 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, side doors Usage: Not Available	8793	<b>40 ft Storage Container</b> S/N: TTNU5072980 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8781	<b>2010 CIMC 084A45G1 40 ft High Cube Storage Container</b> S/N: XCMC40328061 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8794	<b>40 ft Storage Container</b> S/N: TRLU4831442 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8782	<b>2006 TAL International HC40/04A(2) 40 ft High Cube Storage Container</b> S/N: CIMC20737074 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	8795	<b>40 ft Storage Container</b> S/N: XXCU4978379 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8783	<b>2006 Huizhou CX04-41ZIM 40 ft High Cube Storage Container</b> S/N: JXLU8604331 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8796	<b>40 ft Storage Container</b> S/N: BSIU4004172 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8784	<b>2004 CIMC CB45-19-01 40 ft High Cube Storage Container</b> S/N: TCNU9151174 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	8797	<b>40 ft Storage Container</b> S/N: BSIU4055930 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8785	<b>40 ft High Cube Storage Container</b> S/N: MCCU3079447 C/W: 8 ft Wide, 9 ft 6 in High, Fork Pockets Usage: Not Available	8798	<b>40 ft Storage Container</b> S/N: BSIU4046054 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8786	<b>40 ft High Cube Storage Container</b> S/N: MCCU3079365 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	8799	<b>40 ft Storage Container</b> S/N: BSIU4027769 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available
8787	<b>40 ft High Cube Storage Container</b> S/N: MCCU3079344 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available	8800	<b>40 ft Storage Container</b> S/N: TTNU5868719 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box Usage: Not Available
		8801	<b>40 ft High Cube Storage Container</b> S/N: FCIU9315884 C/W: 8 ft Wide, 9 ft 6 in High Usage: Not Available
		8802	<b>40 ft Storage Container</b> S/N: TRIU5097977 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available



Lot #	Details	Lot #	Details
8803	<b>2022 20 ft Storage Container</b> S/N: HPCU2174727 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8841	<b>2022 20 ft Storage Container</b> S/N: BC0004789 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8804	<b>2022 20 ft Storage Container</b> S/N: VSLU3235192 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8842	<b>2021 20 ft High Cube Storage Container</b> S/N: RX2113786 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8806	<b>2022 20 ft Storage Container</b> S/N: VSLU3235211 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8843	<b>2016 SHANG 20 ft Storage Container</b> S/N: TEMU0588219 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8807	<b>2022 20 ft Storage Container</b> S/N: VSLU3235510 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8844	<b>2016 SHANG 20 ft Storage Container</b> S/N: TEMU0588749 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8808	<b>2022 20 ft Storage Container</b> S/N: VSLU3235171 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8845	<b>2016 SHANG 20 ft Storage Container</b> S/N: TEMU0533540 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8809	<b>2022 20 ft Storage Container</b> S/N: VSLU3235232 C/W: 8 ft Wide, 8 ft 6 in High Usage: Not Available	8846	<b>2014 SHANG 20 ft Storage Container</b> S/N: TEMU5917169 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8810	<b>2022 20 ft Storage Container</b> S/N: VSLU3235187 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8847	<b>2005 SHANG 20 ft Storage Container</b> S/N: OOLU2882651 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8811	<b>2022 20 ft Storage Container</b> S/N: VSLU3235525 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8848	<b>2005 SHANG 20 ft Storage Container</b> S/N: OOLU2904468 C/W: 8 ft Wide, 8 ft 7 in High, Fork Pockets Usage: Not Available
8812	<b>2022 20 ft Storage Container</b> S/N: VSLU3235715 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8849	<b>20 ft Storage Container</b> S/N: HPCU2189917 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8815	<b>2021 CB22-76-03 20 ft Storage Container</b> S/N: VSLU3234977 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8850	<b>20 ft Storage Container</b> S/N: HPCU2174671 C/W: 20 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8839	<b>20 ft Storage Container</b> S/N: SPRU3004072 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8851	<b>20 ft High Cube Storage Container</b> S/N: MDRU7300617 C/W: 8 ft Wide, 9 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
8840	<b>20 ft Storage Container</b> S/N: SPRU3004196 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available	8852	<b>20 ft Storage Container</b> S/N: WNGU2165779 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Fork Pockets Usage: Not Available
		8853	<b>20 ft Storage Container</b> S/N: HPCU2189882 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
		8854	<b>2022 20 ft Storage Container</b> S/N: HPCU2189898 C/W: 8 ft Wide, 8 ft 8 in High, Fork Pockets Usage: Not Available

Lot #	Details	Lot #	Details
8855	<b>2022 20 ft Storage Container</b> S/N: HPCU2189901 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8872	<b>1996 20 ft Storage Container</b> S/N: MSCU1076938 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8856	<b>20 ft Storage Container</b> S/N: ZJTU6101165 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8873	<b>Seacan 20 ft Storage Container</b> S/N: WCSU2015049 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets, hydraulic hose making bench and fittings Usage: Not Available
8857	<b>20 ft Storage Container</b> S/N: BBTU8607679 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8874	<b>20 ft Storage Container</b> S/N: EMSU2545550 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8860	<b>20 ft Storage Container</b> S/N: CS07035321 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8875	<b>2012 20 ft Storage Container</b> S/N: EMSU2538777 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8861	<b>20 ft Storage Container</b> S/N: TCKU3493051 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8876	<b>20 ft Storage Container</b> S/N: 00LU2909500 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets, Includes a tire changer, misc yard tools, air tools, furniture, tool boxes Usage: Not Available
8862	<b>20 ft Storage Container</b> S/N: TTNU1536383 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8877A	<b>20 ft Storage Container</b> S/N: SUDU1997318 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8863	<b>20 ft Storage Container</b> S/N: TTNU2434597 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8877	<b>20 ft Storage Container</b> S/N: TRIU2076179 C/W: 8 ft Wide, 8 ft 6 in High, Lock Box, Contents Usage: Not Available
8864	<b>20 ft Storage Container</b> S/N: DFJZ60816 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8878A	<b>20 ft Storage Container</b> S/N: SEGU2705827 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available
8865	<b>20 ft Storage Container</b> S/N: QDCM07A29226 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8878	<b>20 ft Storage Container</b> S/N: Not Available C/W: 8 ft Wide, 8 ft 6 in High, Single Walk Door, Fork Pockets Usage: Not Available
8866	<b>20 ft Storage Container</b> S/N: Not Available C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8879	<b>2022 Suihe 12 ft Storage Container</b> S/N: LYPU12448 C/W: 7 ft 4 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
8867	<b>40 ft Storage Container</b> S/N: Not Available Usage: Not Available	8880	<b>2022 Suihe 12 ft Storage Container</b> S/N: LYPU12447 C/W: 7 ft 4 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
8868	<b>20 ft Storage Container</b> S/N: NSSC07A23 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8881	<b>2022 Suihe 9 ft Storage Container</b> S/N: LYP91946 C/W: 7 ft 4 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
8869	<b>20 ft Storage Container</b> S/N: ODCM06A17361 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available	8882	<b>2022 Suihe 9 ft Storage Container</b> S/N: LYPU00155 C/W: 7 ft 3 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available
8870	<b>20 ft Storage Container</b> S/N: CXIC295607 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available		
8871	<b>20 ft Storage Container</b> S/N: TCKU1732898 C/W: 8 ft Wide, 8 ft 6 in High, Fork Pockets Usage: Not Available		

Lot #	Details	Lot #	Details
8883	<b>2022 Suihe 9 ft Storage Container</b> S/N: LYP910062 C/W: 7 ft 4 in Wide, 8 ft 3 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8894	<b>Dragon 22 ft x 7 ft 40 cy Roll-Off Container</b> S/N: 25889 Usage: Not Available
8884	<b>TMG SC09 9 ft Storage Container</b> S/N: BNGU199495 C/W: 7 ft 2 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	8895	<b>2022 Kit Containers 22 ft x 7 ft 6 in Roll-Off Container (Unused)</b> S/N: Not Available Usage: Not Available
8885	<b>TMG SC09 9 ft Storage Container</b> S/N: BNGU199492 C/W: 7 ft 2 in Wide, 8 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	8896	<b>2022 Kit Containers 22 ft x 7 ft 30 CY Roll-Off Container (Unused)</b> S/N: Not Available Usage: Not Available
8886	<b>2022 Suihe 8 ft Storage Container</b> S/N: LYP810069 C/W: 6 ft 8 in Wide, 7 ft 5 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8897	<b>30 ft x 7 ft 44 CY Roll-Off Container</b> S/N: Not Available Usage: Not Available
8887	<b>2022 Suihe 8 ft Storage Container</b> S/N: LYPU00035 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8898	<b>21 ft x 7 ft 30 cy Roll-Off Container</b> S/N: 0533 Usage: Not Available
8888	<b>2022 Suihe 8 ft Storage Container</b> S/N: LYP81932 C/W: 6 ft 8 in Wide, 7 ft 4 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8899	<b>21 ft x 7 ft 30 CY Roll-Off Container</b> S/N: 0517 Usage: Not Available
8889	<b>TMG SC08 8 ft Storage Container</b> S/N: BNGU189495 C/W: 6 ft 5 in Wide, 7 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	8900	<b>21 ft x 7 ft 30 CY Roll-Off Container</b> S/N: 0503 Usage: Not Available
8890	<b>TMG SC08 8 ft Storage Container</b> S/N: BNGU189492 C/W: 6 ft 5 in Wide, 7 ft 2 in High, Single Walk Door, Window, Fork Pockets Usage: Not Available	8901	<b>21 ft x 7 ft 30 CY Roll-Off Container</b> S/N: 0518 Usage: Not Available
8891	<b>2022 Suihe 7 ft Storage Container</b> S/N: LYPU00015 C/W: 6 ft Wide, 6 ft 6 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8903	<b>20 ft x 7 ft Roll-Off Container</b> S/N: FPUSASST0124 Usage: Not Available
8892	<b>2022 Suihe 7 ft Storage Container</b> S/N: LYPU1005731 C/W: 6 ft Wide, 6 ft 7 in High, Single Walk Door, Lock Box, Window, Fork Pockets Usage: Not Available	8904	<b>20 ft x 7 ft Roll-Off Container</b> S/N: FPUSASST0106 Usage: Not Available
8893	<b>8 ft x 8 ft Skid-Mounted Security Building</b> S/N: Not Available Usage: Not Available	8905	<b>20 ft x 7 ft Roll-Off Container</b> S/N: FPUSASST0123 Usage: Not Available
8894A	<b>Mitsubishi U14TQHPDL2M 4x2 Utility Vehicle</b> S/N: U00TAU004327 C/W: Enclosed Cab, Air Conditioner, 2 Passenger, Windshield, Gasoline Engine, Hitch Receiver Usage: 24,980 Mi	8906	<b>20 ft x 7 ft Roll-Off Container</b> S/N: FPUSASST0118 Usage: Not Available
		8907	<b>20 ft x 7 ft Dewatering Roll-Off Container</b> S/N: Not Available Usage: Not Available
		8910	<b>18 ft x 7 ft Roll-Off Container</b> S/N: Not Available Usage: Not Available
		8913	<b>Callaway 16 ft x 7 ft Roll-Off Container</b> S/N: Not Available Usage: Not Available
		8914	<b>16 ft x 8 ft Roll-Off Container</b> S/N: 8863 Usage: Not Available
		8915	<b>22 ft x 7 ft Roll-Off Container</b> S/N: Not Available Usage: Not Available
		8916	<b>Dumpster</b> S/N: Not Available Usage: Not Available

Lot #	Details	Lot #	Details
8917	<b>Galbreath 19 ft x 7 ft 25 CY Vacuum Roll-Off Container</b> S/N: 13130780 Usage: Not Available	8929	<b>2012 John Deere Z425 Zero-Turn Lawn Mower</b> S/N: M0Z425J0639922 C/W: 54 in Mower Usage: Not Available
8918A	<b>21 ft x 7 ft 30 cy Roll-Off Container</b> S/N: 0537 Usage: Not Available	8930	<b>2019 Bad Boy Magnum Zero-Turn Lawn Mower</b> S/N: BMZ54KT74007190362 C/W: 54 in Mower Usage: 299 Hr
8918	<b>Galbreath 19 ft x 7 ft Roll-Off Container</b> S/N: 13130791 C/W: 25 CY Usage: Not Available	8931	<b>2017 Bad Boy Magnum Zero-Turn Lawn Mower</b> S/N: BMZ54KT74005171103 C/W: 54 in Mower Usage: Not Available
8919	<b>Roura Ironworks 3 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	8932	<b>2019 Bad Boy Maverick Zero-Turn Lawn Mower</b> S/N: BMV54ZT74006190133 C/W: Hydrostatic Drive, 54 in Mower Usage: 565 Hr
8920A	<b>Hippo Hopper 2.5 CY Self-Dumping Hopper</b> S/N: 47315 Usage: Not Available	8933	<b>2015 Bad Boy ZT Elite Zero-Turn Lawn Mower</b> S/N: BZE54KT74509151085 C/W: Hydrostatic Drive, 54 in Mower Usage: 482 Hr
8920	<b>Roura Ironworks 3 cyd Self-Dumping Hopper</b> S/N: Not Available Usage: Not Available	8934	<b>2015 Bad Boy ZT Elite Zero-Turn Lawn Mower</b> S/N: BZE54KT74507151004 C/W: Hydrostatic Drive, 54 in Mower Usage: 198 Hr
8921	<b>John Deere 8800 Rough Mower</b> S/N: 1TC8800XLDLF060302 C/W: Canopy, Air Ride Seat, 2013 US EPA Label, 26x12-12 Front Tires, 20x10-8 Rear Tires, 88 in Mower Usage: 2,982 Hr	8935	<b>2014 Bad Boy ZTR Magnum Zero-Turn Lawn Mower</b> S/N: BKG5425K012141584 C/W: 54 in Mower Usage: 70 Hr
8922	<b>John Deere 3235C Rough Mower</b> S/N: TC3235C040183 C/W: Air Ride Seat, 2006 US EPA Label, 26.5 x14-12 Front Tires, 20x10 Rear Tires, John Deere 100 in Mower Usage: 200 Hr	8936	<b>2013 Bad Boy ZTR Magnum Zero-Turn Lawn Mower</b> S/N: BMG5427BS08131185 C/W: 54 in Mower Usage: 267 Hr
8923	<b>Jacobsen Textron Tri King 1900D Ride-On Lawn Mower</b> S/N: 67043 C/W: 2000 US EPA Label, 20x10.00-10 Front Tires, 7 ft 3 in Mower Usage: 1,543 Hr	8937	<b>2010 Bad Boy ZT Elite Zero-Turn Lawn Mower</b> S/N: BBZ5027K004101264 Usage: 1,244 Hr
8925	<b>Toro 6000 Zero-Turn Lawn Mower</b> S/N: 316000138 C/W: 72 in Mower Usage: 2,279 Hr	8938A	<b>Kubota ZD1011-54 Zero-Turn Lawn Mower</b> S/N: 12573 C/W: Hydrostatic Drive, 2017 US EPA Label, 13x5.00x5 Front Tires, 24x9.50x14 Rear Tires, 0 ft 54 in Mower Usage: 880 Hr
8926	<b>2009 Toro 74254 Zero-Turn Lawn Mower</b> S/N: 290000135 C/W: 72 in Mower Usage: Not Available	8938	<b>Kubota Z122RKW-42 Zero-Turn Lawn Mower</b> S/N: 13788 C/W: 2015 US EPA Label, 11x4.00-5 Front Tires, 18x7.5-10 Rear Tires, 42 in Mower Usage: 194 Hr
8927A	<b>Toro Grounds Master 7200 Zero-Turn Lawn Mower</b> S/N: 00243 C/W: Hydrostatic Drive, 15 x 6.00 x 6 Front Tires, 24 x 12.00 x 12 Rear Tires, 72 in Mower Usage: 5,473 Hr	8939	<b>Hustler Raptor Zero-Turn Lawn Mower</b> S/N: 17110937 C/W: Hydrostatic Drive, 18x8.50-8 Rear Tires, 42 in Double Mower Usage: Not Available
8928	<b>John Deere 7400 TerrainCut Ride-On Lawn Mower</b> S/N: Not Available C/W: Hydrostatic Drive, 2012 US EPA Label, 24x12.00x12 Front Tires, 24x12.00x12 Rear Tires, 72 in Mower Usage: 2,744 Hr	8940	<b>Husqvarna Z254F Ride-On Lawn Mower</b> S/N: 072020C012789 C/W: Hydrostatic Drive, 2020 US EPA Label, Dual 11x6.00-5NH Front Tires, Dual 18x9.50-8NHS Rear Tires, 48 in Mower Usage: 98 Hr

Lot #	Details	Lot #	Details
8941	<b>Husqvarna Z254 Zero-Turn Lawn Mower</b> S/N: Not Available C/W: 54 in Mower Usage: 10 Hr	8954	<b>Ryobi ZT480ex Zero-Turn Electric Lawn Mower</b> S/N: Not Available C/W: 42 in Mower Usage: Not Available
8942	<b>2019 Farris 400S Zero-Turn Lawn Mower</b> S/N: 4000017774 C/W: 48 in Mower Usage: Not Available	8955	<b>Ryobi RM480ex Ride-On Electric Lawn Mower</b> S/N: Not Available C/W: 38 in Mower Usage: Not Available
8943	<b>Ferris IS700ZB2661 Zero-Turn Lawn Mower</b> S/N: 2016775413 C/W: Hydrostatic Drive, 61 in Mower Usage: 555 Hr	8956	<b>John Deere D105 Ride-On Lawn Mower</b> S/N: Not Available C/W: 42 in Mower Usage: 116 Hr
8944	<b>2008 Yazoo Kees Zero-Turn Lawn Mower</b> S/N: 033700936 C/W: 52 in Mower Usage: Not Available	8957A	<b>John Deere X330 Ride-On Lawn Mower</b> S/N: 1M0X330ACGM014049 C/W: Hydrostatic Drive, 2016 US EPA Label, 15 x 6.00 x 6 Front Tires, 20 x 10.00 x 8 Rear Tires, 42 in Mower Usage: 85 Hr
8945	<b>Troy-Bilt Zero-Turn Lawn Mower</b> S/N: 1D097G20007 C/W: Hydrostatic Drive, 2005 US EPA Label, 18X9.50-8 Rear Tires, 48 in Mower Usage: Not Available	8957	<b>John Deere S100 Ride-On Lawn Mower</b> S/N: Not Available C/W: Hydrostatic Drive, 42 in Mower Usage: 68 Hr
8946	<b>Everride Warrior Zero-Turn Lawn Mower</b> S/N: FH721VC56786 C/W: Hydrostatic Drive, 13x6.50x6 Front Tires, 24x12.00x12 Rear Tires, 60 in Mower Usage: 2,468 Hr	8958	<b>1989 Kubota T1400 Ride-On Lawn Mower</b> S/N: 15451 C/W: Hydrostatic Drive, 40 in Mower Usage: 703 Hr
8947	<b>Gravely 991067 Zero-Turn Lawn Mower</b> S/N: 000293 C/W: Hydrostatic Drive, 2014 US EPA Label, 13x6.50x6 Front Tires, 23x10.00x12 Rear Tires, 60 in Mower Usage: Not Available	8959	<b>Cub Cadet CC30E Ride-On Electric Lawn Mower</b> S/N: 1E20NB20022 C/W: Hydrostatic Drive, 13x6.50-6 Front Tires, 16x6.50-8 Rear Tires, 30 in Mower Usage: Not Available
8948	<b>Gravely ZT60HD Zero-Turn Lawn Mower</b> S/N: 032688 C/W: Hydrostatic Drive, 60 in Mower Usage: 393 Hr	8960	<b>Club Cadet CC30E Ride-On Electric Lawn Mower</b> S/N: 1F03MB20043 C/W: Hydrostatic Drive, 13X5.00-6 Front Tires, 16X6.50-8 Rear Tires, 30 in Mower Usage: Not Available
8949	<b>Woods MZ2252K Zero-Turn Lawn Mower</b> S/N: 87225000107 C/W: Hydrostatic Drive, 2010 US EPA Label, 23x10.50-12 Rear Tires, 52 in Triple Mower Usage: Not Available	8961	<b>Honda Walk-Behind Lawn Mower</b> S/N: MZCG9143767 C/W: 2014 US EPA Label, 21 in Mower Usage: Not Available
8950	<b>Woods MZ2252K Zero-Turn Lawn Mower</b> S/N: 87225000106 C/W: Hydrostatic Drive, 2010 US EPA Label, 23x10-12 Rear Tires, 52 in Triple Mower Usage: Not Available	8962	<b>Honda Walk-Behind Lawn Mower</b> S/N: MZCG9143821 C/W: 2014 US EPA Label, 21 in Mower Usage: Not Available
8951	<b>Dewalt Z254 Zero-Turn Lawn Mower</b> S/N: 1K10MH60037 C/W: 54 in Mower Usage: Not Available	8963	<b>Honda Walk-Behind Lawn Mower</b> S/N: MZCG9143822 C/W: 2014 US EPA Label, 21 in Mower Usage: Not Available
8952	<b>Encore 60K25Z Zero-Turn Lawn Mower</b> S/N: 48235 C/W: 60 in Mower Usage: 416 Hr	8964	<b>Snapper Walk-Behind Electric Lawn Mower</b> S/N: MW406221169 C/W: 21 in Mower Usage: Not Available
8953	<b>Dek Z-Beast Zero-Turn Lawn Mower</b> S/N: 110265 C/W: Hydrostatic Drive, 48 in Mower Usage: 7 Hr	8965	<b>Dewalt 21R7770151G1 4x2 Walk-Behind Lawn Mower</b> S/N: 2109138282524 C/W: 2021 US EPA Label, Dual Front Tires, Dual 4.80-8NHS Rear Tires, 33 in Mower Usage: 6 Hr

Lot #	Details	Lot #	Details
8966	<b>Southland 17 in String Trimmer &amp; Yard Force Lawn Mower</b> S/N: Not Available Usage: Not Available	8978	<b>Yard Force Walk Behind Lawn Mower</b> S/N: Not Available C/W: Southland 17 in string trimmer Usage: Not Available
8967	<b>Southland 17 in String Trimmer &amp; Yard Force Lawn Mower</b> S/N: Not Available Usage: Not Available	8979	<b>Quantity of 2 Yard Force Walk Behind Lawn Mower</b> S/N: Not Available C/W: Grass Clipping Bag Usage: Not Available
8968	<b>Ryobi Walk-Behind Electric Lawn Mower</b> S/N: Not Available C/W: 21 in Mower Usage: Not Available	8980	<b>Quantity of (6) Yard Force Walk Behind Lawn Mower</b> S/N: Not Available Usage: Not Available
8969	<b>4x2 Walk-Behind (1) Lawn-Boy 10730, (1) Dewalt, (1) Honda HRN, (1) Tryo-Bilt 11A-B0BL23, (1) Yard Machine 300E Lawn Mower</b> S/N: Not Available C/W: Lawn-Boy 149cc Gasoline Engine, Dewalt 20v, Honda 166cc Gasoline Engine, Troy-Bilt 140cc Briggs and Stratton Gasoline Engine, Yard Machine 125cc Gasoline Engine Usage: Not Available	8981	<b>Quantity of (6) Yard Force Walk Behind Lawn Mower</b> S/N: Not Available Usage: Not Available
8970	<b>4x2 Walk-Behind (2) Dewalt 18AEU2C2738, (2) Ryobi MNA152702, (1) Murray E500 Lawn Mower</b> S/N: Not Available C/W: 21 in Mower, Dewalt 20v, Ryobi 40v, Murray Briggs and Stratton 140cc Gasoline Engine Usage: Not Available	8982	<b>Quantity of (6) Yard Force Walk Behind Lawn Mower</b> S/N: Not Available Usage: Not Available
8971	<b>Quantity of (2) Yard Force Lawn Mower</b> S/N: Not Available Usage: Not Available	8983	<b>300 Liter Tow Behind Seeder</b> S/N: Not Available Usage: Not Available
8972	<b>Quantity of (1) Southland String Trimmer, &amp; (2) Yard Force Lawn Mower</b> S/N: Not Available Usage: Not Available	8984	<b>Quantity of (6) Yard Force Walk Behind Lawn Mower</b> S/N: Not Available Usage: Not Available
8973	<b>4x2 Walk-Behind (4) Dewalt 18A-U2C2738, (2) Toro 21352 Lawn Mower</b> S/N: Not Available C/W: 21 in Mower, Dewalt 20v, Toro Briggs and Stratton 140cc Gasoline Engine Usage: Not Available	8985	<b>Bateman Generator Set</b> S/N: Not Available C/W: Yanmar 3 Cylinder Diesel Engine Usage: 2,839 Hr
8974	<b>Quantity of (2) Remington 22 in Yard Vacuum and Remington 3100 Cutter</b> S/N: Not Available Usage: Not Available	8985	<b>Magnetech FDAL 47 in Lifting Magnet</b> S/N: Not Available C/W: Starts and Runs Usage: Not Available
8975	<b>Quantity of (1) Yard Force Lawn Mower &amp; (1) Southland 17 in String Trimmer</b> S/N: Not Available Usage: Not Available	8986	<b>Kubota Z125SKH-54 Zero-Turn Lawn Mower</b> S/N: 15161 C/W: Hydrostatic Drive, 54 in Mower Usage: 468 Hr
8976	<b>Quantity of (1) Yard Force Lawn Mower &amp; (1) Southland 17 in String Trimmer</b> S/N: Not Available Usage: Not Available	8987	<b>Smithco SprayStar 2000</b> S/N: SN200G051 C/W: Kubota 3 Cylinder Diesel Engine Usage: 1,977 Hr
8977	<b>Quantity of (1) Yard Force Lawn Mower &amp; (1) Southland 17 in String Trimmer</b> S/N: Not Available Usage: Not Available	8988A	<b>2008 Sea-Doo 255 RXT Personal Watercraft</b> S/N: YDV62452F808 C/W: 3 Passenger Usage: 98 Hr
		8988A	<b>2008 Sea-Doo 255 RXP Personal Watercraft</b> S/N: YDV44584F808 C/W: 2 Passenger, S/A Trailer, Ball Hitch Usage: 92 Hr
		8988	<b>2003 Kawasaki 9 ft Personal Watercraft</b> S/N: KAW30060G203 C/W: 2 Passenger, Inboard Engine, S/A Trailer, Ball Hitch Usage: Not Available

Lot #	Details	Lot #	Details
8989	<b>Go Cart</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	9002	<b>2018 Polaris Ranger Crew 4x4 Utility Vehicle</b> S/N: 4XARVAD11J8513205 C/W: Canopy, 6 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,521 Hr
8990	<b>2020 Coleman KT196 Go Cart</b> S/N: A6HGCMLOPLB024965 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	9007	<b>2015 Kubota RTV-X900G-H 4x4 Utility Vehicle</b> S/N: A5KB2FDBCFG029496 C/W: Canopy, 2 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: 17,133 Mi
8991	<b>Club Car Electric Golf Cart</b> S/N: PH1043141791 C/W: Battery Charger, 4 Passenger, Canopy Usage: Not Available	9011	<b>2016 Kawasaki PRO-DXT 4x4 Utility Vehicle</b> S/N: JKAAFCC1XGB500183 C/W: Canopy, 6 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: 1,103 Hr
8993	<b>E-Z-Go Electric Golf Cart</b> S/N: 3374279 C/W: Battery Charger, 2 Passenger, Canopy, Windshield Usage: Not Available	9012	<b>2009 Kawasaki 4010 4x4 Utility Vehicle</b> S/N: JK1AFDG1X9B501272 C/W: Canopy, 4 Passenger, Diesel Engine, Winch, Brush Guard, Manual Dump Bed Usage: 4,287 Hr
8994	<b>Suzuki 660 4x4 Utility Cart</b> S/N: DB51T135362 C/W: Enclosed Cab, 2 Passenger, Windshield, Gasoline Engine, Manual Dump Bed Usage: 16,454 Hr	9014A	<b>Cushman Hauler 4 X 4 Diesel Utility Cart</b> S/N: SY8100153 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 1,385 Hr
8995	<b>Tactical Off-Road Amphibious Destroyer</b> S/N: Not Available C/W: 4 Cylinder Diesel Engine, 4 Speed Manual Transmission, 130 in Wheelbase, 8 ft 7 in Long x 3 ft 5 in High Body Usage: Not Available	9015	<b>Cushman Hauler 4x4 Utility Vehicle</b> S/N: SY8100208 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 1,614 Hr
8996	<b>2011 John Deere Gator 625i 4x4 Utility Vehicle</b> S/N: 1M0625GSJBM040697 C/W: Canopy, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: Not Available	9016	<b>2018 Club Car Carryall 1700 Utility Cart</b> S/N: SD1846926416 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 546 Hr
8997	<b>2015 Polaris RZR 900S 4x4 Utility Vehicle</b> S/N: 3NSVBE87XFF382240 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Locking Front Differential, Hitch Receiver Usage: 189 Hr	9017	<b>2018 Clubcar Carryall 1500 4x4 Utility Vehicle</b> S/N: RF1832892825 C/W: Canopy, 2 Passenger, Diesel Engine, Hitch Receiver, Manual Dump Bed Usage: 285 Hr
8998	<b>2019 Polaris 4x4 Utility Vehicle</b> S/N: 3NSRNA577KE395680 C/W: Canopy, 4 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 477 Hr	9018	<b>2018 Club Car Carryall 1700 Utility Cart</b> S/N: SD1802843540 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 283 Hr
8999	<b>2019 Polaris 4x4 Utility Vehicle</b> S/N: 3NSRNA574KE734928 C/W: Canopy, 4 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 659 Hr	9020	<b>2017 Club Car Carryall 1700 Utility Cart</b> S/N: SC1707804138 C/W: Canopy, 4 Passenger, Gasoline Engine, Manual Dump Bed Usage: 1,419 Hr
9000	<b>2019 Polaris 570EFI 4x4 Utility Vehicle</b> S/N: 3NSRNA571KE745546 C/W: Canopy, 4 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 635 Hr	9021	<b>2016 Club Car Carryall 1700 4x4 Utility Vehicle</b> S/N: SD1630659411 C/W: Canopy, 4 Passenger, Diesel Engine, Manual Dump Bed Usage: 2,451 Hr
9001	<b>2018 Polaris Ranger Crew 4x4 Utility Vehicle</b> S/N: 4XARVAD12J8512855 C/W: Canopy, 6 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: Not Available	9022	<b>2018 Club Car Carryall 1500 4x4 Utility Vehicle</b> S/N: RC1918967276 C/W: Canopy, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: 759 Hr

Lot #	Details	Lot #	Details
9023	<b>Yerf Dog Utility Cart</b> S/N: 0077005 C/W: 2 Passenger, Windshield, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,233 Hr	9038	<b>2020 Toyota Corolla SE Automobile</b> S/N: JTDS4RCE9LJ020075 C/W: 4 cyl 2.0 L Gasoline Engine, 2020 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 34,997 Mi
9026	<b>2022 Cheetah 125 CC ATV</b> S/N: L9NACKL31N1400259 C/W: 1 Cylinder Gasoline Engine Usage: 1 Hr	9040	<b>2019 Toyota Camry SE Automobile</b> S/N: 4T1B11HK2KU193485 C/W: 4 cyl 2.5 L Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 46,473 Mi
9027	<b>Tao Motors 110 CC ATV</b> S/N: L9NACFB33N1600276 C/W: 1 Cylinder Gasoline Engine Usage: Not Available	9042	<b>2018 Nissan Versa Automobile</b> S/N: 3N1CN7AP9JL837517 C/W: 4 cyl 1.6 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner Usage: 82,451 Mi
9028	<b>2022 Cheetah 125 CC 4x2 ATV</b> S/N: L9NACKL33N1401655 C/W: Electric Start, 1 Cylinder Gasoline Engine Usage: Not Available	9043	<b>2016 Nissan Sentra Automobile</b> S/N: 3N1AB7AP2GY262365 C/W: 4 cyl 1.8 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 139,517 Mi
9029	<b>2022 Tao Motors 110 CC 4x2 ATV</b> S/N: L9NACFB38N1601195 C/W: Electric Start, 1 Cylinder Gasoline Engine Usage: Not Available	9044	<b>2015 Volvo XC60 T6 Automobile</b> S/N: YV449MDKXF2705618 C/W: 4 cyl 2.0 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: Not Available
9030	<b>Mini Motocross Bike (Unused)</b> S/N: XSD44F22032800 Usage: Not Available	9045	<b>2015 Ford Focus Automobile</b> S/N: 1FADP3J26FL219346 C/W: 4 cyl 2.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 123,091 Mi
9031	<b>Mini Motocross Bike (Unused)</b> S/N: XSD44F22032802 Usage: Not Available	9046	<b>2015 Ford Taurus SEL Automobile</b> S/N: 1FAHP2E86FG130833 C/W: V6 3.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 182,737 Mi
9032	<b>2022 Tao Motocross Bike</b> S/N: L9NYCFAC7N1500803 Usage: Not Available	9047	<b>2015 Fiat 500 Automobile</b> S/N: 3C3CFFAR9FT534643 C/W: 4 cyl 1.4 L Gasoline Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 52,421 Mi
9033	<b>2022 Tao Motocross Bike</b> S/N: L9NYCFBC1N1300038 Usage: Not Available	9049	<b>2015 Nissan Altima 2.5S S Automobile</b> S/N: 1N4AL3AP8FN333105 C/W: 4 cyl 2.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows Usage: 99,449 Mi
9034	<b>2022 Tao Motocross Bike</b> S/N: L9NYCFAC4N1500137 Usage: Not Available	9051A	<b>2014 Ford Focus SE SE Automobile</b> S/N: 1FADP3K20EL381728 C/W: 4 cyl Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 136,720 Mi
9035	<b>1984 Yamaha Venture Royale 1198 cid Cruiser Bike</b> S/N: JYA41V007EA000148 C/W: 1198 cid Engine, 5 Speed Transmission, Liquid Cooled, Saddle Bags Usage: 46,438 Mi		
9036	<b>Formula VEE Racer Cart</b> S/N: Not Available C/W: Gas Engine, 4 Cylinder 1200 cc Gasoline Engine Usage: Not Available		
9037	<b>1994 Chevrolet Camaro Z28 Convertible</b> S/N: 2G1FP32P0R2201547 C/W: V8 5.7 L Gasoline Engine, 1994 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 119,039 Mi		



Lot #	Details	Lot #	Details
9051	<b>2014 Ford Fusion SE Automobile</b> S/N: 1FA6P0H78E5356364 C/W: 4 cyl 2.5 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 94,890 Mi	9064	<b>2012 Subaru Impreza WRX STI AWD Automobile</b> S/N: JF1GV8J66CL024636 C/W: 4 cyl Gasoline Engine, 6 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 108,907 Mi
9055	<b>2014 Buick Verano Automobile</b> S/N: 1G4PR5SK7E4159657 C/W: 4 cyl 2.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 167,159 Mi	9066	<b>2011 Subaru Impreza AWD Automobile</b> S/N: JF1GH6B61BH818570 C/W: V4 2.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 151,843 Mi
9056	<b>2014 Buick Verano Automobile</b> S/N: 1G4PP5SK5E4153250 C/W: 4 cyl 2.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 158,269 Mi	9067A	<b>2011 Audi A4 Automobile</b> S/N: WAUHFAFL2BN008760 C/W: 4 cyl Gasoline Engine, 6 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 157,924 Mi
9057A	<b>2013 Dodge Dart Automobile</b> S/N: 1C3CDFCA8DD313423 C/W: 4 cyl 2.0 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 141,998 Mi	9068	<b>2010 Mercedes-Benz C300 AWD Automobile</b> S/N: WDDGF8BB4AR114550 C/W: V6 3.0 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 144,198 Hr
9057	<b>2013 Chrysler 200 Automobile</b> S/N: 1C3CCBBB9DN678919 C/W: 4 cyl 2.4 L Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 111,192 Mi	9071A	<b>2009 BMW 328i Automobile</b> S/N: WBAPH77579NM45186 C/W: 6 cyl Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 151,761 Mi
9058	<b>2012 Mercedes-Benz C250 Automobile</b> S/N: WDDGF4HB6CR211252 C/W: 4 cyl 1.8 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 128,999 Mi	9072	<b>2008 Lexus ES350 Automobile</b> S/N: JTHBJ46G282178881 C/W: V6 3.5 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 106,684 Mi
9059	<b>2012 Chevrolet Cruz LT Automobile</b> S/N: 1G1PE5SC9C7295396 C/W: 4 cyl 1.4 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 86,365 Mi	9074	<b>2007 Mercedes-Benz C230 Automobile</b> S/N: WDBRF52H87E024564 C/W: V6 2.5 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 174,630 Mi
9060	<b>2012 Nissan Altima Special Edition Automobile</b> S/N: 1N4AL2AP9CN427788 C/W: 4 cyl Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 147,823 Mi	9075	<b>2007 Toyota Camry LE Automobile</b> S/N: 4T4BE46K27R001942 C/W: 4 cyl 2.4 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 147,598 Mi
9061	<b>2012 Nissan Versa SV Automobile</b> S/N: 3N1CN7AP9CL932727 C/W: 4 cyl 1.6 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows Usage: 135,362 Mi	9076	<b>2006 Chevrolet HHR Automobile</b> S/N: 3GNDA23P66S584593 C/W: 4 cyl 2.4 L Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available
9063	<b>2012 Hyundai Genesis Automobile</b> S/N: KMHGC4DD2CU191231 C/W: V6 3.8 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 198,112 Mi	9077	<b>2005 Toyota Corolla LE Automobile</b> S/N: 1NXBR30E65Z422491 C/W: 4 cyl 1.8 L Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 299,999 Mi

Lot #	Details	Lot #	Details
9078	<b>2005 Chrysler 300 Automobile</b> S/N: 2C3AA63H85H171561 C/W: V8 5.7 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 71,241 Mi	9088	<b>2011 Nissan Quest LE Minivan</b> S/N: JN8AE2KP0B9001874 C/W: V6 Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 197,638 Mi
9079	<b>2005 Mini Cooper Automobile</b> S/N: WMWRC33575TK62723 C/W: 4 cyl 1.6 L Gasoline Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows Usage: 102,143 Mi	9090	<b>2016 GMC Yukon 4WD SUV</b> S/N: 1GKS2HKJ5GR109443 C/W: V8 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 100,632 Mi
9080	<b>2005 Mercedes-Benz C230 Sport Automobile</b> S/N: WDBRF40J95F639471 C/W: 4 cyl 1.8 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 167,678 Hr	9091	<b>2015 Ford Explorer XLT 4x4 SUV</b> S/N: 1FM5K8D85FGA84052 C/W: 6 cyl 3.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 138,217 Mi
9081	<b>2003 Mercedes-Benz C320 Automobile</b> S/N: WDBRN64J53A494819 C/W: V6 3.3 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: Not Available	9092	<b>2013 Ford Expedition 4WD SUV</b> S/N: 1FMJU1G58DEF40166 C/W: V8 5.4 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 349,701 Mi
9082	<b>1998 Chevrolet Corvette Automobile</b> S/N: 1G1YY22G4W5129154 C/W: V8 5.7 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 137,359 Mi	9093	<b>2011 Nissan Murano SL AWD SUV</b> S/N: JN8AZ1MWBW175178 C/W: V6 3.5 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 126,654 Mi
9084	<b>2013 Dodge Caravan SE Minivan</b> S/N: 2C4RDGCG4DR609441 C/W: V6 3.6 L Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 151,830 Mi	9094	<b>2007 Volvo XC90 AWD SUV</b> S/N: YV4CZ982X71329481 C/W: 6 cyl 3.2 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 186,197 Mi
9085	<b>2012 Chrysler Town &amp; Country Touring-L Minivan</b> S/N: 2C4RC1CG3CR228663 C/W: V6 3.6 L Gasoline Engine, 2012 US EPA Label, Air Conditioner, Power Windows, Power Locks, Rear View Camera, With leather seats, electric adjustable, Power rear doors and lift gate, satellite stereo with steering wheel controls, rear seats fold flat, heated mirrors, blind spot/blind spot detection, 110V outlet, keyless entry with remote start. Usage: 95,532 Mi	9095	<b>2004 Chevrolet Tahoe 4x4 SUV</b> S/N: 1GNEK13Z24J315275 C/W: 5.3 L Gasoline Engine, 2004 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 160,461 Mi
9086	<b>2012 Nissan Quest LE Minivan</b> S/N: JN8AE2KPXC9040506 C/W: 6 cyl 3.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 157,450 Mi	9097	<b>2017 Ford Expedition XLT 2WD SUV</b> S/N: 1FMJU1HTXHEA77336 C/W: V6 3.5 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 121,271 Mi
9087	<b>2012 Nissan Quest Minivan</b> S/N: JN8AE2KP3C9037429 C/W: V6 3.5 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 204,927 Mi	9099	<b>2016 Nissan Juke SUV</b> S/N: JN8AF5MR2GT600136 C/W: 4 cyl 1.6 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera Usage: 89,908 Mi

Lot #	Details	Lot #	Details
9100	<b>2015 Dodge Journey SXT 2WD SUV</b> S/N: 3C4PDCBG6FT664202 C/W: 4 cyl 3.6 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 156,364 Mi	9113	<b>2008 Cadillac Escalade ESV SUV</b> S/N: 1GYFC66808R205630 C/W: V8 6.2 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, 3rd Row Usage: 214,741 Mi
9101	<b>2014 BMW X1 AWD SUV</b> S/N: WBAVL1C56EVR93070 C/W: 4 cyl Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 101,526 Mi	9114	<b>2008 Ford Expedition XLT SUV</b> S/N: 1FMFU15568LA32692 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Locks, Rear View Camera, 3rd Row Usage: 169,552 Mi
9102	<b>2014 Jeep Cherokee Sport SUV</b> S/N: 1C4PJLAB9EW181388 C/W: 4 cyl 2.4 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 162,820 Mi	9115	<b>2008 Ford Expedition 2WD SUV</b> S/N: 1FMFK17558LA79991 C/W: V8 5.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 208,403 Mi
9103	<b>2014 Dodge Durango ST 2WD SUV</b> S/N: 1C4RDHAG2EC596448 C/W: 6 cyl 3.6 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 138,857 Mi	9116	<b>2008 Subaru Tribeca AWD SUV</b> S/N: 4S4WX97D584404740 C/W: 6 cyl 3.6 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, 3rd Row Usage: 140,949 Mi
9105	<b>2012 Toyota Highlander 2WD SUV</b> S/N: 5TDZA3EH4CS017633 C/W: 4 cyl 2.7 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Towing Hitch Usage: 152,842 Mi	9117	<b>2008 Saturn VUE XE 2WD SUV</b> S/N: 3GSCL33P48S514991 C/W: 4 cyl 2.4 L Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 191,120 Mi
9106	<b>2011 Ford Expedition Limited 2WD SUV</b> S/N: 1FMJK1K56BEF18175 C/W: V8 5.4 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks, Rear View Camera, Navigation, 3rd Row Usage: 208,204 Mi	9120	<b>2007 BMW X3 2WD SUV</b> S/N: WBXPC934X7WF19045 C/W: 6 cyl 182.8 cid Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 130,388 Mi
9108	<b>2011 Toyota RAV 4 2WD SUV</b> S/N: 2T3ZF4DV3BW091671 C/W: 4 cyl Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 142,890 Mi	9121A	<b>2007 Hyundai Santa Fe 2WD SUV</b> S/N: 5NMSH13E27H039990 C/W: V6 3.3 L Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 3rd Row Usage: 155,291 Mi
9109	<b>2010 Cadillac SRX 2WD SUV</b> S/N: 3GYFNAEY3AS523548 C/W: V6 3.0 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Power Windows, Power Locks, Rear View Camera, Navigation Usage: 152,502 Mi	9122	<b>2001 Ford Explorer 2WD SUV</b> S/N: 1FMYU60E91UA45000 C/W: V6 4.0 L Gasoline Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 225,455 Hr
9111	<b>2010 Nissan Murano C 2WD SUV</b> S/N: JN8AZ1MU7AW004319 C/W: V6 3.5 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 130,866 Mi	9125	<b>2018 Ram 3500 Big Horn 4x4 Crew Cab Pickup</b> S/N: 3C63RRHL0JG119144 C/W: 6.7 L 6 Cylinder Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Dual Rear Wheel, Spray-On Bed Liner, 8 ft Bed Usage: 166,049 Mi
9112	<b>2010 Mitsubishi Outlander SUV</b> S/N: JA4JS4AX8AZ002782 C/W: V6 3.0 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 124,160 Mi		

Lot #	Details	Lot #	Details
9126	<b>2007 Dodge Ram 3500 SLT 4x4 Crew Cab Pickup</b> S/N: 3D7MX49A87G849367 C/W: 6.7 L 6 Cylinder Diesel Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Dual Rear Wheel, Weather Guard Tool Box, 35x12.5R17 Tires, 6 ft Bed Usage: 354,260 Hr	9141	<b>2019 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B66KEC30285 C/W: 6.2 L V8 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Fuel Tank /w Pump, RKI Tool Box, Spray-On Bed Liner, 33x12.50R17 Tires, 8 ft Bed Usage: 207,781 Mi
9128	<b>2002 Ford F-350 4x4 Crew Cab Pickup</b> S/N: 1FTSW31F42EA18874 C/W: V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Drop-In Bed Liner, 285/75R16 Tires, 8 ft Bed Usage: 341,259 Mi	9142	<b>2018 Ford F-250 STX 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B64JEB35626 C/W: 6.2 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, RKI Tool Box, Spray-On Bed Liner, 275/65R18 Tires, 6 ft 6 in Bed Usage: 222,057 Mi
9129	<b>2018 Ram 3500 4x2 Crew Cab Pickup</b> S/N: 3C63RPGL7JG372063 C/W: 6.7 L 6 Cylinder Diesel Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Dual Rear Wheel, Spray-On Bed Liner, 235/80R17 Tires, 8 ft Bed Usage: 119,026 Mi	9145	<b>2018 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5HLXJG274880 C/W: V8 Diesel Engine, US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Fuel Tank /w Pump, Tool Box, Spray-On Bed Liner, 295/70R18 Tires, 8 ft Bed Usage: 117,304 Mi
9135	<b>2011 Ford F-350 4x2 Crew Cab Pickup</b> S/N: 1FT8W3C64BEA38565 C/W: 6.2 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Dual Rear Wheel, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 177,558 Hr	9146	<b>2018 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5CL1JG204322 C/W: 6.7 L V8 Diesel Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Fuel Tank /w Pump, UWS Tool Box, Spray-On Bed Liner, 275/70R18 Tires, 6 ft 6 in Bed Usage: 124,155 Mi
9136	<b>2005 Chevrolet Silverado 3500 HD LS 4x2 Crew Cab Pickup</b> S/N: 1GCJC33G55F921656 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Dual Rear Wheel, 225 /75R16 Tires, 8 ft Bed Usage: 152,556 Mi	9147	<b>2017 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5HL5HG771801 C/W: 6.7 L 6 Cylinder Diesel Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Winch, Fuel Tank, weather guard Tool Box, Spray-On Bed Liner, 35x12.50R18 Tires, 8 ft Bed Usage: 181,168 Mi
9137	<b>2017 Ford F-350 XL 4x2 Crew Cab Pickup</b> S/N: 1FT8W3A6XHEC89537 C/W: 6.2 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, RKI Tool Box, 245/75R17 Tires, 8 ft Bed Usage: 170,135 Mi	9148	<b>2017 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5CL1HG749057 C/W: 6.7 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Windows, No data tag Fuel Tank /w Pump, Spray-On Bed Liner, 275/70R18 Tires, 6 ft 2 in Bed Usage: 176,077 Mi
9139A	<b>1999 Dodge Ram 3500 SLT 4x2 Extended Cab Pickup</b> S/N: 1B7MC3362XJ610433 C/W: V6 Diesel Engine, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Headache Rack, Dual Rear Wheel, Tool Box, Spray-On Bed Liner, 265/75R16 Tires, 8 ft Bed Usage: 403,823 Hr	9149	<b>2016 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6UR5HJ2GG317664 C/W: 6.4 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Weather Guard Tool Box, Spray-On Bed Liner, 275/70R18 Tires, 8 ft 0 in Bed Usage: 163,046 Mi
9139	<b>2001 Ford F-350 4x2 Crew Cab Pickup</b> S/N: 1FTSW30F01EA28382 C/W: V8 Diesel Engine, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 265/75R16 Tires, 8 ft Bed Usage: 431,006 Mi	9150	<b>2017 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B61HEF51563 C/W: 6.2 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Spray-On Bed Liner, 285/75R17 Tires, 8 ft Bed Usage: 163,796 Mi

Lot #	Details	Lot #	Details
9151	<b>2017 Ford F-250 4x4 Crew Cab Pickup</b> S/N: 1FT7W2BT3HEE01637 C/W: 6.7 L V8 Diesel Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 265/70R17 Tires, 8 ft 1 in Bed Usage: 246,923 Mi	9161	<b>2011 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FT7W2BT4BEB37982 C/W: 6.7 L V8 Diesel Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 8 in Bed Usage: 264,040 Mi
9152	<b>2016 Chevrolet Silverado 2500HD 4x4 Crew Cab Pickup</b> S/N: 1GC1KUEG4GF157811 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft 2 in Bed Usage: 173,511 Mi	9162	<b>2011 Ford F-250 Lariat 4x4 Crew Cab Pickup</b> S/N: 1FT7W2BT3BEB71864 C/W: 6.7 L V8 Diesel Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Sunroof, Power Sliding Rear Window, Spray-On Bed Liner, 275/65R20 Tires, 6 ft 6 in Bed Usage: 184,521 Hr
9154	<b>2014 Ford F-250 4x4 Crew Cab Pickup</b> S/N: 1FT7W2B61EEB24542 C/W: 6.2 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 8 in Bed Usage: 304,068 Mi	9163	<b>2010 Ford F-250 XL 4x4 Crew Cab Pickup</b> S/N: 1FTSW2B52AEA15891 C/W: 5.4 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 8 in Bed Usage: 106,613 Mi
9155	<b>2013 Chevrolet 2500HD 4x4 Crew Cab Pickup</b> S/N: 1GC1KYE8XDF150891 C/W: V8 Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, Power Sliding Rear Window, Headache Rack, Fuel Tank /w Pump, Weather Guard Tool Box, Spray-On Bed Liner, 305/55R20 Tires, 8 ft Bed Usage: 289,152 Mi	9167	<b>2009 Ford F-250 XL 4x4 Extended Cab Pickup</b> S/N: 1FTSX21539EA51163 C/W: 5.4 L V8 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Headache Rack, 245/75R17 Tires, 8 ft Bed Usage: 326,150 Hr
9156	<b>2014 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6TR5CT4EG247330 C/W: 5.7 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 295/70R18 Tires, 6 ft Bed Usage: 192,295 Mi	9168	<b>2003 Dodge Ram 2500 4x4 Extended Cab Pickup</b> S/N: 3D7KU28683G715616 C/W: 5.9 L 6 Cylinder Diesel Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Spray-On Bed Liner, 37x13.50R22 Tires, 8 ft Bed Usage: 205,845 Mi
9157	<b>2013 Ram 2500 4x4 Crew Cab Pickup</b> S/N: 3C6TR5CT6DG606868 C/W: 5.7 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, 33x12.50R20 Tires, 6 ft 4 in Bed Usage: 213,283 Mi	9170	<b>2016 Ram 2500 4x2 Crew Cab Pickup</b> S/N: 3C6TR4HT1GG277276 C/W: 5.7 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, 275/70R18 Tires, 8 ft Bed Usage: 85,479 Mi
9158	<b>2012 Dodge Ram 2500 long horn 4x4 Crew Cab Pickup</b> S/N: 3C6TD5GT7CG190790 C/W: 5.7 L Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, Power Sliding Rear Window, Spray-On Bed Liner, 315/70R17 Tires, 6 ft 2 in Bed Usage: 173,667 Hr	9171	<b>2016 Ram 2500 4x2 Crew Cab Pickup</b> S/N: 3C6TR4HT5GG277278 C/W: 5.7 L V8 Gasoline Engine, US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, 275/65R18 Tires, 8 ft Bed Usage: 122,342 Mi
9160	<b>2012 Ford F-250 Lariat 4x4 Crew Cab Pickup</b> S/N: 1FT7W2BT7CEA06188 C/W: 6.7 L V8 Diesel Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, 275/65R20 Tires, 6 ft 6 in Bed Usage: 310,976 Mi	9172	<b>2016 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FT7W2A62GEC33998 C/W: 6.2 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Protech Tool Box, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 8 in Bed Usage: 99,362 Mi

Lot #	Details	Lot #	Details
9173	<b>2015 Ford F-250 XL 4x2 Crew Cab Pickup</b> S/N: 1FT7W2A68FEC66714 C/W: 6.2 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Headache Rack, Protect Tool Box, Spray-On Bed Liner, 265 /70R17 Tires, 6 ft 7 in Bed Usage: 161,055 Mi	9181	<b>2016 Chevrolet Silverado 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GC2CUEG0GZ379780 C/W: 6.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 231,299 Mi
9174	<b>2015 Chevrolet 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GC1CUEGXFF111749 C/W: 6.0 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/75R17 Tires, 8 ft Bed Usage: 207,665 Mi	9182	<b>2014 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A65EEA67647 C/W: 6.2 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Truck Cap, Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 201,020 Mi
9175	<b>2014 Chevrolet 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GC1CVCG7EF115569 C/W: 6.0 L V8 Gasoline Engine, Fuel Tank /w Pump, Tool Box, Spray-On Bed Liner, 285 /70R17 Tires, 8 ft 0 in Bed Usage: 182,468 Mi	9183	<b>2014 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A67EEB27010 C/W: 6.2 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 285/70R17 Tires, 8 ft Bed Usage: 241,445 Mi
9176	<b>2009 Ford F-250 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTSW20Y29EA53839 C/W: 6.8 L V10 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 170,568 Mi	9185	<b>2011 Chevrolet 2500HD LS 4x2 Extended Cab Pickup</b> S/N: 1GC2CVCG4BZ372929 C/W: 6.0 L V8 Gasoline Engine, Automatic Transmission, Power Windows, 265/70R17 Tires, 8 ft Bed Usage: 322,839 Mi
9177	<b>2008 GMC Sierra 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GTHC23608F120959 C/W: 6.6 L V8 Diesel Engine, Automatic Transmission, Air Conditioner, Delta 105 gal Fuel Tank /w Pump, Tool Box, Spray-On Bed Liner, 245/75R16 Tires, 8 ft Bed Usage: 292,897 Hr	9186	<b>2014 Ram 2500 4x2 Regular Cab Pickup</b> S/N: 3C6LR4AT4EG294130 C/W: 5.7 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 245/70R17 Tires, 8 ft Bed Usage: 124,592 Mi
9178	<b>2007 Chevrolet 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GCHC23K27F509369 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 245/75R16 Tires, 6 ft 5 in Bed Usage: 344,193 Mi	9187	<b>2005 Ford F-250 XL 4x2 Regular Cab Pickup</b> S/N: 1FTNF205X5EB69934 C/W: 5.4 L V8 Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, RKI Tool Box, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 192,680 Mi
9179	<b>2006 Chevrolet 2500HD 4x2 Crew Cab Pickup</b> S/N: 1GCHC23U56F165925 C/W: 6.0 L V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 245/75R16 Tires, 6 ft 5 in Bed Usage: 271,851 Mi	9188	<b>2019 Nissan Titan 4x4 Crew Cab Pickup</b> S/N: 1N6AA1EJ9KN510083 C/W: V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 275 /60R20 Tires, 5 ft 8 in Bed Usage: 65,815 Mi
9180	<b>2016 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A65GEB16543 C/W: 6.2 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/75R17 Tires, 8 ft Bed Usage: 11,882 Mi	9189	<b>2018 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EG7JFA13780 C/W: 3.5 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 33x12.50R18 Tires, 5 ft 6 in Bed Usage: 231,565 Mi

Lot #	Details	Lot #	Details
9192	<b>2017 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7NT7HS815828 C/W: 5.7 L V8 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Adjustable Pedals, Power Windows, Power Sliding Rear Window, 33x12.50R20 Tires, 6 ft 4 in Bed Usage: 169,742 Mi	9202	<b>2018 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTFX1E54JKC28962 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 245/70R17 Tires, 6 ft 6 in Bed Usage: 160,488 Mi
9193	<b>2016 Ford F-150 4x4 Crew Cab Pickup</b> S/N: 1FTFW1EF8GKE77608 C/W: 5.0 L Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fuel Tank /w Pump, Tool Box, 265/70R17 Tires, 6 ft 4 in Bed Usage: 101,544 Mi	9203	<b>2018 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTFX1E59JKF71055 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weatherguard Tool Box, Spray-On Bed Liner, 245/75R17 Tires, 6 ft 6 in Bed Usage: 160,520 Mi
9194	<b>2016 Ford F-150 XLT 4x4 Crew Cab Pickup</b> S/N: 1FTEW1EF2GFC60852 C/W: 5.0 L V8 Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 285/70R17 Tires, 5 ft 5 in Bed Usage: 199,400 Hr	9205	<b>2014 Ford F-150 4x4 Extended Cab Pickup</b> S/N: 1FTFX1EF2EKE44159 C/W: 5.0 L V8 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fuel Tank /w Pump, Wether guard Tool Box, 245/70R17 Tires, 6 ft Bed Usage: 152,277 Mi
9195	<b>2015 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7LM0FS711044 C/W: 3.0 L 6 Cylinder Diesel Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Headache Rack, Better Built Tool Box, Spray-On Bed Liner, 275/60R20 Tires, 6 ft 5 in Bed Usage: 260,934 Mi	9206	<b>2013 Ford F-150 XL 4x4 Extended Cab Pickup</b> S/N: 1FTVX1EF7DKE48976 C/W: 5.0 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/75R17 Tires, 8 ft Bed Usage: 194,241 Mi
9196A	<b>2014 GMC 1500 Denali 4x4 Crew Cab Pickup</b> S/N: 3GTU2WEJ6EG420784 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Sunroof, Power Sliding Rear Window, Spray-On Bed Liner, 275/55R20 Tires, 6 ft 6 in Bed Usage: 217,024 Mi	9207	<b>2013 GMC Sierra 1500 SLE 4x4 Extended Cab Pickup</b> S/N: 1GTR2VE7XDZ295856 C/W: 5.3 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Tool Box, Drop-In Bed Liner, 275/65R18 Tires, 6 ft 6 in Bed Usage: 146,887 Mi
9196	<b>2014 Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1C6RR7LT4ES473995 C/W: 5.7 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, 275/60R20 Tires, 5 ft 5 in Bed Usage: 95,343 Mi	9208	<b>2011 GMC 1500 4x4 Extended Cab Pickup</b> S/N: 1GTR2UEA0BZ117876 C/W: 4.8 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 245/70R17 Tires, 6 ft 6 in Bed Usage: 209,164 Mi
9199	<b>2012 Ram 1500 Laramie 4x4 Crew Cab Pickup</b> S/N: 1C6RD7NTXCS293512 C/W: 5.7 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Sunroof, roll up Truck Cap, Spray-On Bed Liner, 275/60R20 Tires, 5 ft 6 in Bed Usage: 211,734 Mi	9210	<b>2010 Ford F-150 Raptor 4x4 Extended Cab Pickup</b> S/N: 1FTEX1EV6AFD13306 C/W: 5.4 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 315/70R17 Tires, 5 ft 6 in Bed Usage: 78,491 Mi
9200	<b>2010 Dodge Ram 1500 4x4 Crew Cab Pickup</b> S/N: 1D7RV1GP9AS150928 C/W: 4.7 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, Spray-On Bed Liner, 265/70R17 Tires, 6 ft 5 in Bed Usage: 290,747 Mi	9211	<b>2009 Chevrolet 1500 4x4 Extended Cab Pickup</b> S/N: 1GCEK29J69Z279549 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Delta Tool Box, Drop-In Bed Liner, 285/70R17 Tires, 6 ft 6 in Bed Usage: 228,677 Mi

Lot #	Details	Lot #	Details
9212	<b>2003 Chevrolet Silverado SS 4x2 Extended Cab Pickup</b> S/N: 2GCEK19N231388782 C/W: 6.0 L V8 Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Drop-In Bed Liner, 275/55R20 Tires, 6 ft 5 in Bed Usage: 157,140 Mi	9221	<b>2017 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTEW1C88HKD76442 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 5 ft 5 in Bed Usage: 177,641 Mi
9213	<b>2017 Chevrolet 1500 4x4 Regular Cab Pickup</b> S/N: 1GCKNNEC4HZ138678 C/W: 5.3 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 189,823 Mi	9223	<b>2016 Ford F-150 XL 4x2 Crew Cab Pickup</b> S/N: 1FTEW1CP8GKE81407 C/W: 2.7 L 6 Cylinder Gasoline Engine, 2016 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires Usage: 176,327 Mi
9214	<b>2012 Ford F-150 XL 4x4 Regular Cab Pickup</b> S/N: 1FTMF1EM8CKE03962 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Truck Cap, Tractor Supply Tool Box, Spray-On Bed Liner, P235/75R17 Tires, 8 ft Bed Usage: 243,840 Mi	9224	<b>2013 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTEW1CM9DKF27067 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Truck Cap, 265/70R17 Tires, 5 ft 4 in Bed Usage: 174,251 Hr
9215	<b>2019 Ram 1500 4x2 Crew Cab Pickup</b> S/N: 1C6RR6KGXKS600257 C/W: 3.6 L V6 Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Bakflip bed cover Truck Cap, Spray-On Bed Liner, 265/70R17 Tires, 6 ft Bed Usage: 19,208 Mi	9225	<b>2013 Ford F-150 4x2 Crew Cab Pickup</b> S/N: 1FTEW1CM7DKE77348 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 265/70R16 Tires, 5 ft 6 in Bed Usage: 197,657 Mi
9217	<b>2018 Ford F-150 Lariat 4x4 Crew Cab Pickup</b> S/N: 1FTEW1E55JFD71507 C/W: 5.0 L V8 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, Power Sliding Rear Window, Spray-On Bed Liner, 275/65R18 Tires, 5 ft 5 in Bed Usage: 115,086 Mi	9226	<b>2012 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTFW1CF7CFA75746 C/W: 5.0 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 255 /65R17 Tires, 5 ft 6 in Bed Usage: 158,081 Mi
9218	<b>2018 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTEW1CB4JKC10842 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 245 /70R17 Tires, 5 ft 6 in Bed Usage: 158,459 Mi	9227	<b>2011 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTFW1CFXBFA87789 C/W: 5.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Fiberglass Truck Cap, 265/70R17 Tires, 5 ft 6 in Bed Usage: 106,366 Mi
9219	<b>2018 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTEW1CB3JKE02916 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 5 ft 6 in Bed Usage: 164,471 Mi	9228	<b>2011 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTFW1CF4BFB71719 C/W: 5.0 L Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 245/70R17 Tires, 5 ft 6 in Bed Usage: 186,754 Mi
9220	<b>2017 Ford F-150 XLT 4x2 Crew Cab Pickup</b> S/N: 1FTEW1C89HKD01278 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 245 /70R17 Tires, 5 ft 6 in Bed Usage: 162,063 Mi	9229	<b>2008 Ford F-150 4x2 Crew Cab Pickup</b> S/N: 1FTRW12W48KB17254 C/W: 4.6 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 245/70R17 Tires, 5 ft 6 in Bed Usage: 238,448 Mi
		9231	<b>2017 Chevrolet 1500 4x2 Crew Cab Pickup</b> S/N: 1GCRCNEH2HZ259266 C/W: V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 245/75R17 Tires, 6 ft 6 in Bed Usage: 127,090 Mi



Lot #	Details	Lot #	Details
9232	<b>2017 Chevrolet 1500 4x2 Extended Cab Pickup</b> S/N: 1GCRCNEC9HZ338342 C/W: 5.3 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 6 in Bed Usage: 162,831 Hr	9241	<b>2011 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTVX1CF9BKE13601 C/W: 5.0 L V8 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Power Windows, Fiberglass Truck Cap, 245/75R17 Tires, 8 ft Bed Usage: 220,796 Mi
9233	<b>2015 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C89FFA41791 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 6 ft 6 in Bed Usage: 209,868 Mi	9242	<b>2010 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CW9AFB87230 C/W: 4.6 L V8 Gasoline Engine, Automatic Transmission, Air Conditioner, 265/65R17 Tires, 6 ft 6 in Bed Usage: Not Available
9234	<b>2015 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTEX1C80FFA41792 C/W: 3.5 L V6 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 5 in Bed Usage: 159,026 Mi	9243	<b>2011 Chevrolet Silverado 1500 4x2 Extended Cab Pickup</b> S/N: 1GCRCPEX1BZ305261 C/W: 4.3 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 6 ft 6 in Bed Usage: 202,559 Mi
9235	<b>2015 Ford F-250 XL 4x2 Extended Cab Pickup</b> S/N: 1FT7X2A63FEB24476 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, 285/70R17 Tires, 8 ft Bed Usage: 207,009 Mi	9244	<b>2008 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTVX125X8KE26990 C/W: 5.4 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, Fiberglass Truck Cap, 245/70R17 Tires, 8 ft Bed Usage: 220,507 Mi
9236	<b>2014 Chevrolet 1500 4x2 Extended Cab Pickup</b> S/N: 1GCRCPEH7EZ264759 C/W: 4.3 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 255/70R17 Tires, 6 ft 6 in Bed Usage: 197,180 Mi	9245	<b>2006 Ford F-150 XL 4x2 Extended Cab Pickup</b> S/N: 1FTVX12586NB45220 C/W: 5.4 L V8 Gasoline Engine, 2006 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 204,572 Mi
9237	<b>2012 Dodge Ram 1500 4x2 Extended Cab Pickup</b> S/N: 1C6RD6FT4CS333933 C/W: 5.7 L V8 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, 275/55R20 Tires, 6 ft 3 in Bed Usage: 235,460 Mi	9246	<b>2005 Nissan Titan SE 4x2 Extended Cab Pickup</b> S/N: 1N6BA06A85N527085 C/W: 5.6 L V8 Gasoline Engine, 2005 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 265/70R18 Tires, 6 ft Bed Usage: Not Available
9238	<b>2012 Ford F-150 XLT 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CMXCKD06606 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 235/75R17 Tires, 6 ft 5 in Bed Usage: 120,398 Mi	9247	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CBXJKE67497 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 37,745 Mi
9239	<b>2012 Ford F-150 XLT 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CMXCKD38536 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, 235/75R17 Tires, 6 ft 6 in Bed Usage: 188,555 Mi	9248	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB7JKE67490 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, RKI Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 41,870 Mi
9240	<b>2012 Ford F-150 XLT 4x2 Extended Cab Pickup</b> S/N: 1FTEX1CM6CFC60863 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 6 in Bed Usage: 191,394 Mi	9249	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB8JKD10972 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 43,382 Mi

Lot #	Details	Lot #	Details
9250	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB1JKD66218 C/W: 3.3 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 47,360 Mi	9259	<b>2018 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CB2JKC04257 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 8 ft Bed Usage: 74,789 Mi
9251	<b>2018 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CB4JKD10970 C/W: 3.3 L Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires Usage: 47,835 Mi	9260	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB1JKC04251 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 76,575 Mi
9252	<b>2018 Ford F-150 XL 4x2 Pickup</b> S/N: 1FTMF1CB0JKC57698 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 48,139 Mi	9261	<b>2018 Ford F-150 XL Sport 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB8JKE56871 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Better Built Tool Box, 285/70R17 Tires, 8 ft Bed Usage: 80,598 Mi
9253	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB2JKF29944 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 48,246 Mi	9262	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB3JKF21335 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/60R17 Tires, 8 ft Bed Usage: 83,584 Mi
9254	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB6JKE18362 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 51,349 Mi	9263	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB3JKC04252 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 83,755 Mi
9255	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB3JKC57727 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 6 ft 6 in Bed Usage: 52,707 Mi	9264	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB6JKD04491 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Aluminium Truck Cap, 245/75R17 Tires, 8 ft Bed Usage: 163,849 Mi
9256	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB9JKC57697 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 55,812 Mi	9265	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB1JKF43205 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Weather Guard Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 70,831 Mi
9257	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB6JKD10971 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 8 ft 0 in Bed Usage: 60,377 Mi	9266	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB1JKD18606 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, 245 /70R17 Tires, 8 ft Bed Usage: 51,627 Mi
9258	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB5JKC04253 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, LT245/70R17 Tires, 8 ft Bed Usage: 74,405 Mi	9267	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB9JKC51544 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, 255/70R17 Tires, 8 ft Bed Usage: 76,468 Mi

Lot #	Details	Lot #	Details
9268	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB7JKC51543 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 38,709 Mi	9278	<b>2017 Ford F-150 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C8XHDK61310 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 6 ft 7 in Bed Usage: 63,193 Mi
9269	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB2JKE67476 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft Bed Usage: 58,838 Mi	9279	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C84HKD84047 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, LT265/70R17 Tires, 8 ft Bed Usage: 102,184 Mi
9270	<b>2018 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CB3JKC57730 C/W: 3.3 L V6 Gasoline Engine, 2018 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 6 ft 6 in Bed Usage: 47,294 Mi	9280	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C82HKC54168 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 245/70R17 Tires, 6 ft 4 in Bed Usage: 39,072 Mi
9271	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C83HKD76439 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, RKI Tool Box, 265/70R16 Tires, 8 ft 2 in Bed Usage: 39,801 Hr	9281	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C82HKC61928 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Drop-In Bed Liner, 245/70R17 Tires, 6 ft 6 in Bed Usage: 38,193 Mi
9272	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C84HKD96800 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 245/70R17 Tires, 8 ft Bed Usage: 43,923 Mi	9282	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C80HKC76508 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Tool Box, Drop-In Bed Liner, 245/70R17 Tires, 6 ft 6 in Bed Usage: 44,738 Mi
9273	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C88HKD84066 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 8 ft Bed Usage: 45,968 Mi	9283	<b>2015 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C88FKD05833 C/W: 3.5 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, Weather Guard Tool Box, 245/70R17 Tires, 8 ft Bed Usage: 31,761 Mi
9274	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C84HKD84064 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 6 ft 5 in Bed Usage: 54,971 Mi	9284	<b>2014 Ford F-150 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM0EKD30267 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 235/75R17 Tires, 8 ft Bed Usage: 70,787 Mi
9275	<b>2017 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C86HKD76435 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 8 ft Bed Usage: 55,330 Mi	9285	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM9EKD40604 C/W: 3.7 L V6 Gasoline Engine, Automatic Transmission, Air Conditioner, 245/75R17 Tires, 8 ft 4 in Bed Usage: 73,086 Mi
9276	<b>2017 Ford F-150 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C80HKD84059 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 57,926 Mi	9286	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM9EKD33328 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 245/75R17 Tires, 8 ft Bed Usage: 94,004 Mi
9277	<b>2017 Ford F-150 4x2 Regular Cab Pickup</b> S/N: 1FTMF1C82HKD84063 C/W: 3.5 L V6 Gasoline Engine, 2017 US EPA Label, Automatic Transmission, Air Conditioner, 245/70R17 Tires, 8 ft Bed Usage: 60,395 Mi	9287	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM5EKD33360 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 95,107 Mi

Lot #	Details	Lot #	Details
9288	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM4EKD40607 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Roll-N-Lock Truck Cap, 265/75R16 Tires, 8 ft 2 in Bed Usage: 84,096 Mi	9297	<b>2010 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CW1AKE25951 C/W: 4.6 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, 245/75R17 Tires, 8 ft 0 in Bed Usage: 95,957 Mi
9289	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM8EKE02610 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, 235/75R17 Tires, 8 ft Bed Usage: 64,365 Mi	9298	<b>2013 Chevrolet 1500 4x2 Regular Cab Pickup</b> S/N: 1GCNCPE08DZ413543 C/W: 5.3 L V8 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 245/70R17 Tires, 8 ft Bed Usage: 242,980 Mi
9290	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM9EKG34326 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 74,859 Mi	9299	<b>2010 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CW0AKB55417 C/W: 4.6 L V8 Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 205,509 Mi
9291	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM3EKD46334 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Better Built Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 57,652 Mi	9300B	<b>2007 Dodge Ram 1500 4x2 Regular Cab Pickup</b> S/N: 1D7HA16P67J574400 C/W: 4.7 L V8 Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Weather Guard Tool Box, 8 ft Bed Usage: 228,882 Mi
9292	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM6EKE02606 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Husky Tool Box, 285/70R17 Tires, 8 ft Bed Usage: 52,461 Mi	9300A	<b>2007 Dodge Ram 1500 SLT 4x2 Regular Cab Pickup</b> S/N: 1D7HA16P77J574406 C/W: 4.7 L V8 Gasoline Engine, 2007 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 245/70R17 Tires, 8 ft 1 in Bed Usage: 165,714 Mi
9293	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM5EKD46335 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 66,777 Mi	9300	<b>2009 Ford F-150 4x2 Regular Cab Pickup</b> S/N: 1FTRF12W59KB24747 C/W: 4.6 L V8 Gasoline Engine, 2009 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/60R18 Tires, 6 ft 6 in Bed Usage: 214,081 Mi
9294	<b>2014 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM5EKG07494 C/W: 3.7 L V6 Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Tool Box, 265/70R17 Tires, 8 ft Bed Usage: 114,237 Mi	9303	<b>2021 Toyota TACOMA TSS Off Road 4x2 Crew Cab Pickup</b> S/N: 5TFAX5GN8MX193509 C/W: 2.7 L 4 Cylinder Gasoline Engine, 2021 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Drop-In Bed Liner, 33x12.50R18 Tires, 5 ft 6 in Bed Usage: 20,767 Mi
9295	<b>2013 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM6DKF70700 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, 235/75R17 Tires, 8 ft Bed Usage: 74,824 Mi	9304	<b>2019 Toyota TACOMA TRD Off-Road 4x2 Crew Cab Pickup</b> S/N: 5TFAX5GN3KX141704 C/W: 2.7 L 4 Cylinder Gasoline Engine, 2019 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 5 ft Bed Usage: 38,298 Mi
9296	<b>2013 Ford F-150 XL 4x2 Regular Cab Pickup</b> S/N: 1FTMF1CM3DKF81377 C/W: 3.7 L V6 Gasoline Engine, 2013 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: 96,247 Mi	9307	<b>2011 Dodge Dakota 4x2 Extended Cab Pickup</b> S/N: 1D7RE2BK8BS712269 C/W: 3.7 L V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Aluminium Truck Cap, Drop-In Bed Liner, 245/75R16 Tires, 6 ft 6 in Bed Usage: 248,211 Mi

Lot #	Details	Lot #	Details
9308	<b>2014 Keystone 41 ft Tri/A Toy Hauler Travel Trailer</b> S/N: 4YDF37533EF810057 C/W: Air Conditioner, Sleeps 6 People, 3 Slide Outs, Power Leveling Jacks, Power Awning, Roof Mounted Satellite Receiver, 5th Wheel, Spring Suspension, Electric Brakes, 235/85R16 Tires, Washer & Dryer Hook Up Usage: Not Available	9318	<b>S/A Portable BBQ Smoker</b> S/N: Not Available C/W: Firebox, Vertical Smoker Box, (2) Burner Propane Cooker Usage: Not Available
9310	<b>2018 Cruiser 2750BH 29 ft T/A Travel Trailer</b> S/N: 5RXHB3325J2372559 C/W: Air Conditioner, Sleeps 6 People, Single Slide Out, Outdoor Kitchen, Bumper Pull, Spring Suspension, Electric Brakes, 225/75R15 Tires Usage: Not Available	9319	<b>60 ft x 12 ft Portable Quad/A Mobile Office</b> S/N: TXLA18B018 C/W: ( 2 ) Offices, ( 1 ) Bathrooms, Air Conditioner, Security Bars Usage: Not Available
9311	<b>2019 Keystone RV 18 ft S/A Travel Trailer</b> S/N: 4YDT18R11KH935193 C/W: Sleeps 4 People, Power Awning, Bumper Pull, Spring Suspension, 205/75R14 Tires Usage: Not Available	9320	<b>40 ft x 9 ft 3 in Portable T/A Mobile Office (Unused)</b> S/N: 0922 C/W: ( 1 ) Offices, ( 1 ) Bathrooms, Air Conditioner Usage: Not Available
9312	<b>1998 Weldcraft 16 ft Bay Boat</b> S/N: WKGG8621C898 C/W: Outboard Mercury OptiMax 90 hp Engine, S/A Trailer, Ball Hitch, Electric Brakes, Power Pole Shallow Water Anchor, Air Motor Usage: Not Available	9321	<b>2022 Shin Kobe SIG2025 8 ft x 6 ft 7 in Mobile Office (Unused)</b> S/N: 2206154 Usage: Not Available
9313	<b>2019 Tracker Classic 16 ft Fishing Boat</b> S/N: BUJ70795E919 C/W: Aluminum Hull, Outboard Mercury 1F51413GZ 50 hp Engine, S/A Trailer, Ball Hitch, Electric Brakes, Lowrance Fish Finder Usage: Not Available	9322	<b>2022 Garper GP8-24 17 ft 3 in x 7 ft 11 in 1 Person Portable S/A Mobile Office (Unused)</b> S/N: 3ECG24C1XNGEP0125 C/W: ( 1 ) Bathrooms, Air Conditioner Usage: Not Available
9313	<b>2019 Bass Tracker 16 ft S/A Boat Trailer</b> S/N: 7J511YH11KB003089 C/W: Spring Suspension, Electric Brakes, 185 /80R13 Tires Usage: Not Available	9323	<b>2022 Garper GP8-24 20 ft 2 in x 8 ft 2 in Portable S/A Mobile Office (Unused)</b> S/N: 3ECG24C1XNGEP0126 C/W: ( 1 ) Offices, ( 1 ) Bathrooms, Air Conditioner Usage: Not Available
9314	<b>2006 Pro Gator 25 ft Fishing Boat</b> S/N: GA0B1032G506 C/W: Fiberglass Hull, 8 Passenger Capacity, 25 ft Overall Length, 2050 lb Weight Capacity, Outboard Twin Mercury 2507 cc 150 hp Engine, T/A Trailer, Ball Hitch, eng s/n's 1B189450 1B175641 Usage: Not Available	9324	<b>2022 Garper GP8-24 20 ft x 8 ft S/A Mobile Office (Unused)</b> S/N: 3ECG24C1XNGEP0127 C/W: ( 1 ) Offices, ( 1 ) Bathrooms, Air Conditioner Usage: Not Available
9315	<b>HLT Limited 500 gal T/A Water Tank Trailer</b> S/N: 4H1021426E0481837 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, Poly Tank, Gasoline Powered Pump, 205/75R15 Tires, 4 ft Spray Bar Usage: Not Available	9325	<b>20 ft 4 in x 8 ft 1 in 1 Person Mobile Office (Unused)</b> S/N: A22035898 C/W: Air Conditioner, Single Walk Steel Door, Dual Pane Windows w/ Sun Screens, R13 Insulation, Electric Panel, (2) LED Ceiling Lights, (6) Interior Outlets Usage: Not Available
9316	<b>2019 Northstar 157595AZ Pressure Washer</b> S/N: 4K1PT4C10KK007919 C/W: 4000 psi Rating, Water Heater, 200 gal Water Supply, Hose, Trailer Mounted, Honda GX630 2 Cylinder Gasoline Engine Usage: 244 Hr	9326	<b>9 ft 1 in x 10 ft 9 in 2 Person Skid-Mounted Double-Ended Mobile Office</b> S/N: SV24443 C/W: ( 1 ) Kitchens, ( 2 ) Bedrooms w/( 2 ) Beds, ( 2 ) Bathrooms, Air Conditioner, Kitchen, ( 2 ) Sleeper Units Usage: Not Available
9317	<b>2015 MI-T M HS35061MGH Pressure Washer</b> S/N: 15103136 C/W: Water Heater, 400 gal Water Supply, Hose, Spray Wand, Trailer Mounted, Honda 2 Cylinder Gasoline Engine Usage: Not Available	9327	<b>2006 Hilltop 171245 20 ft x 8 ft Portable S/A Mobile Office</b> S/N: 9094 C/W: ( 1 ) Offices, Air Conditioner Usage: Not Available

Lot #	Details	Lot #	Details
9328	<b>8 ft 2 in x 6 ft 11 in 1 Person High Cube Mobile Office (Unused)</b> S/N: CBB200573401 C/W: Air Conditioner, Lock Box, Fork Pockets, Single Walk Steel Door, Dual Pane Window w/ sun screen, R13 Insulation, Electric Panel, LED Ceiling Lights, Interior Outlets Usage: Not Available	9339	<b>2009 XL Specialized XL70 T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J048239L010718 C/W: 85320 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, Plumbed for Booster Axle, 10 ft Upper Deck, 29 ft Main Deck, 7 ft Rear Deck, 102 in Widening Width, Deck Over Tires, Aluminum Outer Wheels, 255 /70R22.5 Tires Usage: Not Available
9329	<b>8 ft x 6 ft Storage Building</b> S/N: Not Available Usage: Not Available	9341	<b>2014 Trail King Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ05331EM041026 C/W: 131180 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, 29 ft 4 in Main Deck, 12 ft Rear Deck, 102 in Usable Deck Width, Aluminum Wheels, 275/70R22.5 Tires Usage: Not Available
9330	<b>8 ft x 6 ft Storage Building</b> S/N: Not Available Usage: Not Available	9342	<b>2008 Trail King TK110HDG-543 26 ft Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ054398M124139 C/W: 134700 lb GVWR, Air Ride Suspension, Hydraulic Removable Gooseneck, 26 ft Main Deck, 108 in Usable Deck Width, Manual Ramps, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9331	<b>9 ft 1 in x 6 ft 11 in 1 Person Security Mobile Office (Unused)</b> S/N: Not Available C/W: Air Conditioner, Fork Pockets, Single Walk Steel Door, Dual Pane Window w/ Sun Screen, R13 Insulation, LED Ceiling Lights, Interior Outlets Usage: Not Available	9345	<b>2007 Trail King 26 ft Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 1TKJ053387M129199 C/W: Air Ride Suspension, Hydraulic Removable Gooseneck, S/A Flip Booster Axle, 26 ft Main Deck, 102 in Usable Deck Width, Self Contained Hydraulic System, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available
9333	<b>40 ft Bunkhouse Skids</b> S/N: Not Available Usage: Not Available	9346	<b>2011 Trail King TK70MED T/A Extendable Removable Gooseneck Lowboy Trailer</b> S/N: 1TKH04825BW092554 C/W: 88280 lb GVWR, Air Ride Suspension, Hydraulic Removable Gooseneck, 9 ft 6 in Upper Deck, 29 ft 10 in Main Deck, 7 ft 5 in Rear Deck, 102 in Usable Deck Width, Extendable Deck, 275/70R22.5 Tires Usage: Not Available
9334	<b>20 ft x 8 ft Office Container</b> S/N: CRSU1105189 C/W: Predator 3500 w Generator Set, Mini Split A/C Usage: Not Available	9347	<b>2006 Pitts 42 ft Tri/A Single Drop Removable Gooseneck Lowboy Trailer</b> S/N: 5JYLB52306P061183 C/W: 122000 lb GVWR, Air Ride Suspension, Air Brakes, Hydraulic Removable Gooseneck, 27 ft Main Deck, 102 in Usable Deck Width, Self Contained Hydraulic System, Storage Compartments, Folding Side Extensions, Boom Recess, Deck Over Tires, 255/70R22.5 Tires Usage: Not Available
9335	<b>27 ft x 13 ft Skid Mounted Metal Building</b> S/N: Not Available Usage: Not Available	9348	<b>1987 Siebert 60 ton 30 ft T/A Removable Gooseneck Lowboy Trailer</b> S/N: 1S9JB2528H1111181 C/W: Walking Beam Suspension, Mechanical Removable Gooseneck, T/A Pin-On Booster Axle, Plumbed for Booster Axle, 30 ft Main Deck, 102 in Usable Deck Width, Folding Side Extensions, 11R22.5 Tires Usage: Not Available
9336	<b>2017 XL Specialized XL 120 HDG 120000 lb 25 ft Tri/A Single Drop Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J05330HL016506 C/W: 143155 lb GVWR, Air Ride Suspension, Lift 3rd- Axles, Mechanical Removable Gooseneck, Flip-Up Neck Extension, S/A Pin-On Booster Axle, 25 ft 6 in Main Deck, 102 in Usable Deck Width, 24 in Widening Width, Self Contained Hydraulic System, Folding Side Extensions, Boom Recess, Manual Ramps, 255 /70R22.5 Tires Usage: Not Available		
9336	<b>2017 XL Specialized 20280 lb S/A Heavy-Haul Jeep</b> S/N: 4U3S0051XHL016507 C/W: 26800 lb GVWR, 255/70R22.5 Tires Usage: Not Available		
9338	<b>2016 XL Specialized 26 ft Tri/A Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J05335GL005750 C/W: Air Ride Suspension, Lift 3rd- Axles, Hydraulic Removable Gooseneck, Plumbed for Booster Axle, 26 ft Main Deck, 102 in Usable Deck Width, Self Contained Hydraulic System, Folding Side Extensions, Boom Recess, 255 /70R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9348	<b>1982 Cozad T/A Heavy-Haul Jeep</b> S/N: CC81172 C/W: Fixed 5th Wheel, Air Ride Suspension, 11R22.5 Tires Usage: Not Available	9355	<b>2012 XL Specialized 70000 lb 29 ft T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J04824CL011903 C/W: 85560 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, S/A Pin-On Booster Axle, Plumbed for Booster Axle, 9 ft 8 in Upper Deck, 29 ft 1 in Main Deck, 7 ft 3 in Rear Deck, 102 in Usable Deck Width, 24 in Widening Width, Folding Side Extensions, Deck Over Tires, Aluminum Outer Wheels, 255 /70R22.5 Tires Usage: Not Available
9348	<b>1987 Siebert 28T2AB T/A Pin-On Booster Axle</b> S/N: 1S9BA1221H1111180 C/W: Pin-On, Air Ride Suspension, 11R22.5 Tires Usage: Not Available	9356	<b>2010 XL Specialized Trailers Inc 70000 lb 29 ft 29 ft T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J0482XAL011000 C/W: 84882 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, Plumbed for Booster Axle, 9 ft 8 in Upper Deck, 29 ft Main Deck, 7 ft 3 in Rear Deck, 102 in Usable Deck Width, Folding Side Extensions, Deck Over Tires, Aluminum Outer Wheels, 255 /70R22.5 Tires Usage: Not Available
9349	<b>1981 Nuttall Quad/A Single Drop Lowboy Trailer</b> S/N: NMC50090 C/W: Spring Suspension, 46 ft 6 in Main Deck, 96 in Usable Deck Width, Center Roller, Tail Roller, Kicker Rollers, 255/70R22.5 Tires Usage: Not Available	9357A	<b>1982 Fontaine T/A Double Drop Lowboy Trailer</b> S/N: 1A1345200C1536870 C/W: Spring Suspension, 10 ft 4 in Upper Deck, 26 ft Main Deck, 8 ft 6 in Rear Deck, 96 in Usable Deck Width, Deck Over Tires, 10.00R15 Tires Usage: Not Available
9352	<b>2012 Fontaine 80000 lb 45 ft T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 13N348203C3555360 C/W: 78798 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, S/A Pin-On Booster Axle, Plumbed for Booster Axle, 9 ft 6 in Upper Deck, 28 ft 9 in Main Deck, 7 ft 2 in Rear Deck, 101 in Usable Deck Width, Deck Over Tires, Aluminum Outer Wheels, 255 /70R22.5 Tires Usage: Not Available	9357	<b>2010 XL Specialized 70000 lb 28 ft T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 4U3J04827AL010998 C/W: 84882 lb GVWR, Air Ride Suspension, Mechanical Removable Gooseneck, Plumbed for Booster Axle, 9 ft 8 in Upper Deck, 28 ft 9 in Main Deck, 7 ft 3 in Rear Deck, 102 in Usable Deck Width, Folding Side Extensions, Deck Over Tires, Aluminum Outer Wheels, 255 /70R22.5 Tires Usage: Not Available
9352	<b>2010 Fontaine S/A Flip-Up Booster Axle</b> S/N: 13NM04109A3549800 C/W: Air Ride Suspension, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	9358	<b>1980 Load King 50 ton 18 ft Tri/A Folding Neck Trailer</b> S/N: 8715 C/W: Spring Suspension, 7 ft 6 in Upper Deck, 18 ft Main Deck, 11 ft 6 in Rear Deck, 96 in Usable Deck Width, Deck Over Tires, 10.00R15 Tires Usage: Not Available
9353	<b>2012 Manac 27 ft T/A Double Drop Removable Gooseneck Lowboy Trailer</b> S/N: 2M5521464C6127154 C/W: 73855 lb GVWR, Air Ride Suspension, Air Brakes, Mechanical Removable Gooseneck, S /A Pin-On Booster Axle, 9 ft 6 in Upper Deck, 27 ft Main Deck, 7 ft 8 in Rear Deck, 102 in Usable Deck Width, Storage Compartments, Deck Over Tires, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	9359	<b>2012 Talbert S/A Self Contained Booster Axle</b> S/N: 40FAK0514C1032171 C/W: 20280 lb GVWR, Steerable, Pin-On, Air Ride Suspension, 255/70R22.5 Tires, Kohler Gas Engine Usage: Not Available
9353	<b>1993 Trail King TK22FA-051 S/A Pin-On Booster Axle</b> S/N: 1TKS00514PM043147 C/W: Air Ride Suspension, Aluminum Outer Wheels, 275/70R22.5 Tires Usage: Not Available	9362	<b>2000 Fontaine 352ST-48 T/A Sliding Axle Trailer</b> S/N: 4LF3D4820Y3509049 C/W: 67600 lb GVWR, Air Ride Suspension, 9 ft Upper Deck, 39 ft Main Deck, 102 in Usable Deck Width, Winch, 215/75R17.5 Tires Usage: Not Available
9354	<b>1980 Nabors 36 ft T/A Double Drop Oilfield Lowboy Trailer</b> S/N: 27047DFBT C/W: 50000 lb GVWR, Spring Suspension, 11R22.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9363	<b>2011 Landoll 440 T/A 50 Ft Sliding Axle Trailer</b> S/N: 1LH440VH6B1018275 C/W: 85000 lb GVWR, Air Ride Suspension, 4 ft 6 in Upper Deck, 37 ft 6 in Main Deck, 102 in Usable Deck Width, Self Contained Hydraulic System, Winch, Deck Over Tires, Aluminum Wheels, 235/75R17.5 Tires, Kohler Command Pro 2 Cylinder 25 hp Engine Usage: Not Available	9372	<b>2015 Doonan T/A Spread Axle Single Drop 53 Ft Step Deck Trailer</b> S/N: 1D9BG5328F1609500 C/W: 90000 lb GVWR, Air Ride Suspension, 11 ft Upper Deck, 42 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Aluminum w /Wood Strips Flooring, 255/70R22.5 Tires Usage: Not Available
9364	<b>1988 Landoll T/A Sliding Axle Trailer</b> S/N: 1LH350UH2H1003632 C/W: Spring Suspension, 37 ft Main Deck, 12 ft Rear Deck, 102 in Usable Deck Width, Winch, Deck Over Tires, 10R17.5 Tires Usage: Not Available	9373	<b>2020 Brazos 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 4B9BKFR25LH054111 C/W: 80000 lb GVWR, Air Ride Suspension, 10 ft 6 in Upper Deck, 37 ft 9 in Main Deck, 98 in Usable Deck Width, Aluminum Flooring, 255 /70R22.5 Tires Usage: Not Available
9365A	<b>2015 Trail King TK80HT Tri/A Hydraulic Tail Trailer</b> S/N: 1TKA04838FM047197 C/W: 98680 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 2-Position Dovetail, 96 in Usable Deck Width, Winch, 10R17.5 Tires Usage: Not Available	9374	<b>2015 Doosan 48 ft T/A Spread Axle Step Deck Trailer</b> S/N: 1D9BG4823F1609651 C/W: 90000 lb GVWR, Air Ride Suspension, Wood Flooring, 255/70R22.5 Tires Usage: Not Available
9365	<b>2015 Trail King T/A Hydraulic Tail Trailer</b> S/N: 1TKA04828FM075427 C/W: 96060 lb GVWR, Air Ride Suspension, 9 ft Upper Deck, 39 ft Main Deck, 101 in Usable Deck Width, Winch, 10R17.5 Tires Usage: Not Available	9375A	<b>2009 Great Dane T/A Spread Axle Single Drop 53 Ft Step Deck Trailer</b> S/N: 1GRDM00269H711567 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 10 ft Upper Deck, 41 ft Main Deck, 97 in Usable Deck Width, Wood Flooring, 255/70R22.5 Tires Usage: Not Available
9366	<b>2013 Ledwell &amp; Sons LW48HT2-10-PB T/A Hydraulic Tail Trailer</b> S/N: 1L9GA72A6DL033206 C/W: Air Ride Suspension, 9 ft Upper Deck, 30 ft Main Deck, 8 ft Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Winch, 255/70R22.5 Tires Usage: Not Available	9375	<b>2009 Fontaine 80000 lb 48 ft T/A Step Deck Trailer</b> S/N: 13N24820991549711 C/W: 80000 lb GVWR, Air Ride Suspension, 10 ft Upper Deck, 38 ft Main Deck, 97 in Usable Deck Width, Wood Flooring, 255/70R22.5 Tires, Nemo pump Usage: Not Available
9367	<b>2013 Ledwell T/A Hydraulic Tail Trailer</b> S/N: 1L9GA72AXDL033192 C/W: Air Ride Suspension, 9 ft Upper Deck, 31 ft Main Deck, 8 ft Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, 255 /70R22.5 Tires Usage: Not Available	9377	<b>2007 Chaparral 48 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 1C92D48237M949243 C/W: Air Ride Suspension, 10 ft Upper Deck, 38 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Aluminum w/Wood Strips Flooring, 255/70R22.5 Tires Usage: Not Available
9370	<b>2003 Trail King T/A 48 Ft Hydraulic Tail Trailer</b> S/N: 1TKA048283M043816 C/W: Air Ride Suspension, Air Brakes, 7 ft 6 in Upper Deck, 29 ft 6 in Main Deck, 7 ft 8 in Rear Deck, 4 ft 2-Position Dovetail, 102 in Usable Deck Width, Deck Over Tires, Hydraulic Ramps, Storage Compartments, 255/70R22.5 Tires Usage: Not Available	9378	<b>2005 Transcraft 48 ft T/A Single Drop Step Deck Trailer</b> S/N: 1TTE4820151074992 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft 6 in Upper Deck, 37 ft 1 in Main Deck, 98 in Usable Deck Width, Deck Over Tires, Wood Flooring, 255/70R22.5 Tires Usage: Not Available
9371	<b>2019 Doonan 80000 lb 53 ft T/A Spread Axle Step Deck Trailer</b> S/N: 1D9BG5325K1609321 C/W: 90000 lb GVWR, Air Ride Suspension, 12 ft Upper Deck, 40 ft 10 in Main Deck, 97 in Usable Deck Width, Deck Over Tires, Aluminum w/Wood Strips Flooring, Aluminum Outer Wheels, 255/70R22.5 Tires Usage: Not Available	9379	<b>2002 Transcraft Tri/A Single Drop Step Deck Trailer</b> S/N: 1TTE4830621067062 C/W: Air Ride Suspension, 7 ft 10 in Upper Deck, 38 ft Main Deck, 102 in Usable Deck Width, Deck Over Tires, Wood Flooring, 255 /70R22.5 Tires Usage: Not Available



Lot #	Details	Lot #	Details
9380	<b>2001 Transcraft 48 ft T/A Spread Axle Step Deck Trailer</b> S/N: 1TTE4820411066539 C/W: Air Ride Suspension, 11 ft Upper Deck, 37 ft Main Deck, 97 in Usable Deck Width, Bulkhead, Aluminum w/Wood Strips Flooring, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	9389	<b>2022 Transcraft 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF482S5N3342758 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 97 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
9381	<b>1997 Fontaine 48 ft T/A Spread Axle Single Drop Step Deck Trailer</b> S/N: 13N248305V1577627 C/W: Air Ride Suspension, 11 ft Upper Deck, 36 ft 10 in Main Deck, 97 in Usable Deck Width, Deck Over Tires, 255/70R22.5 Tires Usage: Not Available	9390	<b>2016 Great Dane 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1GRDM962XGH729594 C/W: 70000 lb GVWR, Air Ride Suspension, Air Brakes, 97 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available
9382	<b>1991 Fruehauf PSD-T2-48 Tri/A Single Drop Step Deck Trailer</b> S/N: 1H2P04820MW034901 C/W: 91000 lb GVWR, Air Ride Suspension, 12 ft Upper Deck, 40 ft 6 in Main Deck, 102 in Usable Deck Width, Deck Over Tires, Wood Flooring, 255/70R22.5 Tires Usage: Not Available	9391	<b>2016 CIMC 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: LJRP48273G1025449 C/W: 80000 lb GVWR, Air Ride Suspension, 94 in Deck Width, 295/75R22.5 Tires Usage: Not Available
9383	<b>1990 Trail King TS700S-482 25 ton 48 ft T/A Gooseneck Step Deck Trailer</b> S/N: 1TKS04829LM036300 C/W: 82500 lb GVWR, Air Ride Suspension, Air Brakes, Wood Flooring, Aluminum Wheels, 255/70R22.5 Tires Usage: Not Available	9393	<b>2010 Transcraft 48 ft T/A Flatbed Trailer</b> S/N: 1TTF482S8A1088095 C/W: 73000 lb GVWR, Spring Suspension, Sliding Tandems, 102 in Deck Width, Wood Flooring, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9384	<b>1995 Aspen T/A Extendable Step Deck Trailer</b> S/N: 2A9PF2526SS037417 C/W: 66998 lb GVWR, Air Ride Suspension, Air Brakes, 10 ft Upper Deck, 38 ft Main Deck, 96 in Usable Deck Width, Deck Over Tires, Pickup Throat, Extendable Deck, 255/70R22.5 Tires Usage: Not Available	9394A	<b>2009 Fontaine 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 5TRK483A592003139 C/W: 71508 lb GVWR, Air Ride Suspension, 20 ft - 40 ft - Container Pins, 97 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available
9385	<b>2007 Ledwell T/A Single Drop Step Deck Trailer</b> S/N: 1L9GA72A57L033119 C/W: Air Ride Suspension, Air Brakes, 7 ft 5 in Upper Deck, 26 ft Main Deck, 7 ft 10 in Rear Deck, 2-Position Dovetail, 98 in Usable Deck Width, Winch, Deck Over Tires, Hydraulic Ramps, Wood Flooring, 255/70R22.5 Tires Usage: Not Available	9394	<b>2010 Transcraft 48 ft T/A Flatbed Trailer</b> S/N: 11TF482S0A1088091 C/W: 73000 lb GVWR, Spring Suspension, Sliding Tandems, 102 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
9386	<b>2013 Transcraft 53 ft T/A Flatbed Trailer</b> S/N: 1TTF532S7D3759992 C/W: 73000 lb GVWR, Spring Suspension, 102 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	9395	<b>2008 Transcraft 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF4820581084756 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w/Wood Strips Flooring, 275/80R22.5 Tires Usage: Not Available
9387	<b>2006 Transcraft 53 ft T/A Flatbed Trailer</b> S/N: 1TTF5320262017782 C/W: 80000 lb GVWR, Air Ride Suspension, Air Brakes, 98 in Deck Width, 275/80R22.5 Tires Usage: Not Available	9396	<b>2008 Wilson 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 4WWBGB6B98N612946 C/W: Air Ride Suspension, Air Brakes, 97 in Deck Width, Aluminum Flooring, 275/80R22.5 Tires Usage: Not Available
9388	<b>2006 Transcraft 53 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF5320662017798 C/W: 80000 lb GVWR, Air Ride Suspension, 102 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	9397	<b>2007 Manac 48 ft T/A Flatbed Trailer</b> S/N: 2M512146971110836 C/W: 73855 lb GVWR, Spring Suspension, 97 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9400	<b>2006 Manac T/A 48 ft Extendable Flatbed Trailer</b> S/N: 2M512146761108257 C/W: 73855 lb GVWR, Spring Suspension, Sliding Tandems, 97 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available	9408	<b>2000 Wabash DDT 50000 lb 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1JJF482W5YS655485 C/W: 68000 lb GVWR, Air Ride Suspension, 91 in Deck Width, Aluminum w/Wood Strips Flooring, 285/75R24.5 Tires Usage: Not Available
9401	<b>2006 Wilson CF900 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 4WWBGB6B86N610005 C/W: 89250 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, 97 in Deck Width, Aluminum w/Wood Strips Flooring, 275/80R22.5 Tires Usage: Not Available	9409	<b>1998 Manac 10248801 48 ft T/A Flatbed Trailer</b> S/N: 2M5121463W1050387 C/W: 32000 kg GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 96 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available
9402	<b>2005 Transcraft Eagle F3 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF4830251076818 C/W: 100000 lb GVWR, Air Ride Suspension, Air Brakes, 98 in Deck Width, Wood Flooring, Aluminum Outer Wheels, 11R22.5 Tires Usage: Not Available	9410	<b>1995 Fontaine FTW-5-8048SLK 48 ft T/A Flatbed Trailer</b> S/N: 13N1482C3S1563356 C/W: 75581 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 96 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
9403	<b>2005 Transcraft Eagle F348X102 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF4830851077083 C/W: Air Ride Suspension, Air Brakes, 102 in Deck Width, Aluminum w/Wood Strips Flooring, 11R24.5 Tires Usage: Not Available	9411	<b>1995 Transcraft 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1TTF48203S1045672 C/W: 80000 lb GVWR, Air Ride Suspension, 96 in Deck Width, Aluminum w/Wood Strips Flooring, 11R24.5 Tires Usage: Not Available
9404	<b>2005 Lufkin 48 ft T/A Flatbed Trailer</b> S/N: 1L01B482051157395 C/W: 80000 lb GVWR, Air Ride Suspension, 98 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available	9412	<b>2006 Fontaine 48 ft T/A Flatbed Trailer</b> S/N: 13N1482C561536083 C/W: Spring Suspension, 98 in Deck Width, 295 /75R22.5 Tires Usage: Not Available
9405A	<b>2003 Utility 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1UYFS24893A913114 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, 97 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available	9413	<b>1999 Fruehauf 45 ft T/A Flatbed Trailer</b> S/N: 1JJF452FOXSS529161 C/W: Spring Suspension, Air Brakes, Sliding Tandems, 96 in Deck Width, Bulkhead, Wood Flooring, 11R24.5 Tires Usage: Not Available
9405	<b>2005 Lufkin 48 ft T/A Flatbed Trailer</b> S/N: 1L01B482351158668 C/W: 80000 lb GVWR, Air Ride Suspension, Sliding Tandems, 98 in Deck Width, Wood Flooring, 11R24.5 Tires Usage: Not Available	9415	<b>1993 Fruehauf 45 ft T/A Flatbed Trailer</b> S/N: 1H2P04521PW003214 C/W: Spring Suspension, Air Brakes, 91 in Deck Width, Bulkhead, Aluminum Flooring, 295 /75R22.5 Tires Usage: Not Available
9406	<b>2000 Wabash 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1JJF482W8YS697570 C/W: Air Ride Suspension, 91 in Deck Width, Aluminum w/Wood Strips Flooring, 285/75R24.5 Tires Usage: Not Available	9420	<b>2016 Pitts Enterprises Inc 40 ft T/A Log Trailer</b> S/N: 5JYLT4025GP161668 C/W: 40 ft Deck Length, 90 in Deck Width, ( 4 ) Bunks, 80000 lb GVWR, Spring Suspension, 11R24.5 Tires Usage: Not Available
9407	<b>2000 Wabash 48 ft T/A Spread Axle Flatbed Trailer</b> S/N: 1JJF482W0YS714538 C/W: Air Ride Suspension, 96 in Deck Width, Aluminum w/Wood Strips Flooring, 295/75R22.5 Tires Usage: Not Available	9421	<b>2001 Travis 35 ft Tri/A Aluminum Quarter Frame End Dump Trailer</b> S/N: 48X1F353311001467 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Air Brakes, Lift 1st- 11R24.5Axles, 35 ft Body, 66 in Side Walls, Aluminum Body, Aluminum Wheels, 11R24.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9422A	<b>2017 CTS 38 ft T/A Demolition End Dump Trailer</b> S/N: 5TU343823HS000267 C/W: 68000 lb GVWR, Spring Suspension, 38 ft Body, 68 in Side Walls, Steel Body, Electric Roll Tarp, Swing Tailgate, 295/75R22.5 Tires Usage: Not Available	9435	<b>18 ft T/A Frameless Demolition End Dump Trailer</b> S/N: Not Available C/W: Spring Suspension, Air Brakes, 18 ft Body, 11R24.5 Tires Usage: Not Available
9422	<b>2006 Hilbilt Tri/A End Dump Trailer</b> S/N: 1H9A3M4D061015030 C/W: 70000 lb GVWR, Air Ride Suspension, Lift 1st- Axles, 22 ft Body, 40 in Side Walls, Steel Body Usage: Not Available	9436	<b>2023 Southland SL71414K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3365P1080685 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Electric Roll Tarp, Barn Door Tailgate 235/89R16 Tires Usage: Not Available
9423	<b>2006 Lufkin 38 ft T/A Frameless End Dump Trailer</b> S/N: 1L01C382461162012 C/W: 60000 lb GVWR, Spring Suspension, 38 ft Body, 44 in Side Walls, Steel Body, Manual Roll Tarp, 11R24.5 Tires Usage: Not Available	9437	<b>2023 Southland SL71414K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3361P1080683 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9424	<b>2002 Vantage 38 ft T/A Frameless End Dump Trailer</b> S/N: 4EPAB382X2LSS4228 C/W: 60000 lb GVWR, Spring Suspension, 38 ft Body, 36 in Side Walls, Steel Body, Manual Roll Tarp, 11R24.5 Tires Usage: Not Available	9438	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3365P1080850 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9427	<b>1988 Lufkin 36 ft T/A End Dump Trailer</b> S/N: 1L01C3824J1079172 C/W: Spring Suspension, Air Brakes, 36 ft Body, 40 in Side Walls, Steel Body, 11R24.5 Tires Usage: Not Available	9439	<b>2023 Southland SL71414K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL336XP1080682 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 20 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9428	<b>2020 4T 36 ft T/A Frameless End Dump Trailer</b> S/N: 1Z9HR3223L1000433 C/W: 70000 lb GVWR, Spring Suspension, Air Brakes, 34 ft Body, 36 in Side Walls, Steel Body, Electric Roll Tarp, Air Lift Tailgate, 11R24.5 Tires Usage: Not Available	9440	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3364P1080774 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 20 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9429	<b>1985 CMC 35 ft T/A Quarter Frame End Dump Trailer</b> S/N: 1A9A1EN26F11A9786 C/W: Spring Suspension, 35 ft Body, 48 in Side Walls, Aluminum Body, Manual Roll Tarp, 11R24.5 Tires Usage: Not Available	9441	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3365P1080847 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9431	<b>2005 Dragon 32 ft T/A Frameless End Dump Trailer</b> S/N: 1UNSD322X5C029362 C/W: 70000 lb GVWR, Spring Suspension, 32 ft Body, 43 in Side Walls, Steel Body, Air Lift Tailgate, 11R22.5 Tires Usage: Not Available	9442	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3367P1081028 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9432	<b>1996 Clement 32 ft T/A Demolition End Dump Trailer</b> S/N: 1C9BB32B0TM110315 C/W: 72000 lb GVWR, Spring Suspension, Air Brakes, 32 ft Body, 60 in Side Walls, Steel Body, 11R24.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9443	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL336XP1080715 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available	9454	<b>2023 Southland SL610-7K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFLL2367P1078856 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 205/75R15 Tires Usage: Not Available
9444	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3363P1081026 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available	9455	<b>2023 Southland SL610-7K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFLL2360P1078858 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 205/75R15 Tires Usage: Not Available
9445	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3367P1080848 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available	9456	<b>2023 Southland SL610-7K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFLL2364P1079026 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 205/75R15 Tires Usage: Not Available
9447	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3362P1081339 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 20 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available	9457	<b>2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFPM2395P1080651 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 225/75R15 Tires Usage: Not Available
9448	<b>2023 Southland SL714-14K 14 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFJL3369P1080849 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 14 ft Body, 26 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available	9458	<b>2023 Southland SL252T-10 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFPM2397P1080652 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 225/75R15 Tires Usage: Not Available
9449	<b>2020 PJ 14 ft T/A End Dump Trailer</b> S/N: 4P5DM1422L1337748 C/W: 9990 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 14 ft Body, 48 in Side Walls, Steel Body, Swing Tailgate, 235/85R16 Tires Usage: Not Available	9459	<b>2023 Southland SL610-7K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFLL2366P1079027 C/W: 7716 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 205/75R15 Tires Usage: Not Available
9452	<b>2023 Southland SL252T-10 19 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFPM2393P1080650 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 225/75R15 Tires Usage: Not Available	9460	<b>2021 Felling FT-10DT 10 ft 2 in T/A End Dump Trailer</b> S/N: 5FTBD1524M1002689 C/W: 9980 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft 2 in Body, 19 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 235/80R16 Tires Usage: Not Available
9453	<b>2023 Southland SL610-10K 10 ft T/A End Dump Trailer (Unused)</b> S/N: 2SFPM2399P1080653 C/W: 11464 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 18 in Side Walls, Steel Body, Manual Roll Tarp, Barn Door Tailgate 225/75R15 Tires Usage: Not Available	9461	<b>2021 Snake River DMP610-7KHD 10 ft T/A End Dump Trailer</b> S/N: 5PTBD1026M1038832 C/W: 7380 lb GVWR, Spring Suspension, Electric Brakes, 10 ft Body, 36 in Side Walls, Steel Body, 2-Way Tailgate 235/80R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9463	<b>2016 Snake River DMP610-7K 10 ft T/A End Dump Trailer</b> S/N: 5PTBD1029G1024427 C/W: 7380 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 10 ft Body, 72 in Side Walls, Steel Body, Barn Door Tailgate 225 /75/R15 Tires Usage: Not Available	9483	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN422XB7T13823 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9473	<b>6 ft T/A Concrete End Dump Trailer</b> S/N: Not Available C/W: Ball Hitch, Spring Suspension, Surge Brakes, 9 ft Body, Steel Body, 205/90D15 Tires Usage: Not Available	9484	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4229B7T13733 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9474	<b>2020 ETC T/A 23 Yd Belly Dump Trailer</b> S/N: 7FJP1ER47LT510057 C/W: 75000 lb GVWR, Air Ride Suspension, Air Brakes, Clam Gate, Push Block, Electric Roll Tarp, 11R24.5 Tires Usage: Not Available	9485	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4227B7T13746 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9475	<b>1995 CPS 42 ft T/A Belly Dump Trailer</b> S/N: 1C9111626SP389456 C/W: 60000 lb GVWR, Spring Suspension, Clam Gate, Manual Roll Tarp, 11R24.5 Tires Usage: Not Available	9486	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4222B7T13900 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9476	<b>1991 Southwest 40 ft T/A Belly Dump Trailer</b> S/N: 1R9BSE502ML008464 C/W: Spring Suspension, Clam Gate, Push Block, Manual Roll Tarp, 11R24.5 Tires Usage: Not Available	9487	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4223B7T13744 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9478	<b>2010 Wilson 42 ft T/A Live Bottom Trailer</b> S/N: 1W1MCF1A2AA254815 C/W: 65000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, 285 /75R24.5 Tires Usage: Not Available	9488	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4228B7T13755 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9479	<b>2000 Trailmobile 42 ft T/A Moving Floor Trailer</b> S/N: 1PT01ABH5Y9016157 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9489	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4223B7T13680 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9480	<b>2015 EXA HAB-1033 T/A Pneumatic Bulk Trailer</b> S/N: 3E9J142H3FT034120 C/W: 68000 lb GVWR, Air Ride Suspension, Steel Tank, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available	9490B	<b>1999 Red Ewald T/A Pneumatic Bulk Trailer</b> S/N: 4EPPA4128XBBA2637 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Aluminum Tank, Aluminum Outer Wheels, 11R24.5 Tires Usage: Not Available
9481	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4227B7T13732 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	9490A	<b>1999 Fruehauf T/A Pneumatic Bulk Trailer</b> S/N: 4J8B04228XT013402 C/W: Aluminum Frame, Air Ride Suspension, Aluminum Tank, 11R22.5 Tires Usage: Not Available
9482	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN4226B7T13902 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available		

Lot #	Details	Lot #	Details
9490	<b>2011 Heil 30 m3 T/A Pneumatic Bulk Trailer</b> S/N: 5HTSN422XB7T13899 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Aluminum Wheels, 11R24.5 Tires Usage: Not Available	9498	<b>2010 Galyean 130 bbl T/A Vacuum Tanker Trailer</b> S/N: 1G9VT4024AH017253 C/W: 50000 lb GVWR, Air Ride Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available
9491	<b>1996 Heil T/A Pneumatic Bulk Trailer</b> S/N: 1HLS1M7F3T5T02464 C/W: 58000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 11R24.5 Tires Usage: Not Available	9499	<b>2006 Galyean T/A Vacuum Tanker Trailer</b> S/N: 1G9VT40206H016317 C/W: Spring Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available
9492	<b>1981 Fruehauf T/A Pneumatic Bulk Trailer</b> S/N: H4B03122BL006604 C/W: 68000 lb GVWR, Air Ride Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available	9500	<b>2005 Acro Trailers 7000 gal T/A Vacuum Tanker Trailer</b> S/N: 1A911422051005082 C/W: 68000 lb GVWR, Aluminum Frame, Air Ride Suspension, Aluminum Tank, 11R22.5 Tires Usage: Not Available
9494B	<b>2011 Dragon 120 bbl T/A Vacuum Tanker Trailer</b> S/N: 1UNST4029BL068919 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 11R24.5 Tires Usage: Not Available	9501A	<b>1992 Cajun T/A Vacuum Tanker Trailer</b> S/N: 1C9VT402XNE266010 C/W: 18300 lb GVWR, Spring Suspension, Air Brakes, Steel Tank, 11R24.5 Tires Usage: Not Available
9494A	<b>2012 Dragon 5040 gal T/A Vacuum Tanker Trailer</b> S/N: 1UNST4023CL109028 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 11R24.5 Tires Usage: Not Available	9502	<b>2015 PCI T/A Vacuum Tanker Trailer</b> S/N: 56CPA1U2XFT600440 C/W: Spring Suspension, Air Brakes, Steel Tank, 11R22.5 Tires Usage: Not Available
9494	<b>2014 Dragon 8400 gal T/A Vacuum Tanker Trailer</b> S/N: 1UNST4428ES128564 C/W: 70000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	9504	<b>2008 Dragon 6300 gal T/A Tanker Trailer</b> S/N: 1UNST42298L055299 C/W: 70000 lb GVWR, Air Ride Suspension, cowboy pumps Hydraulic Powered Pump, 11R24.5 Tires Usage: Not Available
9495	<b>2012 Lo-Pro Fluid Atlas 130 T/A Vacuum Tanker Trailer</b> S/N: 1L9ST4326CH476046 C/W: 65000 lb GVWR, Air Ride Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available	9505	<b>2001 Heil Chemline 7000 gal T/A Tanker Trailer</b> S/N: 190FA452413F14061 C/W: Spring Suspension, Air Brakes, Aluminum Tank, 285/75R24.5 Tires Usage: Not Available
9496	<b>2012 Lo-Pro Fluid Atlas 130 T/A Vacuum Tanker Trailer</b> S/N: 1L9ST4324CH476045 C/W: Air Ride Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available	9506	<b>2001 Step 7000 gal T/A Tanker Trailer</b> S/N: 1S9AC15B21H474022 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Aluminum Tank, 3 Compartments, Cowboy Hydraulic Powered Pump, 11R24.5 Tires Usage: Not Available
9497	<b>2011 Troxell 5460 gal T/A Vacuum Tanker Trailer</b> S/N: 1T9TA4324B1867987 C/W: Spring Suspension, Steel Tank, 11R24.5 Tires Usage: Not Available	9507	<b>2001 Stephens 7000 gal T/A Tanker Trailer</b> S/N: 1S9AC15B41H474023 C/W: Aluminum Frame, Air Ride Suspension, Air Brakes, Aluminum Tank, Cowboy Pumps Hydraulic Powered Pump, 11R24.5 Tires Usage: Not Available
		9512	<b>1998 Heil 9200 gal T/A Tanker Trailer</b> S/N: 5HTAB4428W7H62220 C/W: 68000 lb GVWR, Aluminum Frame, Spring Suspension, Aluminum Tank, 5 Compartments, Aluminum Wheels, 295/75R22.5 Tires, 0 ft Lead Side Walls Usage: Not Available

Lot #	Details	Lot #	Details
9513	<b>1983 Heil 9200 gal T/A Tanker Trailer</b> S/N: 1HLA3A7B5D7H52305 C/W: 70000 lb GVWR, Aluminum Frame, Spring Suspension, Air Brakes, Aluminum Tank, 285 /75R24.5 Tires Usage: Not Available	9540	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR24PG002603 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9514	<b>2000 Rhino T/A Fuel and Lube Trailer</b> S/N: 4XKFX1623YA000913 C/W: Ball Hitch, Spring Suspension, Surge Brakes, ( 2 ) 110 gal Diesel Tank, ( 7 ) 110 gal Oil Tanks, ( 1 ) 110 gal Coolant Tank, 235 /80R16 Tires Usage: Not Available	9542	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR27PG002613 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9515	<b>2016 LeeBoy 500 T/A Oil Dispenser</b> S/N: 1B9AA1426G1309843 C/W: Honda GX160 1 Cylinder 163 cc Gasoline Engine Usage: Not Available	9545	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR21PG002607 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9516	<b>2000 Brenner T/A 7200 gal Asphalt Tank Trailer</b> S/N: 10BBC72Y4YM0M2803 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Single Flue, Carbon Steel Tank Usage: Not Available	9546	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR25PG002612 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9523	<b>2012 Brooks Brothers PTB112-12KE T/A Pole Trailer</b> S/N: 1B9BS1127CM274387 C/W: 25980 lb GVWR Lunette Ring Hitch, Spring Suspension, Electric Brakes, 3 Stanchions, ST235/89R16 Tires Usage: Not Available	9547	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR26PG002604 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9527	<b>2007 CF's Trailers 25 ft 25 ft Extendable Pole Trailer</b> S/N: 5SRUT40247L070434 C/W: Lunette Ring Hitch, Spring Suspension, 235/85R16 Tires Usage: Not Available	9548	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR25PG002609 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9531	<b>2005 CF's Trailers Pole Trailer</b> S/N: 1C9UT402X5L347014 C/W: 2000 lb GVWR Lunette Ring Hitch, Spring Suspension, 235/85R16 Tires Usage: Not Available	9549	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR23PG002611 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available
9534	<b>2006 Dragon 37 ft T/A Roll-Off Trailer</b> S/N: 1UNSH48256C034536 C/W: Air Ride Suspension, Dragon Products Roll-Off Unit 11R22.5 Tires Usage: Not Available	9550	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR29PG001639 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Container Pins, 11R22.5 Tires Usage: Not Available
9535	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR26PG002599 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9551	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR25PG001640 C/W: 65000 lb GVWR, Spring Suspension, Container Pins, 11R22.5 Tires Usage: Not Available
9538	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR23PG002608 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	9552	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR27PG001638 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Container Pins, 11R22.5 Tires Usage: Not Available
9539	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR21PG002610 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 11R22.5 Tires Usage: Not Available	9553	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR29PG001642 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Container Pins, 11R22.5 Tires Usage: Not Available
		9554	<b>2023 Atro 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR27PG001641 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Container Pins, 11R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9555	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR25PG002786 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9566	<b>2007 CIMC 40 ft T/A Extendable Container Trailer</b> S/N: LJRC4626171022012 C/W: 67200 lb GVWR, Spring Suspension, 40 ft - 45 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available
9556	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR24PG002794 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9570B	<b>1978 20 ft T/A Container Trailer</b> S/N: 158917L C/W: 66000 lb GVWR, Spring Suspension, Air Brakes, 20 ft - Container Pins, 10.00-20 Tires Usage: Not Available
9557	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR27PG002787 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9570A	<b>1984 Trinity TC-20 20 ft T/A Container Trailer</b> S/N: 14JCS220XEA442298 C/W: 51500 lb GVWR, Spring Suspension, 20 ft - Container Pins, 295/75R22.5 Tires Usage: Not Available
9558	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR27PG002790 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9571	<b>2022 Utility 3000R 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 3UTVS2531N8445222 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Vented Floor, 2021 Thermo King S-600 Refrigeration Unit, 5377 Engine Run Hours, Aluminum Wheels, 295/75R22.5 Tires Usage: 5,377 Hr
9559	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR22PG002793 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9572	<b>2016 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2539GU451706 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Vented Floor, 2015 Thermo King S-600 Refrigeration Unit, 18719 Engine Run Hours, 295/75R22.5 Tires Usage: 18,719 Hr
9560	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR29PG002788 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9573	<b>2016 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2530GU539320 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Ducted Floor, 2015 Carrier 7300x4 Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available
9561	<b>2023 Atró 40 ft S/A Container Trailer (Unused)</b> S/N: 3ELA6CR20PG002792 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9574	<b>2014 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2537EU894417 C/W: 65000 lb GVWR, Spring Suspension, Sliding Tandems, Vented Floor, 2013 Carrier 7300X4 Refrigeration Unit, 10764 Engine Run Hours, 255/70R22.5 Tires Usage: 10,764 Hr
9562	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR20PG002789 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available	9575	<b>2014 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2539EU759830 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Thermo King SR3 Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: 24,938 Hr
9563A	<b>2023 Atró T/A Container Trailer (Unused)</b> S/N: 3ELA6CR28PG002040 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available		
9563	<b>2023 Atró 40 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR29PG002791 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available		
9564	<b>2023 Atró 0 ft T/A Container Trailer (Unused)</b> S/N: 3ELA6CR26PG002795 C/W: 65000 lb GVWR, Air Ride Suspension, 40 ft - Container Pins, 11R22.5 Tires Usage: Not Available		
9565	<b>2012 Landoll 342 23 ft S/A Gooseneck Container Trailer</b> S/N: 1LH342JG6C1018931 C/W: 18000 lb GVWR, Spring Suspension, 235/75R17.5 Tires Usage: Not Available		



Lot #	Details	Lot #	Details
9581	<b>2011 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2535BM018134 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Ducted Floor, 2009 Carrier X2 2100A Refrigeration Unit, 1386 Engine Run Hours, 295/75R22.5 Tires Usage: 1,386 Hr	9591	<b>2000 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2539YU145901 C/W: 65000 lb GVWR, Spring Suspension, Thermo King SBIIISR Refrigeration Unit, 295 /75R22.5 Tires Usage: Not Available
9582	<b>2011 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2488BM227431 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Lift Gate, 2011 Thermo King Refrigeration Unit, Shore Power 10035 Engine Run Hours, 275/80R22.5 Tires Usage: 10,035 Hr	9592	<b>1997 Utility VS2R 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2486VU161501 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Ducted Floor, Front /Rear Vents, 2000 Thermo King SB-III Refrigeration Unit, 45775 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: 45,775 Hr
9584	<b>2011 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS2482BU227702 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Lift Gate, 2011 Thermo King SB-210+ Refrigeration Unit, Shore Power, 295/75R22.5 Tires Usage: 8,543 Hr	9593	<b>2001 Hackney S/A Beverage Trailer</b> S/N: 1HHRTX2111M000514 C/W: 36000 lb GVWR, Air Ride Suspension, Air Brakes, Curbside Door, 275/80R22.5 Tires Usage: Not Available
9585	<b>2010 Utility 53 ft T/A Refrigerated Trailer</b> S/N: 1UYVS2532AU061859 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Ducted Floor, Thermo King Refrigeration Unit, Aluminum Wheels, 295/75R22.5 Tires Usage: Not Available	9594	<b>2001 Hackney S/A Beverage Trailer</b> S/N: 1HHRTX2161M000511 C/W: Air Ride Suspension, Air Brakes, Curbside Door, 275/80R22.5 Tires Usage: Not Available
9586	<b>2007 Utility VS2RA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS253X7U007833 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Thermo King SB210 Refrigeration Unit, 27462 Engine Run Hours, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9595	<b>1998 Hackney S/A Beverage Trailer</b> S/N: 1HHRTX217WM000573 C/W: 36000 lb GVWR, Spring Suspension, Air Brakes, Curbside Door, 275/80R22.5 Tires Usage: Not Available
9587	<b>2006 Wabash RFLWHA 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1JJV532W66L969505 C/W: 68000 lb GVWR, Air Ride Suspension, Ducted Floor, Thermo King Whisper SR2 Refrigeration Unit, 295/75R22.5 Tires Usage: 34,197 Hr	9596	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1813XH043032 C/W: 38000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
9589A	<b>2004 Utility 53 ft x 102 in T/A Refrigerated Trailer</b> S/N: 1UYVS253X4U095133 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Ducted Floor, Thermo King SB-210 30 Refrigeration Unit, 34115 Engine Run Hours, 285/75R24.5 Tires Usage: Not Available	9597	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1816XH043039 C/W: 38000 lb GVWR, Spring Suspension, Air Brakes, Curbside Door, 275/80R22.5 Tires Usage: Not Available
9590	<b>2002 Great Dane 7811TZ-1AX53 50 ft T/A Refrigerated Trailer</b> S/N: 1GRAA06282W054002 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Carrier Refrigeration Unit, Aluminum Wheels, 11R22.5 Tires Usage: Not Available	9598	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1819XH043035 C/W: 38000 lb GVWR, Aluminum Frame, Spring Suspension, 275/80R22.5 Tires Usage: Not Available
		9599	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1814XH043038 C/W: 38000 lb GVWR, Spring Suspension, Air Brakes, Curbside Door, 275/80R22.5 Tires Usage: Not Available
		9600	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1815XH043033 C/W: 38000 lb GVWR, Spring Suspension, 295 /75R22.5 Tires Usage: Not Available
		9601	<b>1999 Mickey S/A Beverage Trailer</b> S/N: 1M9RC1816XH043042 C/W: 38000 lb GVWR, Air Brakes, Curbside Door, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9602	<b>1995 Hackney S/A Beverage Trailer</b> S/N: 1HHRTX21XSM000058 C/W: Spring Suspension, 295/75R22.5 Tires Usage: Not Available	9620	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX29PG000691 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9611	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX26PG000678 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9621	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX24PG000694 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9612	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX25PG000686 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9622	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX23PG000685 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9613	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX28PG000679 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9623	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX27PG000690 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9614	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX29PG000688 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9624	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX20PG000692 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available
9615	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX24PG000680 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9625	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX22PG002797 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
9616	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX27PG000687 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9627	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX20PG002796 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
9617	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX28PG000665 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9628	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX26PG002799 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
9618	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX20PG000689 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9629	<b>2023 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX29PG002800 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9630A	<b>2017 Great Dane CCC-3314-01053 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAP0627HJ662808 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, Side Skirts, 295/75R22.5 Tires Usage: Not Available	9639	<b>2008 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W18L209629 C/W: Air Ride Suspension, 295/75R22.5 Tires Usage: Not Available
9630	<b>2022 Atro 53 ft x 102 in T/A Van Trailer (Unused)</b> S/N: 3ELA6RX29NG000669 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9642	<b>2007 Trailmobile 53 ft x 102 in T/A Van Trailer</b> S/N: 2MN01JAH571004615 C/W: Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
9632	<b>2015 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2537FP294318 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Suspension, Aluminum Outer Wheels, 295/75R22.5 Tires Usage: Not Available	9643	<b>2006 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A53276S838903 C/W: 70000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
9633A	<b>2015 Hyundai VC2530152-AJS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C8FT071042 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9652	<b>2004 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W84L885781 C/W: Air Ride Suspension, Sliding Tandems, 275/80R22.5 Tires Usage: Not Available
9633	<b>2015 Hyundai VI2530152-AJS 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532C3FT039003 C/W: 68000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9653	<b>2002 Wabash 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532W92L795679 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 275/80R22.5 Tires, Roller Floor Usage: Not Available
9634	<b>2014 Vanguard 53 ft x 102 in T/A Van Trailer</b> S/N: 5V8VC5328EM405317 C/W: 68000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	9654	<b>2002 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06292G323327 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes, Sliding Tandems, 275/70R22.5 Tires Usage: Not Available
9636	<b>2012 Wabash 48 ft x 96 in T/A Van Trailer</b> S/N: 1JJV482V9CL682033 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9655	<b>2001 Trailmobile 53 ft T/A Van Trailer</b> S/N: 2MN01JPH011002947 C/W: Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
9637A	<b>2011 Wabash DVHDHPC 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532D3BL454034 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Air Ride Suspension, Sliding Tandems, Side Skirts, 295/75R22.5 Tires Usage: Not Available	9657	<b>2000 Hyundai 53 ft x 102 in T/A Van Trailer</b> S/N: 3H3V532CXYT075077 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, 235/75R17.5 Tires Usage: Not Available
9637	<b>2011 Utility 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS2533BG125021 C/W: 29500 lb GVWR, Air Ride Suspension, 295/75R22.5 Tires Usage: Not Available	9658	<b>2000 Stoughton 53 ft x 102 in T/A Van Trailer</b> S/N: 1DW1A5325YS347121 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
9638	<b>2009 Great Dane 53 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA06239D435598 C/W: 68000 lb GVWR, Aluminum/Steel Combination Frame, Spring Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9659	<b>1999 Stoughton 53 ft T/A Van Trailer</b> S/N: 1DW1A5322XS291007 C/W: 68000 lb GVWR, Air Ride Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available
		9660	<b>1999 Fruehauf 53 ft x 102 in T/A Van Trailer</b> S/N: 1JJV532F7XF526943 C/W: Air Ride Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available
		9661	<b>1998 Utility VS2DC 53 ft x 102 in T/A Van Trailer</b> S/N: 1UYVS248XWP568401 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9662	<b>2013 Kentucky 32 ft S/A Van Trailer</b> S/N: 1KKVA3219DL232438 C/W: 40000 lb GVWR, Spring Suspension, Air Brakes, Lift Gate, 295/75R22.5 Tires Usage: Not Available	9673	<b>1989 Lufkin TFV-IP 45 ft x 102 in T/A Van Trailer</b> S/N: 1L01A4520K1085312 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, Curbside Door, 11R22.5 Tires, Interior Shelving Usage: Not Available
9663	<b>2005 Kentucky 53 ft x 102 in Tri/A Van Trailer</b> S/N: 1KKVE53345L216567 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Side Skirts, Curbside Door, 265/70R19.5 Tires Usage: Not Available	9674	<b>1979 Copco Trailer Division 45 ft x 96 in T/A Van Trailer</b> S/N: 15579 C/W: Spring Suspension, Sliding Tandems, Curbside Door, 11R22.5 Tires Usage: Not Available
9664	<b>1999 Kentucky 53 ft x 102 in Tri/A Drop Deck Van Trailer</b> S/N: 1KKVE5338XL114871 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Mixed Tires, (4) Side Doors Usage: Not Available	9675	<b>1978 Kentucky Manufacturing Company 42 ft x 102 in T/A Van Trailer</b> S/N: 57324 C/W: 38150 lb GVWR, Air Ride Suspension, Curbside Door, 225/70R22.5 Tires Usage: Not Available
9665	<b>2004 Hyundai V12480152AJRS 48 ft x 102 in T/A Van Trailer</b> S/N: 3H3V482C84T095001 C/W: 65000 lb GVWR, Spring Suspension, Sliding Tandems, 275/80R22.5 Tires Usage: Not Available	9676	<b>1989 MCCU 45 ft x 102 in T/A Mobile Office</b> S/N: 41BFS452XKM001286 C/W: ( 1 ) Kitchens, w/( 12 ) Beds, ( 1 ) Bathrooms, Air Conditioner, Diesel Generator Usage: Not Available
9666	<b>1999 Trailmobile 48 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH1X6013192 C/W: 65000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	9688	<b>2012 Trail King TK120LPSD-423 6 Axle Steerable Dolly</b> S/N: 1TKR04260CM057580 C/W: 148980 lb GVWR, Air Ride Suspension, 235/75R17.5 Tires, Self Contained Honda GX690 Gas Engine Hydraulic Lift Platform Usage: Not Available
9667	<b>1999 Trailmobile 48 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH6X6013267 C/W: 65000 lb GVWR, Spring Suspension, 295/75R22.5 Tires Usage: Not Available	9689	<b>S/A Dolly</b> S/N: Not Available C/W: 275/70R22.5 Tires Usage: Not Available
9668	<b>1999 Trailmobile 48 ft x 102 in T/A Van Trailer</b> S/N: 1PT01JAH0X6013166 C/W: 65000 lb GVWR, Spring Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9690	<b>S/A Dolly</b> S/N: Not Available C/W: Air Ride Suspension, Aluminum Wheels, 11R24.5 Tires Usage: Not Available
9669	<b>1993 Wabash 48 ft x 102 in T/A Van Trailer</b> S/N: 1JJV482Y3PL198004 C/W: Spring Suspension, Air Brakes, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9691	<b>2023 Double A 24 ft T/A Tilt Deck Trailer (Unused)</b> S/N: 1UFGN2422PT009647 C/W: 14000 lb GVWR, Spring Suspension, Electric Brakes, 24 ft Deck Length, 80 in Deck Width, 235/80R16 Tires Usage: Not Available
9671	<b>1989 Great Dane 48 ft x 102 in T/A Van Trailer</b> S/N: 1GRAA9620KB117251 C/W: Spring Suspension, Sliding Tandems, 11R24.5 Tires Usage: Not Available	9692	<b>2019 Lone Star 39 ft T/A Tilt Deck Trailer</b> S/N: 7HYGF4023KH000627 C/W: 25000 lb GVWR, Spring Suspension, Hydraulic Brakes, Self Contained Hydraulic System, Storage Compartments, 39 ft Deck Length, 97 in Deck Width, 235/80R16 Tires Usage: Not Available
9672	<b>1984 Fruehauf 48 ft x 102 in T/A Van Trailer</b> S/N: 1H2V04824EE020904 C/W: Spring Suspension, Sliding Tandems, 295/75R22.5 Tires Usage: Not Available	9693	<b>2023 Double A 21 ft T/A Car Hauler Tilt Deck Trailer (Unused)</b> S/N: 1UFBU2122PT009648 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 21 ft Deck Length, 81 in Deck Width, 235/80R16 Tires Usage: Not Available
9673A	<b>1977 Fruehauf 45 ft T/A Van Trailer</b> S/N: MAY522513 C/W: 68000 lb GVWR, Spring Suspension, Air Brakes Usage: Not Available		

Lot #	Details	Lot #	Details
9694	<b>2016 Lucon 20 ft T/A Tilt Deck Trailer</b> S/N: 1L9PU2026GG423290 C/W: 16800 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 20 ft Deck Length, 81 in Deck Width, 235/85R16 Tires, Tilt Deck Usage: Not Available	9705	<b>2018 Ranch King 18 ft T/A Gooseneck Equipment Trailer</b> S/N: 17YGN2024JB069156 C/W: 16000 lb GVWR, Spring Suspension, Electric Brakes, 18 ft Main Deck, 2 ft Fixed Dovetail, 82 in Usable Deck Width, Spring Assisted Ramps, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
9695	<b>2017 MMDI 10 ft 10 ft S/A Tilt Deck Trailer</b> S/N: 5631F1412HM016111 C/W: 4300 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 225/75/R15 Tires Usage: Not Available	9707	<b>2013 27 ft T/A Gooseneck Equipment Trailer</b> S/N: 37031966 C/W: Spring Suspension, Electric Brakes, 27 ft Main Deck, 4 ft Fixed Dovetail, 102 in Usable Deck Width, Deck Over Tires, Manual Ramps, Wood Flooring, 225/90R16 Tires Usage: Not Available
9696	<b>30 ft Tri/A Gooseneck Equipment Trailer</b> S/N: Not Available C/W: Spring Suspension, Electric Brakes, 5 ft Fixed Dovetail, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9708	<b>2006 Ameri Trail GTAC33-21 Tri/A Gooseneck Equipment Trailer</b> S/N: 17YGN33396B032041 C/W: 22000 lb GVWR, Spring Suspension, Electric Brakes, 82 in Usable Deck Width, Wood Flooring, 7.5R16LT Tires Usage: Not Available
9697	<b>2016 Load Trail 34 ft T/A Gooseneck Equipment Trailer</b> S/N: 4ZEGH4025G1115242 C/W: 24000 lb GVWR, Spring Suspension, Electric Brakes, 34 ft Main Deck, 6 ft Fixed Dovetail, 97 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9711	<b>2008 Big Tex 20 ft T/A Gooseneck Equipment Trailer</b> S/N: 16VGX202882601698 C/W: 25900 lb GVWR, Spring Suspension, Electric Brakes, 20 ft Main Deck, 5 ft Dovetail, Storage Compartments, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available
9698A	<b>2021 Delco 36 ft T/A Gooseneck Equipment Trailer</b> S/N: 5WWGC4026M6016407 C/W: 14000 lb GVWR, Spring Suspension, Electric Brakes, 36 ft Main Deck, 4 ft Fixed Dovetail, 96 in Usable Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9712	<b>Custom Built 20 ft T/A Equipment Trailer</b> S/N: Not Available C/W: Spring Suspension Usage: Not Available
9699	<b>2015 Big Tex 35 ft T/A Gooseneck Equipment Trailer</b> S/N: 16VGX352XF6069522 C/W: 25900 lb GVWR, Spring Suspension, Electric Brakes, 35 ft Main Deck, 5 ft Fixed Dovetail, 97 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9714	<b>2005 Gooseneck 24 ft T/A Gooseneck Utility Trailer</b> S/N: 16GU324265B058329 C/W: 13900 lb GVWR, Torsion Axle, Electric Brakes, 72 in Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available
9700	<b>2006 Southwest 35 ft T/A Gooseneck Equipment Trailer</b> S/N: 1S9FG402565683008 C/W: Spring Suspension, Disc Brakes, 35 ft 4 in Main Deck, 5 ft 1 in Fixed Dovetail, 97 in Usable Deck Width, Winch, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	9715	<b>1998 24 ft T/A Gooseneck Utility Trailer</b> S/N: 1P9LP2424WT274279 C/W: Torsion Axle, Surge Brakes, 76 in Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available
9701	<b>1999 Big Tex T/A Gooseneck Equipment Trailer</b> S/N: 4K8GX2420X1339549 C/W: 14000 lb GVWR, Spring Suspension, Electric Brakes, 0 ft Upper Deck, 29 ft 2 in Main Deck, 5 ft 4 in Fixed Dovetail, 92 in Usable Deck Width, Storage Compartments, Deck Over Tires, Spring Assisted Ramps, Steel Decking, 235/80R16 Tires Usage: Not Available	9716	<b>2015 Sure-Trac 23 ft Tri/A Equipment Trailer</b> S/N: 5JW2U2033F3107712 C/W: 24000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
		9720	<b>2018 Ranch King 20 ft T/A Equipment Trailer</b> S/N: 17YBP2529JB066282 C/W: 26000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 5 ft 3 in Fixed Dovetail, 96 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9721	<b>2009 PJ 20 ft T/A Equipment Trailer</b> S/N: 4P5CC222191124564 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 20 ft Main Deck, 83 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9736	<b>2012 Lucon 16 ft T/A Equipment Trailer</b> S/N: 1L9PU1622CG423055 C/W: 9990 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 77 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available
9726	<b>2007 Towmaster 19 ft T/A Equipment Trailer</b> S/N: 4KNFT19287L162826 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 5 ft Fixed Dovetail, 102 in Usable Deck Width, Deck Over Tires, Spring Assisted Ramps, Wood Flooring, 235/85R16 Tires Usage: Not Available	9737	<b>2015 Centerville 14 ft T/A Equipment Trailer</b> S/N: 5JVBT1727F1003246 C/W: 7257 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 14 ft 7 in Main Deck, 75 in Usable Deck Width, Manual Ramps, Wood Flooring, Aluminum Wheels, 215/75R17.5 Tires Usage: Not Available
9727	<b>2013 Sure-Trac 16 ft T/A Equipment Trailer</b> S/N: 5JWTU1824D1064789 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 2 ft Fixed Dovetail, 79 in Usable Deck Width, Storage Compartments, Spring Assisted Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9738	<b>2008 Belshe 14 ft T/A Equipment Trailer</b> S/N: 16JF0142X81044272 C/W: 12000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 235/85R16 Tires Usage: Not Available
9730	<b>2022 Down to Earth DTE8236WCH7B 32 ft T/A Equipment Trailer</b> S/N: 1XNBC3625N3089815 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 32 ft Main Deck, 4 ft 2 in Fixed Dovetail, 82 in Usable Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9742	<b>2019 MMDI 13 ft T/A Equipment Trailer</b> S/N: 5631F1729KM000726 C/W: 8800 lb GVWR, Ball Hitch, Surge Brakes, 13 ft 9 in Main Deck, 61 in Usable Deck Width, Manual Ramps, 225/75/R15 Tires Usage: Not Available
9731	<b>2023 Southland LBAT7-22 24 ft T/A Equipment Trailer (Unused)</b> S/N: 2SFJL536XP1080354 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 24 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9743	<b>2019 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631F1722KM000731 C/W: Ball Hitch, Surge Brakes, Steel Decking, 225/75/R15 Tires Usage: Not Available
9732	<b>2023 Southland LBAT7-22 22 ft T/A Equipment Trailer (Unused)</b> S/N: 2SFJL5368P1080353 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 22 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9747	<b>2017 MMDI 13 ft T/A Equipment Trailer</b> S/N: 5631F2020HM016791 C/W: Ball Hitch, Surge Brakes, 13 ft 9 in Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75/R15 Tires Usage: Not Available
9734	<b>2023 Southland LBAT7-16 15432 lb 16 ft T/A Equipment Trailer (Unused)</b> S/N: 2SFJC3362P1081471 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9748	<b>2017 MMDI 13 ft T/A Equipment Trailer</b> S/N: 5631F2021HM016458 C/W: 9990 lb GVWR, Ball Hitch, Surge Brakes, 13 ft 9 in Main Deck, 70 in Usable Deck Width, Manual Ramps, 225/75/R15 Tires Usage: Not Available
9735	<b>2023 Southland LBAT7-16 16 ft T/A Equipment Trailer (Unused)</b> S/N: 2SFJC3368P1081474 C/W: 15432 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 16 ft Main Deck, 81 in Usable Deck Width, Manual Ramps, Wood Flooring, 235/80R16 Tires Usage: Not Available	9749	<b>2016 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F202XGM015050 C/W: 9900 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75R15 Tires Usage: Not Available
		9751	<b>2016 MMDI 14 ft T/A Equipment Trailer</b> S/N: 5631F2023GM015102 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 14 ft Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225/75/R15 Tires Usage: Not Available

Lot #	Details	Lot #	Details
9753	<b>2015 MMDI 614SLTD 13 ft T/A Equipment Trailer</b> S/N: 5631F2027FM013867 C/W: Ball Hitch, Spring Suspension, Surge Brakes, 13 ft 10 in Main Deck, 70 in Usable Deck Width, Manual Ramps, Steel Decking, 225 /75/R15 Tires Usage: Not Available	9766	<b>2013 TIGT 20 ft T/A Utility Trailer</b> S/N: 5UTBU2021DM003420 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, 225/75-15 Tires Usage: Not Available
9754	<b>2015 MMDI 10 ft T/A Equipment Trailer</b> S/N: 5631B1720FM013799 C/W: 6990 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 10 ft Main Deck, 61 in Usable Deck Width, Manual Ramps, Steel Decking, 205 /75R15 Tires Usage: Not Available	9769	<b>2012 Parker HP7720 20 ft T/A Utility Trailer</b> S/N: 13ZHP202XC1006070 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available
9757	<b>2023 Double A 20 ft T/A Utility Trailer (Unused)</b> S/N: 1UFBU2022PT009649 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Ramp, Wood Flooring, 235/80R16 Tires, Spare Tire Mount Usage: Not Available	9770	<b>2012 Parker HP7720 20 ft T/A Utility Trailer</b> S/N: 13ZHP2020C1005591 C/W: 13200 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available
9759	<b>2016 Top Hat HH20X7-14 20 ft T/A Utility Trailer</b> S/N: 4R7BU2021GT157736 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Ramp, Wood Flooring, 235/80-16 Tires Usage: Not Available	9774	<b>2010 STS 20 ft T/A Utility Trailer</b> S/N: 4DPUT2023AM238168 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Ramp, Wood Flooring, 235/80R16 Tires Usage: Not Available
9760	<b>2015 Tiger 20 ft T/A Utility Trailer</b> S/N: 5BUTU202XFM000566 C/W: Spring Suspension, 96 in Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9776	<b>2015 Big Tex 14PI-20BK 19 ft Utility Trailer</b> S/N: 16VPX2022F2031419 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, ST235 /80R16 Tires Usage: Not Available
9761	<b>2015 Tiger 20 ft T/A Utility Trailer</b> S/N: 5UTBU2024FM000563 C/W: Spring Suspension, 96 in Deck Width, 235 /80R16 Tires Usage: Not Available	9777	<b>2012 CF's Trailers 19 ft T/A Utility Trailer</b> S/N: 5SRUT202XCL120221 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 215/75R17.5 Tires Usage: Not Available
9762	<b>2014 Top Hat HH20X7-14 20 ft T/A Utility Trailer</b> S/N: 4R7BU2023ET130891 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 84 in Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9782	<b>2013 Lawrimore 83X18E2 T/A 83X18SE Utility Trailer</b> S/N: 5WUBU1823DF031546 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 225/75/R15 Tires Usage: Not Available
9763	<b>2014 Big Tex 18 ft T/A Utility Trailer</b> S/N: 16VPX1827E2055874 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 83 in Deck Width, Wood Flooring, 235/80R16 Tires Usage: Not Available	9785	<b>2008 Big Tex 12PI-18 18 ft T/A Utility Trailer</b> S/N: 16VPX182382387220 C/W: 11120 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 84 in Deck Width, Wood Flooring, 225/90-16 Tires Usage: Not Available
9764	<b>2013 Texas 20 ft T/A Utility Trailer</b> S/N: 17XFP2029D1034553 C/W: Ball Hitch, Spring Suspension, 96 in Deck Width, 235/80R16 Tires Usage: Not Available	9786	<b>2008 BigTex 12PI-18 18 ft T/A Utility Trailer</b> S/N: 16VPX182282312721 C/W: Lunette Ring Hitch, Spring Suspension, Surge Brakes, 100 in Deck Width, Wood Flooring, 235/85R16 Tires Usage: Not Available
9765	<b>2013 Park 20 ft T/A Utility Trailer</b> S/N: 13ZHP2021D1000451 C/W: Lunette Ring Hitch, Spring Suspension, Electric Brakes, Wood Flooring, 235/80/16 Tires Usage: Not Available	9787	<b>2006 Iron Horse 18 ft T/A Utility Trailer</b> S/N: 5FVBU18206B007952 C/W: Ball Hitch, 82 in Deck Width, Wood Flooring Usage: Not Available

Lot #	Details	Lot #	Details
9789	<b>1994 Butler 17 ft T/A Utility Trailer</b> S/N: 1BUD16201R2003633 C/W: 10000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, Steel Decking, 235/85R16 Tires Usage: Not Available	9802A	<b>2018 Kaufman Tri/A 4 Car Open Car Carrier Trailer</b> S/N: 5VGFE4733JL000885 C/W: 25000 lb GVWR, Spring Suspension, Electric Brakes, 235/75R17.5 Tires, 9000 Lb Electric Winch Usage: Not Available
9790	<b>2008 BigTex 50LA 16 ft T/A Utility Trailer</b> S/N: 16VNX162282B03928 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 77 in Deck Width, Wood Flooring, 205/75R15 Tires Usage: Not Available	9802	<b>2021 Texas Pride T/A 6 Car Open Car Carrier Trailer</b> S/N: 7HCGC5320MB021070 C/W: 30000 lb GVWR, Spring Suspension, Electric Brakes, Soft Ties, 215/75R17.5 Tires Usage: Not Available
9791	<b>2016 Top Hat HH20X7-14E 20 ft T/A Utility Trailer</b> S/N: 4R7BU2021GT150799 C/W: 14000 lb GVWR, Lunette Ring Hitch, Spring Suspension, Electric Brakes, 82 in Deck Width, Ramp, Wood Flooring, 235/80R16 Tires Usage: Not Available	9804	<b>2023 Double A T/A 1 Car Open 20 Ft Car Carrier Trailer (Unused)</b> S/N: 1UFBU2029PT009650 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 205/75R15 Tires Usage: Not Available
9792	<b>2014 Big Tex 12 ft T/A Utility Trailer</b> S/N: 16VNX1224E2059607 C/W: 5000 lb GVWR, Ball Hitch, Spring Suspension, 77 in Deck Width, Wood Flooring, 205/75R15 Tires Usage: Not Available	9805	<b>2016 Demco AT6000P T/A 1 Car Open 12 Ft Car Carrier Trailer</b> S/N: 15DP19204GA987824 C/W: 5980 lb GVWR, Torsion Axle, Surge Brakes, Soft Ties, 215/75R14 Tires Usage: Not Available
9795	<b>2019 Top Hat 12 ft S/A Utility Trailer</b> S/N: 4R7BU1219KT181080 C/W: Spring Suspension, 82 in Deck Width, 205/75R15 Tires Usage: Not Available	9808	<b>2015 Demco AT6000P T/A 1 Car Open Car Carrier Trailer</b> S/N: 15DP19201FA987245 C/W: 5980 lb GVWR, Ball Hitch, Surge Brakes, Soft Ties, 215/75-14 Tires Usage: Not Available
9796	<b>2019 Ranch King 9 ft S/A Utility Trailer</b> S/N: 17YBA0915KB072704 C/W: 2900 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 59 in Deck Width, Ramp, Wood Flooring, 205/75R15 Tires Usage: Not Available	9810	<b>2012 Parker HP7720 T/A (2) Reel Trailer</b> S/N: 13ZHP2026C1005322 C/W: Spring Suspension, Electric Brakes, 235/80R16 Tires Usage: Not Available
9797	<b>2001 9 ft S/A Utility Trailer</b> S/N: 17XFP121211011772 C/W: Ball Hitch, Spring Suspension, Steel Decking, 235/85R16 Tires Usage: Not Available	9811	<b>2014 Brenco 4D36-36 Cable Puller and Tensioner</b> S/N: 4D0914BB230005555 C/W: Yanmar 3 Cylinder Diesel Engine, 6850 lb GVWR, Lunette Ring, Spring Suspension, Electric Brakes, Usage: 224 Hr
9798	<b>2012 JLG 7610 10 ft T/A Ground Load Trailer</b> S/N: 5DYAA52L7CC005859 C/W: 9500 lb GVWR, Ball Hitch, Spring Suspension, Surge Brakes, 225/75/R15 Tires, electric hydraulic lift Usage: Not Available	9814	<b>2009 Hogg Davis ODP204 Tensioner</b> S/N: 1H91D222X91011008 C/W: T/A, Lunette Ring, Spring Suspension Usage: Not Available
9800	<b>2021 Take 3 T/A 3 Car Open Car Carrier Trailer</b> S/N: 1T9AS4029MB540071 C/W: 12000 lb GVWR, Spring Suspension, Electric Brakes, Soft Ties, 235/80R16 Tires Usage: Not Available	9818	<b>2013 Bison 8 ft 6 in T/A Horse Trailer</b> S/N: 51Y335B21D2003064 C/W: 12767 lb GVWR, Spring Suspension, Electric Brakes, 2 Horse, 77 in Stall Width, Air Conditioner, Tack Room, Living Quarters, 235/80R16 Tires Usage: Not Available
9801	<b>2021 Kaufman Tri/A Open Car Carrier Trailer</b> S/N: 5VGFL4338ML011400 C/W: 14800 lb GVWR, Spring Suspension, Electric Brakes, Chain Tie Downs, 235/80R16 Tires Usage: Not Available	9819	<b>2012 Shadow 26 ft T/A Gooseneck Horse Trailer</b> S/N: 1S9GS1929CW873189 C/W: 10000 lb GVWR, Aluminum Frame, Torsion Axle, 3 Horse, 32 in Stall Width, Air Conditioner, Dressing Room, Tack Room, 235/80R16 Tires Usage: Not Available



Lot #	Details	Lot #	Details
9820	<b>2006 Forest River 36 ft Tri/A Gooseneck Enclosed Trailer</b> S/N: 5NHUCMM306W052929 C/W: 15600 lb GVWR, Torsion Axle, Electric Brakes, 96 in Deck Width, Ramp, 225/75/R15 Tires Usage: Not Available	9829	<b>2011 Haulmark KD7X18WT3 17 ft T/A Enclosed Trailer</b> S/N: 16HPB1823BT021972 C/W: 10000 lb GVWR, Ball Hitch, Torsion Axle, Surge Brakes, 80 in Deck Width, 225/75R15 Tires Usage: Not Available
9821	<b>2003 Pace CS824TA2 24 ft T/A Gooseneck Enclosed Trailer</b> S/N: 47ZAB24213X023017 C/W: 7000 lb GVWR, Spring Suspension, Electric Brakes, 215/85R16 Tires, 2 work areas built in to trailer separated by a wall, unit has 2 a/c units untested. Usage: Not Available	9831	<b>2017 Covered Wagon Trailers 16 ft T/A Enclosed Trailer</b> S/N: 53FBE1621HF027256 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 80 in Deck Width, 205/75R15 Tires Usage: Not Available
9822	<b>2007 Pace American SCXG8532 18 ft Tri/A Gooseneck Enclosed Trailer</b> S/N: 40LW532327P135044 C/W: 30000 lb GVWR, Torsion Axle, Air Brakes, 90 in Deck Width, 245/70R17.5 Tires Usage: Not Available	9832	<b>2016 Lark United VT716TA 16 ft T/A Enclosed Trailer</b> S/N: 571BE1621GM014163 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 80 in Deck Width, Ramp, 205/75R15 Tires Usage: Not Available
9823A	<b>2012 Hurricane Cargo 33 ft Tri/A Enclosed Trailer</b> S/N: 53K853230CF003318 C/W: 18000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, Aluminum Wheels, 225/75/R15 Tires Usage: Not Available	9833	<b>2016 Cargo Craft 16 ft T/A Enclosed Trailer</b> S/N: 4D6EB1820GC044531 C/W: Ball Hitch, Spring Suspension, Electric Brakes, 96 in Deck Width, 235/80R16 Tires Usage: Not Available
9823	<b>2006 Pace American SCXG8542TTA8 17 ft Tri /A Gooseneck Enclosed Trailer</b> S/N: 47ZW5423X6X045932 C/W: 30000 lb GVWR, Torsion Axle, Electric Brakes, 90 in Deck Width, 245/70R17.5 Tires Usage: Not Available	9834	<b>2017 Covered Wagon Trailers 15 ft T/A Enclosed Trailer</b> S/N: 53FBE1621HF033123 C/W: 7000 lb GVWR, Ball Hitch, Spring Suspension, 79 in Deck Width, 205/75R15 Tires Usage: Not Available
9824	<b>2018 20 ft T/A Enclosed Trailer</b> S/N: 7H2BE2026JD002020 C/W: 14000 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 96 in Deck Width, Ramp, 235 /80R16 Tires Usage: Not Available	9835	<b>2017 Cargo Mate 14 ft T/A Enclosed Trailer</b> S/N: 49TCB1425H1023633 C/W: 10160 lb GVWR, Ball Hitch, Torsion Axle, Electric Brakes, 80 in Deck Width, 225/75R15 Tires Usage: Not Available
9825	<b>2011 South GA Cargo 20 ft T/A Enclosed Trailer</b> S/N: 54GVC20T8B7001943 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 96 in Deck Width, Ramp, 235/80R16 Tires Usage: Not Available	9836	<b>2007 Forest River 14 ft T/A Enclosed Trailer</b> S/N: 5NHUCC4277Y005436 C/W: Ball Hitch, Torsion Axle, Electric Brakes, 84 in Deck Width, ST205/75R15 Tires, Bench Storage, First Aid Kit, Roof Vent, LPG hookup Usage: Not Available
9826	<b>2011 South GA Cargo 20 ft T/A Enclosed Trailer</b> S/N: 54GVC20T6B7001942 C/W: 14000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 96 in Deck Width, Ramp, 235/80R16 Tires Usage: Not Available	9837	<b>2013 Intech FOST 8X12TA2 12 ft T/A Splicing Enclosed Trailer</b> S/N: 1Z9TF1226DN374567 C/W: 7700 lb GVWR, Aluminum Frame, Ball Hitch, Torsion Axle, Electric Brakes, 96 in Deck Width, 205/75R15 Tires Usage: 4,589 Hr
9827	<b>2009 Freedom 20 ft T/A Enclosed Trailer</b> S/N: 5WKBE202791004426 C/W: 9990 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 98 in Deck Width, 235/80R16 Tires Usage: Not Available	9838	<b>2006 Wells Cargo 12 ft T/A Enclosed Trailer</b> S/N: 1W4200F2662057391 C/W: Ball Hitch, Torsion Axle, Electric Brakes, 70 in Deck Width, 205/75R15 Tires Usage: Not Available
		9840	<b>2018 Cargo Craft 12 ft T/A Doghouse</b> S/N: 4D6EB1224JC051322 C/W: 7000 GVWR, Spring Suspension, Electric Brakes, Ball Hitch, Storage Compartments, Interior Lighting Usage: Not Available

Lot #	Details	Lot #	Details
9844	<b>1994 Myers 350 gal T/A Sewer Rodder Trailer</b> S/N: MCTPTD00002942430 C/W: Ball Hitch, Spring Suspension, Electric Brakes, Rear Hose Reel, 350 gal Fresh Water Tank, 7.50-16 Tires, Cat 4 Cylinder Diesel Engine Usage: Not Available	9851A	<b>1948 Ford 8N 2WD Narrow Front Orchard Antique Tractor (Inoperable)</b> S/N: Not Available C/W: 3 Forward 3 Reverse, Manual Transmission, Gasoline Engine, Electric Start, 540 PTO, 3-Point Hitch, 3.50-16SL Front Tires, 12.4-28 Rear Tires, Steel Wheels Usage: 823 Hr
9845	<b>2015 ACSI 34 ft Tri/A Cooling/Hydration Trailer</b> S/N: 1A9V6G635F1247634 C/W: 21000 lb GVWR, Ball Hitch, Spring Suspension, Electric Brakes, 34 ft Deck Length, 102 in Deck Width, 235/85R16 Tires, (2) Refrigerators, (1) Freezer, (1) TV Usage: Not Available	9851	<b>2013 Gehl RT210 Compact Track Loader (Inoperable)</b> S/N: GHLRT210E00921034 C/W: Open Operator Station, Joystick Steering, 2013 US EPA Label, 18 in Track Belts, Manual Coupler Usage: Not Available
9846	<b>2022 BCI trailer 16 ft T/A Landscape Trailer</b> S/N: 4B9B1LD21NS075651 C/W: 3500 lb GVWR, Spring Suspension, Electric Brakes, 16 ft Deck Length, 83 in Deck Width, Wood Flooring, 205/75R15 Tires Usage: Not Available	9852	<b>Ford 4630 2WD Tractor (Inoperable)</b> S/N: Not Available C/W: Front Weights, 540 PTO, 3-Point Hitch, Swing Drawbar Usage: Not Available
9847	<b>2017 CM 16 ft T/A Trash Trailer</b> S/N: 5VNBU1625HT185419 C/W: Ball Hitch, Spring Suspension, 16 ft Deck Length, 76 in Deck Width, 205/75R15 Tires Usage: Not Available	9853	<b>1967 Massey Ferguson 135 2WD Utility Tractor (Inoperable)</b> S/N: 9A18336 C/W: 8 Forward 8 Reverse, Manual Transmission, 540 PTO, 3-Point Hitch, Drawbar, 6.0-15s Front Tires, 13.6-28 Rear Tires Usage: 2,104 Hr
9848A	<b>5 ft S/A Concrete Cart Trailer</b> S/N: Not Available Usage: Not Available	9854	<b>1979 John Deere 2840 2WD Tractor (Inoperable)</b> S/N: 323010L C/W: Canopy, Differential Lock, 8 Forward 8 Reverse, Synchro-Range, 540 PTO, 3-Point Hitch, Drawbar, 10.00-16 Front Tires, 18.4x34 Rear Tires Usage: 1,050 Hr
9848	<b>2017 CM 16 ft T/A Trash Trailer</b> S/N: 5VNBU1623HT185418 C/W: Ball Hitch, Spring Suspension, 16 ft Deck Length, 76 in Deck Width, 205/75R15 Tires Usage: Not Available	9855	<b>1969 John Deere 3020 2WD Tractor (Inoperable)</b> S/N: 1267678R1 C/W: Canopy, 8 Forward 8 Reverse, 4 Rear Remotes, 540 PTO, 3-Point Hitch, 7.50-18 Front Tires, 18.4x34 Rear Tires Usage: 52 Hr
9849A	<b>2016 Cat 299D2 XHP High Flow Compact Track Loader</b> S/N: CAT0299DVDX201130 C/W: Enclosed Cab, Requires Diesel Exhaust Fluid, 17.5 in Track Belts, 9 Pin Electric Kit, Electric Coupler Usage: 1,277 Hr	9857A	<b>New Holland TT60A 4WD Utility Tractor (Inoperable)</b> S/N: HJE034778 C/W: 12 Forward, Synchronized Shuttle, Bush Hog M446 Loader w/Joystick, Quick Coupler, 1 Rear Remotes, 540 PTO, 3-Point Hitch, Drawbar, 320/85R20 Front Tires, 16.9R28 Rear Tires Usage: 3,096 Hr
9849	<b>2017 Case SV340 Skid Steer Loader (Inoperable)</b> S/N: JAFSV340CHM437808 C/W: Joystick Steering, Requires Diesel Exhaust Fluid, Manual Coupler, 78 in Bucket Usage: 1,685 Hr	9857	<b>Mahindra 6530 4WD Tractor (Inoperable)</b> S/N: P30T1710 C/W: 61.8 hp Engine, 2011 US EPA Label, Mahindra ML266 Loader w/Joystick, Quick Coupler, Auxiliary Hydraulics, 3-Point Hitch, 11.2x24 Front Tires, 16.9x30 Rear Tires Usage: 2,064 Hr
9850A	<b>2015 Case TR270 Compact Track Loader (Inoperable)</b> S/N: JAFTR270CFM408451 C/W: Open Operator Station, Joystick Steering, 12.5 in Track Belts, Manual Coupler, 72 in Usage: Not Available		
9850	<b>2017 New Holland C227 Compact Track Loader (Inoperable)</b> S/N: JAF0C227EHM432176 C/W: Joystick Steering, 12.5 in Track Belts, 14 Pin Electric Kit, Hydraulic Coupler, 76 in Bucket Usage: Not Available		

Lot #	Details	Lot #	Details
9858	<b>2005 Kubota L48 4WD Utility Tractor (Inoperable)</b> S/N: Not Available C/W: Canopy, Differential Lock, Hydrostatic Drive, Kubota TL1150 Loader w/Joystick, Quick Coupler, 1 Front Remotes, 1 Rear Remotes, 3-Point Hitch, Kubota BT1100 Backhoe Attachment, 10 in Backhoe Bucket, 17.5L-24 Rear Tires Usage: 2,808 Hr	9861B	<b>2018 Hyundai HR120C-9 Padfoot Drum Compactor (Inoperable)</b> S/N: 26012411E120684 C/W: Open Operator Station, US EPA Label, Deutz 4 Cylinder 4.0 L Diesel Engine, 84 in Drum Usage: 1,124 Hr
9859D	<b>1991 John Deere 410D 4x4 Backhoe Loader (Inoperable)</b> S/N: T0410DG775572 C/W: Enclosed Cab, 96 in Loader Bucket, Extendable Stick, 22 in Backhoe Digging Bucket Usage: Not Available	9861A	<b>1993 Cat 963 Crawler Loader (Inoperable)</b> S/N: 21Z04872 C/W: Enclosed Cab, Hydrostatic Drive, 100 in Bucket, 22 in Double Grouser Track Shoes, Drawbar Usage: Not Available
9859C	<b>2011 John Deere 310J 4x4 Backhoe Loader (Inoperable)</b> S/N: 1T0310JXCB0199318 C/W: Open Operator Station, 86 in, Rear Auxiliary Hydraulics Usage: Not Available	9862A	<b>2018 Wacker RD12A Double Drum Roller (Inoperable)</b> S/N: 24430032 C/W: Open Operator Station, 2020 US EPA Label, Honda 2 Cylinder Gasoline Engine, 35 in Drums, Water System Usage: 737 Hr
9859B	<b>2006 Case 580 Super M Series 2 4x4 Backhoe Loader (Inoperable)</b> S/N: N6C410919 C/W: Open Operator Station, Backhoe Pilot Controls, 83 in Loader Bucket Usage: 5,388 Hr	9862	<b>1996 Dynapac CA251PD Padfoot Drum Compactor (Inoperable)</b> S/N: 58312981 C/W: Open Operator Station, Cummins 6 Cylinder 5.9 L Diesel Engine, 84 in Drum Usage: Not Available
9859A	<b>2007 Case 580 Super M Series 2 4x4 Backhoe Loader (Inoperable)</b> S/N: N7C426399 C/W: 2007 US EPA Label, 82 in Loader Bucket, Extendable Stick Usage: 5,004 Hr	9863	<b>2002 Bomag BW900 Double Drum Roller (Inoperable)</b> S/N: 101831001096 C/W: Open Operator Station, 2017 US EPA Label, Honda 2 Cylinder Gasoline Engine, 35 in Drums, Water System Usage: 1,382 Hr
9859	<b>New Holland 914960 Bale Gatherer Bale Wagon (Inoperable)</b> S/N: 12027 C/W: Spring Suspension, Hydraulic Brakes, 36x16-17.5 front. 40x19-19.5 rear Tires Usage: Not Available	9864A	<b>Altec AC38-127S-EJ 76000 lb Straight Boom on 2012 Peterbilt 365 8x6 Boom Truck (Inoperable)</b> S/N: 1NPSX5EX0CD131510 C/W: Requires Diesel Exhaust Fluid, Engine Block Heater, 5980 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, Double Differential Locks, 20000 lb Front Axle, 57990 lb Rears, 78000 lb GVWR, Air Ride Cab, Aluminum Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Air Trac Air Ride Suspension, 320 in Wheelbase, PTO, Double Frame, 760 lb Capacity, Rear Mounted, 31 ft - 127 ft 5 Section Boom, McKissick 670 lb 1 Sheave 20 ton Capacity Hook Block, 210 lb Overhaul Ball 7 ton Capacity, 31 ft Min - 55 ft Max Swingaway Jib, Anti-Two Block, Altec LMAP Load Moment Indicator, Hydraulic Tool Circuit, Out and Down Outriggers, Rear Outriggers, 5th Outrigger, 17 ft 9 in x 95 in Bed, Pintle Hitch, 35 Ton 2 Sheave Block Usage: 70,587 Mi
9860B	<b>1999 Cat D7R Crawler Dozer (Inoperable)</b> S/N: 2EN01009 C/W: Enclosed Cab, Air Conditioner, Powershift Transmission w/ Differential Steering, Tier 1, 2015 US EPA Label, Sweeps, 140 in Wide Semi-U Blade w/ Single Tilt, 24 in Single Grouser Track Shoes, Cat 57H Winch Usage: 14,359 Hr	9864	<b>1999 Lay-Mor 6HB Self-Propelled Broom (Inoperable)</b> S/N: 26811004 C/W: Open Operator Station, 6 ft Broom, Water System, Kubota 4 Cylinder Diesel Engine Usage: 2,616 Hr
9860A	<b>Cat 12 Motor Grader (Inoperable)</b> S/N: 70D3790 C/W: 12 ft Moldboard, 13.00-24 Tires Usage: Not Available		
9860	<b>Kawasaki 65Z Wheel Loader (Inoperable)</b> S/N: 65020154 C/W: Enclosed Cab, 1997 US EPA Label, Auxiliary Hydraulics, Manual Coupler, 20.5-25 Tires Usage: 8,088 Hr		

Lot #	Details	Lot #	Details
9865A	<b>2010 Cat 336D L Tracked Excavator (Inoperable)</b> S/N: CAT0336DVW3K01279 C/W: Air Conditioner, Straight Travel Pedal, 2010 US EPA Label, 12 ft 10 in Stick, 33.5 in Triple Grouser Track Shoes, Rock Guards, 58 in Digging Bucket Usage: Not Available	9870A	<b>Ingersoll Rand LME 5000 Hydraulic Crawler Drill (Inoperable)</b> S/N: T5102 C/W: Deutz 6 Cylinder Diesel Engine Usage: 331 Hr
9865	<b>1984 Galion 4x4x4 Rough Terrain Crane (Inoperable)</b> S/N: 8850 C/W: Detroit 4 Cylinder Diesel Engine, 17.5-25 Tires Usage: 7,681 Hr	9870	<b>Cat RM300 Wheel Soil Stabilizer Reclaimer (Inoperable)</b> S/N: Not Available C/W: 84 in Rotor, Water/Emulsion Application System Usage: 3,225 Hr
9866A	<b>2006 John Deere 240D Tracked Excavator (Inoperable)</b> S/N: FF240DX605267 C/W: Air Conditioner, 11 ft 10 in Stick, 46 in Digging Bucket, Manual Thumb Usage: 10,592 Hr	9871	<b>2012 Toro DD2024 Directional Drill (Inoperable)</b> S/N: DD20240M0180 C/W: US EPA Label, Cummins 4 Cylinder Diesel Engine Usage: Not Available
9866	<b>2013 John Deere 210GLC Tracked Excavator (Inoperable)</b> S/N: 1FF210GXHDE521100 C/W: Air Conditioner, Control Pattern Changer, 9 ft 7 in Stick, Auxiliary Hydraulic Plumbing, 31.5 in Triple Grouser Track Shoes, 42 in Digging Bucket, Hydraulic Thumb Usage: Not Available	9872	<b>2012 Toro DD2024 Directional Drill (Inoperable)</b> S/N: DD20240M0172 C/W: 4 Cylinder Diesel Engine Usage: Not Available
9867	<b>1991 Cat 245B Tracked Excavator (Inoperable)</b> S/N: 6MF00837 C/W: 13 ft 6 in Stick, 36 in Double Grouser Track Shoes, 74 in Digging Bucket, Catwalks Usage: 16,393 Hr	9873	<b>2011 Toro DD2024 Directional Drill (Inoperable)</b> S/N: DD20240L0169 C/W: Open Operator Station, 2011 US EPA Label, Cummins B3.3 4 Cylinder 85 hp 3.3 L Diesel Engine, 10 in Rubber Tracks Usage: Not Available
9868	<b>Komatsu PC120-6 Tracked Excavator (Inoperable)</b> S/N: 45845 C/W: 8 ft 2 in Stick, 25 in Triple Grouser Track Shoes, 31 in Digging Bucket, Manual Thumb Usage: 10,663 Hr	9874	<b>2007 Ditch Witch RT-40 4x4 Trencher (Inoperable)</b> S/N: CMWRT40XL70001861 C/W: Hydrostatic Drive, 3 Cylinder Diesel Engine, 6 in Wide x 72 in Long Dirt Trencher Chain, Straight Blade Usage: 1,583 Hr
9869B	<b>2001 Gradall XL3100 4x2 Highway Wheeled Excavator (Inoperable)</b> S/N: 0317312 C/W: Eaton Fuller 9 Speed Manual Transmission, 6610 hrs Carrier Engine, Cummins 6 Cylinder Diesel Carrier Engine, 2000 US EPA Label, 36 in Grapple Bucket Usage: 15,057 Mi	9875	<b>1998 Ditch Witch 3700DD 4x4 Trencher Cable Plow (Inoperable)</b> S/N: 3R0465 C/W: Hydrostatic Drive, 6 in Wide x 72 in Long Dirt Trencher Chain, Straight Blade Usage: 599 Hr
9869A	<b>2018 Kubota KX018-4 Mini Excavator (Inoperable)</b> S/N: 44383 C/W: Tier 4, 2018 US EPA Label, Swing Boom, 3 ft 7 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 9 in Rubber Tracks, Expandable Width Tracks, 11 in Digging Bucket Usage: 4,544 Hr	9876	<b>1990 Ditch Witch 3500 4x4 Trencher (Inoperable)</b> S/N: 3G0637 C/W: Hydrostatic Drive, Deutz 3 Cylinder 25 kW Diesel Engine, 6 in Wide x 72 in Long Straight Blade Usage: 1,422 Hr
9869	<b>2008 Gehl G5023-RD Mini Excavator (Inoperable)</b> S/N: AC03051 C/W: Enclosed Cab, 2004 US EPA Label, Swing Boom, 5 ft 9 in Stick, Auxiliary Hydraulic Plumbing, Backfill Blade, 16 in Rubber Tracks, 30 in Digging Bucket, Manual Thumb Usage: Not Available	9877	<b>2013 Ditch Witch RT12 Walk-Behind Trencher (Inoperable)</b> S/N: CMWRT12XAD0002014 C/W: Hydrostatic Drive, US EPA Label, Honda 1 Cylinder 389 cc Gasoline Engine, 4 in Wide x 42 in Long Usage: 473 Hr
		9878	<b>2014 Skylift Patriot 50 Bri-Mar Tracked Digger Derrick (Inoperable)</b> S/N: 60801 C/W: 6000 lb Capacity, 50 ft Reach, 16 in Auger, Auxiliary Hydraulics, 20 in Rubber Tracks Usage: Not Available

Lot #	Details	Lot #	Details
9879	<b>Wacker RT820 Trench Compactor (Inoperable)</b> S/N: Not Available C/W: Lombardini 2 Cylinder Diesel Engine, 32 in Split Drums Usage: 759 Hr	9884	<b>2012 Genie GTH-844 Telehandler (Inoperable)</b> S/N: GTH081215612 C/W: 44 ft Max Lift Height, 8000 lb Max Lift Capacity, 2011 US EPA Label, Frame Leveling, 13.00-24 Foam Filled Tires Usage: 2,972 Hr
9880	<b>Rotex Gyrotary Reciprocating Screener (Inoperable)</b> S/N: Not Available Usage: Not Available	9885	<b>2013 Hyster H360HD2 34000 lb Diesel Pneumatic Tire Forklift (Inoperable)</b> S/N: J019E01698L C/W: 2 Stage Mast, 183 in Max Lift Height, 161 in Lowered Mast Height, 96 in Forks, Fork Positioner, 6 Cylinder Diesel Engine Usage: Not Available
9881B	<b>2013 XP200 Tow-Behind Wood Chipper (Inoperable)</b> S/N: 4FMUS1613DR024951 C/W: Perkins 4 Cylinder Diesel Engine, 17 in Feed Opening, Swivel Discharge Chute, S/A Trailer, Lunette Ring Usage: 277 Hr	9886	<b>Hyster H150 Gas Pneumatic Tire Forklift (Inoperable)</b> S/N: Not Available C/W: 2 Stage Mast, 112 in Lowered Mast Height, 60 in Forks, Side Shift, 6 Cylinder Gasoline Engine Usage: 8,593 Hr
9881A	<b>1997 Badger 8600 Hydraulic Mobile Concrete Breaker (Inoperable)</b> S/N: 7978607 C/W: Deutz 6 Cylinder Diesel Engine Usage: 4,061 Hr	9887B	<b>TCM FG25T7L 3400 lb LPG Pneumatic Tire Forklift (Inoperable)</b> S/N: AA5L00588 C/W: 3 Stage Mast, 189 in Max Lift Height, 82 in Lowered Mast Height, 4 Cylinder LPG Engine Usage: 996 Hr
9881	<b>Rotex Gyrotary Reciprocating Screener (Inoperable)</b> S/N: Not Available Usage: Not Available	9887A	<b>2004 Hyster H170HD Diesel Pneumatic Tire Forklift (Inoperable)</b> S/N: G007E01845B C/W: 2 Stage Mast, 83 in Forks, 6 Cylinder Diesel Engine Usage: Not Available
9882A	<b>2009 Manitou MHT860 Telehandler (Inoperable)</b> S/N: 414238 C/W: Enclosed Cab, Air Conditioner, 8100 mm Max Lift Height, 6000 kg Max Lift Capacity, 2008 US EPA Label, 60 in Forks, Manual Coupler, Frame Leveling, 445/65D22.5 Tires Usage: 705 Hr	9887	<b>Hyster Pneumatic Tire Forklift (Inoperable)</b> S/N: Not Available C/W: 3 Stage Mast, 110 in Max Lift Height, 84 in Lowered Mast Height, 48 in Forks, Perkins 4 Cylinder Diesel Engine Usage: Not Available
9882	<b>2002 Reynolds 18CMX12 Hydraulic Pull Scraper (Inoperable)</b> S/N: 33301 C/W: 20.5R25 Usage: Not Available	9888	<b>Doosan Pro5 Dual Fuel Pneumatic Tire Forklift (Inoperable)</b> S/N: Not Available C/W: 3 Stage Mast, 86 in Lowered Mast Height, 48 in Forks, Side Shift, US EPA Label, Woodward 4 Cylinder Dual Fuel Engine Usage: Not Available
9883	<b>2018 Genie GTH-1056 Telehandler (Inoperable)</b> S/N: GTH10E12934 C/W: Open Operator Station, 56 ft Max Lift Height, 10000 lb Max Lift Capacity, Requires Diesel Exhaust Fluid, 60 in Forks, Manual Coupler, Outriggers, Frame Leveling, Auxiliary Hydraulic Plumbing, 14.00-24 Aperture Tires Usage: Not Available	9889	<b>Toyota 42-3FG20 3700 lb Gas Pneumatic Tire Forklift (Inoperable)</b> S/N: 403FG2523713 C/W: 3 Stage Mast, 169 in Max Lift Height, 78 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder Gasoline Engine Usage: 4,930 Hr
9884B	<b>2013 Case 586H 6000 lb 4x2 Rough Terrain Forklift (Inoperable)</b> S/N: JJGN580HAD595111 C/W: 2 Stage Mast, 180 in Max Lift Height, 72 in Forks, 4 Cylinder Diesel Engine Usage: Not Available	9891A	<b>1975 Clark GCX25E 4150 lb Cushion Tire Forklift (Inoperable)</b> S/N: 230.0006.8530 C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 56 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 3,240 Hr
9884A	<b>2015 Case 586H 6000 lb 4x2 Rough Terrain Forklift (Inoperable)</b> S/N: JJGN580HTFC728136 C/W: 2 Stage Mast, 180 in Max Lift Height, 4 Cylinder Diesel Engine Usage: Not Available		

Lot #	Details	Lot #	Details
9891	<b>1998 Clark CGC25 4600 lb LPG Pneumatic Tire Forklift (Inoperable)</b> S/N: C365L07279488FB C/W: 3 Stage Mast, 189 in Max Lift Height, 83 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 7,748 Hr	9896B	<b>2008 Genie Z-80/60 4WD Diesel Articulating Boom Lift (Inoperable)</b> S/N: Z80082338 C/W: 80 ft Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 3,923 Hr
9892	<b>Clark GCS25MB 4000 lb Cushion Tire Forklift (Inoperable)</b> S/N: G138MB135521FA C/W: 3 Stage Mast, 188 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: 205 Hr	9896A	<b>2012 JLG 1250AJP 4WD Diesel Articulating Boom Lift (Inoperable)</b> S/N: 0300156987 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Oscillating Axle, Extendable Axles, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 2,709 Hr
9893B	<b>2015 Nissan PF35 2900 lb LPG Pneumatic Tire Forklift (Inoperable)</b> S/N: AP1F19T0445 C/W: 3 Stage Mast, 187 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: Not Available	9896	<b>Towmotor Cushion Tire Forklift (Inoperable)</b> S/N: Not Available C/W: 2 Stage Mast, 82 in Lowered Mast Height, 34 in Forks, 4 Cylinder LPG Engine Usage: Not Available
9893A	<b>2015 Nissan PF35 2700 lb LPG Pneumatic Tire Forklift (Inoperable)</b> S/N: AP1F19T1021 C/W: 3 Stage Mast, 187 in Max Lift Height, 84 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder LPG Engine Usage: Not Available	9897B	<b>2008 Genie S-40 4WD Diesel Telescopic Boom Lift (Inoperable)</b> S/N: S400815142 C/W: 40 ft Max Lift Height, Oscillating Axle, Power to Platform, Deutz 3 Cylinder Diesel Engine, 12X6.5 Tires Usage: 4,188 Hr
9893	<b>1998 Nissan CUM01L13S 2500 lb Electric Forklift (Inoperable)</b> S/N: CUM01001196 C/W: 2 Stage Mast, 130 in Max Lift Height, 82 in Lowered Mast Height, 42 in Forks Usage: 2,698 Hr	9897A	<b>2017 Genie Z45/25 4WD Diesel Articulating Boom Lift (Inoperable)</b> S/N: Z4525N58157 C/W: 46 ft 1 in Max Lift Height, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 7,160 Hr
9894B	<b>2014 Nissan CP1F2 3700 lb LPG Pneumatic Tire Forklift (Inoperable)</b> S/N: CP1F29W5218 C/W: 2 Stage Mast, 80 in Max Lift Height, 59 in Lowered Mast Height, Side Shift, 4 Cylinder LPG Engine Usage: Not Available	9897	<b>2004 Genie S-65 4WD Diesel Telescopic Boom Lift (Inoperable)</b> S/N: S60049768 C/W: 65 ft Max Lift Height, 500 lb Max Weight Capacity, Jib, Oscillating Axle, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 4,186 Hr
9894A	<b>Daewoo D25S-3 4500 lb Diesel Pneumatic Tire Forklift (Inoperable)</b> S/N: FK00723 C/W: 3 Stage Mast, 186 in Max Lift Height, 85 in Lowered Mast Height, 42 in Forks, Side Shift, 4 Cylinder Diesel Engine Usage: 3,638 Hr	9899	<b>2017 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable)</b> S/N: 22103855 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 258 Hr
9895	<b>Cat T40D 3950 lb Cushion Tire Forklift (Inoperable)</b> S/N: 8EB5273 C/W: 2 Stage Mast, 129 in Max Lift Height, 89 in Lowered Mast Height, 4 Cylinder LPG Engine Usage: 9,671 Hr	9900	<b>2016 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable)</b> S/N: 22098861 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires Usage: 316 Hr
9896C	<b>2010 JLG 1250AJP 4WD Diesel Articulating Boom Lift (Inoperable)</b> S/N: 0300141820 C/W: 125 ft Max Lift Height, 1000 lb Max Weight Capacity, Jib, Extendable Axles, Power to Platform, Deutz 4 Cylinder Diesel Engine Usage: 1,869 Hr	9901	<b>2014 Skyjack SJIII-3219 Electric Scissor Lift (Inoperable)</b> S/N: 22056224 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 127 Hr

Lot #	Details	Lot #	Details
9903	<b>2012 Skyjack SJII3219 Electric Scissor Lift (Inoperable)</b> S/N: 22036454 C/W: 19 ft Max Lift Height, Platform Extension, Power to Platform, Solid Non-Marking Tires, Upper Control Box Usage: 315 Hr	9911	<b>2016 Mercedes-Benz Sprinter 4x2 8-Seat Passenger Van (Inoperable)</b> S/N: WZPE7DDXGP308459 C/W: 4 Cylinder 2.1 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Air Conditioner, Automatic Transmission, 245 /75R16, Spring Suspension, 146 in Wheelbase Usage: Not Available
9904	<b>2002 Genie AWP40S Vertical Mast Lift (Inoperable)</b> S/N: AWP0222124 C/W: 40 ft Max Lift Height Usage: Not Available	9912	<b>2008 Ford E-350 Ecoline 4x2 12-Seat Passenger Van (Inoperable)</b> S/N: 1FBNE31P68DA72561 C/W: V8 6.0 L Diesel Engine, 2008 US EPA Label, Automatic Transmission, 245/75R16, Spring Suspension, 138 in Wheelbase Usage: Not Available
9905	<b>2018 JLG 20MVL Vertical Mast Lift (Inoperable)</b> S/N: 0130034142 C/W: 19 ft Max Lift Height Usage: Not Available	9913	<b>2006 Ford E-350 4x2 12-Seat Passenger Van (Inoperable)</b> S/N: 1FBNE31P06DA38872 C/W: V8 6.0 L Diesel Engine, 2006 US EPA Label, Air Conditioner, Automatic Transmission, 245/75R16, Spring Suspension, 136 in Wheelbase Usage: 98,205 Mi
9906	<b>2018 JLG 20MVL Vertical Mast Lift (Inoperable)</b> S/N: 0130034055 C/W: 19 ft Max Lift Height, 350 lb Max Weight Capacity Usage: Not Available	9914	<b>2020 Ford Transit 4x2 Cargo Van (Inoperable)</b> S/N: NM0LE7E21L1451466 C/W: 4 Cylinder Gasoline Engine, Automatic Transmission, 2700 lb Front Axle, 2875 lb Rears, 5302 lb GVWR, 215/55R16, Spring Suspension, 120 in Wheelbase, 7 ft Long x 50 in Wide x 48 in High Body Usage: Not Available
9907	<b>2003 JLG 12SP Vertical Mast Lift (Inoperable)</b> S/N: 0900019932 C/W: 12 ft Max Lift Height, 500 lb Max Weight Capacity Usage: Not Available	9915	<b>2017 Ford Transit 150 4x2 Cargo Van (Inoperable)</b> S/N: 1FTYE2CM6HKB03857 C/W: V6 3.7 L Gasoline Engine, 2017 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5070 lb Rears, 8600 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 11 ft Long x 60 in Wide x 60 in High Body Usage: Not Available
9908	<b>Daihatsu Hijet S110P 4x4 Truck (Inoperable)</b> S/N: S110P144377 C/W: 3 cyl Gasoline Engine, 5-Speed Manual Transmission, 6-12 Usage: 71,415 Hr	9916	<b>2015 Ford Transit 250 4x2 Cargo Van (Inoperable)</b> S/N: 1FTNR2CG0FKA15529 C/W: V6 3.5 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4130 lb Front Axle, 5515 lb Rears, 9000 lb GVWR, 235/65R16, Spring Suspension, 148 in Wheelbase, 11 ft Long x 66 in Wide x 70 in High Body Usage: Not Available
9909	<b>2008 International CE200 4x2 72-Seat School Bus (Inoperable)</b> S/N: 4DRBUAFN88B529939 C/W: V8 Diesel Engine, 2006 US EPA Label, Air Conditioner, Automatic Transmission, 12561 hrs Carrier Engine, 11R22.5, Spring Suspension, 276 in Wheelbase Usage: 180,069 Mi	9917	<b>2016 Mercedes-Benz 2500 4x2 Cargo Van (Inoperable)</b> S/N: WD3PE8DD0GP193662 C/W: 4 Cylinder 2.1 L Diesel Engine, 2016 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 3970 lb Front Axle, 5360 lb Rears, 8550 lb GVWR, 245/75R16, Spring Suspension, 170 in Wheelbase, 13 ft 6 in Long x 70 in Wide x 76 in High Body Usage: 43,181 Mi
9910	<b>2006 International CE200 4x2 53-Seat School Bus (Inoperable)</b> S/N: 4DRBUAFL46A258279 C/W: International V8 Diesel Engine, 2005 US EPA Label, Air Conditioner, Automatic Transmission, 7736 hrs Carrier Engine, 11R22.5, Spring Suspension, 216 in Wheelbase Usage: 135,085 Mi		
9911A	<b>2012 Ford E-350 4x2 11-Seat Passenger Van (Inoperable)</b> S/N: 1FBSS3BL0CDA57859 C/W: V8 5.4 L Gasoline Engine, 2012 US EPA Label, Air Conditioner, Automatic Transmission, 245/75R16, Spring Suspension, 138 in Wheelbase Usage: 277,773 Mi		

Lot #	Details	Lot #	Details
9918	<b>2012 GMC Savana G2500 4x2 Cargo Van (Inoperable)</b> S/N: 1GTW7FCA3C1184829 C/W: V8 Gasoline Engine, 245/75R16, Spring Suspension, 136 in Wheelbase, 9 ft 3 in Long x 72 in Wide x 55 in High Body Usage: 428,740 Mi	9925	<b>2006 International 4300 4x2 Refrigerated Truck (Inoperable)</b> S/N: 1HTMMAAM06H231815 C/W: International MaxxForce DT466 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 242 in Wheelbase, Carrier Supra 644 Reefer Unit, Hackney 20 ft Long x 94 in Wide x 77 in High Body, Liftgate Usage: Not Available
9919	<b>2015 GMC Savana 1500 4x2 Cargo Van (Inoperable)</b> S/N: 1GTW7FCF7F1900650 C/W: V8 4.8 L Gasoline Engine, 2015 US EPA Label, 3448 Engine hrs, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 245/75R16 Front Tires, 265/70R16 Rear Tires, Spring Suspension, 136 in Wheelbase, 7 ft Long x 56 in Wide x 50 in High Body Usage: 148,630 Mi	9926	<b>2011 International 4300 4x2 Ambulance (Inoperable)</b> S/N: 1HTMNAAL5BH384107 C/W: Allison Automatic Transmission, 8000 lb Front Axle, 12000 lb Rears, 20000 lb GVWR, 6 Cylinder 7.6 L Diesel Engine, 265/70R19.5, Air Ride Suspension, 170 in Wheelbase, 14 ft Body Usage: Not Available
9920	<b>2015 GMC Savana 1500 4x2 Cargo Van (Inoperable)</b> S/N: 1GTW7FCF2F1908154 C/W: V8 Gasoline Engine, Automatic Transmission, 4100 lb Front Axle, 5360 lb Rears, 8600 lb GVWR, 255/70R16 Front Tires, 235/85R16 Rear Tires, Spring Suspension, 132 in Wheelbase, 7 ft Long x 56 in Wide x 50 in High Body Usage: 175,939 Mi	9927	<b>2003 Ford E450 4x2 Ambulance (Inoperable)</b> S/N: 1FDXE45F83HB14687 C/W: Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, Powerstroke V8 7.3 L Diesel Engine, 225 /75R16, Spring Suspension, 162 in Wheelbase, Horton 13 ft 1 in Body Usage: 370,996 Mi
9921A	<b>2012 International 4300 4x2 Van Truck (Inoperable)</b> S/N: 3HAMMAAL3CL148344 C/W: International MaxxForce 6 Cylinder Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 10R22.5, Spring Suspension, 254 in Wheelbase, Supreme 26 ft Long x 102 in Wide x 97 in High Body, Liftgate Usage: Not Available	9928	<b>2003 Ford E-450 4x2 Ambulance (Inoperable)</b> S/N: 1FDXE45F43HB64048 C/W: Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, Power stroke V8 7.3 L Diesel Engine, 225/75/16, Spring Suspension, 162 in Wheelbase, PL Custom Body 14 ft 2 in Body Usage: 264,403 Mi
9922	<b>2007 Ford E450 4x2 Van Truck (Inoperable)</b> S/N: 1FDXE45P67DA87897 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, 225/75R16, Spring Suspension, 176 in Wheelbase, 17 ft Long x 86 in Wide x 78 in High Body Usage: 267,220 Mi	9929	<b>2000 Ford E-450 Econoline 4x2 Ambulance (Inoperable)</b> S/N: 1FDXE45F7YHB51933 C/W: Automatic Transmission, 4600 lb Front Axle, 9450 lb Rears, 14050 lb GVWR, International V8 7.3 L Diesel Engine, Engine Block Heater, 225/75R16, Air Assist Front Suspension, Spring Suspension, 158 in Wheelbase, Mobile Medical, Inc. 13 ft 9 in Body, Cen-Tech 1000 W Generator Usage: 221,766 Mi
9923	<b>2007 Freightliner MT55 4x2 Step Van (Inoperable)</b> S/N: 4UZAARBW87CY18782 C/W: Cummins 6 Cylinder Diesel Engine, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 245/70R19.5, Spring Suspension, 214 in Wheelbase, 22 ft Long x 92 in Wide x 84 in High Body, Liftgate Usage: Not Available	9931A	<b>2006 Ford E-350 4x2 Ambulance (Inoperable)</b> S/N: 1FDWE35P86HA75392 C/W: Automatic Transmission, 4600 lb Front Axle, 7800 lb Rears, 10700 lb GVWR, V8 6.0 L Diesel Engine, 2006 US EPA Label, Aluminum Outer Wheels, 225/75R16, Spring Suspension, 138 in Wheelbase, 11 ft 6 in Body Usage: Not Available
9924	<b>2008 Ford E450 4x2 Hi Top Sewer Camera Truck (Inoperable)</b> S/N: 1FDXE45PX8DB33829 C/W: V8 6.0 L Diesel Engine, Automatic Transmission, 5000 lb Front Axle, 9500 lb Rears, 14500 lb GVWR, 225/75R16, Spring Suspension, 176 in Wheelbase, 1 Monitors Usage: Not Available	9931	<b>2006 Ford E350 4x2 Ambulance (Inoperable)</b> S/N: 1FDWE35P06HA75161 C/W: Automatic Transmission, 4600 lb Front Axle, 7800 lb Rears, 10700 lb GVWR, Ford V8 6.0 L Diesel Engine, 2006 US EPA Label, Aluminum Outer Wheels, 225/75R16 Front Tires, 225/75R16 Rear Tires, Spring Suspension, 138 in Wheelbase Usage: 288,967 Mi



Lot #	Details	Lot #	Details
9932	<b>2003 Ford Econline E-350 4x2 Ambulance (Inoperable)</b> S/N: 1FDSE35F03HB43704 C/W: Automatic Transmission, 4600 lb Front Axle, 6084 lb Rears, 9600 lb GVWR, International Powerstroke V8 7.3 L Diesel Engine, 245/75/16, Spring Suspension, 142 in Wheelbase, 13 ft 1 in Body Usage: 383,017 Mi	9939	<b>Altec on 2010 International 7400 WorkStar 6x4 Bucket Truck (Inoperable)</b> S/N: 1HTWGAAR3AJ220627 C/W: International 6 Cylinder Diesel Engine, Allison Automatic Transmission, 14000 lb Front Axle, 40000 lb Rears, 54000 lb GVWR, 11R22.5, Hendrickson RT/RTE Series Suspension, 196 in Wheelbase, PTO, Rear Mounted, Two-Person Articulated Boom, Utility Body, Material Handling Jib, A-Outriggers, Rear Outriggers Usage: Not Available
9934	<b>2014 Ford E-250 4x2 Passenger Van (Inoperable)</b> S/N: 1FTNS2EW7EDA19038 C/W: V8 4.6 L Gasoline Engine, 2014 US EPA Label, Air Conditioner, Automatic Transmission, Wheelchair Ramp, 245/75R16, Spring Suspension, 144 in Wheelbase Usage: 300,438 Mi	9940A	<b>2009 Palfinger ETA37SH 37 ft on 2009 Ford F-550 XL 4x2 Bucket Truck (Inoperable)</b> S/N: 1FDAF56Y69EA28474 C/W: Ford E172A V10 6.8 cid Gasoline 362 hp Engine, 2009 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, Spicer Drive Axles, 4.88:1 Axle Ratio, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 141 in Wheelbase, PTO, Wet Kit, 350 lb Capacity, Center Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, 9 ft x 96 in Bed, Pintle Hitch Usage: 213,653 Mi
9937A	<b>Altec AM55 55 ft on 2010 International 7400 Workstar 6x4 Bucket Truck (Inoperable)</b> S/N: 1HTWGAAR1AJ220626 C/W: International MaxxForce DT 6 Cylinder Diesel Engine, 4584 Engine hrs, Allison Automatic Transmission, Differential Lock, 14000 lb Front Axle, 40000 lb Rears, 54000 lb GVWR, Air Ride Cab, 11R22.5, Hendrickson Walking Beam Suspension, 195 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, One-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, Material Handling Jib, A-Outriggers, Rear Outriggers, 18 ft 10 in x 94 in Bed, Pintle Hitch Usage: Not Available	9940	<b>ETI on 2011 Ford F-550 XL Bucket Truck (Inoperable)</b> S/N: 1FDUF5GY4BEB26257 C/W: V8 6.8 L Engine, 2011 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, 18000 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 141 in Wheelbase, 300 lb Capacity, Rear Mounted, Utility Body, Straight Down Outriggers, 9 ft x 96 in Bed Usage: Not Available
9937	<b>Altec AM55 55 ft on 2010 International 7400 Workstar 6x4 Bucket Truck (Inoperable)</b> S/N: 1HTWGAARXAJ220608 C/W: International MaxxForce DT 6 Cylinder Diesel Engine, 9748 Engine hrs, Allison Automatic Transmission, Differential Lock, 14000 lb Front Axle, 40000 lb Rears, 54000 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Hendrickson Walking Beam Suspension, 196 in Wheelbase, PTO, 700 lb Capacity, Rear Mounted, Insulated Two-Person Articulated Boom, Utility Body, Boom Tip Mounted Winch, Material Handling Jib, A-Outriggers, Rear Outriggers, 18 ft x 94 in Bed, Pintle Hitch Usage: 114,024 Mi	9941	<b>2000 Terex TL-36P 36 ft on 2000 Ford F-450 XL 4x2 Bucket Truck (Inoperable)</b> S/N: 1FDXF46F2YEC57509 C/W: Power Stroke V8 7.3 L Diesel Engine, Automatic Transmission, Spring Suspension, 142 in Wheelbase, PTO, 300 lb Capacity, Center Mounted, Insulated One-Person Articulated Boom, Utility Body, 9 ft x 94 in Bed Usage: 313,802 Hr
9939A	<b>Altec LAN552E 55 ft on 2006 International 7300 4x2 Bucket Truck (Inoperable)</b> S/N: 1HTWBAAN16J336105 C/W: International DT466 6 Cylinder 7.6 L Diesel Engine, 6-Speed Manual Transmission, 14000 lb Front Axle, 19000 lb Rears, 33000 lb GVWR, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 246 in Wheelbase, PTO, Rear Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, Rear Outriggers, 17 ft x 94 in Bed Usage: Not Available	9942A	<b>2009 ETI ETA37SH 37 ft on 2009 Ford F-550 XL 4x2 Bucket Truck (Inoperable)</b> S/N: 1FDAF56Y19EA28480 C/W: Ford E172A V10 6.8 L Gasoline 362 hp Engine, 2009 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 13660 lb Rears, Spicer Drive Axles, 4.88:1 Axle Ratio, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 141 in Wheelbase, PTO, 350 lb Capacity, Center Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, 9 ft x 96 in Bed, Pintle Hitch Usage: 207,012 Mi

Lot #	Details	Lot #	Details
9942	<b>2008 ETI 37SH on 2008 Ford F-550 4x2 Bucket Truck (Inoperable)</b> S/N: 1FDAF56Y78EE40952 C/W: V10 6.8 L Gasoline Engine, Automatic Transmission, 5600 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5 Front Tires, 225/70R19.5 Rear Tires, Spring Suspension, 141 in Wheelbase, PTO, 350 lb Capacity, Center Mounted, One-Person Articulated Boom, Utility Body, A-Outriggers, 9 ft x 94 in Bed, Pintle Hitch Usage: 154,593 Mi	9949	<b>2016 Ram 5500 4x4 Crew Cab Service Truck (Inoperable)</b> S/N: 3C7WRNFL2GG200594 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 13500 lb Rears, 19500 lb GVWR, 245/70R19.5, Spring Suspension, 2016 STI 2352 Body, Hydraulic Stabilizers, Tiger 3215E 13000 lb 2 Section Electric Crane Usage: Not Available
9943	<b>Altec DM47BR on 2006 International 4300 4x2 Digger Derrick Truck (Inoperable)</b> S/N: 1HTMMAAN46H188749 C/W: International DT466 7.6 L Diesel 245 hp Engine, 2005 US EPA Label, Manual Transmission, 11R22.5, Spring Suspension, 176 in Wheelbase, PTO, 17730 lb Capacity, Rear Mounted, 47 ft Reach, Pole Guide, Auxiliary Hydraulics, Boom Tip Mounted Winch, Altec 13 ft Body, A-Outriggers, Rear Outriggers, Bumper Mounted Winch Usage: Not Available	9950	<b>2008 Ford F-550 XL 4x2 Service Truck (Inoperable)</b> S/N: 1FDAF56R98ED37430 C/W: V8 Diesel Engine, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 19500 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 14 ft Body, Hydraulic Stabilizers, Auto Crane 6006H 6000 lb 3 Section Hydraulic Crane, Vanair Viking Hydraulic Air Compressor Usage: 191,538 Mi
9944	<b>Terex Telelect on 2006 Ford F-750 XL 4x2 Digger Derrick Truck (Inoperable)</b> S/N: 3FRXF75SX6V384145 C/W: Cat C7 Acert 6 Cylinder Diesel Engine, 2006 US EPA Label, 6336 Engine hrs, 7-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 33000 lb GVWR, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 182 in Wheelbase, PTO, Rear Mounted, 20 in Auger, Pole Guide, Auxiliary Hydraulics, Turret Mounted Winch, Utility Fleet 14 ft Body, A-Outriggers, Rear Outriggers Usage: 74,127 Mi	9951B	<b>1999 Freightliner FL-60 4x2 Flatbed Truck (Inoperable)</b> S/N: 1FV3GJFC7XH953238 C/W: Cat 3126 6 Cylinder Diesel 210 hp Engine, 5-Speed Manual Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 10R22.5, Spring Suspension, 168 in Wheelbase, 12 ft x 96 in Bed, Conde Super 6DI Engine Driven Pump Usage: 68,139 Mi
9945	<b>2005 Ford F-450 XL 4x2 Utility Truck (Inoperable)</b> S/N: 1FDXF46P65EC58036 C/W: V8 6.0 L Diesel Engine, 2005 US EPA Label, Automatic Transmission, 6000 lb Front Axle, 12000 lb Rears, 16000 lb GVWR, 225/70R19.5, Spring Suspension, 164 in Wheelbase, 11 ft Body Usage: Not Available	9951	<b>1995 Ford F-700 4x2 Flatbed Dump Truck (Inoperable)</b> S/N: 1FDNF70J2SVA55301 C/W: Ford V8 Gasoline Engine, 5-Speed Manual Transmission, 7000 lb Front Axle, 19000 lb Rears, 26000 lb GVWR, 11R22.5, Spring Suspension, 225 in Wheelbase, PTO, Double Frame, 20 ft Long Steel Body Usage: 143,027 Mi
9947	<b>2015 GMC Sierra 2500HD 4x4 Crew Cab Utility Truck (Inoperable)</b> S/N: 1GT12XEG6FF653970 C/W: GM Vortec V8 6.0 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4800 lb Front Axle, 6200 lb Rears, 9900 lb GVWR, Spring Suspension, Knapheide 8 ft Body Usage: 228,445 Mi	9952	<b>2013 Ford F-550 XL 4x2 Flatbed Truck (Inoperable)</b> S/N: 1FDUF5GT9DEB36631 C/W: V8 6.7 L Ultra Low Sulfur Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 19500 lb Rears, 26500 lb GVWR, 225/70R19.5, Spring Suspension, 15 ft x 96 in Bed Usage: 206,901 Mi
9948	<b>2006 Chevrolet 2500HD 4x2 Extended Cab Utility Truck (Inoperable)</b> S/N: 1GBHC29U06E151805 C/W: V8 Gasoline Engine, Automatic Transmission, 245/75R16, Spring Suspension, 158 in Wheelbase, General 8 ft Body, Gasoline Air Compressor Usage: 69,777 Mi	9953	<b>2008 Ford F-550 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FDAW56R78ED87419 C/W: V8 Diesel Engine, 2008 US EPA Label, Automatic Transmission, 7000 lb Front Axle, 13660 lb Rears, 17950 lb GVWR, 225/70R19.5, Spring Suspension, 200 in Wheelbase, 11 ft x 96 in Bed, Fuel Tank Usage: Not Available

Lot #	Details	Lot #	Details
9954A	<b>2015 Ford F-450 XL 4x4 Flatbed Truck (Inoperable)</b> S/N: 1FDUF4HT7FEA10781 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 225/70R19.5, Spring Suspension, 164 in Wheelbase, 11 ft 4 in x 96 in Bed Usage: Not Available	9958	<b>2011 Chevrolet 3500 HD 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1GB4CZCL8BF201930 C/W: V8 6.6 L Diesel Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5200 lb Front Axle, 9750 lb Rears, 13200 lb GVWR, 235/80R17, Spring Suspension, 172 in Wheelbase, 9 ft 4 in x 96 in Bed, Fuel Tank /w Pump Usage: Not Available
9954	<b>2012 Dodge Ram 4500 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 3C7WDKFL6CG217437 C/W: Cummins 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 7000 lb Front Axle, 12000 lb Rears, 16500 lb GVWR, 225/70R19.5, Spring Suspension, 199 in Wheelbase, 11 ft 4 in x 101 in Bed Usage: 270,865 Mi	9959A	<b>1988 Ford F-350 4x2 Tow Truck (Inoperable)</b> S/N: 1FDKF37M8JNB55574 C/W: V8 7.3 L Diesel Engine, 5-Speed Manual Transmission, 11000 lb GVWR, 235/85R16, Spring Suspension, 160 in Wheelbase, Steel Wrecker Body, 12000 lb Winch Capacity Usage: 15,495 Mi
9955	<b>2015 Ford F-350 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD8W3GT3FEB40425 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245/75R17, Spring Suspension, 178 in Wheelbase, 9 ft 6 in x 96 in Bed Usage: Not Available	9959	<b>2012 Ford F-250 4x4 Flatbed Truck (Inoperable)</b> S/N: 1FTBF2B64CEC31138 C/W: V8 6.2 L Gasoline Engine, 2012 US EPA Label, Automatic Transmission, 4400 lb Front Axle, 6100 lb Rears, 10000 lb GVWR, 265 /70R17, Spring Suspension, 138 in Wheelbase, 8 ft 6 in x 84 in Bed Usage: Not Available
9956	<b>2015 Ford F-350 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD8W3G60FEC16905 C/W: V8 6.2 L Gasoline Engine, 2015 US EPA Label, Automatic Transmission, 4850 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 245 /75R17, Spring Suspension, 176 in Wheelbase, 9 ft x 94 in Bed Usage: Not Available	9960	<b>2009 Peterbilt 335 4x2 Cab and Chassis (Inoperable)</b> S/N: 2NPLHN7X69M792248 C/W: Engine Brake, 12000 lb Front Axle, 21000 lb Rears, Spicer S21-170D Drive Axles, 33000 lb GVWR, Air Ride Cab, 15399 Engine hrs, 11R22.5, Reyco Spring Suspension, 124 in Cab to Axle Usage: 189,740 Mi
9957A	<b>2013 Ram 3500HD 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 3C7WRSCL7DG571362 C/W: 6 Cylinder 6.7 L Diesel Engine, Requires Diesel Exhaust Fluid, Automatic Transmission, 5500 lb Front Axle, 9350 lb Rears, 13000 lb GVWR, 245/75R17, Spring Suspension, 170 in Wheelbase, 9 ft 4 in x 96 in Bed, Pintle Hitch Usage: 120,280 Mi	9961	<b>2013 International 4300 4x2 Cab and Chassis (Inoperable)</b> S/N: 1HTJTSKMXDH152918 C/W: International MaxxForce 7 V8 6.4 L Diesel Engine, US EPA Label, Automatic Transmission, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 272 in Wheelbase, 206 in Cab to Axle Usage: Not Available
9957	<b>2015 Ford F 350 XL 4x2 Crew Cab Flatbed Truck (Inoperable)</b> S/N: 1FD8W3GT1FEC47439 C/W: V8 6.7 L Diesel Engine, 2015 US EPA Label, 6866 Engine hrs, Automatic Transmission, 5250 lb Front Axle, 9750 lb Rears, 14000 lb GVWR, 265/70R17, Spring Suspension, 178 in Wheelbase, 9 ft 4 in x 96 in Bed Usage: 185,895 Mi	9962	<b>2012 Mack GU713 Cab and Chassis (Inoperable)</b> S/N: 1M2AX04Y4CM011186 C/W: Mack MP7 6 Cylinder 10.8 L Ultra Low Sulfur Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 12000 lb Front Axle, 11R24.5 Usage: Not Available
		9963	<b>2009 Mack 700 Cab and Chassis (Inoperable)</b> S/N: 1M2AX04Y49M004988 C/W: Mack MP7 6 Cylinder Ultra Low Sulfur Diesel 405 hp Engine, 2008 US EPA Label, Air Ride Cab, 255/70R22.5 Usage: Not Available
		9964	<b>2008 Mack CHU613 Cab and Chassis (Inoperable)</b> S/N: 1M1AN09Y98N002357 C/W: Air Ride Cab Usage: Not Available

Lot #	Details	Lot #	Details
9965B	<b>2011 International Prostar 4x2 Cab and Chassis (Inoperable)</b> S/N: 1HSCRAPN5BJ363098 C/W: Cummins ISX 15.0 L Diesel 450 hp Engine, 1340 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, 87 in Cab to Axle Usage: 693,556 Mi	9968A	<b>2012 International 7300 4x2 Bed Truck (Inoperable)</b> S/N: 1HTZZAAL8CJ043658 C/W: 6 Cylinder Diesel Engine, 6830 Engine hrs, Eaton Fuller 6-Speed Manual Transmission, 10000 lb Front Axle, 19000 lb Rears, 25999 lb GVWR, Air Ride Cab, 11R22.5, Spring Suspension, 186 in Wheelbase, PTO, 15 ft x 96 in Bed, Tail Roll, Rufnek RN20MW-RFO 20000 lb Winch Usage: 90,385 Mi
9965A	<b>2007 International 4300 SBA 4x2 Fuel and Lube Truck (Inoperable)</b> S/N: 1HTMMAAM07H382056 C/W: International DT466 6 Cylinder 7.6 L Diesel 300 hp Engine, 2006 US EPA Label, Automatic Transmission, 8000 lb Front Axle, 17500 lb Rears, 25500 lb GVWR, 11R22.5, Spring Suspension, 186 in Wheelbase, 16 ft Body, ( 8 ) Hose Reels, Grease Barrel, Oil Recovery System, Industrial Gasoline Air Compressor, Air Hose Reel Usage: Not Available	9968	<b>2007 Mack CTP713 6x4 Gin Pole Truck (Inoperable)</b> S/N: 1M2AT04C47M004020 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 370 hp Engine, 2006 US EPA Label, Engine Brake, Maxitorque 10-Speed Manual Transmission, 18000 lb Front Axle, 44000 lb Rears, 62000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Camelback Spring Suspension, 276 in Wheelbase, PTO, 17 ft x 96 in Bed, Tail Roll, 24 ft Gin Poles, Rufnek RN45-RFOAX 45000 lb Winch, Tulsa Winch Usage: Not Available
9966	<b>2013 Mack GU713 6x4 Gin Pole Truck (Inoperable)</b> S/N: 1M2AX04C3DM013775 C/W: Mack MP7 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 10-Speed Manual Transmission, 23000 lb Front Axle, 57280 lb Rears, 36415 lb GVWR, Air Ride Cab, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Walking Beam Suspension, Double Frame, 22 ft x 100 in Bed, Tail Roll, 31 ft Gin Poles, Rufneck Winch, Braden Winch, Auxiliary Transmission Usage: Not Available	9969	<b>2009 Mack GU713 6x4 Winch Truck (Inoperable)</b> S/N: 1M2AX04Y09M006074 C/W: Mack MP7-395C 6 Cylinder 10.8 L Diesel 370 hp Engine, 2008 US EPA Label, 2077 Engine hrs, Maxitorque 10-Speed Manual Transmission, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 218 in Wheelbase, PTO, Tail Roll, Rufnek Winch Usage: 404,947 Mi
9967A	<b>2010 Mack GU713 6x4 Gin Pole Truck (Inoperable)</b> S/N: 1M2AX04C0AM008836 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 370 hp Engine, 2009 US EPA Label, Engine Brake, Maxitorque 10-Speed Manual Transmission, 22800 lb Front Axle, 58000 lb Rears, 80800 lb GVWR, Air Ride Cab, 445 /65R22.5 Front Tires, 12R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 390 in Wheelbase, PTO, Double Frame, 25 ft x 100 in Bed, Tail Roll, 29 ft Gin Poles, Rufnek 36500 lb Winch, Tulsa Winch, Ringfeder Usage: 80,509 Mi	9970	<b>2016 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X3GD263235 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, L-K Industries Centrifuge Usage: Not Available
9967	<b>2012 Mack GU713 6x4 Gin Pole Truck (Inoperable)</b> S/N: 1M2AX04C0CM012484 C/W: Mack MP7-405M 6 Cylinder 10.8 L Diesel 405 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, 7662 Engine hrs, Engine Brake, Maxitorque 10-Speed Manual Transmission, 23000 lb Front Axle, 57280 lb Rears, 80280 lb GVWR, Air Ride Cab, 445 /65R22.5 Front Tires, 12R24.5 Rear Tires, Dual Steering Boxes, Walking Beam Suspension, 408 in Wheelbase, PTO, Double Frame, 26 ft x 100 in Bed, Tail Roll, 29 ft Gin Poles, Rufnek G80-SLRFO Winch, , Winch Usage: 45,657 Mi	9971	<b>2016 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X9GD263210 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Centrifuge Usage: Not Available

Lot #	Details	Lot #	Details
9973	<b>2016 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X3GD263218 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Usage: Not Available	9978	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X3ED232404 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries Centrifuge Usage: Not Available
9974	<b>2016 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X7GD263240 C/W: Cummins ISX12 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 385 hp Engine, 2015 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Centrifuge Usage: Not Available	9979	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79XXED232402 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Centrifuge Usage: Not Available
9975	<b>2015 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X7FD262698 C/W: Cummins ISX12 6 Cylinder 11.9 L Ultra Low Sulfur Diesel 385 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13201 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO Usage: Not Available	9980	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X6ED253621 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries Trans 7100 Centrifuge Usage: Not Available
9976	<b>2015 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X5FD263185 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2014 US EPA Label, Eaton Fuller 8LL Manual Transmission, 13201 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, L-K Industries Centrifuge Usage: Not Available	9981	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X7ED253627 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Usage: Not Available
9977	<b>2015 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X0FD262705 C/W: Cummins ISX12 385V 11.9 L Diesel 385 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, 13201 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Suspension, 204 in Wheelbase Usage: Not Available	9982	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X5ED225650 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Centrifuge Usage: Not Available

Lot #	Details	Lot #	Details
9983	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X0ED232389 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, L-K Industries TRANS-7100 Centrifuge Usage: Not Available	9988	<b>2014 Mack GU713 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M2AX04Y1EM019300 C/W: Mack MP7 6 Cylinder 12.8 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Maxitorque 10-Speed Manual Transmission, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 222 in Wheelbase, Dual Fuel Tanks Usage: Not Available
9984	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X4ED225655 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, L-K Industries Trans-7100 Centrifuge Usage: Not Available	9989	<b>2014 Mack GU713 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M2AX04Y9EM019304 C/W: Mack MP7 6 Cylinder 10.8 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Maxitorque 10-Speed Manual Transmission, 13220 lb Front Axle, 38000 lb Rears, 51220 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 224 in Wheelbase Usage: Not Available
9985	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X9ED232424 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, PTO, L-K Industries TRANS-7100 Centrifuge Usage: 555,248 Mi	9990	<b>2014 Mack CHU613 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M2AN07Y6EM016698 C/W: Mack MP8 8 Cylinder 12.7 L Diesel Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Maxitorque 13-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 11R24.5, Air Ride Suspension, 218 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
9986	<b>2014 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X2ED225668 C/W: Cummins ISX12 385V 6 Cylinder 11.9 L Diesel 385 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Trac Air Ride Suspension, 204 in Wheelbase, L-K Industries TRANS-7100 Centrifuge Usage: Not Available	9991A	<b>2012 Mack CXU 613 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M1AW07Y5CM019137 C/W: Mack MP8-445E 6 Cylinder 12.8 L Diesel 445 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Wheels, 11R22.5, Air Ride Suspension, 186 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
9987	<b>2012 Peterbilt 365 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1XPSD79X6CD143794 C/W: Cummins ISX11.9 6 Cylinder 11.9 L Diesel 385 hp Engine, 2011 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller RTOF 14908LL-P 8LL Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Air Trac Air Ride Suspension, 206 in Wheelbase, PTO Usage: Not Available	9991	<b>2013 Mack CHU613 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M2AN07Y6DM014125 C/W: Mack MP8 8 Cylinder 12.7 L Diesel Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Maxitorque 13-Speed Manual Transmission, Air Ride Cab, 11R24.5, Air Ride Suspension, 218 in Wheelbase, Dual Fuel Tanks Usage: Not Available
		9992	<b>2012 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGEDR8CSBF6230 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 455 hp Engine, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 11R22.5, Airliner Air Ride Suspension, 180 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available

Lot #	Details	Lot #	Details
9993	<b>2014 Freightliner Cascadia 125 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 3AKJGEDV7ESFY9945 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 450 hp Engine, 2013 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Detroit DT12 12-Speed Automated Transmission, 12000 lb Front Axle, 40000 lb Rears, 3.08:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 188 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	9998	<b>2003 Mack CV713 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M1AG11Y73M002528 C/W: Mack E7-427 6 Cylinder 728 cid Diesel 427 hp Engine, 2002 US EPA Label, 23529 Engine hrs, Engine Brake, 13-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 38000 lb Rears, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Air Ride Suspension, 206 in Wheelbase, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: 411,737 Mi
9994	<b>2007 Mack CTP713 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1M1AT04Y47M004664 C/W: Diesel Engine Usage: Not Available	10000A	<b>1999 Kenworth T800 6x4 T/A Sleeper Truck Tractor (Inoperable) (Glider Kit)</b> S/N: 1XKDD69XXXR953818 C/W: Cummins N14 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 13-Speed Manual Transmission, Spicer DS404 Drive Axles, 4.11:1 Axle Ratio, 23507 kg GVWR, Air Ride Cab, 62 in Mid Roof Sleeper Cab, Bunk Beds, Aluminum Wheels, 285/75R24.5, 8 Bag Air Ride Suspension, 224 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 149,424 Mi
9995A	<b>2008 Freightliner Columbia 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJA6CV38DZ95995 C/W: Mercedes-Benz OM460LA 6 Cylinder 12.8 L Diesel 450 hp Engine, 2007 US EPA Label, 16563 Engine hrs, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Airliner Air Ride Suspension, 192 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: 477,172 Mi	10000	<b>1999 Sterling AT9513 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2FWYJWEB8XAA53866 C/W: Cat C12 6 Cylinder 12.0 L Diesel 410 hp Engine, Meritor 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R22.5, Airliner Air Ride Suspension, 172 in Wheelbase, PTO, Air Sliding 5th Wheel, Headache Rack, Dual Fuel Tanks Usage: Not Available
9995	<b>2010 Freightliner Columbia 120 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJA6CV7ADAP0161 C/W: Mercedes-Benz OM460LA 6 Cylinder 12.8 L Diesel 450 hp Engine, 2009 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 295/75R22.5, Airliner Air Ride Suspension, 184 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	10001	<b>2015 Peterbilt 365 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPSD79X0FD289063 C/W: Cummins ISX12 425V 6 Cylinder 11.9 L Diesel 425 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller 8LL Manual Transmission, 13200 lb Front Axle, 40000 lb Rears, Spicer RSP41 Drive Axles, 4.33:1 Axle Ratio, 53200 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, 11R22.5, Air Trac Air Ride Suspension, 224 in Wheelbase Usage: Not Available
9996	<b>2010 Freightliner Cascadia 113 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJGBDV1ALAR4709 C/W: Detroit DD13 6 Cylinder 12.8 L Diesel 410 hp Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 36910 lb Rears, Meritor RT-40-145 Drive Axles, 2.79:1 Axle Ratio, 48910 lb GVWR, Air Ride Cab, Aluminum Outer Wheels, 11R22.5, Airliner Air Ride Suspension, 164 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available	10003A	<b>2013 Kenworth T660 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKADP8X0DJ362918 C/W: Paccar MX 12.9 L Diesel 430 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, 12000 lb Front Axle, 34000 lb Rears, 46000 lb GVWR, Air Ride Cab, 52 in Mid Roof Sleeper Cab, Aluminum Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Flex Air Suspension, 232 in Wheelbase, Dual Fuel Tanks Usage: Not Available
9997	<b>2006 Freightliner Columbia 6x4 T/A Day Cab Truck Tractor (Inoperable)</b> S/N: 1FUJA6DE16DV19868 C/W: Cat C13 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Transmission, 13220 lb Front Axle, 40000 lb Rears, 53220 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 11R24.5, Airliner Air Ride Suspension, 212 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Headache Rack, Lowboy Ramps, Dual Fuel Tanks Usage: 589,402 Hr		

Lot #	Details	Lot #	Details
10003	<b>2014 Kenworth T680 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XKYDP9XXEJ369728 C/W: Paccar MX 6 Cylinder 12.9 L Diesel 485 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Eaton Fuller Automatic Transmission, 13200 lb Front Axle, 40000 lb Rears, 53200 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Thermo King Auxiliary Power Unit, Aluminum Outer Wheels, 295/75R22.5, Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 757,795 Mi	10011	<b>2007 Peterbilt 386 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPHD49X67D696914 C/W: Cummins ISX 475 6 Cylinder 15.0 L Diesel 475 hp Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, 50000 lb GVWR, Air Ride Cab, 63 in Mid Roof Sleeper Cab, Aluminum Front Wheels, 11R22.5 Front Tires, MIXED Rear Tires, Flex Air Air Ride Suspension, 250 in Wheelbase, Dual Fuel Tanks Usage: Not Available
10006	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 3AKJGLD63FSGH4517 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel 505 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 13300 lb Front Axle, 40000 lb Rears, 53300 lb GVWR, Air Ride Cab, 72 in High Rise Sleeper Cab, Bunk Beds, Auxiliary Power Unit, Aluminum Rear Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 234 in Wheelbase, Dual Fuel Tanks Usage: Not Available	10012	<b>2006 Western Star 4900 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 5KJJAEAV06PV13566 C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, 2005 US EPA Label, Eaton Fuller 18-Speed Manual Transmission, Double Differential Locks, 12000 lb Front Axle, 46000 lb Rears, 58000 lb GVWR, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Outer Wheels, 11R24.5, Airliner Air Ride Suspension, 228 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
10007	<b>2015 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1FUJGLDV4FLGC1425 C/W: Detroit 6 Cylinder 12.8 L Diesel 500 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 70 in Flat Top Sleeper Cab, 11R22.5, Airliner Air Ride Suspension, 230 in Wheelbase, Dual Fuel Tanks Usage: Not Available	10013	<b>2005 Western Star 4900 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 5KJJAECK35PV25891 C/W: Detroit 6 Cylinder Diesel Engine, Eaton Fuller 18-Speed Manual Transmission, Air Ride Cab, 48 in Flat Top Sleeper Cab, Aluminum Wheels, 11R24.5, Airliner Air Ride Suspension, 220 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available
10008A	<b>2013 Freightliner Cascadia 125 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1FUJGLDR8DLBS1448 C/W: Detroit DD15 6 Cylinder 14.8 L Diesel Engine, Requires Diesel Exhaust Fluid, 27909 Engine hrs, Engine Brake, Eaton Fuller FRO-16210C 10-Speed Manual Transmission, 12500 lb Front Axle, 40000 lb Rears, Air Ride Cab, 70 in High Rise Sleeper Cab, Aluminum Outer Wheels, 295/75R22.5, Airliner Air Ride Suspension, 238 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: 869,777 Mi	10014	<b>2009 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1FUJA6CK99DAJ4255 C/W: Detroit Series 60 6 Cylinder 14.0 L 515 hp Engine, 2008 US EPA Label, Eaton Fuller FRO15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Meritor RT-40-145 Drive Axles, 3.90:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 58 in Flat Top Sleeper Cab, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Airliner Air Ride Suspension, 230 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel Usage: Not Available
10010	<b>2009 Peterbilt 365 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1XPSDU9X59D779954 C/W: Cat C13 6 Cylinder 12.5 L Diesel 470 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller 8LL Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 36 in Flat Top Sleeper Cab, 11R22.5, Air Trac Air Ride Suspension, 224 in Wheelbase, Headache Rack, Lowboy Ramps Usage: Not Available	10015	<b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b> S/N: 1FUJA6CK67LY67891 C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller FRO15210C 10-Speed Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, Dana DS404 Drive Axles, 3.70:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 48 in Mid Roof Sleeper Cab, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 209 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks Usage: Not Available



Lot #	Details	Lot #	Details
10016A	<p><b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1FUJA6CK37LX08763                      C/W: Detroit Series 60 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 34160 lb Rears, 46160 lb GVWR, Air Ride Cab, 70 in Mid Roof Sleeper Cab, Aluminum Wheels, 295 /75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Airliner Air Ride Suspension, 240 in Wheelbase, Air Sliding 5th Wheel, Lowboy Ramps, Dual Fuel Tanks                      Usage: Not Available</p>	10019A	<p><b>2003 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1FUJA6CV53LL96451                      C/W: Mercedes-Benz 6 Cylinder 12.8 L Diesel 435 hp Engine, 2003 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, Mid Roof Sleeper Cab, 11R24.5, Airliner Air Ride Suspension, 214 in Wheelbase, Dual Fuel Tanks                      Usage: 518,127 Mi</p>
10016	<p><b>2007 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1FUJA6CK37LX43626                      C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel Engine, 2006 US EPA Label, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 3.70:1 Axle Ratio, Air Ride Cab, 58 in Flat Top Sleeper Cab, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 219 in Wheelbase, PTO, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: Not Available</p>	10019	<p><b>2002 Peterbilt 378 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1XPFD9X82D573961                      C/W: Cat C15 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 38000 lb Rears, Spicer RSP40 Drive Axles, 3.70:1 Axle Ratio, 50000 lb GVWR, Air Ride Cab, 63 in Flat Top Sleeper Cab, Aluminum Front Wheels, 11R24.5, Air Leaf Air Ride Suspension, 240 in Wheelbase, PTO, Dual Fuel Tanks                      Usage: 84,976 Mi</p>
10017	<p><b>2006 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1FUJA6CKX6DW68948                      C/W: Detroit Series 60 6 Cylinder 14.0 L Diesel 455 hp Engine, 2005 US EPA Label, Engine Brake, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 3.70:1 Axle Ratio, 58 in Flat Top Sleeper Cab, Bunk Heater, 11R22.5, Airliner Air Ride Suspension, 217 in Wheelbase, PTO, Wet Kit, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: Not Available</p>	10020	<p><b>2013 Kenworth T660 Wide Hood 4x2 T/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1XKAA48X3DJ354822                      C/W: Cummins ISX15 6 Cylinder 14.9 L Diesel 400 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Automatic Transmission, Differential Lock, 12000 lb Front Axle, 22700 lb Rears, 34700 lb GVWR, 275 /80R22.5, Air Ride Suspension, 155 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: Not Available</p>
10018A	<p><b>2009 International Prostar 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 2HSCTAPR39C696350                      C/W: Cummins ISX 435ST 6 Cylinder 15.0 L Diesel 435 hp Engine, 2008 US EPA Label, Engine Brake, Eaton Fuller FR-15210B 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 2.64:1 Axle Ratio, 52000 lb GVWR, Air Ride Cab, 73 in High Rise Sleeper Cab, Aluminum Rear Wheels, 295/75R22.5 Front Tires, 445/50R22.5 Super Singles Rear Tires, Air Ride Suspension, 228 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: Not Available</p>	10021	<p><b>2007 Kenworth T800 4x2 S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 3WKDA48X37F171555                      C/W: Cummins 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 22700 lb Rears, 2.53:1 Axle Ratio, 34700 lb GVWR, 295 /75R22.5, 162 in Wheelbase                      Usage: Not Available</p>
10018	<p><b>2005 Freightliner Columbia 120 6x4 T/A Sleeper Truck Tractor (Inoperable)</b>                      S/N: 1FUJA6AV35LN45753                      C/W: Cat C15 6 Cylinder 15.2 L Diesel Engine, Engine Brake, Eaton Fuller Manual Transmission, Differential Lock, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 60 in High Rise Sleeper Cab, Bunk Beds, Aluminum Outer Wheels, 11R22.5, Air Ride Suspension, 260 in Wheelbase, Air Sliding 5th Wheel, Dual Fuel Tanks                      Usage: 572,941 Mi</p>	10022D	<p><b>2011 International Prostar 4x2 S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 1HSCRAPNXBJ363081                      C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 385 hp Engine, 2009 US EPA Label, 9566 Engine hrs, Eaton Fuller FRO-15210C 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 3.42:1 Axle Ratio, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks                      Usage: 449,177 Mi</p>
		10022C	<p><b>2009 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable)</b>                      S/N: 2HSCRAPN39C110919                      C/W: Cummins ISX 385ST 6 Cylinder 15.0 L Diesel 385 hp Engine, 2008 US EPA Label, 21217 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 20000 lb Rears, 32000 lb GVWR, Air Ride Cab, 295/75R22.5, Air Ride Suspension, 162 in Wheelbase, Dual Fuel Tanks                      Usage: 588,759 Mi</p>

Lot #	Details	Lot #	Details
10022B	<b>2009 International ProStar 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2HSCRAPNX9C110903 C/W: Cummins ISX 385ST 15.0 L Diesel 385 hp Engine, 2008 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Air Ride Cab, 3339 Engine hrs, 295/75R22.5, Air Ride Suspension, 160 in Wheelbase, Dual Fuel Tanks Usage: 1,119,907 Mi	10027A	<b>2012 Ford F-750 XL 4x2 Water Truck (Inoperable)</b> S/N: 3FRXF7FC8CV273855 C/W: Cummins ISB 6 Cylinder 6.7 L Diesel 240 hp Engine, 2012 US EPA Label, Requires Diesel Exhaust Fluid, Automatic Transmission, 12000 lb Front Axle, 21000 lb Rears, 33000 lb GVWR, 11R22.5, Spring Suspension, 156 in Wheelbase, PTO, Steel Tank, 6 ft 6 in, Spray Bar, Front Spray, Rear Spray, Side Spray Usage: Not Available
10022	<b>2007 Kenworth T300 4x2 S/A Day Cab Truck Tractor (Inoperable)</b> S/N: 2XKMAZ7X47M167338 C/W: Cummins ISC 6 Cylinder 8.3 L Diesel 300 hp Engine, 2006 US EPA Label, Eaton Fuller 9-Speed Manual Transmission, 295/75R22.5, Spring Suspension, 152 in Wheelbase Usage: 79,143 Mi	10027	<b>2013 International 7400 4000 gal 6x4 Water Truck (Inoperable)</b> S/N: 1HTWGAZT7DJ311856 C/W: International MaxxForce 6 Cylinder Diesel Engine, Eaton Fuller 8LL Manual Transmission, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, Air Ride Cab, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Spring Suspension, 208 in Wheelbase, PTO, 2012 Niece WT4000 4000 gal Steel Tank, Berkeley PTO Driven Pump, 8 ft 4 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Dribble Bar, Side Spray Usage: Not Available
10023	<b>2017 Autocar Xspotter 4x2 Spotter Truck (Inoperable)</b> S/N: 516G4GC19HH223046 C/W: 6 Cylinder 8.3 L CNG Engine, Automatic Transmission, 11R22.5, Air Ride Suspension, 117 in Wheelbase Usage: Not Available	10028B	<b>2013 International 4300 4x2 Water Truck (Inoperable)</b> S/N: 1HTMMAAM4DH104238 C/W: International MaxxForce DT 6 Cylinder Diesel Engine, 10697 Engine hrs, Automatic Transmission, 11R22.5, Spring Suspension, 152 in Wheelbase, PTO, 1954 Manufacturing Steel Tank, PTO Driven Pump, 7 ft 4 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 265,699 Mi
10024	<b>2016 International 7400 6x4 T/A Dump Truck (Inoperable)</b> S/N: 3HAWGSTT8GL209468 C/W: International 6 Cylinder Diesel Engine, Requires Diesel Exhaust Fluid, 5188 Engine hrs, Allison Automatic Transmission, 18000 lb Front Axle, 40000 lb Rears, 58000 lb GVWR, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Walking Beam Suspension, 194 in Wheelbase, PTO, Double Frame, Godwin 15 ft Long x 3 ft 8 in High Steel Body, Electric Roll Tarp, Tailgate Chute, Pintle Hitch Usage: 61,024 Mi	10028A	<b>2013 International 4300 4x2 Water Truck (Inoperable)</b> S/N: 1HTMMAAM0DH116676 C/W: International MaxxForce DT 6 Cylinder Diesel Engine, 9362 Engine hrs, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 150 in Wheelbase, PTO, 1954 Manufacturing Steel Tank, 7 ft 6 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: 256,965 Mi
10025	<b>2000 Volvo VNL 6x4 T/A Dump Truck (Inoperable)</b> S/N: 4V4N22UF0YN251064 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 330 hp Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, Air Ride Cab, 11R22.5 Front Tires, 295/75R22.5 Rear Tires, Spring Suspension, 206 in Wheelbase, PTO, 15 ft Long x 0 ft 40 in High Steel Body, Manual Roll Tarp Usage: Not Available	10028	<b>2013 International 4300 4x2 Water Truck (Inoperable)</b> S/N: 1HTMMAAM4DH116681 C/W: 6 Cylinder 7.6 L Diesel Engine, Automatic Transmission, 10000 lb Front Axle, 17500 lb Rears, 25999 lb GVWR, 11R22.5, Spring Suspension, 154 in Wheelbase, PTO, Steel Tank, PTO Driven Pump, 7 ft 6 in, Spray Bar, Hose Reel, Front Spray, Rear Spray, Side Spray Usage: Not Available
10026	<b>2000 GMC C7500 6x4 T/A Dump Truck (Inoperable)</b> S/N: 1GDT7H4C1YJ523475 C/W: Cat 3126 6 Cylinder 7.2 L Diesel 250 hp Engine, 2000 US EPA Label, 15183 Engine hrs, 12350 lb Front Axle, 40000 lb Rears, 52350 lb GVWR, 11R22.5, Hendrickson RT/RTE Series Spring Suspension, 194 in Wheelbase, Double Frame, Davis 15 ft Long x 0 ft 48 in High Steel Body, Manual Roll Tarp Usage: 100,311 Mi		

Lot #	Details	Lot #	Details
10030	<p><b>2012 Fruitland 500LUFH on 2007 International 8600 6x4 Vacuum Tanker Truck (Inoperable)</b> S/N: 1HSHXHR07J481287 C/W: Cummins ISM 6 Cylinder Diesel Engine, Engine Brake, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, Air Ride Cab, 11R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 211 in Wheelbase, PTO, Steel 3000 gal Debris Tank, Hydraulic Lift Tailgate, Manual Tailgate Locks, Roper Hydraulic Driven Pump Usage: Not Available</p>	10035	<p><b>Vac-Con on 2009 International 7400 4x2 Hydro-Excavation Truck (Inoperable)</b> S/N: 1HTWDAZR89J115512 C/W: 6 Cylinder Diesel Engine, Automatic Transmission, 20000 lb Front Axle, 23000 lb Rears, 43000 lb GVWR, Air Ride Cab, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Spring Suspension, 244 in Wheelbase, Double Frame, Steel Debris Tank, Hoist, Fresh Water Tank, Full Open Tailgate, Hydraulic Tailgate Locks, Telescopic Boom, 8 in Suction Hose, Bean Triplex Pump w/ Cummins 4 Cylinder Engine Usage: Not Available</p>
10031	<p><b>2007 Global on 2001 International 8100 6x4 Vacuum Tanker Truck (Inoperable)</b> S/N: 1HSHCAHR01H395617 C/W: Cummins 6 Cylinder Diesel Engine, Eaton Fuller 10-Speed Manual Transmission, 12000 lb Front Axle, 40000 lb Rears, 52000 lb GVWR, 295/75R22.5 Front Tires, 11R22.5 Rear Tires, Air Ride Suspension, 214 in Wheelbase, PTO, Steel 3000 gal Debris Tank, Hoist, Full Open Tailgate, Manual Tailgate Locks, Fruitland PTO Driven Pump Usage: 12,392 Mi</p>	10036	<p><b>Vactor 2115/18 on 2008 Sterling L9500 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 2FZHAZDE78AAB2450 C/W: Cat C13 6 Cylinder Diesel Engine, 2008 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, 20000 lb Front Axle, 46000 lb Rears, 66000 lb GVWR, Air Ride Cab, 425 /65R22.5 Front Tires, 11R22.5 Rear Tires, Dual Steering Boxes, Hendrickson RT/RTE Series Spring Suspension, 258 in Wheelbase, Double Frame, Steel Debris Tank, Hoist, Front Hose Reel, Fresh Water Tank, Hydraulic Lift Tailgate, Hydraulic Tailgate Locks, Telescopic Boom, 8 in Suction Hose, Roots 1024 Blower Usage: Not Available</p>
10033	<p><b>Tornado F4W on 2009 Kenworth T800 8x6 Hydro-Excavation Truck (Inoperable)</b> S/N: 1NKDX4EX29R940186 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 485 hp Engine, 2007 US EPA Label, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-16918B 18-Speed Manual Transmission, Triple Differential Locks, 19698 lb Front Axle, 52965 lb Rears, T69-170HP Drive Axles, 4.30:1 Axle Ratio, 72670 lb GVWR, Air Ride Cab, Aluminum Wheels, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 290 in Wheelbase, Double Frame, Steel 2625 gal Debris Tank, 2366 gal Fresh Water Tank, Telescopic Boom, 8 in Suction Hose, Pratisoli Hydraulic Driven Pump, Roots 721-Dry-Vacuum Blower, Water Blast WB9450W Boiler Usage: Not Available</p>	10038	<p><b>2007 Freightliner M2 106 6x4 Vacuum Excavator Truck (Inoperable)</b> S/N: 1FVHCYDC87HX47293 C/W: 6 Cylinder Diesel Engine, 21791.5 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 16000 lb Front Axle, 40000 lb Rears, 56000 lb GVWR, 315 /80R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 235 in Wheelbase, PTO, Double Frame, Wittig Blower Usage: 96,029 Mi</p>
10034	<p><b>2008 Tornado F4W on 2009 Kenworth T800 8x6 Hydro-Excavation Truck (Inoperable)</b> S/N: 1NKDX4EX59R938982 C/W: Cummins ISX 6 Cylinder 15.0 L Diesel 485 hp Engine, 2008 US EPA Label, Positive Air Shutoff, Engine Brake, Eaton Fuller RTLO-18918B 18-Speed Manual Transmission, Triple Differential Locks, 20000 lb Front Axle, 52962 lb Rears, T69-170HP Drive Axles, 4.30:1 Axle Ratio, 72963 lb GVWR, Air Ride Cab, Aluminum Wheels, 445/65R22.5 Front Tires, 11R24.5 Rear Tires, Dual Steering Boxes, Neway Air Ride Suspension, 295 in Wheelbase, Double Frame, Steel 2625 gal Debris Tank, 2366 gal Fresh Water Tank, Hydraulic Lift Tailgate, Telescopic Boom, 8 in Suction Hose, Cat Hydraulic Driven Pump, Roots Blower, Easy Kleen Boiler Usage: 330,580 Mi</p>	10041	<p><b>2018 Gardner Denver Wittig S56033 on 2005 Freightliner M2 106 6x4 Vacuum Tanker Truck (Inoperable)</b> S/N: 1FVHCYDC25HV11154 C/W: Cat C7 6 Cylinder Diesel Engine, 2005 US EPA Label, Eaton Fuller FR-9210B Manual Transmission, 18000 lb Front Axle, 40000 lb Rears, Air Ride Cab, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, Rubber Suspension, 209 in Wheelbase, PTO, Steel 3030 gal Debris Tank, Hydraulic Lift Tailgate, Gardner Denver Hydraulic Driven Pump Usage: Not Available</p>
		10042B	<p><b>2004 Kenworth W900 6x4 Mixer Truck (Inoperable)</b> S/N: 1NKWLOEX34J055533 C/W: Cummins ISM 330 10.8 L Diesel 330 hp Engine, 2003 US EPA Label, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 58000 lb Rears, 5.38:1 Axle Ratio, 78000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Trailing Tag Axle, Dual Steering Boxes, Hendrickson Haulmaax Suspension, 250 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: 144,153 Mi</p>

Lot #	Details	Lot #	Details
10042A	<b>2015 Mack GU813 8x4 Mixer Truck (Inoperable)</b> S/N: 1M2AX13C5FM030748 C/W: Mack MP7-365M 10.8 L Diesel 365 hp Engine, 2014 US EPA Label, Requires Diesel Exhaust Fluid, Engine Brake, Allison Automatic Transmission, 20000 lb Front Axle, 56000 lb Rears, 66000 lb GVWR, Air Ride Cab, Aluminum Front Wheels, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Steerable Air Lift Pusher Axle, Dual Steering Boxes, Camelback Suspension, 252 in Wheelbase, Double Frame Usage: Not Available	10047A	<b>2011 Nissan Murano SUV (Inoperable)</b> S/N: JN8AZ1MU1BW057292 C/W: V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 182,268 Hr
10042	<b>2004 Keith Huber on 2004 Sterling L7500 6x4 Vacuum Tanker Truck (Inoperable)</b> S/N: 2FZHATDC44AN18714 C/W: Cat C7 6 Cylinder 7.2 L Diesel Engine, 15703 Engine hrs, Eaton Fuller 10-Speed Manual Transmission, 315/80R22.5 Front Tires, 11R22.5 Rear Tires, TufTrac Spring Suspension, 210 in Wheelbase, PTO, Double Frame, Steel 3030 gal Debris Tank, Hydraulic Lift Tailgate, Manual Tailgate Locks, Wittig Hydraulic Driven Pump Usage: 40,705 Hr	10047	<b>1999 Volvo WG 6x4 Mixer Truck (Inoperable)</b> S/N: 4VHJCCHE4XN866068 C/W: 6 Cylinder 7.3 L Diesel 300 hp Engine, 1998 US EPA Label, Eaton Fuller 8LL Manual Transmission, 20000 lb Front Axle, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 216 in Wheelbase, Double Frame, McNeilus 10.5 cyd Mixer Unit Usage: Not Available
10043	<b>2000 Volvo WG 6x4 Mixer Truck (Inoperable)</b> S/N: 4V5JC2UF4YN868751 C/W: Cummins ISM 6 Cylinder 10.8 L Diesel 330 hp Engine, 2000 US EPA Label, Eaton Fuller 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 228 in Wheelbase, PTO, TMMB 10.5 cyd Mixer Unit Usage: Not Available	10048C	<b>2008 Subaru WRX Automobile (Inoperable)</b> S/N: JF1GE74608G508257 C/W: 4 cyl 2.5 L Gasoline Engine, 2008 US EPA Label, 5 Speed Manual Transmission, Air Conditioner, Power Windows, Power Locks Usage: 136,519 Mi
10044	<b>1999 Volvo WG 6x4 Mixer Truck (Inoperable)</b> S/N: 4VHJCCPF5XN867207 C/W: Cummins M11 6 Cylinder 11.0 L Diesel 335 hp Engine, 1998 US EPA Label, Eaton Fuller 10-Speed Manual Transmission, Differential Lock, 20000 lb Front Axle, 11R22.5, Spring Suspension, 228 in Wheelbase, PTO, CBMW 10.5 cyd Mixer Unit Usage: Not Available	10048B	<b>2014 Nissan Sentra Automobile (Inoperable)</b> S/N: 3N1AB7AP3EY249069 C/W: 4 cyl 1.8 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 127,145 Mi
10045	<b>1999 Volvo WG 6x4 Mixer Truck (Inoperable)</b> S/N: 4VHJCCHE0XN866066 C/W: 6 Cylinder Diesel Engine, Eaton Fuller 8LL Manual Transmission, Differential Lock, 20000 lb Front Axle, 425/65R22.5 Front Tires, 11R22.5 Rear Tires, Spring Suspension, 228 in Wheelbase, PTO, McNeilus 10.5 cyd Mixer Unit Usage: Not Available	10048A	<b>2014 Ford Focus SE Automobile (Inoperable)</b> S/N: 1FADP3K29EL322368 C/W: 4 cyl 2.0 L Gasoline Engine, 2014 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 127,785 Mi
10046	<b>1999 Volvo WG 6x4 Mixer Truck (Inoperable)</b> S/N: 4VHJCCHE9XN866065 C/W: 6 Cylinder Diesel Engine, Differential Lock, 20000 lb Front Axle, 385/65R22.5 Front Tires, 11R22.5 Rear Tires, Rubber Suspension, 228 in Wheelbase, McNeilus 10.5 cyd Mixer Unit Usage: Not Available	10049	<b>2003 Infiniti I35 Automobile (Inoperable)</b> S/N: JNKDA31A53T114231 C/W: V6 3.5 L Gasoline Engine, 2003 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 176,798 Mi
10047B	<b>2010 Kia Forte Automobile (Inoperable)</b> S/N: KNAFU4A24A5055297 C/W: 4 cyl 2.5 L Gasoline Engine, 2010 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Power Locks Usage: 119,710 Mi	10050	<b>2006 Ford F-350 XL 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FTWW30P76EB04956 C/W: V8 Diesel Engine, Automatic Transmission, Headache Rack, Spray-On Bed Liner, 275/65R18 Tires, 8 ft Bed Usage: Not Available
		10053A	<b>2015 Ford F-250 XL 4x4 Extended Cab Pickup (Inoperable)</b> S/N: 1FT7X2B63FEC34426 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 245/75R17 Tires, 8 ft Bed Usage: 169,629 Mi
		10053	<b>2015 Ford F-250 XL 4x4 Crew Cab Pickup (Inoperable)</b> S/N: 1FT7W2B67FEC57453 C/W: 6.2 L V8 Gasoline Engine, 2015 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 265/70R17 Tires, 8 ft Bed Usage: 183,724 Mi

Lot #	Details	Lot #	Details
10054	<b>2008 Ford F-250 XL 4x2 Regular Cab Pickup (Inoperable)</b> S/N: 1FTNF20578ED88984 C/W: 5.4 L V8 Gasoline Engine, 2008 US EPA Label, Automatic Transmission, Air Conditioner, 265/70R17 Tires, 8 ft Bed Usage: Not Available	10061B	<b>2012 Fontaine 48 ft T/A Extendable Flatbed Trailer (Inoperable)</b> S/N: 13N4482C2C3552965 C/W: Spring Suspension, 94 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
10055	<b>2018 GMC 1500 4x2 Regular Cab Pickup (Inoperable)</b> S/N: 1GTN1LEH0JZ213045 C/W: 4.3 L Engine, US EPA Label, Automatic Transmission, Spray-On Bed Liner, 255/70R17 Tires, 6 ft 6 in Bed Usage: Not Available	10061A	<b>2011 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer (Inoperable)</b> S/N: 1UYVS2481BU227707 C/W: 65000 lb GVWR, Air Ride Suspension, Sliding Tandems, Lift Gate, Ducted Floor, 2010 Thermo King SB-210+ Refrigeration Unit, Shore Power 9315 Engine Run Hours, 11R22.5 Tires Usage: 9,315 Hr
10056	<b>2012 Dodge Ram 1500 4x2 Extended Cab Pickup (Inoperable)</b> S/N: 1C6RD6FK6CS200128 C/W: 3.7 L V6 Gasoline Engine, 2012 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, 265/70R17 Tires, 6 ft 4 in Bed Usage: 244,192 Mi	10061	<b>2011 Utility VS2RA 48 ft x 102 in T/A Refrigerated Trailer (Inoperable)</b> S/N: 1UYVS248XBU227706 C/W: 65000 lb GVWR, Air Ride Suspension, Air Brakes, Sliding Tandems, Lift Gate, Thermo King SB-210+ Refrigeration Unit, 295/75R22.5 Tires Usage: Not Available
10057	<b>2011 Ford F-150 XLT 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FTFW1CT4BFA85140 C/W: 3.5 L V6 Gasoline Engine, 2011 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Adjustable Pedals, Power Windows, Drop-In Bed Liner, 275/70R18 Tires, 5 ft 6 in Bed Usage: 242,161 Mi	10062A	<b>2006 Transcraft 47 ft T/A Flatbed Trailer (Inoperable)</b> S/N: 1TTTF4820X62016024 C/W: 80000 lb GVWR, Spring Suspension, Sliding Tandems, 98 in Deck Width, Wood Flooring, 295/75R22.5 Tires Usage: Not Available
10058	<b>2008 Ford F-150 XL 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1FTRW12W38FB86607 C/W: V8 Gasoline Engine, Automatic Transmission, Air Conditioner, Power Windows, 245/75R17 Tires, 6 ft 6 in Bed Usage: Not Available	10063	<b>1997 CPS TSV 45 42 ft T/A Live Bottom Trailer (Inoperable)</b> S/N: 4Z4515626VP000527 C/W: 80000 lb GVWR, Air Ride Suspension, 11R22.5 Tires Usage: Not Available
10059	<b>2002 Dodge Ram 1500 4x2 Crew Cab Pickup (Inoperable)</b> S/N: 1D7HA18ZX2J133263 C/W: 5.9 L V8 Gasoline Engine, 2002 US EPA Label, Automatic Transmission, Air Conditioner, Power Driver's Seat, Power Windows, 275/55R20 Tires, 6 ft 4 in Bed Usage: Not Available	10064	<b>1962 Lubbock 11600 gal Propane Tanker Trailer (Inoperable)</b> S/N: 53138 C/W: Spring Suspension, Steel Tank, Hydraulic Powered Pump, 285/75R24.5 Tires Usage: Not Available
10060A	<b>2007 Great Dane 7441-SSLW 28 ft x 102 in S/A Van Trailer (Inoperable)</b> S/N: 1GRAA561X7K289889 C/W: 34000 lb GVWR, Spring Suspension, Air Brakes, 295/75R22.5 Tires Usage: Not Available	10067	<b>2012 Truax RR-1210 Tow Behind Seeder (Inoperable)</b> S/N: 0143 Usage: Not Available
10060	<b>2001 Dodge Ram 1500 4x4 Regular Cab Pickup (Inoperable)</b> S/N: 1B7HF16Y31S153367 C/W: 5.2 L V8 Gasoline Engine, 2001 US EPA Label, Automatic Transmission, Air Conditioner, Power Windows, Spray-On Bed Liner, 35x12.50R20 Tires, 6 ft 6 in Bed Usage: 129,232 Mi	10068	<b>2014 Terex RL-4 Light Tower (Inoperable)</b> S/N: RL4149173 C/W: Tier 4, 2013 US EPA Label, Kubota D1105 3 Cylinder 12.6 kW 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 13,124 Hr
		10071	<b>2019 Magnum Pro MLT6SM 6 kW Light Tower (Inoperable)</b> S/N: 3004280988 C/W: 2018 US EPA Label, Mitsubishi L3E 3 Cylinder 8.5 kW 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 3,441 Hr

Lot #	Details	Lot #	Details
10073	<b>2017 Magnum MLT6 6 kW Light Tower (Inoperable)</b> S/N: 001455933 C/W: 2015 US EPA Label, Kubota D1005 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 4,714 Hr	10081A	<b>Kubota ZG1275S-54 Zero-Turn Lawn Mower (Inoperable)</b> S/N: 14313 C/W: Hydrostatic Drive, 2013 US EPA Label, 22X10-12 Rear Tires, 54 in Mower Usage: 249 Hr
10074	<b>2010 Magnum MLT3060M 6 kW Light Tower (Inoperable)</b> S/N: 1000607 C/W: Mitsubishi 3 Cylinder Diesel Engine Usage: 6,635 Hr	10081	<b>2014 Kubota ZTR ZG23-54 Zero-Turn Lawn Mower (Inoperable)</b> S/N: 10512 C/W: 54 in Mower Usage: 557 Hr
10075	<b>2014 Terex RL-4 6 kW Light Tower (Inoperable)</b> S/N: RL4149166 C/W: 2013 US EPA Label, Kubota D1105 3 Cylinder 1.1 L Diesel Engine, Single Lamp, Power Receptacles, S/A Trailer, Ball Hitch Usage: 15,474 Hr	10082	<b>2012 Bad Boy ZTR Magnum Zero-Turn Lawn Mower (Inoperable)</b> S/N: BBZ5027K002111046 C/W: 50 in Mower Usage: Not Available
10076	<b>2014 Terex RL-4 6 kW Light Tower (Inoperable)</b> S/N: RL41411940 C/W: 2014 US EPA Label, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 12,468 Hr	10083	<b>Dixie Chopper Zero-Turn Lawn Mower (Inoperable)</b> S/N: 5676 C/W: Hydrostatic Drive, 25x12.50-9 Rear Tires, 60 in Mower Usage: 1,410 Hr
10077	<b>2014 Terex RL-4 Light Tower (Inoperable)</b> S/N: RL41411928 C/W: Tier 4, 2014 US EPA Label, Kubota D1105 3 Cylinder 12.8 kW 1.1 L Diesel Engine, 4 Lamps, S/A Trailer, Ball Hitch Usage: 7,612 Hr	10084	<b>Husqvarna Ride-On Lawn Mower (Inoperable)</b> S/N: 062205C003916 C/W: 42 in Mower Usage: Not Available
10078	<b>2013 Terex RL-4 6 kW Light Tower (Inoperable)</b> S/N: RL4138731 C/W: 2013 US EPA Label, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer Usage: 14,343 Hr	10085	<b>International Cub Cadet 86 Ride-On Lawn Mower (Inoperable)</b> S/N: 2050042U475200 C/W: 16 x 6.50 x 8 Front Tires, 23 x 8.50 x 12 Rear Tires, 48 in Mower Usage: Not Available
10079	<b>2013 Terex RL-4 6 kW Light Tower (Inoperable)</b> S/N: RL4138673 C/W: 2013 US EPA Label, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, Power Receptacles, S/A Trailer, Ball Hitch Usage: 16,625 Hr	10086B	<b>Cub Cadet LTX 1040 Ride-On Lawn Mower (Inoperable)</b> S/N: 1A254H60047 C/W: Enclosed Cab, Hydrostatic Drive, 2013 US EPA Label, 15x6.00-6 Front Tires, 20x8.00-8 Rear Tires Usage: Not Available
10080B	<b>2015 Wacker Neuson LTN-6 6 kW Light Tower (Inoperable)</b> S/N: 5XFLN0512FN005305 C/W: Tier 4, 2015 US EPA Label, Kubota D1005-BG-EFO2 3 Cylinder 1.0 L Diesel Engine, 4 Lamps, Power Receptacles, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 9,257 Hr	10086A	<b>Cub Cadet LT1045 Ride-On Lawn Mower (Inoperable)</b> S/N: 1K276H20296 C/W: Hydrostatic Drive, 15x6.00-6 Front Tires, 20x10.00-8 Rear Tires, 45 in Mower Usage: Not Available
10080A	<b>2015 Wacker Neuson LTN6K-VS Light Tower (Inoperable)</b> S/N: 5XFLN0512FN005319 C/W: Kubota 3 Cylinder Diesel Engine, 4 Lamps, Hydraulic Raise and Lower, S/A Trailer, Ball Hitch Usage: 1,489 Hr	10086	<b>Hustler Raptor Zero-Turn Lawn Mower (Inoperable)</b> S/N: 17110938 C/W: Canopy, Hydrostatic Drive, 42 in Double Mower Usage: Not Available
10080	<b>2013 Terex RL-4 6 kW Light Tower (Inoperable)</b> S/N: RL4138734 C/W: 2013 US EPA Label, Kubota D1005 3 Cylinder 1.1 L Diesel Engine, 4 Lamps, Power Receptacles, S/A Trailer, Ball Hitch Usage: 13,317 Hr	10087	<b>2005 Club Car Golf Cart (Inoperable)</b> S/N: AG0525513286 C/W: 2 Passenger, Canopy, 1 Cylinder Gasoline Engine Usage: Not Available

Lot #	Details	Lot #	Details
10088	<b>2016 Cushman SHTL 4XG Golf Cart (Inoperable)</b> S/N: EZGBP0FAAG3174650 C/W: Gas Engine, 4 Passenger, Canopy, 1 Cylinder Gasoline Engine Usage: 176 Hr	10097A	<b>Kawasaki Utility Cart (Inoperable)</b> S/N: JK1AFCE116B542205 C/W: Open Operator Station, 2 Passenger, Rear Screen, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,122 Hr
10089	<b>E-Z-Go Express S4G Golf Cart (Inoperable)</b> S/N: 3158194 C/W: Gas Engine, 4 Passenger, Canopy, 1 Cylinder Gasoline Engine Usage: 218 Hr	10097	<b>2003 Kawasaki KAF620E Utility Cart (Inoperable)</b> S/N: JK1AFCE123B527885 C/W: Canopy, 2 Passenger, Rear Screen, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 2,588 Hr
10090A	<b>Rolligon 4460 4x4 Swamp Buggy Utility Vehicle (Inoperable)</b> S/N: Not Available C/W: Open Operator Station, Diesel Engine Usage: Not Available	10098A	<b>2018 Club Car Carryall 1700 Utility Cart (Inoperable)</b> S/N: SD1833895552 C/W: Canopy, 4 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 307 Hr
10090	<b>2016 E-Z-Go Express S4G Golf Cart (Inoperable)</b> S/N: EZGBP0CALG3166604 C/W: Gas Engine, 4 Passenger, Canopy, Windshield, 2019 US EPA Label, Kawasaki 1 Cylinder Gasoline Engine Usage: Not Available	10098	<b>2019 Club Car Carryall 1700 4x4 Utility Vehicle (Inoperable)</b> S/N: SD2002039679 C/W: Canopy, 4 Passenger, Diesel Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 490 Hr
10091	<b>2014 Kubota RTV1140CPX Utility Cart (Inoperable)</b> S/N: A5KD1HDALEG034151 C/W: Canopy, 4 Passenger, Manual Dump Bed Usage: 1,915 Hr	10099	<b>1997 Cushman Police Utility Cart (Inoperable)</b> S/N: 97020325 C/W: Enclosed Cab, Windshield, Gasoline Engine Usage: 363 Hr
10093	<b>2001 Kubota RTV 900 4x4 Utility Vehicle (Inoperable)</b> S/N: 91702 C/W: Canopy, 2 Passenger, Windshield, Diesel Engine, Manual Dump Bed Usage: 3,565 Hr	10101	<b>2021 Tracker 300 4x2 ATV (Inoperable)</b> S/N: RFB21ATV1MK6Z0907 C/W: Electric Start, 2 Forward Gears w/ Reverse, 2021 US EPA Label, 1 Cylinder 271 cc Gasoline Engine Usage: 175 Mi
10094A	<b>2018 Polaris Ranger 4x2 Utility Vehicle (Inoperable)</b> S/N: 3NSRM2503JE360824 C/W: Open Operator Station, 2 Passenger, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: Not Available	10102	<b>2021 Tracker 300 4x2 ATV (Inoperable)</b> S/N: RFB21ATV4MK6Z0853 C/W: Electric Start, 2 Forward Gears w/ Reverse, 2021 US EPA Label, 1 Cylinder 271 cc Gasoline Engine Usage: 293 Mi
10095	<b>2017 Kawasaki KAF620 Utility Cart (Inoperable)</b> S/N: JK1AFCR18HB530694 C/W: Canopy, 4 Passenger, Rear Screen, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 1,159 Hr	10103	<b>2003 Wanco WRLMBSLL2 Solar Message Board (Inoperable)</b> S/N: 5F12S151631001449 C/W: S/A Trailer, Ball Hitch Usage: Not Available
10096	<b>2013 Kawasaki KAF620P Utility Cart (Inoperable)</b> S/N: JK1AFCP19DB503324 C/W: Canopy, 2 Passenger, Rear Screen, Gasoline Engine, Brush Guard, Hitch Receiver, Manual Dump Bed Usage: 3,265 Hr	10104	<b>Allmand Eclipse AB Solar Arrow Board (Inoperable)</b> S/N: 0153AB14 C/W: Solar Powered, S/A Trailer, Ball Hitch Usage: Not Available
10097B	<b>2005 Yamaha Rhino 660 4x4 Utility Vehicle (Inoperable)</b> S/N: 5Y4AM06Y05A004631 C/W: Canopy, 2 Passenger, Gasoline Engine, Manual Dump Bed Usage: Not Available	10105	<b>Red-D-Arc D550K 600 A Skid-Mounted Multi-Process Engine Driven Welder (Inoperable)</b> S/N: ME210122 C/W: Kubota 4 Cylinder Diesel Engine Usage: Not Available

Lot #	Details	Lot #	Details
10106A	<b>2012 Miller Big Blue 400 400 A Mobile Engine Driven Welder (Inoperable)</b> S/N: MC440091E C/W: Deutz 3 Cylinder Diesel Engine, Welding Leads Not Included, S/A Trailer, Ball Hitch Usage: Not Available	10115	<b>Quantity of (2) Miller Skid-Mounted Stick Engine Driven Welder (Inoperable)</b> S/N: Not Available C/W: Welding Leads Not Included, Bobcat 225, Bobcat 250 Usage: Not Available
10106	<b>2016 Lincoln Vantage 500 500 A Mobile Engine Driven Welder (Inoperable)</b> S/N: U1161201185 C/W: Perkins 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 3,053 Hr	10116	<b>ESAB Warrior 500i 500 A TIG Electric Welder (Inoperable)</b> S/N: 3394171680 C/W: Warrior Feed 304 Wire Feeder Usage: Not Available
10107	<b>2007 Miller Big Blue 400D 450 A Skid-Mounted Multi-Process Engine Driven Welder (Inoperable)</b> S/N: LH023608 C/W: Deutz Diesel Engine Usage: 3,020 Hr	10117	<b>2006 Generac 6312880200 60 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 2088144 C/W: 2006 US EPA Label, John Deere 5030HF 5 Cylinder 70 kW 3.0 L Diesel Engine, 60 kVA, /60 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank Usage: 552 Hr
10108	<b>2006 Miller Trailblazer 302 302 A Multi-Process Engine Driven Welder (Inoperable)</b> S/N: LG098609 C/W: 2006 US EPA Label, Kohler 6KHXS. 7252GC 1 Cylinder 674 cc Gasoline Engine, Welding Leads Not Included Usage: Not Available	10118	<b>2018 Doosan G25 25 kW Generator Set (Inoperable)</b> S/N: 488129UHACG06 C/W: 4 Cylinder Diesel Engine, /25 kW Rated 3 Phase Output, 240 V & 120 V Receptacles, S/A Trailer, Ball Hitch Usage: Not Available
10109	<b>2011 Miller Bobcat 250 Engine Driven Welder (Inoperable)</b> S/N: MB44024H C/W: Kohler 2 Cylinder Gasoline Engine Usage: Not Available	10119	<b>2000 Olympian D150P1 150 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: F6156A002 C/W: Perkins 6 Cylinder Diesel Engine, 277 V / 480 V Rated Voltage, Bottom Mounted Fuel Tank Usage: 11,984 Hr
10110	<b>1990 Miller Dialarc 250 AC/DC 250 A Skid-Mounted Stick Electric Welder (Inoperable)</b> S/N: KA738801 C/W: Single Phase 230 V Required, Welding Leads Not Included Usage: Not Available	10120	<b>2006 Atlas Copco XAHS836 900 cfm Mobile Air Compressor (Inoperable)</b> S/N: YA306269960567922 C/W: Cat C9 DI 6 Cylinder 300 hp Diesel Engine, T/A Trailer, Lunette Ring, Surge Brakes Usage: Not Available
10111	<b>2000 Miller Bobcat 225 Engine Driven Welder (Inoperable)</b> S/N: LA261791 C/W: Kohler 2 Cylinder Gasoline Engine Usage: Not Available	10121	<b>Cat 155 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 45BS873 C/W: Cat 3306 6 Cylinder 250 hp Diesel Engine, /155 kW Rated 3 Phase Output, 208 V / 416 V Rated Voltage Usage: Not Available
10112	<b>Miller Trailblazer 44D 300 A Engine Driven Welder (Inoperable)</b> S/N: JJ335464 C/W: Continental TMD27 4 Cylinder Engine Usage: 29 Hr	10122	<b>Shindaiwa DGK150D 150 kVA Mobile Generator Set (Inoperable)</b> S/N: 509800000057 C/W: 2007 US EPA Label, Isuzu BH-6HK1X 6 Cylinder 240 hp Diesel Engine, 150 kVA/ Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 86.6 kVA, / Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank, T/A Trailer, Lunette Ring, Surge Brakes Usage: 2,457 Hr
10113	<b>Miller Trailblazer 44D 300 A Engine Driven Welder (Inoperable)</b> S/N: KF816101 C/W: Diesel Engine Usage: 1,023 Hr		
10114	<b>Quantity of (3) Miller Electric Welder (Inoperable)</b> S/N: Not Available C/W: 3 Phase 230 V Required, Welding Leads Not Included, (2) XMT350, (1) CST280 Usage: Not Available		



Lot #	Details	Lot #	Details
10123	<b>Cat 3306 135 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 45BH1126 C/W: 6 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage Usage: Not Available	10129	<b>Multiquip DCA-45SSKU 36 kW Mobile Generator Set (Inoperable)</b> S/N: 9200123 C/W: Tier 3, 2011 US EPA Label, Kubota V3800-DI-T-BG-ET01e 4 Cylinder 56.7 kW 3.8 L Diesel Engine, 45 kVA/36 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, 26 kVA,/26 kW, Rated Single Phase Output, 240 V 120 V Rated Voltage, 240 V & 120 V Receptacles, Sound Attenuated, Bottom Mounted Fuel Tank, T/A Trailer, Ball Hitch, Surge Brakes Usage: 9,432 Hr
10124	<b>Generator Set (Inoperable)</b> S/N: Not Available C/W: Isuzu 6 Cylinder Diesel Engine Usage: 5,510 Hr	10130C	<b>Quantity of (6) Generator Set (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, (1) A-iPower SUA7000, (4) Generac, (1) Honda EB5000 Usage: Not Available
10125	<b>Cat Skid-Mounted Generator Set (Inoperable)</b> S/N: 5DA00881 C/W: Cat 6 Cylinder Diesel Engine, 240 V / 480 V Rated Voltage Usage: Not Available	10130A	<b>Quantity of (4) Generac GP6500 Generator Set (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
10126B	<b>MQ DCA-25SSIU2 14 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 7108842 C/W: 2006 US EPA Label, Isuzu AA-4LES 4 Cylinder 31.5 hp 2.2 L Diesel Engine, 25 kVA/ Rated 3 Phase Output, /14.4 kW, Rated Single Phase Output, 240 V & 120 V Receptacles, Sound Attenuated Usage: 22,184 Hr	10130	<b>Generac XC6500 6.5 kW Generator Set (Inoperable)</b> S/N: Not Available C/W: Generac Gforce 1 Cylinder 427 cc Gasoline Engine, /6.5 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: 377 Hr
10126A	<b>Generac MMG025IF4-02 23 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 3004286906 C/W: 2018 US EPA Label, Isuzu BZ-4LET2 4 Cylinder 30 kW 2.2 L Diesel Engine, 29 kVA/23 kW Rated 3 Phase Output, 208 V / 480 V Rated Voltage, 22 kVA,/22 kW, Rated Single Phase Output, 240 V Rated Voltage, 240 V & 120 V Receptacles Usage: Not Available	10131	<b>Honda 5.0 kW Generator Set (Inoperable)</b> S/N: Not Available C/W: 2009 US EPA Label, Honda 1 Cylinder Gasoline Engine, /5.0 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Honda WB20X 2 in. pump Usage: Not Available
10126	<b>Marathon 363CSL1607 99 kW Skid-Mounted Generator Set (Inoperable)</b> S/N: 7406580117 C/W: 2016 US EPA Label, John Deere 4045FA 4 Cylinder 121 kW 4.5 L Diesel Engine, 124 kVA /99 kW Rated 3 Phase Output, 480 V Rated Voltage Usage: Not Available	10132	<b>2005 Ingersoll-Rand 915 Air Compressor (Inoperable)</b> S/N: 358142FPB24 C/W: Air Dryer, Cummins 6 Cylinder 300 hp 8.8 L Diesel Engine Usage: Not Available
10127	<b>Deutz F4L 2011 F Engine (Inoperable)</b> S/N: Not Available C/W: 4 Cylinder 89 hp Diesel Engine Usage: Not Available	10133	<b>2010 Sullair 750DTQ 750 cfm Mobile Air Compressor (Inoperable)</b> S/N: 004107972 C/W: 6 Cylinder Diesel Engine, T/A Trailer, Lunette Ring Usage: 1,717 Hr
10128	<b>2017 Multiquip DCA45SSIU4F 36 kW Generator Set (Inoperable)</b> S/N: 7252005 C/W: 2017 US EPA Label, Isuzu BP-4LE2X 4 Cylinder Diesel Engine, /36 kW Rated 3 Phase Output, 240 V / 480 V Rated Voltage, /26 kW, Rated Single Phase Output, 120 V 240 V Rated Voltage, 240 V & 120 V Receptacles, Bottom Mounted Fuel Tank Usage: 6,607 Hr	10134A	<b>2016 Atlas Copco XAS185CDPET4 Mobile Air Compressor (Inoperable)</b> S/N: HOP051811 C/W: Cat C2.2 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,443 Hr
		10134	<b>2013 Doosan P425HP375WCU Mobile Air Compressor (Inoperable)</b> S/N: 4FVCCBBA9DU449555 C/W: S/A Trailer, Ball Hitch, Electric Brakes Usage: Not Available

Lot #	Details	Lot #	Details
10135A	<b>2015 Sullair 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: 201509230046 C/W: Cat C2.2 4 Cylinder 2.2 L Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,661 Hr	10142	<b>Titan Industrial 10 gal Air Compressor (Inoperable)</b> S/N: Not Available C/W: Titan Power 1 Cylinder Diesel Engine Usage: Not Available
10135	<b>2014 Doosan 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: 459950UKXF05 C/W: John Deere 4 Cylinder Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,278 Hr	10143A	<b>2018 Cornell 6NHTB-EM18DB-1 Trailer-Mounted Water Pump (Inoperable)</b> S/N: Not Available C/W: 8 in Intake, 8 in Discharge, 6 Cylinder Diesel Engine, T/A Trailer, Lunette Ring Usage: 13,456 Hr
10136	<b>2010 Sullair 185CA 185 cfm Mobile Air Compressor (Inoperable)</b> S/N: 201003090050 C/W: 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: 1,214 Hr	10143	<b>Quantity of (2) Hitachi EC2510E Air Compressor (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available
10137	<b>2007 Ingersoll Rand XP185WJD Skid-Mounted Air Compressor (Inoperable)</b> S/N: 380679UL0016 C/W: 4 Cylinder Diesel Engine Usage: 301 Hr	10144	<b>2015 Gorman-Rupp Trailer-Mounted Water Pump (Inoperable)</b> S/N: 1345432N C/W: 2006 US EPA Label, Deutz F4L914 4 Cylinder 71 hp Diesel Engine, S/A Trailer, Lunette Ring Usage: 4,042 Hr
10138	<b>2007 Ingersoll Rand XP185WJD Skid-Mounted Air Compressor (Inoperable)</b> S/N: 380326ULQ016 C/W: John Deere 4 Cylinder Diesel Engine Usage: 2,047 Hr	10145	<b>Godwin Pumps Water Pump (Inoperable)</b> S/N: CD4045D509878 C/W: 6 in Intake, 6 in Discharge, US EPA Label, Hatz 3 Cylinder Diesel Engine Usage: Not Available
10139	<b>2006 Ingersoll Rand 185 185 cfm Air Compressor (Inoperable)</b> S/N: 4FVCABAA06U366946 C/W: John Deere 4024TF270 4 Cylinder Diesel Engine Usage: 1,133 Hr	10146C	<b>2020 Thompson 6HT Trailer-Mounted Water Pump (Inoperable)</b> S/N: 6HT-2372 C/W: 6 in Intake, 6 in Discharge, 2019 US EPA Label, Isuzu 4 Cylinder Diesel Engine, S/A Trailer, Ball Hitch Usage: Not Available
10140	<b>Sullair 185 cfm Skid-Mounted Air Compressor (Inoperable)</b> S/N: 004100422 C/W: 4 Cylinder Diesel Engine Usage: 2,031 Hr	10146A	<b>2015 NWT Trailer-Mounted Water Pump (Inoperable)</b> S/N: PP2508 C/W: 4 in Discharge, Deutz 4 Cylinder Diesel Engine, T/A Trailer, Lunette Ring Usage: 893 Hr
10141B	<b>Multiquip DAC-7000SS 7 kW Generator Set (Inoperable)</b> S/N: 3776896 C/W: Tier 2, 2006 US EPA Label, Kubota Z482-D2-ES02 2 Cylinder 9.2 kW Diesel Engine, 120 V 240 V Rated Voltage, Sound Attenuated Usage: Not Available	10146	<b>Peerless 6WPRD193 Water Pump (Inoperable)</b> S/N: 6WPRDG1SL02W04J04 C/W: 6 in Intake, 6 in Discharge, Centrifugal John Deere 4 Cylinder 4.5 L Diesel Engine Usage: Not Available
10141A	<b>F125 125 cfm Air Compressor (Inoperable)</b> S/N: D102147352 C/W: John Deere 3 Cylinder Diesel Engine Usage: Not Available	10147A	<b>Hydraulic Power Pack (Inoperable)</b> S/N: 4D200252 C/W: Detroit 50437001 4 Cylinder Diesel Engine, Engine Driven Hydraulic Pump Usage: 3,761 Hr
10141	<b>National 112 cfm Electric Air Compressor (Inoperable)</b> S/N: 1276 Usage: Not Available	10147	<b>2015 NWT Trailer-Mounted Water Pump (Inoperable)</b> S/N: PP22504 C/W: 4 in Intake, 4 in Discharge, Self Priming Centrifugal Water Pump, Deutz D914 4 Cylinder 55 kW Diesel Engine, S/A Trailer, Lunette Ring Usage: 1,278 Hr
10142A	<b>Ingersoll Rand 75F13GH Skid-Mounted 30 gal Air Compressor (Inoperable)</b> S/N: CBV139902 C/W: Honda GX390 1 Cylinder Gasoline Engine Usage: Not Available		

Lot #	Details	Lot #	Details
10148	<b>Pumping Unit (Inoperable)</b> S/N: 06941034 C/W: 3 in Intake, 2 in Discharge, Triplex 4 Cylinder Engine Usage: 4,416 Hr	10158	<b>M-B-W Power Trowel (Inoperable)</b> S/N: Not Available C/W: 48 in, Honda Gas Engine Usage: Not Available
10149	<b>Pneumatic Double Diaphragm Pump (Inoperable)</b> S/N: Not Available Usage: Not Available	10159	<b>Quantity of (4) Vibratory Plate Compactor (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine, Bomag, MultiQuip Usage: Not Available
10150	<b>Pneumatic Double Diaphragm Pump (Inoperable)</b> S/N: Not Available Usage: Not Available	10160	<b>Assorted Contract Supplies (Inoperable)</b> S/N: Not Available C/W: Air Compressors, Pumps, Light Fixture Usage: Not Available
10151	<b>Pneumatic Double Diaphragm Pump (Inoperable)</b> S/N: Not Available Usage: Not Available	10161A	<b>Assorted Contractor Supplies (Inoperable)</b> S/N: Not Available C/W: Grinders, Saws, Tiller, Auger, Air Compressors Usage: Not Available
10152B	<b>Quantity of (3) Pressure Washer (Inoperable)</b> S/N: Not Available C/W: 1 Cylinder Gasoline Engine Usage: Not Available	10161	<b>Quantity of Construction Equipment (Inoperable)</b> S/N: Not Available C/W: Mikasa Plate Compactors, Troy Bilt Pressure Washer 2800 psi Usage: Not Available
10152A	<b>Invincible 460 Portable Vacuum System (Inoperable)</b> S/N: Not Available Usage: Not Available	10162B	<b>Wheel Loader Pipe Grapple (Inoperable)</b> S/N: Not Available Usage: Not Available
10152	<b>Pneumatic Double Diaphragm Pump (Inoperable)</b> S/N: Not Available Usage: Not Available	10162A	<b>Brush Cutter - Fits Tractor (Inoperable)</b> S/N: Not Available Usage: Not Available
10153A	<b>Magnum Gold Pressure Washer (Inoperable)</b> S/N: 18398 C/W: 4000 psi Rating, Water Heater, Lifan 1 Cylinder Gasoline Engine Usage: Not Available	10162	<b>Assorted Contractor Supplies (Inoperable)</b> S/N: Not Available C/W: Walk Behind Saw, Plate Compactor, Paint Sprayer Usage: Not Available
10154	<b>6 Cylinder Diesel Engine (Inoperable)</b> S/N: 3B6932 Usage: Not Available	10163	<b>Ransome Welding Manipulator (Inoperable)</b> S/N: Not Available Usage: Not Available
10156	<b>Pipe Threader (Inoperable)</b> S/N: RK211/1K Usage: Not Available	10164	<b>Kenmore Refrigerator (Inoperable)</b> S/N: 804MRHR1M777 C/W: Ice Maker Usage: Not Available
10157B	<b>Kearney &amp; Trecker Milwaukee Model K Milling Machine (Inoperable)</b> S/N: 3294 Usage: Not Available		
10157A	<b>Band Saw (Inoperable)</b> S/N: Not Available Usage: Not Available		
10157	<b>Pipe Threader (Inoperable)</b> S/N: RK211/1J Usage: Not Available		
10158A	<b>Husqvarna TS355G Concrete Saw (Inoperable)</b> S/N: Not Available C/W: 2002 US EPA Label, Honda 1 Cylinder Gasoline Engine Usage: Not Available		