

250120

PRIMATE GO 2 PELLETS

COMPLEMENTARY FEED FOR PRIMATES

This feed has a long history in feeding it to both Old World and New World primate species.

Based upon a (wheat)gluten-free recipe

With a balanced pattern of vitamins and minerals for good health

With organic bound trace-element zinc, manganese and copper to support locomotion, skin and hair, immunity and reproduction

Contains vitamin C in stabilized form.

Feeding advise:

Primates eat about 2-4% of their body weight as feed. This feed should be fed in respect to their condition, together with leaves, vegetables and some fruit for their well being.

Feed at least one third of their daily ratio with pellets. These pellets may include at maximum 65% of the total feed ratio (on dry matter basis).

Product shape Brok 8 mm

Composition:

maize, soybeanmeal feed, maizeglutenfeed, grassmeal, beet pulp dried, apple pulp, dried, maizegluten, cane molasses, sunflower seed extracted, inactivated yeast, lignocellulose (spruce), soybean oil, monocalcium phosphate, calcium carbonate, sodium chloride, wheat middlings.

Analytical constituents:

Crude Fat 3,5 % Crude Fibre 8,9 % Crude Ash 7,2 % Starch 25,1 % Sugar 6,7 % NDF 21,0 % ADE 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 % Iron, total content 301 mg	Crude Protein	19,0	%
Crude Ash 7,2 % Starch 25,1 % Sugar 6,7 % NDF 21,0 % ADE 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine+Cystine 0,3 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Crude Fat	3,5	%
Starch 25,1 % Sugar 6,7 % NDF 21,0 % ADF 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine+Cystine 0,3 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Crude Fibre	8,9	%
Sugar 6,7 % NDF 21,0 % ADF 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Crude Ash	7,2	%
NDF 21,0 % ADF 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Starch	25,1	%
ADF 11,0 % ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Sugar	6,7	%
ADL 2,0 % Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	NDF	21,0	%
Hemicellulose 8,8 % Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	ADF	11,0	%
Cellulose 8,4 % Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	ADL	2,0	%
Lysine 0,8 % Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Hemicellulose	8,8	%
Methionine 0,3 % Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Cellulose	8,4	%
Methionine+Cystine 0,6 % Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Lysine	0,8	%
Threonine 0,7 % Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Methionine	0,3	%
Tryptophane 0,2 % Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Methionine+Cystine	0,6	%
Calcium 0,85 % Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Threonine	0,7	%
Phosphorus 0,60 % Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Tryptophane	0,2	%
Magnesium 0,25 % Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Calcium	0,85	%
Sodium 0,20 % Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Phosphorus	0,60	%
Potassium 1,21 % Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Magnesium	0,25	%
Linoleic acid (Omega 6 fatty acid) 1,4 % Omega-3 fatty acid (ALA) 0,2 %	Sodium	0,20	%
Omega-3 fatty acid (ALA) 0,2 %	Potassium	1,21	%
	Linoleic acid (Omega 6 fatty acid)	1,4	%
Iron, total content 301 mg	Omega-3 fatty acid (ALA)	0,2	%
	Iron, total content	301	mg

Manganese, total content Zinc, total content Copper, total content Cobalt, total content lodine, total content Selenium, total content	79 94 20 0,1 1,3 0,3	mg mg mg mg mg
Calculated values (/kg): GE (Energy) ME (Energy)	16.0 12.9	MJ MJ
Nutritional additives (/kg): 3a672a Vitamin A 3a671 Vitamin D3 3a700 Vitamin E 3a711 Vitamin K3 3a821 Vitamine B1 (Thiamine Mononitrate) 3a825ii Vitamin B2 (Riboflavine) 3a831 Vitamin B6 (Pyridoxine) 3a315 Niacinamide 3a841 Calcium-D-panthenate 3a835 Vitamin B12 3a316 Folic acid 3a890 Choline chloride 3a880 Biotin 3a312 Vitamin C 3b405 Copper (Copper(II)sulfate pentahydrate) 3b406 Copper (Copper(II)chelate from aminoacids hydrate) 3b103 Iron (Iron(II)sulphate monohydrate) 3b502 Manganese (Manganese(II)oxide) 3b503 Manganese (Manganese(II)sulphate monohydrate) 3b504 Manganese (Manganese chelate of aminoacid hydrate) 3b606 Zinc (Zinc chelate from aminoacid hydrate) 3b606 Zinc (Zinc coxide) 3b202 Iodine (Calcium iodate waterfree) 3b801 Selenium (Sodium selenite) 3b812 Selenium (Selenomethionine S. cerevisiae CNCM I-3399)	20000 3000 200 2 3 5 1 20 19 28 2 244 250 1000 11 3 86 29 5 13 13 47 1.1 0.2 0.1	IU IU mgg mgg mgg mgg mgg mgg mgg mgg mgg mg
Sensory additives (/kg): Mixture of aromatic substances (apple/fruit)	250	mg

Feeding advise:

Primates eat about 2-4% of their body weight as feed. This feed should be fed in respect to their condition, together with leaves, vegetables and some fruit for their well being.

Feed at least one third of their daily ratio with pellets. These pellets may include at maximum 65% of the total feed ratio (on dry matter basis).