

Clinically proven

After **14 Days**

Improvement of
Numbness,
Burning Pain,
Paresthesia and
Stabbing Pain*

B₁₂

B₆

B₁


Stop Symptom management with high dose oral application of B vitamins

Neurobion® **FORTE**



DOSAGE

Neurobion Forte Tablets



1 tablet per day
(Symptoms get better,
switch to maintenance
treatment)

ACTIVE INGREDIENTS
(per tablet)

Vitamin B1 nitrate 100mg
Vitamin B6 HCl 100mg
Vitamin B12 5000µg


Control Maintenance treatment with pharmacological dose of B vitamins

Neurobion®



DOSAGE

Neurobion Tablets


1 tablet once daily or 1 tablet
3 times daily in individual cases.

ACTIVE INGREDIENTS
(per tablet)

Vitamin B1 100mg
Vitamin B6 200mg
Vitamin B12 200µg

* Hakim M et al. Management of peripheral neuropathy symptoms with a fixed dose combination of high-dose vitamin B1, B6 and B12: A 12-week prospective non-interventional study in Indonesia Asian Journal of Medical Sciences 2018; 9(11):34-38.

Prescribing information: Please refer to package insert for full information.
Approval Date: Sep 2022 MAT-HK-NEUROBION-22-000033 PM008412



醫學證明
從根源鞏固
神經系統健康¹



NEUROBION®

全球74個國家總銷量NO.1 神經系統維他命B雜*

Neurobion專為神經系統健康而設，經臨床證實，
可以鞏固神經系統健康¹。

維他命B1、B6及B12可供給神經系統必需的營養，
鞏固神經系統健康¹。有助改善手腳麻痺、針拮刺痛
及火燒感等症狀^{1^}。維他命B雜更可刺激神經組織，
令組織自然增生¹。



* Neurobion is the market leader of Vit. B complex products for the last two-year period on a combined market of 74 countries worldwide. Source: Calculation based on IQVIA MIDAS Quarterly Retail sales through MAT Q4/2020.

[^] 指因缺乏維他命B引起的神經損傷症狀，症狀因人而異。

1. Janka HU et al. The influence of Neurobion on temperature sensibility in patients with diabetic polyneuropathy In: Hrsg: Rietbrock N. Pharmakologie und klinische Anwendung hochdosierter B-vitamin-steindkopf. Verlag, Darmstadt, 1991:87-97.

Approval Date: Nov 2022 MAT-HK-NEUROBION-22-000044 PM008392

查詢熱線：
800-969-688

Procter and Gamble HK Ltd.
6/F., Shui On Centre, 6-8
Harbor Road, Wanchai, HK.

