

TEB 3.6SC

Same active as FOLICUR™



OVERVIEW

Teb 3.6SC is a broad spectrum systemic fungicide for winter and spring crops of wheat (excluding durum), barley, oats, rye, and oilseed rape; also field beans, cabbages, carrots, horseradish, leeks, linseed, parsnips, and turnips. A locally systemic fungicide, Teb 3.6SC forms the basis of resistance management programs.

KEY CROPS

Corn • Soybeans • Wheat • Cotton • Barley • Hops • Peanuts • Oats • Vegetables

PACKAGING

- 2.5 gal jug (x2)
- 265 gal tote (x1)

PRODUCT SPECIFICATIONS

ACTIVE INGREDIENT

Tebuconazole (3.6 lbs active ingredient per gallon)

RATE RANGE

4.0 fl oz/A - 8.0 fl oz/A

DISEASE SPECTRUM

Powdery Mildew • Gray Leaf Spot • Northern Leaf Blight • Rust • Brown Rot • Botrytis Bunch Rot

APPLICATION TIMING

Follow each crop section for application instructions

Technical Use Guidelines

Mode of Action	<ul style="list-style-type: none"> • SBI Class I: DMI-fungicides (FRAC 3)
Method of Application	<ul style="list-style-type: none"> • Air, Chemigation, Ground, Seed Treatment
REI	<ul style="list-style-type: none"> • 12 hours
PHI	<ul style="list-style-type: none"> • 7 days
RAINFASTNESS	<ul style="list-style-type: none"> • 4 hours
Water Volume (GPA) REFER TO LABEL FOR DETAILS	<ul style="list-style-type: none"> • Ground: 10GPA (Minimum) • Aerial: 5GPA (Minimum)
Minimum Treatment Interval REFER TO LABEL FOR DETAILS	<ul style="list-style-type: none"> • Asparagus: 14-day interval • Beans: 14-day interval • Corn: 7- to 14-day interval • Cotton: 7- to 14-day interval • Peanuts: 14-day day interval

ALWAYS READ AND FOLLOW LABEL DIRECTIONS. It is a violation of federal and state/provincial law to use any pesticide product other than in accordance with its label. The distribution, sale and use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. We do not guarantee the accuracy of any information provided on this page or which is provided by us in any form. It is your responsibility to confirm prior to purchase and use that a product is labeled for your specific purposes, including, but not limited to, your target crop or pest and its compatibility with other products in a tank mix. This information should not be used as a replacement for consulting the applicable product label. Consult the label for the most complete and up-to-date information about any referenced product. Readers must have a valid applicator license to use restricted use pesticides. Please consult your state department of agriculture for complete rules and regulations on the use of restricted use pesticides, as some products require specific record-keeping requirements.



GROUP

3

FUNGICIDE

WILLOWOOD TEB 3.6SC

Same active as FOLICUR™

POSSIBLE TANK MIXES

Same active as the following products:

- **Prosaro®**
 - TEB 3.6SC + Prothioconazole
- **Absolute® Maxx**
 - TEB 3.6SC + Trifloxystrobin
- **Topsin® XTR2**
 - TEB 3.6SC + Fluoxastrobin

FIELD NOTES
