

ACCURATE® HERBICIDE

Contains metsulfuron methyl, the active ingredient in Ally®Toss-N-Go®



OVERVIEW

Post-emergent control of a wide range of broadleaf weeds including Canada thistle, chickweed, hemp-nettle, kochia, pigweed, and volunteer canola in barley, spring and durum wheat, and creeping red fescue.

KEY CROPS

Durum Wheat | Spring Wheat | Barley
Creeping Red Fescue

PRODUCT SPECIFICATIONS

ACTIVE INGREDIENT

Metsulfuron Methyl

RATES

1 - 3 Grams/Acre
(See label for rates by crop)

WEED SPECTRUM

Post-emergent control of a wide range of broadleaf weeds

APPLICATION TIMING

Can be used prior to seeding or in crop

Technical Use Guidelines

Mode of Action	<ul style="list-style-type: none"> Group 2
Crop Rotation	<ul style="list-style-type: none"> Do not exceed 3 gm/Ac per year. Do not use in brown or dark brown soil zones. Highly dependent on soil pH. It can affect a number of crops in the years after. That includes: oats, flax, canola, lentils, canary seed, and yellow mustard.
Adjuvant Recommendation	<ul style="list-style-type: none"> Ag-surf®, Agral®90, Citowett Plus, Companion®, Super Spreader Sticker and Liberate® are registered for use with ACCURATE Herbicide, ACCURATE Herbicide + 2,4-D, and ACCURATE Herbicide + MCPA. Not all tank mixes require the use of an adjuvant.
Water Volume	<ul style="list-style-type: none"> 10 US gal/Ac
Application Tips	<ul style="list-style-type: none"> Prior to using ACCURATE Herbicide, careful consideration should be given to crop rotation plans. Crops other than those listed in the "Minimum Crop Rotation Guidelines" section can be very sensitive to low concentrations of ACCURATE Herbicide in the soil. Not the best fit product for brown and dark brown soil zones.

ACCURATE® HERBICIDE

Contains metsulfuron methy, the active ingredient in Ally® Toss-N-Go®

MIXING PROCEDURE

ACCURATE Herbicide is to be mixed in water with a recommended surfactant and applied as a uniform broadcast spray. Use for selective control or suppression of certain broadleaf weeds in spring wheat (including durum), barley and established creeping red fescue (seed or forage) and for control of Western Snowberry and Wild Rose in pasture and rangeland.

CROP STAGING

Post-Emergent Treatment	Crop Leaf Staging	Crop
ACCURATE herbicide	2 leaf to flag leaf (shot blade)	Wheat, Barley, Creeping Red Fescue
ACCURATE herbicide + MCPA (amine or ester)	Full 3 leaf to just before flag leaf	Wheat, Barley,
ACCURATE herbicide + Avenge	Full 3 leaf to just before flag leaf	Wheat, Barley,
ACCURATE herbicide + Avenge + MCPA (ester)	2 leaf to 6 leaf (shot blade)	Wheat, Barley,
ACCURATE herbicide + Cougar 120 EC	1 leaf to 6 leaf + 3 tillers	Wheat, Barley,
ACCURATE herbicide + Puma120 Super	1 leaf to 6 leaf + 3 tillers	Spring and durum wheat
ACCURATE herbicide + Bullwhip 240 EC	2 leaf to flag leaf	Spring and durum wheat
ACCURATE herbicide + Horizon Herbicide Tank Mix	2 leaf to flag leaf	Spring wheat only

FIELD NOTES

ACCURATE Herbicide is recommended for post-emergent use on wheat (spring and durum), barley and established creeping red fescue, orchard grass, crested and intermediate wheatgrass (seed or forage) soil pH of 7.9 or lower.

In addition, ACCURATE Herbicide is recommended for control of western snowberry and wilde rose in pasture pasture and rangeland in the same geographic region in the Prairie Provinces and the Peace River Region of British Columbia.