



Product Information

EPA REG. NO: 2749-631

ACTIVE INGREDIENT: Carfentrazone-ethyl 22.3%

FORMULATION: Emulsifiable Concentrate

SIGNAL WORD: Caution

MODE OF ACTION: Group 14 PPO Inhibitor

PACKAGE SIZE: 6 x 1 QT

A selective postemergence control of labeled broadleaf weeds.

Locksley [™] Herbicide is an emulsifiable concentrate formulation. Locksley [™] Herbicide is to be mixed with water, liquid fertilizer or mixtures of water and liquid fertilizer and adjuvants and applied to labeled crops and non-crop areas.

Contains Carfentrazone, the active ingredient used in ${\rm Aim}^{\rm @}.$



Key Crops

- > Cotton
- > Field Corn
- > Soybeans
- > Potatoes

Target Weeds

- > Kochia
- > Waterhemp
- > Lambsquarters
- > Russian Thistle

actylis

4 Tri Harbor Court Port Washington, NY 11050 USA www.actylis.com

© 2024 Actylis. All Rights Reserved.



Locksley

HERBICIDE

Locksley[™] Herbicide is a Group 14 herbicide, a PPO Inhibitor. Weed control is optimized when the product is applied to actively

growing weeds. Locksley™ Herbicide is a contact herbicide and is rapidly absorbed through the foliage of plant. Within a few hours following application, the foliage of susceptible weeds show signs of desiccation. Extremes in environmental conditions including temperature, moisture, soil conditions, and cultural practices may affect the activity of Locksley™ Herbicide. Herbicide symptoms may be accelerated under moist conditions. Weed control may be reduced when weeds are hardened off by drought and become less susceptible to Locksley™ Herbicide. To avoid significant crop response, applications must not be made within 6 to 8 hours of either rain or irrigation or when heavy dew is present on the crop. Environmental conditions and with certain spray tank additives may increase herbicidal symptoms on the crop.

Your Partner of Choice.