

GROUP

4 & 6

HERBICIDE

BRILLIANT HERBICIDE

Contains bromoxynil and MCPA 2-ethylhexyl ester, the active ingredient in Buctril® M



OVERVIEW

Controls more than 28 broadleaf weeds including kochia, wild buckwheat, Canada thistle, volunteer canola, and Lamb's quarters in wheat, barley, oats, flax, corn, fall rye, canary seed (for seed production) seedling grasses and established grasses.

KEY CROPS

Wheat • Barley • Oats • Flax • Corn • Fall Rye • Canary Seed (for seed production) • Seedling Grasses • Established Grasses

PACKAGING

- 2 x 10 L Jug
- 115 L Drum

PRODUCT SPECIFICATIONS

ACTIVE INGREDIENT

Bromoxynil & MCPA, 2-ethylhexyl ester

RATES

0.5 L per Acre

WEED SPECTRUM

Controls Kochia, Wild Buckwheat, Volunteer Canola, Lamb's Quarter, Stinkweed and Wild Mustard

Technical Use Guidelines

Mode of Action	<ul style="list-style-type: none"> • Group 4, 6
Crop Rotation	<ul style="list-style-type: none"> • No re-cropping restrictions
Adjuvant Recommendation	<ul style="list-style-type: none"> • No adjuvants required for this product unless adjuvant is required for tank mix partner
Rainfastness	<ul style="list-style-type: none"> • Rainfall within one hour of application with some tank mix partners may reduce effectiveness
Water Volume	<ul style="list-style-type: none"> • No less than 5-10 gal/Ac
Application Tips	<ul style="list-style-type: none"> • Tank mix partners: Select®, Centurion®, Horizon®, Everest®, Puma® Super • Contact your FBN Rep for options • See label for full list

PCP# 34383

Copyright © 2015 - 2024 Farmer's Business Network Canada, Inc. All rights Reserved. The sprout logo, "Farmers Business Network," "FBN," "FBN Direct" and "Farmers First" are registered trademarks or service marks of Farmer's Business Network, Inc. or its affiliates. All other trademarks are the property of their respective owners. FBN Direct products and services are offered by Farmer's Business Network Canada, Inc. and are available only in provinces where Farmer's Business Network Canada, Inc. is licensed. Not available in Québec. The following trademarks are the property of their owners as listed, or their affiliates. BAYER CROPSCIENCE SA: Buctril; Arysta LifeScience North America, LLC: Select, Everest; Arysta LifeScience Corporation: Centurion; Syngenta Participations AG: Horizon; Bayer Intellectual Property GmbH: Puma. All other trademarks are the property of their respective owners.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS. It is a violation of federal and provincial law to use any pest control product other than in accordance with its label. The distribution, sale and use of an unregistered pest control product is a violation of federal and/or provincial law and is strictly prohibited. We do not guarantee the accuracy of any information provided on this page or which is provided by us in any form. It is your responsibility to confirm prior to purchase and use that a product is labeled for your specific purposes, including, but not limited to, your target crop or pest and its compatibility with other products in a tank mix and that the usage of a product is otherwise consistent with federal, provincial and local laws. We reserve the right to restrict sales on a geographic basis in our sole discretion. You must have a valid applicator license and/or be a certified farmer, to use restricted and commercial pest control products (exceptions may apply based on province). Please consult your applicable provincial authority for complete rules and regulations on licensing, use, and recording keeping requirements of restricted and commercial pest control products.



BROMOXYNIL-MCPA 225-225 HERBICIDE

Contains bromoxynil and MCPA 2-ethylhexyl ester, the active ingredient in Buctril® M

MIXING PROCEDURE

1. Fill tank 1/2 full of water and start agitation
2. Add graminicide
3. Add Bromoxynil MCPA 225
4. Add Adjuvant
5. Add remaining balance of the water

CROP STAGING

- Wheat, barley & oats - From the 2-leaf state until the early flag leaf stage
- Winter wheat - From the 2- to 4-leaf stage in fall or from when growth begins until the early flag leaf stage in spring
- Fall rye - From when growth begins until the early flag leaf stage in spring
- Flax - From when it is 5 cm (2 in) up to early flower bud stage. 5 to 10 cm (2 to 4 in) gives best results
- Corn - From the 4- to 6-leaf stage
- Canary seed - From the 3- to 5-leaf stage
- Seedling grasses - From the 2- to 4-leaf stage
- (establishment year only)
- Timothy (established, grown for seed production) - Apply prior to shot blade in the seed production year
- Timothy (established, grown for hay) - From the 3- to 6-leaf stage

FIELD NOTES

PCP# 34383

Copyright © 2015 - 2024 Farmer's Business Network Canada, Inc. All rights Reserved. The sprout logo, "Farmers Business Network," "FBN," "FBN Direct" and "Farmers First" are registered trademarks or service marks of Farmer's Business Network, Inc. or its affiliates. All other trademarks are the property of their respective owners. FBN Direct products and services are offered by Farmer's Business Network Canada, Inc. and are available only in provinces where Farmer's Business Network Canada, Inc. is licensed. Not available in Québec. The following trademarks are the property of their owners as listed, or their affiliates. BAYER CROPS SCIENCE SA: Buctril; Arysta LifeScience North America, LLC: Select, Everest; Arysta LifeScience Corporation: Centurion; Syngenta Participations AG: Horizon; Bayer Intellectual Property GmbH: Puma. All other trademarks are the property of their respective owners.

ALWAYS READ AND FOLLOW LABEL DIRECTIONS. It is a violation of federal and provincial law to use any pest control product other than in accordance with its label. The distribution, sale and use of an unregistered pest control product is a violation of federal and/or provincial law and is strictly prohibited. We do not guarantee the accuracy of any information provided on this page or which is provided by us in any form. It is your responsibility to confirm prior to purchase and use that a product is labeled for your specific purposes, including, but not limited to, your target crop or pest and its compatibility with other products in a tank mix and that the usage of a product is otherwise consistent with federal, provincial and local laws. We reserve the right to restrict sales on a geographic basis in our sole discretion. You must have a valid applicator license and/or be a certified farmer, to use restricted and commercial pest control products (exceptions may apply based on province). Please consult your applicable provincial authority for complete rules and regulations on licensing, use, and recording keeping requirements of restricted and commercial pest control products.

