

WILLOWOOD PROPICON 3.6EC

Same active as TILT®



OVERVIEW

Propicon 3.6EC is an effective fungicide to control major foliar fungal diseases that can quickly destroy your crop if not treated immediately. A preventive application is recommended as the disease travels quickly and is often difficult to detect. Post infection activity may limit disease establishment during early stages of development.

KEY CROPS

Corn • Soybeans • Wheat • Rice • Barley •
Sugar Beets • Vegetables • Sugarcane •
Tree Fruit & Nuts

PACKAGING

- 2.5 gal jug (x2)
- 265 gal tote (x1)

PRODUCT SPECIFICATIONS

ACTIVE INGREDIENT

Propiconazole (3.6 lbs active ingredient per gallon)

RATE RANGE

2 fl oz/A - 10 fl oz/A

DISEASE SPECTRUM

Gray Leaf Spot • Northern Leaf Blight • Rust •
Frogeye Leaf Spot

APPLICATION TIMING

Follow each crop section for application instructions

Technical Use Guidelines

Mode of Action	• SBI Class I: DMI-fungicides (FRAC 3)
Method of Application	• Air, Chemigation, Ground, Seed Treatment
REI	• 12 hours
PHI (SEE LABEL FOR COMPLETE LIST)	• 7 to 60 days (<i>refer to label</i>)
RAINFASTNESS	• 1 hour or when dry
Water Volume (GPA) REFER TO LABEL FOR DETAILS	• Ground: 10GPA - 50GPA • Aerial: 2GPA - 10GPA • Chemigation: 0.1" - 0.25" of water
Minimum Treatment Interval REFER TO LABEL FOR DETAILS	• Almonds: 7 days • Berries: 4 week spray interval • Cereals: 14-day interval • Citrus: 30 day interval through Aug • Sorghum: 5-7 day interval

ALWAYS READ AND FOLLOW LABEL DIRECTIONS. It is a violation of federal and state/provincial law to use any pesticide product other than in accordance with its label. The distribution, sale and use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. We do not guarantee the accuracy of any information provided on this page or which is provided by us in any form. It is your responsibility to confirm prior to purchase and use that a product is labeled for your specific purposes, including, but not limited to, your target crop or pest and its compatibility with other products in a tank mix. This information should not be used as a replacement for consulting the applicable product label. Consult the label for the most complete and up-to-date information about any referenced product. Readers must have a valid applicator license to use restricted use pesticides. Please consult your state department of agriculture for complete rules and regulations on the use of restricted use pesticides, as some products require specific record-keeping requirements.



GROUP

3

FUNGICIDE

WILLOWOOD PROPICON 3.6EC

Same active as TILT®

POSSIBLE TANK MIXES

Same active as the following products:

- **Quilt Xcel®**
 - Propicon 3.6EC + Azoxystrobin
- **Trivapro®**
 - Propicon 3.6EC + Azoxystrobin + Benzovindiflupyr

FIELD NOTES
