

TAPE LIGHT
UNDER CABINET SYSTEM BUNDLES

KICHLER®



THE EASIER WAY TO BUILD A TAPE LIGHT SYSTEM

Simplify your tape light project with these curated tape light bundles designed to reduce guesswork and make specifying the right components easier.

SMALL

TAPE LIGHT SYSTEM BUNDLE

BEST FOR

- Straight runs
- 'L' shaped kitchens with minimal cuts
- Total linear feet not exceeding 16'
- Standard cabinets with recessed bottom
- Modern flat bottom cabinets

1

TAPE LIGHT 6T COB SERIES 24V

High Output | Dry Rated | Dimmable | 250lm Per Sq. Ft. | 16.3ft. Roll

?

Which Color Temp should I choose?

2700K

Warm, soft light that creates a cozy atmosphere, ideal for kitchens with natural wood finishes and warm paint tones.

3000K

Clean warm-white light that balances comfort and clarity, making it ideal for everyday kitchens and open-concept spaces.

4000K

Bright, crisp white light that enhances visibility and focus, ideal for task-oriented kitchens with modern finishes and stainless steel.

2700K



6COB116H27WH

QTY: 1

3000K



6COB116H30WH

QTY: 1

4000K



6COB116H40WH

QTY: 1

or

or

2

CONNECTORS

Dry Rated | Compatible with 6T COB Series 24V Tape Light

?

Which Connector type should I choose?

Terminal Block Connectors

Reusable, screw-down connection that's easy to adjust or reconfigure, making installation updates and future modifications simple. *Only compatible with select Aluminum Channels.*

Crimp Connectors

Low-profile, permanent connection that compresses directly onto the tape light for a clean fit in tight spaces and compatibility with all TE Series channels.

TERMINAL BLOCK CONNECTORS



Tape-to-Supply Lead
1TBCOBTWSCLR

QTY: 1



Tape-to-Wire
1TBCOBTWCLR

QTY: 5



90 DEG
1TBCOBT90CLR

QTY: 2

or

CRIMP CONNECTORS




Tape-to-Supply Lead
1CCOBTWSCLR

QTY: 1



Tape-to-Wire
1CCOBTWCLR

QTY: 5



90 DEG
1CCOBT90CLR

QTY: 2

3

POWER SUPPLY

24V | 60W | Dimmable | Compatible with 6T COB Series 24V Tape Light

?

Which Power Supply should I choose?


Dimmer+Driver

Ideal for remodels or new construction where running extra wire is simple, this compact all-in-one unit combines a dimmer and power supply in a single-gang junction box. Requires 120V AC input and low-voltage output wiring.

Power Supply

Ideal for existing installations that already feature a compatible dimmer, or for setups where no dimming is needed. This unit installs completely out of sight and requires a standard 120V power connection.

DIMMER + DRIVER



6DD24V060WH

QTY: 1

or

POWER SUPPLY



6TD24V060BKT V2

QTY: 1

4

ACCESSORIES

Compatible with 6T COB Series 24V Tape Light

?

Why use accessories?

Splice Box

Used where low-voltage wiring exits a wall or connects directly to tape light wires. This unit provides a neat, clean, and secure connection point for a professional finish.

LED Aluminum Channels

Create a polished, professional finish for any installation. The integrated lens diffuses light for seamless output while protecting the tape light from dust and contaminants, while the aluminum housing effectively dissipates heat to extend LED lifespan.

SPLICE BOX



10189WH

QTY: 1

30/60 8" CHANNEL EXTRUSION KIT



1TEK3060SF8SIL

QTY: 2

&

MEDIUM

TAPE LIGHT SYSTEM BUNDLE

BEST FOR

- Galley style Kitchens
- Medium kitchens with 2-3 separated cabinet sections
- Total linear feet not exceeding 32'

1

TAPE LIGHT 6T COB SERIES 24V

High Output | Dry Rated | Dimmable | 250lm Per Sq. Ft. | 16.3ft. Roll

?

Which Color Temp should I choose?

2700K

Warm, soft light that creates a cozy atmosphere, ideal for kitchens with natural wood finishes and warm paint tones.

3000K

Clean warm-white light that balances comfort and clarity, making it ideal for everyday kitchens and open-concept spaces.

4000K

Bright, crisp white light that enhances visibility and focus, ideal for task-oriented kitchens with modern finishes and stainless steel.

2700K



6COB116H27WH

QTY: 2

3000K



6COB116H30WH

QTY: 2

4000K



6COB116H40WH

QTY: 2

or

or

2

CONNECTORS

Dry Rated | Compatible with 6T COB Series 24V Tape Light

?

Which Connector type should I choose?

Terminal Block Connectors

Reusable, screw-down connection that's easy to adjust or reconfigure, making installation updates and future modifications simple. *Only compatible with select Aluminum Channels.*

Crimp Connectors

Low-profile, permanent connection that compresses directly onto the tape light for a clean fit in tight spaces and compatibility with all TE Series channels.

TERMINAL BLOCK CONNECTORS



Tape-to-Supply Lead
1TBCOBTWSCLR

QTY: 3



Tape-to-Wire
1TBCOBTWCLR

QTY: 10



90 DEG
1TBCOB90CLR

QTY: 2

or

CRIMP CONNECTORS



Tape-to-Supply Lead
1CCOBTWSCLR

QTY: 3



Tape-to-Wire
1CCOBTWCLR

QTY: 10



90 DEG
1CCOB90CLR

QTY: 2

3

POWER SUPPLY

24V | 60W | Dimmable | Compatible with 6T COB Series 24V Tape Light

?

Which Power Supply should I choose?


Dimmer+Driver

Ideal for remodels or new construction where running extra wire is simple, this compact all-in-one unit combines a dimmer and power supply in a single-gang junction box. Requires 120V AC input and low-voltage output wiring.

Power Supply

Ideal for existing installations that already feature a compatible dimmer, or for setups where no dimming is needed. This unit installs completely out of sight and requires a standard 120V power connection.

DIMMER + DRIVER



6DD24V060WH

QTY: 1

or

POWER SUPPLY



6TD24V060BKT2V2

QTY: 1

4

ACCESSORIES

Compatible with 6T COB Series 24V Tape Light

?

Why use accessories?

Splice Box

Used where low-voltage wiring exits a wall or connects directly to tape light wires. This unit provides a neat, clean, and secure connection point for a professional finish.

LED Aluminum Channels

Create a polished, professional finish for any installation. The integrated lens diffuses light for seamless output while protecting the tape light from dust and contaminants, while the aluminum housing effectively dissipates heat to extend LED lifespan.

SPLICE BOX



10189WH

QTY: 3

30/60 8" CHANNEL EXTRUSION KIT



1TEK3060SF8SIL

QTY: 4

&

LARGE

TAPE LIGHT SYSTEM BUNDLE

BEST FOR

- Large kitchens with 4-6 separated cabinet sections
- Total linear feet not exceeding 32'

1

TAPE LIGHT 6T COB SERIES 24V

High Output | Dry Rated | Dimmable | 250lm Per Sq. Ft. | 16.3ft. Roll

?

Which Color Temp should I choose?

2700K



6COB116H27WH

QTY: 2

or

3000K



6COB116H30WH

QTY: 2

or

4000K



6COB116H40WH

QTY: 2

2700K

Warm, soft light that creates a cozy atmosphere, ideal for kitchens with natural wood finishes and warm paint tones.

3000K

Clean warm-white light that balances comfort and clarity, making it ideal for everyday kitchens and open-concept spaces.

4000K

Bright, crisp white light that enhances visibility and focus, ideal for task-oriented kitchens with modern finishes and stainless steel.

2

CONNECTORS

Dry Rated | Compatible with 6T COB Series 24V Tape Light

?

Which Connector type should I choose?

TERMINAL BLOCK CONNECTORS



Tape-to-Supply Lead
1TBCOBTWSCLR

QTY: 5



Tape-to-Wire
1TBCOBTWCLR

QTY: 10



90 DEG
1TBCOB90CLR

QTY: 2

or

CRIMP CONNECTORS




Tape-to-Supply Lead
1CCOBTWSCLR

QTY: 5



Tape-to-Wire
1CCOBTWCLR

QTY: 10



90 DEG
1CCOB90CLR

QTY: 2

Terminal Block Connectors

Reusable, screw-down connection that's easy to adjust or reconfigure, making installation updates and future modifications simple. *Only compatible with select Aluminum Channels.*

Crimp Connectors

Low-profile, permanent connection that compresses directly onto the tape light for a clean fit in tight spaces and compatibility with all TE Series channels.

3


POWER SUPPLY

24V | 60W | Dimmable | Compatible with 6T COB Series 24V Tape Light

?

Which Power Supply should I choose?

DIMMER + DRIVER



6DD24V060WH

QTY: 1

or

POWER SUPPLY



6TD24V060BKT2

QTY: 1

Dimmer+Driver

Ideal for remodels or new construction where running extra wire is simple, this compact all-in-one unit combines a dimmer and power supply in a single-gang junction box. Requires 120V AC input and low-voltage output wiring.

Power Supply

Ideal for existing installations that already feature a compatible dimmer, or for setups where no dimming is needed. This unit installs completely out of sight and requires a standard 120V power connection.

4

ACCESSORIES

Compatible with 6T COB Series 24V Tape Light

?

Why use accessories?

SPLICE BOX



10189WH

QTY: 5

&

30/60 8' CHANNEL EXTRUSION KIT



1TEK3060SF8SIL

QTY: 4

Splice Box

Used where low-voltage wiring exits a wall or connects directly to tape light wires. This unit provides a neat, clean, and secure connection point for a professional finish.

LED Aluminum Channels

Create a polished, professional finish for any installation. The integrated lens diffuses light for seamless output while protecting the tape light from dust and contaminants, while the aluminum housing effectively dissipates heat to extend LED lifespan.

KICHLER®

[kichler.com](https://www.kichler.com)



This guide represents components frequently purchased together to create a lighting system.
Visit [kichler.com](https://www.kichler.com) for additional sizes and models available in each category.