



# Flex


Quick Start Guide

Kurzanleitung / Instructions de démarrage

Guía de inicio rápido / Snelstartgids



Guia de início rápido

[clover.com/help](https://clover.com/help)



## Included

Inclus  
Im Lieferumfang  
Se incluye  
Inclusief  
Incluido




40 mm  
1.5 in




## Select regions

Certaines régions  
Ausgewählte Regionen  
Algunas regiones  
Sommige regio's  
Algunas regiões






1



2






3



4



## **Mexico**

La operación de este equipo está sujeta a las siguientes dos condiciones:

- (1) es posible que este equipo o dispositivo no cause interferencia perjudicial y
- (2) este equipo o dispositivo debe aceptar cualquier interferencia, incluyendo la que pueda causar su operación no deseada.

Para mostrar el número IMEI, vaya a “Configuración”, luego “Acerca del dispositivo”, el número IMEI se ubicará en esa página de información.

Este equipo no cuenta con la tecnología VoLTE incorporada.

Características técnicas:

Terminal: 5 Vcc 2 A

Adaptador: Entrada: 100-240 Vca 50/60 Hz 0.6 A

Salida: 12.0 Vcc 2.0 A

## **Brazil**

Este produto está homologado pela ANATEL de acordo com os procedimentos regulamentados para avaliação da conformidade de produtos para telecomunicações e atende aos requisitos técnicos aplicados, incluindo os limites de exposição da Taxa de Absorção Específica referente a campos elétricos, magnéticos e eletromagnéticos de radiofrequência. O máximo valor medido da Taxa de Absorção Específica referente à exposição localizada no tronco foi de 0,893 W/kg. Para maiores informações, consulte o site da ANATEL – [www.anatel.gov.br](http://www.anatel.gov.br)

Este equipamento não tem direito à proteção contra interferência prejudicial e não pode causar interferência em sistemas devidamente autorizados.

Incorpora produto homologado pela Anatel sob número 00730-21-09038

⚠ Observe the following safety precautions. Failure to do so may result in equipment failure, damage, or heat-induced burns.

1. Store in a dry location and clean with a dry cloth.
2. Do not disassemble or modify the device.
3. While charging, do not put any metallic object between the charging area on the cradle and the Clover Flex.
4. Do not charge any device other than the Clover Flex. The charging cradle is designed only for the Clover Flex.

⚠ Observe as seguintes precauções. Não fazer isso pode resultar na possibilidade de falha do equipamento, danos ou queimaduras devido ao calor.

1. Manter em local seco e limpar com pano seco.
2. Não desmonte e modifique o dispositivo.
3. Durante o carregamento, não coloque nenhum objeto metálico entre a área de carregamento e o dispositivo.
4. Não pretenda carregar outro dispositivo que não seja fornecido pela Clover. O formato da carcaça foi projetado para caber apenas no Clover Flex.

⚠ Siga las siguientes precauciones. De lo contrario, existe la posibilidad de que el equipo falle, se dañe o se queme debido al calor.

1. Mantener en un lugar seco y limpiar con un paño seco.
2. No desmontar ni alterar el dispositivo.
3. No colocar objetos metálicos entre el área de carga y el dispositivo cuando se cargue.
4. No cargar otro dispositivo que no sea el suministrado por Clover. La base de carga está diseñada para adaptarse únicamente al Clover Flex.

⚠ Respectez les précautions suivantes. Tout manquement peut entraîner une panne de l'équipement, des dommages ou des brûlures dues à la chaleur.

1. Conservez dans un endroit à l'abri de l'humidité et nettoyez avec un chiffon sec.
2. Ne démontez pas et ne modifiez pas l'appareil.
3. Pendant le chargement, ne placez aucun objet métallique entre la zone de chargement et l'appareil.
4. N'essayez pas de charger un autre appareil qui n'est pas fourni par Clover. La forme du socle est conçue pour s'adapter uniquement à l'appareil Clover Flex.

## **FCC Part 15**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, (2) This device must accept any interference received, including interference that may cause undesired operation.

### **FCC Part 15 Class B-specific**

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

### **FCC Warning**

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

### **FCC Radiation Exposure Statement**

This device must not be co-located or operating in conjunction with any other antenna or transmitter. This device has been tested and meets FCC RF exposure guidelines. Use with an accessory that contains metal may not ensure compliance with FCC RF exposure guidelines.

## **Innovation, Science and Economic Development Canada (ISED) statement: CAN ICES-3 (B)/NMB-3(B)**

This device complies with ISED's licence-exempt RSSs. Operation is subject to the following two conditions:

- (i) This device may not cause harmful interference, and
- (ii) This device must accept any interference received, including interference that may cause undesired operation.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes:

- (i) le dispositif ne doit pas produire de brouillage préjudiciable, et
- (ii) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

### **Caution**

- (i) The device for operation in the band 5150-5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;
- (ii) Where applicable, antenna type(s), antenna models(s), and worst-case tilt angle(s) necessary to remain compliant with the e.i.r.p. elevation mask requirement set forth in section 6.2.2.3 shall be clearly indicated.

### **Avertissement**

Le guide d'utilisation des dispositifs pour réseaux locaux doit inclure des instructions précises sur les restrictions susmentionnées, notamment:

- (i) les dispositifs fonctionnant dans la bande 5150-5250 MHz sont réservés uniquement pour une utilisation à l'intérieur afin de réduire les risques de brouillage préjudiciable aux systèmes de satellites mobiles utilisant les mêmes canaux;
- (ii) lorsqu'il y a lieu, les types d'antennes (s'il y en a plusieurs), les numéros de modèle de l'antenne et les pires angles d'inclinaison nécessaires pour rester conforme à l'exigence de la p.i.r.e. applicable au masque d'élévation, énoncée à la section 6.2.2.3, doivent être clairement indiqués



## Radiation Exposure Statement

- (i) To comply with the Canadian RF exposure compliance requirements, this device and its antenna must not be co-located or operating in conjunction with any other antenna or transmitter.
- (ii) This device has been tested and meets RF exposure guidelines when used with an accessory that does not contain any metal. Use of other accessories may not ensure compliance with RF exposure guidelines.

## Déclaration d'exposition aux radiations

- (i) Pour se conformer aux exigences de conformité RF canadienne l'exposition, cet appareil et son antenne ne doivent pas être co-localisés ou fonctionnant en conjonction avec une autre antenne ou transmetteur.
- (ii) Cet appareil a été testé et respecte les directives sur l'exposition aux RF lorsqu'il est utilisé avec un accessoire sans métal. L'utilisation d'autres accessoires peut ne pas garantir la conformité aux directives d'exposition aux RF.

## Argentina




Este producto utiliza para su funcionamiento una fuente de alimentación, modelo SO24AMM1200200 marca Clover con las siguientes características técnicas: Entrada: AC 100-240 V, 50/60 Hz, 0.6 A, Cl. II; Salida: DC 12 V, 2 A, que ha sido certificada para su utilización en el mercado argentino.



Conectar una fuente diferente a la provista podría ocasionar un incendio o choque eléctrico. No utilice una fuente diferente a la provista con el equipo.

## IMPORTANT for UK Power Adapter Cord

If the available socket outlet is not suitable for the plug supplied with this equipment, it should be cut off and an appropriate three pin plug fitted. With alternative plugs on approved 3 amp fuse must be fitted in the plug or adaptor or in the main fuse box.

The plug severed from the mains lead must be destroyed, as a plug with bared flexible cords is hazardous if engaged in a live socket outlet. In the event of replacing the plug fuse, use a 3 amp fuse approved by ASTA to BS 1362, i.e. carries the  mark. Always replace the fuse cover, never use plugs with the fuse cover omitted.

**WARNING — THIS APPLIANCE MUST BE EARTHED.**

The wires in this mains lead are coloured in accordance with the following code:  
Green-and-Yellow = Earth      Blue = Neutral      Brown = Live

As the colour of the wiring in the mains lead of this appliance may not correspond with the coloured markings identifying the terminals in your plug, proceed as follows:

- The wire which is coloured Green-and-Yellow must be connected to the terminal in the plug which is marked with the letter "E", or by the earth symbol or coloured Green-and-Yellow.
- The wire which is coloured Blue must be connected to the terminal which is marked with the letter "N" or coloured Black or Blue.
- The wire which is coloured Brown must be connected to the terminal which is marked with the letter "L" or coloured Red or Brown.

## CE RF Exposure Compliance

This device meets the EU requirements (1999/519/EC) and the International Commission on Non-Ionizing Radiation Protection (ICNIRP) on the limitation of exposure of the general public to electromagnetic fields by way of health protection.

This device is restricted to indoor use only when operating in the 5150 to 5350 MHz frequency range.

## EU Declaration of Conformity

Hereby, Clover Network, LLC declares that the radio equipment type, C405/K405 is in compliance with Directive 2014/53/EU. The full text of the EU declaration of conformity is available at the following internet address:

[eu.clover.com/eu-compliance](http://eu.clover.com/eu-compliance)

The frequency band and the maximum transmitted power in EU are listed below:

### WWAN

LTE Band3: 23 dBm (Conducted)

LTE Band7: 23 dBm (Conducted)

LTE Band20: 23 dBm (Conducted)

### CE max SAR

Body: 1.844W/Kg

Limb: 3.382W/Kg

### WLAN

2 400 MHz - 2 483.5 MHz: 20 dBm (EIRP)

5 150 MHz - 5 250 MHz: 23 dBm (EIRP)

5 250 MHz - 5 350 MHz: 23 dBm (EIRP)

5 470 MHz - 5 725 MHz: 23 dBm (EIRP)

### NFC

-4.92 dBμA/m @10m

### Wireless Charger

100-200KHz: 81.5 dBμV/m @10m

## Restrictions in

AT/BE/BG/CZ/DK/EE/FR/DE/IS/IE/IT/EL/ES/CY/LV/LI/LT/LU/HU/MT/NL/NO/PL/PT/RO/SI/SK/TR/FI/SE/CH/UK(NI)/HR/UK. 5150MHz-5350MHz is for indoor use only.

## Caution: Exposure to Radio Frequency Radiation

This product complies with EU requirements regarding restriction of exposure of persons to radio-frequency energy (RF) emitted by telecommunication and radio devices as it is designed and manufactured in such a way as not to exceed the exposure limits indicated by the European Union Commission. The permitted SAR limit for the general population is 2.0 W/Kg for body and 4.0 W/Kg for limb. This limit guarantees an ample safety margin that protects all persons regardless of age and health condition. SAR is measured with the device at 5mm to the body and at 0mm to the extremity, while transmitting at the highest certified output power level in all frequency bands of the device. The highest SAR level recorded for this model was equal to body 1.844W/Kg, & limb 3.382W/Kg.

## **Clover Flex 3**

### **Terminal Punto de Venta (Clover Flex)**

Model Number: C405

### **Patent**

[clover.com/patents](https://clover.com/patents)

Clover Network, LLC  
415 N Mathilda Ave  
Sunnyvale, CA 94085, USA

Mexico Importer:  
First Data Merchant Services Mexico, S de RL de CV,  
Av Paseo de la Reforma, 509, Col. Cuauhtémoc  
Alcaldía Cuauhtémoc, Ciudad de Mexico 06500  
Mexico +52 55 1102 0660

## **Clover Flex Wireless Cradle**

Model Number: K405

EU Importer:  
Marketplace Merchant Solutions Ltd  
Unit 9, Richview Office Park  
Clonskeagh, Dublin 14, Ireland



### **Waste Electrical and Electronic Equipment-WEEE**

NOTE: This product is covered electronic equipment under the European Union's Waste from Electrical and Electronic Equipment ("WEEE") Directive (2012/19/EU). The WEEE Directive requires that covered equipment be collected and managed separately from typical household waste in all EU member states. Please follow the guidance of your local environmental authority or ask the shop where you purchased the product for collection or recycling options.



HDYJ6008010-3A