

ARE YOUR RESTORATIONS FINISHED?



PermaSeal™

Penetrating Composite Sealer

Finish your restorations by sealing cracks and reducing microleakage with PermaSeal composite sealer.

- **Bonds to composite and etched enamel**
- **Seals microcracks and strengthens restorations**
- **Protects and revitalizes composite restorations**

PermaSeal

Penetrating Composite Sealer



Smooth the provisional surface. Brush PermaSeal sealer into surfaces, gently air thin, coat with DeOx oxygen barrier and light cure for 20 seconds.

PermaSeal sealer seals voids and irregularities created during the polishing process, minimizing staining and wear. Place on Class V composite margins to reduce microleakage.¹ For the final glaze-type finish of resin provisionals, cover PermaSeal sealer with DeOx™ oxygen barrier prior to light curing. PermaSeal sealer bonds well to composite-type provisional restorations and can be used to revitalize old composites as well.



631 - PermaSeal Syringe Kit
4 x 1.2 ml syringes
10 x Black Micro FX tips

Refrigerate if not used on a daily basis.

Use these tips with PermaSeal sealer:



Black Mini™ Brush tip



Black Micro™ FX™ tip

New Restorations



After restoring and polishing, etch 5 seconds and apply PermaSeal composite sealer to seal composite and create a glossy finish. Air thin and light cure for 20 seconds.

Existing Restorations



Always clean existing composite restorations and adjacent enamel using Consepsis™ Scrub slurry, pumice, or a microetcher. Rinse and etch 15 seconds. Rinse thoroughly and air dry.



Four-year-old bonded composite following PermaSeal composite sealer treatment.

PrimaDry™ drying agent is great in conjunction with air drying just prior to PermaSeal sealer placement.



716 - PrimaDry Syringe 4pk
717 - PrimaDry Syringe 20pk
1.2 ml syringes

1. Dunn JR, Dole P, Fullerton B, Hennesy C. Microleakage of Class V composite restorations using a composite surface sealant. Biomaterials Research Center, School of Dentistry, Loma Linda University, May, 1996.

