
# Make your artwork print-ready

To smoothly transition from the design stage to printing, we have a simple guideline to help you!

## 1 Set up your file

We recommend using our templates, but you can also set up your document size according to the **format** you have chosen and adding **0.125 in bleed**. As for the quality, **300 dpi resolution** is the standard to ensure crisp and clear prints.









#### Bleed

This area will be trimmed. Ensure all background graphics or images cover this area.

#### Trim Line

This is the final size your artwork will be trimmed to.


#### **Safety Margin**

Avoid placing text or important details within this area in case of trimming inaccuracies.

## **2** Layout

Please submit your design in 2 PDFs:

- 1. Cover, back cover, spine and their reverse aa spreads (2 pages).
  - First spread (page 1) contains the back cover (left), the spine (center) and the cover (right).
  - Second spread (page 2) is the reverse of the cover and contains the first inner page (left) and last inner page (right).



# Make your artwork print-ready

### 2. Interior pages in natural order (one per page)

- The first page in this document will be on the right side of the final product's spread.







## Make your artwork print-ready

## 3 Extra safety margin

Please add an extra safety margin of 0.2 in (0.4 in for +100 pages order) on the spine side of each interior page so your artwork is not affected by the glue.



## 4 Extra checks

There are some checks to take into consideration before exporting your artwork:

- Check the amount of pages in your document, it should be the same as ordered.
- Same colour on **coated or uncoated** paper gives a different end result.
- All fonts and objects must be **embedded**.
- Check your layers for **overprint**.



## **5** Export to PDF

Export your artwork to PDF format and make sure your document **colour mode** is CMYK.