

From: Ceramic Pro Services cpservices@ceramicpro.com
Subject: Ceramic Pro Warranty Registration
Date: August 24, 2023 at 3:28 PM



CERAMIC PRO

WARRANTY

OWNER INFO

Name:	<input type="text"/>
Email:	<input type="text"/>
Phone:	-

WARRANTY INFO

Vehicle:	2005 PORSCHE 911 Turbo Cabriolet (4WD)
Created by:	Paul Odom , Ceramic Pro Duval,
Created on:	08/24/2023
Exterior package:	Silver - 5 Year Warranty
Interior:	-
Additional layers of 9H:	-
Windows:	1 Coat of Glass on all windows
Wheels:	Wheels off package with 1 coat of Wheel & Caliper on Rims and Calipers
PPF & Vinyl:	-
Kavaca:	-
Kavaca serial:	-
Tint window film:	-
Tint package:	-
Tint roll ID:	-
Notes:	-

AFTERCARE INSTRUCTIONS

Ceramic Pro amongst other things is designed to protect your factory clear coat. It is tremendously effective maintenance. With simple care your coating will reward you for many, many, many years to come.

THINGS YOU MUST AVOID DURING THE CURING PROCESS (from 2 to 3 weeks):

- Curing time is 2-3 weeks depending on environmental conditions such as humidity and temperature
- Sprinklers. The coating will protect your clear coat from water spots. The coating is less likely to erode during the process and can be costly to remove.
- Parking under a shedding tree
- Allowing bird droppings, sap, pollen to sit on the car and bake in the sun
- Washing or abrading the paint

If you notice that your car gets water spots, bird droppings, tree sap etc. during these two weeks immediately wash the car. The coating is softer so work on the paint very gently.



WASHING YOUR CAR AT HOME

Ceramic Pro is extremely slick, this means most things will dissolve and be pulled off by Ceramic Pro's sealant. The coating will ensure its longevity. Use Ceramic Pro Cleaner to remove bird droppings, bugs, and tree sap.

WASHING SCHEDULE

For best results the car should be washed on a bi-weekly basis to avoid excessive contamination build-up. Avoid automatic car washes, and high PH detergent style cleaners. Wash from the top-down leaving the dirtiest sections for last.

WASHING METHODS

Standard home washing

Use a foam gun (optimal) or microfiber wash mitt to soap down the car. Rinse it off with a pressure washer.

Spray 'n wash self car washes

Select the high pressure soap. Soap the car down (never use the provided brushes especially on the paint) and use microfiber towels.

CAR WASHES

Touch-less car washes only. Never use a car wash with brushes! Never select the "spray wax" option.

DRYING

- Ceramic Pro Care is a great drying aid. Using Ceramic Pro Care and one damp microfiber towel to first dry the vehicle. This process will give you the best results.
- Always dry completely and never leave to "air" dry. Tap water contains minerals that may leave deposits.
- Only use quality microfiber towels for best results and avoid aggressive wiping, allowing the material to dry naturally.

SPOT REMOVAL

- Never use aggressive products to polish the coating or remove surface contamination.
- Never use excessive force to remove spots.
- Bird droppings, tar, sap, etc. should be removed as soon as possible to avoid temporary staining or etching. Droppings will break down over a few days without affecting the coating.

AFTER WASHING

Do not wax the coating. It is unnecessary and the wax will not bond to the coating. Ceramic Pro Care is the installer about purchasing Ceramic Pro Care during your visit.

AUTOMATED WASHING

Always go to a touch free wash! Using an automated car wash with brushes will void the warranty and dull the finish. Please handle with care and do not wash the vehicle for the first 2 weeks.

LEATHER AND FABRIC MAINTENANCE PROGRAM

- For best results, all leather/vinyl surfaces should be cleaned bi-weekly with a leather protectant to maintain the finish.
- Vacuum carpets regularly and use carpet & fabric cleaners when necessary.
- Immediately wipe off spills on leather, vinyl, or fabric.

ANNUAL INSPECTIONS

Annual Inspections are the recommended process for ensuring the coating is maintained and care for the vehicle. Inspections are performed by an approved applicator within 30 days before the anniversary date of the last service to ensure peak performance. Inspections ensure maximum gloss and protection from Ceramic Pro coating.

Aftercare Instructions:

<https://ceramicpro.com/aftercare/>



CERAMIC F