

TH & CHC SCREWS

CONES & ADAPTERS



TH




CHC

Updated on 30/06/2023

Presentation

- Universel metric screw with hexagonal head (TH) ou à hemispherical hollow head (CHC)
- Untreated finish ; available in M24, M30 & M39
- Steel class CL10.9 & CL12.9 & on demande in CL8.8
- Partial thread (except small lengths, see characteristics §)
- Other lengths, steel class & finish are available on demand



Characteristics

- Orange cells : full thread

Diameter d	(mm)	M24		M30		M39	
for cone		26.55.24		26.55.30/32.64.30		30.88.39/40.88.39	
Head type		TH	CHC	TH	CHC	TH	CHC
dk	(mm)	SW 36	36,0	SW 46	46,0	SW 60	60,0
k	(mm)	15,0	24,0	18,7	30,0	25,0	39,0
s	(mm)		SW 19		SW 22		SW 27
Ref. pipe wrench		100209		103064		-	
Réf. clé BTR			100199		100200		100203
Longueur L	(mm)	Référence					
40		-	-	-	101816	-	-
50		100564	101814	100623	101817	-	-
60		100565	-	100573	101818	-	-
70		100566	-	100575	101820	-	-
80		-	-	100576	-	100610	-
90		100567	-	100577	-	100611	101821
100		100597	-	100578	101815	100612	101822
110		100598	-	100579	-	100613	-
120		-	-	100580	-	100614	-
130		-	-	-	-	100615	-
140		-	-	-	-	100616	-
150		-	-	-	-	100617	-
160		100599	-	-	-	100618	-
180		-	-	-	-	100619	-

The information provided in this document is for guidance only and reflects our current knowledge. We shall not be responsible or liable for any improper or inappropriate use of our products.

Given the wide range of possible uses, our recommendations do not exempt users from carrying out their own tests. Our laboratory and technical department will be happy to provide you with any information you may require.

TAM Groupe Z.I. Avenue Albert Einstein.
CS 90043 - 77555 Moissy Cramayel Cedex - France
S.A.S. au capital de 883 332 € RCS Melun B
SIRET 313 659 674 00029 - FR 76 313 659 674

Tel.: + 33 1 64 13 30 00 – tamgroupe@tamgroupe.fr – www.tamgroupe.fr