

WRENCH WITH INVERSOR CAM

FORMWORK WRENCH



Updated on 10/09/2025

Presentation

- Formwork wrenches for assembly or disassembly for hex nuts
- Available for 36 mm, 38 mm, and 46 mm hex nuts
- Inversor cam model
- Available in non-through or through socket
- The through model (short socket) allows assembly or disassembly despite the presence of a lock nut at the end of the tie-rod

Application

- Wrenches are hand tools.
- It is strictly PROHIBITED to add a tube to increase the length of the handle and thus the tightening force.
- It is also prohibited to weld or modify the wrench, throw it from the top of formwork onto a slab, or use it as a hammer.
- These tools are designed to withstand human force during normal use, i.e., do not hang or jump on the wrench.
- Check the overall condition and proper functioning of the wrench before use.

If the nut is difficult to unscrew, you will need to use a CLÉ À FRAPPER.

Code	Name	Hexagonal socket	Length mm	Weight (g)	
102001	CLÉ À FRAPPER 36MM	36 mm	190	830	
102019	CLÉ À FRAPPER 38MM	38 mm	190	830	

Maintenance

It is necessary to regularly lubricate the inversor cam and the socket mechanism and prevent sand, gravel, etc. from entering the mechanism.

Failure to maintain the tool will cause it to stop working.

Failure to comply with these conditions of use will automatically void the warranty in accordance with our general terms and conditions of sale.

Dimensions, possible uses and performance

TAM GROUPE tests its formwork wrenches for the following breaking loads:

Code	Name	Hexagonal socket	Length mm	Breaking load [m.kg]	Formwork	
100031	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 36MM	36 mm	640	150		
100032	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 38MM	38 mm	640	150	OUTINORD	
100045	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 46MM	46 mm	640	150		
100043	CLÉ À CLIQUET INVERSEUR AVEC ROCHER TRAVERSANT 36MM	36 mm	640	130	SATECO HUSSOR	
100044	CLÉ À CLIQUET INVERSEUR AVEC ROCHER TRAVERSANT 38MM	38 mm	640	130		

Conditionnement

Code	Name	Sale size	Weight/pc (kg)
100031	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 36MM FORMWORK WRENCH WITH INVERSOR CAM 36MM	1 p.	2.80
100032	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 38MM FORMWORK WRENCH WITH INVERSOR CAM 38MM	1 p.	2.80
100045	CLÉ À CLIQUET INVERSEUR NON TRAVERSANT 46MM FORMWORK WRENCH WITH INVERSOR CAM 46MM	1 p.	3.00
100043	CLÉ À CLIQUET INVERSEUR AVEC ROCHER TRAVERSANT 36MM FORMWORK WRENCH WITH INVERSOR CAM AND SHORT SOCKET 36MM	1 p.	2.30
100044	CLÉ À CLIQUET INVERSEUR AVEC ROCHER TRAVERSANT 38MM FORMWORK WRENCH WITH INVERSOR CAM AND SHORT SOCKET 38MM	1 p.	2.30

The information provided in this document is for guidance only and reflects our current knowledge. We shall not be responsible or liable for any improper or inappropriate use of our products.

Given the wide range of possible uses, our recommendations do not exempt users from carrying out their own tests. Our laboratory and technical department will be happy to provide you with any information you may require.

TAM Groupe Z.I. Avenue Albert Einstein.
CS 90043 - 77555 Moissy Cramayel Cedex - France
S.A.S. au capital de 883 332 € RCS Melun B
SIRET 313 659 674 00029 - FR 76 313 659 674

Tel.: + 33 1 64 13 30 00 – tamgroupe@tamgroupe.fr – www.tamgroupe.fr