




Marine

Our product brand:
IMI Truflo Marine


Non Return Valve



Breakthrough
engineering for
a better world

Non Return Valve

- Prevents reverse flow - reliable non-return sealing, ensuring the flow is one way only, preventing backflow
 - Robust - optional spring load hinge design returns valve to closed position
 - Easy inline maintenance - top entry access option available,
- removing the need to remove pipes during repair saving time and money
- Long product life - protects pipes, pumps and other equipment from damage which is caused by the backflow of mediums



(Cross Section View)

Technical features

Pressure [bar]:
According to requirement

Size Range:
Up to DN 250











Materials:

- Nickel Aluminium Bronze (NAB)
- Stainless Steel







Temperature Range:
Max. working temperature: 225°C
Min. working temperature: -196°C

Systems Support

Submarines

- | | | | | |
|---|---|---|---|--|
|  Battery Cooling |  Black Water |  Brown Water |  Fresh Water |  Fuel Oil |
|  Grey Water |  HVAC |  Lubricating Oil |  Sea Water |  Sewage |


Surface Ships

- | | | | |
|---|---|---|--|
|  Black Water |  Fresh Water |  Fuel Oil |  Grey Water |
|  HVAC |  Lubricating Oil |  Sea Water | |

The trusted partner



Consultancy



Design



Qualification




Manufacturing



Through-life Support

The information in this brochure is provided for informational and promotional purposes only and is provided "as is" and without warranties of any kind, whether express or implied, including but not limited to implied warranties of satisfactory quality, fitness for a particular purpose and/ or correctness. Any specifications, features, pricing, or availability contained in this brochure are subject to change without prior notice. IMI plc does not represent or warrant that the information and/ or specification in this brochure are accurate, complete, or current and therefore make no warranties or representation regarding the use of the content. IMI plc or one of its subsidiaries own all images (unless credited otherwise), logos, product brands, and trademarks mentioned in this brochure. Unauthorized use, reproductions, or modification of this content is prohibited. © Copyright IMI plc. All rights reserved.

For further information, scan the QR code or contact truflouk.salesmail@imi-critical.com



Marine

Our product brand:
IMI Truflo Marine

2 Priory Road, Aston
Birmingham, B6 7LG -
United Kingdom

www.imiplc.com

04022.01/24.en

