

Breakthrough engineering for a better world



OV Valve

- Manually actuated either by handle, lever or handwheel
- Leak proof utilises a floating ball between two seats, allowing sealing in both directions
- No circumferential leakage path - OV seats work through pre compression and are not influenced by pressure
- Low and medium shock ideal for use in low and medium
- Versatile / cartridge system can be installed anywhere on any system
- Shock resistant uses shock resistant materials



Technical features

Pressure [bar]:

According to requirement

Size Range:

Up to DN 350

Materials:

- Nickel Aluminium Bronze (NAB)
- Inconel
- Titanium
- Monel
- Stainless Steel

Temperature Range:

Max. working temperature: 225°C Min. working temperature: -35°C

Systems Support

Surface Ships



Black Water



Fresh Water



Fuel Oil



Grey Water





Lubricating Oil



Sea Water

The trusted partner



Consultancy



Design



Qualification



Manufacturing



Through-life Support

The information in this brochure is provided for informational and promotional purposes only and is provided "as is" and without warranties of any kind, whether express or implied, including but not limited to implied warranties of satisfactory quality, fitness for a particular purpose and/ or correctness. Any specifications, features, pricing, or availability contained in this brochure are subject to change without priornotice. IMI plc does not represent or warrant that the information and/ or specification in this brochure are accurate, complete, or current and therefore $% \left(1\right) =\left(1\right) \left(1\right$ make no warranties or representation regarding the use of the content. IMI plc or one of its subsidiaries own all images (unless credited otherwise), logos, product brands, and trademarks mentioned in this brochure. Unauthorized use, reproductions, or modification of this content is prohibited. © Copyright IMI plc. All rights reserved.

For further information, scan the QR code or contact truflouk.salesmail@imi-critical.com



Marine

Our product brand: **IMI Truflo Marine**

2 Priory Road, Aston Birmingham, B6 7LG -United Kingdom

www.imiplc.com

04023.01/24.en





