




**Marine**

Our product brand:  
**IMI Truflo Marine**


# Multiport Valve



Breakthrough  
engineering for  
a better world

## Multiport Valve

- Space saving - 3 or 4 port design; helps to reduce the number of valves required in a system, allows for a change in direction of flow
- Enhanced control / flow control systems - it allows for the flow to be controlled and diverted to different areas
- Versatile design - for a wide range of operating pressures, temperatures, mediums and connections
- Various control mechanisms - operated manually via handwheel / lever, or can be actuated if greater levels of control are required



### Technical features

**Pressure [bar]:**  
Up to PN 250

**Size Range:**  
Up to DN 125











**Materials:**

- Nickel Aluminium Bronze (NAB)
- Inconel
- Titanium
- Monel
- Stainless Steel








**Temperature Range:**  
Max. working temperature: 100°C  
Min. working temperature: -20°C

### Systems Support

#### Submarines

- |   |   |   |   |  |
|---|---|---|---|--|
|  Battery Cooling |  Black Water |  Brown Water     |  Fresh Water |  Fuel Oil |
|  Grey Water      |  HVAC        |  Lubricating Oil |  Sea Water   |  Sewage   |


#### Surface Ships

- |   |   |   |  |
|---|---|---|--|
|  Black Water |  Fresh Water     |  Fuel Oil  |  Grey Water |
|  HVAC        |  Lubricating Oil |  Sea Water |  |

## The trusted partner



Consultancy



Design



Qualification




Manufacturing



Through-life Support

The information in this brochure is provided for informational and promotional purposes only and is provided "as is" and without warranties of any kind, whether express or implied, including but not limited to implied warranties of satisfactory quality, fitness for a particular purpose and/ or correctness. Any specifications, features, pricing, or availability contained in this brochure are subject to change without prior notice. IMI plc does not represent or warrant that the information and/ or specification in this brochure are accurate, complete, or current and therefore make no warranties or representation regarding the use of the content. IMI plc or one of its subsidiaries own all images (unless credited otherwise), logos, product brands, and trademarks mentioned in this brochure. Unauthorized use, reproductions, or modification of this content is prohibited. © Copyright IMI plc. All rights reserved.

For further information, scan the QR code or contact [truflouk.salesmail@imi-critical.com](mailto:truflouk.salesmail@imi-critical.com)



## Marine

Our product brand:  
**IMI Truflo Marine**

2 Priory Road, Aston  
Birmingham, B6 7LG -  
United Kingdom

[www.imiplc.com](http://www.imiplc.com)

04021.01/24.en

