

A close-up photograph of two different textile materials. On the left, a green fabric with a visible weave pattern is shown, with a frayed edge where the threads are loose. On the right, a beige or light brown knitted fabric, likely a rug or blanket, is visible. The lighting is soft and warm, highlighting the textures of both materials.

WESTWING Textiles & Rugs

Restricted Substances List 2025

Restricted Substances List (RSL)

Chemical compounds and substances for Rugs and Textiles (incl. Upholstery Textiles)

This requirement document describes WESTWING bans and restrictions on certain chemical compounds and substances due to national or international regulations and/or health and environmental concerns defined by WESTWING.

The purpose of WESTWING requirements concerning chemical substances in WESTWING products is to:

- minimize harmful effects to customers' health and to the environment from WESTWING products.
- ensure compliance of WESTWING products with health and environmental regulations in all WESTWING markets.

Unless otherwise stated, the requirements are valid for each separate homogeneous material in the product.

This document will be updated regularly.

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Formaldehyde	Formaldehyde	50-00-0		Used in textiles as an anti-creasing and anti-shrinking agent. It is also often used in polymeric resins. Sources: Easy care treatment, cross-linking agent, preservatives, fix agents , adhesives & glues.	All materials for direct skin contact except leather: ISO 14184-1 When there is color interference by using UV-Vis method, HPLC further checking is required. Leather: ISO 17226-1/-2 Articles other than baby articles,articles which direct skin contact and jackets, coats or upholstery: Test methods are specified in Appendix 14 of REACH regulation (EU) No. 1907/2006 for ANNEX XVII Entry 77	EU REACH ANNEX XVII Entry 72 CMR Substances EU REACH ANNEX XVII Entry 77 Formaldehyde Baby (<=36months):16mg/kg, non baby: - direct skin contact: 75mg/kg - jackets, coats or upholstery : 75mg/kg Articles other than baby articles,articles which direct skin contact and jackets, coats or upholstery.≤ 0.08 mg/m3

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Acidic and Alkaline Substances	pH value	various		To avoid irritation or chemical burns to the skin, the pH value of products must be in the range of human skin—approximately pH 5.5. Usually for white or uncoloured textile, pH is 4.0~5.5 to avoid yellowing.	Textile and artificial leather: ISO 3071 Leather: ISO 4045	No legal requirement in EU incl. Switzerland Westwing requirement: all carpets: 4.0-9.0 (without direct skin contact) all carpets: 4.0-7.5 (with direct skin contact) carpet with POD backing: 4.0-9.0 mandatory for Westwing
Organotin Compounds	Tributyltin (TBT)	various	X	Organotins can be used as biocides (e.g., antibacterials), catalysts in plastic and glue production, and heat stabilizers in plastics/rubber. In textiles and apparel, organotins are associated with plastics/rubber, inks, paints, metallic glitter, polyurethane products and heat transfer material.	Acid digestion, ICP-OES for Tin screening If Tin > 0.1%, CEN ISO/TS 16179 or Solvent Extraction, GC-MS Analysis for further confirmation	EU REACH ANNEX XVII Entry 20 Sum of TBT, TPhT, TMT,TOT,TCyHT: 0.1% (1000mg/kg)by weight of Tin; DBT & DOT Each: 0.1%(1000mg/kg) by weight of Tin
	Triphenyltin (TPhT)	various				
	Trimethyltin (TMT)	various				
	Trioctyltin (TOT)	various				
	Tricyclohexyltin (TCyHT)	various				
	Dibutyltin (DBT)	various	X			
	Diocetyltn (DOT)	various	X			
AZO Dyes and Arylamine Salts	4-Amino azobenzene	60-09-3	X	Azo dyes and pigments are colorants that incorporate one or several azo groups (-N=N-) bound with aromatic compounds, can be found in disperse dye, reactive dye, direct dye, acid dye etc. Thousands of azo dyes exist, but only those which degrade to form the listed cleavable amines are restricted.	All materials except Leather: EN ISO 14362-1 Leather: EN ISO 17234-1 p-Aminoazobenzene: All materials except Leather: EN ISO 14362-3 Leather: EN ISO 17234-2	EU REACH ANNEX XVII Entry 43 #EU REACH ANNEX XVII Entry 72 CMR Substances each 30mg/kg of 22 azo dyes & related salts *Westwing requirement: textile/leather/paint/print/coating/feather/down/wood/paper/natural straw [Excl white color] of prod'ts shall have <= 20 mg/kg of 24 azo dyes & 4 related salts.
	o-Aminoazotoluene	97-56-3	X			
	4-Aminodiphenyl	92-67-1	X			
	2-Amino-4-nitrotoluene	99-55-8				
	o-Anisidine	90-04-0	X			
	Benzidine	92-87-5				
	p-Chloroaniline	106-47-8				
	4-Chloro- <i>o</i> -toluidine	95-69-2				
	p-Cresidine	120-71-8	X			
	2,4-Diaminoanisole	615-05-4				
	4,4'-Diaminodiphenylmethane	101-77-9	X			
	3,3'-Dichlorobenzidine	91-94-1				
	3,3'-Dimethoxybenzidine	119-90-4				
	3,3'-Dimethylbenzidine	119-93-7				
	3,3'-Dimethyl-4,4'-diamino-diphenylmethane	838-88-0	X			
	4,4'-Methylene-bis-(2-chloroaniline)	101-14-4	X			
	2-Naphthylamine	91-59-8				
	4,4'-Oxydianiline	101-80-4	X			
	4,4'-Thiodianiline	139-65-1				
	2,4-Toluenediamine	95-80-7	X			
	o-Toluidine	95-53-4	X			
	2,4,5-Trimethylaniline	137-17-7				
	2,4-Xylidine *	95-68-1				
	2,6-Xylidine *	87-62-7				
	4-Chloro- <i>o</i> -toluidinium chloride #	3165-93-3				
	2-Naphthylammoniumacetate #	553-00-4				

Classification		Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Heavy Metals		4-Methoxy-m-phenylene diammonium sulphate #	39156-41-7				
		2,4,5-Trimethylaniline hydrochloride #	21436-97-5				
	Total Heavy Metals	Cadmium (Cd) and its compounds	7440-43-9	X	Cadmium compounds may be used as pigments (especially in red, orange, yellow and green); as a stabilizer for PVC; and in fertilizers, biocides, and paints.	Acid Digestion Method, ICP-OES	EU REACH ANNEX XVII Entry 23 Paints on painted article: 1000mg/kg Other plastic material: 100mg/kg Metal part in jewelry: 100mg/kg (expressed as Cd metal)
		Lead (Pb) and its compounds	7439-92-1	X	May be associated with alloys, plastics, paints, inks, pigments and surface coatings.	Acid Digestion Method, ICP-OES If the content of total Pb >= 500mg/kg, additional testing for Pb release will be conducted according to EN 16711-3 for applicable condition.	EU REACH ANNEX XVII Entry 63 (1) 500mg/kg for jewelry product (2) 500mg/kg or lead release <= 0.05 µg/cm²/h (for articles or accessible parts thereof may, during normal or reasonably foreseeable conditions of use, be placed in the mouth by children, by children, and for accessible PVC components); (3) 1000 mg/kg (0.1%) for inaccessible PVC components (Application date: 29 November 2024). (expressed as Pb metal)
	Extractable Heavy Metals	Cadmium and its compounds	7440-43-9	X	Cadmium compounds may be used as pigments (especially in red, orange, yellow and green); as a stabilizer for PVC; and in fertilizers, biocides, and paints.	EN 16711-2	EU REACH ANNEX XVII Entry 72 CMR Substances each 1mg/kg (expressed as metal)
		Arsenic and its compounds	7440-38-2	X	Arsenic and its compounds can be used in preservatives, pesticides, and defoliants for cotton, synthetic fibers, paints, inks, trims, and plastics.		
		Lead and its compounds	7439-92-1	X	May be associated with alloys, plastics, paints, inks, pigments and surface coatings.		
		Chromium VI compounds	18540-29-9	X	Chromium VI may be used in the "after-chroming" process for wool dyeing (Chrome salts applied to acid-dyed wool to improve fastness).	EN 16711-2, ISO 17075-1 or -2 for Cr VI confirmation	

Classification		Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
	Chromium VI	Chromium VI	18540-29-9	X	Though typically associated with leather tanning	EN ISO 17075-1/-2 Aging test: ISO 10195:2018 Method A2	EU REACH ANNEX XVII Entry 47 Leather article/part coming into contact with skin: 3mg/kg
	Nickel Release	Nickel Release (Ni)	7440-02-0		Nickel and its compounds can be used for plating alloys and improving corrosion-resistance and hardness of alloys. They can also occur as impurities in pigments and alloys.	EN 12472 and EN 1811	EU REACH ANNEX XVII Entry 27 Prolonged skin contact: 0.05 µg/cm ² /week
	Toxic Elements in Packaging Components	Pb+Cd+Hg+Cr VI	—	X	—	Acid Digestions followed by ICP/AAS Analysis, UV- Visible Spectrometer	Packaging and Packaging Waste Regulation 2025/40 Sum (Pb+Cd+Hg+Cr VI): 100mg/kg
Chlorinated Paraffins		Short-chain Chlorinated Paraffins (SCCPs) (C10-C13)	85535-84-8	X	Can be used as softeners, flame retardants, or fat-liquoring agents in leather production; also as a plasticizer in polymer production.	Textile and all other materials: ISO 22818 Leather: ISO 18219-1	EU POPs regulation (EU) 2019/1021 EU REACH Regulation for SVHC substances 1500mg/kg 1000mg/kg

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Chlorophenols	Pentachlorophenol (PCP)	87-86-5		Chlorophenols are polychlorinated compounds used as preservatives or pesticides. PCP can also be used as in-can preservatives in print pastes and other chemical mixtures.	§ 64 LFGB B 82.02-08 or DIN 50009	EU POPs regulation (EU) 2019/1021: 5 mg/kg (Detection Limit: 0.5 mg/kg) Swiss Chemical Risk Reduction Ordinance (ChemRRV/ORRChem) Art. 3 Appendix 1.2 and Appendix 2.17 Not used German Food, Feed and Commodities Law §30 (LFGB §30): 5 mg/kg Requirement Westwing: < 0.5 mg/kg NOTE: If PCP in a concentration 0.5 mg/kg - 5 mg/kg has been detected, a re-test on a new send-in component/sample needs to be conducted automatically
Dimethylfumarate	Dimethylfumarate (DMFu)	624-49-7		DMFu is an anti-mold agent that may be used in sachets in packaging to prevent the buildup of mold, especially during shipping. May be found in leather products	ISO 16186	EU REACH ANNEX XVII Entry 61 0.1mg/kg
Alkylphenol Ethoxylates (APEOs)	Nonylphenol ethoxylates (NPEOs) and Octylphenol ethoxylates (OPEOs)	—	X	APEOs can be used as or found in detergents, scouring agents, spinning oils, wetting agents, softeners, emulsifying/dispersing agents for dyes and prints, impregnating agents, de-gumming for silk production, dyes and pigment preparations, polyester padding and down/feather fillings.	EN ISO 18254-1	EU REACH ANNEX XVII Entry 46a for textile article, which can reasonably be expected to be washed in water during their normal lifecycle: < 100 mg/kg (0.01%) for NPEO for all other articles: 1000 mg/kg (0.1%) (SVHC) OPEOs: All articles: 1000 mg/kg (0.1%) (SVHC)

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Per- and Polyfluoralkyl Substances (PFAS)	Perfluorooctane Sulfonate (PFOS) , its Salts and Related Substances	Perfluorooctanesulfonic acid (PFOS)	1763-23-1	PFAS may be present as unintended byproducts in long-chain and short-chain commercial water-, oil-, and stain-repellent agents. PFOA may also be used in polymers like Polytetrafluoroethylene (PTFE). All PFAS are either persistent themselves or degrade to other persistent PFAS. Persistence due to strength of the carbon-fluorine bond. PFAS remain in environment for decades to centuries, so called "Forever Chemicals".	EN 17681-1:2025 (DIN EN 17681-1 2025-06)	EU POPs regulation (EU) 2019/1021 -PFOS and its salts: sum 25 ppb PFOS- related substances: sum 1000 ppb
		Perfluorooctanesulfonic acid, potassium salt (PFOS-K)	2795-39-3			
		Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5			
		Perfluorooctanesulfonic acid, ammonium salt (PFOS-NH ₄)	29081-56-9			
		Perfluorooctane sulfonate diethanolamine salt (PFOS-NH(OH) ₂)	70225-14-8			
		Perfluorooctanesulfonic acid, tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3			
		N-Ethylperfluoro-1-octanesulfonamide (N-Et-FOSA)	4151-50-2			
		N-Methylperfluoro-1-octanesulfonamide (N-Me-FOSA)	31506-32-8			
		2-(N-Ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE)	1691-99-2			
		2-(N-Methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE)	24448-09-7			
		Perfluoro-1-octanesulfonyl fluoride (POSF)	307-35-7			
		Perfluorooctane sulfonamide (PFOSA)	754-91-6			
	Perfluorooctanoic Acid (PFOA) and its Salts	Perfluorooctanoic acid (PFOA)	335-67-1	X		EU POPs regulation (EU) 2019/1021 PFOA and its salts: sum 25 ppb PFOA- related substances: sum 1000 ppb
		Sodium perfluorooctanoate (PFOA-Na)	335-95-5			
		Potassium perfluorooctanoate (PFOA-K)	2395-00-8			
		Silver perfluorooctanoate (PFOA-Ag)	335-93-3			
		Perfluorooctanoyl fluoride (PFOA-F)	335-66-0			
		Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	X		
	PFOA-related Substances	1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4			EU POPs regulation (EU) 2019/1021 PFHxS and its salts: sum 0.025 mg/kg (25 ppb, 0.0000025%) PFHxS-related compounds: sum 1 mg/kg (1000 ppb, 0.0001%)
		Methyl perfluorooctanoate (Me-PFOA)	376-27-2			
		Ethyl perfluorooctanoate (Et-PFOA)	3108-24-5			
		1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA)	17527-29-6			
		1H,1H,2H,2H-Perfluorooctyl methacrylate (6:2 FTMA)	2144-53-8			
		2-Perfluorooctylethanol (8:2 FTOH)	678-39-7			
		1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA)	27905-45-9			
		1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA)	1996-88-9			
		2H,2H,3H,3H-Perfluoroundecanoic acid (H4PFUnA)	34598-33-9			
	PFHxS and Its Salts	Perfluorohexane Sulfonic acid (PFHxS)	355-46-4	X		EU POPs regulation (EU) 2019/1021 PFHxS and its salts: sum 0.025 mg/kg (25 ppb, 0.0000025%) PFHxS-related compounds: sum 1 mg/kg (1000 ppb, 0.0001%)
		Perfluorohexane Sulfonic acid, potassium salt (PFHxS-K)	3871-99-6			
		Perfluorohexane Sulfonic acid, lithium salt (PFHxS-Li)	55120-77-9			
		Perfluorohexane Sulfonic acid, ammonium salt (PFHxS-NH ₄)	68259-08-5			
		Perfluorohexane Sulfonic acid, sodium salt (PFHxS-Na)	82382-12-5			
	PFHxS-related	N-Methylperfluoro-1-hexanesulfonamide (N-Me-FHxSA)	68259-15-4			

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
Substances C9 – C14 PFCAs and Their Salts	Perfluorohexane sulfonamide (PFHxSA)	41997-13-1				EU REACH Annex XVII Entry 68 C9-C14 PFCA and their salts: sum 25 ppb C9-C14 PFCA related substances: sum 260 ppb
	Perfluorononanoic Acid (PFNA, C9-PFCA)	375-95-1	X			
	Ammonium perfluorononanoate (NH4-PFN)	4149-60-4	X			
	Sodium perfluorononanoate (Na-PFN)	21049-39-8	X			
	Perfluorodecanoic Acid (PFDA, C10-PFCA)	335-76-2	X			
	Ammonium perfluorodecanoate (NH4-PFD)	3108-42-7	X			
	Sodium perfluorodecanoate (Na-PFD)	3830-45-3	X			
	Perfluoroundecanoic Acid (PFUnA, C11-PFCA)	2058-94-8	X			
	Perfluorododecanoic Acid (PFDoA, C12-PFCA)	307-55-1	X			
	Perfluorotridecanoic Acid (PFTrDA, C13-PFCA)	72629-94-8	X			
	Perfluorotetradecanoic Acid (PFTeDA, C14-PFCA)	376-06-7	X			
	Perfluoro-3-7-dimethyloctanecarboxylate (PF-3,7-DMOA)	172155-07-6				
	C9 – C14 PFCA-related Substances	1H,1H,2H,2H-Perfluorododecyl acrylate (10:2 FTA)	17741-60-5			
		1H,1H,2H,2H-Perfluorododecyl methacrylate (10:2 FTMA)	2144-54-9			
		1H,1H,2H,2H-Perfluorododecanol (10:2 FTOH)	865-86-1			
		1H,1H,2H,2H-perfluorotetradecan-1-ol (12:2 FTOH)	39239-77-5			
		1H,1H,2H,2H-Perfluorododecanesulphonic acid (10:2 FTS)	120226-60-0			
		1H,1H,2H,2H-Perfluorododecyl iodide (10:2 FTI)	2043-54-1			
		1H,1H,2H,2H-Perfluorotetradecyl iodide (12:2 FTI)	30046-31-2			
		2-Perfluorooctylethanol (8:2 FTOH)	678-39-7			
		2H,2H,3H,3H-Perfluoroundecanoic acid (H4PFUnA)	34598-33-9			
	Perfluorohexanoic Acid (PFHxA) and Its Salts	Perfluorohexanoic Acid (PFHxA, C6-PFCA)	307-24-4			EU REACH Annex XVII (proposed in June 2023) PFHxA and its salts: sum 0.025 mg/kg (25 ppb, 0.0000025%) PFHxA-related substances: sum 1 mg/kg (1000 ppb, 0.0001%)
		Ammonium perfluorohexanoate (APFHx)	21615-47-4			
	PFHxA-related Substances	1H,1H,2H,2H-Perfluorooctanesulfonic acid (6:2 FTS)	27619-97-2			PFHpA and its salts: sum 0.025 mg/kg (25 ppb, 0.0000025%)
		1H,1H,2H,2H-Perfluorooctanol (6:2 FTOH)	647-42-7			
	Perfluoroheptanoic Acid (PFHpA) and Its Salts	Perfluoroheptanoic acid (PFHpA)	375-85-9			
Flame Retardants	Polybromobiphenyls (PBB)	59536-65-1		With very limited exceptions, flameretardant chemicals, including the entire class of Organohalogen flame retardants, should no longer be applied to materials during production.	EN ISO 17881-1/-2	EU REACH ANNEX XVII Entry 8 For in skin contact textiles articles: not used
	Tris(aziridinyl)phosphin oxide(TEPA)	545-55-1				EU REACH ANNEX XVII Entry 7 For in skin contact textiles articles: not used
	Tris (2,3 dibromopropyl) phosphate(TRIS)	126-72-7				EU REACH ANNEX XVII Entry 4 For in skin contact textiles articles: not used
	Hexabromocyclododecane (HBCDD)	3194-55-6				EU POPs regulation (EU) 2019/1021 0.01% (100mg/kg)
	Tetrabromodiphenyl ether(TetraBDE)	40088-47-9				EU POPs regulation (EU) 2019/1021 Sum:500mg/kg
	Pentabromodiphenyl ether(PentaBDE)	32534-81-9				
	Hexabromodiphenyl ether(HexaBDE)	36483-60-0				

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
	Heptabromodiphenyl ether(HeptaBDE)	446255-22-7				EU REACH ANNEX XVII Entry 67
	Decabromodiphenyl ether(DecaBDE)	1163-19-5	X			DecaBDE: 0.1% (1000mg/kg)
Phthalates	Di(2-ethylhexyl)-phthalate (DEHP)	117-81-7	X	Esters of ortho-phthalic acid (Phthalates) are a class of organic compound commonly added to plastics to increase flexibility. They are sometimes used to facilitate the molding of plastic by decreasing its melting temperature. Phthalates can be found in: • Flexible plastic components (e.g., PVC) • Print pastes • Adhesives • Plastic buttons • Plastic sleeveings • Polymeric coatings	CPSC-CH-C1001-09.4 EN ISO 14389	EU REACH ANNEX XVII Entry 51 EU REACH ANNEX XVII Entry 72 CMR Substances Single or sum <=0.1%
	Dibutylphthalate (DBP)	84-74-2	X			
	Butylbenzylphthalate (BBP)	85-68-7	X			
	Diisobutylphthalate (DIBP)	84-69-5	X			
	1,2-benzenedicarboxylic acid; di-C 6-8-branched alkylesters, C 7-rich	71888-89-6	X			
	Bis(2-methoxyethyl) phthalate	117-82-8	X			
	Diisopentylphthalate	605-50-5	X			
	Di-n-pentyl phthalate (DPP)	131-18-0	X			
	Di-n-hexyl phthalate (DnHP)	84-75-3	X			
Polycyclic Aromatic Hydrocarbons (PAHs)	Benz[a]anthracene	56-55-3	X	PAHs are natural components of crude oil and are common residues from oil refining. PAHs have a characteristic smell similar to that of car tires or asphalt. Oil residues containing PAHs are added to rubber and plastics as a softener or extender and may be found in rubber, plastics, lacquers and coatings. PAHs are often found in the outsoles of footwear and in printing pastes for screen prints. PAHs can be present as impurities in Carbon Black. They also may be formed from thermal decomposition of recycled materials during reprocessing.	AfPS GS 2019.01 PAK	EU REACH ANNEX XVII Entry 50 EU REACH ANNEX XVII Entry 72 CMR Substances German Food, Feed and Commodities Law §30 (LFGB §30) AfPS GS 2019.01 PAK *Follows limits in AfPS GS 2019:01 PAK Concrete REACH and AfPS GS 2019:01 PAK Requirements: see separate Sheet
	Benz[e]acephenanthrylene	205-99-2				
	benzo[a]pyrene; benzo[d,e,f]chrysene	50-32-8	X			
	Benzo[e]pyrene	192-97-2				
	Benzo[j]fluoranthene	205-82-3				
	Benzo[k]fluoranthene	207-08-9	X			
	Chrysene	218-01-9	X			
	Dibenz[a,h]anthracene	53-70-3				
	*Anthracene	120-12-7	X			
	*Benzo[g,h,i]perylene	191-24-2	X			
	*Fluoranthene	206-44-0	X			
	*Indeno[1,2,3-cd]pyrene	193-39-5				
	*Naphthalene	91-20-3				
	*Phenanthrene	85-01-8	X			
	*Pyrene	129-00-0	X			
Volatile Organic Compound (VOC)	Benzene	71-43-2		VOCs are associated with solventbased processes such as solventbased polyurethane coatings and glues/adhesives.	Headspace GC-MS	EU REACH ANNEX XVII Entry 72 CMR Substances 5mg/kg
Chlorinated Aromatic Hydrocarbons	α,α,α,4-tetrachlorotoluene; p-chlorobenzotrichloride	5216-25-1		Chlorobenzenes and Chlorotoluenes (Chlorinated Aromatic Hydrocarbons) can be used as carriers in the dyeing process of polyester or wool/	EN 17137	EU REACH ANNEX XVII Entry 72 CMR Substances each 1mg/kg
	α,α,α,-trichlorotoluene; benzotrichloride	98-07-7				
	α,-chlorotoluene; benzyl chloride	100-44-7				

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
	Hexachlorobenzene	118-74-1		polyester fibers. They can also be used as solvents.		REGULATION (EU) 2022/2291 of 8 September 2022 amending Annex I to POPs Regulation (EU) 2019/1021 10mg/kg
Solvents	N-methyl-2-pyrrolidone (NMP)	872-50-4	X	Industrial solvent used in production of water-based Polyurethanes and other polymeric materials. May also be used as a surface treatment for textiles, resins, and metal-coated plastics, or as a paint stripper.	Textile: EN 17131 All other materials: ISO 16189	EU REACH ANNEX XVII Entry 72 CMR Substances each 3000mg/kg
	N,N-dimethylacetamide (DMAC)	127-19-5	X	Solvent used in the production of elastane fibers and sometimes as substitute for DMFa.		
	N,N-dimethylformamide (DMFa)	68-12-2	X	Solvent used in plastics, rubber, and polyurethane (PU) coating.		
Quinoline	Quinoline	91-22-5		Found as an impurity in polyester and some dyestuffs.	DIN 54231	EU REACH ANNEX XVII Entry 72 CMR Substances 50mg/kg
Allergenic Carcinogenic Disperse Dyestuffs	C.I. Disperse Blue 1 #	2475-45-8		Disperse dyes are a class of water insoluble dyes that penetrate the fiber system of synthetic or manufactured fibers and are held in place by physical forces without forming chemical bonds. Disperse dyes are used in synthetic fiber (e.g., polyester, acetate etc.).	DIN 54231	German Food, Feed and Commodities Law §30 (LFGB §30) Not detected (detection limit : 5mg/l in extract) #EU REACH ANNEX XVII Entry 72 CMR Substances C.I. Disperse Blue 1 C.I. Basic Red 9 C.I. Basic Violet 3 with >=0.1 % of Michler's ketone each 50mg/kg
	C.I. Disperse Blue 3	2475-46-9				
	C.I. Disperse Blue 35	56524-77-7/56524-76-6				
	C.I. Disperse Blue 106	12223-01-7				
	C.I. Disperse Blue 124	61951-51-7				
	C.I. Disperse Red 1	2872-52-8				
	C.I. Disperse Orange 3	730-40-5				
	C.I. Disperse Orange 37/59/76	13301-61-6/12223-33-5/51811-42-8				
	C.I. Disperse Yellow 3	2832-40-8				
	C.I. Basic Red 9 #	569-61-9				
	C.I. Basic Violet 3 with >=0,1 % of Michler's ketone #	548-62-9	X			

Classification	Restricted Substances	Cas No.	SVHC (Limit to trigger SCIP Notification & SVHC Communication obligations: 1000 mg/kg)	Potential Uses	Testing Method	Regulation / Limit Value
SVHC Screening (additional non mandatory SVHCs by request only)	—	—	X	Candidate List of substances of very high concern of for Authorisation cover AP/APEO, phthalates, flame retardants, SCCP, MCCP, lead chromate pigment, DMFa, NMP, DMAc, Bisphenols etc.	In House Method	EU REACH Regulation (EC) No 1907/2006 0.1% (w/w) per article/component Supplier needs to notify ECHA and WESTWING if the article contains an SVHC in quantities above one tonne per producer/importer per year and if the substance is present in those articles above a concentration of 0.1% (w/w). WFD Directive 2008/98/EC 0.1% (w/w) per article/component Supplier needs to notify ECHA by submit SCIP notification and WESTWING if the article contains an SVHC above a concentration of 0.1% (w/w). each 1000 mg/kg (0.1%)
All biocidal treated Product	—	—		Biocidal products, which are used to protect humans, animals, materials or articles against harmful organisms like pests or bacteria, by the action of the active substances contained in the biocidal product.	Due diligence	The Biocidal Products Regulation (BPR, Regulation (EU) 528/2012) -Authorized active substances -the labeling (CLP) Regulation ((EC) No 1272/2008)
PVC Product	—	—		For legal requirement conformance (total Cadmium/Organotins /Phthalates/SCCP etc.) concern.	Due diligence	Phase out PVC material.
Natural Latex Product	—	—		Can cause allergic reaction (to protein) after contacting with human skin.	Due diligence	Phase out natural latex for allergen concern.

Remark:

- 1) REACH Regulation (EC) No 1907/2006 REACH stands for Registration, Evaluation, Authorisation and Restriction of Chemicals. It entered into force on 1 June 2007.
REACH is a regulation of the European Union, adopted to improve the protection of human health and the environment from the risks that can be posed by chemicals, while enhancing the competitiveness of the EU chemicals industry. It also promotes alternative methods for the hazard assessment of substances in order to reduce the number of tests on animals.

- 2) EU REACH ANNEX XVII Entry 72 CMR Substances
COMMISSION REGULATION (EU) 2018/1513 of 10 October 2018 amending Annex XVII to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as regards certain substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), category 1A or 1B
- 3) BPR, Regulation (EU) 528/2012
The Biocidal Products Regulation (BPR, Regulation (EU) 528/2012) concerns the placing on the market and use of biocidal products, which are used to protect humans, animals, materials or articles against harmful organisms like pests or bacteria, by the action of the active substances contained in the biocidal product. This regulation aims to improve the functioning of the biocidal products market in the EU, while ensuring a high level of protection for humans and the environment.
- 4) POPs regulation (EU) 2019/1021
Persistent organic pollutants (POPs) are organic substances that persist in the environment, accumulate in living organisms and pose a risk to our health and the environment. They can be transported by air, water or migratory species across international borders, reaching regions where they have never been produced or used. International risk management is necessary as no region can manage the risks posed by these substances alone.
- 5) CLP Regulation (EC) No 1272/2008
The Classification, Labelling and Packaging (CLP) Regulation ((EC) No 1272/2008) is based on the United Nations' Globally Harmonised System (GHS) and its purpose is to ensure a high level of protection of health and the environment, as well as the free movement of substances, mixtures and articles.
- 6) WFD, Directive 2008/98/EC
Directive 2008/98/EC on waste (Waste Framework Directive) sets the basic concepts and definitions related to waste management, such as definitions of waste, recycling, recovery. It explains when waste ceases to be waste and becomes a secondary raw material (so called end-of-waste criteria), and how to distinguish between waste and by-products, and lays down some basic waste management principle.