# Terminal 96 00 Time recording and staff communication

### **Key Figures**

Lifetime per unit: 10 years Weight per unit: 0.756 kg Electricity use per year: 49 kWh Production location: Villingen-Schwenningen, Germany

### **Production standards**

Quality	Environmental	Occupational Health & Safety	Energy	Produced with green electricity
ISO 9001 certified	ISO 14001 certified	ISO 45001 certified		¥

### **Product declarations**


Environmental Product Declaration	Health Product Declaration	Building Product Declaration	SuPIM Data Sheet
<b>v</b>			

# Material used (%)

PaperAluminiumElectronicsPlasticGlassOthers

# 21%

26%



This is similar to the  $CO_2$  produced from a roundtrip flight from Zurich to Barcelona (1,700 km)




<sup>1</sup> Carbon dioxide equivalent (CO<sub>2</sub>e) is the universal unit of measurement to indicate the global warming potential (GWP) of each of the six greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis.



Scan the QR code or click here for more information about sustainability



Scan the QR code or click here for more information about our sustainability product declaration.



## Description

Secure and uncomplicated time recording with the Terminal 96 00. A flexible, small all-rounder that you can expand later easily. The user interface offers extensive configuration options to be adapted to your corporate identity featuring company-specific content and applications. Its stable housing and robust glass screen make the terminal durable and versatile in application. The employee identification is done via integrated radio-frequency identification (RFID) reader using an RFID medium or smartphone.

# Total Global Warming Potential per life cycle stage (kg $CO_2e$ )

