created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 3190356753408

CLASSIFICATION: 10 22 23.23 Movable Panel Systems

PRODUCT DESCRIPTION: Horizontal Sliding Wall Systems are ideal for any application where total vision is required. Whether the purpose is to link or separate, add security, provide noise barrier or remove barriers, dormakaba's HSW Sliding Wall Systems are available in a variety of configurations to meet your design requirements. Versatile HSW-DRS Horizontal Sliding Walls offer easy installation & maintenance, plus numerous options for matching the system to your requirements. You can configure the HSW-DRS systems to meet the needs of most demanding projects. With DRS rails top and bottom, this HSW system blends seamlessly with fixed glass walls and glass sliding or pivoting doors that feature DRS rails.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE | HAZARD TYPE**

HSW-DRS [ALUMINUM BM-1 | END | PHY | MAM STEEL NOGS BRASS LT-1 | CAN | DEV | PBT | REP | AQU KEVLAR 49 LT-UNK POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2) LT-P1 | MAM]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Electronics]

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

VOC emissions: CDPH Standard Method - Not tested LCA: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-06-03 PUBLISHED DATE: 2024-06-13

EXPIRY DATE: 2027-06-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

HSW-DRS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

ALUMINUM				ID: 7429-90-5		
HAZARD DATA SOURCE: Ph	D DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-03 3:28:38		
%: 95.5000 - 95.5000	GreenScreen: BM-1	RC: Both	NANO: No	SUBSTANCE ROLE: Hardware		
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS			
END	TEDX - Potential Endocrine Dis	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
PHY	EU - GHS (H-Statements) Ann	ex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]			
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or re [Specific target organs/systemic toxicity d exposure - Category 1]		
MAM	GHS - Japan			amage to organs [Specific target toxicity following single exposure -		
PHY	GHS - Japan		[Substances and	with water releases flammable gas mixtures, which in contact with water, ases - Category 2]		
PHY	GHS - Malaysia			ire spontaneously if exposed to air s; Pyrophoric solids - Category 1]		
PHY	GHS - Australia			ire spontaneously if exposed to air s; Pyrophoric solids - Category 1]		
PHY	GHS - New Zealand		Pyrophoric solids	category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION			
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute	C2C Certified v4 List (RSL) - Effect	Product Standard Restricted Substances tive July 1, 2022		
			Biological and En	vironmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Inno (C2CPII)	vation Institute	C2C Certified v4 List (RSL) - Effect	Product Standard Restricted Substances tive July 1, 2022		
			Children's Produc	ots		

STEEL ID: 12597-69-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZARD SCREENING DATE: 2024-06-03 3:28:38		
%: 2.0000 - 2.0000	GreenScreen: NoGS	RC: Both	NANO: No	SUBSTANCE ROLE: Hardware	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	arnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	lo listings found on Additional Hazard Lists	
SUBSTANCE NOTES: Fa	steners, trolleys, brackets, locks/hardware				

BRASS ID: 86376-49-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-03 3:28:38				
%: 1.0000 - 1.0000	GreenScreen: LT-1	RC: Both	NANO: No	SUBSTANCE ROLE: Hardware		
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS			
CAN	CA EPA - Prop 65		Carcinogen			
CAN	US NIH - Report on Carcin	US NIH - Report on Carcinogens		Reasonably Anticipated to be Human Carcinogen		
DEV	G&L - Neurotoxic Chemica	als	Developmental N	leurotoxicant		
PBT	US EPA - Toxics Release	US EPA - Toxics Release Inventory PBTs		PBT		
REP	GHS - Korea		•	age fertility or the unborn child kicity - Category 1]		
AQU	GHS - Korea		H400 - Very toxic environment (acu	to aquatic life [Hazardous to the aquatic lite) - Category 1]		
AQU	GHS - Korea		•	to aquatic life with long lasting effects aquatic environment (chronic) - Category		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Footwear, Apparel & Jewelry Products

KEVLAR 49 ID: 24938-64-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-06-03 3:28:39
%: 1.0000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			N	lo listings found on Additional Hazard Lists
SUBSTANCE NOTES: Gask	ket material			

POLYVINYL CHLORIDE (PVC) (PRIMARY CASRN IS 9002-86-2)

SUBSTANCE NOTES: Locking hardware

ID: 93050-82-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	ry	HAZARD	SCREENING DATE: 2024-06-03 3:28:39
%: 0.5000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Hardware

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Seals

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: USA

ISSUE DATE: 2024-06-03 00:00:00 EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This HPD is for a product that is NOT liquid/wet applied.

LCA	Environmental Product Declaration (EPD) by SCS	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: USA CERTIFICATE URL: https://assets.ctfassets.net/y0dk4vkszqeh/3CRnVulikqqO35t7SHRhaP/3d2a3e6a856756508569bcda6ef344a9/HSW_DRS_EN.pdf	ISSUE DATE: 2021- 06-23 00:00:00 EXPIRY DATE: 2026- 06-22 00:00:00	CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: This HPD is for a product that is NOT liquid/wet applied.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba ADDRESS: 1 Dorma Drive

Stevens, Pennsylvania Reamstown COUNTRY: Vereinigte Staaten LATITUDE: -76.1167000

LONGITUDE: 40.2150000

WEBSITE: www.dormakaba.com

CONTACT NAME: www.dormakabagroup.com/en/contact

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for

