

c-lever compact

Electronic door lock

Key Figures

Lifetime per unit: 10 years
Weight per unit: 1.3 kg
Electricity use per year: 0.003 kWh
Production location: Shenzhen, China


Production standards

Quality	Environmental	Occupational Health & Safety	Energy	Produced with green electricity
ISO 9001 certified				

Product declarations

Environmental Product Declaration	Health Product Declaration	Building Product Declaration	SuPIM Data Sheet
✓			


Material used (%)



¹ Carbon dioxide equivalent (CO₂e) is the universal unit of measurement to indicate the global warming potential (GWP) of each of the six greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis.

The GWP¹ across the life cycle is 11 kg CO₂e

This is similar to the CO₂ produced from a road trip with a diesel mid-range car from Ennepetal to Dortmund airport



Scan the QR code or click here for more information about sustainability



Scan the QR code or click here for more information about our sustainability product declaration.



Description

The electronic fitting c-lever compact combines design and functionality. The access medium can be determined according to individual needs - cards, key fobs, keys with Radio Frequency Identification (RFID) or smartphones. Access rights can be defined for an almost unlimited number of users, precisely to the location and time. These can be changed flexibly, either in standalone or wireless operation.

Total Global Warming Potential per life cycle stage (kg CO₂e)

