Modernfold Acousti-Seal Legacy (A/S 900; Steel) - Single/Paired/Electric/900 Series by dormakaba

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 31973

CLASSIFICATION: 10 22 23.23 Movable Panel Systems

PRODUCT DESCRIPTION: Acousti-Seal® Legacy® - Modernfold's Acousti-Seal® Legacy® (A/S900; Steel) provides a slim 3" steel faced platform while maintaining the robust steel frame construction of other Modernfold premium products. Offered in single, paired, and continuously hinged operations, Acousti-Seal® Legacy® uses vertical and horizontal steel frame members with a steel panel face to create the strongest unitized panel construction available.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

O Material

Product

Threshold Level

⊙ 100 ppm C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

⊙ Yes ○ No

⊙ Yes ○ No.

Provided weight and role.

Screened

Provided screening results using HPDC-approved methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MODERNFOLD ACOUSTI-SEAL LEGACY (A/S 900; STEEL) -

SINGLE/PAIRED/ELECTRIC/900 SERIES [STEEL NoGS GYPSUM BM-3dg VINYL ACETATE LT-P1 | CAN | END | MUL | MAM | PHY | GEN | SKI | EYE | REP | AQU ALUMINUM BM-1 | END | MAM | PHY FIBERGLASS (PRIMARY CASRN IS 65997-17-

3) LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | MAM POLYSTYRENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

LCA: Environmental Product Declaration (EPD) by SCS

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VFRIFIFR: **VERIFICATION #:** **SCREENING DATE: 2023-03-30** PUBLISHED DATE: 2023-03-30

EXPIRY DATE: 2026-03-30

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

MODERNFOLD ACOUSTI-SEAL LEGACY (A/S 900; STEEL) - SINGLE/PAIRED/ELECTRIC/900 SERIES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

STEEL ID: 12597-69-2 HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 9:57:30 RC: UNK SUBSTANCE ROLE: Hardware %: 48.4700 - 48.4700 GreenScreen: NoGS NANO: No **HAZARD TYPE** LIST NAME AND SOURCE WARNINGS None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (Horizontal brace/frame, vertical frame, top/bottom frame assembly, bottom trim, fasteners, drop seal channels, end seals, astragals and skin)

GYPSUM ID: 13397-24-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 9:57:30 %: 45.9900 - 45.9900 GreenScreen: BM-3da RC: UNK NANO: No SUBSTANCE BOLE: Hardware HAZARD TYPE LIST NAME AND SOURCE WARNINGS No warnings found on HPD Priority Hazard Lists None found ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION No listings found on Additional Hazard Lists None found

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (Skin and dampeners)

VINYL ACETATE ID: 108-05-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 9:57:31

%: 2.3800 - 2.3800 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
GEN	GHS - New Zealand	Germ cell mutagenicity category 1		
SKI	GHS - New Zealand	Skin irritation category 2		
EYE	GHS - New Zealand	Eye irritation category 2		
CAN	GHS - New Zealand	Carcinogenicity category 2		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]		
MAM	GHS - New Zealand	Acute inhalation toxicity category 3		
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
REP	GHS - New Zealand	Reproductive toxicity category 2		
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
PHY	GHS - New Zealand	Flammable liquids category 2		
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals		
		Some Solvents		

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (Skin and trim)

ALUMINUM ID: 91728-14-2

%: 1.9000 - 1.9000 GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Hardware**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-03-30 9:57:32

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
1AM GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
PHY	GHS - New Zealand	Flammable solids category 1		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]		
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophori liquids; Pyrophoric solids - Category 1]		
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]		
PHY GHS - New Zealand		Pyrophoric solids category 1		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		

FIBERGLASS (PRIMARY CASRN IS 65997-17-3)

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (top sweep retainer)

ID: 94551-77-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING	DATE: 202	23-03-30 9:57:33	
%: 1.9000 - 1.9000	GreenScreen: LT-UNK	RC: UNK	NANO: N	o SUBSTANCE ROLE: Inst	ulator
HAZARD TYPE	LIST NAME AND SOURC	E	WAF	RNINGS	
None found				No warnings found on H	PD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURC	E	NOT	IFICATION	
EXEMPT	European Union / Europe	European Union / European Commission (EU EC)		EU - REACH Exemptions	
			Exer	npted from REACH Annex V listing due t	to intrinsic safety

 ${\tt SUBSTANCE\ NOTES:\ Modernfold\ Acousti-Seal\ Legacy\ (\ Insulation\ and\ sound\ dampening\)}$

POLYVINYL CHLORIDE (PVC)	ID:	9002-86-2
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-03-30 9:57:30	

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-03-30 9:57:30		
%: 0.7100 - 0.7100	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
MAM GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2022
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (Bottom seal, sweep & astragal)

POLYSTYRENE				ID: 9003-53-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2023-03-30 9	9:57:31
%: 0.0300 - 0.0300	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	LIST NAME AND SOURCE	E	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	E	NOTIFICATION	N
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precau	tionary List
			Precautionary	list of substances recommended for avoidance

SUBSTANCE NOTES: Modernfold Acousti-Seal Legacy (Polystyrene foam)



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: This HPD is for a product that is NOT

liquid/wet applied. **CERTIFICATE URL:**

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2023-03-30

EXPIRY DATE:

CERTIFIER OR LAB: None

LCA **Environmental Product Declaration** (EPD) by SCS CERTIFYING PARTY: Third Party ISSUE **CERTIFIER**

APPLICABLE FACILITIES: Greenfield, USA DATF-**CERTIFICATE URL:** 2020https://assets.ctfassets.net/y0dk4vkszqeh/2w806nSaiPRL0AME4bDbg1/c05ed731ddc2e60bf56f7e6cdfd2f573/modernfold_acousti_seal_legacy_EN.pdf 03-02

> DATE: 2025-03-01

Global **EXPIRY** Services

SCS

OR LAR-

CERTIFICATION AND COMPLIANCE NOTES:



🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

All sales of products shall be subject to dormakaba's applicable General Terms and Conditions, a copy of which will be provided by your local dormakaba organisation upon request.

MANUFACTURER INFORMATION

MANUFACTURER: dormakaba ADDRESS: Modernfold Inc. 215 West New Rd.

Greenfield IN 46140, USA

WEBSITE: www.modernfold.com

CONTACT NAME: www.modernfold.com/en-US/contact-us

TITLE: -PHONE: -

EMAIL: sustainability@dormakaba.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is
 delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.