

RTS 85, RTS 88 and BTS 84 Transom door closers

Key Figures

Lifetime per unit: 20 years
Weight per unit: 4.4 kg
Production location: Suzhou, China

Production standards


Quality	Environmental	Occupational Health & Safety	Energy	Produced with green electricity
ISO 9001 certified				

Product declarations

Environmental Product Declaration	Health Product Declaration	Building Product Declaration	SuPIM Data Sheet
✓	✓		


Material used (%)

■ Iron ■ Steel ■ Oil ■ Aluminium ■ Other



The GWP¹ across the life cycle is 11 kg CO₂e

This is similar to the CO₂ produced from a road trip with a diesel mid-range car from Ennepetal to Dortmund airport



¹ Carbon dioxide equivalent (CO₂e) is the universal unit of measurement to indicate the global warming potential (GWP) of each of the six greenhouse gases, expressed in terms of the GWP of one unit of carbon dioxide. It is used to evaluate releasing (or avoiding releasing) different greenhouse gases against a common basis.



Scan the QR code or click here for more information about sustainability



Scan the QR code or click here for more information about our sustainability product declaration.



Description

dormakaba's RTS 85, RTS 88, and BTS 84 Series concealed door closers offer a solution for installations where door control must be provided without disturbing aesthetic appearance or compromising durability. They can be installed a number of different configurations, including in standard, narrow or wide door frames, as well as with left-hand or right-hand single- or doubleaction mounting.

Total Global Warming Potential per life cycle stage (kg CO₂e)

