

HPD UNIQUE IDENTIFIER: 358774735872

CLASSIFICATION: 08 42 29.33 Swinging Automatic Entrances

PRODUCT DESCRIPTION: The SU5000 provides bi-directional access control and other operational and passage modes. In controlled passage mode, barriers are securely locked deterring unauthorized entry. Upon receipt of a valid card signal from an access control system, the motorized barriers of the turnstile open away from the user, and integrated sensors allow a single user to pass through the turnstile in the requested direction. If an unauthorized user attempts to tailgate on the entry, the unit will recognize the illegal passage, a violation alarm will sound and red notification lights will flash. The SU5000 utilizes tandem motorized barriers, distributed processing and integrated optical sensors to control access. The optical sensors detect patrons, determine the direction of patron movement and (in conjunction with the facility access system) detect unauthorized users. In addition to detecting "tailgating" on allowed entries, the SU5000's sensors prevent barriers from closing on users.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SU 5000 OPTICAL TURNSTILE WITH MOTORIZED BARRIERS [STEEL NoGS PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOLDS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT NoGS PLEXIGLAS NoGS ALUMINIUM NoGS ZINC LT-P1] END | MUL | PHY | AQU KRAFT PAPER NoGS ELECTRONICS]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Electronics]

This HPD was created with Basic Inventory. Substances are listed by weight in the entire product instead of by material. All substances over 1000 ppm or 100 ppm of the product are reported.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

LCA: Environmental Product Declaration (EPD) by IBU (Arbeitsgemeinschaft Umweltverträgliches Bauprodukt E.V.(AUB)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-06-28

PUBLISHED DATE: 2023-10-17

EXPIRY DATE: 2026-06-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SU 5000 OPTICAL TURNSTILE WITH MOTORIZED BARRIERS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected in these materials at or above the inventory threshold. dormakaba products consist of finished components, and no chemical reactions are needed to develop our products.

OTHER PRODUCT NOTES: -

STEEL

ID: 12597-69-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-06-28 0:52:48

#: 45.8400 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Hardware

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: Fixing materials, steel parts, steel sheet parts, springs for the SU 5000 Optical Turnstile with Motorized Barriers

PLASTICS, E.G. GRANULATES, FORMED PARTS, FIBRES, FOILS, POLYMER RESINS, IN SOLID FORM, NOT DISPERSED, INSOLUBLE IN WATER AND INDIFFERENT

ID: 937182-60-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-06-28 0:52:48

#: 24.4500 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: Plastic is used in SU 5000 Optical Turnstile with Motorized Barriers for washers, packing and tape.

PLEXIGLAS

ID: 9008-29-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-06-28 0:52:48

#: 16.9900 GreenScreen: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Glass component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: Plexiglass is used in SU 5000 Optical Turnstile with Motorized Barriers panels/leaves.

ALUMINIUM

ID: 15629-83-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2023-06-28 0:52:49

%: 6.0500	GreenScreen: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
------------------	--------------------------	----------------	-----------------	---------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The aluminum is used for the fasteners and in various components in SU 5000 Optical Turnstile with Motorized Barriers

ELECTRONICSID: **Electronic Component**HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: 4.1600	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Electronic component
------------------	----------------------------------	----------------	-----------------	--

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
		Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION: Cable, motor, connector, PWBs

EU ROHS COMPLIANCE: Yes

END-OF-LIFE MANAGEMENT: No end-of-life management plan

MATERIAL CONTENT NOTES:

ZINC

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2023-06-28 0:52:49

%: 1.8200	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Hardware
------------------	---------------------------	----------------	-----------------	---------------------------------

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
PHY	GHS - New Zealand	Self-heating substances and mixtures category 1
PHY	GHS - New Zealand	Substances and mixtures which, in contact with water, emit flammable gases category 1
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Zinc is used in SU 5000 Optical Turnstile with Motorized Barriers for various screws, nuts and washer.

KRAFT PAPER ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-06-28 0:52:48**

%: **0.6900** GreenScreen: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: -
CERTIFICATE URL:

ISSUE DATE: 2023-06-07
EXPIRY DATE:

CERTIFIER OR LAB: None

CERTIFICATION AND COMPLIANCE NOTES: This HPD is for a product that is NOT liquid/wet applied.

LCA

Environmental
Product Declaration
(EPD) by IBU
(Arbeitsgemeinschaft
Umweltverträgliches
Bauprodukt E.V.
(AUB)

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Chino, USA
CERTIFICATE URL:

https://assets.ctfassets.net/y0dk4vkszqeh/3qYfx7SsSGkc1cHDo9YI0D/96fa6aee0deec5c3c7e0dbcbd111afc/SU5000_Optical_Turnstile_with_Motorized_Barriers.pdf

ISSUE DATE:	CERTIFIER OR LAB:
2023-03-15	Institut Bauen und Umwelt e.V. (IBU)
EXPIRY DATE:	
2028-03-14	

CERTIFICATION AND COMPLIANCE NOTES: -

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The information contained in this HPD is to be used only as a voluntary information on our products. dormakaba makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this HPD are subject to change without notice and dormakaba disclaims any and all liability for such changes. The information contained herein is provided without warranties of any kind, either express or implied, and dormakaba disclaims any and all liability for typographical, printing, or production errors or changes affecting the specifications contained herein.

dormakaba DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL dormakaba BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

MANUFACTURER INFORMATION

MANUFACTURER: **dormakaba**
 ADDRESS: **Alvarado Mfg. - dormakaba Group**
12660 Colony Street
Chino, CA 91710
 COUNTRY: **USA**

WEBSITE: **www.alvaradomfg.com**
 CONTACT NAME: **www.dormakabagroup.com/en/contact**
 TITLE: -
 PHONE: -
 EMAIL: **sustainability@dormakaba.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types		
AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain. The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.